



ELSEVIER

Journal of Chromatography A, 931 (2001) 177–179

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 931

Adsorbents

Adsorption study of alkyl-silicas and methylsiloxy-silicas
931(2001)119

Adsorption isotherms

Adsorption study of alkyl-silicas and methylsiloxy-silicas
931(2001)119

Air analysis

Multiclass/multiresidue method for monitoring widely applied
plant protecting agents in air during field dispersion work
931(2001)107

Alkyl-methoxy pyrazine

Use of solid–liquid distribution coefficients to determine
retention properties of Porapak-Q resins. Determination of
optimal conditions to isolate alkyl-methoxy pyrazines and beta-
damascenone from wine 931(2001)31

Basic drugs

Characterisation of reversed-phase liquid chromatography
stationary phases for the analysis of basic pharmaceuticals:
eluent properties and comparison of empirical test methods
931(2001)67

Benzene

Adsorption study of alkyl-silicas and methylsiloxy-silicas
931(2001)119

Benzoic acids

Chromatography of substituted benzoic acids with methanol–
water–carbon dioxide mixtures 931(2001)41

Breakthrough volume

Use of solid–liquid distribution coefficients to determine
retention properties of Porapak-Q resins. Determination of
optimal conditions to isolate alkyl-methoxy pyrazines and beta-
damascenone from wine 931(2001)31

Buffer composition

Effect of glycerol-induced DNA conformational change on the
separation of DNA fragments by capillary electrophoresis
931(2001)163

Camphor

Influence of organic solvent on the behaviour of camphor and
 α -pinene enantiomers in reversed-phase liquid chromatography
systems with α -cyclodextrin as chiral additive 931(2001)81

Capillary columns

Capillary electrophoresis using a surfactant-treated capillary
coupled with offline matrix-assisted laser desorption ionization
mass spectrometry for high efficiency and sensitivity detection
of proteins 931(2001)153

Capillary electrophoresis–mass spectrometry

Capillary electrophoresis using a surfactant-treated capillary
coupled with offline matrix-assisted laser desorption ionization
mass spectrometry for high efficiency and sensitivity detection
of proteins 931(2001)153

Carbon dioxide

Chromatography of substituted benzoic acids with methanol–
water–carbon dioxide mixtures 931(2001)41

Chromatographic peaks (Review)

Mathematical functions for the representation of
chromatographic peaks (Review) 931(2001)1

Column diameter

Conventional inner diameter short capillary columns: an
approach to speeding up gas chromatographic analysis of
medium complexity samples 931(2001)129

Column selection

Characterisation of reversed-phase liquid chromatography
stationary phases for the analysis of basic pharmaceuticals:
eluent properties and comparison of empirical test methods
931(2001)67

Cyclodextrins

Influence of organic solvent on the behaviour of camphor and
 α -pinene enantiomers in reversed-phase liquid chromatography
systems with α -cyclodextrin as chiral additive 931(2001)81

Method development and validation for the chiral separation of
peptides in the presence of cyclodextrins using capillary
electrophoresis and experimental design 931(2001)141

Cytochrome

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

 β -Damascenone

Use of solid-liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31

Diethyl ether

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Distribution coefficients

Use of solid-liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31

DNA

Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis 931(2001)163

Enantiomer separation

Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Essential oils

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Experimental design

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Extraction methods

Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95

Fast analysis

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Glycerol

Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis 931(2001)163

Hexane

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Instrumentation

Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53

Interfaces, SFE-HPLC

Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53

Inverse gas chromatography

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Liquid phase microextraction with back extraction

Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95

Lysozyme

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

Mathematical functions

Mathematical functions for the representation of chromatographic peaks (Review) 931(2001)1

Method development

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Mobile phase composition

Chromatography of substituted benzoic acids with methanol-water-carbon dioxide mixtures 931(2001)41

Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67

Multiresidue methods

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

Pentane

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Peptides

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Pesticides

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

Phenols

Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95

 α -Pinene

Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81

Plant-protecting agents

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

Proteins

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

Pyrethrins

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Retention behavior

Chromatography of substituted benzoic acids with methanol–water–carbon dioxide mixtures 931(2001)41

Reviews

Mathematical functions for the representation of chromatographic peaks 931(2001)1

Short columns

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Silica

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Solid-phase extraction

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31

Stability constants

Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81

Stationary phases, LC

Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67

Supercritical fluid extraction

Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53

Thermodynamic parameters

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Triterpenes

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Water analysis

Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95

Wine

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31