



ELSEVIER

Journal of Chromatography A, 932 (2001) 181–184

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 932

Aflatoxins

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

Amino acids

Anion selective exhaustive injection-sweep–micellar electrokinetic chromatography 932(2001)129

Aminomethylphosphonic acid

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anion-exchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

Anion selective exhaustive injection

Anion selective exhaustive injection-sweep–micellar electrokinetic chromatography 932(2001)129

Antibiotics

Separation of WAP-8294A components, a novel anti-methicillin-resistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75

Analysis of clindamycin by micellar electrokinetic chromatography with a mixed micellar system 932(2001)145

Anti-methicillin-resistant *Staphylococcus aureus* agent

Separation of WAP-8294A components, a novel anti-methicillin-resistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75

Band broadening

Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21

Carbohydrates

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Carboxylic acids

Anion selective exhaustive injection-sweep–micellar electrokinetic chromatography 932(2001)129

Clean-up methods

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

Clindamycin

Analysis of clindamycin by micellar electrokinetic chromatography with a mixed micellar system 932(2001)145

Complex formation

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Coptotermes formosanus

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Counter-current chromatography

Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91

Crown ethers

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

DB-200

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

DB-VRX

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Dibenzo[*a,l*]pyrene

Application of matrix solid-phase dispersion in the determination of dibenzo[*a,l*]pyrene content of experimental animal diets used in a large-scale tumor study 932(2001)33

Dioxin

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Enantiomer separation

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139

Environmental analysis

On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode 932(2001)107

Fiber disks

Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159

Field-amplified sample injection

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Food analysis

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139

Fullerenes

Separation and identification of perchlorinated polycyclic aromatic hydrocarbons and fullerenes (C₆₀, C₇₀) by coupling high-performance liquid chromatography with ultraviolet absorption spectroscopy and atmospheric pressure chemical ionization mass spectrometry 932(2001)43

Furan

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Glucoside malonates

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

Glyphosate

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anion-exchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

Gold

Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159

Headspace analysis

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Headspace solid-phase microextraction

Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1

Heparin

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Histamine

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Hydrocarbons

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Injection methods

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Isoflavones

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

Ligand-exchange capillary electrophoresis

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139

Longitudinal diffusion

Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21

Matrix solid-phase dispersion

Application of matrix solid-phase dispersion in the determination of dibenzo[*a,l*]pyrene content of experimental animal diets used in a large-scale tumor study 932(2001)33

Metoprolol

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Micellar electrokinetic chromatography

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Multifunctional column

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

Musk compounds

On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode 932(2001)107

Naphthalenedisulfonic acids

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Non-uniform field electrophoresis

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Oligosaccharides

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Pesticides

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anion-exchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

Polyamide 6.6

Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1

Polynuclear aromatic hydrocarbons, perchlorinated

Separation and identification of perchlorinated polycyclic aromatic hydrocarbons and fullerenes (C₆₀, C₇₀) by coupling high-performance liquid chromatography with ultraviolet absorption spectroscopy and atmospheric pressure chemical ionization mass spectrometry 932(2001)43

Polyoxyethylene(10)-*p*-isononylphenyl ether

Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159

Polysiloxanes

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Polystyrene

Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159

Potassium

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Pre-concentration

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Propranolol

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Quinic acid

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139

Red clover

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

Retention factors

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Rhodiola sachalinensis

Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91

Salidroside

Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91

Sample stacking

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Selectivity

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Solid-phase extraction

On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode 932(2001)107

Solid-phase microextraction

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Solvation parameter model

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Spices

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

Stability

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

Stationary phases, GC

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Stop-flow size-exclusion chromatography

Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21

Surfactants

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Sweeping

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Tartaric acid

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139

Thermo-oxidation

Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1

***Trifolium pratense* L**

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

WAP-8294A

Separation of WAP-8294A components, a novel anti-methicillin-resistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75

Water analysis

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anion-exchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode 932(2001)107

Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159