

Journal of Chromatography A, 933 (2001) 139-141

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 933

Adsorption isotherms

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Aflatoxin B1-oxime

Quantitative determination of aflatoxin B1-oxime by column liquid chromatography with ultraviolet detection 933(2001)91

Aflatoxins

Quantitative determination of aflatoxin B1-oxime by column liquid chromatography with ultraviolet detection 933(2001)91

Air analysis

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Amino acids

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D,L-serine by γ-cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129

Apples

Pressurized liquid extraction for the determination of polyphenolsin apple 933(2001)37

Chiral stationary phases, LC

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Copper

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Crown ether

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Dansyl chloride

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D,L-serine by γ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Dissociation constants

Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45

Dubinin-Astakhov isotherm

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Enantiomer separation

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized $_{D,L}$ -serine by γ -cyclodextrin-bondedhigh-performance liquid chromatography 933(2001)99

Flavonoids

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

Fluorenylmethyl chloroformate

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D.L-serine by γ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Gas chromatography

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

0021-9673/01/\$ - see front matter © 2001 Elsevier Science B.V. All right reserved

PII: S0021-9673(01)01406-6

Halogenated compounds

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Instrumentation

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Ion exchangers

Determinants of protein retention characteristics on cationexchange adsorbents 933(2001)57

Isoxazolinones

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129

Metallomesogens

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Lathyrus spp

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129

Mobile phase composition

Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73

Molecular sieves

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Peak capacity

Metrics of separation in chromatography 933(2001)1

Peptides

Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45

Phthalate esters

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Plant materials

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129

Polycyclic aromatic hydrocarbons

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Polycyclic aromatic hydrocarbons, monofluorinated

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Polyphenols

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

Polysiloxanes

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Pore size distribution

Determinants of protein retention characteristics on cationexchange adsorbents 933(2001)57

Pressurized liquid extraction

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

Proteins

Determinants of protein retention characteristics on cationexchange adsorbents 933(2001)57

Quinolones

Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45

Resolution

Metrics of separation in chromatography 933(2001)1

Retention behaviour

Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45

Sample preparation

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Selectivity

Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73

Separability

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

Separation capacity

Metrics of separation in chromatography 933(2001)1

Separation measure

Metrics of separation in chromatography 933(2001)1

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

Separation number

Metrics of separation in chromatography 933(2001)1

Separation power

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

Separation rate

Metrics of separation in chromatography 933(2001)1

Serine

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D,L-serine by γ-cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Solid-phase extraction

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Specific separation

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

Stationary phase, LC

Determinants of protein retention characteristics on cationexchange adsorbents 933(2001)57

Stationary phases, GC

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Stationary phases, LC

Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73

Triethylamine

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

2,2,2-Trifluoroethanol

Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73

Volatile organic compounds

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Water analysis

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27