

Journal of Chromatography A, 937 (2001) 141-144

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 937

Acesulfame-K

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Aflatoxins

New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31

Amines

Studies of signal suppression in liquid chromatography– electrospray ionization mass spectrometry using volatile ionpairing reagents 937(2001)41

Animal fat

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

Aroma compounds

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Aspartame

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Atmospheric pressure chemical ionization

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

Atmospheric pressure ionization

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Benzoic acid

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Bile acids

Capillary gas chromatographic behaviour of *tert.*-hydroxylated steroids by trialkylsilylation 937(2001)97

Bovine serum albumin

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

Caffeine

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Ceramics, ancient

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

Chip technology

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Chiral stationary phases, SFC

Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135

Contamination factor

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

Cyclodextrins

New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31

0021-9673/01/\$ – see front matter © 2001 Elsevier Science B.V. All right reserved PII: S0021-9673(01)01447-9

Derivatisation, GC

Capillary gas chromatographic behaviour of *tert.*-hydroxylated steroids by trialkylsilylation 937(2001)97

Electrospray ionization

Studies of signal suppression in liquid chromatography– electrospray ionization mass spectrometry using volatile ionpairing reagents 937(2001)41

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Enantiomer separation

Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135

Enzymes

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Extraction methods

Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49

Flow-rate

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Food analysis

New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31

Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Fractionation diagram

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

Frontal analysis

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

Fruits

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Heterogeneity

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

Hydrogen peroxide

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Ibuprofen

Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135

Injection methods

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Instrumentation

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Interfaces, LC-MS

Studies of signal suppression in liquid chromatography– electrospray ionization mass spectrometry using volatile ion-pairing reagents 937(2001)41

Ion-pairing reagents

Studies of signal suppression in liquid chromatography– electrospray ionization mass spectrometry using volatile ionpairing reagents 937(2001)41

Ketoprofen

Capillary zone electrophoresis with electrochemical detection a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Lipid hydroperoxides

Capillary zone electrophoresis with electrochemical detection—a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Lipids

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

Mass spectrometry

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Matrix effects

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Matrix solid-phase dispersion

Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49

Mobile phase composition

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Olive mill wastewater

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Olive oil

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

On-column injection

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Peroxides

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Pesticides

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Phenolic compounds

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Porous graphitic carbon

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Product vield

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

Profens

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Programmed temperature vaporizer

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Pulsed splitless injection

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Purification factor

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

Purity

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

Recovery

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

Response stability

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Rhodamine B

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Sample handling

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Signal response

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Sodium carbonate

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Sodium saccharin

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Sodium tetraborate

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Solid-phase microextraction

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Sorbic acid

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Steroids, tert.-hydroxylated

Capillary gas chromatographic behaviour of *tert*.-hydroxylated steroids by trialkylsilylation 937(2001)97

Sterols

Capillary gas chromatographic behaviour of *tert.*-hydroxylated steroids by trialkylsilylation 937(2001)97

Sulfonamides

Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49

Supercritical fluid chromatography

Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135

Tetrahvdrofuran

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Theobromine

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Theophylline

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Volatile organic compounds

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Water analysis

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21