Gas Chromatography

1. REVIEWS AND BOOKS

529 Berezkin, V.G. and Bokhstein, Yu.S.: *(In Memoriam - Alexander Abromowich Zhukhowitskii 1908-1990).* MGU, Moscow, 1999, 67 p.

530 Papirer, E.: *Adsorption on Silica Surfaces.* Marcel Dekker, New York, 2000, 753 p.

531 Pefferkorn, E.: *Interfacial Phenomena in Chromatography.* Marcel Dekker, New York, 1999, 448 p.

532 Szopa, C., Sternberg, R., Rodier, C., Coscia, D. and Raulin, F.: Development and analytical aspects of gas chromatography for space exploration. *LC-GC Eur.* 14 (2001) 114-120 - a review with 34 refs.

See also 533, 552, 595, 598, 616, 617, 618, 619, 622, 624, 625, 627, 628, 630, 631, 636, 639, 643, 690, 748, 787, 803, 822, 857, 866, 967.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

533 Ettre, L.S.: Gas chromatography - past, present and future. *LC-GC Eur.,* 14 (2001) 72-74 - a review with 16 refs.

534 Poppe, H., Kenndler, E. and Lindner, W.: Obituary. Josef Franz Karl Huber. *J. Chromatogr. A,* 911 (2001) 143-145.

See also 572.

2b. Thermodynamics and theoretical relationships

535 Arustamova, L.G., Gaibakyan, D.S., Rozylo, J.K. and Jamrozek-Manko, A.: Gas chromatographic investigation of phase transition in liquid crystal of eutectic mixture of MBBA and EBBA. *Chem. Environ. Res.,* 9 (2000) 55-58; CA Selects Plus GC, No. 4 (2001) 82530.

536 Berezkin, V.G.: Carrier gas effects on relative retention and resolution in capillary GLC. *J. Microcolumn Separ.,* 19 (2000) 515-519.

537 Chizhkov, V.P. and Sterkhov, N.V.: (Effect of nonideality of gas solutions on the separation factor in gas-liquid chromatography). *Zh. Fiz. Khim.,* 74 (2000) 1139-1140; *C.A.,* 133 (2000) 316890w.

538 Zhu, X.-H.: (OV-1 relationship of enthalpy of hydrocarbons on OV-1 and SE-54 stationary phases). *Dalian Tiedao Xueyuan Xuebao,* 21 (2000) 82-84; *C.A.,* 134 (2001) 31005v.

See also 545.

2c. Relationship between structure and chromatographic behaviour

539 Blumberg, L.M., Quimby, B.D. and Klee, M.S.: Retention factor database. *U.S.* US 6,153,438 (Cl. 436-161; G01N30/02), 28 Nov. 2000, US Appl. 846,977, 30 Apr. 1997; 11 pp.; *C.A.,* 133 (2000) 358651z.

540 Du, Y., Cui, H. and Liang, Y.: (Prediction of retention indices in grey multicomponent system of gas chromatography). *Fenxi Huaxue,* 29 (2001) 15-18; CA Selects Plus GC, No. 4 (2001) 86658.

541 Jalali-Heravi, M. and Parastar, F.: Development of comprehensive descriptiors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases. *J. Chromatogr. A,* 903 (2000) 145-154.

542 Peng, C.T.: Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index. *J. Chromatogr. A,* 903 (2000) 117-143.

See also 640, 657, 770.

2d. Measurement of physico-chemical and related values

543 Baniceru, M., Radu, S., Pleniceanu, M. and Blejoiu, S.: Thermodynamic studies on infinitely dilute solutions of xylenes and ethyltoluenes in 4-[(4-chlorobenzyl)-oxy]-4'-cyanoazobenzene liquid crystal. *Chem. Anal. (Warsaw),* 45 (2000) 719-724.

544 Bektashi, N.R., Alieva, Z.M., Kurbanova, N.I., Mamedov, A.S. and Aliyeva, D.N.: (Study on influence of double bond contents on glass temperature of alkenylated polystyrenes by method of reversed-phase gas chromatography). *Azerb. Khim. Zh.,* No. 1 (2000) 15-17; CA Selects Plus GC, No. 4 (2001) 68831.

545 Dallos, A., Sisak, A., Kulcsár, Z. and Kováts, E.: Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups. *J. Chromatogr. A,* 904 (2000) 211-242.

546 Dieckmann, F., Klinger, C., Uhlmann, P. and Bohme, F.: Surface properties of polyamidines investigated by inverse gas chromatography. *Polymer,* 42 (2001) 3463-3466.

547 Donnet, J.B., Wang, T.K., Li, Y.J., Balard, H. and Burns, G.T.: Characterization of silica xerogels surfaces by inverse gas chromatography (IGC). *Rubber Chem. Technol.,* 73 (2000) 634-646.

548 Hamieh, T., Rezzaki, M. and Schultz, J.: Study of the second order transitions and acid-base properties of polymers adsorbed on oxides by using inverse gas chromatography at infinite dilution. *J. Colloid Interface Sci.,* 233 (2000) 339-342; CA Selects Plus GC, No. 1 (2001) 890354.

549 Hamieh, T., Rezzaki, M. and Schultz, J.: Study on the second order transitions and acid-base properties of polymers adsorbed on oxides by using inverse gas chromatography at infinite dilution. *J. Colloid Interface Sci.,* 233 (2000) 343-347; CA Selects Plus GC, No. 1 (2001) 890355.

550 Kuznetsov, B.V., Moreva, A.A. and Rakhmanova, T.A.: (Comparison of gravimetric, volumetric, and gas chromatographic methods for measurement of adsorption). *Zh. Fiz. Khim.*, 74 (2000) 1664-1669; *C.A.*, 134 (2001) 33289q.

551 Nonnenmacher, S. and Piesche, M.: (Headspace gas chromatography for determination of the diffusion coefficient and phase equilibrium in gas-liquid systems). *Chem. Ing. Tech.*, 72 (2000) 1518-1522; *C.A.*, 134 (2001) 73438u.

552 Papirer, E., Balard, H. and Vergelati, C.: Surface energetics of silica investigated by inverse gas chromatography. *Surfactant Sci. Ser.*, 90 (2000) 205-241; *C.A.*, 133 (2000) 340664w - a review with 76 refs.

553 Rostelien, T., Borg-Karlson, A.-K. and Mustaparta, H.: Selective neurone responses to E-β-ocimene, β-myrcene, E,E-α-farnesene and homo-farnesene in the moth *Heliothis virescens*, identified by gas chromatography linked to electrophysiology. *J. Comp. Physiol. A*, 186 (2000) 833-847.

554 Roubani-Kalantzopoulou, F., Bassiotis, I., Kalogirou, E., Katsanos, N.A., Iliopoulou, E. and Arvanitopoulou, A.: Measurements and models in heterogenous physicochemical processes in the atmosphere. *Adv. Air Pollut.*, 8 (2000) 667-676; *C.A.*, 133 (2000) 354158w.

555 Rybolt, T.R., Hooper, D.N., Stensby, J.B., Thomas, H.E. and Baker, M.L.Jr.: Molar refractivity and connectivity index correlations for Henry's law virial coefficients of odorous sulfur compounds on carbon and for gas chromatographic retention indices. *J. Colloid. Interface Sci.*, 234 (2001) 168-177.

556 Tochigi, K., Uchiyama, M. and Kojima, K.: Measurement of infinite-dilution activity coefficients of alcohols in water using relative gas-liquid chromatographic method. *Korean J. Chem. Eng.*, 17 (2000) 502-505; *C.A.*, 134 (2001) 75986v.

557 Vereshchagin, S.N., Kirik, N.P., Shishkina, N.N., Morozov, S.V., Shakirov, M.M., Mamatyuk, V.I. and Anshits, A.G.: Hydrocarbon conversion on ZMS-5 in the presence of N_2O: relative reactivity and routes of product formation studied by GC-MS and ^{13}C NMR. *J. Mol. Catal. A: Chem.*, 158 (2000) 377-380; *C.A.*, 133 (2000) 296114r.

558 Walinder, M.E.P. and Gardner, D.J.: Surface energy of extracted and non-extracted norway spruce wood particles studied by inverse gas chromatography (IGC). *Wood Fiber Sci.*, 32 (2000) 478-488; CA Selects Plus GC, No. 24 (2000) 775612.

See also 852, 856.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

559 Arnold, N.S., Dworzanski, J.P., Sheya, S.A., McClennen, W.H. and Meuzelaar, H.L.C.: Design considerations in field-portable GC-based hyphenated instrumentation. *Field Anal. Chem. Technol.*, 4 (2000) 219-238; *C.A.*, 134 (2001) 65611e.

560 Arrigoni, R.: Procedure and device for performing simultaneous gas chromatographic analysis of different components. *Eur. Pat. Appl.* EP 1,061,365 (Cl. G01N30/46), 20 Dec. 2000, IT Appl. 1999/MI1,349, 17 Jun. 1999; 11 pp.; *C.A.*, 134 (2001) 36534b.

561 Di Polesello, A.: (Sample injection systems in GC and HPLC). *Lab. 2000*, 14, No. 5 (2000) 34-50; *C.A.*, 134 (2001) 109901f.

562 Doskey, P.V. and Bialk, H.M.: Automated sampler for the measurement of non-methane organic compounds. *Environ. Sci. Technol.*, 35 (2001) 591-594.

563 Gaisford, S. and Walters, D.L.: Microwave heating apparatus for gas chromatographic columns. *U.S.* US 6,157,015 (Cl. 219-748; H05B6/80), 5 Dec. 2000, US Appl. 262,230, 4 Mar. 1999; 40 pp.; *C.A.*, 133 (2000) 368893u.

564 Gordin, A. and Amirav, A.: SnifProbe: new method and device for vapor and gas sampling. *J. Chromatogr. A*, 903 (2000) 155-172.

565 Guilbot, P., Valtz, A., Legendre, H. and Richon, D.: Rapid on-line sampler-injector: a reliable tool for HT-HP sampling and on-line GC analysis. *Analusis*, 28 (2000) 426-431.

566 Hanaoka, K., Sieffermann, J.-M. and Giampaoli, P.: Effects of the sniffing port air makeup in gas chromatography-olfactometry. [Erratum to document cited in CA133:42350]. *J. Agric. Food Chem.*, 48 (2000) 2628.

567 Janssen, H.-G., Steenbergen, H., Oomen, J. and Beens, J.: Standard on-column injection: a fast and simple method for large volume injection in medium-resolution gas chromatography. *J. Microcolumn Separ.*, 12 (2000) 523-529.

568 Junyapoon, S., Bartle, K.D., Ross, A.B., Cooke, M. and Smethurst, B.F.: Programmed temperature vaporization injection (PTV) in the analysis by gas chromatography-mass spectrometry (GC-MS) of the constituents of landfill gas. *Int. J. Environ. Anal. Chem.*, 77 (2000) 337-348.

569 Kruse, R.: (Open transfer capillary injector system for direct sample injection into capillary gas chromatographs). *Ger. Offen.* DE 19,924,546 (Cl. G01N30/16), 21 Dec. 2000, Appl. 19,924,546, 28 May 1999; 6 pp.; *C.A.*, 134 (2001) 50763g.

570 Lemieux, P.M., Ryan, J.V., and Preston, W.T.: On-line gas chromatograph with sample preparation, concentration, and calibration apparatus for measuring trace organic species from combustor flue gas. *U.S.* US 6,165,251 (Cl. 95-82; B01D53/02), 26 Dec. 2000; US Appl. PV84,496, 5 May 1998; 9 pp.; *C.A.*, 134 (2001) 32426v.

571 Meckenstock, R., Richnow, H.-H., Schink, B. and Michaelis, W.: (Procedure for determination of biodegradation of organic pollutants in groundwater and soil by isotope fractionation). *Ger. Offen.* DE 10,006,798 (Cl. C12Q1/64), 30 Nov. 2000, DE Appl. 10,004,275, 1 Feb. 2000; 8 pp.; *C.A.*, 134 (2001) 21222z.

572 Nogueira, J.M.F.: Microscale gas generator of methane for the dead time determination of capillary columns. *Fresenius J. Anal. Chem.*, 368 (2000) 389-391.

573 Norris, J.O.W. and Smith, A.P.: Determination of hydrocarbon concentration in a gas. *Brit. UK Pat. Appl.* GB 2,350,195 (Cl. G01M15/00), 22 Nov. 2000, Appl. 1999/11,650, 19 May 1999; 11 pp.; *C.A.*, 134 (2001) 46076t.

574 Tablack, P.H.: (Injection technique for gas chromatography). *GIT Spez. Sep.*, 20 (2000) 75-77; *C.A.*, 133 (2000) 343989s.

575 Tanabe, S., Kamihara, Y., Ikeda, T. and Yuki, S.: (Fuel gas analytical instrument). *Jpn. Kokai Tokkyo Koho* JP 2000 321,260 (Cl. G01N30/88), 24 Nov. 2000, Appl. 1999/130,040, 11 May 1999; 8 pp.; *C.A.*, 134 (2001) 12927f.

576 Taylor, T.: The trouble with GC. *CAST, Chromatogr. Sep. Technol.*, 16 (2000) 11-17; *C.A.*, 134 (2001) 109922p.

577 Tienpont, B., David, F., Bicchi, C. and Sandra, P.: High capacity headspace sorptive extraction. *J. Microcolumn Separ.,* 12 (2000) 577-584.

578 Veriotti, T. and Sacks, R.: A tandem column ensemble with an atmospheric pressure junction-point vent for high-speed GC with selective control of peak-pair separation. *Anal. Chem.,* 73 (2001) 813-819.

See also 593, 613, 639, 695, 960, 963, 1013.

3b. Detectors and detection reagents

579 Krylov, E.V.: A gas-discharge ionizer for an argon ionization detector. *Tech. Phys.,* 45 (2000) 1496-1501; *C.A.,* 134 (2001) 79555b.

580 Marzoli, C. and Zilioli, G.: Device for measuring the thermal conductivity of a fluid. *Eur. Pat. Appl.* EP 1,050,756 (Cl. G01N27/18), 8 Nov. 2000, IT Appl. 1999/MI996, 7 May 1999; 7 pp.; *C.A.,* 133 (2000) 326252d.

581 Morita, T., Nalagama, T., Maeda, T., Uchiyama, K. and Hobo, T.: (Study of atomic emission spectrometric detector using a low frequency plasma for GC). *Chromatography,* 21 (2000) 268-269; CA Selects Plus GC, No. 2 (2001) 21162.

582 Saradhi, U.V.R.V., Suryanarayana, M.V.S., Gupta, A.K., Semwal, R.P. and Jayaram, B.: Studies on the response mechanism of thermoionic detection to organophosphorus compounds. *J. Chromatogr. A,* 911 (2001) 63-73.

583 Sun, H.T. and Hsi, P.C.: Multiple channel photo-ionization detector for simultaneous and selective measurement of volatile organic compounds. *Eur. Pat. Appl.* EP 1,059,530 (Cl. G01N27/66), 13 Dec. 2000, US Appl. 330,522, 11 Jun. 1999; 14 pp.; *C.A.,* 134 (2001) 25004c.

584 Thurbide, K.B. and Aue, W.A.: High-throughput reactor for simulating the flame photometric detector. *J. Chromatogr. A,* 905 (2000) 241-250.

See also 706, 875, 1009, 1017.

3c. Sorbents and columns, packing procedures

585 Arustamova, L.G., Stepanyan, M.M. and Gaibakyan, D.S.: (Diatomite type solid carriers as sorbents for gas adsorption chromatography of polar compounds). *Khim. Zh. Arm.,* 53 (2000) 57-62; *C.A.,* 134 (2001) 80253h.

586 Asztemborska, M., Nowakowski, R. and Sybilska, D.: Separation ability and stoichiometry of cyclodextrin complexes. *J. Chromatogr. A,* 902 (2000) 381-387.

587 Berezkin, V.G., Alishoev, V.R., Korolev, A.A. and Malyukova, I.V.: Ammonia as a carrier gas for acidic-basic chromatography. *J. Chromatogr. A,* 903 (2000) 173-181.

588 Berthod, A., He, L. and Armstrong, D.W.: Ionic liquids as stationary phase solvents for methylated cyclodextrins in gas chromatography. *Chromatographia,* 53 (2001) 63-68.

589 Blomberg, L.G.: Silicone stationary phases for gas chromatography. *LC-GC Eur.* 14 (2001) 106-112.

590 Bourgeaux, E. and Combret, J.-C.: General access to asymmetric γ-cyclodextrins for gas chromatographic applications by insertion of a selectively modified sugar unit. *Tetrahedron: Asymmetry,* 11 (2000) 4189-4205.

591 Chen, Y.-W., Zhu, W.-H. and Lai, S.-Y.: (Synthesis and the application of bonded stationary phase of gas chromatography). *Wuhan Huagong Xueyuan Xuebao,* 22, No. 3 (2000) 8-10; CA Selects Plus GC, No. 2 (2001) 3899.

592 Cheng, S.-h., Wu, J., Zheng, G.-j., Yang, L., Sha, Q. and Sun, W.-r.: (Enantiomeric separation of cyanohydrins and α-hydroxyl acids by chiral gas chromatography). *Fenxi Shiyanshi,* 19, No. 5 (2000) 1-4; CA Selects Plus GC, No. 24 (2000) 767235.

593 De Zeeuw, J., Peene, J., Jansen, H.-G. and Lou, X.: A simple way to speed up separations by GC-MS using short 0.53 mm columns and vacuum outlet conditions. *J. High Resolut. Chromatogr.,* 23 (2000) 677-680.

594 Dos Santos Pereira, A. and Radler de Aquino Neto, F.: (State of art of high temperature high resolution gas chromatography). *Quim. Nova,* 23 (2000) 370-379; CA Selects Plus GC, No. 24 (2000) 783356.

595 Ettre, L.S.: Evolution of capillary columns for gas chromatography. *LC-GC N. Amer.,* 19 (2001) 48-59 - a review with 66 refs.

596 Fan, J.-H., Zeng, Z.-R., Fang, P.-F., Chen, Y.-Y. and Cheng, J.-K.: (Synthesis and characteristics of new high temperature stationary phase [60] fullerene polysiloxane for capillary gas chromatography). *Gaodeng Xuexiao Huaxue Xuebao,* 21 (2000) 1359-1363; CA Selects Plus GC, No. 25 (2000) 830651.

597 Kou, D., Li, Z., Liu, M., Cao, Y., Li, X. and Xiang, S.: (Preparation of new zeolite porous-layer open tubular column by in-situ synthetic method). *Fenxi Huaxue,* 28 (2000) 1508-1511; *C.A.,* 134 (2001) 109925s.

598 León-González, M.E. and Pérez-Arribas, L.V.: Chemically modified polymeric sorbents for sample preconcentration. *J. Chromatogr. A,* 902 (2000) 3-16 - a review with 42 refs.

599 Roder, W. and Lennartz, D.: New columns for fatty acid and fatty alcohol acetate analysis. *GIT Spez. Sep.,* 20, No. 2 (2000) 82-83; *C.A.,* 134 (2001) 94928u.

600 Shi, X.Y., Zhang, Y.Q., and Fu, R.N.: Synergistic effects of mixed GC stationary phase consisting of two different cyclodextrin derivatives. *Anal. Chim. Acta,* 424 (2000) 271-277.

601 Tamokami, S., Awano, K. and Amachi, M.: (Optically active column filler for gas chromatography). *Jpn. Kokai Tokkyo Koho* JP 2000 329,756 (Cl. G01N30/48), 30 Nov. 2000, Appl. 1999/137,902, 19 May 1999; 9 pp.; *C.A.,* 134 (2001) 27265n.

602 Tang, K.-W. and Chen, G.-B.: (β-Cyclodextrin polymer as stationary phase in gas chromatographic capillary columns). *Yingyong Huaxue,* 17 (2000) 677-679; CA Selects Plus GC, No. 3 (2001) 45906.

603 Tolnai, G., Alexander, G., Hórvölgyi, Z., Juvancz, Z. and Dallos, A.: Stabilization of gas chromatographic stationary phases with nanosized particles. *Chromatographia,* 53 (2001) 69-75.

604 Wang, X.: (Application of PLOT alumina/potassium chloride capillary gas chromatographic column in ethylene production). *Henan Huagong,* No. 9 (2000) 26-27; CA Selects Plus GC, No. 24 (2000) 782385.

605 Wu, J. and Pawliszyn, J.: Preparation and application of polypyrrole films in solid-phase microextraction. *J. Chromatogr. A,* 909 (2001) 37-52.

606 Yi, J. and Tang, K.: (β-Cyclodextrin cross-linked oligopolymer used as a capillary gas chromatographic stationary phase and separation of enantiomers and isomers). *Fenxi Huaxue,* 28 (2000) 1291-1294; CA Selects Plus GC, No. 24 (2000) 777889.

607 Yuan, L., Ling, Y., Fu, F. and Dai, R.: (Synergistic effect of heptakis(2,3,6-tri-O-pentyl)-β-cyclodextrin and resorcarene derivative mixed stationary phase in gas chromatography). *Huaxue Shiji*, 22 (2000) 257-259; CA Selects Plus GC, No. 26 (2000) 844661.

See also 538, 623, 627, 637, 663, 684, 725, 884.

3d. Quantitative analysis

608 Hinshaw, J.V.: Basic GC measurements and calculations. *LC-GC Eur.* 14 (2001) 90-96.

609 McKinley, J. and Majors, R.E.: The preparation of calibration standards for volatile organic compounds - a question of traceability. *LC-GC Eur.*, 13 (2000) 892-901.

See also 658, 700, 990.

3f. Programmed temperature, pressure, vapors, gradients

610 Blumberg, L.M. and Klee, M.S.: Optimal heating rate in gas chromatography. *J. Microcolumn Separ.*, 19 (2000) 508-514.

611 Veriotti, T., McGuigan, M. and Sacks, R.: Pulsed flow modulation for high-speed GC using a pressure-tunable column ensemble. *Anal. Chem.*, 73 (2001) 279-285.

See also 820.

4. SPECIAL TECHNIQUES

4b. Computerization and modelling

612 Armitage, D.B.: GC simulator. *J. Chem. Educ., Software*, 9901W (1999) 2/1-2/20; *C.A.*, 134 (2001) 71069a.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

613 Shimomura, M.: (Chromatography-mass spectrometric device). *Jpn. Kokai Tokkyo Koho* JP 2000 304,735 (Cl. G01N30/72), 2 Nov. 2000, Appl. 1999/112,274, 20 Apr. 1999; 6 pp.; *C.A.*, 133 (2000) 344015h.

614 Zapata, A.M.: Development and performance enhancement of a capillary microwave-induced plasma mass spectrometer for gas chromatographic detection. Avail. *UMI*, Order No. DA9965411, 2000, 109 pp.; CA Selects Plus GC, No. 25 (2000) 829472.

See also 951.

4d. Affinity chromatography (advances)

See 870.

4e. Functional analysis

615 Pörschmann, J., Plugge, J. and Toth, R.: In situ derivatisation using pressurised liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses. *J. Chromatogr. A*, 909 (2001) 95-109.

See also 956.

4f. Trace analysis and preseparation techniques

616 Carabias-Martínez, R., Rodríguez-Gonzalo, E., Moreno-Cordero, B., Pérez-Pavón, J.L., García-Pinto, C. and Laespada, E.F.: Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis. *J. Chromatogr. A*, 902 (2000) 251-265 - a review with 81 refs.

617 Eskilsson, C.S. and Björklund, E.: Analytical-scale microwave-assisted extraction. *J. Chromatogr. A*, 902 (2000) 227-250 - a review with 139 refs.

618 Jönsson, J.A. and Mathiasson, L.: Membrane-based techniques for sample enrichment. *J. Chromatogr. A*, 902 (2000) 205-225 - a review with 106 refs.

619 Mills, G.A. and Walker, V.: Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials. *J. Chromatogr. A*, 902 (2000) 267-287 - a review with 132 refs.

620 Naitoh, K., Takasu, A., Hirabayashi, T. and Tsuda, T.: (Determination of adsorbed organic vapors released from human skin by utilizing online sampling, concentration and gas chromatography). *Chromatography*, 21 (2000) 364-365; CA Selects Plus GC, No. 2 (2001) 21684.

621 Tuduri, L., Desauziers, V. and Fanlo, J.L.: Determination of absolute amount extracted by solid-phase microextraction: different approaches under examination. *J. Microcolumn Separ.*, 12 (2000) 550-557.

622 Ulrich, S.: Solid-phase microextraction in biomedical analysis. *J. Chromatogr. A*, 902 (2000) 167-194 - a review with 103 refs.

See also 532, 577, 632, 775, 967, 976, 1014.

4g. Enantiomers, separation

623 Beck, T., Nandzik, J. and Mosandl, A.: Diluted modified cyclodextrins as chiral stationary phases in capillary gas chromatography - octakis (2,3-di-*O*-propionyl-6-*O*-*tert*.-butyldimethylsilyl)-γ-cyclodextrin. *J. Microcolumn Separ.*, 19 (2000) 482-492.

624 Lipkowitz, K.B.: Atomistic modeling of enantioselection in chromatography. *J. Chromatogr. A*, 906 (2001) 417-442 - a review with 90 refs.

625 Maier, N.M., Franco, P. and Linder, W.: Separation of enantiomers: needs, challenges, perspectives. *J. Chromatogr. A*, 906 (2001) 3-33 - a review with 259 refs.

626 Nie, M., Zhou, L., Wang, Q. and Zhu, T.: (Gas chromatographic enantiomer separation of mandelates and its analogs on permethylated cyclodextrin chiral stational phases). *Fenxi Huaxue*, 28 (2000) 1366-1370; CA Selects Plus GC, No. 1 (2001) 886873.

627 Piras, P., Roussel, C. and Pierott-Sanders, J.: Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database. *J. Chromatogr. A*, 906 (2001) 443-458 - a review with 50 refs.

628 Schurig, V.: Separation of enantiomers by gas chromatography. *J. Chromatogr. A*, 906 (2001) 275-299 - a review with 168 refs.

629 Shen, Y., Wu, N., Tang, Q., Chen, Z., Bradshaw, J.S. and Lee, M.L.: Effect of pore size on speed of chiral separations using packed capillary column SFC. *J. Microcolumn Separ.*, 19 (2000) 475-481.

630 Spánik, I. and Krupcík, J.: (Gas chromatographic separation of enantiomers on cyclodextrin stationary phases). *Chem. Listy*, 95 (2001) 86-90 - a review with 39 refs.

631 Terfloth, G.: Enantioseparations in super- and subcritical fluid chromatography. *J. Chromatogr. A*, 906 (2001) 301-307 - a review with 66 refs.

See also 586, 592, 601, 606, 642, 663, 673, 747, 759, 797, 828, 878, 880, 884, 914.

4h. Other special techniques

632 Dori, L., Nicoletti, S., Elmi, I., Mastrogiacomo, A.R., Sampaolo, L. and Pierini, E.: A gas chromatographic-like system for the separation and monitoring of benzene, toluene and xylene compounds at the ppb level using solid state metal oxide gas sensors. *Sens. Mater.*, 12, No. 3 (2000) 163-174; CA Selects Plus GC, No. 24 (2000) 770323.

633 Grall, A.J.: High-speed analysis of organic vapors using vacuum-outlet gas chromatography with atmospheric-pressure air as carrier gas and programmable column selectivity. Avail. *UMI*, Order No. DA9963790, 2000, 139 pp.; CA Selects Plus GC, No. 25 (2000) 829426.

634 Hanaoka, K., Vallet, N., Giampaoli, P., Heyd, B. and MacLeod, P.: Possible influence of breathing on detection frequency and intensity rating in gas chromatography-olfactometry. *Food Chem.*, 72 (2000) 97-103; CA Selects Plus GC, No. 1 (2001) 890705.

635 Khabbaz, F., Karlsson, S. and Albertsson, A.-C.: Py-GC/MS an effective technique to characterizing of degradation mechanism of poly(L-lactide) in the different environment. *J. Appl. Polym. Sci.*, 78 (2000) 2369-2378.

636 Yoshida, H.: (Simultaneous thermal analysis). *Bunseki*, No. 6 (2000) 336-341; *C.A.*, 134 (2001) 33506h - a review with 88 refs.

4i. Supercritical fluid chromatography

637 Bertoncini, F., Thiébaut, D., Caude, M., Gagean, M., Carrazé, B., Beurdouche, P. and Duteurtre, X.: On-line packed column supercritical fluid chromatography-microwave-induced plasma atomic emission. *J. Chromatogr. A*, 910 (2001) 127-135.

638 González, J.C., Vieytes, M.R., Botana, A.M., Vieites, J.M. and Botana, L.M.: Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide. *J. Chromatogr. A*, 910 (2001) 119-125.

639 Greibrokk, T. and Chester, T.L.: Injection techniques in SFC. *Analusis*, 27 (1999) 673-681 - a review with 34 refs.

640 Gritti, F., Félix, G., Achard, M.-F. and Hardouin, F.: Retention behavior of polycyclic aromatic hydrocarbons in supercritical fluid chromatography on a chemically bonded stationary phases based upon liquid-crystalline polymer. *Chromatographia*, 53 (2001) 201-206.

641 Jaubert, J.-N., Goncalves, M.M. and Barth, D.: A theoretical model to simulate supercritical fluid extraction: application to the extraction of terpenes by supercritical carbon dioxide. *Ind. Eng. Chem. Res.*, 39 (2000) 4991-5002; *C.A.*, 134 (2001) 77056r.

642 Salvador, A., Herbreteau, B. and Dreux, M.: Preliminary studies of supercritical-fluid chromatography in porous graphitic carbon with methylated cyclodextrin as chiral selector. *Chromatographia*, 53 (2001) 207-209.

643 Sengers, J.M.H.L.: Supercritical fluids: their properties and applications. *NATO Sci. Ser., Ser. E*, 366 (2000) 1-29; *C.A.*, 133 (2000) 340382 - a review with 27 refs.

See also 617, 629, 631, 692, 743, 760, 784, 838, 862, 872, 923, 939, 998, 1010.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5a. Aliphatic hydrocarbons

644 Kondo, K., Lee, X.-P., Kumazawa, T., Sato, K., Watanabe-Suzuki, K., Seno, H. and Suzuki, O.: Sensitive determination of *n*-hexane and cyclohexane in human body fluids by capillary gas chromatography with cryogenic oven trapping. *J. Assoc. Off. Anal. Chem. Int.*, 84 (2001) 19-23.

645 Kostryukova, L.S.: (Characteristics of errors in determination of natural gas composition by using chromatographic technique). *Izmer. Tekh.*, No. 8 (2000) 69-70; *C.A.*, 134 (2001) 6711q.

646 Lan, X.Z., Zhu, D.Q., Wang, Q.H., Zhou, L.M. and Guan, Y.F.: A gas chromatographic analysis of light hydrocarbons on a column packed with modified silica gel. *Chin. Chem. Lett.*, 11 (2000) 1019-1022.

647 Liu, S. and Pleil, J.D.: Optimized determination of trace jet fuel volatile organic compounds in human blood using in-field liquid-liquid extraction with subsequent laboratory gas chromatography-mass spectrometric analysis and on-column large-volume injection. *J. Chromatogr. B*, 752 (2001) 159-171.

648 Lu, Z.-B., Zhai, X.-L. and Zhuang, L.-H.: (Liquid-solid adsorption separation and gas chromatography/mass spectrometry analysis of recycle alkanes in the production of alkyl benzenes). *Sepu*, 18 (2000) 559-562; CA Selects Plus GC, No. 2 (2001) 265.

649 Tang, L., Zheng, Z.-g., Zhang, Y.-q. and Du, G.-t.: (Analysis of impurity of splitting gas of natural gas ethyne stove by GC-MS). *Tianranqi Huagong*, 25, No. 4 (2000) 55-57; *C.A.*, 133 (2000) 337423m.

See also 935, 995, 1015.

5b. Cyclic hydrocarbons, fullerenes

650 Che, X.: (Determination of benzenes in water by gas chromatography). *Hebeisheng Kexueyuan Xuebao*, 17 (2000) 164-167; CA Selects Plus GC, No. 1 (2001) 901105.

651 Disdier, B., Arfi, C., Pastor, J., Pauli, A.M. and Portugal, H.: Analysis by GC-MS of polycyclic aromatic hydrocarbons in a cream containing coal tar. *Polycyclic Aromat. Compd.*, 20 (2000) 169-177; *C.A.*, 134 (2001) 103027d.

652 Doong, R.-a., Chang, S.-m. and Sun, Y.-c.: Solid-phase microextraction and headspace solid-phase microextraction for the determination of high molecular-weight polycyclic aromatic hydrocarbons in water and soil samples. *J. Chromatogr. Sci.*, 38 (2000) 528-534.

653 Dutta, T.K. and Harayama, S.: Analysis of long-side-chain alkylaromatics in crude oil for evaluation of their fate in the environment. *Environ. Sci. Technol.*, 35 (2000) 102-107.

654 El-Haj, B.M., Al-Amri, A.M., Hassan, M.H., Bin-Khadem, R.K. and Al-Hadi, A.A.: A GC-MS method for the detection of toluene and ethylbenzene in volatile substance abuse. *J. Anal. Toxicol.*, 24 (2000) 390-394.

655 Grova, N., Laurent, C., Feidt, C., Rychen, G., Laurent, F. and Lichtfouse, E.: Gas chromatography-mass spectrometry study of polycyclic aromatic hydrocarbons in grass and milk from urban and rural farms. *Eur. J. Mass Spectrom.*, 6 (2000) 457-460; CA Selects Plus GC, No. 4 (2001) 90241.

656 Huang, Z.-e.: (Solvent vapor purge-adsorption GC-MS analysis of benzene homologues in environmental samples). *Fenxi Ceshi Xuebao*, 19, No. 5 (2000) 77-79; *C.A.*, 134 (2001) 12920y.

657 Kang, J., Cao, C., Zou, Q., Deng, Y. and Li, Z.-L.: (Use of quasi-length of carbon chain (N') for prediction of capillary GC retention index of PAHs). *Jisuanji Yu Yingyong Huaxue*, 17 (2000) 124; *C.A.*, 133 (2000) 328965n.

658 Law, R.J., Kelly, C.A. and Nicholson, M.D.: The QUASIMEME laboratory performance study of polycyclic aromatic hydrocarbons (PAHs): assessment for the period 1996-1999. *J. Environ. Monit.*, 2 (2000) 517-523; *C.A.*, 133 (2000) 339088e.

659 Lee, M.-R., Chen, C.-M., Wang, D.-W. and Hwang, B.-H.: Trap and desorption GC/MS for detection polycyclic aromatic hydrocarbons in motorcycles emission. *Anal. Lett.*, 33 (2000) 3077-3092.

660 Liu, F. and Wang, Y.: (Capillary gas chromatographic determination of mononuclear aromatics in mining drainage). *Diqiu Kexue*, 25 (2000) 529-531; CA Selects Plus GC, No. 3 (2001) 42219.

661 Ljungkvist, G., Larstad, M. and Mathiasson, L.: Determination of low concentrations of benzene in urine using multi-dimensional gas chromatography. *Analyst (Cambridge)*, 126 (2001) 41-45.

662 Lukitaningsih, E. and Noegrohati, S.: The study of polyaromatic hydrocarbon separation by capillary gas chromatography. *Maj. Farm. Indones.*, 11 (2000) 31-38; *C.A.*, 133 (2000) 313270h.

663 Schürch, S., Saxer, A., Claude, S., Tabacchi, R., Trusch, B. and Hulliger, J.: Semi-preparative gas chromatographic separation of *all-trans*perhydrotriphenylene enantiomers on a chiral cyclodextrin stationary phase. *J. Chromatogr. A*, 905 (2000) 175-182.

664 Shin, H.-S. and Kwon, O.-S.: The simultaneous analysis of benzene, toluene, ethylbenzene, *o,m,p*-xylenes and total petroleum hydrocarbons in soil by GC-FID after ultra-sonication. *Bull. Korean Chem. Soc.*, 21 (2000) 1101-1105; *C.A.*, 134 (2001) 105210g.

665 Xiao, C.H., Liu, Z.L., Wang, Z.Y., Wu, C.Y. and Han, H.M.: Use of polymeric fullerene as a new coating for solid-phase microextraction. *Chromatographia*, 52 (2000) 803-809.

666 Xu, W. and Tong, B.: (Study on detection limits of mutagen PAHs by PreVent GC system). *Huanjing Huaxue*, 19 (2000) 466-469; *C.A.*, 134 (2001) 38146a.

667 Zhang, H. and Andrews, A.R.J.: Preliminary studies of a fast screening method for polycyclic aromatic hydrocarbons in soil by using solvent microextraction-gas chromatography. *J. Environ. Monit.*, 2 (2000) 656-661.

See also 543, 632, 640, 647, 935, 962.

5c. Halogen derivatives

668 Deng, C.-h., Hu, Y.-m. and Hu, K.-j.: (GC-MS analysis of trace polychlorobiphenyls in dye intermediate 2,6-dichloro-4-nitroaniline). *Fenxi Ceshi Xuebao*, 19, No. 4 (2000) 65-66; *C.A.*, 133 (2000) 297644a.

669 During, R.-A. and Gath, S.: Microwave assisted methodology for the determination of organic pollutants in organic municipal wastes and soils: extraction of polychlorinated biphenyls using heat transformer disks. *Fresenius J. Anal. Chem.*, 368 (2000) 684-688.

670 Li, G., He, X., Yang, Y. and Zhang, Z.: (Determination of polychlorobiphenyls in biological sample by gas chromatography using microwave-assisted saponification and extraction). *Fenxi Huaxue*, 28 (2000) 1186; *C.A.*, 134 (2001) 28592d.

671 Liu, Z.-l., Wang, C.-h. and Wang, X.: (Analysis of chloroform in drinking water by headspace solid-phase microextraction and gas chromatography). *Fenxi Shiyanshi*, 19, No. 5 (2000) 65-67; CA Selects Plus GC, No. 24 (2000) 767479.

672 Sarrion, M.N., Santos, F.J. and Galceran, M.T.: Gas chromatography/ion tandem mass spectrometry for the analysis of halobenzenes in soils by solid-phase microextraction. *Rapid Commun. Mass Spectrom.*, 14 (2000) 2271-2281.

673 Wong, C.C., Garrison, A.W. and Foreman, W.T.: Enantiomeric composition of chiral polychlorinated biphenyl atropoisomers in aquatic bed sediment. *Environ. Sci. Technol.*, 35 (2000) 33-39.

674 Zaitseva, N.V., Ulanova, T.S., Nurislamova, T.V., Popova, N.A. and Rudakova, E.A.: (Determination of low urinary concentration of chloroform and 1,2-dichloroethane). *Gig. Sanit.*, No. 5 (2000) 74-76; *C.A.*, 134 (2001) 81835m.

See also 691, 698, 956, 963, 969.

5d. Complex hydrocarbon mixtures (incl. analysis of tars, bitumens and mineral oils)

675 Lanning, L.A., Smith, K.W. and Tennant, C.J.: A new method for diesel HC collection and speciation. *Soc. Automot. Eng., [Spec. Publ.] SP*, SP-1564 (2000) 89-96; *C.A.*, 134 (2001) 60490e.

676 Olson, K.L., Loo, J.F. and Mulawa, P.A.: Rapid hydrocarbon speciation and exhaust reactivity measurements using high speed, high resolution gas chromatography. *Soc. Automot. Eng.*, SP-1564 (2000) 57-87; CA Selects Plus GC, No. 25 (2000) 812366.

677 Tischendorf, A., Vogel, T. and Baier, H.-U.: Determination of petroleum-derived hydrocarbons in water and soil by gas chromatography). *GIT Spez. Sep.*, 20 (2000) 78-81; *C.A.*, 133 (2000) 344007g.

See also 538, 557, 604, 985.

6. ALCOHOLS

678 Berthier, G., Dou, S., Peakman, T. and Lichtfouse, E.: Identification of bound alcohols in soil humic acids by gas chromatography-mass spectrometry. *Eur. J. Mass Spectrom.*, 6 (2000) 439-441; CA Selects Plus GC, No. 4 (2001) 90238.

679 Delange, D.M. and Bravo, L.G.: (Trace determination of 1-octacosanol in precipitated proteins by capillary gas chromatography). *Rev. CENIC, Cienc. Quim.*, 30 (1999) 127-130; *C.A.*, 133 (2000) 355314f.

680 Shi, D., Fu, Y. and Yuan, S.: (Determination of 3-phenylpropanol by GC). *Yaowu Fenxi Zazhi*, 20 (2000) 428-429; *C.A.*, 134 (2001) 61669g.

681 Shibue, K., Goto, Y., Shibue, T. and Ohba, N.: Analysis of sex-attractant pheromones of firefly *Pyrocoelia oshimana* by gas chromatography mass spectrometry. *Anal. Sci.*, 16 (2000) 995-996.

682 Wolff Briche, C.S.J., Hernandez, H., O'Connor, G., Webb, K.S. and Catterick, T.: High accuracy isotope dilution analysis for the determination of ethanol using gas chromatography-combustion-isotope ratio mass spectrometry. *Analyst (Cambridge)*, 125 (2000) 2189-2195.

See also 545, 556, 897, 910.

7. PHENOLS

683 Baciocchi, R., Attina, M., Lombardi, G. and Boni, M.R.: Fast determination of phenols in contaminated soils. *J. Chromatogr. A*, 911 (2001) 135-141.

684 Bagheri, H. and Saraji, M.: New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography-electron-capture detection. *J. Chromatogr. A*, 910 (2001) 87-93.

685 Ding, W.-H. and Wu, C.-Y.: Determination of estrogenic nonylphenol and bisphenol A in river water by solid-phase extraction and gas chromatography-mass spectrometry. *J. Chim. Chem. Soc. (Taipei)*, 47 (2000) 1155-1160; *C.A.*, 134 (2001) 21176n.

686 Haleleh, M.I.H., Takabayashi, Y., Fujii, S. and Korenaga, T.: Gas chromatographic-mass spectrometric method for separation and detection of endocrine disruptors from environmental water samples. *Anal. Chim. Acta*, 428 (2001) 227-234.

687 Korenman, Y.I., Gruzdev, I.V. and Kondratenok, B.M.: (Gas chromatographic determination of chlorophenols in drinking water with preliminary two-stage chemical modification). *Khim. Tekhnol. Vody*, 22 (2000) 290-297; CA Selects Plus GC, No. 26 (2000) 851501.

688 Thomsen, C., Janák, K., Lundanes, E. and Becher, G.: Determination of phenolic flame-retardants in human plasma using solid-phase extraction and gas chromatography-electron-capture mass spectrometry. *J. Chromatogr. B*, 750 (2000) 1-11.

689 Yang, H.-m.: (Determination of 2,4-di-*tert.*-butylphenol by gas chromatography packed column). *Shihua Jishu Yu Yingyong*, 18 (2000) 373-375; CA Selects Plus GC, No. 3 (2001) 39199.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8b. Aflatoxins and other mycotoxins

690 Nishikawa, M., Nishioka, H. and Tsuchihashi, H.: (New typical techniques for determination of toxins. Gas chromatography). *Jpn. J. Toxicol.*, 13 (2000) 191-199; *C.A.*, 134 (2001) 1392b - a review with 34 refs.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

691 Chen, C.-Y., Hass, J.R. and Albro, P.W.: A screening method for polychlorinated dibenzo-*p*-dioxins (PCDDs), dibenzofurans (PCDFs), and non-*ortho* polychlorinated biphenyls (PCBs) in biological matrixes. *Environ. Sci. Technol.*, 34 (2000) 5172-5176.

692 Fiddler, W., Pensabene, J.W., Shadwell, R.J. and Lehotay, S.J.: Potential artifact formation of dioxins in ball clay during supercritical fluid extraction. *J. Chromatogr. A*, 902 (2000) 427-432.

693 Geng, W. and Niu, C.: (Trace determination of dioxane in tramadol hydrochloride by headspace gas chromatography dioxane). *Yaowu Fenxi Zazhi*, 20 (2000) 346-348; CA Selects Plus GC, No. 25 (2000) 826468.

694 Geppert, H., Achtelig, M., Schramm, K.-W., Henkelmann, B. and Kettrup, A.: (Ion-trap GC-MS/MS determination of dioxins and furans in environmental samples. Comaprison with results of high-resolution mass spectrometry). *GIT Spez. Sep.*, 20 (2000) 103-105; *C.A.*, 133 (2000) 343994q.

695 Hirota, T., Nishina, Y., Yamamoto, M., Takamoto, S. and Tominaga, S.: (Method and device for simple and continuous analysis of dioxin). *Jpn. Kokai Tokkyo Koho* JP 2000 314,732 (Cl. G01N30/88), 14 Nov. 2000, Appl. 1999/123,354, 30 Apr. 1999; 7 pp.; *C.A.*, 133 (2000) 368889x.

696 Kinae, N., Tanaka, J., Kamio, N., Sugiyama, C., Furugori, M., Shimoi, K. and Tanji, K.: Detection and origin of 3-chloro-4-dichloromethyl-5-hydroxy-2(5H)furanone (MX) in river water. *Water Sci. Technol.*, 42 (2000) 117-123; *C.A.*, 134 (2001) 90775u.

697 Liang, X., Wang, W., Schramm, K.-W., Zhang, Q., Oxynos, K., Henkelmann, B. and Kettrup, A.: A new method of predicting of gas chromatographic retention indices for polychlorinated dibenzodifurans (PCDFs). *Chemosphere*, 41 (2000) 1889-1895.

698 Plomley, J.B., Lausevich, M. and March, R.E.: Determination of dioxins/furans and PCBs by quadrupole ion-trap gas chromatography-mass spectrometry. *Mass Spectrom. Rev.*, 19 (2000) 305-365.

See also 945, 1007.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

699 Achten, C. and Püttmann, W.: Method for determination of methyl *tert.*-butyl ether in gasoline by gas chromatography. *J. Chromatogr. A*, 910 (2001) 377-383.

700 Claeson, K., Thorsén, G. and Karlberg, B.: Methylmalondialdehyde as an internal standard for the determination of malondialdehyde. *J. Chromatogr. B*, 751 (2001) 315-323.

701 Devanthery, A., Dentan, A., Berode, M. and Droz, P.-O.: Propylene glycol monomethyl ether (PGME) occupational exposure. 1. Biomonitoring by analysis of PGME in urine. *Int. Arch. Occup. Environ. Health,* 73 (2000) 311-315.

702 Gonzalez, V.L., Magraner, J., Otero, T. and Garcia, E.: (Validation and interlaboratory study of a new GC analytical method for the determination of policosanol in raw material). *Rev. CENIC, Cienc. Quim.,* 30 (1999) 148-152; *C.A.,* 133 (2000) 355316h.

703 Hu, X., Shen, X., Chen, W. and Xu, H.: (Complete analysis of acetaldehyde polymer by gas chromatography). *Fenxi Huaxue,* 28 (2000) 1313; *C.A.,* 134 (2001) 42652e.

704 Shen, S.-C., Zhang, W.-B. and Cui, L.-X.: (Determination of residual acetone in soybean phospholipids by headspace gas chromatography). *Sepu,* 18 (2000) 571-573; CA Selects Plus GC, No. 2 (2001) 269.

705 Sjödin, A., Carlsson, H., Thuresson, K., Sjölin, S., Bergman, A. and Ostman, C.: Flame retardants in indoor air at an electronics recycling plant and other work environments. *Environ. Sci. Technol.,* 35 (2001) 448-454.

706 Urbansky, E.T., Magnuson, M.L., Elovitz, M.S., Freeman, D. and Shauntee, J.: Interferences due to ozone-scavenging reagents in the GC-ECD determination of aldehydes and ketones as the O-(2,3,4,5,6-pentafluorobenzyl)oximes. *Ozone: Sci. Eng.,* 22 (2000) 551-561; *C.A.,* 134 (2001) 9020z.

707 Wang, Y., Zhu, Z., Yang, J. and He, W.: (Quality control of Folium Perilla. I. Determination of perillaldehyde in Perilla leaf by GC). *Yaowu Fenxi Zazhi,* 20 (2000) 307-309; *C.A.,* 134 (2001) 9428p.

708 Zhang, S., Xin, C. and Wang, X.: (Determination of volatile aldehydes in wastewater by headspace GC). *Gongye Shuichuli,* 20 (2000) 27,30; *C.A.,* 134 (2001) 90756p.

See also 757, 910, 959.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

709 Zhang, L., Hu, H., Huang, C., Han, Y. and Xia, C.: (Composition of the polysaccharide from Bupleurum scorzonerifolium Willd. was studied by high resolution capillary gas chromatography after hydrolysis and followed by acetylation and esterification of the hydrolysate. The results showed that it s composed of arabinose, ribose, d-xylose, d-manose, d-glucose and d-galactose, with a molar ratio of 0.106:2.652:4.070:0.519: *Zhongcaoyao,* 31 (2000) 647-648; CA Selects Plus GC, No. 25 (2000) 807945.

See also 933.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

710 Lan, R., Ouyang, X., Yang, Z. and Chen, H.: (Analysis of alkyl polyglycosides). *Fenxi Huaxue,* 28 (2000) 1242-1244; *C.A.,* 134 (2001) 94926s.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

711 Bender, J.D., Catino, A.J.III., Hess, K.R., Lassman, M.E., Leber, P.A., Reinard, M.D., Strotman, N.A. and Pike, C.S.: A biochemical GC-MS application for the organic chemistry laboratory: determination of fatty acid composition of *Arabidopsis thaliana* lipids. *J. Chem. Educ.,* 77 (2000) 1466-1468.

712 Cigic, I.K., Plavec, J., Mozina, S.S. and Zupancic-Kralj, L.: Characterisation of sorbate geometrical isomers. *J. Chromatogr. A,* 905 (2000) 359-366.

713 De Geus, H.-J., Aidos, I., de Boer, J., Luten, J.B. and Brinkman, U.A.T.: Characterisation of fatty acids in biological samples using comprehensive multidimensional gas chromatography. *J. Chromatogr. A,* 910 (2001) 95-103.

714 Decker, M., Ronn, B. and Jorgensen, S.S.: Thermally assisted in-line methylation and gas chromatography with statistical data analysis for determination of fatty acid distribution and fingerprinting of plant seeds and oils. *Eur. Food Res. Technol.,* 211 (2000) 366-373.

715 Destaillats, F., Wolff, R.L., Precht, D. and Molkentin, J.: Study of individual *trans-* and *cis*-16:1 isomers in cow, goat and ewe cheese fats by gas-liquid chromatography with emphasis in the trans-Δ3 isomer. *Lipids,* 35 (2000) 1027-1032.

716 Han, H.-Q., Xie, F.-M. and Li, W.-G.: (Determination of composition of long chain saturated and unsaturated fatty acids in feed, egg yolk and chicken liver by capillary gas chromatography). *Fenxi Ceshi Xuebao,* 19, No. 6 (2000) 61-63; CA Selects Plus GC, No. 2 (2001) 3876.

717 Hu, J., Qiao, X. and Li, X.: (Determination of benzoic acid and salicylic acid in benzoic acid ointment by gas chromatography). *Huaxue Yanjiu Yu Yingyong,* 12 (2000) 557-559; CA Selects Plus GC, No. 26 (2000) 852053.

718 Jones, M.G. and Chalmers, R.A.: Artefacts in organic acid analysis: occurence and origin of partially trimethylsilylated 3-hydroxy-3-methyl carboxylic acids. *Clin. Chim. Acta,* 300 (2000) 203-212.

719 Khan, A.A., Furuya, N., Ura, H. and Matsuyama, N.: Rapid identification of *Erwinia chrysanthemi* isolated from soft rotted eggplant and Phalaenopsis sp. by lipid and fatty acid profiling. *J. Fac. Agric., Kyushu Univ.,* 44 (2000) 257-263; *C.A.,* 133 (2000) 346620a.

720 Lu, Q., Yu, D.-s., Lei, B.-x. and Wen, Z.: (Gas chromatographic determination of fatty acids in epiphyte). *Guizhou Gongye Daxue Xuebao, Ziran Kexueban,* 29, No. 5 (2000) 23-27; CA Selects Plus GC, No. 26 (2000) 839834.

721 Malaspina, F., Cellamare, C.M., Stance, L., Bortone, G. and Tilche, A.: (Gas chromatographic analysis of volatile fatty acids produced during anaerobic digestion). *Inquinamento,* 42, No. 20 (2000) 58-64; CA Selects Plus GC, No. 26 (2000) 848685.

722 Masson, E., Baumes, R. and Peuch, J.-L.: Comparison of direct and indirect methods of measuring the precursors of β-methyl-γ-octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] *J. Chromatogr. A,* 905 (2000) 183-191.

723 Matsukawa, T., Hasegawa, H., Shinohara, Y. and Hashimoto, T.: Gas chromatographic-mass spectrometric determination of α-ketoisocaproic acid and [$^2H_7$]α-ketoisocaproic acid in plasma after derivatization with N-phenyl-1,2-phenylenediamine. *J. Chromatogr. B,* 751 (2001) 213-220.

724 Streck, S., Winnefeld, K., Maurer, I. and Volz, H.-P.: (The quantitative determination of selected long chain and very long chain fatty acids (VLCFA) in serum). *Laboratoriumsmedizin,* 24 (2000) 373-376; *C.A.,* 134 (2001) 53288s.

725 Uchida, M., Shibata, Y., Kawamura, K., Yoneda, M., Mukai, H., Tanaka, A., Uehiro, T. and Morita, M.: Isolation of individual fatty acids in sediments using preparative capillary gas chromatography (PCGC) for radiocarbon analysis at NIES-TERRA. *Nucl. Instrum. Methods Phys. Res., Sect. B,* 172 (2000) 583-588; CA Selects Plus GC, No. 26 (2000) 849376.

726 Wang, W., Yan, X., Li, Z., Ye, L., Cao, H., Niu, Z., Wang, Y. and Wang, Y.: (Determination of α-linoleic acid in *Perilla frutescens* by GC). *Yaowu Fenxi Zazhi,* 20 (2000) 316-318; *C.A.,* 134 (2001) 21550e.

727 Yang, T.-l., Zhang, S.-f., Yang, M.-l. and Wu, M.-j.: (Analysis of fatty acids in *Foeniculum vulgare* Mill. seeds by gas chromatography-mass spectrometry). *Ningxia Daxue Xuebao, Ziran Kexueban,* 21 (2000) 249-250; CA Selects Plus GC, No. 26 (2000) 844407.

728 Zhang, X.-j., Li, F.-z. and Cheng, C.-g.: (Fatty acid analysis of *Koelreuteria paniculata* Laxm. seed oil by GC-MS). *Fenxi Ceshi Xuebao,* 19, No. 4 (2000) 46-47; *C.A.,* 134 (2001) 97858g.

See also 592, 599, 626, 905, 911, 913, 926, 931, 932, 939, 974.

11b. Prostaglandins

729 Mori, T.A., Puddey, I.B., Burke, V., Croft, K.D., Dunstan, D.W., Rivera, J.H. and Beilin, L.J.: Effect of ω3 fatty acids on oxidative stress in humans: GC-MS measurement of urinary F_2-isoprostane excretion. *Redox Rep.,* 5 (2000) 45-46; *C.A.,* 133 (2000) 362224e.

11c. Lipids and their constituents

730 Fontecha, J., Rios, J.J., Lozada, L., Fraga, M.J. and Juarez, M.: Composition of goat's milk fat triglycerides analysed by silver ion adsorption-TLC and GC-MS. *Int. Dairy J.,* 10 (2000) 119-128; *C.A.,* 134 (2001) 16772z.

731 Molkentin, J. and Precht, D.: Equivalence of packed and capillary GC columns for detection of foreign fat in butter by use of the triglyceride formula method. *Chromatographia,* 52 (2000) 791-797.

732 Yon, C., Han, J.-S.: Analysis of trimethylsilyl derivatization products of phosphatidylethanol by gas chromatography-mass spectrometry. *Exp. Mol. Med.,* 32 (2000) 243-245; CA Selects Plus GC, No. 3 (2001) 49633.

11d. Lipoproteins and their constituents

See 679, 702.

12. ORGANIC PEROXIDES

733 Moschonas, N. and Glavas, S.: Simple cryoconcentration technique for the determination of peroxyacyl and alkyl nitrates in the atmosphere. *J. Chromatogr. A,* 902 (2000) 405-411.

13. STEROIDS

13b. Pregnane and androstane derivatives

734 Aguilera, R., Chapman, T.E. and Catlin, D.H.: A rapid screening assay for measuring urinary androsterone and etiocholanolone $\delta^{13}C$ (promile) values by gas chromatography/combustion/isotope ratio mass spectrometry. *Rapid Commun. Mass Spectrom.,* 14 (2000) 2294-2299.

735 Bourgogne, E., Herrou, V., Mathurin, J.-C., Becchi, M. and de Ceaurriz, J.: Detection of exogenous intake of natural corticosteroids by gas chromatography/combustion/isotope ratio mass spectrometry: application to misuse in sport. *Rapid Commun. Mass Spectrom.,* 14 (2000) 2343-2347.

736 Mbarak, L., Cases, G., Ceccarells, E., Chinchilla, L., di Nardo, C., Iglesias, L., Ochoa, C., Teme Centurion, O., Zadorecki, E. and Caballero, G.: Quantification of epitestosterone and testosterone in urine by gas chromatography-mass spectrometry. *An. Asoc. Quim. Argent.,* 88 (2000) 27-32; CA Selects Plus GC, No. 2 (2001) 14389.

737 Vallee, M., Rivera, J.D., Koob, G.F., Purdy, R.H. and Fitzgerald, R.L.: Quantification of neurosteroids in rat plasma and brain following swim stress and allopregnanolone administration using negative chemical ionization gas chromatography/mass spectrometry. *Anal. Biochem.,* 287 (2000) 153-166.

13c. Estrogens

738 Huang, C.-H. and Sedlak, D.L.: Analysis of estrogenic hormones in municipal wastewater effluent and surface water using enzyme-linked immunosorbent assay and gas chromatography/tandem mass spectrometry. *Environ. Toxicol. Chem.,* 20 (2001) 133-139.

739 Xiao, X.-Y. and McCalley, D.: Quantitative analysis of estrogens in human urine using gas chromatography/negative chemical ionisation mass spectrometry. *Rapid Commun. Mass Spectrom.,* 14 (2000) 1991-2001.

13d. Sterols

740 Fraga, M.J., Fontecha, J., Lozada, L., Martinez-Castro, I. and Juarez, M.: Composition of the sterol fraction of caprine milk fat by gas chromatography and mass spectrometry. *J. Dairy Res.,* 67 (2000) 437-441.

13e. Bile acids and alcohols

741 Zhang, C., Chen, A.-K., Peng, H.-M. and Xia, G.-Z.: (Determination of ursodeoxycholic acid by capillary gas chromatography). *Zhongguo Yiyao Gongye Zazhi,* 31 (2000) 504-506; CA Selects Plus GC, No. 3 (2001) 52064.

T42 Tw ((I46.0182 67-760 Tr 6.24 0 5 TD 3 Tr -0.0126 08w (Domok09-0.0205CA. 10.8 0 TD 3 T2 0 TD 3 Tr -0.1120.0342 076-0.0205133w (Plus) Tj 4.6Tr 14.16 0 TD -003.0365 Tc -0.0182

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23a. Porphyrins and other pyrroles

786 Yu, Z., Sheng, G., Fu, J. and Peng, P.: Determination of porphyrin carbon isotopic composition using gas chromatography-isotope ratio monitoring mass spectrometry. *J. Chromatogr. A,* 903 (2000) 183-191.

23c. Indole derivatives and plant hormones (gibberelins)

787 Walker-Simons, M.K., Rose, P.A., Hogge, L.R. and Abrams, S.R.: Abscisic acid: ABA immunoassay and gas chromatography/mass spectrometry verification. *Methods Mol. Biol. (Totowa),* 141 (2000) 33-47; *C.A.,* 133 (2000) 292963u - a review with 20 refs.

23d. Pyridine derivatives

788 Wu, C., Sun, Q. and Zhang, Z.: (Analysis of PCM by gas chromatography). *Nongyao Kexue Yu Guanli,* 21, No. 4 (2000) 9-10; CA Selects Plus GC, No. 1 (2001) 905205.

See also 785.

24. ORGANIC SULPHUR COMPOUNDS (INCL. GLUCOSINOLATES)

789 Beck, N.V., Carrick, W.A., Cooper, D.B. and Muir, B.: Extraction of thiodiglycol from soil using pressurised liquid extraction. *J. Chromatogr. A,* 907 (2001) 221-227.

790 Jaycox, L.B. and Olsen, L.D.: Determination of total sulfur compounds and benzothiazole in asphalt fume samples by gas chromatography with sulfur chemiluminescence detection. *Appl. Occup. Environ. Hyg.,* 15 (2000) 695-704; CA Selects Plus GC, No. 1 (2001) 904262.

791 Mazurek, M., Popiel, S. and Witkiewicz, Z.: (Gas chromatographic-atomic emission spectrometric determination of sulfur mustard and its transformation products in a mustard block retrieved from Baltic Sea). *Biul. Wojsk. Akad. Tech.,* 49, No. 8 (2000) 101-114; CA Selects Plus GC, No. 26 (2000) 844354.

792 Mazurek, M., Witkiewicz, Z. and Sliwakowski, M.: GC-MS identification of sulfur mustard transformation products in a mustard block retrieved from the Baltic Sea. *Biul. Wojsk. Akad. Tech.,* 49 (2000) 89-100; *C.A.,* 134 (2001) 61083m.

793 Onaka, T., Kobayashi, M., Ishii, Y., Okumura, K. and Suzuki, M.: Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes. *J. Chromatogr. A,* 903 (2000) 193-202.

794 Suryanarayana, M.V.S., Shrivastava, R.K., Pandey, D., Vaidyanathaswamy, R., Mahajan, S. and Bhoumik, D.: Simple time weighted average level air-monitoring method for sulfur mustard in work places. *J. Chromatogr. A,* 907 (2001) 229-234.

795 Tomkins, B.A. and Sega, G.A.: Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode. *J. Chromatogr. A,* 911 (2001) 85-96.

See also 555, 839, 950, 965.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)

796 Hardt, J. and Angerer, J.: Determination of dialkyl phosphates in human urine using gas chromatography-mass spectrometry. *J. Anal. Toxicol.,* 24 (2000) 678-684.

797 Spruit, H.E.T., Trap, H.C., Langenberg, J.P. and Benschop, H.P.: Bioanalysis of the enatiomers of (+-)-sarin using automated thermal cold-trap injection combined with two-dimensional gas chromatography. *J. Anal. Toxicol.,* 25 (2001) 57-61.

798 Tseng, S.-H., Chang, P.-C. and Chou, S.-S.: A rapid and simple method for the determination of ethephon residue in agricultural products by GC with headspace sampling. *Yaowu Shipin Fenxi,* 8 (2000) 213-217; *C.A.,* 134 (2001) 99816r.

See also 582, 980.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

799 Allan, L.M., Verma, D.K., Yang, F., Chau, Y.K. and Maguire, R.J.: A method for the analysis of butyltin chlorides in air by gas chromatography with atomic emission detection. *AIHAJ,* 61 (2000) 820-824.

800 Gui-Bin, J., Qun-Fang, Z. and Bin, H.: Tin compounds and major trace metal elements in organotin-poisoned patient's urine and blood measured by gas chromatography-flame photometric detector and inductively coupled plasma-mass spectrometry. *Bull. Environ. Contam. Toxicol.,* 65 (2000) 277-284; *C.A.,* 133 (2000) 309209c.

801 He, B. and Jiang, G.-b.: Direct hydride derivatization of methyl- and ethylmercury chlorides in aqueous solutions with KBH_4. *J. Environ. Sci. (China),* 12 (2000) 275-278; *C.A.,* 133 (2000) 316995j.

802 Hu, G.-l. and Wang, X.-r.: (GC-MS separation and identification of four mercury species as their *n*-butyl derivatives). *Fenxi Ceshi Xuebao,* 19, No. 4 (2000) 16-19; *C.A.,* 133 (2000) 316986g.

803 Krachler, M., Emons, H. and Zheng, J.: Speciation of antimony for the 21st century: promises and pitfalls. *TrAC,* 20 (2001) 79-90 - a review with 46 refs.

804 Mothes, S. and Wennrich, R.: Coupling of SPME and GC-AED for the determination of organometallic compounds. *Mikrochim. Acta,* 135 (2000) 91-95.

805 Shi, Y.-H., Liu, M., Cao, Y.-B., Peng, Z.-H., Song, Q.-Y., Wu, L.-H., Yu, A.-M. and Jin, Q.-H.: (Gas chromatography with microwave plasma torch atomic emission spectrometry detector for the determination of Sn, P, Si and B). *Gaodeng Xuexiao Huaxue Xuebao,* 21 (2000) 1642-1646; CA Selects Plus GC, No. 26 (2000) 835713.

806 Snell, J.P., Stewart, I.I., Sturgeon, R.E. and Frech, W.: Species specific isotope dilution calibration for determination of mercury species by gas chromatography coupled to inductively coupled plasma- or furnace atomisation plasma ionisation-mass spectrometry. *J. Anal. At. Spectrom.,* 15 (2000) 1540-1545.

807 Sun, H.-w., Sun, J.-m., Qiao, Y.-q. and Yan, Z.: (Determination of diethylmercury in sediment by gas chromatography-atomic absorption spectrometry with horizontal pipe mini-flame atomizer equipment). *Hebei Daxue Xuebao, Ziran Kexueban,* 20 (2000) 252-255; CA Selects Plus GC, No. 25 (2000) 808050.

See also 830.

26b. Boranes, silanes and related non-metallic compounds

808 Flassbeck, D., Pfleiderer, B., Grümping, R. and Hirner, A.V.: Determination of low molecular weight silicones in plasma and blood of women after exposure to silicone breast implants by GC/MS. *Anal. Chem.,* 73 (2001) 606-611.

809 Tomkins, B.A., Sega, G.A. and Ho, C.-h.: Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection. *J. Chromatogr. A,* 909 (2001) 13-28.

See also 804.

26c. Coordination compounds

810 Chebotarev, A.N. and Kovalchuk, T.N.: (The details of gas chromatographic determination of some d-metal dialkyldithiocarbamates). *Ukr. Khim. Zh.,* 66, No. 9-10 (2000) 76-80; CA Selects Plus GC, No. 26 (2000) 854618.

27. VITAMINS AND VARIOUS ANIMAL GROWTH FACTORS (NON-PEPTIDIC)

811 Leveque, N., Mary, S., Humbert, P., Makki, S., Muret, P. and Kantelip, J.-P.: Ascorbic acid assessment in human dermis by a microdialysis technique associated with gas chromatography-mass spectrometry. *Eur. J. Mass Spectrom.,* 6 (2000) 397-404; CA Selects Plus GC, No. 4 (2001) 90231.

812 Tanumihardjo, S.A.: Vitamin A status assessment in rats with $^{13}C_4$-retinyl acetate and gas chromatography/combustion/isotope ratio mass spectrometry. *J. Nutr.,* 130 (2000) 2844-2849.

28. ANTIBIOTICS

813 Liu, Y., Luo, C.-Y., Li, L. and Xie, X.-T.: (Study on antibiotic activity and GC-MS analysis of *Blaps japanensis yunnanensis* defensive secretion). *Yunnan Daxue Xuebao, Ziran Kexueban,* 22 (2000) 217-219; *C.A.,* 134 (2001) 2814c.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. General techniques

814 De Luca, G. and Mura, M.: (Multiresidual method for determination of chlorine-, nitrogen-, and phosphorus-containing pesticides in surface and drinking waters by solid-phase microextraction (SPME) and gas chromatographic determination with electron capture and nitrogen-phosphorus detectors (GC/ECD/NPD)). *Boll. Chim. Ig., Parte Sci.,* 51, No. S3 (2000) 99-103; CA Selects Plus GC, No. 3 (2001) 53426.

815 Hernando, M.D., Aguera, A., Fernandez-Alba, A.R., Piedra, L. and Contreras, M.: Gas chromatographic determination of pesticides in vegetable samples by sequential positive and negative chemical ionization and tandem mass spectrometric fragmentation using an ion trap analyser. *Analyst (Cambridge),* 126 (2001) 46-51.

816 Lantos, J., Kadencki, L., Zakar, F. and Ambrus, A.: Validation of gas chromatographic databases for qualitative identification of active ingredients of pesticide residues. *Spec. Publ. - R. Soc. Chem.,* 256 (2000) 128-137; *C.A.,* 134 (2001) 38191m.

817 Liapis, K.S., Miliadis, G.E. and Tsiropoulos, N.G.: Confirmation of pesticides in water samples by mass spectrometry. *Bull. Environ. Contam. Toxicol.,* 65 (2000) 811-817; *C.A.,* 134 (2001) 76003j.

818 López-Mesas, M., Crespi, M., Brach, J. and Mullender, J.P.: Clean-up of a pesticide-lanolin mixture by gel permeation chromatography. *J. Chromatogr. Sci.,* 38 (2000) 551-555.

819 Ma, X., Li, C., Tao, C., Liu, W. and Zheng, S.: Multi-residue determination of 41 inseciticides in garlic by gas chromatography and ion trap mass spectrometry using the selective ion storage technique. *Rapid Commun. Mass Spectrom.,* 15 (2001) 15-19.

820 Mastovská, K., Hajslová, J., Godula, M., Krivánková, J. and Kocourek, V.: Fast temperature programming in routine analysis of multiple pesticide residues in food matrices. *J. Chromatogr. A,* 907 (2001) 235-245.

821 Rossi, S., Dalpero, A.P., Ghini, S., Colombo, R., Sabatini, A.G. and Girotti, S.: Multiresidual method for the gas chromatographic analysis of pesticides in honeybees cleaned by gel permeation chromatography. *J. Chromatogr. A,* 905 (2000) 223-232.

822 Stalikas, C.D. and Konidari, C.N.: Analytical method to determine phosphonic and amino acid group-containing pesticides. *J. Chromatogr. A,* 907 (2001) 1-19 - a review with 104 refs.

823 Uemura, M., Ogakai, S., Itano, K. and Fujita, T.: (Simultaneous determination of pesticide residues in agricultural products by gas chromatography-ion trap mass spectrometry). *Annu. Rep. Osaka City Inst. Public Health Environ. Sci.,* 62 (2000) 56-69; CA Selects Plus GC, No. 3 (2001) 32490.

824 Wang, Z., Hennion, B., Urruty, L. and Montury, M.: Solid-phase microextraction coupled with high performance liquid chromatography: a complementary technique to solid-phase microextraction-gas chromatography for the analysis of pesticide residues in strawberries. *Food Addit. Contam.,* 17 (2000) 915-923; CA Selects Plus GC, No. 2 (2001) 909585.

See also 976.

29b. Chlorinated insecticides

825 De Jager, L.S. and Andrews, A.R.J.: Development of a rapid screening technique for organochlorine pesticides using solvent microextraction (SME) and fast gas chromatography (GC). *Analyst (Cambridge),* 125 (2000) 1943-1948.

826 Geppert, H. and Kern, H.: (Ion trap GC-MS/MS determination of chlorinated pesticides in drinking water. An additional dimension with more reliability). *GIT Labor-Fachz.,* 44 (2000) 896-897; *C.A.,* 133 (2000) 339787g.

827 Jantunen, L.M.M., Bidleman, T.F., Harner, T. and Parkhurst, W.J.: Toxaphene, chlordane, and other organochlorine pesticides in Alabama air. *Environ. Sci. Technol.,* 34 (2000) 5097-5105.

828 Ruppe, S., Vetter, W., Luckas, B. and Hottinger, G.: Application of well-defined β-cyclodextrins for the enatioseparation of compounds of technical toxaphene and further organochlorines. *J. Microcolumn Separ.,* 12 (2000) 541-549.

829 Shu, X. and Li, N.: (Determination of procymidone by gas chromatography). *Guangxi Huagong,* 29, No. 3 (2000) 39-40; CA Selects Plus GC, No. 1 (2001) 901120.

830 Takahashi, S., Tanabe, S. and Kawaguchi, K.: Organochlorine and butyltin residues in mesopelagic myctophid fishes from the western North Pacific. *Environ. Sci. Technol.,* 34 (2000) 5129-5136.

831 Weichbrodt, M., Vetter, W. and Luckas, B.: Microwave-assisted extraction and accelerated solvent extraction with ethyl acetate-cyclohexane before determination of organochlorines in fish tissue by gas chromatography with electron-capture detection. *J. Assoc. Off. Anal. Chem. Int.,* 83 (2000) 1334-1343.

832 Xu, H. and Xu, Y.: (Aerosols was analyzed by gas chromatography). *Nongyao Kexue Yu Guanli,* 21, No. 5 (2000) 6,7-12; CA Selects Plus GC, No. 24 (2000) 782283.

833 Yu, Y.: (Determination of butachlor and oxadiazon in their mixture by gas chromatography). *Nongyao,* 39, No. 10 (2000) 16,24; CA Selects Plus GC, No. 2 (2001) 907683.

834 Zuloaga, O., Etxebarria, N., Fernández, L.A. and Madariaga, J.M.: Optimization of focused microwave-assisted extraction of DDT and derivatives from soil samples. *J. High Resolut. Chromatogr.,* 23 (2000) 681-687.

29c. Phosphorus insecticides

835 Asri, K. and Anderson, R.A.: Optimisation of solid phase microextraction (SPME) conditions for headspace analysis of organophosphorus pesticides in whole blood. *Z Zagadnien Nauk Sadowych,* 42 (2000) 47-58; *C.A.,* 134 (2001) 81885c.

836 Kulkarni, A.R., Soppimath, K.S., Dave, A.M., Mehta, M.H. and Aminabhavi, T.M.: Solubility study of hazardous pesticide (chlopyrifos) by gas chromatography. *J. Hazard. Mater.,* 80 (2000) 9-13.

837 Li, D.: (Analysis of alkatox by gas chromatography). *Nongyao,* 39, No. 10 (2000) 15; CA Selects Plus GC, No. 2 (2001) 907682.

838 Norman, K.N.T. and Panton, S.H.W.: Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection. *J. Chromatogr. A,* 907 (2001) 247-255.

839 Sakamoto, A., Ogawa, M., Ohkuma, K., Bessyo, K., Sato, M. and Shimura, K.: (Measurements of organophosphorus and organosulfur pesticides by GC using flame photometric detector (FPD)). *Mie-Ken Hoken Kankyo Kenkyusho Nenpo, Eisei Bumon,* 1 (2000) 75-86; *C.A.,* 134 (2001) 99789j.

See also 705.

29e. Herbicides

840 Carrasco, P.B., Escola, R., Marco, M.-P. and Bayona, J.M.: Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater. *J. Chromatogr. A,* 909 (2001) 61-72.

841 Gennaro, M.C., Marengo, E., Gianotti, V. and Maurino, V.: New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet system. *J. Chromatogr. A,* 910 (2001) 79-86.

842 Hemmerling, C., Maye, A. and Seidl, G.: (Residue analysis of cymiazole and total amitraz in honey using GC-MS and LC-MS-MS). *Dtsch. Lebensm.-Rundsch.,* 96 (2000) 455-465; *C.A.,* 134 (2001) 55670j.

843 Santos-Delgado, M.J., Crespo-Corral, E. and Polo-Diez, L.M.: Determination of herbicides in soil samples by gas chromatography: optimization by the simplex method. *Talanta,* 53 (2000) 367-377.

844 Wang, B. and Tie-Shan, S.: (Gas chromatographic method for the determination of pyrethroid pesticide residues in tomato sauce). *Guangpu Shiyanshi,* 17 (2000) 539-541; CA Selects Plus GC, No. 25 (2000) 805359.

845 Zhang, S., Su, S. and Yang, C.: (Analysis of the residue of chlorimuron-ethyl in soil by gas chromatography). *Nongyao,* 39, No. 9 (2000) 23-24; CA Selects Plus GC, No. 25 (2000) 826012.

29f. Fungicides

846 Saito, Y., Yamamoto, A., Kodama, S., Ohto, M., Ohura, T. and Matsunaga, A.: (Rapid determination of pesticide residues in wines by GC-ECD with large-volume injection system). *Shokuhin Eiseigaku Zasshi,* 41 (2000) 321-325; *C.A.,* 134 (2001) 85256w.

31. PLASTICS AND THEIR INTERMEDIATES

847 Cao, J.-y., Fu, D.-h., Zhang, F. and Liang, D.: (Structure determination of alkyd resins by simultaneous pyrolysis methylation gas chromatography-mass spectrometry). *Sepu,* 18 (2000) 390-393; CA Selects Plus GC, No. 24 (2000) 766967.

848 Demirelli, K., Kaya, I. and Ozdemir, E.: Determination of thermodynamic properties of poly(2-hydroxyethyl methacrylate) at infinite dilution by using inverse gas chromatography. *J. Polym. Eng.,* 20 (2000) 351-363.

849 Dolezal, Z., Pacakova, V. and Kovarova, J.: The effect of controlled aging and blending of low- and high-density polyethylenes, polypropylene and polystyrene on their thermal degradation studied by pyrolysis gas chromatography. *J. Anal. Appl. Pyrolysis,* 57 (2001) 177-185.

850 Emelyanov, I.S., Vhernykh, G.P. and Trofimov, O.V.: (Synthesis and study of polyorganosilicas for gas and liquid chromatography). *Zh. Prikl. Khim. (S.-Petersburg),* 73 (2000) 909-914; *C.A.,* 133 (2000) 358584e.

851 Gallet, G., Lempiainen, R. and Karlsson, S.: Characterization by solid phase microextraction-gas chromatography-mass spectrometry of matrix changes of poly(L-lactide) exposed to outdoor soil environment. *Polym. Degrad. Stab.,* 71 (2000) 147-151; CA Selects Plus GC, No. 1 (2001) 878832.

852 Gukasyan, S.Z.: (Study of polymer-filler interactions by inverse phase gas chromatography). *Plast. Massy,* No. 8 (2000) 36-37; *C.A.,* 134 (2001) 86911t.

853 Hepter, J.: (Pyrolysis gas chromatography and its new posibilities in the analysis of polymers). *Polimery (Warsaw),* 45 (2000) 751-758; CA Selects Plus GC, No. 2 (2001) 6397.

854 Jing, Z.-Z., Zhao, Y.-Y., Xu, W.-Y. and Zhang, G.-B.: (GC-MS analysis of pyrolyzates of organic silicone rubber). *Fenxi Ceshi Xuebao,* 19, No. 3 (2000) 31-33; *C.A.,* 134 (2001) 72754g.

855 Kiura, M., Atarashi, J.-I., Ichimura, K., Ito, H., Ohtani, H. and Tsuge, S.: Tacticity of methacrylic copolymers and their

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

864 Hong, L. and Altorfer, H.: A micro-sized headspace GC technique for determination of organic volatile impurities in water-insoluble pharmaceuticals. *Chromatographia,* 53 (2001) 76-80.

865 Li, L., Zhou, Y. and Luo, Y.: (Comprehensive analysis of drugs and toxicants in biological samples using solid-phase extraction and GC-MS). *Yaoxue Xuebao,* 35 (2000) 521-525; *C.A.,* 133 (2000) 358825j.

866 Lord, H. and Pawliszyn, J.: Microextraction of drugs. *J. Chromatogr. A,* 902 (2000) 17-63 - a review with 131 refs.

867 Urakami, K., Saito, Y., Fujiwara, Y., Watanabe, C., Umemoto, K., Godo, M. and Hashimoto, K.: Determination of residual solvents in bulk pharmaceuticals by thermal desorption/gas chromatography/mass spectrometry. *Chem. Pharm. Bull.,* 48 (2000) 1894-1897.

929 Zarapkar, S.S., Kanyawar, N.S., Danvate, A.A. and Lande, J.Y.: Simultaneous gas chromatographic determination of eucalyptol, camphor and menthol in formulation. *Indian Drugs,* 37 (2000) 328-331.

See also 762.

33. CLINICO-CHEMICAL APPLICATIONS

33b. Complex mixtures and profiling (single compounds by cross-reference only)

930 Fu, X.-w., Iga, M., Kimura, M. and Yamaguchi, S.: Simplified screening for organic acidemia using GC/MS and dried urine filter papers: a study on neonatal mass screening. *Early Hum. Dev.,* 58 (2000) 41-55; *C.A.,* 134 (2001) 68402y.

931 Hara, K., Kashimura, S., Okuma, K., Kageura, M., Kashiwagi, M., Tomojiri, S. and Tanaka, K.: A new method for analysis of urinary hippuric acid by gas chromatography/mass spectrometry. *Jpn. J. Forensic Toxicol.,* 18 (2000) 244-252; CA Selects Plus GC, No. 1 (2001) 880354.

932 Nakajima, M., Yamato, S., Shimada, K., Sato, S., Kitagawa, S., Honda, A., Miyamoto, J., Shoda, J., Ohya, M. and Miyazaki, H.: Assessment of drug concentration in tears in therapeutic drug monitoring: I. Determination of valproic acid in tears by gas chromatography/mass spectrometry with EC/NCI mode. *Ther. Drug Monit.,* 22 (2000) 716-722; CA Selects Plus GC, No. 1 (2001) 895308.

933 Ning, C. and Segal, S.: Plasma galactose and galactitol concentration in patients with galactose-1-phosphate uridyltransferase deficiency galactosemia: determination by gas chromatography/mass spectrometry. *Metab., Clin. Exp.,* 49 (2000) 1460-1466.

934 Syriopoulou, V., Brooks, J.B. and Daikos, G.L.: Electron-capture gas chromatographic-chemical ionization mass spectrometric study of sera from people vaccinated with bacille Calmette-Guerin for characteristic metabolites. *J. Chromatogr. B,* 751 (2001) 143-151.

935 Takayasu, T., Ohshima, T., Kondo, T. and Sato, Y.: Intratracheal gas analysis for volatile substances by gas chromatography/mass spectrometry-application to forensic autopsies. *J. Forensic Sci.,* 46 (2001) 98-104.

936 Tang, G.-H., Jiang, G.-H. and Zheng, L.-F.: Pharmacokinetics of perlolyrine in rats by stable isotope dilution in conjunction with GC-MS. *Acta Pharmacol. Sin.,* 21 (2000) 660-662; *C.A.,* 133 (2000) 232293r.

See also 718, 729, 734, 800, 808, 869.

34. FOOD ANALYSIS

34b. Complex mixtures (single compounds by cross-reference only)

937 Cao, Y.-l., Zhang, R.-j., Liu, H.-l., Li, Y.-l. and Li, F.-s.: (Study on the determination alimentary intoxicant by tetramine). *Zhengzhou Liangshi Xueyuan Xuebao,* 21, No. 2 (2000) 50-52,72; *C.A.,* 133 (2000) 349307q.

938 Feng, C., Zhou, Y. and Hu, X.: (Analysis of 7 chemical warefare agents in contaminated grains by gas chromatography-flame photometric detection). *Fenxi Huaxue,* 28 (2000) 1245-1247; CA Selects Plus GC, No. 24 (2000) 777876.

939 Lehmann, G., Engelhardt, H., Pieper, A. and Krumbholz, R.: (Omega-3 fatty acids as food suplements). *Lebensmittelchemie,* 54, No. 5 (2000) 105; *C.A.,* 133 (2000) 309172k.

940 Lin, H.-J., Wang, M.-L., Chen, C.-W., Hwang, B.-S., Lee, M.-H. and Choong, Y.-M.: A gas chromatographic method for determination of nicotinamide, paraben esters and caffeine in commercial health drinks, tonic drinks and cold formulas. *Yaowu Shipin Fenxi,* 8 (2000) 180-186; CA Selects Plus GC, No. 2 (2001) 3525.

941 Liu, B.: (Analysis of volatile constituents of mustard paste by gas chromatography/mass spectrometry with solid-phase microextraction and simultaneous distillation and extraction). *Fenxi Huaxue,* 28 (2000) 1489-1492; CA Selects Plus GC, No. 2 (2001) 16902.

942 Mendiola, I.R. and de la Serna, T.P.: (Scotch whiskies. Volatile compound analytical studies by gas chromatography). *Alimentaria (Madrid),* 316 (2000) 139-146; CA Selects Plus GC, No. 24 (2000) 776171.

943 Methacanon, P., Kennedy, J.F., Lloyd, L. and Paterson, M.: Application of gas and liquid chromatography in analysis of wine components. *Khimia (Sofiya),* 9, No. 2 (2000) 97-100; *C.A.,* 133 (2000) 349728c.

944 Shaw, P.E., Rouseff, R.L., Goodner, K.L., Bazemore, R., Nordby, H.D. and Widmer, W.W.: Comparison of headspace GC and electronic sensor techniques for classification of processed orange juices. *Lebensm.-Wiss. Technol.,* 33 (2000) 331-334; *C.A.,* 133 (2000) 334214h.

See also 655, 704, 712, 714, 715, 716, 728, 731, 740, 745, 798, 815, 819, 820, 821, 823, 824, 830, 838, 842, 844, 846.

34c. Organoleptically important compounds (flavors, odors, volatiles)

945 Cui, L.-f. and Liu, B.: (Preparative GC separation and identification of methyl 2-methyl-3-furyl disulfide food flavor). *Sepu,* 18 (2000) 470-472; *C.A.,* 134 (2001) 55645e.

946 Elmore, J.S., Mottram, D.S. and Hierro, E.: Two-fibre solid-phase microextraction combined with gas chromatography-mass spectrometry for the analysis of volatile aroma compounds in cooked pork. *J. Chromatogr. A,* 905 (2000) 233-240.

947 Janzanntti, N.S., Franco, M.R.B. and Lancas, F.M.: (Identification of the volatile compounds of Fuji apples (*Malus domestica*) by high resolution gas chromatography-mass spectrometry). *Cienc. Tecnol. Aliment.,* 20 (2000) 164-171; CA Selects Plus GC, No. 3 (2001) 35467.

948 Liu, D. and Tang, H.: (Application of chromatography in analysis of alcoholic liquor). *Niangjiu,* No. 5 (2000) 50-51; *C.A.,* 134 (2001) 99778e.

949 Looney, M.M. and Ford, A.C.: Differentiation of bourbon whiskies using gas chromatography and cluster analysis. *Tex. J. Sci.,* 52 (2000) 345-352; CA Selects Plus GC, No. 4 (2001) 83252.

950 Masuda, S., Kikuchi, K., Harayama, K., Sakai, K. and Ikeda, M.: Determination of lightstruck character in beer by gas chromatography-mass spectroscopy. *J. Am. Soc. Brew. Chem.*, 58 (2000) 152-154.

951 Pérès, C., Viallon, C. and Berdagué, J.-L.: Solid-phase microextraction-mass spectrometry: a new approach to the rapid characterization of cheeses. *Anal. Chem.*, 73 (2001) 1030-1036.

952 Plotto, A., McDaniel, M.R. and Mattheis, J.P.: Characterization of changes in "Gala" apple aroma during storage using Osme analysis, a gas chromatography-olfactometry technique. *J. Am. Soc. Hortic. Sci.*, 125 (2000) 714-722.

953 Ruff, C., Hor, K., Weckerle, B., Konig, T. and Schreier, P.: (Authenticity control of aromatic materials: gas chromatography-isotope ratio-mass spectrometry (HRGC-IRMS) for the designation of $^{2}H/^{1}H$-ratio). *Lebensmittelchemie*, 54, No. 6 (2000) 145-146; *C.A.*, 134 (2001) 99807p.

954 Villasenor, M.J., Valero, E., Sanz, J. and Castro, I.M.: Analysis of volatile components of Manchego cheese by dynamic headspace followed by automatic thermal desorption-GC-MS. *Milchwissenschaft*, 55 (2000) 378-382; *C.A.*, 133 (2000) 349302j.

955 Yu, B.-Y., Liu, X.-N. and Wang, J.: (Study on chemical composition of Baixiangnuo rice by gas chromatography-mass spectrometry). *Guangpu Shiyanshi*, 17 (2000) 638-642; *CA Selects* Plus GC, No. 3 (2001) 27770.

See also 831.

35. ENVIRONMENTAL ANALYSIS

35a. General papers and reviews

See 656.

35b. Air pollution (complex mixtures; single compounds by cross-reference only)

956 Culbertson, J.A., Prins, J.M. and Grimsrud, E.P.: Improvements in the detection and analysis of CF_3-containing compounds in the background atmosphere by gas chromatography high-resolution mass spectrometry. *J. Chromatogr. A*, 903 (2000) 261-265.

957 Dudek, M., Wolska, L., Pilarczyk, M. and Namiesnik, J.: A new application of a commercial capillary gas chromatographic column as a diffusion denuder in analysis of selected volatile organic air contaminants. *Chem. Anal. (Warsaw)*, 45 (2000) 781-794.

958 Grall, A.J., Zellers, E.T. and Sacks, R.D.: High-speed analysis of complex indoor VOC mixtures by vacuum-outlet GC with air carrier gas and programmable retention. *Environ. Sci. Technol.*, 35 (2000) 163-169.

959 Kalberer, M., Yu, J., Cocker, D.R., Flagan, R.C. and Seinfeld, J.H.: Aerosol formation in the cyclohexene-ozone system. *Environ. Sci. Technol.*, 34 (2000) 4894-4901.

960 Koziel, J.A., Odziemkowski, M. and Pawliszyn, J.: Sampling and analysis of airborne particulate matter and aerosols using in-needle trap and SPME fiber device. *Anal. Chem.*, 73 (2001) 47-54.

961 Lenicek, J., Sekyara, M., Bednarkova, K., Benes, I. and Sipek, F.: Fractionation and chemical analysis of urban air particulate extracts. *Int. J. Environ. Anal. Chem.*, 77 (2000) 269-288.

962 Ling, D.-r., Liu, B., Wu, G.-q., Zou, L.-c. and Cao, J.: (Study on pretreatment of sample of ambient air for GC-MS analysis: carbonized fibrous resin as a sorbent for polycyclic aromatic hydrocarbons (PAHs)). *Fenxi Ceshi Xuebao*, 19, No. 5 (2000) 5-8; *C.A.*, 133 (2000) 365635a.

963 Robinson, A.D., McIntyre, J.D., Harris, N.R.P., Pyle, J.A., Simmonds, P.G. and Danis, F.: A lightweight balloon-borne gas chromatograph for in situ measurements of atmospheric halocarbons. *Rev. Sci. Instrum.*, 71 (2000) 4553-4560.

964 Subbalakshmi, Y., Patti, A.F., Lee, G.S.H. and Hooper, M.A.: Structural characterisation of macromolecular organic material in air particulate matter using Py-GC-MS and solid state ^{13}C-NMR. *J. Environ. Monit.*, 2 (2000) 561-565; *C.A.*, 134 (2001) 90203f.

965 Sye, W.-F. and Chen, W.-Y.: Determination of odorous sulfur compounds in air by tenax GR preconcentration and capillary gas chromatography in combination with flameless sulfur chemiluminescence detection. *Toxicol. Environ. Chem.*, 77 (2000) 207-218.

966 Yu, S., Jiang, S. and Sun, H.: (Study on method of sampling and analysis of acephate in air). *Weisheng Yanjiu*, 29 (2000) 205-206; *C.A.*, 134 (2001) 14237e.

See also 532, 554, 562, 568, 573, 659, 675, 676, 705, 775, 785, 794, 799, 827, 832.

35c. Water pollution (complex mixtures; single compounds by cross-reference only)

967 Bruzzoniti, M.C., Sarzanini, C. and Mentasti, E.: Preconcentration of contaminants in water analysis. *J. Chromatogr. A*, 902 (2000) 289-309 - a review with 150 refs.

968 Castillo, M. and Barcelo, D.: Characterisation of organic pollutants in textile wastewater and landfill leachate by using toxicity-based fractionation methods followed by liquid and gas chromatography coupled to mass spectrometric detection. *Anal. Chim. Acta*, 426 (2000) 253-264.

969 Chen, H.-H., Li, H.-P. and Ye, Y.-J.: (Simultaneous determination of chloroaromatics, nitroaromatics and phthalate esters in water by gas chromatography). *Fenxi Ceshi Xuebao*, 19, No. 6 (2000) 42-44; CA Selects Plus GC, No. 2 (2001) 3846.

970 Fukumoto, S., Kitsuwa, T., Tanaka, T. and Tera, M.: (Development of online monitoring system for VOCs in water). *Kogyo Yosui*, 507 (2000) 14-22; *C.A.*, 134 (2001) 105423d.

971 Hauser, B. and Popp, P.: Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters. *J. Chromatogr. A*, 909 (2001) 3-12.

972 Hirabayashi, T., Tateishi, H. and Umetani, T.: (Analysis of volatile organic compounds in water using headspace and gas-chromatograph/mass spectrometry). *Osaka-shi Suidokyoku Suishitsu Shikensho Chosa Kenkyu narabini Shiken Seiseki*, 51 (2000) 38-43; CA Selects Plus GC, No. 26 (2000) 844187.

973 Kawata, K., Ibaraki, T., Tanabe, A., Yagoh, H., Shinoda, A., Suzuki, H. and Yasuhara, A.: Gas chromatographic-mass spectrometric determination of hydrophillic compounds in environmental water by solid-phase extraction with activated carbon fiber felt. *J. Chromatogr. A,* 911 (2001) 75-83.

974 Liu, Z.-L., Xiao, C.-H., Wu, C.-Y. and Han, H.-M.: (Determination of phthalic diesters in water by solid phase microextraction-capillary gas chromatography). *Sepu,* 18 (2000) 568-570; CA Selects Plus GC, No. 2 (2001) 268.

975 Montione, R., Wilson, L., Bucciferro, A. and Policastro, B.: Detecting fuel oil contamination in drinking water. *Hazard. Ind. Wastes,* 32 (2000) 744-753; *C.A.*, 133 (2000) 354670g.

976 Ollers, S., Singer, H.P., Fässler, P. and Müller, S.R.: Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water. *J. Chromatogr. A,* 911 (2001) 225-234.

See also 571, 650, 652, 653, 660, 671, 677, 684, 685, 686, 687, 696, 708, 738, 746, 765, 772, 791, 795, 814, 817, 826, 840, 868, 890, 1001.

35d. Soil pollution (complex mixtures; single compounds by cross-reference only)

977 Canellas, L.P., Santos, G.A., Moraes, A.A. and Rumjanek, V.M.: (Evaluation of characteristics of humic acids from urban waste composite: II. Thermodegradative methods (pyrolysis-gas chromatography/mass spectrometry)). *Rev. Bras. Cienc. Solo,* 24 (2000) 751-757; CA Selects Plus GC, No. 4 (2001) 68742.

978 Faure, P. and Landais, P.: Rapid contamination screening of river sediments by flash pyrolysis-gas chromatography-mass spectrometry (PyGC-MS) and thermodesorption GC-MS (TdGC-MS). *J. Anal. Appl. Pyrolysis,* 57 (2001) 187-202.

979 Tienpont, B., David, F., Vanwalleghem, F. and Sandra, P.: Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples. *J. Chromatogr. A,* 911 (2001) 235-247.

See also 652, 664, 667, 669, 672, 677, 678, 683, 725, 764, 789, 792, 807, 809, 834, 843.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. Surfactants

See 616.

36b. Antioxidants and preservatives

982 Jinda, K. and Motoyuki, K.: (Qualitative analysis method of high molecular weight hindered amine photostabilizers in polypropylene by pyrolysis gas chromatography). *Jpn. Kokai Tokkyo Koho* JP 2000 321,258 (Cl. G01N30/06), 24 Nov. 2000, Appl. 1999/127,948, 10 May 1999; 7 pp.; *C.A.*, 134 (2001) 5364s.

983 Martinez, J.A.G.: (Determination of oxygenated additives in mexican gasolines by gas chromatography-mass spectrometry). *Rev. Soc. Quim. Mex.,* 44 (2000) 237-242; CA Selects Plus GC, No. 2 (2001) 16273.

984 Wu, Y., Hou, X. and Deng, H.: (Determination of antioxidant in forage additives by gas chromatography). *Guangzhou Huagong,* 28, No. 2 (2000) 36-38; CA Selects Plus GC, No. 3 (2001) 39292.

See also 712, 856.

36c. Complex mixtures, technical products and unidentified compounds

985 Briker, Y., Ring, Z., Iacchelli, A., McLean, N., Rahimi, P.M., Fairbridge, C., Malhotra, R., Coggiola, M.A. and Young, S.E.: Diesel fuel analysis by GC-FIMS: aromatics, *n*-paraffins, and isoparaffins. *Energy Fuels,* 15 (2001) 23-37; *C.A.*, 134 (2001) 44256c.

986 Chai, X.-S., Luo, Q. and Zhu, J.Y.: Analysis of nonvolatile species in a complex matrix by headspace gas chromatography. *J. Chromatogr. A,* 909 (2001) 249-257.

987 Kamiya, Y., Niimura, Y. and Miyakoshi, T.: Evaluation of synthesized lacquer films using pyrolysis-gas chromatography/mass spectrometry. *Bull. Chem. Soc. Jpn.,* 73 (2000) 2621-2626.

988 Laurens, J.B., de Coning, J.P. and Swinley, J.M.: Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride. *J. Chromatogr. A,* 911 (2001) 107-112.

989 Lee, X.-P., Kumazawa, T., Kondo, K., Furuta, S. and Sato, K.: Improved extraction of thinner components from human body fluids by headspace solid-phase microextraction with a Carboxen/polydimethylsiloxane-coated fiber. *Leg. Med.,* 1 (1999) 231-237; *C.A.*, 134 (2001) 26230k.

990 LeMoine, E.A. and Hoberecht, H.: Method 8270 for multicomponent analyte analysis. *Chem. N.Z.,* 64 (2000) 17-20; *C.A.*, 134 (2001) 65638u.

991 Lentini, J.J., Dolan, J.A. and Cherry, C.: The petroleum-laced background. *J. Forensic Sci.,* 45 (2000) 968-989.

992 Liao, J.-s., Wang, H., Zheng, W.-l. and Ding, P.: (Study on components of reaction products of [2,2]-paracyclophane dichlorization by capillary gas chromatography). *Fenxi Shiyanshi,* 19, No. 6 (2000) 21-23; CA Selects Plus GC, No. 2 (2001) 6555.

993 Liu, J., Zhao, S., Yu, S., Wang, F. and Tian, Z.: (Determination of refinery gases by complex capillary column gas chromatography). *Fenxi Huaxue,* 28 (2000) 1263-1266; CA Selects