ELSEVIER

Journal of Chromatography A, 941 (2001) B241–B366

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Bibliography Section

Liquid Column Chromatography

1. REVIEWS AND BOOKS

2114 Anonymous: (New developments in ion chromatography). *Huanjing Huaxue,* 20 (2001) 95-97; *C.A.,* 134 (2001) 216597h - a review with 5 refs.

2115 Bobbitt, D.R. and Lindner, S.W.: Recent advances in chiral detection for high performance liquid chromatography. *TrAC,* 20 (2001) 111-123.

2116 Haddad, P.R.: Ion chromatography retrospective. *Anal. Chem.,* 73 (2001) 266A-273A - a review with 26 refs.

2117 Hage, D.S. and Nelson, M.A.: Chromatographic immunoassays. *Anal. Chem.,* 73 (2001) 199A-205A - a review with 43 refs.

2118 Nagels, L.J. and Staes, E.: Polymer (bio)materials design for amperometric detection in LC and FIA. *TrAC,* 20 (2001) 178-185.

2119 Schwedt, G.: (25 Years of ion chromatography). *CLB Chem. Labor Biotech.,* 51, No. 11 (2000) 404-407; *C.A.,* 134 (2001) 125224t a review with 7 refs.

2120 Vander Heyden, Y., Perrin, C. and Massart, D.L.: Optimization strategies for HPLC and CZE. *Handb. Anal. Sep.,* 1(Separation Methods in Drug Synthesis and Purification) (2000) 163-212; *C.A.,* 134 (2001) 94901e - a review with 89 refs.

See also 2125, 2156, 2169, 2183, 2184, 2209, 2210, 2229, 2234, 2246, 2256, 2276, 2311, 2338, 2343, 2360, 2397, 2399, 2406, 2444, 2446, 2454, 2468, 2471, 2475, 2476, 2483, 2487, 2492, 2495, 2507, 2513, 2535, 2536, 2537, 2540, 2542, 2577, 2777, 2785, 2835, 2853, 2979, 3003, 3086, 3096, 3110.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

2121 Barbieri, M.: (HPLC troubleshooting). *Lab. 2000,* 14, No. 5 (2000) 56-58; *C.A.,* 134 (2001) 125326c.

2122 Barwick, V.J., Ellison, S.L.R., Lucking, C.L. and Burn, M.J.: Experimental studies of uncertainities associated with chromatographic techniques. *J. Chromatogr. A,* 918 (2001) 267-276.

2123 Felinger, A., Kele, M. and Guiochon, G.: Identification of the factors that influence the reproducibility of chromatographic retention data. *J. Chromatogr. A,* 913 (2001) 23-48.

2124 Gu, R.-F. and Jezorek, J.R.: Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column. *J. Chromatogr. A,* 919 (2001) 21-28.

2125 Jandera, P.: Comparison of various modes and phase systems for analytical HPLC. *Handb. Anal. Sep.,* 1(Separation Methods in Drug Synthesis and Purification) (2000) 1-71; *C.A.,* 134 (2001) 109773r - a review with 96 refs.

2126 Kang, S.H., Shortreed, M.R. and Yeung, E.S.: Real-time dynamics of single-DNA molecules undergoing adsorption and desorption at liquid-solid interfaces. *Anal. Chem.,* 73 (2001) 1091-1099.

2127 Kele, M. and Guiochon, G.: Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns V. Results obtained with Vydac 218TP C_{18} columns. *J. Chromatogr. A,* 913 (2001) 89-112.

2128 LoBrutto, R., Jones, A. and Kazakevich, Y.V.: Effect of counter-anion concentration on retention in high-performance liquid chromatography of protonated basic analytes. *J. Chromatogr. A,* 913 (2001) 189-196.

2129 Miller, J.M.: HPLC troubleshooting experiment: extra-column dead volume. *Am. Lab. (Shelton),* 32, No. 25 (2000) 16-17; *C.A.,* 134 (2001) 216518h.

See also 2157, 2190, 2533, 3064, 3094.

2b. Thermodynamics and theoretical relationships

2130 Adahchour, M., Kristenson, E.M., Vreuls, R.J.J. and Brinkman, U.A.Th.: Investigation of analyte losses in systeme suited for large-volume on-column injections. *Chromatographia,* 53 (2001) 237-243.

2131 Cecchi, T., Pucciarelli, F. and Passamonti, P.: Ion-interaction chromatography of neutral molecules. *Chromatographia,* 53 (2001) 27-34.

2132 David, C., Millot, M.C. and Sebille, B.: High-performance liquid chromatographic study of the interactions between immobilized β-cyclodextrin polymers and hydrophobically end-capped polyethylene glycols. *J. Chromatogr. B,* 753 (2001) 93-99.

2133 Kazakevich, Y.V., LoBrutto, R., Chan, F. and Patel, T.: Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention. *J. Chromatogr. A,* 913 (2001) 75-87.

2134 Nikitas, P., Pappa-Louisi, A. and Papageorgiou, A.: On the equations describing chromatographic peaks and the problem of the deconvolution of overlapped peaks. *J. Chromatogr. A,* 912 (2001) 13-29.

0021-9673/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0021-9673(01)01167-0

2135 Pålsson, E., Axelsson, A. and Larsson, P.-O.: Theories of chromatographic efficiency applied to expanded beds. *J. Chromatogr. A,* 912 (2001) 235-248.

See also 2186, 2375, 2488.

2c. Relationship between structure and chromatographic behaviour

2136 Al-Haj, M.A., Kaliszan, R. and Buszewski, B.: Quantitative structure-retention relationships with model analytes as a means of objective evaluation of chromatographic columns. *J. Chromatogr. Sci.,* 39 (2001) 29-38.

2137 Cheong, W.J. and Keum, Y.I.: Positional effect of solute functional group among positional isomers in hydroxyl group-solvent and carbonyl group-solvent specific interactions in methanol-water mixed solvents monitored by high-performance liquid chromatography. *J. Chromatogr. A,* 910 (2001) 195-206.

See also 2133, 2488.

2d. Measurement of physico-chemical and related values

2138 Flood, K.G., Reynolds, E.R. and Snow, N.H.: Determination of apparent association constants of steroid-cyclodextrin inclusion complexes using a modification of the Hummel-Dryer method. *J. Chromatogr. A,* 913 (2001) 261-268.

2139 Miyabe, K. and Guiochon, G.: (Analysis of surface diffusion phenomena in reversed-phase liquid chromatography). *Chromatography,* 21 (2000) 310-311; *C.A.,* 134 (2001) 227888e.

2140 Nasuto, R.: Adsorption of methanol from the liquid mobile phase on the column packing surface. *J. Therm. Anal. Calorim.,* 62 (2000) 587-594; *C.A.,* 134 (2001) 106363w.

2141 Pan, L., Ho, Q., Tsutsui, K. and Takahashi, L.: Comparison of chromatographic and spectroscopic methods used to rank compounds for aqueous solubility. *J. Pharm. Sci.,* 90 (2001) 521-529.

2142 Rohrschneider, L.: Characterization of stationary phases by retention data and solvation parameters. *J. Separ. Sci.,* 24 (2001) 3-9.

See also 2605.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

2143 Le Bihan, T., Pinto, D. and Figeys, D.: Nanoflow gradient generator coupled with μ-LC-ESI-MS/MS for protein identification. *Anal. Chem.,* 73 (2001) 1307-1315.

2144 Polesello, Di A.: (Sample injection systems in GC and HPLC). *Lab. 2000,* 14, No. 5 (2000) 34-50; *C.A.,* 134 (2001) 109901f.

2145 Zhou, X., Furushima, N., Terashima, C., Tanaka, H. and Kurano, M.: New micro-flow pumping system for liquid chromatography. *J. Chromatogr. A,* 913 (2001) 165-171.

See also 2155, 2197.

3b. Detectors and detection reagents

2146 Aiello, M. and McLaren, R.: A sensitive small-volume UV/Vis flow cell and total absorbance detection system for micro-HPLC. *Anal. Chem.,* 73 (2001) 1387-1392.

2147 Diehl, G., Liesener, A. and Karst, U.: Liquid chromatography with post column electrochemical treatment and mass spectrometric detection of non-polar compounds. *Analyst (Cambridge),* 126 (2001) 288-290.

2148 Hiller, D.L., Brockman, A.H., Goulet, L., Ahmed, S., Cole, R.O. and Covey, T.: Application of a non-indexed dual sprayer pneumatically assisted electrospray source to the high throughput quantitation of target compounds in biological fluids. *Rapid Commun. Mass Spectrom.,* 14 (2000) 2034-2038; *C.A.,* 134 (2001) 80463b.

2149 Hung, C.-H. and Shin, J.-S.: Fullerene-crown ether coated piezoelectric crystal liquid chromatographic detector for metal ions and polar/nonpolar organic molecules. *J. Chin. Chem. Soc. (Taipei),* 47 (2000) 1095-1104; *C.A.,* 134 (2001) 202267p.

2150 Roberts, K.P., Jankowiak, R. and Small, G.J.: High-performance liquid chromatography interfaced with fluorescence line-narrowing spectroscopy for on-line analysis. *Anal. Chem.,* 73 (2001) 951-956.

2151 Sato, K., Jin, J.-Y., Takeuchi, T., Miwa, T., Takekoshi, Y., Kanno, S. and Kawase, S.: Nickel-titanium alloy electrodes for stable amperometric detection of underivatized amino acids in anion-exchange chromatography. *Talanta,* 53 (2001) 1037-1044; *C.A.,* 134 (2001) 187639r.

2152 Simeon, N., Myers, R., Bayle, C., Nertz, M., Stewart, J.K. and Couderc, F.: Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography. *J. Chromatogr. A,* 913 (2001) 253-259.

2153 Sims, J.L.: Proposed performance qualification and calibration method for evaporative light scattering detectors. *Chromatographia,* 53 (2001) 401-404.

2154 Uchiyama, S., Santa, T. and Imai, K.: A fluorogenic reagent, 4-mercapto-7-methylthio-2,1,3-benzoxadiazole for carboxylic acids, designed by prediction of the fluorescence intensity. *Anal. Chem.,* 73 (2001) 2165-2170.

2155 Yamamoto, A., Kodama, S., Matsunaga, A., Hayakawa, K., Yasui, Y. and Kitaoka, M.: Multi-beam polarized photometric detector for high-performance liquid chromatography. *J. Chromatogr. A,* 910 (2001) 217-222.

See also 2115, 2118, 2129, 2177, 2248, 2260, 2326, 2352, 2366, 2400, 2432, 2439, 2442, 2465, 2480, 2490, 2491, 2587, 2752, 2753, 2834, 2836, 2886, 2999, 3097, 3099.

3c. Sorbents and columns, packing procedures

2156 Buchmeiser, M.R.: New synthetic ways for the preparation of high-performance liquid chromatography supports. *J. Chromatogr. A,* 918 (2001) 233-266 - a review with 367 refs.

2157 Cichna, M., Markl, P., Knopp, D. and Niessner, R.: On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography. *J. Chromatogr. A,* 919 (2001) 51-58.

2158 Clarke, W. and Hage, D.S.: Development of sandwich HPLC microcolumns for analyte adsorption on the millisecond time scale. *Anal. Chem.,* 73 (2001) 1366-1373.

2159 Cloix, J.-F. and Wainer, I.W.: Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies. *J. Chromatogr. A.,* 913 (2001) 133-140.

2160 Demin, A.A., Melenevsky, A.T., Papukova, K.P. and Samsonov, G.V.: Improved separation of biologically active substances on some composite sorbents. *Eur. Polym. J.,* 37 (2001, Pub. 2000) 113-117; *C.A.,* 134 (2001) 127975n.

2161 Gritti, F., Felix, G., Achard, M.-F. and Hardouin, F.: Laterally attached liquid-crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography III. Effect of the local anisotropic order on the separation of polycyclic aromatic hydrocarbons. *J. Chromatogr. A,* 913 (2001) 147-157.

2162 Grossmann, F., Ehwald, V., du Fresne von Hohenesche, C. and Unger, K.K.: Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography. *J. Chromatogr. A,* 910 (2001) 223-236.

2163 Hanna, M., de Biasi, V., Bond, B., Camilleri, P. and Hutt, A.J.: Biomembrane lipids as components of chromatographic phases: comparative chromatography on coated and bonded phases. *Chromatographia,* 52 (2000) 7100-720.

2164 Jiang, W. and Irgum, K.: Synthesis and evaluation of polymer-based zwitterionic stationary phases for separation of ionic species. *Anal. Chem.,* 73 (2001) 1993-2003.

2165 Kim, U.-J. and Kuga, S.: Ion-exchange chromatography by dicarboxyl cellulose gel. *J. Chromatogr. A,* 919 (2001) 29-37.

2166 Kobayashi, J., Kikuchi, A., Sakai, K. and Okano, T.: Aqueous chromatography utilizing pH-/temperature-responsive polymer stationary phases to separate ionic bioactive compounds. *Anal. Chem.,* 73 (2001) 2027-2033.

2167 Marme, S. and Hirthe, B.: (A new class of HPLC materials. Ceramic titanium dioxide). *GIT Spez. Sep.,* 20, No. 2 (2000) 86-88; *C.A.,* 134 (2001) 94917q.

2168 Millot, M.C., Servagent-Noinville, S., Taleb, N.L., Baron, M.H., Revault, M. and Sebille, B.: Structural changes of human serum albumin immobilized on chromatographic supports: a high-performance liquid chromatography and Fourier-transform infrared spectroscopy study. *J. Chromatogr. B,* 753 (2001) 101-113.

2169 Nakanishi, K.: (Application of porous silica for liquid chromatography columns). In: Sumio, S. (Editor), *Zoru-Geruho Oyo Gijutsu no Shintenkai,* Shi Emu Shi, Tokyo, 2000, pp. 110-116; *C.A.,* 134 (2001) 125311u - a review with 12 refs.

2170 Park, J.H., Ryu, J.K., Park, J.K., McNeff, C.V. and Carr, P.W.: Separation of enantiomers on bovine serum albumin coated zirconia in reversed-phase liquid chromatography. *Chromatographia,* 53 (2001) 405-408.

2171 Pemberton, J.E., Ho, M., Orendorff, C.J. and Ducey, M.W.: Raman spectroscopy of octadecylsilane stationary phase conformational order. Effect of solvent. *J. Chromatogr. A,* 913 (2001) 243-252.

2172 Perna, L., Betti, M., Moreno, J.M.B. and Fuoco, R.: Investigation of the use of UTEVA as a stationary phase for chromatographic separation of actinides on-line to inductively coupled plasma mass spectrometry. *J. Anal. At. Spectrom.,* 16 (2001) 26-31; *C.A.,* 134 (2001) 109812c.

2173 Pirogov, A.V., Svintsova, N.V., Kuzina, O.V., Krokhin, O.V. and Shpigun, O.A.: (Stability of hydrophobized silica gels modified by polyelectrolyte complexes under conditions of an ion chromatographic experiment). *Vestn. Mosk. Univ., Ser. 2: Khim.,* 41 (2000) 236-240; *C.A.,* 134 (2001) 109801y.

2174 Rustamov, I., Farcas, T., Ahmed, F., Chan, F., LoBrutto, R., McNair, H.M. and Kazakevich, Y.V.: Geometry of chemically modified silica. *J. Chromatogr. A,* 913 (2001) 49-63.

2175 Silva, C.R., Jardim, I.C.S.F. and Airoldi, C.: Development of new urea-functionalized silica stationary phases. Characterization and chromatographic performance. *J. Chromatogr. A,* 913 (2001) 65-73.

2176 Silva, C.R., Jardim, I.C.S.F. and Airoldi, C.: The key role of copper complexes adsorbed on a chemically endcapped diamine bonded phase for HPLC. *J. Separ. Sci.,* 24 (2001) 197-202.

2177 Silva, R.B., Gushikem, Y. and Collins, C.H.: Synthesis, characterization, and chromatographic evaluation of titanium tetrabutoxide-modified silica as a support for HPLC-RP separations in alkaline mobile phases. *J. Separ. Sci.,* 24 (2001) 49-54.

2178 Suzuki, Y., Quina, F.H., Berhod, A., Williams, R.W., Jr., Culha, M., Mohammadzai, I.U. and Hinze, W.L.: Covalently bound ionene polyelectrolyte-silica gel stationary phases for HPLC. *Anal. Chem.,* 73 (2001) 1754-1765.

2179 Vervoort, R.J.M., Ruyter, E., Debets, A.J.J., Claessens, H.A., Cramers, C.A. and de Jong, G.J.: Influence of batch-to-batch reproducibility of Luna C18(2) packing material, nature of column wall material, and column diameter on the liquid chromatographic analysis of basic analytes. *J. Separ. Sci.,* 24 (2001) 167-172.

2180 Waksmundzka-Hajnos, M., Petruczynik, A. and Hawryl, A.: Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems. *J. Chromatogr. A,* 919 (2001) 39-50.

2181 Wegmann, J., Albert, K., Pursch, M. and Sander, L.C.: Poly(ethylene-co-acrylic acid) stationary phases for the separation of shape-constrained isomers. *Anal. Chem.,* 73 (2001) 1814-1820.

2182 Yamamoto, K., Kanazawa, H., Matsushima, Y., Takai, N., Kikuchi, A. and Okano, T.: Preparation of packing materials for temperature responsive chromatography. Modification of silica surface with poly(N-isopropylacrylamide). *Chromatography,* 21 (2000) 209-215; *C.A.,* 134 (2001) 141122p.

2183 Yamazaki, H., Nama, C., Kobayashi, Y. and Umino, M.: (HPLC inversed phase column TSKgel ODS-100S). *Toso Kenkyu, Gijutsu Hokoku,* 44 (2000) 53-56; *C.A.,* 134 (2001) 177585w - a review without refs.

2184 Yoshikawa, M.: (Molecularly imprinted polymers). *Maku,* 26 (2001) 39-45; *C.A.,* 134 (2001) 179383n - a review with 56 refs.

2185 Zhou, D., Zhou, H., Wang, H., Ni, J., Zhang, Q. and Zhang, Y.: Alkaline treatment of the cellulose fiber affecting membrane column behavior for high-performance immunoaffinity chromatography. *Biomed. Chromatogr.,* 14 (2000) 511-515; *C.A.,* 134 (2001) 176955q.

See also 2132, 2135, 2139, 2140, 2142, 2220, 2225, 2226, 2228, 2230, 2232, 2233, 2238, 2285, 2472, 2538, 2540, 2548, 2550, 2739, 2740, 2755, 2762, 2788, 2848, 2928, 3092.

3d. Quantitative analysis

See 2897.

3e. Preparative scale chromatography

2186 Sutherland, I.A., Brown, L., Graham, A.S., Guillon, G.G., Hawes, D., Janaway, L., Whiteside, R. and Wood, P.: Industrial scale-up of countercurrent chromatography: Predictive scale-up. *J. Chromatogr. Sci.,* 39 (2001) 21-28.

2187 Yin, G., Liu, Z., Zhou, R., Zhan, J., Wang, J. and Yuan, N.: Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite. *J. Chromatogr. A,* 918 (2001) 393-399.

2188 Yokoyama, Y., Kishi, N., Tanaka, M. and Asakawa, N.: On-line sample preparation system using column-switching HPLC for the structure elucidation of compounds in mixtures by NMR. *Anal. Sci.,* 16 (2000) 1183-118; *C.A.,* 134 (2001) 121421g.

See also 3054.

3f. Programmed temperature, pressure, vapors, gradients

2189 Ivanov, A.V., Tessman, A.B. and Vakshtein, M.S.: (Effect of the composition of mobile phases on the profile of the initial portion of the pH gradient in focusing ion exchange chromatography). *Vestn. Mosk. Univ., Ser. 2: Khim.,* 41 (2000) 251-255; *C.A.,* 134 (2001) 109802z.

2190 Kagan, M.Z.: Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative I. Analytical and chiral applications. *J. Chromatogr. A,* 918 (2001) 293-302.

2191 Layne, J., Farcas, T., Rustamov, I. and Ahmed, F.: Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance. *J. Chromatogr. A,* 913 (2001) 233-242.

2192 LoBrutto, R., Jones, A., Kazakevich, Y.V. and McNair, H.M.: Effect of the eluent pH and acidic modifiers in high-performance liquid chromatography retention of basic analytes. *J. Chromatogr. A,* 913 (2001) 173-187.

2193 Yamamoto, A., Kodama, S., Matsunaga, A., Inoue, Y., Aoyama, T. and Kumagai, Y.: Characteristics of column suitable for capacity gradient chromatography with borate eluent. *Analyst (Cambridge),* 126 (2001) 456-468.

See also 2143, 2258, 2408, 3094.

4. SPECIAL TECHNIQUES

4a. Automation

2194 Fransson, M., Sparen, A., Lagerholm, B. and Karlsson, L.: On-line process control of liquid chromatography. *Anal. Chem.,* 73 (2001) 1502-1508.

2195 Janiszewski, J.S., Rogers, K.J., Whalen, K.M., Cole, M.J., Liston, T.E., Duchoslav, E. and Fouda, H.G.: A high-capacity LC/MS system for the bioanalysis of samples generated from plate-based metabolic screening. *Anal. Chem.,* 73 (2001) 1495-1501.

2196 Lim, H.K., Chan, K.W., Sisenwine, S. and Scatina, J.A.: Simultaneous screen for microsomal stability and metabolite profile by direct injection turbulent-laminar flow-LC-LC and automated tandem mass spectrometry. *Anal. Chem.,* 73 (2001) 2140-2146.

2197 Pfeffer, M. and Windt, H.: Automatization for development of HPLC methods. *Fresenius J. Anal. Chem.,* 369 (2001) 36-41.

2198 Powell, M. and Tempst, P.: Microflow-base automated chemistries: application to protein sequencing. *Anal. Chem.,* 73 (2001) 776-786.

See also 2861, 2970, 3019.

4b. Computerization and modelling

2199 Felinger, A. and Guiochon, G.: Validation of a chromatography data analysis software. *J. Chromatogr. A,* 913 (2001) 221-231.

2200 Hansen, B.T., Jones, J.A., Mason, D.E. and Liebler, D.C.: SALSA: a pattern recognition algorithm to detect electrophile-adducted peptides by automated evaluation of CID spectra in LC-MS-MS analyses. *Anal. Chem.,* 73 (2001) 1676-1683.

2201 Ko, J. and Ford, J.C.: Comparison of selected retention models in reversed-phase liquid chromatography. *J. Chromatogr. A,* 913 (2001) 3-13.

2202 Ko, J., Chilenski, J., Rodgers, T. and Ford, J.C.: Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography. *J. Chromatogr. A,* 913 (2001) 15-22.

See also 2128, 2134, 2194, 2215, 2967.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

2203 Abramson, F.P., Black, G.E. and Lecchi, P.: Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials. *J. Chromatogr. A,* 913 (2001) 269-273.

2204 Allen, J.R., Williams, J.D., Burinsky, D.J. and Cole, S.R.: Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry. *J. Chromatogr. A,* 913 (2001) 209-219.

2205 Bres, J.-C., Morvan, F., Lefebvre, I., Vasseur, J.-J., Pompon, A. and Imbach, J.-L.: Kinetics study of the biotransformation of an oligonucleotide prodrugs in cells extract by matrix-assisted laser desorption-ionization time-of-flight mass spectrometry. *J. Chromatogr. B,* 753 (2001) 123-130.

2206 Cheng, Y.-F., Lu, Z. and Neue, U.: Ultrafast liquid chromatography/ultraviolet and liquid chromatography/tandem mass spectrometric analysis. *Rapid Commun. Mass Spectrom.*, 15, No. 2 (2001) 141-151; *C.A.*, 134 (2001) 183605d.

2207 Cooper, C.A., Gasteiger, E. and Packer, N.H.: GlycoMod - A software tool for determining glycosylation compositions from mass spectrometric data. *Proteomics (Weinheim)*, 1 (2001) 340-349.

2208 De Borba, B.M., Brewer, J.M. and Camarda, J.: On-line dialysis as a sample preparation technique for ion chromatography. *J. Chromatogr. A*, 919 (2001) 59-65.

2209 Harvey, D.J.: Identification of protein-bound carbohydrates by mass spectrometry. *Proteomics (Weinheim)*, 1 (2001) 311-328 - a review with 124 refs.

2210 James, A.D. and Mills, G.A.: Solid phase micro-extraction (SPME) - a universal sample preparation technique? *CAST, Chromatogr. Sep. Technol.*, 6 (1999) 8-12; *C.A.*, 134 (2001) 82825v - a review with 6 refs.

2211 Laurell, T., Nilsson, J. and Marko-Varga, G.: Silicon microstructures for high-speed and high-sensitivity protein identifications. *J. Chromatogr. B*, 752 (2001) 217-232.

2212 New, A.P., Wolff, J.-C., Crabtree, S., do Santos, L.F., Okafo, G., Lee, J. and Divan, K.: Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data. *J. Chromatogr. A*, 913 (2001) 205-208.

2213 Nicholson, J.K., Lindon, J.C., Scarfe, G.B., Wilson, I.D., Abon-Shakra, F., Sage, A.B. and Castro-Perez, J.: High-performance liquid chromatography linked to inductively coupled plasma mass spectrometry and orthogonal acceleration time-of-flight mass spectrometry for the simultaneous detection and identification of metabolites of 2-bromo-4-trifluoromethyl-[^{13}C]-acetanilide in rat urine. *Anal. Chem.*, 73 (2001) 1491-1494.

2214 Quenzer, T.L., Emmett, M.R., Hendrickson, C.L., Kelly, P.H. and Marshall, A.G.: High sensitivity Fourier transform ion cyclotron resonance mass spectrometry for biological analysis with nano-LC and microelectrospray ionization. *Anal. Chem.*, 73 (2001) 1721-1725.

2215 Xu, C.-J., Liang, Y.-Z., Gong, F. and Cui, H.: Incorporating the prior infomation of spectra into identification of elution region in hyphenated chromatography. *Anal. Chim. Acta*, 428 (2001) 235-244.

2216 Yamagaki, T. and Nakanishi, H.: Ion intensity analysis of post-source decay fragmentation in curved-field reflectron matrix-assisted laser desorption/ionization time-of-flight mass spectrometry of carbohydrates: For structural characterization of glycosylation in proteome analysis. *Proteomics (Weinheim)*, 1 (2001) 329-339.

2217 Yang, L., Mann, T., Little, D., Wu, N., Clement, R.P. and Rudewicz, P.J.: Evaluation of a four-channel multiplexed electrospray triple quadrupole mass spectrometer for the simultaneous validation of LC/MS/MS methods in four different preclinical matrixes. *Anal. Chem.*, 73 (2001) 1740-1747.

See also 2143, 2147, 2148, 2157, 2172, 2188, 2195, 2196, 2200, 2219, 2242, 2251, 2252, 2254, 2261, 2266, 2268, 2269, 2279, 2281, 2289, 2306, 2310, 2327, 2341, 2350, 2352, 2361, 2365, 2374, 2384, 2394, 2404, 2407, 2410, 2412, 2416, 2424, 2428, 2429, 2436, 2456, 2467, 2485, 2492, 2505, 2521, 2530, 2534, 2538, 2543, 2545, 2546, 2547, 2553, 2555, 2565, 2579, 2580, 2587, 2605, 2682, 2707, 2719, 2724, 2728, 2741, 2748, 2751, 2756, 2758, 2761, 2782, 2792, 2805, 2807, 2812, 2820, 2822, 2824, 2829, 2833, 2839, 2841, 2842, 2844, 2847, 2849, 2851, 2864, 2866, 2872, 2889, 2890, 2891, 2900, 2903, 2908, 2915, 2931, 2933, 2939, 2942, 2951, 2957, 2960, 2964, 2968, 2974, 2985, 2994, 2996, 3000, 3001, 3002, 3015, 3033, 3058, 3060, 3065, 3068, 3072, 3073, 3074, 3075, 3087, 3090, 3093, 3095.

4d. Affinity chromatography (advances)

2218 Clarke, W., Chowdhuri, A.R. and Hage, D.S.: Analysis of free drug fractions by ultrafast immunoaffinity chromatography. *Anal. Chem.*, 73 (2001) 2157-2164.

2219 Gerber, S.A., Scott, C.R., Turecek, F. and Gelb, M.H.: Direct profiling of multiple enzyme activities in human cell lysates by affinity chromatography/electrospray ionization mass spectrometry: application to clinical enzymology. *Anal. Chem.*, 73 (2001) 1651-1657.

2220 Hernandez, R., Chong, E., Moralex, R., Perez, E., Amador, Y., Zubiaurrez, J.R., Valdes, R., Figueroa, A., Agraz, A. and Herrera, I.: Stirrer tank: an appropriate technology to immobilize the CB.Hep-1 monoclonal antibody for immunoaffinity purification. *J. Chromatogr. B*, 754 (2001) 77-83.

See also 2117, 2185, 2305, 2336, 2347, 2524, 2532, 2570, 2580, 2677, 2803.

4f. Trace analysis and preseparation techniques

2221 Fitzpatrick, L.J. and Dean, J.R.: Pressurised fluid extraction of bupirimate and ethirimol from aged soils. *J. Chromatogr. A*, 918 (2001) 429-433.

2222 Mendas, G., Drevenkar, V. and Zupancic-Kralj, L.: Solid-phase extraction with styrene-divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines. *J. Chromatogr. A*, 918 (2001) 351-359.

2223 Slingsby, R.W., Bordunov, A. and Grimes, M.: Removal of metallic impurities from mobile phases in reversed-phase high-performance liquid chromatography by the use of an in-line chelation column. *J. Chromatogr. A*, 913 (2001) 159-163.

See also 2362, 2412, 2414, 2430, 2793, 2794, 2850, 2996, 3092.

4g. Enantiomers, separation

2224 Chankvetadze, B., Kartozia, I., Breitkreutz, J., Girod, M., Knobloch, M., Okamoto, Y. and Blaschke, G.: Comparative capillary chromatographic and capillary electrochromatographic enantioseparations using cellulose tris(3,5-dichlorophenylcarbamate) as chiral stationary phase. *J. Separ. Sci.,* 24 (2001) 251-257.

2225 Chen, X., Zou, H., Yang, L., Wang, H. and Zhang, Q.: Chiral high-performance liquid chromatography with cellulose derivative stationary phases coated on underivatized silica gel. *Am. Lab. (Shelton),* 32, No. 21 (2000) 30; *C.A.,* 134 (2001) 187643n.

2226 Hyun, M.H., Han, S.C., Lipshutz, B.H., Shin, Y.-J. and Welch, C.J.: New chiral crown ether stationary phase for the liquid chromatographic resolution of α-amino acid enantiomers. *J. Chromatogr. A,* 910 (2001) 359-365.

2227 Hyun, M.H., Koo, H.J., Lee, G.S. and Han, S.C.: Effect of the double bond π-conjugation of the aromatic group of racemic analytes on the liquid chromatographic separation of enantiomers. *Enantiomer,* 5 (2000) 499-503; *C.A.,* 134 (2001) 187647s.

2228 Jandera, P., Backovska, V. and Felinger, A.: Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography. *J. Chromatogr. A,* 919 (2001) 67-77.

2229 Ma, Y., Ito, Y. and Berthod, A.: Chiral separation by high-speed countercurrent chromatography. *Chromatogr. Sci. Ser.,* 82(Countercurrent Chromatography) (1999) 223-248; *C.A.,* 134 (2001) 88066v - a review with 20 refs.

2230 Mathews, B.T., Beezer, A.E., Snowden, M.J., Hardy, M.J. and Mitchell, J.C.: Evaluation of novel dendrimer chiral stationary phases using HPLC. *Chromatographia,* 53 (2001) 147-155.

2231 Peter, A., Kaman, J., Fülöp, F., van der Eycken, J. and Armstrong, D.W.: High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols. *J. Chromatogr. A,* 919 (2001) 79-86.

2232 Wang, J., Liu, X., Wang, J., Shang, Z. and Yu, Y.: (Simultaneous molecular imprinting chiral stationary phase). *Fenxi Huaxue,* 28 (2000) 1531-1534; *C.A.,* 134 (2001) 109926t.

2233 Zhou, L., Li, G.-l. and Yang, G.-s.: (Preparation of chiral stationary phase of cellulose trisphenylcarbamate and resolution of enantiomeric compounds). *Shandong Keji Daxue Xuebao, Ziran Kexueban,* 19, No. 3 (2000) 21-24; *C.A.,* 134 (2001) 94919s.

See also 2168, 2170, 2181, 2299, 2353, 2377, 2379, 2385, 2451, 2463, 2464, 2478, 2484, 2485, 2735, 2739, 2755, 2762, 2763, 2824, 2848, 2878, 2882, 2885, 2897, 2902, 2905, 2911, 2919, 2928, 2945, 2949, 3008.

4h. Other special techniques

2234 Ito, Y. and Menet, J.-M.: Coil planet centrifuges for high-speed countercurrent chromatography. *Chromatogr. Sci. Ser.,* 82(Countercurrent Chromatography) (1999) 87-119; *C.A.,* 134 (2001) 121299y - a review with 35 refs.

2235 Plockova, J. and Chmelik, J.: Different elution modes and field programming in gravitational field-flow fractionation III. Field programming by flow-rate gradient generated by a programmable pump. *J. Chromatogr. A,* 918 (2001) 361-370.

See also 2211, 2320, 2656, 2669, 2871, 2892, 2996, 3082.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

See 2437.

5a. Aliphatic hydrocarbons

2236 Lu, Z.-B., Zhai, X.-L. and Zhuang, L.-H.: (Liquid-solid adsorption separation and gas chromatography/mass spectrometry analysis of recycle alkanes in the production of alkyl benzenes). *Sepu,* 18 (2000) 559-562; *C.A.,* 134 (2001) 125341d.

5b. Cyclic hydrocarbons, fullerenes

2237 Cardoso, V.V., Rodrigues, A., Correia, J. and Benoliel, M.J.: Application of SPME in the analysis of polynuclear aromatic hydrocarbons in water by HPLC with DAD detection. *Polycyclic Aromat. Compd.,* 19 (2000) 227-239; *C.A.,* 134 (2001) 90777w.

2238 Chen, S., Fetzen, J.C. and Meyerhoff, M.E.: Retention behavior of large polycyclic aromatic hydrocarbons on metalloprotoporphyrin-silica stationary phase. *Fresenius J. Anal. Chem.,* 369 (2001) 385-392.

2239 De Costa, K.S., Black, S.R., Thomas, B.F., Burgess, J.P. and Mathews, J.M.: Metabolism and disposition of α-methylstyrene in rats. *Drug Metab. Disp.,* 29 (2001) 166-171.

2240 Dorthe, A.-M., Ramberti, J.-L. and Thienpont, A.: Experimental design optimization of chromatographic separation for polycyclic aromatic hydrocarbons in vegetable oils. *Analusis,* 28 (2000) 587-591; *C.A.,* 134 (2001) 221615s.

2241 Fujino, T.: (Analytical method of environmental endocrine disruptors (benzo(a)pyrene) in air). *Oita-ken Eisei Kankyo Kenkyu Senta Nenpo,* 27, (1999, Pub. 2000) 71-78; *C.A.,* 134 (2001) 182503g.

2242 Letzel, T., Pöschl, U., Wissiack, R., Rosenberg, E., Grasserbauer, M. and Niessner, R.: Phenyl-modified reversed-phase liquid chromatography coupled to atmospheric pressure chemical ionization mass spectrometry: a universal method for the analysis of partially oxidized aromatic hydrocarbons. *Anal. Chem.,* 73 (2001) 1634-1645.

2243 Noel, L., Jean, P. and Macroux, A.: Comparative studies of PAH in pitch by liquid chromatography/fluorescence and other methods. *Polycyclic Aromat. Compd.* 19 (2000) 285-296; *C.A.,* 134 (2001) 102996g.

2244 Ozbal, C.C., Skipper, P.L., Yu, M.C., London, S.J., Dasari, R.R. and Tannenbaum, S.R.: Quantification of (7S,8R)-dihydroxy-(9R,10S)-epoxy-7,8,9,10-tetrahydrobenzo[*a*]pyrene adducts in human serum albumin by laser-induced fluorescence: Implications for the *in vivo* metabolism of benzo[*a*]pyrene. *Cancer Epidemiol., Biomarkers Prev.,* 9 (2000) 733-734; *C.A.,* 134 (2001) 81823f.

2245 Vallejo-Pecharroman, B., Garcia Ayuso, L.E. and Lugue de Castro, M.D.: Efficient extraction of PAHs in aqueous organised media assisted by focused microwaves. *Chromatographia,* 53 (2001) 5-10.

See also 2137, 2140, 2161, 2176, 2182, 2236, 2247, 2445, 2453, 2735, 2760.

5c. Halogen derivatives

See 2293, 2756.

6. ALCOHOLS

2246 Amelio, M.: HPLC analysis of alcohols in foods and beverages. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 303-319; *C.A.,* 134 (2001) 85195a - a review with 38 refs.

2247 Matsuda, H., Tomohiro, N., Hiraba, K., Harima, S., Ko, S., Matsuo, K., Yoshikawa, M. and Kubo, M.: Study of anti-Oketsu activity of rhubarb II. Anti-allergic effects of stilbene components from *Rhei undulati* rhizoma (dried rhizome of *Rheum undulatum* cultivated in Korea). *Biol. Pharm. Bull.,* 24 (2001) 264-267.

2248 Raggi, M.A., Sabbioni, C., Pucci, V., Ghedini, N., Calonghi, N. and Gerra, G.: Sensitive determination of 3-methoxy-4-hydroxyphenylglycol (MHPG) in human plasma by HPLC with electrochemical detection. *Chromatographia,* 53 (2001) 409-413.

2249 Romero-Perez, A.I., Lamuela-Raventos, R.M., Andres-Lacueva, C., de la Torre-Boronat, M.C.: Method for the quantitative extraction of resveratrol and piceid isomers in grape berry skins. Effect of powdery mildew on the stilbene content. *J. Agric. Food Chem.,* 49 (2001) 210-215.

2250 Zhang, B.: (Determination of resveratrol in Zijin capsules by HPLC). *Zhongcaoyao,* 32 (2001) 35; *C.A.,* 134 (2001) 227474s.

See also 2137, 2231, 2354.

7. PHENOLS

2251 Azvedo, D.A., Lacorte, S., Viana, P. and Barcelo, D.: Analysis of priority pesticides and phenols in Portuguese river water by liquid chromatography-mass spectrometry. *Chromatographia,* 53 (2001) 113-118.

2252 Berger, U., Oehme, M. and Girardin, L.: Quantification of derivatives of bisphenol A diglycidyl ether (BADGE) and novolac glycidyl ether (NOGE) migrated from can coatings into tuna by HPLC/fluorescence and MS detection. *Fresenius J. Anal. Chem.,* 369 (2001) 115-123.

2253 Chen, W., Chen, L. and Ling, F.J.: (Determination of phenols in polluted water by HPLC). *Shanghai Huanjing Kexue,* 19 (2000) 492-494; *C.A.,* 134 (2001) 105426g.

2254 Dominguez, C., Guillen, D.A. and Barroso, C.G.: Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine. *J. Chromatogr. A,* 918 (2001) 303-310.

2255 Forgacs, E., Cserhati, T., Deyl, Z. and Miksik, I.: Binding of substituted phenol and aniline derivatives to the corn protein zein studied by high-performance liquid chromatography. *J. Chromatogr. B,* 753 (2001) 79-86.

2256 Lee, H.S.: HPLC analysis of phenolic compounds. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 775-824; *C.A.,* 134 (2001) 99712d - a review with 161 refs.

2257 Malovana, S., Garcia Montelongo, F.J., Perez, J.P. and Rodriguez-Delgado, M.A.: Optimisation of sample preparation for the determination of *trans*-resveratrol and other polyphenolic compounds in wines by high performance liquid chromatography. *Anal. Chim. Acta,* 428 (2001) 245-253.

2258 Motamed, B., Bohm, J.-L., Hennequin, D., Texier, H., Mosrati, R. and Barillier, D.: Development of an HPLC method for the determination of phenolic by-products: optimisation of the separation by means of the experimental designs methodology. *Analusis,* 28 (2000) 592-599; *C.A.,* 134 (2001) 109815f.

2259 Palmero, D.A. and Arena, J.V.: Analysis of phenol in an over-the-counter sore throat spray by cyclic voltammetry. *J. Pharm. Sci.,* 90 (2001) 165-171.

2260 Rodriguez-Delgado, M.A., Malovana, S., Perez, J.P., Borges, T. and Garcia Montelongo, F.J.: Separation of phenolic compounds by high-performance liquid chromatography with absorbance and fluorimetric detection. *J. Chromatogr. A,* 912 (2001) 249-257.

2261 Romani, A., Pinelli, P., Mulinacci, N., Galardi, C., Vincieri, F.F., Liberatore, L. and Cichelli, A.: HPLC and HRGC analyses of polyphenols and secoiridosid in olive oil. *Chromatographia,* 53 (2001) 279-284.

2262 Sajiki, J.: Determination of bisphenol A in blood using high-performance liquid chromatography-electrochemical detection with solid-phase extraction. *J. Chromatogr. B,* 755 (2001) 9-15.

2263 Schieber, A., Keller, P. and Carle, R.: Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography. *J. Chromatogr. A,* 910 (2001) 265-273.

2264 Shintani, H.: Determination of the endocrine disrupter bisphenol-A in the blood of uremic patients treated by dialysis. *Chromatographia,* 53 (2001) 331-333.

See also 2248, 2267, 2276, 2756, 2857, 2861, 3043.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

2265 Abou El Hassan, M.A.I., Kedde, M.A., Bast, A. and van der Vijgh, W.J.F.: High-performance liquid chromatography with electrochemical detection for the determination of 7-monohydroxyethylrutoside in plasma. *J. Chromatogr. B,* 752 (2001) 115-121.

2266 Bilia, A.R., Salvini, D., Mazzi, G. and Vincieri, F.F.: Characterization of calendula flower, milk-thistle fruit, and passion flower tinctures by HPLC-DAD and HPLC-MS. *Chromatographia,* 53 (2001) 210-215.

2267 Chen, H., Zuo, Y. and Deng, Y.: Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography. *J. Chromatogr. A,* 913 (2001) 387-395.

2268 Griffith, A.P. and Collison, M.W.: Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry. *J. Chromatogr. A,* 913 (2001) 397-413.

2269 Gu, L., Gu, W., Tao, G. and Qin, G.: (HPLC-ESI/MS analysis of isoflavones from soy hypocotyl (III)). *Zhongcaoyao,* 31 (2000) 821-823; *C.A.,* 134 (2001) 183591w.

2270 Jiang, H., Cheng, Q. and Du, Q.: (The separation and purification of theaflavins on high-speed countercurrent chromatography). *Tianran Chanwu Yanhiu Yu Kaifa,* 12, No. 4 (2000) 30-35; *C.A.,* 134 (2001) 192402n.

2271 Kamil, M., Ahmad, F., Jayaraj, A.F., Gunasekhar, C., Thomas, S., Habibullah, M. and Chan, K.: Isolation and identification of a flavonol glycoside using high speed counter current chromatographic technique from the leaves of *Salvadora persica. Pak. J. Sci. Ind. Res.,* 43 (2000) 255-257; *C.A.,* 134 (2001) 219122k.

2272 Latunde-Dada, A.O., Cabello-Hurbado, F., Crittrich, N., Didierjan, L., Schofer, Ch., Hertkorn, N., Werck-Reichhart, D. and Ebel, J.: Flavonoid 6-hydroxylase from soybean (*Glycine max.* L.), a novel plant P-450 monooxygenase. *J. Biol. Chem.,* 276 (2001) 1688-1695.

2273 Ma, S.-C., But, P.P.-H., Ooi, V.E.C., He, Y.-H., Lee, S.H.-S., Lee, S.-F. and Lin, R.-C.: Antiviral amentoflavone from *Selaginella sinensis. Biol. Pharm. Bull.,* 24 (2001) 311-312.

2274 Ma, X.Q., Duan, J.A., Zhu, D.Y., Dong, T.X. and Tsim, K.W.K.: Chemical comparison of *Astragali radix* (Huangqi) from different regions of China. *Nat. Med. (Tokyo),* 54 (2000) 213-218; *C.A.,* 134 (2001) 227463n.

2275 Makris, D.P. and Rossiter, J.T.: High performance liquid chromatography studies on free radical oxidation of flavonols. *Spec. Publ.-R.Soc. Chem.,* 255(Dietary Anticarcinogens and Antimutagens) (2000) 249-251; *C.A.,* 134 (2001) 177521g.

2276 Schieber, A., Stintzing, F.C. and Carle, R.: (Secondary plant materials - actual aspects of the stability, analysis and extraction of byproducts from fruit and vegetable processing). *Fluess. Obst,* 68 (2991) 7-13; *C.A.,* 134 (2001) 192384h - a review with 74 refs.

2277 Sun, M., Luo, L., Shi, C. and Qian, Y.: (Quantification determination and investigation of isoflavones in Chinese soy products). *Shipin Yu Fajiao Gongye,* 26, No. 5 (2000) 14-18, 45; *C.A.,* 134 (2001) 221588k.

2278 Wanjala, C.C.W. and Majinda, R.R.T.: Isoflavone glycosides from the root wood of *Erythrina latissima. J. Assoc. Off. Anal. Chem.,* 84 (2001) 451-453.

2279 Wittig, J., Herderich, M., Graefe, E.U. and Veit, M.: Identification of quercetin glucuronides in human plasma by high-performance liquid chromatography-tandem mass spectrometry. *J. Chromatogr. B,* 753 (2001) 237-243.

2280 Yang, S., Zhao, G. and Zhang, S.: (Determination of syringin in Ciwujia injections by HPLC). *Yaowu Fenxi Zazhi,* 21 (2001) 16-17; *C.A.,* 134 (2001) 198168n.

2281 Yiomazer, M., Stevens, J.F., Deinzer, M.L. and Buhler, D.R.: *In vitro* biotransformation of xanthohumol, a flavonoid from hops (*Humulus lupulus*), by rat liver microsomes. *Drug Metab. Disp.,* 29 (2001) 223-231.

2282 Zhang, Q., Zhao, Y. and Ai, C.: (Determination of hesperidine in Haowayou oral solution by RP-HPLC). *Huaxi Yaoxue Zazhi,* 16 (2001) 52-53; *C.A.,* 134 (2001) 227471p.

See also 2261, 2263, 2635.

8b. Aflatoxins and other mycotoxins

2283 Camargos, S.M., Machinski, M., Jr. and Valente Soares, L.M.: (Evaluation of analytical methods and optimization of conditions for the determination of fumonisins B_1 and B_2 in corn). *Rev. Inst. Adolfo Lutz,* 58 (1999) 71-79; *C.A.,* 134 (2001) 99752s.

2284 Dragacci, S., Grosso, F. and Gilbert, J.: Immunoaffinity column cleanup with liquid chromatography for determination of aflatoxin M_1 in liquid milk. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 437-443.

2285 Entwisle, A.C., Williams, A.C., Mann, P.J., Russell, J., Slack, P.T. and Gilbert, J.: Combined phenyl silane and immunoaffinity column cleanup with liquid chromatography for determination of ochratoxin A in roasted coffee: collaborative study. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 444-450.

2286 Hinkley, S.F. and Jarvis, B.B.: Chromatographic method for Stachybotrys toxins. *Methods Mol. Biol. (Totowa),* 157(Mycotoxin Protocols) (2001) 173-194; *C.A.,* 134 (2001) 81825h.

2287 Ribar, S., Mesaric, M. and Bauman, M.: High-performance liquid chromatographic determination of sphinganine and sphingosine in serum and urine of subjects from an endemic nephropathy area in Croatia. *J. Chromatogr. B,* 754 (2001) 511-519.

2288 Van Egmond, H.P. and Dragacci, S.: Liquid chromatographic method for aflatoxin M_1 in milk. *Methods Mol. Biol. (Totowa),* 157(Mycotoxin Protocols) (2001) 59-69; *C.A.,* 134 (2001) 134461x.

2289 Zollner, P., Leitner, A., Lubda, D., Cabrera, K. and Lindner, W.: Application of Chromolith SpeedROD RP-18e HPLC column: determination of ochratoxin A in different wines by high-performance liquid chromatography-tandem mass spectrometry. *Chromatographia,* 52 (2000) 818-820.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

2290 Ishihara, K., Fukutake, M., Asano, T., Mizuhara, Y., Wakui, Y., Yanagisawa, T., Kamei, H., Ohmori, S. and Kitada, M.: Simultaneous determination of byak-angelicin and oxypeucedanin hydrate in rat plasma by column-switching high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr. B,* 753 (2001) 309-314.

See also 2316, 2368, 3001.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

2291 Cho, J.Y., Park, J., Kim, P.S., Yoo, E.S., Baik, K.U. and Park, M.H.: Savinin, a lignan from *Pterocarpus santalinus* inhibits tumor necrosis factor-α production and T cell proliferation. *Biol. Pharm. Bull.*, 24 (2001) 167-171.

2292 Claeson, K., Thorsén, G. and Karlberg, B.: Methyl malondialdehyde as an internal standard for the determination of malondialdehyde. *J. Chromatogr. B*, 751 (2001) 315-323.

2293 Kinae, N., Tanaka, J., Kamio, N., Sugiyama, C., Furugori, M., Shimoi, K. and Tanji, K.: Detection and origin of 3-chloro-4-dichloromethyl-5-hydroxy-2(5H)furanone (MX) in river water. *Water Sci. Technol.*, 42(7-8, Hazard Assessment and Control of Environmental Contaminants (Ecohazard 99)) (2000) 117-123; *C.A.*, 134 (2001) 90775u.

2294 Lambert, J.D., Meyers, R.O., Timmermann, B.N. and Dorr, R.T.: Pharmacokinetic analysis by high-performance liquid chromatography of intravenous nordihydroguaiaretic acid in the mouse. *J. Chromatogr. B*, 754 (2001) 85-90.

2295 Lobo, I., Mozeto, A.A. and Cass, Q.B.: Determination of phenolic compounds from oxidation of lignine lake sediments by high-performance liquid chromatography. *Chromatographia*, 52 (2000) 727-731.

2296 Luo, W., Li, H., Zhang, Y. and Ang, C.Y.W.: Determination of formaldehyde in blood plasma by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr. B*, 753 (2001) 253-257.

2297 Nazzal, S., Zaghloul, A.A., Reddy, I.K. and Khan, M.A.: Analysis of ubidecarenone (CoQ_{10}) aqueous samples using reversed phase liquid chromatography. *Pharmazie*, 56 (2001) 394-396.

2298 Tang, P.H., Miles, M.V., DeGrauw, A., Hershey, A. and Pesce, A.: HPLC analysis of reduced and oxidized coenzyme Q_{10} in human plasma. *Clin. Chem. (Washington)*, 47 (2001) 256-265.

2299 Tsubaki, K., Otsubo, T., Kinoshita, T., Kawada, M. and Fuji, K.: The first example for cycloenantiomeric hexahomoxacalix[3]arenes. *Chem. Pharm. Bull.*, 49 (2001) 507-509.

2300 Yang, C.-S., Tsai, P.-J., Chen, W.-Y. and Kuo, J.-S.: On-line, continuous and automatic monitoring of extracellular malondialdehyde concentration in anesthetized rat brain cortex. *J. Chromatogr. B*, 752 (2001) 33-38.

See also 2137, 2257, 2308, 2316, 2352, 2353, 2382, 2447, 2464, 3040.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

2301 Deng, F., Chen, B., Chen, G., Liang, S., Zhou, P. and Xia, L.: (Determination of rutin in *Flos sophorae* immaturus by HPLC). *Hunan Yike Daxue Xuebao*, 25 (2000) 597-598; *C.A.*, 134 (2001) 198166k.

2302 Franco, M.A., Colloru, G.C., del Caro, A., Manca, G., Balbi, N., Chiaramonti, N. and Farris, G.A.: Variability of trans and cis resveratrol and their glucosides in red wines produced in Sardinia and Corsica. *J. Commod. Sci.*, 39 (2000) 99-111; *C.A.*, 134 (2001) 85235p.

2303 Freeman, S., Birerell, H.C., D'Alessio, K., Erikson-Miller, C., Kikly, K. and Camillery, P.: A comparative study of the asparagine-linked oligosaccharides on singlec-5, singlec-7 and singlec-8, expressed in a CHO cell line, and their contribution to ligand recognition. *Eur. J. Biochem.*, 268 (2001) 1228-1237.

2304 Funatsu, O., Sato, T., Kotovuori, P., Gahmberg, C.G., Ikekita, M. and Furukawa, K.: Structural study of N-linked oligosaccharides of human intercellular adhesion molecule-3 (CD50). *Eur. J. Biochem.*, 268 (2001) 1020-1029.

2305 Hoja-Lukowicz, D., Litynska, A. and Wojczyk, B.S.: Affinity chromatography of branched oligosaccharides in rat liver β-glucuronidase. *J. Chromatogr. B*, 755 (2001) 173-183.

2306 Kabel, M.A., Schols, H.A. and Voragen, A.G.J.: Mass determination of oligosaccharides by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry following HPLC, assisted by on-line desalting and automated sample handling. *Carbohydr. Polym.*, 44, No. 2 (2001, Pub. 2000) 161-165; *C.A.*, 134 (2001) 141138y.

2307 Khoo, K.-H., Tang, J.-B. and Chatterjee, D.: Variation in mannose-capped terminal arabian motifs of lipoarabinomannans from clinizal isolates of *Mycobacterium tuberculosis* and *Mycobacterium avium* complex. *J. Biol. Chem.*, 276 (2001) 3863-3871.

2308 Lin, T. and Liang, G.: (Determination of syringin in *Ilex rotunda* bark by HPLC). *Zhongguo Zhongyao Zazhi*, 25 (2000) 671-672; *C.A.*, 134 (2001) 91222y.

2309 Mourad, R., Morelle, W., Neveu, A. and Strecker, G.: Diversity of O-linked glycosylation patterns between species. Characterization of 25 carbohydrate chains from oviducal mucins of *Rana ridibunda*. *Eur. J. Biochem.*, 268 (2001) 1990-2003.

2310 Peng, J., Sheng, L., Xiang, B. and An, D.: (HPLC/ESI MS and MALDI/TOF MS analysis of microheterogeneity of N-linked oligosaccharides of recombinant human erythropoietin). *Yaoxue Xuebao*, 35 (2000) 764-769; *C.A.*, 134 (2001) 198175n.

2311 Peris-Tortajada, M.: HPLC determination of carbohydrates in foods. *Food Sci. Technol. (N.Y.)*, 100(Food Analysis by HPLC (2nd Edition)) (2000) 287-302; *C.A.*, 134 (2001) 85194z - a review with 56 refs.

2312 Span, P.N., Pouwels, M.-J.J.M., Olthaar, A.J., Bosch, R.R., Hermus, A.R.M.M. and Sweep, C.G.J.: Assay for hexosamine pathway intermediates (uridine diphosphate-N-acetyl amino sugars) in small samples of human muscle tissue. *Clin. Chem. (Washington)*, 47 (2001) 944-946.

2313 Steiner, J.M., Williams, D.A. and Moeller, E.M.: Development and validation of a method for simultaneous separation and quantification of 5 different sugars in canine urine. *Can. J. Vet. Res.*, 64, No. 3 (2000) 164-170; *C.A.*, 134 (2001) 127972j.

2314 Wang, Q., Bi, K., Tian, J. and Jiang, W.: (Determination of chlorogenic acid in *Eucommia ulmoides* by RP-HPLC). *Hebei Yike Daxue Xuebao*, 22 (2001) 33-34; *C.A.*, 134 (2001) 212815e.

2315 Wen, L., Li, B., Kang, C. and Ding, Z.: (Determination of chlorogenic acid in Wuhuaguo buccal tablets by HPLC). *Zhongguo Yiyuan Yaoxue Zazhi*, 21 (2001) 13-14; *C.A.*, 134 (2001) 212825h.

2316 Xu, Q. and Liu, B.: (Determination of nodakenin in *Peucedanum praeruptorum* Dunn, *P. decursivum* Maxim and other 4 species). *Zhongguo Zhongyao Zazhi*, 25 (2000) 731-732; *C.A.*, 134 (2001) 121026g.

2317 Yang, D.-Y., Tsai, T.-H., Cheng, C.-H., Lee, C.-W., Chen, S.-H. and Cheng, F.C.: Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis. *J. Chromatogr. A,* 913 (2001) 349-354.

See also 2203, 2216, 2249, 2276, 2280, 2322, 2325, 2331, 2338, 2342, 2346, 2351, 2420, 2667, 2691.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

2318 Araki, Y., Andoh, A., Fujiyama, Y., Hata, K., Makino, J., Okuno, T., Nakanura, F. and Bamba, T.: Application of 2-aminopyridine fluorescence labeling in the analysis of *in vivo* and *in vitro* metabolism of dextran sulfate sodium by size-exclusion high-performance liquid chromatography. *J. Chromatogr. B,* 753 (2001) 209-215.

2319 Crraig, S.A.S., Holden, J.F. and Khaled, M.Y.: Determination of polydextrose in foods by ion chromatography: collaborative study. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 472-478.

2320 Duval, C., le Cerf, D., Picton, L. and Muller, G.: Aggreagation of amphiphilic pullulan derivatives evidenced by on-line flow field flow fractionation/multi-angle laser light scattering. *J. Chromatogr. B,* 753 (2001) 115-122.

2321 Munoz, E.C., Baldor, C.T., Munoz, M.E., Cabrera, R.A., Infante, J.F.B. and Sierra, G.G.: Identification, interaction and K_d studies of bacterial biopolymers by use of Superose 6 gels and UV monitoring. *Acta Chromatogr.,* 10 (2000) 147-156; *C.A.,* 134 (2001) 112574g.

2322 Oertel, C., Lindner, B., Skurnik, M. and Holst, O.: Isolation and structural characterization of an R-form lipopolysaccharide from *Yersinia enterocolitica* serotype 0:8. *Eur. J. Biochem.,* 268 (2001) 554-564.

2323 Ottersbach, K. and Graham, G.J.: Aggregation-independent modulation of proteoglycan binding by neutralization of C-terminal acidic residues in the chemokine macrophage inflammatory protein 1α. *Biochem. J.,* 354 (2001) 447-453.

2324 Ralet, M.-C., Bonnin, E. and Thibault, J.-F.: Chromatographic study of highly methoxylated lime pectins deesterified by different pectin methyl-esterases. *J. Chromatogr. B,* 753 (2001) 157-166.

2325 Schaffer, C., Scherf, T., Christian, R., Kosma, P., Zayni, S., Messner, P. and Sharon, N.: Purification and structure elucidation of the N-acetylbacillosamine-containing polysaccharide from *Bacillus licheniformis* ATCC 9945. *Eur. J. Biochem.,* 268 (2001) 857-864.

2326 Sharma, L. and Sharma, A.: Influence of cyclodextrin ring substituents on folding-related aggregation of bovine carbonic anhydrase. *Eur. J. Biochem.,* 268 (2001) 2456-2463.

2327 Shaw, C.J., Chao, H. and Xiao, B.: Determination of sialic acids in liquid chromatography-mass spectrometry. *J. Chromatogr. A,* 913 (2001) 365-370.

2328 Takahashi, I., Sashima, S. and Nakazawa, K.: Comparative analysis of proteoglycans synthesized by chick corneal stromal cells in cell culture and organ culture. *Biol. Pharm. Bull.,* 24 (2001) 27-33.

2329 Tapanadechopone, P., Tumova, S., Jiang, X. and Couchman, J.R.: Epidermal transformation leads to increased perlecan synthesis with heparin-bonding-growth-factor affinity. *Biochem. J.,* 355 (2001) 517-527.

2330 Vilchis-Landeros, M.M., Montiel, J.L., Mendoza, V., Mendoza-Hernandez, G. and Lopez-Casillas, F.: Recombinant soluble betaglycan is a potent and isoform-selective transforming growth factor-β neutralizing agent. *Biochem. J.,* 355 (2001) 215-222.

2331 Vives, R.R., Goodger, S. and Pye, D.A.: Combined strong anion-exchange HPLC and PAGE approach for the purification of heparan sulphate oligosaccharides. *Biochem. J.,* 354 (2001) 141-147.

2332 Warnken, U.H., Asskali, F. and Förster, H.: Rapid HPLC method for acetyl starch determination in blood. *Chromatographia,* 53 (2001) 85-88.

See also 2207, 2209, 2274, 2303, 2307, 2667, 3053.

10c. Glycoproteins and their constituents

2333 Arata, Y., Sekiguchi, M., Hirabayashi, J. and Kasai, K.-i.: Effects of substitution of conserved amino acid residues on the sugar-binding property of the tandem-repeat 32-kDa galectin of the nematode (*Aenorhabditis elegans*). *Biol. Pharm. Bull.,* 24 (2001) 14-18.

2334 Charlwood, J., Skehel, J.M. and Camilleri, P.: Immobilisation of antibodies in gels allows the improved release and identification of glycans. *Proteomics (Weinheim),* 1 (2001) 275-284.

2335 Choi-Miura, N.-M.: SP-40,40 is a component of plasminogen activator inhibitor-1-binding protein and stabilizes plasminogen activator inhibitor-1 activity. *Biol. Pharm. Bull.,* 24 (2001) 39-42.

2336 Geng, M., Zhang, X., Bina, M. and Regnier, F.: Proteomics of glycoproteins based on affinity selection of glycopeptides from tryptic digests. *J. Chromatogr. B,* 752 (2001) 293-306.

2337 Hirabayashi, J., Arata, Y. and Kasai, K.-i.: Glycome project: Concept, strategy and preliminary application to *Caenorhabditis elegans. Proteomics (Weinheim),* 1 (2001) 295-303.

2338 Jenkins, N., Shah, P.M. and Buckberry, L.D.: Carbohydrate analysis of glycoproteins and glycopeptides. *Drugs Pharm. Sci.,* 101(Peptide and Protein Drug Analysis) (2000) 453-476; *C.A.,* 134 (2001) 204405f - a review with 157 refs.

2339 Lim, E.-K., Li, Y., Parr, A., Jackson, R., Ashford, D.A. and Bowles, D.J.: Identification of glucosyltransferase genes involved in sinapate metabolism and lignin synthesis in Arabidopsis. *J. Biol. Chem.,* 276 (2001) 4344-4349.

2340 Matsumoto, H., Natsume, A., Ueda, H., Saitoh, T. and Ogawa, H.: Screening of a unique lectin from 16 cultivable mushrooms with hybrid glycoprotein and neoproteoglycan probes and purification of a novel *N*-acetylglucosamine-specific lectin from *Oudemansiella platyphylla* fruiting body. *Biochim. Biophys. Acta,* 1526 (2001) 37-43.

2341 Oguma, T., Toyoda, H., Toida, T. and Imanari, T.: Analytical method of heparan sulfates using high-performance liquid chromatography turbo-ionspray ionization tandem mass spectrometry. *J. Chromatogr. B,* 754 (2001) 153-159.

2342 Rudd, P.M., Colominas, C., Royle, L., Murphy, N., Hart, E., Merry, A.H., Hebestreit, H.F. and Dwek, R.A.: A high-performance liquid chromatography based strategy for rapid, sensitive sequencing of *N*-linked oligosaccharide modifications to proteins in sodium dodecyl sulphate polyacrylamide electrophoresis gel bands. *Proteomics (Weinheim),* 1 (2001) 285-294.

2343 Schäffer, C., Graninger, M. and Messner, P.: Prokaryotic glycosylation. *Proteomics (Weinheim),* 1 (2001) 248-261 - a review with 111 refs.

2344 Tallet, B., Astier-Gin, T., Castroviejo, M. and Santarelli, X.: One-step chromatographic purification procedure of a His-tag recombinant carboxyl half part of the HTLV-I surface envelope glycoprotein overexpressed in *Escherichia coli* as a secreted form. *J. Chromatogr. B,* 753 (2001) 17-22.

2345 Theocharis, D.A., Papageorgacopoulou, N., Vynios, D.H., Anagnostides, S.Th. and Tsiganos, C.P.: Determination and structural characterisation of dermatan sulfate in the presence of other galactosaminoglycans. *J. Chromatogr. B,* 754 (2001) 297-309.

2346 Wan, H.Z., Kaneshiro, S., Frenz, J. and Cacia, J.: Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring. *J. Chromatogr. A,* 913 (2001) 437-446.

2347 Weston, B.S., Bagneris, C., Price, R.G. and Stirling, J.L.: The polycystin-1 C-type lectin domain binds carbohydrate in a calcium-dependent manner, and interacts with extracellular matrix proteins *in vitro. Biochim. Biophys. Acta,* 1536 (2001) 161-176.

See also 2207, 2209, 2303, 2572, 2578, 2674.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

2348 Butovich, I.A. and Reddy, C.C.: Enzyme-catalyzed and enzyme-triggered pathways in dioxygenation of 1-monolinoleoyl-*rac*-glycerol by potato tuber lipoxygenase. *Biochim. Biophys. Acta,* 1546 (2001) 379-398.

2349 Carducci, C., Birarelli, M., Santagata, P., Leuzzi, V., Carducci, C. and Antonozzi, I.: Automated high-performance liquid chromatographic method for the determination of guanidinoacetic acid in dried blood spots: a tool for early diagnosis of guanidinoacetate methyltransferase deficiency. *J. Chromatogr. B,* 755 (2001) 343-348.

2350 Carrier, A. and Parent, J.: Liquid chromatography-mass spectrometry determination of free fatty acids in phospholipid-based formulations. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 97-107.

2351 Casella, I.G. and Gatta, M.: Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode. *J. Chromatogr. A,* 912 (2001) 223-233.

2352 Cassel, S., Chaimbault, P., Debaig, C., Benvegnu, T., Claude, S., Plusquellec, D., Rollin, P. and Lafosse, M.: Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry. *J. Chromatogr. A,* 919 (2001) 95-106.

2353 Cowart, L.A., Falck, J.R. and Capdevila, J.H.: Structural determinants of active site binding affinity and metabolism by cytochrome P450 BM-3. *Arch. Biochem. Biophys.,* 387 (2001) 117-124.

2354 Dauwe, C. and Reinhold, G.: (Sulfonic acid ion exchanger for HPLC analysis of organic acids). *CLB Chem. Labor Biotech.,* 51 (2000) 253-256; *C.A.,* 134 (2001) 99764x.

2355 Di Giovannandrea, R., Diana, L., Fiori, M., Ferretti, E., Foglietta, G., Caronna, R. and Severini, G.: Determination of ethyl-*p*-hydroxybenzoate in sow pancreatic juice by reversed-phase high-performance liquid chromatography. *J. Chromatogr. B,* 751 (2001) 365-369.

2356 Eshita, S.M.: 3-Hydroxybenzoic acid as an internal standard for the high-pressure liquid chromatography quantitation of salicylic acid in plants. *Anal. Biochem.,* 289 (2001) 99-102; *C.A.,* 134 (2001) 204700y.

2357 Exarchou, V., Troganis, A., Gerothanassis, I.P., Tsimidou, M. and Boskou, D.: Identification and quantification of caffeic and rosmarinic acid in complex plant extracts by the use of variable-temperature two-dimensional nuclear magnetic resonance spectroscopy. *J. Agric. Food Chem.,* 49 (2001) 2-8.

2358 Fritsche, J., Fritsche, S., Solomon, M.B., Mossoba, M.M., Yurawecz, M.P., Morehouse, K. and Ku, Y.: Quantitative determination of conjugated linoleic acid isomers in beef fat. *Eur. J. Lipid Sci. Technol.,* 102 (2000) 667-672; *C.A.,* 134 (2001) 114979s.

2359 Fritsche, J., Yurawecz, M.P., Pawlosky, R., Flanagan, V.P., Steinhart, H. and Ku, Y.: Spectroscopic characterization of unusual conjugated linoleic acid (CLA) isomers. *J. Separ. Sci.,* 24 (2001) 59-61.

2360 Gomis, D.B.: HPLC analysis of organic acids. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 477-492; *C.A.,* 134 (2001) 85196b - a review with 118 refs.

2361 Hevko, J.M., Bowers, R.C. and Murphy, R.C.: Synthesis of 5-oxo-6,8,11,14-eicosatetraenoic acid and identification of novel ω-oxidized metabolites in the mouse macrophage. *J. Pharmacol. Exp. Ther.,* 296 (2001) 295-305.

2362 Jen, J.-F., Tsai, Y.-Y. and Yang, T.C.: Microdialysis of salicylic acid from viscous emulsion samples prior to high-performance liquid chromatographic determination. *J. Chromatogr. A,* 912 (2001) 39-43.

2363 Jisaka, M., Boeglin, W.E., Kim, R.B. and Brash, A.R.: Site-directed mutagenesis studies on a putative fifth iron ligand of mouse 8S-lipoxygenase: retention of catalytic activity on mutation of serine-558 to asparagine, histidine, or alanine. *Arch. Biochem. Biophys.,* 386 (2001) 136-142.

2364 Kambia, K., Dine, T., Gressier, B., Germe, A.-F., Luyckx, M., Brunet, C., Michaud, L. and Gottrand, F.: High-performance liquid chromatographic method for the determination of di(2-ethylhexyl) phthalate in total parenteral nutrition and in plasma. *J. Chromatogr. B,* 755 (2001) 297-303.

2365 Kamm, W., Dionisi, F., Fay, L.-B., Hischenhuber, C., Schmarr, H.-G. and Engel, K.-H.: Analysis of steryl esters in cocoa butter by on-line liquid chromatography-gas chromatography. *J. Chromatogr. A,* 918 (2001) 341-349.

2366 Kumarathasan, P., Vincent, R., Goggan, P., Potwin, M. and Guenette, J.: Hydroxyl radical adduct of 5-aminosalicyl acid: a potential marker of oxone-induced oxidative stress. *Biochem. Cell Biol.,* 79 (2001) 33-42.

2367 Lee, D.-S., Lee, E.-S., Kim, H.-J., Kim, S.-O. and Kim, K.: Reversed phase liquid chromatographic determination of triacylglycerol composition in sesame oils and the chemometric detection of adulteration. *Anal. Chim. Acta,* 429 (2001) 321-330.

2368 Lee, M.-G., Lee, K.-T., Chi, S.-G. and Park, J.-H.: Costunolide induces apoptosis by ROS-mediated mitochondrial permeability transition and cytochrome C release. *Biol. Pharm. Bull.*, 24 (2001) 303-306.

2369 Li, H. and Patrickios, C.S.: Oligoacetic acid characterization by isocratic and linear salt gradient anion-exchange chromatography. *J. Chromatogr. Sci.*, 39 (2001) 87-92.

2370 Lin, Z. and Song, M.: (RP-HPLC determination of related impurities in trimebutine maleate and assay of components in its preparation). *Yaowu Fenxi Zazhi*, 21 (2001) 25-28; *C.A.*, 134 (2001) 212855t.

2371 Meesapyodsuk, D., Reed, D.W., Savile, Ch.K., Buist, P.H., Ambrose, S.J. and Covello, P.S.: Characterization of the regiochemistry and cryptoregiochemistry of a *Caenorhabditis elegans* fatty acid desaturase (FAT-1) expressed in *Saccharomyces cerevisiae*. *Biochemistry*, 39 (2000) 11948-11954.

2372 Milne, K.G., Mehlert, A. and Ferguson, M.A.J.: The use of Pseudomonas acyl-CoA synthetase to form acyl-CoAs from dicarboxylic fatty acids. *Biochim. Biophys. Acta*, 1531 (2001) 1-3.

2373 Palinkiewicz, P.: (Studies of dibutylphthalate presence in vodkas). *Przem. Ferment. Owocowo-Warzywny*, 44, No. 9 (2000) 41-43; *C.A.*, 134 (2001) 130560d.

2374 Park, E.J., Lee, D., Shin, Y.G., Lantvit, D.D., van Breemen, R.B., Kinghorn, A.D. and Pezzuto, J.M.: Analysis of 3-hydroxy-3-methylglutaryl-coenzyme A reductase inhibitors using liquid chromatography-electrospray mass spectrometry. *J. Chromatogr. B*, 754 (2001) 327-332.

2375 Peyrin, E., Guillaume, Y.C., Grosset, C., Villet, A., Ravel, A. and Alary, J.: Sucrose effect on reversed-phase liquid chromatography solute retention. *Anal. Chim. Acta*, 429 (2001) 83-88.

2376 Saghir, S.A., Fried, K. and Rozman, K.K.: Kinetics of monochloroacetic acid in adult male rats after intravenous injection of a subtoxic and a toxic dose. *J. Pharmacol. Exp. Ther.*, 296 (20011) 612-622.

2377 Schneider, C., Keeney, D.S., Boeglin, W.E. and Brash, A.R.: Detection and cellular localization of 12R-lipoxygenase in human tonsils. *Arch. Biochem. Biophys.*, 386 (2001) 268-274.

2378 Schwarz, K., Walther, M., Anton, M., Gerth, Ch., Feussner, I. and Kuhn, H.: Structural basis for lipoxygenase specificity. *J. Biol. Chem.*, 276 (2001) 773-779.

2379 Siebert, M., Krieg, P., Lehmann, W.D., Marks, F. and Fürstenberger, G.: Enzymic characterization of epidermis-derived 12-lipoxygenase isoenzymes. *Biochem. J.*, 355 (2001) 97-104.

2380 Taki, M., Nakajima, K., Sasaki, H. and Okada, M.: Quantitative determination of aconitic acid in processed aconiti tuber. *Nat. Med. (Tokyo)*, 54 (2000) 334-337; *C.A.*, 134 (2001) 212829n.

2381 Taylor, R.B., Vorarat, S., Reid, R.G., Boyle, S.P. and Moody, R.R.: Comparisons of the separations of some neutral analytes by LC, MEKC, and CEC. *J. Capillary Electrophor. Microchip Technol.*, 6 (1999) 131-136.

2382 Tijet, N., Schneider, C., Muller, B.C. and Brash, A.R.: Biogenesis of volatile aldehydes from fatty acid hydroperoxides: molecular cloning of a hydroperoxide lyase (CYP74C) with specificity for both the 9- and 13-hydroperoxides of linoleic and linolenic acids. *Arch. Biochem. Biophys.*, 386 (2001) 281-289.

2383 Wang, X.-J. and Wei, J.-W.: (Study on the analysis of α-naphthylacetic acid). *Sepu*, 18 (2000) 563-565; *C.A.*, 134 (2001) 125360j.

2384 Wu, Y.-S., Tsai, T.-H., Wu, T.-F. and Cheng, F.-C.: Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis-liquid chromatography. *J. Chromatogr. A*, 913 (2001) 341-347.

2385 Yan, J., Shi, J. and Xu, X.: (Enantiomeric separation of tropic acid on high performance liquid chromatography with cellulose derivatives as chiral column). *Fenxi Huaxue*, 29 (2001) 53-56; *C.A.*, 134 (2001) 227490u.

2386 Zhang, I., Huang, X., Ren, P., Huang, J., Wang, L. and Pan, Y.: (Determination of puerarin and ferulic acid in dog plasma by 3D-HPLC). *Shenyang Yaoke Daxue Xuebao*, 18 (2001) 45-49; *C.A.*, 134 (2001) 216742b.

2387 Zhang, L., Wang, X., Jia, H. and Ma, J.: (Determination of gallic acid in *Phyllanthus urinaria* by HPLC). *Beijing Zhongyiyao Daxue Xuebao*, 23, No. 6 (2000) 46-47; *C.A.*, 134 (2001) 136787e.

See also 2154, 2227, 2257, 2258, 2261, 2317, 2454, 2456, 2461, 2756, 2878, 3072.

11b. Prostaglandins

2388 Yaghi, A., Webb, C.D., Scott, J.A., Mehta, S., Bend, J.R. and McCormack, D.G.: Cytochrome P450 metabolites of arachidonic acid but not cyclooxygenase-2 metabolites contribute to the pulmonary vascular hyporeactivity in rats with acute *Pseudomonas* pneumonia. *J. Pharmacol. Exp. Ther.*, 297 (2001) 479-488.

11c. Lipids and their constituents

2389 Bevan, R.J.: Lipid peroxidation determination by HPLC. In: Lunec, J. and Griffiths, H.R. (Editors), *Meas. In Vivo Oxid. Damage*, John Wiley, Chichester, 2000, pp. 3-14; *C.A.*, 134 (2001) 204493h.

2390 Bose, R. and Kolesnick, R.: Measurement of ceramide levels by the diacylglycerol kinase reaction and by high-performance liquid chromatography-fluorescence spectrometry. *Methods Enzymol.*, 322 (2000) 373-378; *C.A.*, 134 (2001) 190275z.

2391 Carricaburu, V. and Fournier, B.: Phosphoinositide fatty acids regulate phosphatidylinositol 5-kinase, phospholipase C and protein kinase C activities. *Eur. J. Biochem.*, 268 (2001) 1238-1249.

2392 Isengard, H.-D.: (Analytical methods for the control of spoilage of frying fats). *Diskussionstag.-Forschungskreis Ernaehrungsind*, 57th (1999) 117-129; *C.A.*, 134 (2001) 99804k.

2393 Liliom, K., Sun, G., Bünemann, M., Virag, T., Nusser, N., Baker, D.L., Wang, D.-a., Fabian, M.J., Bradts, B., Bender, K., Eickel, A., Malik, K.U., Miller, D.D., Desiderio, D.M., Tigyi, G. and Pott, L.: Sphingosylphosphocholine is a naturally occuring lipid mediator in blood plasma: a possible role in regulating cardiac function via sphingolipid receptors. *Biochem. J.*, 355 (2001) 189-197.

2394 Lytle, C.A., Gan, Y.D. and White, D.C.: Electrospray ionization/mass spectrometry compatible reversed-phase separation of phospholipids: piperidine as a post column modifier for negative ion detection. *J. Microbiol. Methods*, 41 (2000) 227-234; *C.A.*, 134 (2001) 175199j.

2395 Macher, M.-B. and Holmqvist, A.: Triacylglycerol analysis of partially hydrogenated vegetable oils by silver ion HPLC. *J. Separ. Sci.*, 24 (2001) 179-185.

2396 Mansson, M., Bauer, S.H.J., Hood, D.W., Richards, J.C., Moxon, E.R. and Schweda, E.K.H.: A new structural type of *Haemophilus influenzae* lipopolysaccharide. Structural analysis of the lipopolysaccharide from nontypeable *Haemophilus influenzae* strain 486. *Eur. J. Biochem.,* 268 (2001) 2148-2159.

2397 Marini, D.: HPLC of lipids. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 169-249; *C.A.,* 134 (2001) 85192x - a review with 146 refs.

2398 Meyer, O., Roch, O., Elmlinger, D. and Kolbe, H.V.J.: Direct lipid quantitation of cationic liposomes by reversed-phase HPLC in lipoplex preparation process. *Pharm. Biopharm.,* 50 (2000) 353-356; *C.A.,* 134 (2001) 212844p.

2399 Miyazaki, T.: (Analysis of lipid hydroperoxide formation in food and biological systems). *Nihon Yukagakkaishi,* 49 (2000) 1377-1382; *C.A.,* 134 (2001) 130435s - a review with 50 refs.

2400 Neff, W.E., List, G.R. and Byrdwell, W.C.: Analysis of triacylglycerol positional isomers in food products as brominated derivatives by high-performance liquid chromatography coupled with a flame ionization detection. *J. Chromatogr. A,* 912 (2001) 187-190.

2401 Saito, M., Kitamura, H. and Sugiyama, K.: Occurrence of gangliosides in the common squid and pacific octopus among protostomia. *Biochim. Biophys. Acta,* 1511 (2001) 271-280.

2402 Seppänen-Laakso, T., Laakso, I., Vanhanen, H., Kiviranta, K., Lehtimäki, T. and Hitunen, R.: Major human plasma lipid classes determined by quantitative high-performance liquid chromatography, their variation and associations with phospholipid fatty acids. *J. Chromatogr. B,* 754 (2001) 437-445.

2403 Shimizu, Y., Nakata, M., Matsunuma, J. and Mizuochi, T.: Simultaneous quantification of components of neoglycolipid-coated liposomes using high-performance liquid chromatography with evaporative light scattering detection. *J. Chromatogr. B,* 754 (2001) 127-133.

2404 Spickett, C.M., Rennie, N., Winter, H., Zambonin, L., Landi, L., Jerlich, A., Schaur, R.J. and Pitt, A.R.: Detection of phospholipid oxidation in oxidatively stressed cells by reversed-phase coupled with positive-ionization electroscopy MS. *Biochem. J.,* 355 (2001) 449-457.

2405 Stratford, S., DeWald, D.B. and Summers, S.A.: Ceramide dissociates 3'-phosphoinositide production from pleckstrin homology domain translocation. *Biochem. J.,* 354 (2001) 359-368.

2406 Van Der Meeren, P. and Vanderdeelen, J.: Phospholipid analysis by HPLC. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 251-285; *C.A.,* 134 (2001) 85193y - a review with 114 refs.

See also 2122, 2631, 2753.

11d. Lipoproteins and their constituents

2407 Daykin, C.A., Corcoran, O., Hansen, S.H., Bjornsdottir, I., Cornett, C., Connor, S.C., Lindon, J.C. and Nicholson, J.K.: Application of directly coupled HPLC NMR to separation and characterization of lipoproteins from human serum. *Anal. Chem.,* 73 (2001) 1084-1090.

12. ORGANIC PEROXIDES

See 2382.

13. STEROIDS

13a. General techniques

2408 Fields, S.M., Ye, C.Q., Zhang, D.D., Branch, B.R., Zhang, X.J. and Okafo, N.: Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column. *J. Chromatogr. A,* 913 (2001) 197-204.

2409 Zarzycki, P.K. and Smith, R.: Separation of steroids using temperature-dependent inclusion chromatography. *J. Chromatogr. A,* 912 (2001) 45-52.

See also 2138, 2182, 2381.

13b. Pregnane and androstane derivatives

2410 Brambilla, G., Buiarelli, F., Cartoni, G.P., Coccioli, F., Colamonici, C., Fagiolo, A., Giannini, C. and Neri, B.: Determination of flumethasone in calf urine and serum by liquid chromatography-tandem mass spectrometry. *J. Chromatogr. B,* 755 (2001) 265-278.

2411 Deng, J., Hu, X. and Zhu, Y.: (Separation of hydrocortisone isomers with liquid-solid preparative chromatography). *Qinghua Daxue Xuebao, Ziran Kexueban,* 40, No. 11 (2000) 82-84; *C.A.,* 134 (2001) 198161e.

2412 Draisci, R., Marchiafava, C., Palleschi, L., Cammarata, P. and Cavalli, S.: Accelerated solvent extraction and liquid chromatography-tandem mass spectrometry quantitation of corticosteroid residues in bovine liver. *J. Chromatogr. B,* 753 (2001) 217-223.

2413 Gomez-Lechon, M.J., Donato, T., Jover, R., Rodriguez, C., Ponsoda, X., Glaise, D., Costell, J.V. and Guguen-Guillouzo, C.: Expression and induction of a large set of drug-metabolizing enzymes by the highly differentiated human hepatoma cell line BC2. *Eur. J. Biochem.,* 268 (2001) 1448-1459.

2414 Gonzalo-Lumbreras, R., Pimental-Trapero, D. and Izqierdo-Hornillos, R.: Solvent and solid-phase extraction of natural and synthetic anabolic steroids in human urine. *J. Chromatogr. B,* 754 (2001) 419-425.

2415 Martin, C., Bean, R., Rose, K., Habib, F. and Seckl, J.: Cyp 7b1 catalyses the 7α-hydroxylation of dehydroepiandrosterone and 25-hydroxycholesterol in rat prostate. *Biochem. J.,* 355 (2001) 509-515.

2416 Nassar, A.-E.F., Varshney, N., Getek, T. and Cheng, L.: Quantitative analysis of hydrocortisone in human urine using high-performance liquid chromatographic-tandem mass spectrometric-atmospheric-pressure chemical ionization method. *J. Chromatogr. Sci.,* 39 (2001) 59-64.

2417 Obach, R.S., Zhang, Q.-Y., Dunbar, D. and Kaminsky, L.S.: Metabolic characterization of the major human small intestinal cytochrome P450S. *Drug Metab. Disp.,* 29 (2001) 347-352.

2418 Ouyang, X., Ren, S. and He, Y.: (Determination and stability testing of methyl-testosterone adhesive patch by RP-HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 20 (2000) 651-653; *C.A.,* 134 (2001) 105944z.

2419 Wu, Y.-c., Liu, Q.-g., Wang, Y.-q., Lia, P.-h. and Sun, W.-j.: (Determination of hydrocortisone by HPLC-chemiluminescence). *Fenxi Shiyanshi,* 19 (2000) 30-32; *C.A.,* 134 (2001) 91225b.

2420 Yano, H., Hirayama, F., Arima, H. and Uekama, K.: Preparation of prednisolone-appendend α-, β- and γ-cyclodextrins: substitution at secondary hydroxyl groups and *in vitro* hydrolysis behavior. *J. Pharm. Sci.,* 90 (2001) 493-503.

2421 Yao, B. and Zhang, Y.: (Determination of cortisol and cortisone in urine by HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 21 (2001) 5-7; *C.A.,* 134 (2001) 202780a.

See also 2901.

13c. Estrogens

2422 Acanski, M.M., Petrovic, S.M., Pejanovic, V.M. and Petrovic, J.A.: Correlation between retention and C-18 silica gel surface coverage in reversed-phase liquid chromatography. *J. Serb. Chem. Soc.,* 65 (2000) 811-818; *C.A.,* 134 (2001) 141125s.

2423 Tan, E. and Pang, K.S.: Sulfation is rate limiting in the futile cycling between estrone and estrone sulfate in enriched periportal and perivenous rat hepatocytes. *Drug Metab. Disp.,* 29 (2001) 335-346.

2424 Wang, Q., Wu, Z., Wang, Y., Luo, G., Wu, E., Gao, X. and Li, G.: Determination of levonorgestrel in human serum by liquid chromatographic - electrospray tandem mass spectrometry. *Anal. Lett.,* 34 (2001) 113-123.

See also 2847.

13d. Sterols

2425 Girotti, A.W. and Korytowski, W.: Cholesterol as a singlet oxygen detector in biological systems. *Methods Enzymol.,* 319 (2000) 85-100; *C.A.,* 134 (2001) 219262f.

2426 Okano, M., Kano, S., Munakata, H. and Ohtsuki, K.: Biochemical characterization of cholesterol-3-sulfate as the sole effector for the phosphorylation of HMG1 by casein kinase I *in vitro*. *Biochem. Biophys. Res. Commun.,* 281 (2001) 1325-1330.

2427 Tomoskozi, S., Veress, T., Batics, O., Simandi, B. and Orsi, F.: (Application of supercritical fluid extraction as sample preparation for analysis of cholesterol in foods). *Olaj, Szappan, Kozmet.,* 49(Kulonszam) (2000) 109-111; *C.A.,* 134 (2001) 114957h.

2428 Volker, E.J., DiLella, D., Terneus, K., Baldwin, C. and Volker, I.: The determination of ergosterol in environmental samples: an interdisciplinary project involving techniques of analytical and organic chemistry. *J. Chem. Educ.,* 77 (2000) 1621-1623; *C.A.,* 134 (2001) 178043q.

See also 2415, 2779.

13f. Ecdysones and other insect steroid hormones

2429 Louden, D., Handley, A., Taylor, S., Lenz, E., Miller, S., Wilson, I.D., Sage, A. and Lafont, R.: Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV-diode array, FT-infrared and ^{1}H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry. *J. Chromatogr. A,* 910 (2001) 237-246.

2430 Qin, S., Qin, Y.-c., Jiang, Z.-c., Li, F. and Liao, Z.-h.: Study on the flow injection micro-column pre-separation system coupled with high performance liquid chromatography for the determination of ecdysterone in traditional Chinese medicine. *Wuhan Univ. J. Nat. Sci.,* 5 (2000) 83-88; *C.A.,* 134 (2001) 105700s.

14. STEROID GLYCOSIDES AND SAPONINS

2431 Apers, S., Pieters, L., Vlietinck, A., Vercruysse, A. and Foriers, A.: Single run HPLC separation of escins Ia and IIa by means of a waters symmetry shield C_8 column. *Proc. Phytochem. Soc. Eur.,* 45(Saponins in Food, Feedstuffs and Medicinal Plants) (2000) 57-64; *C.A.,* 134 (2001) 121033g.

2432 Ganzera, M., Bedir, E., Calis, I. and Khan, I.A.: Separation of Astragalus saponins by reversed phase high performance liquid chromatography and evaporative light scattering detection. *Chromatographia,* 53 (2001) 131-134.

2433 Guo, H., Liu, X., Yu, T., Guo, D. and Zheng, J.: (Determination of astragalus saponin 1 in Yifukang capsules by HPLC). *Zhongguo Zhongyao Zazhi,* 25 (2000) 609-611; *C.A.,* 134 (2001) 227459r.

2434 Li, Z., Lin, R., Hang, T. and Fu, W.: (Determination of steroidal saponin in three species of Costus by HPLC). *Huaxi Yaoxue Zazhi,* 16 (2001) 27-28; *C.A.,* 134 (2001) 227468t.

2435 Singleton, J.A., Stikeleather, L.F. and Haney, C.A.: Micro-extraction and characterization of saponins in peanut meal and soybean flour using HPLC and FAB mass spectrometry. *Proc. Phytochem. Soc. Eur.,* 45(Saponins in Food, Feedstuffs and Medicinal Plants) (2000) 25-33; *C.A.,* 134 (2001) 221591f.

See also 3047, 3059, 3063, 3065.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

2436 Druganov, A.G., Raldugin, V.A., Shakirov, M.M., Nekhoroshev, S.A., Koskin, A.P. and Tolstikov, G.A.: (Identification of the components of the acid extract of Siberian fir needles by preparative microcolumn HPLC, NMR spectroscopy and mass spectrometry). *Khim. Interesakh Ustoich. Razvit.,* 8 (2000) 699-704; *C.A.,* 134 (2001) 219737q.

2437 Enomoto, s., Asano, R., Iwahori, Y., Narui, T., Okada, Y., Singab, A.N.B. and Okuyama, T.: Hematological studies on black cumin oil from the seeds of *Nigella sativa* L. *Biol. Pharm. Bull.,* 24 (2001) 307-310.

2438 Li, C.H., Yang, Y.Z., Ho, H.O., Hu, C.H. and Sheu, M.T.: High-performance liquid chromatographic analysis for the characterization of triterpenoids from Ganoderma. *J. Chromatogr. Sci.,* 39 (2001) 93-100.

2439 Martin, P., Archier, P., Vieillescazes, C. and Pistre, M.S.: HPLC coupled with fluorimetric detection for the identification of natural resins in archaeological materials. *Chromatographia,* 53 (2001) 380-384.

2440 Wang, S., Tang, L., Guo, Y., Yan, F. and Chen, F.: Determination of momordicoside A in bitter melon by high-performance liquid chromatography arter solid-phase extraction. *Chromatographia,* 53 (2001) 372-374.

See also 3062.

15b. Essential oils

2441 Cavazza, A., Bartle, K.D., Dugo, P. and Mondello, L.: Analysis of oxygen heterocyclic compounds in citrus essential oils by capillary electrochromatography and comparison with HPLC. *Chromatographia,* 53 (2001) 57-62.

16. NITRO AND NITROSO COMPOUNDS

2442 Goodpaster, J.V. and McGuffin, V.L.: Fluorescence quenching as an indirect detection method for nitrated explosives. *Anal. Chem.,* 73 (2001) 2004-2011.

2443 Hubert, T.D., Vue, C., Bernardy, J.A., van Horsen, D.L. and Rossulek, M.I.: Determination of 3-trifluoromethyl-4-nitrophenol and 3-trifluoromethyl-4-nitrophenol glucuronide in edible fillet tissue of rainbow trout and channel carfish by solid-phase extraction and liquid chromatography. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 392-398.

2444 Khalaf, H. and Steinert, J.: Determination of N-nitroso compounds in foods and beverages using HPLC. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 939-963; *C.A.,* 134 (2001) 99714f - a review with 80 refs.

2445 Shultz, M.A., Morin, D., Chang, A.-M. and Buckpitt, A.: Metab-

2448 Evgenev, M.I., Evgeneva, I.I., Garmonov, S.Y., Ismailova, R.N. and Pobedimskii, D.G.: Extraction-chromatographic determination of 1,1-dimethylhydrazine in water using the diode-array detection technique. *Ind. Lab. (Diagn. Mater.),* 66 (2000, Pub. 2001) 432-434; *C.A.,* 134 (2001) 226952j.

2449 Juodaityte, J., Stoncius, A. and Makuska, R.: Determination of residual amino (ammonium)-containing monomers in polymerization media by use of HPLC. *Chemija,* 10 (1999) 298-303; *C.A.,* 134 (2001) 101218t.

2450 Lu, M., Huang, X. and Xie, D.: (Determination of matrine in Guilin Xiguashuang spray by HPLC). *Huaxi Yaoxue Zazhi,* 16 (2001) 76-78; *C.A.,* 134 (2001) 227472q.

2451 Sakamuri, S., Enyedy, I.J., Kozikowski, A.P. and Wang, S.: Synthesis of 2-alkyl-3-aryl-substituted quinuclidines as novel dopamine transporter inhibitors. *Tetrahedron Lett.,* 41 (2000) 9949-9952; *C.A.,* 134 (2001) 193596r.

2452 Samanidou, V.F., Stafylis, A.H. and Papadoyannis, I.N.: Direct high-performance liquid chromatography method for determination of glycine betaine and its metabolite, N,N-dimethylglycine, in pharmacokinetic studies. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1-14.

2453 Taavitsainen, P., Juvonen, R. and Pelkonen, O.: *In vitro* inhibition of cytochrome P450 enzymes in human liver microsomes by a potent CYP2A6 inhibitor, *trans*-2-phenylcyclopropylamine (tranylcypromine), and its nonamine analog, cyclopropylbenzene. *Drug Metab. Disp.,* 29 (2001) 217-222.

2454 Yamaguchi, M. and Noda, H.: (Practical fluorescent derivatives). *Dojin News,* 95 (2000) 10-13; *C.A.,* 134 (2001) 218997n - a review with 10 refs.

See also 2128, 2152, 2167, 2192, 2854, 2857.

17b. Catecholamines and their metabolites

2455 Borycz, J., Vohra, M., Takarczyk, G. and Meinertzhagen, I.A.: The determination of histamine in the Drosophila head. *J. Neurosci. Methods,* 101, No. 2 (2000) 141-148; *C.A.,* 134 (2001) 113244m.

2456 Magera, M.J., Stoor, A.L., Helgeson, J.K., Matern, D. and Ri-

2559 Hierro, A., Arizmendi, J.M., de las Rivas, J., Urbaneja, M.A., Prado, A. and Muga, A.: Structural and functional properties of *Escherichia coli*-derived nucleoplasamin. A comparative study of recombinant and natural proteins. *Eur. J. Biochem.*, 268 (2001) 1739-1748.

2560 Kupke, T., Uebele, M., Schmid, D., Jung, G., Blaesse, M. and Steinbacher, S.: Molecular characterization of lantiobiotic-synthesizing enzyme EpiD reveals a function for bacterial Dfp proteins in coenzyme A biosynthesis. *J. Biol. Chem.*, 275 (2000) 31838-31846.

2561 Kusakabe, T., Kawaguchi, Y., Maeda, T. and Koga, K.: Role of interaction between two silkworm RecA homologs in homologous DNA pairing. *Arch. Biochem. Biophys.*, 388 (2001) 39-44.

2562 Lee, D.-W., Katayama, H., Akao, T., Maeda, M., Tanaka, R., Yamashita, S., Saitoh, H., Mizuki, E. and Ohba, M.: A 28 kDa protein of the *Bacillus thuringiensis* serovar *shandongiensis* isolate 89-T-34-22 induces a human leukemic cell-specific cytotoxicity. *Biochim. Biophys. Acta,* 1547 (2001) 57-63.

2563 Palace, G.P., Lazari, P. and Norton, K.: Analysis of the physicochemical interactions between *Clostridium difficile* toxins and cholestyramine using liquid chromatography with post-column derivatization. *Biochim. Biophys. Acta,* 1546 (2001) 171-184.

2564 Wilks, A.: The ShuS protein of *Shigella dysenteriae* is a heme-sequestering protein that also binds DNA. *Arch. Biochem. Biophys.*, 387 (2001) 137-142.

2565 Zolla, L. and Bianchetti, M.: High-performance liquid chromatography coupled on-line with electrospray ionization mass spectrometry for the simultaneous separation and identification of the Synechocystis PCC 6803 phycobilisome proteins. *J. Chromatogr. A,* 912 (2001) 269-279.

See also 2520, 2527, 2546, 2585, 2613, 2627.

19e. Proteins of blood, serum and blood cells

2566 Angeletti, M., Puciarelli, S., Pirori, A.M., Canofeni, S., Barra, D., Fioretti, E. and Coletta, M.: Different functional modulation by heterotropic ligands (2,3-diphosphoglycerate and chlorides of the two heamoglobins from fallow-deer (*Dama dama*). *Eur. J. Biochem.*, 268 (2001) 603-611.

2567 Chadha, K.C., Kawinski, E. and Sulkowski, E.: Thiophilic interaction chromatography of prostate-specific antigen. *J. Chromatogr. B,* 754 (2001) 521-525.

2568 Choi-Miura, N.-H.: Quantitative measurement of the novel human plasma protein, IHRP, by sandwich ELISA. *Biol. Pharm. Bull.*, 24 (2001) 214-217.

2569 Diver, M.J., Ewins, D.L., Worth, R.C., Bowles, S., Ahlquist, J.A. and Fahie-Wilson, M.N.: An unusual form of big, big (macro) prolactin in a pregnant patient. *Clin. Chem. (Washington),* 47 (2001) 346-348.

2570 Ford, C.H.J., Osborne, P.O., Mathew, A. and Rego, B.G.: Affinity purification of novel bispecific antibodies recognising carcinoembryonic antigen and doxorubicin. *J. Chromatogr. B,* 754 (2001) 427-435.

2571 Guerrier, L., Flayeux, I. and Boschetti. E.: A dual-mode approach to the selective separation of antibodies and their fragments. *J. Chromatogr. B,* 755 (2001) 37-46.

2572 Husi, H. and Walkinshaw, M.D.: Purification of factor X by hydrophobic interaction chromatography. *J. Chromatogr. B,* 755 (2001) 367-371.

2573 Liang, H., Scott, M.K., Murry, D.J. and Sowinski, K.M.: Determination of albumin and myoglobin in dialysate and ultrafiltrate samples by high-performance size-exclusion chromatography. *J. Chromatogr. B,* 754 (2001) 141-151.

2574 Salhany, J.M., Cordes, K.S. and Sloan, R.L.: Characterization of immunoglobulin binding to isolated human erythrocyte membranes: evidence for selective, temperature-induced binding of naturally occurring autoantibodies to the cytoskeleton. *Biochim. Biophys. Acta,* 1511 (2001) 168-180.

2575 Tsai, L.-Y., Tsai, S.-M., Lin, M.-N. and Liu, S.-F.: Effect of hemoglobin variants (HbJ, HbG, and HbE) on HbA1c values as measured by cation-exchange HPLC (Diamat). *Clin. Chem. (Washington),* 47 (2001) 756-758.

See also 2185, 2220, 2336, 2346, 2555, 2577, 2580, 2622.

19f. Structural and muscle proteins

2576 Kleemann-Fischer, D., Kleemann, G.R., Engel, D., Yates, J.R., III, Wu, J.-J. and Eyre, D.R.: Molecular properties of matrilin-3 isolated from human growth cartilage. *Arch. Biochem. Biophys.*, 387 (2001) 209-215.

See also 2506, 2509, 2584.

19h. Chromoproteins and metalloproteins

2577 Bry, L., Chen, P.C. and Sacks, D.B.: Effects of hemoglobin variants and chemically modified derivatives on assays for glycohemoglobin. *Clin. Chem. (Washington),* 47 (2001) 153-163 - a review with 61 refs.

2578 Elombo, F.K., Radosevich, M., Poulle, M., Descamps, J., Chtourou, S., Burnouf, T., Catteau, J.-P., Bernier, J.-L. and Cotelle, N.: Purification of human ceruloplasmin as a byproduct of C1-inhibitor. *Biol. Pharm. Bull.,* 23 (2000) 1406-1409; *C.A.*, 134 (2001) 136508q.

2579 Ferrarello, C., de la Campa, M.R.F., Infante, H.G., Sanchez, M.L.F. and Sanz-Medel, A.: Improved separation of rabbit liver metallothioneins by FPLC-ICP-MS: a comparison with the conventional anion-exchange chromatography. *Analusis,* 28 (2000) 351-357; *C.A.*, 134 (2001) 97451u.

2580 Lacey, J.M., Bergen, H.R., Magera, M.J., Naylor, S. and O'Brien, J.F.: Rapid determination of transferrin isoforms by immunoaffinity liquid chromatography and electrospray mass spectrometry. *Clin. Chem. (Washington),* 47 (2001) 513-518.

2581 LaRochelle, O., Stewart, G., Moffatt, P., Tremblay, V. and Seguin, C.: Characterization of the mouse metal-regulatory-element-binding proteins, metal element protein-1 and metal regulatory transcriptional factor-1. *Biochem. J.,* 353 (2001) 591-601.

2582 Moltedo, O., Verde, C., Capasso, A., Parisi, E., Remondelli, P., Bonatti, S., Alvarez-Hernandez, X., Glass, J., Alvino, C.G. and Leone, A.: Zinc transport and metallothionein secretion in the intestinal human cell line Caco-2. *J. Biol. Chem.,* 275 (2000) 31819-31825.

2583 Nagaoka, M.H. and Maitani, T.: Effects of sialic acid residues of transferrin on the binding with aluminum and iron studied by HPLC/high-resolution ICP-MS. *Biochim. Biophys. Acta,* 1526 (2001) 175-182.

2584 Ozaki, S., Hara, I., Matsui, T. and Watanabe, Y.: Molecular engineering of myoglobin: the improvement of oxidation activity by replacing Phe-43 with tryptophan. *Biochemistry,* 40 (2001) 1044-1052.

2585 Perry, A., Lian, L.-Y. and Scrutton, N.S.: Two-iron rubredoxin of *Pseudomonas oleovorans*: production, stability and characterization of the individual iron-binding domains by optical, CD and NMR spectroscopies. *Biochem. J.,* 354 (2001) 89-98.

2586 Schütz, J., Dolashka-Angelova, P., Abrashev, R., Nicolov, P. and Voelter, W.: Isolation and spectroscopic characterization of the structural subunits of keyhole limpet hemocyanin. *Biochim. Biophys. Acta,* 1546 (2001) 325-336.

2587 Van Vyncht, G., Bordin, G. and Rodriguez, A.R.: Rabbit liver metallothionein subisoform characterisation using liquid chromatogaraphy hyphenated to diode array detection and electrrospray ionisation mass spectrometry. *Chromatographia,* 52 (2000) 745-752.

See also 2566, 2575, 2634.

19i. Proteins of glands, gland products, various zymogens (incl. milk proteins)

2588 Chang, L.-s., Lin, S.-r. and Yang, C.-c.: Refolding of Taiwan cobra neurotoxin: intramolecular cross-link affects its refolding reaction. *Arch. Biochem. Biophys.,* 387 (2001) 289-296.

2589 Devaux, C., Moerau, E., Goyffon, M., Rochat, H. and Billiald, P.: Construction and functional evaluation of a single-chain antibody fragment that neutralizes toxin Aahl from the venom of the scorpion *Androchonus australis* hector. *Eur. J. Biochem.,* 268 (2001) 694-702.

2590 Di Pietro, S.M. and Santomé, J.A.: Structural and biochemical characterization of the lungfish (*Lepidosiren paradoxa*) liver basic fatty acid binding protein. *Arch. Biochem. Biophys.,* 288 (2001) 81-90.

2591 Hemsley, S., Cole, N., Canfield, P. and Willcox, M.D.P.: Protein microanalysis of animal tears. *Res. Vet. Sci.,* 68 (2000) 207-209; *C.A.,* 134 (2001) 128152d.

2592 Kudo, K. and Tu, A.T.: Characterization of hyaluronidase isolated from *Agkistrodon contortrix contortrix* (Southern copperhead) venom. *Arch. Biochem. Biophys.,* 386 (2001) 154-162.

2593 Lewis, R.J., Nielsen, K.J., Craik, D.J., Loughnan, M.L., Adams, D.A., Sharpe, I.A., Luchian, T., Adams, D.J., Bond, T., Thomas, L., Jones, A., Matheson, J.-L,, Drinkwater, R., Andrews, P.R. and Alewood, P.F.: Novel ω-conotoxins from *Conus catus* discriminate among neuronal calcium channel subtypes. *J. Biol. Chem.,* 275 (2000) 35335-35344.

2594 Mans, B.J., Venter, J.D., Vrey, P.J., Louw, A.I. and Neitz, A.W.H.: Identification of putative proteins involved in granule biogenesis of tick salivary glands. *Electrophoresis (Weinheim),* 22 (2001) 1739-1746.

2595 McIntosh, J.M., Corpuz, G.O., Layer, R.T., Garrett, J.E., Wagstaff, J.D., Bulaj, G., Vyazovkina, A., Yoshikami, D., Cruz, L.J. and Olivera, B.M.: Isolation and characterization of a novel conus peptide with apparent antinociceptive activity. *J. Biol. Chem.,* 275 (2000) 32391-32397.

2596 Pellegrini, M., Panara, F., Angiolillo, A., Lucentini, L., Maras, B. and Panara, F.: Structural and immunological similarities between high molecular weight zinc ion-dependent *p*-nitrophenylphosphatase and fructose-1,6-bisphosphate aldolase from bovine liver. *Biochim. Biophys. Acta,* 1546 (2001) 226-233.

2597 Shu, Q., Huang, R. and Liang, S.: Assignment of the disulfide bonds of huwentoxin-LI Edman degradation sequences and stepwise thiol modification. *Eur. J. Biochem.,* 268 (2001) 2301-2307.

2598 Tsai, I.-H., Chen, Y.-H., Wang, Y.-M., Liau, M.Y. and Lu, P.-J.: Differential expression and geographic variation of the venom phospholipases A2 of *Calloselasma rhodostoma* and *Trimeresurus mucrosquamatus. Arch. Biochem. Biophys.,* 387 (2001) 257-264.

2599 Wang, Y.-M., Wang, S.-R. and Tsai, I.-H.: Serine protease isoforms of *Deinagkistrodon acutus* venom: cloning, sequencing and phylogenetic analysis. *Biochem. J.,* 354 (2001) 161-168.

2600 Ye, X., Yoshida, S. and Ng, T.B.: Isolation of lactoperoxidase, lactoferrin, α-lactalbumin, β-lactoglobulin B and β-lactoglobulin A from bovine rennet whey using ion exchange chromatography. *Int. J. Biochem. Cell Biol.,* 32 (2000) 1143-1150; *C.A.,* 134 (2001) 175074q.

2601 Yukalo, V.G. and Gaivoronskaya, S.N.: (Preparation of α_{s1}-casein for modelling proteolytic processes occurring in dairy products). *Izv. Vyssh. Uchebn. Zaved., Pishch. Tekhnol.,* No. 4 (2000) 76-78; *C.A.,* 134 (2001) 221696u.

See also 2529, 2809.

19j. Proteins of brain, cerebrospinal fluid and eye

2602 Castellanos Ortega, M.R., Cruz Aguado, R., Lorigados Pedre, L. and de la Cuetara Bernal, K.: Purification and characterization of murine beta-nerve growth factor. *J. Chromatogr. B,* 753 (2001) 245-252.

2603 Moroni, M. and Garland, D.: *In vitro* dephosphorylation of α-crystallin is dependent on the state of oligomerization. *Biochim. Biophys. Acta,* 1546 (2001) 282-290.

2604 Stark, M., Danielsson, O., Griffiths, W.J., Jörnvall, H. and Johansson, J.: Peptide repertoire of human cerebrospinal fluid: novel proteolytic fragments of neuroendocrine proteins. *J. Chromatogr. B,* 754 (2001) 357-367.

See also 2559.

19k. Proteins of neoplastic tissue and transformed cells

2605 Chong, B.E., Hamler, R.L., Lubman, D.M., Ethier, S.P., Rosenspire, A.J. and Miller, F.R.: Differential screening and mass mapping of protins from premalignant and cancer cell lines using nonporous reversed-phase HPLC coupled with mass spectrometric analysis. *Anal. Chem.,* 73 (2001) 1219-1227.

2606 Hjerrild, M., Milne, D., Dumaz, N., Hay, T., Issinger, O.-G. and Meek, D.: Phosphorylation of murine double minute clone 2 (MDM2) protein and serine-267 by protein kinase CK2 *in vitro* and in cultured cells. *Biochem. J.,* 355 (2001) 347-356.

See also 2614.

19l. Specific binding and receptor proteins

2607 Briand, L., Nespoulous, C., Huet, J.-C., Tahahashi, M. and Pernollet, J.-C.: Ligand binding and physico-chemical properties of ASP2, a recombinant odorant-binding protein from honeybee (*Apis mellifera* L.) *Eur. J. Biochem.,* 268 (2001) 752-760.

2608 Cotton, R.G.H. and Bray, P.J.: Using CCM and DHPLC to detect mutations in the glucocorticoid receptor in atherosclerosis: a comparison. *J. Biochem. Biophys. Methods,* 47 (2001) 91-100; *C.A.,* 134 (2001) 217294u.

2609 Danieluk, M., Golczak, M., Pikula, S. and Bandorowicz-Pikula, J.: UDP hydrolase activity associated with the porcine liver annexin fraction. *Biochim. Biophys. Acta,* 1526 (2001) 70-76.

2610 Horney, M.J., Evangelista, C.A. and Rosenzweig, S.A.: Synthesis and characterization of insulin-like growth factor (IGF)-1 photoprobes selective for the IGF-binding proteins (IGFBPs). *J. Biol. Chem.,* 276 (2001) 2880-2889.

2611 Munshi, U.M., Peegel, H. and Menon, K.M.J.: Palmitoylation of the luteinizing hormone/human chorionic gonadotropin receptor regulates receptor interaction with the arrestin-mediated internalization pathway. *Eur. J. Biochem.,* 268 (2001) 1631-1639.

2612 Raza, F.S., Takemori, H., Tojo, H., Okamoto, M. and Vinson, G.P.: Identification of the rat adrenal zona fasciculate/reticularis specific protein, inner zone (IZAg), as the putative membrane progesterone receptor. *Eur. J. Biochem.,* 268 (2001) 2141-2147.

2613 Steffen, S.E. and Bryant, F.R.: Purification and characterization of the single-stranded DNA-binding protein from *Streptococcus pneumoniae. Arch. Biochem. Biophys.,* 388 (2001) 165-170.

2614 Tchan, M.C., Choy, K.J., Mackay, J.P., Lyons, A.T.L., Bains, N.P.S. and Weiss, A.S.: Interfacial asparagine residues within an amide tetrad contribute to Max helix-loop-helix leucine zipper homodimer stability. *J. Biol. Chem.,* 275 (2000) 27454-37461.

2615 Yao, T. and Cohen, R.A.: Cyclization of polyubiquitin by the E2-25K ubiquitin conjugating enzyme. *J. Biol. Chem.,* 275 (2000) 36862-36868.

See also 2335, 2512, 2564, 2574, 2664.

19n. Other proteins (incl. proteinous inhibitors of enzymic activity)

2616 Chang, T.-C., Hsiao, C.-D., Wu, S.-J. and Wang, C.: The effect of mutating arginine-469 on the substrate binding and refolding activities of 70-kDa heat shock cognate protein. *Arch. Biochem. Biophys.,* 386 (2001) 30-36.

2617 Clynen, E., Baggerman, G., Veelaert, D., Cerstiaens, A., van der Horst, D., Harthoorn, L., Derua, R., Waelkens, E., de Loof, A. and Schoofs, L.: Peptidomics of the pars intercerebralis corpus

2620 Ikezono, T., Omori, A., Ichinose, S., Pawankar, R., Watanabe, A. and Yagi, T.: Identification of the protein product of the Coch gene (hereditary deafness gene) as the major component of bovine inner ear protein. *Biochim. Biophys. Acta,* 1535 (2001) 258-265.

2621 Kamei, A., Hamaguchi, T., Matsuura, N. and Masuda, K.: Does post-translation modification influence chaperone-like activity of α-crystallin? I. Study on phosphorylation. *Biol. Pharm. Bull.,* 24 (2001) 96-99.

2622 Lee, K.N., Lee, Ch.S., Tae, W.-Ch., Jackson, K.W., Christiansen, V.J. and McKee, P.A.: Cross-linking of wild-type and mutant α_2-antiplasmins to fibrin by activated factor XIII and by a tissue transglutaminase. *J. Biol. Chem.,* 275 (2000) 37382-37389.

2623 Lindner, R.A., Treweek, T.M. and Carver, J.A.: The molecular chaperone α-crystallin is in kinetic competition with aggregation to stabilize a monomeric molten-globule form of α-lactalbumin. *Biochem. J.,* 354 (2001) 79-87.

2624 Nirmala, X., Kodrik, D., Zurovec, M. and Sehnal, F.: Insect silk contains both a Kunitz-type and a unique Kazal-type proteinase inhibitor. *Eur. J. Biochem.,* 268 (2001) 2064-2073.

See also 2680.

20. ENZYMES AND ENZYME ACTIVITY ESTIMATION

See 2219.

20a. Oxidoreductases

2625 Adachi, T., Yamamoto, M. and Hara, H.: Heparin-affinity of human extracellular-superoxide dismutase in the brain. *Biol. Pharm. Bull.,* 24 (2001) 191-193.

2626 Ambler, R.P., Meyer, T.E., Bartsch, R.G. and Cusanovich, M.A.: An alternative to the accepted phylogeny of purple bacteria based on 16S rNAD: analyses of the amino acid sequences of cytochromes C2 and C556 from *Rhodobacter (Rhodovulum) sulfidophilus. Arch. Biochem. Biophys.,* 388 (2001) 25-33.

2627 Battistuzzi, G., di Onofrio, M., Loschi, L. and Sola, M.: Isolation and characterization of two peroxidases from *Cucumis sativus. Arch. Biochem. Biophys.,* 388 (2001) 100-112.

2628 Bjorgo, E., de Carvalho, R.M.N. and Flatmark, T.: A comparison of kinetic and regulatory properties of the tetrameric and dimeric forms of wild-type and Thr427→Pro mutant human phenylalanine hydroxylase. Contribution of the flexible hinge region Asp425-Glc429 to the tetramerization and cooperative substrate binding. *Eur. J. Biochem.,* 268 (2001) 997-1005.

2629 Chauhan, R. and Mande, S.C.: Characterization of the *Myco-*

25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)

2750 Abu-Qare, W. and Abou-Donia, B.: Simultaneous analysis of sarin, pyridostigmin bromate and their metabolites in rat plasma and urine using HPLC. *Chromatographia,* 53 (2001) 251-255.

2751 D'Agostino, P.A., Hancock, J.R. and Provost, L.R.: Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography-electrospray mass spectrometry. *J. Chromatogr. A,* 912 (2001) 291-299.

2752 Hatzack, F., Hübel, F., Zhang, W., Hansen, P.E. and Rasmssen, S.K.: Inositol phosphates from barley low-phytate grain mutants analysed by metal-dye detection HPLC and NMR. *Biochem. J.,* 354 (2001) 473-480.

2753 He, J., Cheung, A.P., Wang, E., Fang, K. and Liu, P.: High-performance liquid chromatographic analysis for a non-chromophore-containing phosphatidyl inositol analog, 1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*-inositol, using indirect UV detection. *J. Chromatogr. A,* 913 (2001) 355-363.

2754 Tomasetti, M., Graciotti, L., Fulgenzi, G. and Granata, A.L.: Determination of high-energy phosphate compounds and inorganic phosphate by reversed-phase high-performance liquid chromatography: evaluation of myocardial metabolic status in aerobically perfused and hypoxic mouse heart. *J. Chromatogr. B,* 751 (2001) 229-236.

2755 Yang, G.-S., Huang, M.-B., Dai, Q., Gao, R.-Y., Wang, Q.S., Du, A.-Q. and Li, G.-L.: Influence of the structure of organic phosphonate compounds on chiral separation on a Pirkle type chiral stationary phase. *Chromatographia,* 53 (2001) 93-95.

See also 2394, 2406, 2487, 2497, 2547, 2698, 2709.

26. ORGANOMETALLIC AND RELATED COMPOUNDS

26a. Organometallic compounds

2756 Kelly, J., Wright, L., Novak, T., Huffman, M. and Antonucci, V.: Development of a facile carbon dioxide derivatization procedure for the chromatographic analysis of aryl Grignard reagents. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 15-28.

2757 Le, X.C., Ma, M., Lu, X., Cullen, W.R., Aposhian, H.V. and Zheng, B.: Determination of monomethylarsonous acid, a key arsenic methylation intermediate, in human urine. *Environ. Health Perspect.,* 108 (2000) 1015-1018; *C.A.,* 134 (2001) 126930g.

2758 McSheehy, S., Pohl, P., Szpunar, J., Potin-Gautier, M. and Lobinski, R.: Analysis for selenium speciation in selenized yeast extracts by two-dimensional liquid chromatography with ICP-MS and electrospray MS-MS detection. *J. Anal. At. Spectrom.,* 16 (2001) 68-73; *C.A.,* 134 (2001) 221604n.

2759 Ochsenkühn, K.M., Ochsenkühn-Petropoulou, Tsopelas, F. and Mendrinos, L.: Separation of organotin compounds by ion-exchange chromatography and their determination by inverse voltametry. *Fresenius J. Anal. Chem.,* 369 (2001) 633-637.

2760 Sueki, K., Akiyama, K. and Nakahara, H.: (Study on metallofullerenes probed by beta decay). *KURRI-KR,* (KURRI-KR-49) (2000) 195-199; *C.A.,* 134 (2001) 140966e.

2761 Wu, J., Mester, Z. and Pawliszyn, J.: Determination of tributyltin by automated in-tube solid-phase microextraction coupled with HPLC-ES-MS. *J. Anal. At. Spectrom.,* 16, No. 2 (2001) 159-165; *C.A.,* 134 (2001) 183146e.

See also 2979.

26b. Boranes, silanes and related non-metallic compounds

2762 Shinke, S. and Kawakami, Y.: Chromatographic separation of asymmetric organosilicon compounds on cellulose and amylose stationary phases. The stereochemistry of functional transformation reactions. *Chromatographia,* 53 (2001) 140-146.

26c. Coordination compounds

2763 Gasparrini, F., D'Acquarica, I., Vos, J.G., O'Connor, C.M. and Villani, C.: Efficient enantiorecognition of ruthenium(II) complexes by silica-bound teicoplanin. *Tetrahedron: Asymmetry,* 11 (2000) 3535-3541; *C.A.,* 134 (2001) 109718b.

2764 Krokhin, O.V., Adamov, A.V., Kuzina, O.V. and Shpigun, O.A.: (Determination of complexes of metals with cyclohexanediaminetetraacetic and ethylenediaminetetraacetic acids by ion exchange electrokinetic chromatography). *Vestn. Mosk. Univ., Ser.2: Khim.,* 41 (2000) 240-243; *C.A.,* 134 (2001) 109825j.

2765 Rouan, M.C., Marfil, F., Mangoni, P., Sechaud, R., Humbert, H. and Maurer, G.: Determination of a new oral iron chelator, ICL670, and its iron complex in plasma by high-performance liquid chromatography and ultraviolet detection. *J. Chromatogr. B,* 755 (2001) 203-213.

See also 2733.

27. VITAMINS AND VARIOUS ANIMAL GROWTH FACTORS (NON-PEPTIDIC)

2766 Alvarez, J.-C. and de Mazancourt, P.: Rapid and sensitive high-performance liquid chromatographic method for simultaneous determination of retinol, α-tocopherol, 25-hydroxyvitamin D_3 and 25-hydroxyvitamin D_2 in human plasma with photodiode-array ultraviolet detection. *J. Chromatogr. B,* 755 (2001) 129-135.

2767 Baggott, J.E., Robinson, C.B. and Johnston, K.E.: Bioactivity of [6R]-5-formyltetrahydrofolate, an unnatural isomer, in humans and *Enterococcus hirae*, and cytochrome c oxidation of 10-formyltetrahydrofolate to 10-formyldihydrofolate. *Biochem. J.,* 354 (2001) 115-122.

2768 Breithaupt, D.: (The importance of β-cryptoxanthin esters from fruits for the vitamin A precursor supply of humans). *Lebensmittelchemie,* 54, No. 6 (2000) 138-139; *C.A.,* 134 (2001) 100020k.

2769 Careri, M., Furlattini, L., Mangia, A., Musci, M., Anklam, E., Theobald, A. and von Holst, C.: Supercritical fluid extraction for liquid chromatographic determination of carotenoids in *Spirulina Pacifica* algae: a chemometric approach. *J. Chromatogr. A,* 912 (2001) 61-71.

2770 Deitrick, C.L., Katholi, R.E., Huddleston, D.J., Hardiek, K. and Burrus, L.: Clinical adaptation of a high-performance liquid chromatographic method for the assay of pyridoxal 5'-phosphate in human plasma. *J. Chromatogr. B,* 751 (2001) 383-387.

2771 Endres, B. and DeLuca, H.F.: 26-Hydroxylation of 1α,25-dihydroxyvitamin D_3 does not occur under physiological conditions. *Arch. Biochem. Biophys.,* 388 (2001) 127-134.

2772 Klaczkow, G. and Anuszewska, E.: The use of HPLC method for determination of the folic acid in multi-component vitamin preparations. *Acta Pol. Pharm.,* 57 (2000) 257-260; *C.A.,* 134 (2001) 105941w.

2773 Lee, H.S., Castle, W.S. and Coates, G.A.: High-performance liquid chromatography for the characterization of carotenoids in the new sweet orange (Earlygold) grown in Florida, USA. *J. Chromatogr. A,* 913 (2001) 371-377.

2774 Li, H.-B. and Chen, F.: Simultaneous determination of nine water-soluble vitamins in pharmaceutical preparations by high-performance liquid chromatography with diode array detection. *J. Separ. Sci.,* 24 (2001) 271-274.

2775 Nakata, R.: Determination of folate derivatives in rat tissues during folate deficiency. *J. Nutr. Sci. Vitaminol.,* 46 (2000) 215-221; *C.A.,* 134 (2001) 100014m.

2776 Pucci, V., Bugamelli, F., Mandrioli, R. and Raggi, M.A.: Simultaneous determination of *all-trans*-retinoic acid, β-carotene, and vitamin A in galenic preparations by liquid chromatography. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 354-360.

2777 Russell, L.F.: Quantitative determination of water-soluble vitamins. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 403-476; *C.A.,* 134 (2001) 99711c - a review with 210 refs.

2778 Shankar, V.N., Propp, A.E., Schroeder, N., Surber, B.W., Makin, H.L.J. and Jones, G.: *In vitro* metabolism of 19-nor-1α,25(OH)$_2$D$_2$ in cultured cell lines: inducible synthesis of lipid- and water-soluble metabolites. *Arch. Biochem. Biophys.,* 387 (2001) 297-306.

2779 Thomas, J.B., Kline, M.C., Gill, L.M., Yen, J.H., Duewer, D.L., Sniegoski, L.T. and Sharpless, K.E.: Preparation and value assignment of Standard Reference Material 968c Fat-Soluble Vitamins, Carotenoids and Cholesterol in Human Serum. *Clin. Chim. Acta,* 305 (2001) 141-155.

2780 Weber, S.U., Jothi, S. and Thiele, J.J.: High pressure liquid chromatography analysis of ozone-induced depletion of hydrophilic and lipophilic antioxidants in murine skin. *Methods Enzymol.,* 319 (2000) 536-546; *C.A.,* 134 (2001) 189045t.

2781 Ye, L., Landen, W.O. and Eitenmiller, R.R.: Comparison of the column performance of narrow-bore and standard-bore columns for the chromatographic determination of alpha-, beta-, gamma- and delta-tocopherol. *J. Chromatogr. Sci.,* 39 (2001) 1-6.

See also 2122, 2188, 2372, 2886, 2946, 3003.

28. ANTIBIOTICS

2782 Araujo, M.V.F., Ifa, D.R., Ribeiro, W., Moraes, M.E., Moraes, M.O. and de Nucci, G.: Determination of minocycline in human plasma by high-performance liquid chromatography coupled to tandem mass spectrometry: application to bioequivalence study. *J. Chromatogr. B,* 755 (2001) 1-7.

2783 Arcelloni, C., Comuzzi, B., Vaiani, R. and Paroni, R.: Quantification of gentamicin in Mueller-Hinton agar by high-performance liquid chromatography. *J. Chromatogr. B,* 753 (2001) 151-156.

2784 Ba, B.B., Etienne, R., Ducint, D., Quentin, C. and Saux, M.-C.: Determination of moxifloxacin in growth media by high-performance liquid chromatography. *J. Chromatogr. B,* 754 (2001) 107-112.

2785 Brandsteterova, E., Kubalec, P. and Bovanova, L.: HPLC determination of antimicrobial residues in edible animal products. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 621-691; *C.A.,* 134 (2001) 85200y - a review with 217 refs.

2786 Campanero, M.A., Espuelas, M.S., Azanza, J.R. and Irache, J.M.: Rapid determination of intramacrophagic amphothericin B by direct injection HPLC. *Chromatographia,* 52 (2000) 827-830.

2787 Chepkwony, H.K., DeHouck, P., Roets, E. and Hoogmartens, J.: Liquid chromatographic determination of erythromycins in fermentation broth. *Chromatographia,* 53 (2001) 89-92.

2788 Chepkwony, H.K., DeHouck, P., Roets, E., Hoogmartens, J.: Isocratic separation of erythromycin, related substances and degradation products by liquid chromatography on XTerra RP$_{18}$. *Chromatographia,* 53 (2001) 159-165.

2789 Cherti, N., Kinowski, J.-M., Lefrant, J.Y. and Bressolle, F.: High-performance liquid chromatographic determination of cefepine in human plasma and in urine and dialysis fluid using a column-switching technique. *J. Chromatogr. B,* 754 (2001) 377-386.

2790 De Nardi, C., Ferrari, L., Nardin, E., Ruffo, A. and Braggio, S.: Development and validation of a column-switching high-performance liquid chromatographic method for the determination of sanfetrinem in rat and dog plasma by direct injection. *J. Chromatogr. B,* 752 (2001) 133-139.

2791 Dousa, M.: (Determination of lasalocid content in animal feeds by HPLC with fluorescence detection for levels below 5 mg/kg). *Chem. Listy,* 95 (2001) 123-126; *C.A.,* 134 (2001) 221630t.

2792 Dubois, M., Fluchard, D., Sior, E. and Delahaut, Ph.: Identification and quantification of five macrolide antibiotics in several tissues, eggs and milk by liquid chromatography-electrospray tandem mass spectrometry. *J. Chromatogr. B,* 753 (2001) 189-202.

2793 Ehrlich, M., Daschner, F.D. and Kümmerer, K.: Rapid antibiotic drug monitoring: Meropenem and cefazidime determination in serum and bronchial secretions by high-performance liquid chromatography-integrated sample preparation. *J. Chromatogr. B,* 751 (2001) 357-363.

2794 Ehrlich, M., Trittler, R., Daschner, F.D. and Kümmerer, K.: A new and rapid method for monitoring the new oxazolidinone antibiotic linezolid in serum and urine by high performance liquid chromatography-integrated sample preparation. *J. Chromatogr. B,* 755 (2001) 373-377.

2795 Fan, B., Yuan, W. and Tian, G.: (Determination of oxytetracycline and related substances by HPLC). *Yaowu Fenxi Zazhi,* 21 (2001) 31-33; *C.A.,* 134 (2001) 212818h.

2796 Favetta, P., Guitton, J., Bleyzac, N., Dufresne, C. and Bureau, J.: New sensitive assay of vancomycin in human plasma using high-performance liquid chromatography and electrochemical detection. *J. Chromatogr. B,* 751 (2001) 377-382.

2797 Furasawa, N.: Simplified liquid-chromatographic determination of residues of tetracycline antibiotics in eggs. *Chromatographia,* 53 (2001) 47-50.

2798 Goncalez, E. and Felicio, J.D.: Simultaneous quantification of dihydrostreptomycin, penicillin G potassium and penicillin G procaine in pharmaceutical formulations. *An. Assoc. Bras. Quim.,* 49, No. 4 (2000) 179-182; *C.A.,* 134 (2001) 212831g.

2799 Guangdong, S., Jianlu, D. and Yiguang, W.: Construction and physiological studies on a stable bioengineered strain of shengjimycin. *J. Antibiot.,* 54 (2001) 66-73.

2800 Hartmann, S., Froescheis, O., Ringenbach, F., Wyss, R., Bucheli, F., Bischof, S., Bausch, J. and Wiegand, U.-W.: Determination of retinol and retinyl esters in human plasma by high-performance liquid chromatography with automated column switching and ultraviolet detection. *J. Chromatogr. B,* 751 (2001) 265-275.

2801 Hegde, C.R., Puar, M.S., Dai, P., Pu, H., Patel, M., Anthes, J.C., Richard, C., Terracciano, J., Das, P.R. and Gullo, V.: A family of depsi-peptide fungal metabolites, as selective and competitive human tachykinin receptor (NK_2) antagonists: fermentation, isolation, physico-chemical properties, and biological activity. *J. Antibiot.,* 54 (2001) 125-135.

2802 Hegde, V.R., Silver, J., Patel, M., Gullo, V.P., Yarborough, R., Huang, E., Das, P.R., Puar, M.S., DiDomenico, B.J. and Loebenberg, D.: Novel fungal metabolites as cell wall active antifungals: fermentation, isolation, physico-chemical properties, structure and biological activity. *J. Antibiot.,* 54 (2001) 74-83.

2803 Holtzapple, C.K., Buckley, S.A. and Stanker, L.H.: Determination of fluoroquinolones in serum using an on-line clean-up column coupled to high-performance immunoaffinity—reversed-phase liquid chromatography. *J. Chromatogr. B,* 754 (2001) 1-9.

2804 Honda, Y., Yeki, M., Okada, G., Onose, R., Usami, R., Horikoshi, K. and Osada, H.: Isolation and biological properties of a new cell cycle inhibitor, curvularol, isolated from Curvularia sp. RK97-F166. *J. Antibiot.,* 54 (2001) 10-16.

2805 Horimoto, S., Mayumi, T., Aoe, K. and Nishimura, N.: Identification of FC/TA-891 and its metabolite, FCE22101 by high performance liquid chromatography-atmospheric pressure chemical ionization mass spectrometry using bromoform. *Chromatographia,* 52 (2000) 741-744.

2806 Jaturapat, A., Isaka, M., Hywel-Jones, N.L., Lertwerawt, Y., Kamchonwongpaisan, S., Kirtikara, K., Tanticharoen, M. and Thebtaranonth, Y.: Bioxanthracenes from the insect pathogenic fungus *Cordyceps pseudomilitaris* BCC 1620 I. Taxonomy, fermentation, isolation and antimalarial activity. *J. Antibiot.,* 54 (2001) 29-35.

2807 Kim, B.-H., Kim, Y.-K. and Ok, J.H.: Development of liquid chromatographic method for the analysis of kanamycin residues in varicella vaccine using phenylisocyanate as a derivatization reagent. *J. Chromatogr. B,* 752 (2001) 173-177.

2808 Leal, C., Codony, R., Compano, R., Granados, M. and Prat, M.D.: Determination of macrolide antibiotics by liquid chromatography. *J. Chromatogr. A,* 910 (2001) 285-290.

2809 Liepke, C., Zucht, H.-D., Forssmann, W.-G. and Ständker, L.: Purification of novel peptide antibiotics from human milk. *J. Chromatogr. B,* 752 (2001) 369-377.

2810 Lyan, B., Azais-Braesco, V., Carinault, N., Tyssandier, V., Borel, P., Alexandre-Gouabau, M.-C. and Grolier, P.: Simple method for clinical determination of 13 carotenoids in human plasma using an isocratic high-performance liquid chromatographic method. *J. Chromatogr. B,* 751 (2001) 297-303.

2811 Mantle, P.G., de Langen, M. and Teo, V.K.: Differentiating the biosynthesis of pseudomonic acids A and B. *J. Antibiot.,* 54 (2001) 1666-174.

2812 Martens-Lobenhoffer, J. and Banditt, P.: Sensitive and specific determination of clindamycin in human serum and bone tissue applying liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. *J. Chromatogr. B,* 755 (2001) 143-149.

2813 Maya, M.T., Goncalves, N.J., Silva, N.B. and Morais, J.A.: Simple high-performance liquid chromatographic assay for the determination of ciprofloxacin in human plasma with ultraviolet detection. *J. Chromatogr. B,* 755 (2001) 305-309.

2814 Morisaki, N., Hashimoto, Y., Furihata, K., Yazawa, T., Tamura, M. and Mikami, Y.: Glycosylative inactivation of chalcomycin and tylosin by a clinically isolated *Nocardia asteroides* strain. *J. Antibiot.,* 54 (2001) 157-165.

2815 Nishihara, Y., Tsujiii, E., Yamagishi, Y., Sakamoto, K., Tsurumi, Y., Furukawa, S., Ohtsu, R., Kino, T., Hino, M., Yamashita, M. and Hashimoto, S.: FR198248, a new anti-influenza agent isolated from *Aspergillus terreus* No. 13830. I. Taxonomy, fermentation, physico-chemical properties and biological activities. *J. Antibiot.,* 54 (2001) 136-143.

2816 Oka, H., Ito, Y., Ikai, Y., Matsumoto, H., Kato, K., Yamamoto, I., Shimizu, M., Kawamura, N., Miyazaki, Y., Nojiri, T., Okumura, M., Ohmi, S., Sato, T. et al.: Survey of residual tetracyclines in kidneys of diseased animals in Aichi Prefecture, Japan (1985-1997). *J. Assoc. Off. Anal. Chem.,* 84 (2001) 350-353.

2817 Orwa, J.A., Govaerts, C., Busson, R., Roets, E., van Schepdael, A. and Hoogmartens, J.: Isolation and structural characterization of polymyxin B components. *J. Chromatogr. A,* 912 (2001) 369-373.

2818 Orwa, J.A., Govaerts, C., Roets, E., van Schepdael, A. and Hoogmartens, J.: Liquid chromatography of gramicidin. *Chromatographia,* 53 (2001) 17-21.

2819 Pappa-Louisi, A., Papageorgiou, A., Zitrou, A., Sotiropoulos, S., Georgarakis, E. and Zougrou, F.: Study on the electrochemical detection of the macrolide antibiotics clarithromycin and roxithromycin in reversed-phase high-performance liquid chromatography. *J. Chromatogr. B,* 755 (2001) 57-64.

2820 Phoebe, C.H., Jr., Combie, J., Albert, F.G., Tran, K.V., Cabrera, J., Correira, H.J., Guo, Y., Lindermuth, J., Rauert, N., Galbraith, W. and Selitrennikoff, C.P.: Extremophilic organisms as an unexplored source of antifungal compounds. *J. Antibiot.,* 54 (2001) 56-65.

2821 Raezke, K.-P. and Matter, L.: (Direct determination of antibiotics in honey through SPE-LC-coupling). *GIT Labor-Fachz.,* 44 (2000) 1021-1024; *C.A.,* 134 (2001) 177530j.

2822 Riediker, S. and Stadler, R.H.: Simultaneous determination of five β-lactam antibiotics in bovine milk using liquid chromatography coupled with electrospray ionization tandem mass spectrometry. *Anal. Chem.,* 73 (2001) 1614-1621.

2823 Sorensen, L.K. and Snor, L.K.: Determination of eight penicillins in serum from cattle and pigs by generic HPLC method. *Chromatographia,* 53 (2001) 367-371.

2824 Suzuki, Y., Ojika, N., Sakagami, Y., Kaida, K., Fudou, R. and Kameyama, T.: New cyclic depsipeptide antibiotics, clavariopsins A and B, produced by an aquatic hyphomycetes, *Clavariopsis aquatica* 2. Structure analysis. *J. Antibiot.,* 54 (2001) 22-28.

2825 Tornus, D. and Floss, H.G.: Identification of four genes from the granaticin biosynthetic gene cluster of *Streptomyces violaceoruber* Tü22 involved in the biosynthesis of L-rhodinose. *J. Antibiot.,* 54 (2001) 91-101.

2826 Wang, K., Cai, S. and Liu, H.: (HPLC determination of content of ciprofloxacin hydrochloride ointment). *Yaowu Fenxi Zazhi,* 21 (2001) 43-44; *C.A.,* 134 (2001) 212857v.

2827 Wu, U. and Yuan, W.-w.: (Separation of tetracycline and its related compounds on polymer column by HPLC). *Zhongguo Kangshengsu Zazhi,* 25 (2000) 353-355, 385; *C.A.,* 134 (2001) 198163g.

2828 Zhou, J.: (Determination of cefalexin and trimethoprim in compound capsules by HPLC). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 836-838; *C.A.,* 134 (2001) 136786d.

2829 Zhou, L., Tan, D., Theng, J., Lim, L., Liu, Y.-P. and Lam, K.-W.: Optimized analytical method for cyclosporin A by high-performance liquid chromatography-electrospray ionization mass spectrometry. *J. Chromatogr. B,* 754 (2001) 201-207.

See also 2381, 2935.

2835 Pico, Y., Font, G., Molto, J.C. and Manes, J.: Pesticide residues: Organochlorine and organophosphates. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 717-759; *C.A.,* 134 (2001) 85202a - a review with 100 refs.

See also 2251, 2842.

29c. Phosphorus insecticides

2836 Galeano Diaz, T., Guiberteau, A., Ortiz, J.M., Lopez, M.D. and Salinas, F.: Use of neural network and diode-array detection to develop an isocratic HPLC method for the analysis of nitrophenol pesticides and related compounds. *Chromatographia,* 53 (2001) 40-46.

2837 Li, J., Xu, Z. and Liu, F.: (Determination of methidathion in tablets by HPLC). *Yaowu Fenxi Zazhi,* 20 (2000) 419-420; *C.A.,* 134 (2001) 183601z.

2838 Zhang, Y.: (Analysis method of primiphos-methyl). *Nongyao,* 39, No. 11 (2000) 20; *C.A.,* 134 (2001) 127169c.

See also 2251, 2835, 2842.

29d. Carbamates

2839 Okita, S., Ishii, Y. and Yun, S.-J.: (Determination of carbendazim and thiabendazole in environmental water samples using solid-phase extraction and LC/electrospray MS/MS). *Bunseki Kagaku,* 50, No. 2 (2001) 127-132; *C.A.,* 134 (2001) 183149h.

2840 Rakoczy, I. and Kovacs, A.: Matrix solid-phase dispersion isola-

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. General techniques

2830 Choi, B.K., Hercules, D.M. and Gusev, A.I.: LC-MS/MS signal suppression effects in the analysis of pesticides in complex environmental matrices. *Fresenius J. Anal. Chem.,* 369 (2001) 370-377.

2831 Hochleitner, E.O. and Malisa, H., Jr.: Potential of microbore HPLC within a multiresidue method for the trace analysis of plant-protective substances in water. *Fresenius J. Anal. Chem.,* 369 (2001) 516-523.

2832 Walker, A.: A simple centrifugation technique for the extraction of soil solution to permit direct measuremnt of aqueous phase concentrations of pesticide. In: Cornejo, J. and Jamet, P.

biological tissues. *Z Zagadnien Nauk Sadowych,* 43 (2000) 217-221; *C.A.,* 134 (2001) 81904h.

See also 2838.

29e. Herbicides

2841 Castro, R., Moyano, E. and Galceram, M.T.: Ion-trap versus quadrupole for analysis of quaternary ammonium herbicides. *Chromatographia,* 53 (2001) 273-278.

2842 Curini, R., Gentili, A., Marchese, S., Perret, D., Arone, L. and Monteleone, A.: Monitoring of pesticides in surface water: off-line SPE followed by HPLC with UV detection and confirmatory analysis by mass spectrometry. *Chromatographia,* 53 (2001) 244-250.

2843 Kramer, K., Lepschy, J. and Hock, B.: Long-term monitoring of

2919 Carlsson, B. and Norlander, B.: Optimization and characterization of the chiral separation of citalopram and its demethylated metabolites by response-surface methodology. *Chromatographia,* 53 (2001) 262-272.

2920 Castel-Branco, M.M., Almeida, A.M., Falcao, A.C., Macedo, T.A., Caramona, M.M. and Lopez, F.G.: Lamotrigine analysis in blood and brain by high-performance liquid chromatography. *J. Chromatogr. B,* 755 (2001) 119-127.

2921 Chen, L., Li, Y., Wu, W., Zhao, W. and Zhu, Q.: (Determination of sinomenine in Tuoyin-Fuzhengkang granules by HPLC). *Yaowu Fenxi Zazhi,* 20 (2000) 343-344; *C.A.,* 134 (2001) 136779d.

2922 Chen, L., Luo, W., Li, H. and Zhang, Y.: (Determination of phenytoin and carbamazepine in serum by RP-HPLC with UV detector). *Zhongguo Yiyuan Yaoxue Zazhi,* 20 (2000) 645-647; *C.A.,* 134 (2001) 80473e.

2923 Coppa, G., Testa, R., Gambini, A.M., Testa, I., Tocchini, M. and Bonfigli, A.R.: Fast, simple and cost-effective determination of thiopental in human plasma by a new HPLC technique. *Clin. Chim. Acta,* 305 (2001) 41-45.

2924 De Vriendt, C.A., van Sassenbroeck, D.K., Rosseel, M.T., van de Velde, E.J., Verstraete, A.G., Heyden, Y.V. and Belpaire, F.M.: Development and validation of a high-performance liquid chromatographic method for the determination of γ-hydroxybutyric acid in rat plasma. *J. Chromatogr. B,* 752 (2001) 85-90.

2925 El Mahjoub, A. and Staub, C.: High-performance liquid chromatography determination of flunitrazepam and its metabolites in plasma by use of colum-switching technique: comparison of two extraction columns. *J. Chromatogr. B,* 754 (2001) 271-283.

2926 El Tanbouly, N.D., El Nast, M.S., Shouman, S.A. and Shehata, I.A.: Evaluation of *Hypericum perforatum* L. as an antidepressant drug. *Bull. Fac. Pharm. (Cairo Univ.),* 38 (2000) 79-86; *C.A.,* 134 (2001) 198182n.

2927 Escuder-Gilabert, L., Sagrado, S., Medina-Hernandez, M.J. and Villanueva-Camanas, R.M.: Determination of procaine and tetracaine in plasma samples by micellar liquid chromatography and direct injection of sample. *Chromatographia,* 53 (2001) 256-260.

2928 Ficarra, R., Calabro, M.L., Tommasini, S., Melardi, S., Cutroneo, P. and Ficarra, P.: Direct separation of the enantiomers of reboxetine by liquid chromatography on different cellulose- and amylose-based chiral stationary phases. *Chromatographia,* 53 (2001) 261-265.

2929 Fu, G., Liu, M., Han, J., Chen, K., Chen, C., Jiang, Z. and Shen, L.: (Determination of two component concentrations of complex chlorzoxazone in human serum by HPLC). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 763-765; *C.A.,* 134 (2001) 202381w.

2930 Gajewska, M., Szwitowska, M. and Janicki, S.: Diazepam submicron emulsions containing soya-bean oil and intended for oral or rectal delivery. *Pharmazie,* 56 (2001) 220-222.

2931 Geister, U., Gaupp, M., Arnold, P., Schaarschmidt, D., Doser, K. and Renner, J.: Bioavailability investigation of two different oral formulations of dioxepin. *Arzneim.-Forsch.,* 51 (2001) 189-196.

2932 Hesse, L.M., Venkatakrishnan, K., van Moltke, L.L., Shader, R.I. and Greenblatt, D.J.: CYP3A4 is the major CYP isoform mediating the *in vitro* hydroxylation and demethylation of flunitrazepam. *Drug Metab. Disp.,* 29 (2001) 133-140.

2933 Hoskins, J.M., Gross, A.S., Shenfield, G.M. and Rivory, L.P.: High-performance liquid chromatography-electrospray ionization mass spectrometry method for the measurement of moclobemide and two metabolites in plasma. *J. Chromatogr. B,* 754 (2001) 319-326.

2934 Hu, Y., Wu, P. and Tang, Q.: (Monitoring of lamotrigine in patients with epilepsy and its pharmacokinetics study in rabbits). *Huaxi Yaoxue Zazhi,* 16 (2001) 29-33; *C.A.,* 134 (2001) 216783r.

2935 Hu, Z., Li, H., Wang, H. and Lu, H.: (Determination of paracetamol and caffeine in Likeshu capsules by HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 20 (2000) 666-667; *C.A.,* 134 (2001) 105966h.

2936 Kashirin, D.M., Sibilev, A.V., Deigin, V.I. and Prokofeva, V.I.: HPLC in the pharmaceutical analysis of peptide-containing drugs. *Pharm. Chem. J.,* 34, No. 3 (2000) 149-151; *C.A.,* 134 (2001) 121046p.

2937 Kees, F., Bucher, M., Mair, G. and Grobecker, H.: Determination of opipramol in human plasma by high-performance liquid chromatography with photometric detection using a cyanopropyl column. *J. Chromatogr. B,* 753 (2001) 337-342.

2938 Kunicki, P.K.: Determination of loratadine in human plasma by high-performance liquid chromatographic method with ultraviolet detection. *J. Chromatogr. B,* 755 (2001) 331-335.

2939 Li, C., Chauret, N., Trimble, L.A., Nicol-Griffith, D.A., Silva, J.M., Macdonald, D., Perrier, H., Yergey, J.A., Parton, T., Alexander, R.P. and Warrelow, G.J.: Investigation of the *in vitro* metabolism profile of a phosphodiesterase-IV inhibitor, CDP-840: leading to structural optimization. *Drug Metab. Disp.,* 29 (2001) 232-241.

2940 Li, W.-B., Zhai, Y.-M., Wang, C.-Y., Qin, Y.-F. and Weng, Y.-Z.: (Study of the detection characteristics of clozapine, N-desmethylclozapine and olanzapine with high performance liquid chromatograph-electrochemical detector). *Sepu,* 18 (2000) 550-553; *C.A.,* 134 (2001) 136801e.

2941 LLerena, A., Berecz, R., Norberto, M.J. and de la Rubia, A.: Determination of clozapine and its *N*-desmethyl metabolite by high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr. B,* 755 (2001) 349-354.

2942 Ma, Y., Lang, L., Kiesewetter, D.O., Jagoda, E., Sassaman, M.B., Der, M. and Eckelman, W.C.: Liquid chromatography-tandem mass spectrometry identification of metabolites of two 5-HT_{1A} antagonists, N-{2-[4-(2-methoxylphenyl)piperazino]ethyl}-N-(2-pyridyl) *trans-* and *cis*-4-fluorocyclohexanecarboxamide, produced by human and rat hepatocytes. *J. Chromatogr. B,* 755 (2001) 47-56.

2943 Macek, J., Ptacek, P. and Klima, J.: Rapid determination of citalopram in human plasma by high-performance liquid chromatography. *J. Chromatogr. B,* 755 (2001) 279-285.

2944 Masa, K., Yamada, A., Arimori, K., Fujii, J. and Nakano, M.: Pharmacokinetic differences between lansoprazole enantiomers and contribution of cytochrome P450 isoforms to enantioselective metabolism of lansoprazole in dogs. *Biol. Pharm. Bull.,* 24 (2001) 274-277.

2945 Munro, J.S. and Walker, T.A.: Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column. *J. Chromatogr. A,* 913 (2001) 275-282.

2946 Muszalska, I., Zajac, M., Czajkowski, K. and Nogowska, M.: Simultaneous determination of paracetamol, caffeine, ascorbic acid and phenylephrine hydrochloride in pharmaceutical formulations by HPLC. *Chem. Anal. (Warsaw),* 45 (2000) 825-833; *C.A.,* 134 (2001) 105970e.

2947 Nakamura, M., Hirade, K., Sugiyama, T. and Katagiri, Y.: High-performance liquid chromatographic assay of zonisamide in human plasma using a non-porous silica column. *J. Chromatogr. B,* 755 (2001) 337-341.

2948 Nicoll-Griffith, D.A., Silva, J.M., Chauret, N., Day, S., Leblanc, Y., Roy, P., Yergey, J.A., Dixit, R. and Patrick, D.: Application of rat hepatocyte culture to predict *in vivo* metabolic auto-induction: studies with DFP, a cyclooxygenase-2 inhibitor. *Drug Metab. Misp.,* 29 (2001) 159-165.

2949 Nishikawa, T., Kamijo, Y., Kondo, R., Sugie, H., Kurihara, K., Okuda, T., Matsumoto, N., Okada, Y. and Ohtani, H.: Determination of ±- and (-)-bromoisovalerylurea in sera of overdosed subjects. *J. Anal. Toxicol.,* 24 (2000) 691-695; *C.A.,* 134 (2001) 126941m.

2950 Orlovic, D., Radulovic, D., Ivanonic, D. and Vujic, Z.: HPLC determination of lorazepam and lorazepam-related compounds in pharmaceutical formulations. *Chromatographia,* 52 (2000) 732-734.

2951 Polettini, A. and Huestis, M.A.: Simultaneous determination of buprenorphine, norbuprenorphine, and buprenorphine-glucuronide in plasma by liquid chromatography-tandem mass spectrometry. *J. Chromatogr. B,* 754 (2001) 447-459.

2952 Pufal, E., Sykutera, M., Lis, G., Rochholz, G. and Sliwka, K.: Analysis of estazolam in post-mortem material. *Z Zagadnien Nauk Sadowych,* 43 (2000) 208-216; *C.A.,* 134 (2001) 81903g.

2953 Raggi, M.A., Pucci, V., Bugamelli, F. and Volterra, V.: Comparison of three analytical methods for quality control of clozapine tablets. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 361-367.

2954 Raman, B. and Patil, D.: Simultaneous determination of nimesulide and paracetamol in tablets by reverse phase HPLC. *Indian Drugs,* 37 (2000) 427-440; *C.A.,* 134 (2001) 183606e.

2955 Reith, D.M., Hooper, W.D., Parke, J. and Charles, B.: Population pharmacokinetic modeling of steady state carbamazepine clearance in children, adolescents and adults. *J. Pharmacokin. Pharmacodyn.,* 28 (2001) 79-92.

2956 Sasongko, L., Ramzan, I., Williams, K.M. and McLachlan, A.J.: Application of a high-performance liquid chromatographic assay for the neuromuscular blocker gallamine to analysis of rat plasma, muscle and microdialysate samples. *J. Chromatogr. B,* 754 (2001) 467-475.

2957 Sato, M., Mitsui, T. and Nagase, H.: Analysis of benzphetamine and its metabolites in rat urine by liquid chromatography-electrospray ionization mass spectrometry. *J. Chromatogr. B,* 751 (2001) 277-289.

2958 Sharma, S., Bose, D., Vardhan, S., Durgbanshi, A., Asthana, A., Pathak, S.P. and Sanghi, S.L.: Determination of benzodiazepines by reverse phase liquid chromatography. *Indian Drugs,* 37, No. 8 (2000) 366-370; *C.A.,* 134 (2001) 121054q.

2959 Staab, A., Scheithauer, S., Fieger-Büschges, H., Mutschler, E. and Blume, H.: A validated high-performance liquid chromatographic assay for the simultaneous determination of denaverine and its N-monodemethyl metabolite in human plasma. *J. Chromatogr. B,* 751 (2001) 213-228.

2960 Takaichi, K., Saitoh, S., Kumooka, Y. and Tsunoda, N.: Direct extraction of benzodiazepine metabolite with supercritical fluid from whole blood. *Z Zagadnien Nauk Sadowych,* 43 (2000) 263-274; *C.A.,* 134 (2001) 96345a.

2961 Vanapalli, S.R., Kambhampati, S.P., Putcha, L. and Bourne, D.W.A.: A liquid chromatographic method for the simultaneous determination of promethazine and three of its metabolites in plasma using electrochemical and UV detectors. *J. Chromatogr. Sci.,* 39 (2001) 70-72.

2962 Vasudevan, M., Ravisankar, S., Ravibabu, T. and Nanjan, M.J.: Simultaneous estimation of paracetamol, methocarbamol and ibuprofen by reversed phase HPLC method. *Indian Drugs,* 37 (2000) 386-389; *C.A.,* 134 (2001) 121056s.

2963 Yim, D.-S., Jeong, J.E. and Park, J.Y.: Assay of omeprazole and omeprazole sulfone by semi-microcolumn liquid chromatography with mixed-function precolumn. *J. Chromatogr. B,* 754 (2001) 487-493.

2964 Yuan, H., Mester, Z., Lord, H. and Pawliszyn, J.: Automated in-tube solid-phase microextraction coupled with liquid chromatography-electrospray ionization mass spectrometry for the determination of selected benzodiazepines. *J. Anal. Toxicol.,* 24 (2000) 718-725; *C.A.,* 134 (2001) 81916p.

2965 Zarapkar, S.S., Bhandari, N.P. and Halker, U.P.: Simultaneous determination of cinnarizine and domperidone maleate in tablets by reverse phase HPLC. *Indian Drugs,* 37 (2000) 295-298; *C.A.,* 134 (2001) 136790a.

See also 2481, 2519, 2873, 2882, 3057, 3072.

32e. Chemotherapeutics (exc. cytostatics and antibiotics)

2966 Bolchoz, L.J.C., Budinsky, R.A., McMillan, D.C. and Jollow, D.J.: Primaquine-induced hemolytic anemia: formation and hemotoxicity of the arylhydroxylamine metabolite 6-methoxy-8-hydroxylaminoquinoline. *J. Pharmacol. Exp. Ther.,* 297 (2001) 509-515.

2967 Caballero, R.D., Torres-Lapasio, J.R., Baeza-Baeza, J.J. and Garcia-Alvarez-Coque, M.C.: Micellar chromatographic procedure with direct injection for the determination of sulfonamides in milk and honey samples. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 117-131.

2968 Conte, J.E., Jr., Wang, G., Lin, E.T. and Zurlinden, E.: High-performance liquid chromatographic tandem mass spectrometric method for the determination of ethionamide in human plasma, bronchoalveolar lavage fluid and alveolar cells. *J. Chromatogr. B,* 753 (2001) 343-353.

2969 Hormazabal, V. and Yndestad, M.: Simple assay for the determination of flumequine and oxolinic acid in fish muscle and skin by HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 109-115.

2970 Kubalec, P. and Brandsteterova, E.: Column-switching chromatographic determination of itroconazole and its metabolite hydroxy-itroconazole in human serum. *Pharmazie,* 56 (2001) 397-400.

2971 Santos-Magalhaes, N.S., Pontes, A., Cavalcante, R.M., Costa, R.M.R., Rangel, F.A., Guimaraes, M.I.V., de Carvalho, J.N.L., de Souza, S.F.F., de Oliveira, H.M., Esteves, I.L.C., Ramalho, M.S., Vieira, S.L.A. and Alves, A.J.: Bioequivalence of two lamibudine tablet formulations. *Arzneim.-Forsch.,* 51 (2001) 310-314.

2972 Scalia, S., Simeoni, S. and Bousquet, E.: Determination of bronopol in cosmetic products by HPLC with electrochemical detection. *Pharmazie,* 56 (2001) 318-320.

2973 Touraki, M., Ladoukakis, M. and Prokopiou, C.: High-performance liquid chromatographic determination of oxolinic acid and flumequine in the live fish feed Artemia. *J. Chromatogr. B,* 751 (2001) 247-256.

2974 Van Eeckhout, N., Perez, J.C. and van Peteghem, C.: Determination of eight sulfonamides in bovine kidney by liquid chromatography/tandem mass spectrometry with on-line extraction and sample clean-up. *Rapid Commun. Mass Spectrom.,* 14 (2000) 2331-2338; *C.A.,* 134 (2001) 202391z.

2975 Yamomoto, Y. and Kondo, F.: Determination of halofuginone and amprolium in chicken muscle and egg by liquid chromatography. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 43-46.

2976 Young, M.S., Phillips, D.J., Iraneta, P.C. and Krol, J.: Mixed-made solid-phase extraction and cleanup procedures for the liquid chromatographic determination of thiabendazole and carbendazim in fruit juices. *J. Assoc. Off. Anal. Chem.,* 84 (2001) 556-561.

See also 2498.

2985 Kitamura, R., Matsuoka, K., Matsushima, E. and Kawaguchi, Y.: Improvement in precision of the liquid chromatographic-electrospray ionization tandem mass spectrometric analysis of 3'-C-ethynylcytidine in rat plasma. *J. Chromatogr. B,* 754 (2001) 113-119.

2986 Matheson, S.L., McNamee, J. and Jean-Claude, B.J.: Design of a chimeric 3-methyl-1,2,3-triazene with mixed receptor tyrosine kinase and DNA damaging properties: a novel tumor targeting strategy. *J. Pharmacol. Exp. Ther.,* 296 (2001) 832-840.

2987 Oguma, T., Yamada, M., Konno, T., Inukai, K. and Nakaoka, M.: High-performance liquid chromatographic analysis of lactone and hydroxy acids of new antitumor drug, DX-8951 (exatecan) in mouse plasma. *Biol. Pharm. Bull.,* 24 (2001) 176-180.

2988 Rochat, B., Morsman, J.M., Murray, G.I., Figg, W.D. and McLeod, H.L.: Human CYP1B1 and anticancer agent metabolism: mechanism for tumor-specific drug inactivation? *J. Pharmacol. Exp. Ther.,* 296 (2001) 537-541.

2989 Safgren, S.L., Reid, J.M., Rios, R. and Ames, M.M.: Validated high-performance liquid chromatographic assay for simultaneous determination of dacarbazine and the plasma metabolites 5-(3-hydroxymethyl-3-methyl-1-triazeno)imidazole-4-carboxamide and 5-(3-methyl-1-triazeno)imidazole-4-carboxamide. *J. Chromatogr. B,* 754 (2001) 81-96.

32f. Cytostatics

2977 Agnew, E.B., Wilson, R.H., Grem, J.L., Neckers, L., Bi, D. and Takimoto, C.H.: Measurement of the novel antitumor agent 17-(allylamino)-17-demethoxygeldanamycin in human plasma by high-performance liquid chromatography. *J. Chromatogr. B,* 755 (2001) 237-243.

2978 Atsumi, R., Oguma, T., Yoshicka, N., Konno, T., Okazaki, O. and Fujimaki, Y.: Urinary metabolites of DX-8951, a novel camptothecin analog, in rats and humans. *Arzneim.-Forzsch.,* 51 (2001) 253-257.

2979 Barefoot, R.R.: Speciation of platinum compounds: a review of recent applications in studies of platinum anticancer drugs. *J. Chromatogr. B,* 751 (2001) 205-211 - a review with 23 refs.

2980 Bi, T.-X., Liu, M.-J., Xue, K.-L. and Qi, Y.-J.: (Determination of nedaplatin by HPLC). *Zhongguo Yiyao Gongye Zazhi,* 31 (2000) 457-458; *C.A.,* 134 (2001) 91246j.

2981 Ellis, A.G., Nice, E.C., Weinstock, J., Levitzki, A., Burgess, A.W. and Webster, L.K.: High-performance liquid chromatographic analysis of the tyrphostin AG1478, a specific inhibitor of the epidermal growth factor receptor tyrosine kinase, in mouse plasma. *J. Chromatogr. B,* 754 (2001) 193-199.

2982 Huang, T.-H., Cheng, H.-H., Tsai, S.-Y., Chao, P.-D.L. and Kuo, S.-C.: HPLC determination of 2-phenyl-4-quinolone in rabbit serum. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 79-85.

2983 Joshi, A.S., Pieniaszek, H.J., Jr., Vokesk E.E., Vogelzang, N.J., Davidson, A.F., Richards, L.E., Chai, M.F., Finizio, M. and Ratain, M.J.: Elimination pathways of [^{14}C]losoxanthrone in four cancer patients. *Drug Metab. Disp.,* 29 (2001) 96-99.

2984 Kawauchi, T., Matsumoto, H. and Yano, S.: Determination of a new thymidine phosphorylase inhibitor, TPI, in dog and rat plasma by reversed-phase ion-pair-performance liquid chromatography. *J. Chromatogr. B,* 751 (2001) 325-330.

2990 Suzawa, T., Nagamura, S., Saito, H., Ohta, S., Hanai, N. and Yamasaki, M.: Synthesis and HPLC analysis of enzymatically cleavable linker consisting of poly(ethylene glycol) and dipeptide for the development of immunoconjugate. *J. Controlled Release,* 69 (2000) 27-41; *C.A.,* 134 (2001) 136596s.

2991 Wang, Q., Zhang, M.-C., Li, B.-L., Li, X.-G. and Hao, X.-G.: (Assay of doxorubicin hydrochloride in delayed-release implant tablets). *Zhongguo Yiyao Gongye Zazhi,* 31 (2000) 455-456; *C.A.,* 134 (2001) 91232b.

2992 Xiong, X., Lim, B.A., Lat-Luna, M., Chew, P. and Tan, D.: Quantitation of mitomycin C in human ocular tissues by high-performance liquid chromatography-photo-diode array detection. *J. Chromatogr. B,* 755 (2001) 65-72.

See also 2249, 2250, 2254, 2257, 2302, 2521.

32g. Other drug categories

2993 Ahmadiani, A. and Amini, H.: Rapid determination of ranitidine in human plasma by high-performance liquid chromatography without solvent extraction. *J. Chromatogr. B,* 751 (2001) 291-296.

2994 Ahrer, W., Schöftner, R. and Buchberger, W.: Identification of unknown degradation products in a new cholesterol-reducing drug by ion-chromatography coupled to mass spectrometry. *J. Chromatogr. A,* 912 (2001) 91-98.

2995 Blanco, M., Coello, J., Iturriaga, H., Maspoch, S. and Romero, M.A.: Resolution of isomers of sorbitolparaben esters by chromatographic and electrophoretic techniques. *J. Chromatogr. B,* 752 (2001) 99-105.

2996 Bu, H.-Z., Magis, L., Knuth, K. and Teitelbaum, P.: High-throughput cytochrome P450 (CYP) inhibition screening via cassette probe-dosing strategy. II. Validation of a direct injection/on line guard cartridge extraction-tandem mass spectrome-

38. INORGANIC COMPOUNDS

38a. Cations

3083 Bangroo, P.N., Selina, M. and Arora, H.C.: Ion exchange separation of scandium and its estimation in geological materials by flame atomic emission spectrometry. *Chem. Anal. (Warsaw),* 45 (2000) 887-891; *C.A.*, 134 (2001) 125273h.

3084 Bashir, W. and Paull, B.: Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples. *J. Chromatogr. A,* 910 (2001) 301-309.

3085 Curran, M.A.J. and Palmer, A.S.: Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations and cations in ice cores. *J. Chromatogr. A,* 919 (2001) 107-113.

3086 Danielson, N.D., Sherman, J.H. and Schomaker, D.D.: Determination of anions and cations in food by HPLC. *Food Sci. Technol. (N.Y.),* 100(Food Analysis by HPLC (2nd Edition)) (2000) 987-1012; *C.A.*, 134 (2001) 85205d - a review with 80 refs.

3087 Gallagher, P.A., Shoemaker, J.A., Wei, X., Brockhoff-Schwegel, C.A. and Creed, G.T.: Extraction and detection of arsenicals in seaweed via accelerated solvent extraction with ion chromatographic separation and ICP-MS detection. *Fresenius J. Anal. Chem.*, 369 (2001) 71-80.

3088 Kerth, J., Rattmann, C. and Jensen, D.: (Determination of cationic impurities in hydrogen peroxide). *GIT Labor-Fachz.*, 44 (2000) 1324-1327; *C.A.*, 134 (2001) 94864v.

3089 Kim, S.-H., Aida, M., Nomura, M., Nur, R.M. and Fujii, Y.: Iron isotope effects studies by means of anion exchange redox chromatography. *Nippon Ion Kokan Gakkaishi,* 11, No. 2 (2000) 26-31; *C.A.*, 134 (2001) 106943k.

3090 Krachler, M. and Emons, H.: Speciation analysis of antimony by high-performance liquid chromatography inductively coupled plasma mass spectrometry using ultrasonic nebulization. *Anal. Chim. Acta,* 429 (2001) 125-133.

3091 Obrezkov, O.N., Tolkacheva, V.A., Zaikanova, G.I., Yamnikov, V.A., Khrokhin, O.V., Zhukov, S.P. and Shpigun, O.A.: The use of ion chromatography in vodka and liqueour production. Determination of transition metals. *Ind. Lab. (Diagn. Mater.),* 66 (2000) 18-21; *C.A.*, 134 (2001) 177525m.

3092 Prado, A.G.S. and Airoldi, C.: Adsorption, preconcentration and separation of cations on silica gel chemically modified with the herbicide 2,4-dichlorophenoxyacetic acid. *Anal. Chim. Acta,* 432 (2001) 201-211.

3093 Roig-Navarro, A.F., Martinez-Bravo, Y., Lopez, F.J. and Hernandez, F.: Simultaneous determination of arsenic species and chromium(VI) by high-performance liquid chromatography-inductively coupled plasma-mass spectrometry. *J. Chromatogr. A,* 912 (2001) 319-327.

3094 Roses, M., Oumada, F.Z. and Bosch, E.: Retention of ionizable compounds on high-performance liquid chromatography VII. Characterization of the retention of ionic solutes in a C_{18} column by mass spectrometry with electrospray ionization. *J. Chromatogr. A,* 910 (2001) 187-194.

3095 Satiroglu, N., Bektas, S., Genc, O. and Hazer, H.: HPLC/hydride generation AAS coupling for the speciation of Sb(III) and Sb(V) in wastewaters. *Turk. J. Chem.*, 24 (2000) 371-376; *C.A.*, 134 (2001) 105463s.

3096 Sommer, L. and Vlasankova, R.: A survey of the potential of the high performance liquid chromatography and capillary zone electrophoresis for the determination of platinum and platinum group metals. *Chromatographia,* 52 (2000) 692-702 - a review without refs.

3097 Sugiyama, M., Tamada, T. and Hori, T.: Liquid chromatography - catalytic analysis detection for highly sensitive and automated fractional determination of vanadium(IV) and -(V). *Anal. Chim. Acta,* 431 (2001) 141-148.

3098 Takeuchi, T., Inoue, S., Yamamoto, M., Tsuji, M. and Miwa, T.: Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography. *J. Chromatogr. A,* 910 (2001) 373-376.

3099 Xu, Q., Xu, C., Zhang, W., Wang, Y.P., Jin, L.T., Haraguchi, H., Itoh, A. and Tanaka, K.: Simultaneous determination of silicic acid, Ca, Mg and Al in mineral water and composite tablets by ion chromatography. *Chromatographia,* 53 (2001) 81-84.

3100 Zhang, X., Li, X. and Jiang, X.: Preliminary diagnosis of plants using electrography and low-pressure ion chromatography. *Am. Lab. (Shelton),* 32, No. 15 (2000) 10; *C.A.*, 134 (2001) 190274y.

3101 Zou, R. and Zhang, X.: (Spectrophotometric determination of trace chromium(VI) by ion exchange column enrichment). *Fenxi Huaxue,* 29 (2001) 122; *C.A.*, 134 (2001) 212395t.

See also 2164, 2172, 2223, 2757, 3105.

38b. Anions

3102 Amoli, H.S., Rabbani, M. and Simpson, P.: Rapid analysis of ultra trace amounts of anions in water by solid phase extraction and ion chromatography. *Indian J. Chem., Sect. A: Inorg., Bioinorg., Phys., Theor. Anal. Chem.,* 39A (2000) 1101-1104; *C.A.*, 134 (2001) 226967t.

3103 Fabbri, D., Locatelli, C. and Tarabusi, S.: A new procedure, based on combustion to sulphate and ion chromatography for the analysis of elementar sulphur in sediments. *Chromatographia,* 53 (2001) 119-121.

3104 Guo, L., Yang, W. and Hu, R.-z.: (Pretreatment for the determination of anions in seawater by IC - the method of silver electrode electrolysis). *Dianhuaxue,* 6 (2000) 458-462; *C.A.*, 134 (2001) 105449s.

3105 Hu, R.-z., Wang, J.-h. and Lu, J.-p.: (Determination of trace amounts of chloride ion in acidic copper plating solution by ion chromatography). *Xiamen Daxue Xuebao, Ziran Kexueban,* 39 (2000) 798-802; *C.A.*, 134 (2001) 94860r.

3106 Kenmotsu, H., Liu, J.M., Uchiyama, H. and Hobo, T.: Continuous preconcentration system for nitrate ions using anionic reverse osmosis tubes coupled to an ion chromatograph. *Fresenius J. Anal. Chem.,* 369 (2001) 418-421.

3107 Kondo, R., Kasashima, N., Matsuda, H. and Hata, Y.: Determination of thiosulfate in a meromectic lake. *Fish. Sci.*, 66 (2000) 1076-1081; *C.A.*, 134 (2001) 136325c.

3108 Kumar, S.D., Maiti, B. and Mathur, P.K.: Determination of iodate and sulphate in iodized common salt by ion chromatography with conductivity detection. *Talanta,* 53 (2001) 701-705; *C.A.*, 134 (2001) 130521s.

3109 Li, H.-B., Chen, F. and Xu, X.-R.: Determination of iodide in seawater and urine by size exclusion chromatography with iodine-starch complex. *J. Chromatogr. A,* 918 (2001) 335-339.

3110 O'Reilly, J.W., Dicinoski, G.W., Shaw, M.J. and Haddad, P.R.: Chromatographic and electrophoretic separation of inorganic sulfur and sulfur-oxygen species. *Anal. Chim. Acta,* 432 (2001) 165-192 - a review with 155 refs.

3111 Stefanovic, S.C., Bolanca, T. and Curkovic, L.: Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography. *J. Chromatogr. A,* 918 (2001) 325-334.

3112 Wu, H., Mao, H., Liu, Q. and Dong, F.: (Determination of HPO_3^{2-} and $H_2PO_2^-$ in electroless plating bath by single-column ion chromatography). *Cailiao Baohu,* 33, No. 6 (2000) 17-18; *C.A.*, 134 (2001) 94802y.

3113 Yamashita, K. and Uchiyama, Y.: (Comparison of fluorine analysis methods of brackish water region environmental samples). *Kagoshima-ken Kankyo Senta Shoho,* 15 (1999) 46-48; *C.A.*, 134 (2001) 90753k.

3114 Zanella, R., Primel, E.G. and Martins, A.F.: Determination of chloride and sulfate in pore solutions of concrete by ion chromatography. *J. Separ. Sci.,* 24 (2001) 230-231.

See also 2164, 2754, 3085, 3086, 3099.

38d. Volatile inorganic compounds

3115 Ren, X., Shao, K. and Tang, S.: (Measurement of gas-phase OH using liquid phase scrubbing and high performance liquid chromatography). *Huanjing Huaxue,* 20 (2001) 81-85; *C.A.*, 134 (2001) 197200e.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

See 3089.

Gas Chromatography

1. REVIEWS AND BOOKS

1018 Adlard, T.: Happy Birthday! To professor Ralph Stock technical editor of Chromatographia. 75 Years old. *Chromatographia,* 53 (2001) 233.

1019 Ettre, L.S.: Gas chromatography-past, present, and future. *LC-GC N. Amer.,* 19 (2001) 120-123 - a review with 16 refs.

1020 Greibrokk, T.: 65th Birthday of professor Egil Jellum. *Chromatographia,* 53 (2001) 235.

1021 Pfleger, K., Maurer, H. and Weber, A.: *Mass Spectral and GC DATA. Part 4* (2nd Edition). Wiley-VCH, Weinheim, 1999, 1300 p; *C.A.,* 134 (2001) 216622n.

1022 Ring, J., Brockow, K. and Behrendt, H.: Adverse reactions to foods. *J. Chromatogr. B,* 756 (2001) 3-10 - a review with 35 refs.

See also 1024, 1065, 1067, 1084, 1124, 1134, 1158, 1262, 1291, 1301, 1314, 1318, 1325, 1343, 1408, 1434, 1437, 1447, 1491.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

1023 Davankov, V.: 70th Birthday of professor Victor Berezkin. *Chromatographia,* 53 (2001) 365.

1024 Ettre, L.S.: The birth of partition chromatography. *LC-GC N. Amer.,* 19 (2001) 506-512 - a review with 29 refs.

1025 Hinshaw, J.V.: Strategies for GC optimization, Part I - Setting realistic expectations. *LC-GC Eur.,* 14 (2001) 155-160.

1026 Lee, A.L., Bartle, K.D. and Lewis, A.C.: A model of peak amplitude enhancement in orthogonal two-dimensional gas chromatography. *Anal. Chem.,* 73 (2001) 1330-1335.

1027 Tolstav, E. and Nielsen, H.: (Assurance of reliable and reproducible analyses. Analyses, instruments, gas quality, and gas fitting). *Dan. Kemi,* 81, No. 10 (2000) 22-24; *C.A.,* 134 (2001) 172467j.

2b. Thermodynamics and theoretical relationships

1028 Davankov, V.A.: (Fundamental retention parameters in gas chromatography are of a thermodynamic nature and do not permit an ambiguous interpretation). *Zh. Fiz. Khim.,* 74 (2000) 1911-1917; *C.A.,* 134 (2001) 271626s.

1029 Sylwester, E.R., Gregorich, K.E., Lee, D.M., Kadkhodayan, B., Turler, A., Adams, J.L., Kacher, C.D., Lane, M.R., Laue, C.A., McGrath, C.A., Shaughnessy, D.A., Strellis, D.A., Wilk, P.A. and Hoffman, D.C.: On-line gas chromatographic studies of Rf, Zr, and Hf bromides. *Radiochim. Acta,* 88 (2000) 837-843; CA Selects Plus GC, No. 7 (2001) 166593.

2c. Relationship between structure and chromatographic behaviour

1030 Berezkin, V.G., Alishoev, V.R., Korolev, A.A. and Małyukova, I.V.: (Influence of ammonia on retention of organic acids in capillary gas-liquid chromatography). *Dokl. Akad. Nauk,* 374 (2000) 210-213; *C.A.,* 134 (2001) 157022s.

1031 Du, X. and Feng, C.: (Correlation of retention indices of gas chromatography with a new topological index $^{0}X(^{1}X)$). *Fenxi Huaxue,* 29 (2001) 330-332; CA Selects Plus GC, No. 9 (2001) 248584.

1032 Li, Q., Poole, C.F., Kiridena, W. and Koziol, W.W.: Chromatographic methods for the determination of the $\log L^{16}$ solute descriptor. *Analyst (Cambridge),* 125 (2000) 2180-2188.

1033 Lin, Z.-h., Liu, S.-s. and Li, Z.-l.: (Quantitative structure-retention relationship (QSRR) studies of polychlorinated dibenzofurans (PCDFs) on diverse gas chromatographic stationary phases on a set of novel molecular distance edge vector). *Sepu,* 19 (2001) 116-123; CA Selects Plus GC, No. 10 (2001) 293957.

1034 Yan, A. and Hu, Z.: Linear and non-linear modeling for the investigation of gas chromatography retention indices of alkylbenzenes on Cit.A-4, SE-30 and Carbowax 20M. *Anal. Chim. Acta,* 433 (2001) 145-154.

See also 1163, 1166, 1168.

2d. Measurement of physico-chemical and related values

1035 Al-Thamir, W.K. and Mansour, S.E.: A chromatographic method for detection of end points in chemical reactions. *Chromatographia,* 53 (2001) 338-342.

1036 Cafferata, L.R.R. and Manzione, C.J.: Kinetics and mechanism of gas-phase thermolysis using headspace-gas chromatographic analysis. *J. Chromatogr. Sci.,* 39 (2001) 45-48.

1037 Demirelli, K., Kaya, I. and Coskun, M.: 3,4-Dichlorobenzyl methacrylate and ethyl methacrylate system: monomer reactivity ratios and determination of thermodynamic properties at infinite dilution by using inverse gas chromatography. *Polymer,* 42 (2001) 5181-5188.

1038 Enoiu, M., Wellman, M., Leroy, P., Ziegler, J.-M., Mitrea, N. and Siest, G.: Gas and liquid chromatography-mass spectrometry of aldehydic products from lipid peroxidation. *Analusis,* 28 (2000) 285-290.

1039 Héberger, K. and Görgényi, M.: Estimation of molar heat capacities in solution from gas chromatographic data. *J. Chromatogr. Sci.,* 39 (2001) 113-120.

1040 Jiang, W.H. and Han, R.: Gas chromatographic measurements of diffusion coefficients of trace amounts of benzene, toluene, and ethylbenzene in polyisobutylene at elevated temperatures. *J. Appl. Polym. Sci.,* 80 (2001) 529-538.

1041 Kawaki, H.: Solute stationary phase interaction in gas liquid chromatography. Thermodynamic parameters for substituted halogenbenzene derivatives. *Chem. Pharm. Bull.,* 49 (2001) 5-9; *C.A.,* 134 (2001) 207525f.

1042 Kaya, I. and Demirelli, K.: Determination of the thermodynamic properties of poly[2-(3-phenyl-3-methylcyclobutyl)-2-hydroxyethyl methacrylate-co-methacrylic acid] at infinite dilution by inverse gas chromatography. *Turk. J. Chem.*, 25 (2001) 11-18; CA Selects Plus GC, No. 8 (2001) 211893.

1043 Kesler, B.S. and Williams, S.E.: Measuring relative reactivities of electrophilic aromatic bromination using a benchtop GC-MS. *Chem. Educ.*, 5 (2000) 223-225; *C.A.*, 134 (2001) 236989r.

1044 Kotelnikova, T.A. and Ageev, E.P.: (Isotherms and heats of sorption of water and isopropanol on polyvinyltrimethylsilane as measured by gas chromatography). *Zh. Fiz. Khim.*, 74 (2000) 2076-2081; *C.A.*, 134 (2001) 183862k.

1045 Lehrle, R.S., Dadvand, N., Parsons, I.W., Rollinson, M., Horn, I.M. and Skinner, A.R.: Pyrolysis-GC-MS used to study the thermal degradation of polymers containing chlorine. III. Kinetics and mechanisms of polychloroprene pyrolysis. Selected ion current plots used to evaluate rate constants for the evolution of HCl and other degradation products. *Polym. Degrad. Stab.*, 70 (2000) 395-407.

1046 Letcher, T.M. and Naicker, P.K.: Activity coefficients of hydrocarbon solutes at infinite dilution in 1,4-dicyanobutane from gas liquid chromatography. *J. Chem. Thermodyn.*, 32 (2000) 1627-1634.

1047 Mastrogiacomo, A.R. and Pierini, E.: Discussion of thermodynamic data obtained by adsorption gas chromatography of hydrocarbons on Carbograph 4. *Chromatographia*, 53 (2001) 437-441.

1048 Newell, H.E., Buckton, G., Butler, D.A., Thielmann, F. and Williams, D.R.: The use of inverse phase gas chromatography to study the change of surface energy of amorphous lactose as a function of relative humidity and the processes of collapse and crystalisation. *Int. J. Pharm.*, 217 (2001) 45-56; CA Selects Plus GC, No. 8 (2001) 237269.

1049 Onjia, A.E., Milonjic, S.K. and Rajkovic, L.V.: Inverse gas chromatography of chromia. Part I. Zero surface coverage. *J. Serb. Chem. Soc.*, 66 (2001) 259-271; CA Selects Plus GC, No. 9 (2001) 252712.

1050 Puri, S., Chickos, J.S. and Welsh, W.J.: Determination of vaporization enthalpies of polychlorinated biphenyls by correlation gas chromatography. *Anal. Chem.*, 73 (2001) 1480-1484.

1051 Roubani-Kalantzopoulou, F., Artemiadi, T., Bassiotis, I., Katsanos, N.A. and Plagianakos, V.: Time separation of adsorption sites on heterogenous surfaces by inverse gas chromatography. *Chromatographia*, 53 (2001) 315-320.

1052 Sinani, R.R.G. and Cafferata, L.F.R.: (Gas chromatographic method using an injection port as a flow reactor to study the thermal decomposition reaction). *Rev. Boliv. Quim.*, 17 (2000) 34-38; *C.A.*, 134 (2001) 193083w.

1053 Sunkersett, M.R., Grimsey, I.M., Doughty, S.W., Osborn, J.C., York, P. and Rowe, R.C.: The changes in surface energetics with relative humidity of carbamazepine and paracetamol as measured by inverse gas chromatography. *Eur. J. Pharm. Sci.*, 13 (2000) 219-225; CA Selects Plus GC, No. 9 (2001) 259922.

1054 Tazaki, M., Taketomi, W., Yoshii, N. and Hata, G.: Gas chromatographic characterization of liquid crystalline cholesteryl nonanoate. *Trans. Mater. Res. Soc. Jpn.*, 25 (2000) 1099-1102; CA Selects Plus GC, No. 6 (2001) 138304.

1055 Trapp, O. and Schurig, V.: Determination of interconversion barriers by dynamics gas chromatography: epimerization of chalcogran. *Chem.-Eur. J.*, 7 (2001) 1495-1502; CA Selects Plus GC, No. 9 (2001) 267994.

1056 Voelkel, A. and Grzeskowiak, T.: Surface properties of titanate-modified silica gel as measured by inverse gas chromatography. *J. Mater. Chem.*, 11 (2001) 1288-1293; CA Selects Plus GC, No. 8 (2001) 225125.

1057 Zheng, J.-Z., Wu, J.-S., Toda, K. and Sanemasa, I.: Association of *n*-alcohol with *p*-sulfonato calixarenes in an aqueous medium determined by headspace gas chromatography. *Bull. Chem. Soc. Jpn.*, 74 (2001) 505-506; CA Selects Plus GC, No. 9 (2001) 271282.

See also 1126, 1373, 1379.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

1058 Alario, J., Perez, M., Vazquez, A. and Villén, J.: Very-large-volume sampling of water in gas chromatography using the through oven transfer adsorption desorption (TOTAD) interface for pesticide-residue analysis. *J. Chromatogr. Sci.*, 39 (2001) 65-69.

1059 Beens, J., Adahchour, M., Vreuls, R.J.J., van Altena, K. and Brinkman, U.A.T.: Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography. *J. Chromatogr. A*, 919 (2001) 127-132.

1060 Bell, S.: Topics in chemical instrumentation: the role of automated instrumentation in undergraduate chemistry. *J. Chem. Educ.*, 77 (2000) 1624-1626.

1061 Combs, M.T. and Noe, O.II.: Use of a PTV injector to achieve inverse-large volume injection: injection of volatile analytes in a semi-volatile solvent. *J. Sep. Sci.*, 24 (2001) 291-296.

1062 Doku, G.N., Haswell, S.J., McCreedy, T. and Middleton, R.J.: Preliminary studies into the direct interfacing of a microreactor to a gas chromatographic instrument. *Analyst (Cambridge)*, 126 (2001) 133-135.

1063 Dolan, J.W.: Autosamplers, Part I - Design features. *LC-GC Eur.*, 14 (2001) 276-283.

1064 Gaisford, G. and Walters, D.: Microwave heating apparatus for gas chromatographic columns. *U.S. Pat.* Appl. Publ. US 20010000403 A1, 26 Apr. 2001 cont-in-part of Ser. No. US 1999-359879, 23 Jul. 1999; CA Selects Plus GC, No. 10 (2001) 300051.

1065 Gary, F.: (List of recent Ph.D. Thesis in chemistry at Hungarian Universities. Temperature and flow rate controlled serially coupled gas chromatographic capillary column systems with tunable polarity). *Magy. Kem. Foly.*, 107 (2001) 125-130; CA Selects Plus GC, No. 8 (2001) 215542.

1066 Grecco, S.D., López, A.F. and Vasiliev, A.N.: An injector modified for gas sample injections. *J. Sep. Sci.*, 24 (2001) 148-150.

1067 Hinshaw, J.V.: New GC instruments and accessories at the 52nd Pittsburgh conference. *LC-GC N. Amer.*, 19 (2001) 484-496.

1068 Hinshaw, J.V.: Pneumatic problems. *LC-GC N. Amer.*, 19 (2001) 392-397.

1069 Lattimer, D.R.: Gas chromatograph with configurable user interface. *PCT Int. Appl.* WO 01 23,881 (Cl. G01N30/88), 5 Apr. 2001, US Appl. 409,100, 30 Sep. 1999; 21 pp.; *C.A.*, 134 (2001) 260674e.

1070 Miyabayashi, T., Hoshino, K., Takano, Y. and Yabe, A.: (Method and device for analysis of trace organic compounds). *Jpn. Kokai Tokkyo Koho* JP 2001 74,716 (Cl. G01N30/08), 23 Mar. 2001, Appl. 1999/246,077, 31 Aug. 1999; 6 pp.; *C.A.*, 134 (2001) 246728u.

1071 Pham-Tuan, H., Vercammen, J. and Sandra, P.: A versatile robotic arm for static headspace sampling with SPME. *LC-GC Eur.*, 14 (2001) 215-226.

1072 Tanihata, H.: (Gas chromatographic device). *Jpn. Kokai Tokkyo Koho* JP 2001 13,121 (Cl. G01N30/02), 19 Jan. 2001, Appl. 1999/185,478, 30 Jun. 1999; 5 pp.; *C.A.*, 134 (2001) 125296t.

1073 Trimborn, M., Wulf, S. and Clemens, J.: (Conversion of sampling device to a headspace autosampler for injection of samples into gas analyzers). *Ger. Offen.* DE 19,933,948 (Cl. G01N1/22), 8 Feb. 2001, Appl. 19,933,948, 20 Jul. 1999; 6 pp.; *C.A.*, 134 (2001) 157036z.

1074 Truong, T.T., Marriott, P.J. and Porter, N.A.: Analytical study of comprehensive and targeted multidimensional gas chromatography incorporating modulated cryogenic trapping. *J. Assoc. Off. Anal. Chem. Int.*, 84 (2001) 323-335.

1075 Tsujiide, H.: (Gas chromatographic device). *Jpn. Kokai Tokkyo Koho* JP 2001 56,325 (Cl. G01N30/62), 27 Feb. 2001, Appl. 1999/234,614, 20 Aug. 1999; 4 pp.; *C.A.*, 134 (2001) 202297y.

1076 Xu, G.-w., Ye, F., Kong, H.-w., Lu, X. and Zhao, X.-j.: (Techniques and advances of comprehensive two-dimensional gas chromatography). *Sepu*, 19 (2001) 132-136; CA Selects Plus GC, No. 10 (2001) 293961.

1077 Yamada, H.: (Gas chromatograph and the use thereof). *Jpn. Kokai Tokkyo Koho* JP 2001 50,942 (Cl. G01N30/54), 23 Feb. 2001, Appl. 2000/174,243, 9 Jun. 2000; 6 pp.; *C.A.*, 134 (2001) 187621d.

1078 Yano, K., Kadoriku, S. and Kohachi, T.: Supercritical fluid separation apparatus. *Jpn. Kokai Tokkyo Koho* JP 2001 79,303 (Cl. B01D11/00), 27 Mar. 2001, Appl. 1999/263,897, 17 Sep. 1999; 8 pp.; *C.A.*, 134 (2001) 254093y.

See also 1052, 1108, 1114, 1119, 1121, 1122, 1135, 1136, 1202, 1263.

3b. Detectors and detection reagents

1081 Hsu, C.S. and Green, M.: Fragment-free accurate mass measurement of complex mixture components by gas chroma-

[redacted]

tography/field ionization-orthogonal acceleration time-of-flight mass spectrometry: an unprecedented capability for mixture analysis. *Rapid Commun. Mass Spectrom.*, 15 (2001) 236-239.

1082 Nakagawa, K.: (Electron capture detector). *Jpn. Kokai Tokkyo Koho* JP 2001 56,315 (Cl. G01N27/64), 27 Feb. 2001, Appl. 1999/232,334, 19 Aug. 1999; 5 pp.; *C.A.*, 134 (2001) 202245e.

1083 Nesterova, N.V., Bulanova, A.V. and Larionov, O.G.: (Substance retention in high-pressure gas chromatography). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 44 (2001) 84-88; CA Selects Plus GC, No. 8 (2001) 231906.

1084 Niessen, W.: (Mass spectrometry (MS): faster sample throughput and shorter measurement times). *ChemischeWeekblad*, 96, No. 17 (2000) 23-25; *C.A.*, 134 (2001) 140981f.

1085 Nilsson, G.A., Nilsson, O., Odenbrand, I. and Wesén, C.: New halogen-specific detector applied to the analysis of chlorinated fatty acids. *J. Chromatogr. A*, 912 (2001) 99-106.

1086 Ninomiya, A., Nakagawa, K. and Fukami, R.: (Mass spectrometric device). *Jpn. Kokai Tokkyo Koho* JP 2001 74,695 (Cl. G01N27/62), 23 Mar. 2001, Appl. 1999/246,245, 31 Aug. 1999; 7 pp.; *C.A.*, 134 (2001) 231269w.

1087 Omiya, K.: (Alkali ionization detector). *Jpn. Kokai Tokkyo Koho* JP 2001 41,946 (Cl. G01N30/64), 16 Feb. 2001, Appl. 1999/214,995, 29 Jul. 1999; 5 pp.; *C.A.*, 134 (2001) 172446b.

1088 Revinskaya, E.V., Lobachev, A.L. and Lobacheva, I.V.: (Utilization of PID-DTP system sensitivity for chromatographic identification). *Izv. Vyssh. Uchebn. Zaved., Khim. Khim. Tekhnol.*, 43 (2000) 128-131; *C.A.*, 134 (2001) 231285y.

1089 Staples, E.J.: Method of detecting smell of a vapor and producing a unique visual representation thereof. *U.S.* US 6,212,938 (Cl. 73-23.36; G01N30/86), 10 Apr. 2001, US Appl. PV89,641, 17 Jun. 1998; 16 pp.; *C.A.*, 134 (2001) 275139h.

1090 Yan, Z., Sun, J.-m., Qiao, Y.-q. and Sun, H.-w.: (Design and evaluation of horizontal pipe mini-flame atomization and ionization synchronous detector in GC/AAS). *Sepu*, 19 (2001) 32-36; *C.A.*, 134 (2001) 260643u.

1091 Yang, W. and Hsi, P.C.: Selective photoionization detector using ion mobility spectrometry. *PCT Int. Appl.* WO 01 19,501 (Cl. B01D59/44), 22 Mar. 2001, US Appl. 397,625, 16 Sep. 1999; 29 pp.; *C.A.*, 134 (2001) 228835x.

1092 Zhou, L.-P., Xia, Z.-N., Liu, S.-S., Zhang, M.-J. and Li, Z.-L.: (Prediction and estimation on molar response values of alkanes by using molecular path vector). *Sepu*, 18 (2000) 480-486.

1164 Hahn, M., von Sivers, P., Hartung, P. and Liebert, J.: (Determination of mineral oil hydrocarbons by GC). *CLB Chem. Labor Biotech.*, 52 (2001) 4-6; *C.A.*, 134 (2001) 275133b.

1165 Van Hamme, J.D. and Ward, O.P.: Development of a method for the application of solid-phase microextraction to monitor biodegradation of volatile hydrocarbons during bacterial growth on crude oil. *J. Ind. Microbiol., Biotechnol.*, 25, No. 3 (2000) 155-162; *C.A.*, 134 (2001) 151992m.

1166 Yin, C., Liu, W., Li, Z., Pan, Z., Lin, T. and Zhang, M.: Chemometrics to chemical modeling: structural coding in hydrocarbons and retention indices of gas chromatography. *J. Sep. Sci.*, 24 (2001) 213-220.

See also 1455, 1471.

6. ALCOHOLS

1167 Brereton, P., Kelly, J., Crews, C., Honour, S., Wood, R. and Davies, A.: Determination of 3-chloro-1,2-propanediol in foods and food ingredients by gas chromatography with mass spectrometric detection: collaborative study. *J. Assoc. Off. Anal. Chem. Int.*, 84 (2001) 455-465.

1168 De Marques, F.A., McElfresh, J.S. and Millar, J.G.: Kovats retention indexes of monounsaturated C_{12}, C_{14}, and C_{16} alcohols, acetates and aldehydes commonly found in lepidopteran pheromone blends. *J. Braz. Chem. Soc.*, 11 (2000) 592-599; *C.A.*, 134 (2001) 233777j.

1169 Guo, D.-f. and Jin, F.-m.: (Determination of diethyleneglycol monomethyl ether by gas chromatography). *Jiangsu Shiyou Huagong Xueyuan Xuebao*, 12, No. 4 (2000) 32-34; CA Selects Plus GC, No. 9 (2001) 258109.

1170 Liao, L., Cui, Y., Yin, G. and Lin, Q.: (Analysis of residual chloroethanol in choline chloride by gas chromatography). *Guangzhou Huagong*, 28, No. 4 (2000) 59-60; CA Selects Plus GC, No. 5 (2001) 109022.

1171 Ling, X., Li, T. and Xu, B.: (Study on determination of alcohol in injection by improved capillary gas chromatography). *Shenyang Yaoke Daxue Xuebao*, 18 (2001) 40-42; *C.A.*, 134 (2001) 256989u.

1172 Maurer, H.H., Peters, F.T., Paul, L.D. and Kraemer, T.: Validated gas chromatographic-mass spectrometric assay for determination of the antifreezes ethylene glycol and diethylene glycol in human plasma after microwave-assisted pivalylation. *J. Chromatogr. B*, 754 (2001) 401-409.

1173 Zhang, W., Fu, J. and Zhang, M.: (Measurement of methanol in health food with gas chromatograph). *Zhonghua Yufang Yixue Zazhi*, 35 (2001) 61-62; CA Selects Plus GC, No. 7 (2001) 173170.

See also 1044, 1057, 1080, 1136, 1271, 1451.

7. PHENOLS

1174 Korenman, Y.I., Gruzdev, I.V. and Kondratenok, B.M.: (Chemical modification of chlorophenols in water for gas chromatography). *Zh. Prikl. Khim. (S.-Petersburg)*, 73 (2000) 1451-1455; *C.A.*, 134 (2001) 136283n.

1175 Korenman, Y.I., Gruzdev, I.V. and Kondratenok, B.M.: Extraction and gas-chromatographic determination of phenol and cresols in soil. *J. Anal. Chem.*, 56 (2001) 166-169.

1176 Liberatore, L., Procida, G., d'Alessandro, N. and Cichelli, A.: Solid-phase extraction and gas chromatographic analysis of phenolic compounds in virgin olive oil. *Food Chem.*, 73 (2001) 119-124.

1177 Luan, T.-g., Li, G.-k. and Zhang, Z.-x.: (Gas phase post-derivatization following solid-phase microextraction for rapid analysis of polyphenols in wine by gas chromatography-mass spectrometry). *Zhongshan Daxue Xuebao, Ziran Kexueban*, 40 (2001) 54-57; CA Selects Plus GC, No. 9 (2001) 242293.

1178 McNichol, A.P., Ertel, J.R. and Eglinton, T.I.: The radiocarbon content of individual lignin-derived phenols: technique and initial results. *Radiocarbon*, 42 (2000) 219-227; *C.A.*, 134 (2001) 263081v.

1179 Romani, A., Pinelli, P., Mulinacci, N., Galardi, C., Vincieri, F.F., Liberatore, L. and Cichelli, A.: HPLC and HRGC analyses of polyphenols and secoiridoid in olive oil. *Chromatographia*, 53 (2001) 279-284.

1180 Rtunova, O.B. and Volkova, R.A.: (Measurements of phenol in allergens and vaccines by gas liquid chromatography). *Klin. Lab. Diagn.*, No. 7 (2000) 12-14; *C.A.*, 134 (2001) 197983n.

1181 Shin, H.-S., Park, C.-h., Park, S.-J. and Pyo, H.: Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen-phosphorus detection after cyanomethylation. *J. Chromatogr. A*, 912 (2001) 119-125.

1182 Soleas, G.J., Yan, J. and Goldberg, D.M.: Ultrasensitive assay for three polyphenols (catechin, quercetin and resveratrol) and their conjugates in biological fluids utilizing gas chromatography with mass selective detection. *J. Chromatogr. B*, 757 (2001) 161-172.

1183 Song, J.-q.: (Determination of trace phenol in water with brominating derivatization by gas chromatography). *Fenxi Shiyanshi*, 19, No. 6 (2000) 96-97; *C.A.*, 134 (2001) 212386r.

1184 Vilchez, J.L., Zafra, A., Gonzalez-Casado, A., Hontoria, E. and del Olmo, M.: Determination of trace amounts of bisphenol F, bisphenol A and their diglycidyl ethers in wastewater by gas chromatography/mass spectrometry. *Anal. Chim. Acta*, 431 (2001) 31-40.

1185 Wang, G.-t., Yu, J.-x. and Zhang, G.-p.: (Determination of residues of chlorophenols in textile by capillary gas chromatography). *Fenxi Ceshi Xuebao*, 20 (2001) 49-51; CA Selects Plus GC, No. 5 (2001) 122250.

1186 Zhang, A.-l., Zhou, J.-t., Han, M., Teng, L.-m., Huang, L.-p., Wang, D. and Wang, J.: (Study on analysis of trace phenol in small amount of aqueous sample by liquid-liquid micro-extraction and gas chromatography). *Sepu*, 19 (2001) 144-146; CA Selects Plus GC, No. 10 (2001) 293968.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

1187 Beck, T. and Mosandl, A.: Enantioselective analysis of kavapyrones by high resolution gas chromatography. *J. Sep. Sci.*, 24 (2001) 35-38.

1188 Maciejewicz, W., Daniewski, M., Bal, K. and Markowski, W.: GC-MS identification of the flavonoid aglycones isolated from propolis. *Chromatographia,* 53 (2001) 343-346.

8b. Aflatoxins and other mycotoxins

1189 Mateo, J.J., Llorens, A., Mateo, R. and Jiménez, M.: Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes. *J. Chromatogr. A,* 918 (2001) 99-112.

1190 Schothorst, R.C. and Jekel, A.A.: Determination of trichothecenes in wheat by capillary gas chromatography with flame ionisation detection. *Food Chem.,* 73 (2001) 111-117.

1191 Yoshizawa, T.: Chromatographic methods for trichothecenes. *Methods Mol. Biol. (Totowa),* 157 (2001) 115-129; *C.A.,* 134 (2001) 248032m.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

1192 Brown, D., Kishimoto, Y., Ikeno, O., Chu, M., Nomura, J., Murakami, T. and Murata, H.: Validation study for the use of the dioxin responsive CALUX assay for analysis of Japanese ash and soil samples. *Organohalogen Compd.,* 45 (2000) 200-203.

1193 Eom, S.-W., Ahn, S.-K., Kim, M.-Y. and Shin, J.-Y.: Determination of dioxins and furans in water sample by HRGC/HRMS and pretreatment using solid-phase microextraction. *Organohalogen Compd.,* 45 (2000) 68-71.

1194 Fabrellas, B., Sanz, P., Larrazabal, D. and Abad, E.: Analysis of PCDD/PCDFs by ion-trap detector. Application to waste samples. *Organohalogen Compd.,* 45 (2000) 160-163.

1195 Franchini, M., Marton, D. and Tapparo, A.: Headspace gas chromatographic determination of 2-alkyl-5,5-dimethyl-1,3-dioxane derivatives in wastewaters of a polyester resin plant. *Analyst (Cambridge),* 126 (2001) 469-471.

1196 Huwe, J.K., Shelver, W.L., Stanker, L., Patterson, D.G.Jr. and Turner, W.E.: On the isolation of polychlorinated dibenzo-*p*-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography-mass spectormetry. *J. Chromatogr. B,* 757 (2001) 285-293.

1197 Iwamura, J.: (Isolation of hazardous nonvolatile organic substances by vapor distillation). *Jpn. Kokai Tokkyo Koho* JP 2001 91,422 (Cl. G01N1/28), 6 Apr. 2001, Appl. 1999/268,546, 22 Sep. 1999; 5 pp.; *C.A.,* 134 (2001) 262194x.

1198 Kawajiri, S., Goto, M. and Hirose, T.: Extraction of dioxins from municipal incinerator fly ash with supercritical CO_2 in comparison with soxhlet extraction. *Organohalogen Compd.,* 45 (2000) 101-104.

1199 Litten, S., Fowler, B. and Luszniak, D.: Determination of PCDD/PCDF and 209 PCB congeners in New York Harbor and hudson basin using filtration/XAD integrating samples and US EPA method 1668 and 1613B. *Organohalogen Compd.,* 46 (2000) 369-372.

1200 Magara, Y., Aizawa, T., Ando, M., Seki, Y. and Matsumura, T.: Dioxins and PCBs in Japanese tap water. *Organohalogen Compd.,* 46 (2000) 463-466.

1201 Matsumura, C., Fujimori, K. and Nakano, T.: Pretreatment of dioxin analysis in environmental samples. *Organohalogen Compd.,* 49S (2000) 1-4.

1202 Matsumura, T., Masuzaki, Y., Ezaki, T., Ohashi, M. and Morita, M.: Detection of low femto gram dioxins: development of column switching-solvent cut-large volume/multiple injection-cryofocus trap GC-HRMS. *Organohalogen Compd.,* 45 (2000) 25-28.

1203 Pundlik, M.D., Sitharaman, B. and Kaur, I.: Gas chromatographic determination of 1,4-dioxane at low parts-per-million levels in glycols. *J. Chromatogr. Sci.,* 39 (2001) 73-76.

1204 Stevens, J.L., Green, N.J.L. and Jones, K.C.: Interlaboratory excercise for the analysis of PCDD/Fs in samples of sewage sludge. *Organohalogen Compd.,* 45 (2000) 164-167.

1205 Sugiyama, H., Yamamoto, S., Okada, Y., Tanaka, Y. and Kanai, R.: (Simple quantitative method for determination of dioxins). *Jpn. Kokai Tokkyo Koho* JP 2001 66,296 (Cl. G01N30/88), 16 Mar. 2001, Appl. 1999/243,893, 30 Aug. 1999; 5 pp.; *C.A.,* 134 (2001) 231325m.

See also 1033, 1095, 1098, 1154, 1159.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

1206 Dojahn, J.G., Wentworth, W.E. and Stearns, S.D.: Characterization of formaldehyde by gas chromatography using multiple pulsed-discharge photoionization detectors and a flame ionization detector. *J. Chromatogr. Sci.,* 39 (2001) 54-58.

1207 Fan, S. and Qiou, D.: (Determination of N-alkyl aminobenzaldehyde compounds by gas chromatography). *Ranliao Gongye,* 37, No. 4 (2000) 21-23; CA Selects Plus GC, No. 6 (2001) 130465.

1208 Guo, D., Yu, B. and Gao, Y.: (Determination of ethylene glycol monoethyl ether acetate in automotive coatings by wide-bore capillary gas chromatography). *Wuxi Qinggong Daxue Xuebao,* 20 (2001) 81-83; CA Selects Plus GC, No. 6 (2001) 158850.

1209 Stalikas, C.D. and Konidari, C.N.: Analysis of malondialdehyde in biologial matrices by capillary gas chromatography with electron-capture detection and mass spectrometry. *Anal. Biochem.,* 290 (2001) 108-115.

1210 Thomsen, C., Haug, L.S., Lundanes, E., Becher, G. and Lindstrom, G.: Comparing GC-HRMS (EI) and GC-LRMS (CI) for determination of PBDE congeners. *Organohalogen Compd.,* 47 (2000) 194-197.

1211 Tu, Y.Q., Hubener, A., Zhang, H., Moore, C.J., Fletcher, M.T., Hayes, P., Dettner, K., Francke, W., McElean, C.S.P. and Kitching, W.: Synthesis and stereochemistry of insect derived spiroacetals with branched carbon skeletons. *Synthesis,* (2000) 1956-1978; *C.A.,* 134 (2001) 115792n.

1212 Wardencki, W., Orlita, J. and Namiesnik, J.: Comparison of extraction techniques for gas chromatographic determination of volatile carbonyl compounds in alcohols. *Fresenius J. Anal. Chem.,* 369 (2001) 661-665.

1213 Zhang, Q., Niu, S. and Wang, G.: (GC determination of *p*-fluorobenzaldehyde prepared by electro-synthesis). *Lihua Jianyan, Huaxue Fence,* 36 (2000) 559-560; *C.A.,* 134 (2001) 231314g.

1214 Zhang, Y., Shi, X., Fu, R., Zhang, H., Ling, Y., Zuo, X. and Liu, H.: (Resolution of optical isomers of α-hydroxyacetones by high resolution gas chromatography on chiral stationary phase). *Fenxi Huaxue,* 29 (2001) 336-338; CA Selects Plus GC, No. 9 (2001) 248586.

See also 1038, 1128, 1145, 1160, 1168, 1169, 1189, 1203, 1271, 1451, 1453, 1466.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

1215 Chen, W., Jiang, L., Xu, L. and Jiang, C.: (Study on quantitative analysis of whole-cell sugar in actinomycete by gas chromatography-mass spectrum). *Weishengwuxue Tongbao,* 27 (2000) 416-420; CA Selects Plus GC, No. 6 (2001) 143021.

1216 Liu, X. and Yu, B.: (Determination of monosaccharides in ginkgo exocarp by derivatization GC). *Yangzhou Daxue Xuebao, Ziran Kexueban,* 3, No. 4 (2000) 17-19; *C.A.,* 134 (2001) 234365k.

1217 Van Dongen, B.E., Schouten, S. and Damste, J.S.S.: Gas chromatography/combustion/isotope-ratio-monitoring mass spectrometric analysis of methylboronic derivatives of monosaccharides: a new method for determining natural ^{13}C abundance of carbohydrates. *Rapid Commun. Mass Spectrom.,* 15 (2001) 496-500.

1218 Yoshii, H., Uchino, H., Ohmura, C., Watanabe, K., Tanaka, Y. and Kawamori, R.: Clinical usefulness of measuring urinary polyol exctretion by gas-chromatography/mass-spectrometry in type 2 diabetes to assess polyol pathway activity. *Diabetes Res. Clin. Pract.,* 51 (2001) 115-123; CA Selects Plus GC, No. 5 (2001) 95065.

See also 1048, 1271, 1397, 1420, 1426.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

1219 Xu, X., Gao, Y., Chen, C. and Liu, M.: (Characterization of crude tea polysaccharides). *Shipin Kexue (Beijing),* 21, No. 8 (2000) 13-15; *C.A.,* 134 (2001) 177692p.

See also 1215, 1479.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

1220 Allegretti, P.E., Schiavoni, M.M., di Loreto, H.E., Furlong, J.J.P. and Della Vedova, C.O.: Separation of keto-enol tautomers in β-ketoesters: a gas chromatography-mass spectrometric study. *J. Mol. Struct.,* 560 (2001) 327-335.

1221 Jerzewska, M.: (Distinction of C22:1 acid isomers by gas chromatography in edible oils and fats as illustrated by cod liver oil). *Tluszcze Jedalne,* 35 (2000) 57-67; CA Selects Plus GC, No. 6 (2001) 149434.

1222 Jin, M. and Yan, J.: (Capillary gas chromatographic determination of trace methyl cyanoacetate in wastewater). *Fenxi Yiqi,* (2001) 27-29; CA Selects Plus GC, No. 6 (2001) 159089.

1223 Kalantari, K.M. and Hall, M.A.: A new method for the quantification of 1-(malonylamino)cyclopropane-1-carboxylic acid in water-stressed plant tissues. *J. Sci., Islamic Repub. Iran,* 10 (1999) 211-217; *C.A.,* 134 (2001) 263094b.

1224 Kristensen, N.B.: Quantification of whole blood short-chain fatty acids by gas chromatographic determination of plasma 2-chloroethyl derivatives and correction for dilution space in erythrocytes. *Acta Agric. Scand., Sect. A,* 50 (2000) 231-236; CA Selects Plus GC, No. 6 (2001) 139142.

1225 Li, F., Lu, Z., Xue, J. and Wu, L.: (Method for determining moisture in chloroacetic acid products). *Fenxi Huaxue,* 29 (2001) 120; *C.A.,* 134 (2001) 187663u.

1226 Loe, Y.-c.C., Bergeron, N., Rodriguez, N. and Schwarz, J.-M.: Gas chromatography/mass spectrometry method to quantify blood hydroxycitrate concentration. *Anal. Biochem.,* 292 (2001) 148-154.

1227 Maker, O.A.: Synthesis and gas chromatography/mass spectrometry analysis of stereoisomers of 2-hydroxy-3-methylpentanoic acid. *Methods Enzymol.,* 324 (2000) 3-10; *C.A.,* 134 (2001) 178385c.

1228 Markom, M., Singh, H. and Hasan, M.: Supercritical CO_2 fractionation of crude palm oil. *J. Supercrit. Fluids,* 20 (2001) 45-53.

1229 Mol, J., Rostanski, K. and Szulik, J.: The Oenothera species evaluation by gas chromatography. *Riv. Ital. Sostanze Grasse,* 78 (2001) 35-40; CA Selects Plus GC, No. 8 (2001) 223471.

1230 Peltroche-Llacsahuanga, H., Schmidt, S., Seibold, M., Lutticken, R. and Hasse, G.: Differentiation between *Candida dubliniensis* and *Candida albicans* by fatty acid methyl ester analysis using gas-liquid chromatography. *J. Clin. Microbiol.,* 38 (2000) 3696-3704.

1231 Santos Bento, M.F., Pereira, H., Cunha, M.A., Moutinho, A.M.C., van den Berg, K.J. and Boon, J.J.: A study of variability of suberin composition in cork from *Quercus suber* L. using thermally assisted transmethylation GC-MS. *J. Anal. Appl. Pyrolysis,* 57 (2001) 45-55.

1232 Smith, R.M., Hyytiäinen, M., Felipe, A.V. and Morris, P.M.: High resolution packed column supercritical fluid chromatography of fatty acid methyl esters. *J. Sep. Sci.,* 24 (2001) 208-212.

1233 Tavares, M.C.H., Vilegas, J.H.Y. and Lancas, F.M.: Separation of underivatised triterpene acids by capillary supercritical fluid chromatography. *Phytochem. Anal.,* 12 (2001) 134-137; CA Selects Plus GC, No. 9 (2001) 271441.

1234 Unterweger, H., Wacha, C. and Bandion, F.: (Determination of oxalic acid in honey using GC-MS (SIM)). *Ernaehrung (Vienna),* 25 (2001) 111-115; *C.A.,* 134 (2001) 279765g.

1235 Urakami, K., Higashi, A., Umemoto, K., Godo, M., Watanabe, C. and Hashimoto, K.: Compositional analysis of copoly (DL-lactic/glycolic acid) (PLGA) by pyrolysis-gas chromatography/mass spectrometry combined with one-step thermally assisted hydrolysis and methylation in the presence of tetramethylammonium hydroxide. *Chem. Pharm. Bull.,* 49 (2001) 203-205; CA Selects Plus GC, No. 5 (2001) 100160.

1236 Wang, M.-L., Su, N.-W., Lee, M.-H., Hwang, B.-S. and Choong, Y.-M.: (A rapid gas chromatographic method for direct determination of lactic acid in liquid fermented foods). *Taiwan Nongye Huaxue Yu Shipin Kexue,* 38 (2000) 508-514; CA Selects Plus GC, No. 9 (2001) 256647.

1237 Wang, X., Yao, J., Yuan, C. and Yu, Z.: (Analysis of fatty acids of dry-thallus of high-yield arachidonic acid producing strain by gas chromatography and mass spectrometry). *Fenxi Huaxue,* 29 (2001) 287-289; CA Selects Plus GC, No. 9 (2001) 248571.

1238 Xie, Y.: Analyzing haloacetic acids using gas chromatography/mass spectrometry. *Water Res.,* 35 (2001) 1599-1602.

1239 Xin, R.-x., Wu, W., Jiao, J.-x., Zhang, P., Liang, J.-f. and Song, C.-l.: (Determination of trace fatty acids in trialkylphosphine oxide by pyrolysis methylation gas chromatography). *Fenxi Shiyanshi,* 20 (2001) 8-11; CA Selects Plus GC, No. 6 (2001) 155943.

1240 Zhou, Y.-h., Li, W.-g., Yi, F.-p. and Liu, X.-m.: (Determination of fatty acids in Malania oleifera oil by gas chromatography-mass spectrometry). *Sepu,* 19 (2001) 147-148; CA Selects Plus GC, No. 10 (2001) 293969.

1241 Zollner, P.: Nitrogen-containing derivatives for structure determination of long alkyl chains of lipids by gas chromatography-mass spectrometry. In: Rahman, A.U. (Editor), *New Advances in Anal. Chem.,* Harwood Academic Publishers, Amsterdam, 2000, pp. P2/125-P2/174; CA Selects Plus GC, No. 5 (2001) 102710.

See also 1030, 1085, 1274, 1416, 1422, 1430, 1431, 1460.

11b. Prostaglandins

1242 Bessard, J., Cracowski, J.-L., Stanke-Labesque, F. and Bessard, G.: Determination of isoprostaglandin $F_{2\alpha}$ type III in human urine by gas chromatography-electric impact mass spectrometry. Comparison with enzyme immunoassay. *J. Chromatogr. B,*

See also 1038, 1131, 1241.

12. ORGANIC PEROXIDES

1248 Williams, J., Roberts, J.M., Bertman, S.B., Stroud, C.A., Fehsenfeld, F.C., Baumann, K., Buhr, M.P., Knapp, K., Murphy, P.C., Nowick, M. and Williams, E.J.: A method for the airborne measurement of PAN, PPN, and MPAN. *J. Geophys. Res., [Atmos.],* 105 (2000) 28943-28960; *C.A.,* 134 (2001) 241600m.

See also 1280.

13. STEROIDS

13b. Pregnane and androstane derivatives

1249 Choi, M.H., Yoo, Y.S. and Chung, B.C.: Measurement of testosterone and pregnenolone in nails using gas chromatography-mass spectrometry. *J. Chromatogr. B,* 754 (2001) 495-501.

1250 Haber, E., Muñoz-Guerra, J.A., Soriano, C., Carreras, D., Rodriguez, C. and Rodriguez, F.A.: Automated sample preparation and gas chromatographic-mass spectrometric analysis of urinary androgenic anabolic steroids. *J. Chromatogr. B,* 755 (2001) 17-26.

1251 Iqbal, Z., Midgely, J.M. and Watson, D.G.: The quantification of endogenous steroids in bovine aqueous humour and vitreous humour using isotope dilution GC-NCI-MS. *J. Pharm. Biomed. Anal.,* 24 (2001) 535-543.

1252 Lu, M., Horiguchi, T., Shiraishi, H., Shibata, Y., Abo, M., Okubo, A. and Yamazaki, S.: (Identification and quantitation of steroid hormones in marine gastropods by GC/MS). *Bunseki Kagaku,* 50 (2001) 247-255.

1253 McKinney, A.R., Ridley, D.D. and Suann, C.J.: The metabolism

[redacted]

11c. Lipids and their constituents

1243 Andrikopoulos, N.K., Giannakis, I.G. and Tzamtzis, V.: Analysis of olive oil and seed oil triglycerides by capillary gas chroma-

and 21-oxygenated metabolites by gas chromatography/mass spectrometry. *J. Mass Spectrom.,* 36 (2001) 145-150.

13c. Estrogens

1366 Wittke, K., Hajimiragha, H., Dunemann, L. and Begerow, J.: Determination of dichloroanilines in human urine by GC-MS, GC-MS-MS, and GC-ECD as markers of low-level pesticide exposure. *J. Chromatogr. B,* 755 (2001) 215-228.

See also 1346.

29f. Fungicides

1367 Fitzpatrick, L.J. and Dean, J.R.: Pressurised fluid extraction of bupirimate and ethirimol from aged soils. *J. Chromatogr. A,* 918 (2001) 429-433.

1368 Ma, H., Ji, R., Zhang, Y. and Liu, Z.: (Analytical method for determination of mancozeb residue in watermelon, watermelon leaf, and soil by gas chromatography). *Nongyaoxue Xuebao,* 2, No. 2 (2000) 63-70; CA Selects Plus GC, No. 10 (2001) 277745.

1369 Martel, A.-C. and Porthault, M.: Pesticide residues in raspberries and lettuce: extraction and comparison of three chromatographic methods: HPLC, HPTLC abd GC. *J. Liq. Chromatogr. Relat. Technol.,* 23 (2000) 3043-3058; *C.A.,* 134 (2001) 142897g.

1370 Matsumoto, H.: Simultaneous determination of imazalil and its major metabolite in citrus fruit by solid-phase extraction and capillary gas chromatography with electron capture detection. *J. Assoc. Off. Anal. Chem. Int.,* 84 (2001) 546-550.

29g. Other types of pesticides and various agrochemicals

1371 Huang, X., Ji, Y., Ye, J., Shan, W. and Jian, Q.: (Analysis of dicofol technical material and its impurities with GC-MS). *Nongyao Kexue Yu Guanli,* 21, No. 5 (2000) 9-12; *C.A.,* 134 (2001) 111552m.

1372 Vílchez, J.L., Prieto, A., Araujo, L. and Navalón, A.: Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry. *J. Chromatogr. A,* 919 (2001) 215-221.

31. PLASTICS AND THEIR INTERMEDIATES

1373 Breen, C., Last, P.M., Taylor, S. and Komadel, P.: Synergic chemical analysis - the coupling of TG with FTIR, MS and GC-MS. 2. Catalytic transformation of the gases evolved during the thermal decomposition of HDPE using acid-activated clays. *Thermochim. Acta,* 363 (2000) 93-104.

1374 Camacho, W. and Karlsson, S.: Quality-determination of recycled plastic packaging waste by identification of contaminants by GC-MS after microwave assisted extraction (MAE). *Polym. Degrad. Stab.,* 71 (2000) 123-134.

1375 Fabbri, D.: Use of pyrolysis-gas chromatography/mass spectrometry to study environmental pollution caused by synthetic polymers: a case study: the Ravenna Lagoon. *J. Anal. Appl. Pyrolysis,* 58-59 (2001) 361-370.

1376 Hodgson, S.C., Casey, R.J., Orbell, J.D. and Bigger, S.W.: Use of a dynamic headspace GC-MS method for the study of volatile organic compounds in polyethylene packaging: an undergraduate experiment in polymer analysis. *J. Chem. Educ.,* 77 (2000) 1631-1633.

1377 Safiullina, F.F., Zenitova, L.A. and Kirpichnikov, P.A.: (Application of inverse gas chromatography to optimize compositions of poly(urethane) synthesis). *Vysokomol. Soedin., Ser. A Ser. B,* 42 (2000) 1766-1768; CA Selects Plus GC, No. 5 (2001) 114507.

1378 Yang, X.: (Quantitative analysis of ethylene-propylene copolymer composition with PGC). *Huaxue Shijie,* 41 (2000) 433-435; *C.A.,* 134 (2001) 238050b.

1379 Zou, Q.-c., Zhang, Y.-h., Peng, S.-j. and Fang, G.-r.: (Determination of surface energy of PS-PEO-PS triblock copolymers by inverse gas chromatography). *Sepu,* 19 (2001) 55-57.

See also 1037, 1040, 1042, 1045, 1467, 1468, 1482.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

1380 Coran, S.A., Giannellini, V., Furlanetto, S., Bambagiotti-Alberti, M. and Pinzauti, S.: Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution. *J. Chromatogr. A,* 915 (2001) 209-216.

32b. Antirheumatics and antiinflammatory drugs

See 1387, 1396.

32c. Autonomic and cardiovascular drugs

1381 Gao, L., Ramzan, I. and Baker, B.: Gas chromatographic-mass spectrometric assay for rocuronium with potential for quantifying its metabolite, 17-desacetylrocuronium, in human plasma. *J. Chromatogr. B,* 757 (2001) 207-214.

1382 Gyllenhaal, O.: Fast enantioselective separation of clividipine and a dihydropyridine substituted acid by SFC on Chiralpak AD. *Fresenius J. Anal. Chem.,* 369 (2001) 54-56.

1383 Mielcarek, J., Stobiecki, M. and Franski, R.: Identification of photodegradation products of nilvadipine using GC-MS. *J. Pharm. Biomed. Anal.,* 24 (2000) 71-79; *C.A.,* 134 (2001) 197939c.

1384 Puig, S., Moragon, T., Garcia-Soret, A. and Martinez, L.: Validation of a chromatographic method to determine E-6006 and its metabolite E-6332 in rat and dog plasma by solid-phase extraction and capillary gas chromatography. Application in pharmacokinetics. *J. Pharm. Biomed. Anal.,* 24 (2001) 887-896.

1385 Xue, J., Wang, Z., Zhao, Y. and Wang, R.: (Determination of propiverine and its N-oxide metabolite in human plasma by gas chromatography-mass spectrometry). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 479-481; *C.A.,* 134 (2001) 141283s.

32d. Central nervous system drugs

1386 Bouche, M.-P.L.A., van Bocxlaer, J.F.P., Rolly, G., Versichelen, L.F.M., Struys, M.R.F., Mortier, E. and de Leenheer, A.P.: Quantitative deterination of vapor-phase compound A in sevoflurane anesthesia using gas chromatography-mass spectrometry. *Clin. Chem. (Washington),* 47 (2001) 281-291.

1387 Koster, E.H.M., Bruins, C.H.P., Wemes, C. and de Jong, G.J.: On-fiber derivatization for direct immersion solid-phase microextraction. Part I: acylation of amphetamine with pentafluorobenzoyl chloride. *J. Sep. Sci.,* 24 (2001) 116-122.

1388 Kudo, K., Ikeda, N. and Hino, Y.: Simultaneous determination of triazolam and its metabolites in human blood and urine by GC/MS. *Z Zagadnien Nauk Sadowych,* 43 (2000) 137-143; *C.A.,* 134 (2001) 189085f.

1389 Kushnir, M.M. and Urry, F.M.: Use of a statistically designed experimental approach to optimize the propylketal derivatization of barbiturates. *J. Chromatogr. Sci.,* 39 (2001) 129-136.

1390 Negrusz, A., Moore, C.M., Stockham, T.L., Poiser, K.R., Kern, J.L., Palaparthy, R., Le Ngoc, L.T., Janicak, P.G. and Levy, N.A.: Elimination of 7-aminoflunitrazepam and flunitrazepam in urine after a single dose of Rohypnol. *J. Forensic Sci.,* 45 (2000) 1031-1040.

1391 Speed, D.J., Dickson, S.J., Cairns, E.R. and Kim, N.D.: Analysis of paracetamol using solid-phase extraction, deuterated internal standards, and gas chromatography-mass spectrometry. *J. Anal. Toxicol.,* 25 (2001) 198-202.

See also 1053.

32e. Chemotherapeutics (exc. cytostatics and antibiotics)

1392 Bhoir, S.I., Bhoir, I.C., Bhagwat, A.M. and Sundaresan, M.: Determination of sulfadoxine in human blood plasma using packed-column supercritical fluid chromatography. *J. Chromatogr. B,* 757 (2001) 39-47.

32f. Cytostatics

1393 Dumez, H., Guetens, G., de Boeck, G., Highley, M., Tjaden, U.R., Maes, R., Hanauske, A., van Oosterom, A.T. and de Bruijn, E.A.: Quantitation of suspensions (MESED). Application of MESED-GC/MS in the quantitation of ifosfamide mustard in erythrocytes, plasma, and plasma water. *J. Sep. Sci.,* 24 (2001) 123-128.

1394 Huitema, A.D.R., Reinders, C., Tibben, M.M., Rodenhuis, S. and Beijnen, J.H.: Sensitive gas chromatographic determination of the cyclophosphamide metabolite 2-dechloroethylcyclophosphamide in human plasma. *J. Chromatogr. B,* 757 (2001) 349-357.

1395 Li, A.-Q. and Zhao, X.-L.: Determination and pharmacokinetic study of 1-*p*-(3,3-dimethyl-1-triazeno)benzoic acid in cancer patients by capillary gas chromatography. *Biomed. Chromatogr.,* 15 (2001) 75-78.

32g. Other drug categories

1396 Hubbard, W.C., Liu, M.C., Bickel, C., Argenti, D., Heald, D. and Schleimer, R.P.: Measurement of low picomolar levels of triamcinolone acetonide in human bronchoalveolar lavage fluid by gas chromatography-electron-capture negative-ion mass spectrometry. *Anal. Biochem.,* 290 (2001) 18-25.

1397 March, J.G., Simonet, B.M. and Grases, F.: Determination of phytic acid by gas chromatography-mass spectroscopy: application to biological samples. *J. Chromatogr. B,* 757 (2001) 247-255.

See also 1188, 1289, 1311.

32h. Toxicological and forensic applications

1398 Broussard, L.A., Presley, L.C., Tanous, M. and Queen, C.: Improved gas chromatography-mass spectrometry method for simultaneous identification and quantification of opiates in urine as propionyl and oxime derivatives. *Clin. Chem. (Washington),* 47 (2001) 127-129.

1399 Bruzon, J.F.S.: (Gas liquid chromatography determination of cocaine and its main metabolites in biological samples). *Rev. CENIC, Cienc. Quim.,* 31, No. 2 (2000) 67-82; *C.A.,* 134 (2001) 126877v.

1400 Dirinck, I., Lambert, W. and de Leenheer, A.: "Phenethylamine" street samples encountered on the Belgian drug market. *Z Zagadnien Nauk Sadowych,* 42 (2000) 75-81; *C.A.,* 134 (2001) 142908m.

1401 ElSohly, M.A., Feng, S. and Murphy, T.P.: Analysis of methadone and its metabolites in meconium by enzyme immunoassay (EMIT) and GC-MS. *J. Anal. Toxicol.,* 25 (2001) 40-44.

1402 Karacic, V. and Skender, L.: Analysis of drugs of abuse in urine by gas chromatography/mass spectrometry: experience and application. *Arh. Hig. Rada Toksikol.,* 51 (2000) 389-400; CA Selects Plus GC, No. 9 (2001) 270018.

1403 Kotai, L., Keszler, A. and Kazinczy, B.: The role of self-protonation under direct GC-MS determination of amphetamine hydrochloride. *Chromatographia,* 53 (2001) 447-449.

1404 Maccarrone, M., Attina, M., Cartoni, A., Bari, M. and Finazzi-Agro, A.: Gas chromatography-mass spectrometry analysis of endogenous cannabinoids in healthy and tumoral human brain and human cells in culture. *J. Neurochem.,* 76 (2001) 594-601; CA Selects Plus GC, No. 5 (2001) 105771.

1405 March, C., Karnes, H.T., McLean, A. and Mukherjee, P.S.: Determination of amphetamines in dog plasma by gas chromatography with mass selective detection. *Biomed. Chromatogr.,* 15 (2001) 100-107.

1406 Meng, P.: (Enantiomer separation and determination of amphetamines with chiral derivatization by gas chromatography-mass spectrometry). *Fenxi Huaxue,* 29 (2001) 182-185; CA Selects Plus GC, No. 7 (2001) 168439.

1407 Praisler, M., Dirinck, I., Lambert, W., de Leenheer, A. and Massart, L.: Evaluation of sample preparation techniques adequate for multivariate algorithms applied for the identification and classification of amphetamine analogues with GC-FTIR [gas chromatography-Fourier transform infrared spectrometry]. *Z Zagadnien Nauk Sadowych,* 43 (2000) 200-207; *C.A.,* 134 (2001) 276567h.

1408 Ueki, M.: (Doping analysis for steroid and differentiation of their origins (review)). *Bunseki Kagaku,* 50 (2001) 287-300 - a review with 61 refs.

1409 Wagner, G. and Kutz, S.: (Drugs in the body? A visit to a laboratory for drug analysis). *Naturwiss. Unterr. Chem.,* 11, No. 60 (2000) 32-37; *C.A.,* 134 (2001) 131037a.

See also 1391.

32i. Plant extracts and traditional Chinese medicines

1410 Chen, B., Chen, W., Yang, G., Fang, H., Qu, Z. and Wu, Y.: (Determination of major components in anti-lumbago tablets using SFE-CGC). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 696-698; *C.A.*, 134 (2001) 183584w.

1411 Chen, B., Zhu, M., Xing, W., Liu, L. and Wu, Y.: (SFE-CGC determination of tanshinone in *Salvia miltiorhiza*). *Yaoxue Xuebao,* 36 (2001) 55-57; *C.A.*, 134 (2001) 242764e.

1412 Yang, F., Wang, J. and Jin, Y.: (Study on pharmacokinetics of ginkgolides in rabbits). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 541-543; *C.A.*, 134 (2001) 216758m.

1413 Yao, Q., Li, Z.-w., Zhang, Q. and Ye, L.-m.: (Study on gas chromatographic method for the evaluation of residual solvents by using wide bore open tubular columns). *Sepu,* 19 (2001) 141-143; CA Selects Plus GC, No. 10 (2001) 293964.

1414 Zhu, X., Shi, L., Liu, B., Gao, Y., Zhang, L., Chen, J. and Gong, M.: (Analysis of volatile components in jujube tincture by GC and GC/MS). *Fenxi Yiqi,* No. 4 (2000) 41-43; *C.A.*, 134 (2001) 278049q.

See also 1187.

33. CLINICO-CHEMICAL APPLICATIONS

33b. Complex mixtures and profiling (single compounds by cross-reference only)

1415 Becker, A.J., Uckert, S., Tsikas, D., Noack, H., Stief, C.G., Frolich, J.C., Wolf, G. and Jonas, U.: Determination of nitric oxide metabolites by means of the griess assay and gas chromatography-mass spectrometry in the cavernous and systemic blood of healthy males and patients with erectile dysfunction during different functional conditions of the penis. *Urol. Res.*, 28 (2000) 364-369; CA Selects Plus GC, No. 5 (2001) 116470.

1416 Chen, J., Zhang, J. and Xue, Q.: (Determination of plasma levels of very long chain fatty acids by gas chromatography). *Zhonghua Yixue Jianyan Zazhi,* 23 (2000) 350-353; CA Selects Plus GC, No. 6 (2001) 158957.

1417 Deng, C.-H., Hu, Y.-M. and Hu, K.-J.: Newborn screening of phenylketonuria by GC-CI-MS-SIM). *Gaodeng Xuexiao Hauxue Xuebao,* 22 (2001) 52-54; *C.A.*, 134 (2001) 249185a.

1418 Deng, C.-H., Hu, Y.-M., Hu, K.-J., Zhang, Y.-F. and Gu, X.-F.: (GC-MS screening of phenylketonuria in newborns). *Huaxue Xuebao,* 59 (2001) 133-136; *C.A.*, 134 (2001) 219180c.

1419 Dimandja, J.-M.D., Grainger, J., Patterson, D.G.Jr., Turner, W.E. and Needham, L.T.: Measurements for assessing environmental exposures to children using small amounts of serum and urine: state-of-the-art. *J. Exposure Anal. Environ. Epidemiol.*, 10 (2000) 761-768; *C.A.*, 134 (2001) 189076d.

1420 Liverani, E., Silveri, N.G., Gasbarrini, G. and Mingrone, G.: Intestinal permeability increases with the severity of abdominal trauma: a comparison between gas liquid chromatographic and enzymatic method. *Hepato-Gastroenterology,* 47 (2000) 1037-1041; *C.A.*, 134 (2001) 204669v.

1421 Mills, G.A. and Walker, V.: Headspace solid-phase microextraction profilling of volatile compounds in urine: application to metabolic investigations. *J. Chromatogr. B,* 753 (2001) 259-268.

1422 Renom, G., Bulois, P., Hafraoui, S., Colombel, J.-F. and Degand, P.-M.: Simple gas chromatography analysis of faecal butyrate: application to patients at risk of pouchitis. *Clin. Chem. Lab. Med.,* 39 (2001) 15-19; CA Selects Plus GC, No. 9 (2001) 244952.

1423 Xia, Z.W., Inoue, Y., Ohse, M., Shinka, T. and Kuhara, T.: A study of α-ketoadipic aciduria by gas chromatographic-mass spectrometry. *World J. Gastroenterol.*, 6 (2000) 766-769; *C.A.*, 134 (2001) 264582w.

See also 1218, 1224, 1283, 1381, 1395.

34. FOOD ANALYSIS

34b. Complex mixtures (single compounds by cross-reference only)

1424 Giacometti, J.: Determination of aliphatic alcohols, squalene, α-tocopherol and sterols in olive oils: direct method involving gas chromatography of the unsaponifiable fraction following silylation. *Analyst (Cambridge),* 126 (2001) 472-475.

1425 Hagiwara, T., Yasuno, T. and Saito, K.: (Determination of total bromine in natural food additives). *Shokuhin Eiseigaku Zasshi,* 41 (2000) 397-400; *C.A.*, 134 (2001) 114971h.

1426 Low, N.H., McLaughlin, M.A., Page, S.W., Canas, B.J. and Brause, A.R.: Identification of hydrolyzed inulin syrup amd high-fructose corn syrup in apple juice by capillary gas chromatography. *J. Assoc. Off. Anal. Chem. Int.*, 84 (2001) 486-492.

1427 Nagy, G., Stanescu, U., Dadarlat, D., Frandas, A., Bele, C., Surducan, V., Bicanic, D. and Jalink, H.: Combined photoluminescence, photopyroelectric and gas chromatographic study of early spoilage of edible oils. *Rom. Rep. Phys.*, 51 (2000) 923-928; CA Selects Plus GC, No. 10 (2001) 281905.

1428 Saba, A., Cuzzola, A., Raffaelli, A. and Salvadori, P.: (Solid-phase microextraction-GC-MS (SPME-GC-MS) analyses of hazelnut creams). *Lab. 2000,* 14, No. 7 (2000) 86-88; *C.A.*, 134 (2001) 265311u.

1429 Shatirishvili, S. and Gigilashvili, S.: Chromatografic analysis of wines liquid phase. *Bull. Georgian Acad. Sci.*, 161 (2000) 238-239; *C.A.*, 134 (2001) 146730v.

1430 Uematsu, Y., Hirata, K., Suzuki, K., Iida, K., Kan, T. and Saito, K.: Determination of sucrose esters of fatty acids in food additive premixes by gas chromatography and confirmation of identity by gas chromatography/mass spectrometry. *J. Assoc. Off. Anal. Chem. Int.*, 84 (2001) 498-506.

1431 Xia, B.: (Application of gas chromatography and hallmark test of sesame oil in appraisal of adulteration of sesame oil). *Huaxue Fenxi Jiliang,* 9, No. 3 (2000) 24-25; CA Selects Plus GC, No. 6 (2001) 153914.

See also 1137, 1148, 1167, 1173, 1176, 1177, 1179, 1190, 1212, 1219, 1221, 1228, 1234, 1236, 1243, 1245, 1252, 1254, 1255, 1257, 1270, 1296, 1300, 1336, 1339, 1340, 1341, 1343, 1346, 1354, 1355, 1356, 1357, 1359, 1362, 1364, 1368, 1369, 1370.

34c. Organoleptically important compounds (flavors, odors, volatiles)

1432 Anonymous: (Enantioselective analysis for the naturalness valuation of aroma substances). *Lebensmittelchemie,* 55 (2001) 24-26; *C.A.,* 134 (2001) 192432x.

1433 Dirinck, I., van Leuven, I. and Dirinck, P.: SDE-GC-MS profiling of green and roasted coffee beans from different origins. *Czech J. Food Sci.,* 18(Spec. Issue) (2000) 50-51; *C.A.,* 134 (2001) 265508p.

1434 Dirinck, P.: (Flavor characterization of foods by GC-MS analysis). *Chem. Mag. (Leuven),* No. 4 (2000) 5-10; *C.A.,* 134 (2001) 177480t - a review with 8 refs.

1435 Escudero, A., Charpentier, M. and Etievant, P.: Characterization of aged champagne wine aroma by GC-O and descriptive profile analyses. *Sci. Aliments,* 20 (2000) 331-346; *C.A.,* 134 (2001) 177701r.

1436 Maes, K., Vercammen, J., Sandra, P. and Debergh, P.: Headspace analysis of volatile organic compounds of *in vitro* growing tomato plants. *Meded.-Fac. Landbouwkd. Toegepaste Biol. Wet. (Univ. Gent),* 65 (2000) 435-437; *C.A.,* 134 (2001) 233771c.

1437 Mosandl, A., Hener, U. and Fuchs, S.: (Natural odor and aroma substances-authentic evaluation by enantioselective capillary GC and/or isotopic ratio mass spectrometry). *Anal. Taschenb.,* 21 (2000) 37-63; *C.A.,* 134 (2001) 227055f - a review with 32 refs.

1438 Schaller, E., Bosset, J.O. and Escher, F.: Feasibility study: detection of "rind taste" off-flavour in Swiss emmental cheese using and "electronic nose" and a GC-MS. *Mitt. Lebensmittelunters. Hyg.,* 91 (2000) 610-615; *C.A.,* 134 (2001) 251367e.

1439 Shatirishvili, S. and Ninoshvili, I.: Gas chromatographic analysis of wine material vapour phase. *Bull. Georgian Acad. Sci.,* 162 (2000) 87-88; CA Selects Plus GC, No. 6 (2001) 136634.

1444 Zhou, C.-g., Xu, H.-z., Ma, Y.-a., Li, H. and Yao, Z.-w.: (Determination of PCBs in environmental samples with capillary GC-ECD). *Haiyang Huanjing Kexue,* 19 (2000) 57-61; *C.A.,* 134 (2001) 120410r.

See also 1146, 1152, 1154, 1161, 1419.

35b. Air pollution (complex mixtures; single compounds by cross-reference only)

1445 Carre, J., Popescu, M. and Barbulea, C.: (Monitoring of industrial pollutants of the atmosphere by direct gas chromatography or after activated carbon adsorption). *Pollut. Atmos.,* 166 (2000) 273-281; *C.A.,* 134 (2001) 167202q.

1446 De Bortoli, M., Kephalopoulos, S., Kirchner, S., Schauenburg, H. and Vissers, H.: State-of-the-art in the measurement of volatile organic compounds emitted from building products: results of European interlaboratory comparison. [Erratum to document cited in CA131:119996]. *Indoor Air,* 10 (2000) 136; *C.A.,* 134 (2001) 182675q.

1447 Koziel, J.A. and Pawliszyn, J.: Air sampling and analysis of volatile organic compounds with solid phase microextraction. *J. Air Waste Manage. Assoc.,* 51 (2001) 173-184; *C.A.,* 134 (2001) 284803x - a review with 27 refs.

1448 Leotz-Gartziandia, E., Tatry, V. and Carlier, P.: Sampling and analysis of polycyclic aromatic hydrocarbons (PAH) and oxygenated PAH in diesel exhaust and ambient air. *Polycyclic Aromat. Compd.,* 20 (2000) 245-258; *C.A.,* 134 (2001) 119829c.

1449 Mayol-Bracero, O.L., Rosario, O., Corrigan, C.E., Morales, R., Torres, I. and Perez, V.: Chemical characterization of submicron organic aerosols in the tropical trade winds of the Caribbean using gas chromatography/mass spectrometry. *Atmos. Environ.,* 35 (2001) 1735-1745.

588 Furlong, E.B., Soares, L.A., de Souza, V.A.P. and Dadalt, G.: (Aflatoxins, ochratoxin A and zearalenone in foods in Rio Grande do Sul, Brazil). *Rev. Inst. Adolfo Lutz,* 58 (2999) 105-111; *C.A.*, 134 (2001) 99756w.

589 Huq, M.S., Amin, M.R., Dawlatana, M., Shahida, S., Rahim, M. and Khan, S.: Investigation on the occurrence of aflatoxin/mycotoxin in food grains and feedstuffs of Bangladesh: Part 1.: Aflatoxin in rice. *Bangladesh J. Sci. Ind. Res.,* 34 (1999) 136-143; *C.A.*, 134 (2001) 162111z.

590 Lemke, S.L., Ottinger, S.E., Ake, C.L., Mayura, K. and Phillips, T.D.: Deamination of fumonisin B_1 and biological assessment of reaction product toxicity. *Chem. Res. Toxicol.*, 14 (2001) 11-15; *C.A.*, 134 (2001) 218190u.

591 Paik, S.-B., Chung, I.M., Yu, S.H. and Kim, E.Y.: (Survey and control of the occurrence of mycotoxins from post-harvest fruits. II. Detection and control of the occurrence of Penicillium mycotoxins producing pathogen in storaged fruits (apple, pear, citrus and grape)). *Han'guk Kyunhakhoechi,* 28 (2000) 49-54; *C.A.*, 134 (2001) 114997w.

592 Papp, E., Farkas, A., Otta, K.H. and Mincsovics, E.: Validation and robustness testing of an OPLC method for the determination of aflatoxins in wheat. *J. Planar Chromatogr.*, 13 (2000) 328-332.

593 Prado, G. and de Oliveira, M.S.: (Comparison between ELISA and thin layer chromatography in the quantification of aflatoxins in peanuts). *Rev. Inst. Adolfo Lutz,* 58, No. 2 (1999) 99-104; *C.A.*, 134 (2001) 99755v.

594 Sweeney, M.J., Pamies, P. and Dobson, A.D.W.: The use of reverse transcription-polymerase chain reaction (RT-PCR) for monitoring aflatoxin production in *Aspergillus parasiticus* 439. *J. Food Microbiol.*, 56 (2000) 97-103; *C.A.*, 134 (2001) 203193y.

See also 858, 860.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

595 Bode, H.B. and Zeeck, A.: UV mutagenesis and enzyme inhibitors as tools to elucidate the late biosynthesis of the spirobisnaphthalenes. *Phytochemistry,* 55 (2000) 311-316; *C.A.*, 134 (2001) 160007w.

See also 710, 814.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

596 Bladek, J., Rostowski, A., Slowikowska, H. and Wasiukowa, J.: Thin-layer chromatographic screening of transformer oil for 2-furaldehyde. *J. Planar Chromatogr.*, 14 (2001) 57-60.

597 Kocjan, B.: Detection and identification of quinones in TLC. *J. Planar Chromatogr.*, 13 (2000) 396-397.

598 Nakano, M., Matsuo, J.-I. and Mukaiyama, T.: Benzylation of alcoholic hydroxyl groups with benzyl mesylate by using a catalytic amount of lithium tetrakis(pentafluorophenyl)borate in the coexistence of lithium triflate and magnesium oxide. *Chem. Lett.*, No. 12 (2000) 1352-1355; *C.A.*, 134 (2001) 178137y.

599 Rozylo, T.K., Zabinska, A., Tyihak, E. and Rozylo-Kalinowska, I.: The possibility of quantitative OPLC measurement of levels of formaldehyde in human saliva. *J. Planar Chromatogr.*, 13 (2000) 394-396.

600 Sarkar, R.K., Zaman, M.B., Hye, M.A., Mondal, M.I.H., Ahsan, M.A. and Rahman, M.A.: Preparation of sinapaldehyde from bagasse-based lignin as 2,4-dinitrophenylhydrazine derivative. *Bangladesh J. Sci. Ind. Res.*, 33 (1998) 319-320; *C.A.*, 134 (2001) 149153v.

601 Schmitz, H., Hilgers, U. and Weidner, M.: Assimilation and metabolism of formaldehyde by leaves appear unlikely to be of value for indoor air purification. *New Phytol.*, 147 (2000) 307-315; *C.A.*, 134 (2001) 113049b.

602 Suzarte, A., Echeverria, M., Rosado, A. and Rodriguez, M.: (Sensitized photo-oxidation of furfural in *n*-butanol. I. Analysis of the reaction products). *Rev. CENIC, Cienc. Quim.*, 31, No. 3 (2000) 171-177; *C.A.*, 134 (2001) 207665.

603 Takacs-Novak, K., Perjesi, P. and Vamos, J.: Determination of logP for biologically active chalcones and cyclic chalcone analogs by RPTLC. *J. Planar Chromatogr.*, 14 (2001) 42-46.

See also 708, 771, 849.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

604 Altamirano, A., Vazquez, F. and de Figueroa, L.I.C.: Isolation and identification of xylitol-producing yeast from agricultural residues. *Folia Microbiol. (Prague),* 45 (2000) 255-258; *C.A.*, 134 (2001) 204972p.

605 Arzamastsev, A.P., Shkarina, E.I., Maksimova, T.V., Pakhomov, V.P., Nikulina, I.N., Lozovskaya, E.L., Chumakova, Z.V. and Sapezhinskii, I.I.: Evaluation of the antioxidant activity of medicinal plant preparations. *Pharm. Chem. J.*, 53 (1999, Pub. 2000) 587-590; *C.A.*, 134 (2001) 141363t.

606 Awaad, A.S.: Phytochemical investigation and biological activities of *Cynanchum acutum* growing in Egypt. *Bull. Fac. Pharm. (Cairo Univ.),* 38 (2000) 153-162; *C.A.*, 134 (2001) 219774Z.

607 Bogo, A. and Mantle, P.: Oligosaccharides in the honeydew of Coccoidea scale insects: *Coccus hesperidum* L. and a new *Stigmacoccus sp.* in Brazil. *An. Soc. Entomol. Bras.*, 29 (2000) 589-595; *C.A.*, 134 (2001) 175833m.

608 De Santi, C., Pietrabissa, A., Mosca, F. and Pacifici, G.M.: Glucuronidation of resveratrol, a natural product present in grape and wine, in the human liver. *Xenobiotica,* 30 (2000) 1047-1054; *C.A.*, 134 (2001) 222031k.

609 El Fiki, N.M.: Chemical composition and biological activity of *Spondias lutea* L. cultivated in Egypt. *Al-Azhar J. Pharm. Sci.*, 25 (2000) 206-221; *C.A.*, 134 (2001) 205041w.

610 Gnoth, M.J., Kunz, C., Kinne-Saffran, E. and Rudloff, S.: Human milk oligosaccharides are minimally digested *in vitro*. *J. Nutr.*, 130 (2000) 3014-3020; *C.A.*, 134 (2001) 146871s.

611 Grenier, J., Potvin, C. and Asselin, A.: Some fungi express β-1,3-glucanases similar to thaumatin-like proteins. *Mycologia,* 92 (2000) 841-848; *C.A.*, 134 (2001) 68486d.

612 Gueguen, Y., Rolland, J.-L., Schroeck, S., Flament, D., Defretin, S., Saniez, M.-H. and Dietrich, J.: Characterization of the maltooligosyl trehalose synthase from the thermophilic archaeon *Sulfolobus acidocaldarius*. *FEMS Microbiol. Lett.*, 194 (2001) 201-206; *C.A.*, 134 (2001) 218749h.

613 Kim, Y., Fried, B. and Sherma, J.: Thin-layer chromatographic analysis of carbohydrates in *Biomphalaria glabrata* snails maintained on high-fat diet. *J. Planar Chromatogr.*, 14 (2001) 61-63.

614 Lee, K.S., Choi, M.R. and Lim, H.S.: Development of coencapsulating technology for the production of chitosanoligosaccharides. *Biotechnol. Bioprocess Eng.*, 5 (2000) 345-349; *C.A.*, 134 (2001) 55521m.

615 Marlida, Y., Saari, N., Hassan, Z. and Radu, S.: Raw starch-degrading enzyme from newly isolated strains of endophytic fungi. *World J. Microbiol. Biotechnol.*, 16 (2000) 573-578; *C.A.*, 134 (2001) 160004t.

616 Mohamed, W.A.H.: Chemical composition and biological activities of native and modified polysaccharides from the marine alga *Caulerpa racemosa*. *Bull. Natl. Res. Cent. (Egypt)*, 25, No. 2 (2000) 115-122; *C.A.*, 134 (2001) 68484b.

617 Radwan, H.M., Nazif, N.M. and Ismail, I.A.: The lipid and mucilage constituents of both *Suaeda vermiculata* (Forssk), *Chrozophora plicata* (Vahl) and their insecticidal activities. *Bull. Fac. Pharm. (Cairo Univ.)*, 38 (2000) 73-78; *C.A.*, 134 (2001) 128531b.

618 Shehata, A.H.: Selected chemical and biological studies of immature fruits and male and female flowers of *Luffa aegyptiaca* Miller growing in Egypt. *Al-Azhar J. Pharm. Sci.*, 25 (2000) 166-174; *C.A.*, 134 (2001) 205040v.

619 Somar, N., Ozsoy, N. and Berkkan, H.: β-Galactosidase activity in the mantle tissue of the mussel *Mytilus galloprovincialis* Lam. *Acta Pharm. Turc.*, 42, No. 2,3 (2000) 80-84; *C.A.*, 134 (2001) 277268y.

620 Zhou, P., You, Y., Qi, X., Zhang, Z., Genz, Z. and Dai, H.: (Preparation and properties of glucosamine hydrochloride). *Shuichan Xuebao*, 24 (2000) 76-80; *C.A.*, 134 (2001) 133174s.

See also 584, 622, 633, 699, 703, 712, 764, 846.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

621 Cheng, S., Cui, O.-x. and Wang, Y.: (Extraction and determination of water-soluble polysaccharide of *Momordica charantis* L.) *Zhengzkou Liangshi Xueyuan Xuebao*, 21, No. 2 (2000) 53-56; *C.A.*, 134 (2001) 85240m.

622 Deng, S.-f., Liu, Z.-l., Li, Z.-l. and Yu, L.: (Isolation, purification and chemical structure analysis of polysaccharide from *Spirulina maxima*). *Nanjing Daxue Xuebao, Ziran Kexue*, 36 (2000) 579-584; *C.A.*, 134 (2001) 219439u.

623 Green, J.L., Chavey, P.S., Andrews, G.A. and Smith, J.E.: Production and characterisation of murine monoclonal antibodies to feline erythrocyte A and B antigens. *Comp. Haematol. Int.*, 10 (2000) 30-37; *C.A.*, 134 (2001) 177026z.

624 Guo, Y. and Wang, Z.: (Purification and identification of polysaccharide from *Lentinus edodes*). *Shanghai Shuichan Daxue Xuebao*, 9 (2000) 35-39; *C.A.*, 134 (2001) 55748r.

625 Kanipes, M.I., Lin, S., Cotter, R.J. and Raetz, Ch.R.H.: Ca^{2+}-Induced phosphoethanolamine transfer to the outer 3-deoxy-D-manno-octulosonic acid moiety of *Escherichia coli* lipopolysaccharide. *J. Biol. Chem.*, 276 (2001) 1156-1163.

626 Mikusova, K., Tetsuya, Y., Stern, R., McNeil, M.R., Besra, G.S., Crick, D.C. and Brennan, P.J.: Biosynthesis of the galactan component of the mycobacterial cell wall. *J. Biol. Chem.*, 275 (2000) 33890-33897.

627 Mondal, S. and Saha, S.: Correlation of level of gangliosides in plasma with cancer in human patients. *J. Exp. Clin. Cancer Res.*, 19 (2000) 317-327; *C.A.*, 134 (2001) 264213b.

628 Osanai, T., Chai, W., Tajima, Y., Shimoda, Y., Sanai, Y. and Yuen, C.-T.: Expression of glycoconjugates bearing the Lewis X epitope during neural differentiation of P19 EC cells. *FEBS Lett.*, 488 (2001) 23-28; *C.A.*, 134 (2001) 191226w.

629 Tirumalai, R. and Subramoniam, T.: Carbohydrate components of lipovitellin of the san crab *Emerita asiatica*. *Mol. Reprod. Dev.*, 58 (2001) 54-62; *C.A.*, 134 (2001) 113269y.

630 Wuhrer, M., Dennis, R.D., Doenhoff, M.J. and Geyer, R.: A fucose-containing epitope is shared by keyhole limpet hemocyanin and *Schistosoma mansoni* glycosphingolipids. *Mol. Biochem. Parasitol.*, 110, No. 2 (2000) 237-246; *C.A.*, 134 (2001) 67801r.

See also 651, 658.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

631 Carriere, F., Renou, C., Lopez, V., de Caro, J., Ferrato, F., Lengsfeld, H., de Caro, A., Laugier, R. and Verger, R.: The specific activites of human digestive lipases measured from the *in vivo* and *in vitro* lipolysis of test meals. *Gastroenterology*, 119 (2000) 949-960; *C.A.*, 134 (2001) 144969f.

632 Carrillo-Castafieda, G. and Cano, M.E.A.: Characterization of isodeophore-mediated iron transport from *Rhizobium leguminosarum* bv. phaseoli. *J. Plant Nutr.*, 23 (2000) 1669-1683; *C.A.*, 134 (2001) 192814y.

633 Cengarle, L., Carta, A., Pinna, L., Marceddu, M.F. and Tilloca, G.: Lipid fractions of fish eggs. Note I. Semipreserved products. *Riv. Ital. Sostanze Grasse*, 77 (2000) 77-83; *C.A.*, 134 (2001) 177597m.

634 Clogston, J., Rathman, J., Tomasko, D., Walker, H. and Caffrey, M.: Phase behavior of a monoacylglycerol (Myverol 18-99k)/water system. *Chem. Phys. Lipids*, 107, No. 2 (2000) 191-220; *C.A.*, 134 (2001) 146592b.

635 Cserhati, T., Forgacs, E., Deyl, Z. and Miksik, I.: Effect of molecular parameters on the binding of phenoxyacetic acid derivatives to albumins. *J. Chromatogr. B*, 753 (2001) 87-92.

636 Flieger, J. and Szumilo, H.: Optimizing chromatographic conditions for separation of fatty acid methyl esters by argentation thin-layer chromatography. *J. Planar Chromatogr.*, 13 (2000) 426-431.

637 Khaidarov, K.Kh. and Kimsanov, B.Kh.: Synthesis and biological activity of crotyl derivatives of glycerol. *Pharm. Chem. J.*, 34, No. 2 (2000) 59-60; *C.A.*, 134 (2001) 202556g.

638 Ledoux, M., Laloux, L. and Wolff, R.L.: Analytical methods for determination of trans-C18 fatty acid isomers in milk fat. A review. *Analusis,* 28 (2000) 402-412; *C.A.,* 134 (2001) 55614u - a review with 63 refs.

639 Matsushita, I.: (Preparative chromatographs usefull for development of functional materials. 4. Centrifugal TLC). *Kagaku Sochi,* 43, No. 3 (2001) 82-85; *C.A.,* 134 (2001) 224441t - a review with 8 refs.

640 Matsuzaki, J., Aoyama, M., Baba, A., Maruyama, T., Niiya, I., Yanagita, T. and Sugano, M.: (Study of trans fatty acid content in commercial foods in japan: VI chocolate and chocolate confectionary). *J. Oleo Sci.,* 50 (2001) 49-55; *C.A.,* 134 (2001) 206859f.

641 Nair, S.S.D., Leitch, J. and Garg, M.L.: N-3 polyunsaturated fatty acid supplementation alters inositol phosphate metabolism and protein kinase C activity in adult porcine cardiac myocytes. *J. Nutr. Biochem.,* 12 (2001) 7-13; *C.A.,* 134 (2001) 280085s.

642 Ni, S., Zheng, Y. and Huang, W.: (Determination of oleic acid in *Brucea javanica* oil by TLC-scanning). *Huaxi Yaoxue Zazhi,* 15 (2000) 381-382; *C.A.,* 134 (2001) 157010m.

643 Precht, D. and Molkentin, J.: Recent trends in the fatty acid composition of German sunflower margarines, shortenings and cooking fats with emphasis on individual C16:1, C18:1, C18:2, C18:3 and C20:1 trans isomers. *Nahrung,* 44 (2000) 222-228; *C.A.,* 134 (2001) 85243q.

644 Suzuki, T., Haga, K., Tsutsumi, T. and Matsuyama, S.: Chemical analysis and comparison of acid components of anal secretions of idolothripine thrips. *J. Chem. Ecol.,* 26 (2000) 2449-2458; *C.A.,* 134 (2001) 144739f.

645 Waksmundzka-Hajnos, M., Nowak, R. and Smolarz, H.D.: Retention behaviour of some phenolic acids on polar bonded stationary phases of the type: NP-CN and NP-diol using nonaqueous eluents by HPTLC. *Chem. Anal. (Warsaw),* 45 (2000) 795-807; *C.A.,* 134 (2001) 231294a.

646 Wardas, W. and Pyka, A.: Visualizing agents for esters of higher fatty acids in TLC. *J. Planar Chromatogr.,* 14 (2001) 8-15.

647 Yuan, J., Li, Q. and Li, Z.: (Study on chemical constituents of *Lagopsis supina*). *Zhongguo Zhongyao Zazhi,* 25 (2000) 421-423; *C.A.,* 134 (2001) 53855z.

651 Carr, A., Mullet, A., Mazorra, Z., Vazquez, A.M., Alfonso, M., Mesa, C., Rengifo, E., Perez, R. and Fernandez, L.E.: A mouse IgG_1 monoclonal antibody specific for N-glycolyl GM3 ganglioside recognized breast and melanoma tumors. *Hybridoma,* 19 (2000) 241-247; *C.A.,* 134 (2001) 191988w.

652 Carricaburu, V. and Fournier, B.: Phosphoinositide fatty acids regulate phosphatidylinositol 5-kinase, phospholipase C and protein kinase C activities. *Eur. J. Biochem.,* 268 (2001) 1238-1249.

653 Cline, D.J., Fried, B. and Sherma, J.: High-performance thin-layer chromatographic analysis of neutral lipids and phospholipids in *Cerithidia californica* (Gastropoda) infected with three species of larval trematodes. *Acta Chromatogr.,* 10 (2000) 183-189; *C.A.,* 134 (2001) 113347x.

654 Gysembergh, A., Zakaroff-Girard, A., Loufoua, J., Meunier, L., Andre-Fouet, X., Lagarde, M., Prigent, A.-F. and Ovize, M.: Brief preconditioning ischemia alters diacylglycerol content and composition in rabbit heart. *Basic Res. Cardiol.,* 95 (2000) 457-465; *C.A.,* 134 (2001) 205931m.

655 Harzer, K. and Kustermann-Kuhn, B.: Quantified increases of cholesterol, total lipid and globotriaosylceramide in filipin-positive Niemann-Pick type C fibroblasts. *Clin. Chim. Acta,* 305 (2001) 65-73.

656 Jennemann, R., Geyer, R., Sandhoff, R., Gschwind, R.M., Levery, S.B., Gröne, H.-J. and Wiegand, H.: Glucoinositolphosphophingolipids (basidiolipids) of higher mushrooms. *Eur. J. Biochem.,* 268 (2001) 1190-1205.

657 Kishimoto, K., Urade, R., Ogawa, T. and Moriyama, T.: Nondestructive quantification of neutral lipids by thin-layer chromatography a laser-fluorescent scanning: suitable methods for "lipidome" analysis. *Biochem. Biophys. Res. Commun.,* 281 (2001) 657-662.

658 Kovacic, N., Muthing, J. and Marusic, A.: Immunohistological and flow cytomeric analysis of glycosphingolipid expression in mouse lymphoid tissues. *J. Histochem. Cytochem.,* 48 (2000) 1677-1689; *C.A.,* 134 (2001) 113528g.

659 Liao, J.-H., Zhou, B.-H., Chai, M.-Q. and Song, J.-G.: Cycloheximide blocks TGF-β_1-induced apoptosis in murine hepatocytes. *Acta Pharmacol. Sin.,* 22 (2001) 176-182; *C.A.,* 134 (2001) 173431e.

660 Lightle, S.A., Oakley, J.I. and Nikolova-Karakashian, M.N.: Activation of sphingolipic turnover and chronic generation of

31. PLASTICS AND THEIR INTERMEDIATES

816 Fukuo, T., Kubota, N., Tamura, M. and Arakawa, R.: (ESI-MS analysis of effluents from medical silicon rubber). *J. Mass Spectrom. Soc. Jpn.*, 48 (2000) 353-356; *C.A.*, 134 (2001) 152743t.

817 Heinze, K., Winterhalter, U. and Jannack, T.: Development of an easy-to-use mass spectrometric technique to monitor solid-phase reactions on polystyrene supports. *Chem.-Eur. J.*, 6 (2000) 4203-4210; *C.A.*, 134 (2001) 163450w.

818 Summers, G.J., Beebeejaun, B.M.P. and Summers, C.A.: Synthesis of aromatic carboxyl functionalized polymers by atom transfer radical polymerization. *Polym. Int.*, 49 (2000) 1722-1728; *C.A.*, 134 (2001) 178893s.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

819 Agbaba, D., Eric, S., Markovic, G., Nedeljkovic, V., Veselinovic, S. and Vucetic, M.: The application of HPTLC in the quantitative analysis of drugs. *J. Planar Chromatogr.*, 13 (2000) 333-336.

820 Kalasz, H. and Bathori, M.: Basis and pharmaceutical applications of thin-layer chromatography. *Handb. Anal. Sep.*, 1(Separation Methods in Drug Synthesis and Purification) (2000) 439-501; *C.A.*, 34 (2001) 152723m - a review with 141 refs.

See also 555.

32b. Antirheumatics and antiinflammatory drugs

821 Jamshidi, A., Shahmiri, S. and Adjvadi, M.: HPTLC Assay for aspirin and free salicylic acid in newly formulated liquorice-containing tablets. *J. Planar Chromatogr.*, 13 (2000) 382-384.

822 Krolicka, A. and Lojkowska, E.: (Elicitation of secondary metabolites in *in vitro* culture of *Ammi visnaga*). *Biotechnologia*, No. 4 (2000) 112-117; *C.A.*, 134 (2001) 277960t.

823 Sarbu, C., Demertzis, M.A. and Kovala-Demertzi, D.: Thin-layer chromatographic estimation of the lipophilicity of some metallic complexes of diclofenac with potential anti-inflammatory activity. *Acta Chromatogr.*, 10 (2000) 222-229; *C.A.*, 134 (2001) 50971y.

824 Wang, W., Deng, Y. and Kang, J.: (Determination of ketoprofen in liposomes by paper chromatography-UV spectrophotometry). *Shenyang Yaoke Daxue Xuebao*, 17 (2000) 427-428; *C.A.*, 134 (2001) 121058u.

32c. Autonomic and cardiovascular drugs

825 Aleksic, M.B., Agbaba, D.G., Baosic, R.M., Milojkovic-Opsenica, D.M. and Tesic, Z.L.J.: Thin-layer chromatography of several antihypertensive drugs from the group of angiotensin converting enzyme inhibitors. *J. Serb. Chem. Soc.*, 66 (2001) 39-44; *C.A.*, 134 (2001) 271352z.

826 Dong, H.: (TLC analysis of compound reserpine capsules). *Yaowu Fenxi Zazhi*, 21 (2001) 55-56; *C.A.*, 134 (2001) 212820c.

827 Khaidarov, K.Kh. and Kimsanov, B.Kh.: Synthesis and pharmacological activity of crotonaldehyde-based 1,3-dioxolanes. *Pharm. Chem. J.*, 34, No. 2 (2000) 56-58; *C.A.*, 134 (2001) 188016x.

828 Salama, F.M., Abd El-Sattar, O.I., El Abasawy, N.M. and Abd Allah, O.M.: Colorimetric and second derivative spectrophotometric determination of carbinoxamine maleate in its mixture with pseudoephedrine HCl in rhinostop oral drops. *Al-Azhar J. Pharm. Sci.*, 24 (1999) 70-81; *C.A.*, 134 (2001) 152744u.

829 Shen, X.-F., Wang, A.-M. and Gao, D.-M.: (Examination of related substances in quinapril hydrochloride). *Zhongguo Yiyao Gongye Zazhi*, 31 (2000) 497-499; *C.A.*, 134 (2001) 227484v.

See also 826.

32d. Central nervous system drugs

830 Dongre, V.G., Kamble, V.W. and Janrao, D.M.: High-performance thin-layer chromatographic detection of 1,4-benzodiazepines. *J. Planar Chromatogr.*, 13 (2000) 468-470.

831 Essig, S. and Kovar, K.-A.: Fluorimetric determination of cinchocaine in a pharmaceutical drug by scanning and video densitometry. *Chromatographia*, 53 (2001) 321-322.

832 Guo, S. and Pan, X.: (Studies on quality control of Tiaogu tablets). *Zhongguo Yaoxue Zazhi (Beijing)*, 36 (2001) 53-55; *C.A.*, 134 (2001) 271334v.

833 Gyeresia, A., Gergely, M. and Vamos, J.: Study on the comparative analysis of four compounds in the series of H^2-receptor antagonists. *Farmacia (Bucharest)*, 48, No. 3 (2000) 43-56; *C.A.*, 134 (2001) 105955d.

834 Klys, M., Blalka, J. and Bujak-Gizycka, B.: A case of suicide by intravenous injection of pancuronium. *Leg. Med.*, 2, No. 2 (2000) 93-100; *C.A.*, 134 (2001) 189087h.

835 Li, Y., Chen, L. and Zhu, J.: (TLC determination of tetrahydroplamitine, tetrandrine and demethyltetrandrine in Tonglike injectioons). *Yaowu Fenxi Zazhi*, 21 (2001) 28-30; *C.A.*, 134 (2001) 212817g.

836 Novakova, E.: Analysis of meconium for amphetamines and opiates. Our first experiment. *Z Zagadnien Nauk Sadowych*, 43 (2000) 192-199; *C.A.*, 134 (2001) 276566g.

837 Pufal, E., Sykutera, M., Lis, G., Rochholz, G. and Sliwka, K.: Analysis of estazolam in post-mortem material. *Z Zagadnien Nauk Sadowych*, 43 (2000) 208-216; *C.A.*, 134 (2001) 81903g.

838 Sahini, V.E., Caproiu, M.T. and Ionita, G.: Lipophilicity study of some antipurine derivatives and their interaction with aminoacids. *Rev. Roum. Chim.*, 44 (1999, Pub. 2000) 817-822; *C.A.*, 134 (2001) 110098f.

839 Tames, F., Watson, I.D., Morden, W.E. and Wilson, I.D.: Analysis of benzodiazepines by thin-layer chromatography and tandem mass spectrometry. *J. Planar Chromatogr.*, 13 (2000) 432-436.

See also 558, 747, 748, 759, 821, 824, 863, 870.

32e. Chemotherapeutics (exc. cytostatics and antibiotics)

840 Hess, S., Dölker, M., Kertscher, H.P., Matysik, F.-M., Ortwein, J., Teubert, U., Zimmermann, W. and Eger, K.: Separation, analyses and syntheses of trimethoprim impurities. *Pharmazie,* 56 (2001) 306-310.

841 Soczewinski, E. and Wojciak-Kosior, M.: Thin-layer chromatography of quinolones in ion-associateion systems with di(2-ethylhexyl)orthophosphoric acid (HDEHP). *J. Planar Chromatogr.,* 14 (2001) 28-33.

842 Zabinska, A., Rozylo, J.K., Matysiak, J. and Niewiadomy, A.: New approach for estimation of the biological activity of antimycotic substances. *J. Planar Chromatogr.,* 13 (2000) 420-425.

See also 603.

32f. Cytostatics

843 Chmela, Z., Vesely, J., Lemr, K., Rypka, M., Hanus, J., Havlicek, L., Krystof, V., Michnova, L., Fuksova, K. and Lukes, J.: *In vivo* metabolism of 2,6,9-trisubstituted purin-derived cyclin-dependent kinase inhibitor bohemine in mice: glucosidation as the principal metabolic route. *Drug Metab. Disp.,* 29 (2001) 326-334.

844 Wang, J., Li, G., Lu, H., Xheng, Z., Huang, Y. and Su, W.: Taxol from *Tubercularia sp.* strain TF5, an endophytic fungus of *Taxus mairei. FEMS Microbiol. Lett.,* 193 (2000) 249-253; *C.A.,* 134 (2001) 187916d.

32g. Other drug categories

845 Arzamastsev, A.P., Luttseva, T.Y., Sadchikova, N.P., Gernikova, E.P. and Vaganova, O.A.: Evaluation of the quality of ditilin (suxamethonium iodide) preparations with respect to host impurities. *Pharm. Chem. J.,* 33 (2000) 616-618; *C.A.,* 134 (2001) 61657b.

846 Baek, J.S., Kim, H.Y., Yoo, S.S., Cheong, T.K., Kim, M.J., Lee, S.B., Abbott, T.P., Song, H.J., Rhyu, M.R., Oh, B.H. and Park, K.H.: Synthesis of acarbose transfer products by *Bacillus stearothermophilus* naltogenic amylase with simmondsin. *Ind. Crops Prod.,* 12, No. 3 (2000) 173-182; *C.A.,* 134 (2001) 177879e.

847 Fang, Z., Zhang, L., Jiao, W., Yang, J., Wang, J. and Dong, W.: (Quality control of cholic acid in Fukang powders). *Zhongcaoyao,* 32 (2001) 130-131; *C.A.,* 134 (2001) 271340u.

848 Fisher, J. and Sherma, J.: Determination of the sunscreen octocrylene in lotions by reversed-phase HPTLC-densitometry. *J. Planar Chromatogr.,* 13 (2000) 388-390.

849 Fu, C., Sun, H. and Zhou, P.: (Quantitative determination of emodin in Rhubarb extract by TLCS). *Zhongguo Yiyuan Yaoxue Zazhi,* 21, No. 2 (2001) 85-86; *C.A.,* 134 (2001) 271342w.

850 Hamrapurkar, P.D., Lalla, J.K. and Khandke, S.Y.: Quality assessment of marketed Ayurvedic eye-drop preparation. *Indian Drugs,* 37 (2000) 335-342; *C.A.,* 134 (2001) 152728s.

851 Taneja, V.K.n., Garg, U.G.n., Grover, V.S.n. and Sharma, K.: Studies in the synthesis of 1,2 and 9-substituted phenothiazin-3 and 7-ols and their derivatives. *Asian J. Chem.,* 12 (2000) 1221-1228; *C.A.,* 134 (2001) 266256s.

852 Westgate, E. and Sherma, J.: Determination of the sunscreen octyl salicylate in lotions by reversed-phase high-performance thin-layer chromatography and ultraviolet absorption densitometry. *Am. Lab. (Shelton),* 32, No. 16 (2000) 13-19; *C.A.,* 134 (2001) 90867a.

853 Yu, M.: (Identification of mycospor and cortisol in compound mycospor emulsifiable paste and lotion by thin layer chromatography). *Yaowu Fenxi Zazhi,* 20 (2000) 429-430; *C.A.,* 134 (2001) 61670a.

See also 897.

32h. Toxicological and forensic applications

854 Davies, L.M., Jones, N.E., Brennan, J.S. and Bramble, S.K.: A new visibly-excited fluorescent component in latent fingerprint residue induced by gaseous electrical discharge. *J. Forensic Sci.,* 45 (2000) 1294-1298; *C.A.,* 134 (2001) 173993q.

855 Del Carmen Moreno, C.M., Yepez, A.J.M. and Martinez, T.-R.: (Determination of deoxynivalenol (DON) in wheat, barley and corn and its relationship with the levels of total molds, *Fusarium spp.,* infestation percentage, and water activity). *Arch. Latinoam. Nutr.,* 50, No. 2 (2000) 183-186; *C.A.,* 134 (2001) 130471a.

856 Demme, U., Ahrens, B., Klein, A. and Werner, R.: The combination of two-dimensional thin layer chromatography and remission spectrometry - a chromatographic technique with high identification power for systematic toxicological analysis. *Z Zagadnien Nauk Sadowych,* 42 (2000) 64-74; *C.A.,* 134 (2001) 96304m - a review with 17 refs.

857 Jones, N.E., Davies, L.M., Brennan, J.S. and Bramble, S.K.: Separation of visibly-excited fluorescent components in fingerprint residue by thin-layer chromatography. *J. Forensic Sci.,* 45 (2000) 1286-1293; *C.A.,* 134 (2001) 173992p.

858 Katay, G., Szecsi, A. and Tyihak, E.: Separation of fumonisins by OPLC. *J. Planar Chromatogr.,* 14 (2001) 53-56.

859 Omurtag, G.Z. and Yazicioglu, D.: Determination of T-2 toxin in grain and grain products by HPLC and TLC. *J. Environ. Sci. Health, Part B,* B35 (2000) 797-807; *C.A.,* 134 (2001) 55657k.

860 Ostry, V. and Skarkova, J.: Development of an HPTLC method for the determination of deoxynivalenol in cereal products. *J. Planar Chromatogr.,* 13 (2000) 443-446.

861 Park, S.-W., Jang, S.-G., Park, O.-S., Lee, J.-H., Lee, S.-K., You, J.-H., Kim, D.-H., Jin, K.-H., Kim, K.-W., Kim, Y.-N. and Lho, D.-S.: (A study on the screening of toxic materials by HPTLC and GC/MS). *Anal. Sci. Technol.,* 13 (2000) 108-120; *C.A.,* 134 (2001) 111334s.

862 Popa, D.S., Loghin, F., Oprean, R., Curea, E. and Preda, N.: (Fast analytical methods for the identification of illicit drugs. Note II. Thin layer chromatography (TLC) UV-photodensitometry). *Farmacia (Bucharest),* 48, No. 3 (2000) 75-83; *C.A.,* 134 (2001) 126940k.

863 Popa, D.S., Loghin, F., Palibroda, N., Medgyesi, E. and Curea, E.: (Fast analytical methods for the dentification of illicit drugs. Note III. Mass spectrometry). *Farmacia (Bucharest),* 48, No. 4 (2000) 63-69; *C.A.,* 134 (2001) 158578q.

864 Van den Hurk, P. and James, M.O.: Sulfation and glucuronidation of benzo[a]pyrene-7,8-dihydrodiol in intestinal mucosa of channnel catfish *(Ictalurus punctatus). Mar. Environ. Res.,* 50, No. 1-5 (2000) 11-15; *C.A.,* 134 (2001) 143147z.

865 Zhang, X., Xiong, J., Lu, J., Zhu, Y., Lei, M., Bi, G. and Yang, L.: (Study of a test paper distinguishing opiate addicts). *Guijinshu,* 21, No. 3 (2000) 24-27; *C.A.*, 134 (2001) 67253p.

See also 747, 820, 900.

32i. Plant extracts and traditional Chinese medicines

866 Bai, J., Liu, J. and Sun, Y.-z.: (Study on thin layer chromatograms of genus Acanthopanax growing in Sichuan). *Sichuan Daxue Xuebao, Ziran Kexueban,* 37 (2000) 624-628; *C.A.*, 134 (2001) 190760d.

867 Basile, A., Sorbo, S., Giordano, S., Ricciardi, L., Ferrara, S., Montesano, D., Castaldo Cobianchi, R., Vuotto, M.L. and Ferrara, L.: Antibacterial and allelopathic activity of extract from *Castanea sativa* leaves. *Fitoterapia,* 71(Suppl. 1) (2000) S110-S116; *C.A.*, 134 (2001) 125564d.

868 BeGora, M.D. and Fahselt, D.: An alternative method for the quantification of lichen secondary products. *Bryologist,* 103 (2000) 563-567; *C.A.*, 134 (2001) 219142s.

869 Cheng, J., Zhao, Y., Yang, H., Tang, Y. and Li, K.: (Determination and stability of astragaloside in Qiangshenling oral solution by TLC). *Huaxi Yaoxu Zazhi,* 15 (2000) 456-457; *C.A.*, 134 (2001) 168440c.

870 Hua, Y., Sun, J., Li, H., Wang, Y. and Gao, Q.: (Studies on biologic active material of red marine algae *Gracilaria asiatica*). *Zhongguo Haiyang Yaowu,* 19, No. 3 (2000) 31-32; *C.A.*, 134 (2001) 126145e.

871 Kemartelidze, E.P., Dalakishvili, Ts.M., Gusakova, S.D., Shalashvili, K.G., Khatiashvili, N.S., Bitadze, M.A., Gogilashvili, L.M. and Bereznyakova, A.I.: Chemical composition and pharmacological activity of the fruits of *Paliurus spina-christi* Mill. *Pharm. Chem. J.,* 33 (1999, Pub. 2000) 591-594; *C.A.*, 134 (2001) 141709k.

872 Kido, T. and Baba, K.: (Clean analysis of natural medicines with reversed phase thin-layer chromatography). *Nat. Med. (Tokyo),* 54 (2000) 219-236; *C.A.*, 134 (2000) 227454k - a review with 79 refs.

873 Kursinszki, L., Troilina, J. and Szoke, E.: Quantitative TLC of visnagin in genetically transformed root cultures of *Ammi visnaga. J. Planar Chromatogr.,* 13 (2000) 463-467.

874 Lalla, J.K., Hamrapurkar, P.D. and Mamania, H.M.: Application of HPTLC to alternative medicines - Qualitative and quantitative evaluation of the ayurvedic formulation "Triphala churna". *J. Planar Chromatogr.,* 13 (2000) 390-393.

875 Li, L. and Xiao, Y.: (TLC identification of *Sapshnikovia divaricata* and its chemical constituents). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 656-658; *C.A.*, 134 (2001) 198155f.

876 Li, Q., Song, W., Liu, Q.-f. and Wang, Q.: (TLC scanning for determination of phillyrin in Shuanghuanglian tablets). *Zhongguo Yaoxue Zazhi (Beijing),* 36 (2001) 51-53; *C.A.*, 134 (2001) 168436f.

877 Liu, X., Sun, J., Li, H., Zhang, L. and Qian, B.: (Extraction and isolation of active component in fruit of *Lycium barbarum* for inhibiting PC_3 cell proliferation *in vitro. Zhongguo Zhongyao Zazhi,* 25 (2000) 481-483; *C.A.*, 134 (2001) 263473z.

878 Niu, X., Li, W., Qi, L. and Li, Y.: (Simultaneous determination of strychnine and brucine in Gukang tablet by TLC). *Xi'an Yike Daxue Xuebao,* 21 (2000) 476-482; *C.A.*, 134 (2001) 121060p.

879 Rajani, M., Ravishankara, M.N., Shrivastava, N. and Padh, H.: HPTLC-Aided phytochemical fingerprinting analysis as a tool for evaluation of herbal drugs. A case study of Ushaq (Ammoniacum gum). *J. Planar Chromatogr.,* 14 (2001) 34-41.

880 Schmidt, T.J. and Heilmann, J.: Tetrahydrofuran lignans from *Illicium floridanum* and their activity in a luminol enhanced chemiluminescence assay. *Planta Med.,* 66 (2000) 749-751; *C.A.*, 134 (2001) 219790b.

881 Shang, X., Dong, C., Feng, Y., Wang, P. and Liu, C.: (Determination of puerarin in *Pueraria lobata* by thin layer chromatography-fluorometry). *Fenxi Huaxue,* 29 (2001) 115; *C.A.*, 134 (2001) 227467s.

882 Tanaka, H.: (Formation of monoclonal antibody against naturally occurring biologically active compounds and their application). *Nat. Med. (Tokyo),* 54, No. 3 (2000) 123-128; *C.A.*, 134 (2001) 136772w - a review with 13 refs.

883 Tang, Z.: (Determination of ginsenoside Rg1 in Ejiaolianfei granules by TLC scanning). *Zhongguo Yiyuan Yaoxue Zazhi,* 21 (2001) 30-31; *C.A.*, 134 (2001) 212828m.

884 Xu, Y., We, L., He, D. and Wang, M.: (Determination of soyasapogenol content in *Monascus purpureus* Went and its Xuezhikan preparation with TLC sanning). *Zhongguo Zhongyao Zazhi,* 26 (2001) 33-34; *C.A.*, 134 (2001) 183592x.

885 Yu, N., Hu, K., Zhang, J. and Xue, S.: (Study on quality specifications of Pizhenqing granules). *Zhongguo Yiyuan Yaoxue Zazhi,* 20 (2000) 327-329; *C.A.*, 134 (2001) 152446y.

886 Yuan, Z., Yu, J. and Su, S.: (Determination of contents of protocatechuic acid and caffeic acid in *Rhizoma cibotii* and *Rhizoma pteris* by TLCs). *Shenyang Yaoke Daxue Xuebao,* 17 (2000) 338-340; *C.A.*, 134 (2001) 61643u.

887 Zhang, C. and Wang, L.: (Determination of astragaloside I in Yishen capsules). *Zhongguo Zhongyao Zazhi,* 25 (2000) 696-697; *C.A.*, 134 (2001) 91223z.

888 Zhang, G.-g., Xu, S.-x. and Zeng, H.: (Quantitative determination of sarsasapogenin in Tangzhi Shuangjiang Cha by dual wavelength TLC scanner). *Fenxi Ceshi Xuebao,* 19, No. 5 (2000) 70-72; *C.A.*, 134 (2001) 112405c.

889 Zhang, W., Tian, G. and Ying, R.: (TLC determination of indican in Radix Isatis, Folium Isatis and granules of Banglangen). *Yaowu Fenxi Zazhi,* 20 (2000) 322-323; *C.A.*, 134 (2001) 136778c.

890 Zhang, Y.: (HPLC and TLC-UV methods for determination of icariin in Epimedium herbs). *Beihua Daxue Xuebao, Ziran Kexueban,* 1 (2000) 293-296; *C.A.*, 134 (2001) 212830f.

891 Zhao, Y., Tang, H., Liu, XX., Zhang, Z. and Jiang, Y.: (Quality control standards for Xinsheng capsules). *Disi Junyi Daxue Xuebao,* 21 (2000) 1549-1551; *C.A.*, 134 (2001) 198167m.

892 Zhou, X., Lin, L. and Zhang, J.: (Optimization of developing solvents for separation of ginsenosides by thin layer chromatography). *Yaowu Fenxi Zazhi,* 21 (2001) 61-63; *C.A.*, 134 (2001) 212823f.

893 Zschocke, S., Drewes, S.E., Paulus, K., Bauer, R. and van Staden, J.: Analytical and pharmacological investigation of *Ocotea bullata* (black stinkwood) bark and leaves. *J. Ethnopharmacol.,* 71 (2000) 219-230; *C.A.*, 134 (2001) 90979p.

See also 553, 605, 751, 756, 822, 832, 847, 849.

33. CLINICO-CHEMICAL APPLICATIONS

33b. Complex mixtures and profiling (single compounds by cross-reference only)

See 655.

35. ENVIRONMENTAL ANALYSIS

35c. Water pollution (complex mixtures; single compounds by cross-reference only)

894 Mazure, M., Withiewicz, Z. and Sliwakowski, M.: Analysis of the yperite block fished up from the Baltic sea. *J. Planar Chromatogr.*, 13 (2000) 359-364.

895 Vincze, A., Solymosi, J., Orami, P. and Volent, G.: Determination of ^{89}Sr and ^{90}Sr from low- and intermediate-level radioactive liquid waste. *NATO Sci. Ser., 1,* 31(Nuclear Physical Methods in Radioecological Investigations of Nuclear Test Sites) (2000) 145-150; *C.A.*, 134 (2001) 109847t.

See also 768, 792, 896, 903.

35d. Soil pollution (complex mixtures; single compounds by cross-reference only)

See 570, 790, 791, 793, 794, 800, 908.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. Surfactants

896 Brunner, C., Baumann, U., Pletscher, E. and Eugster, M.: Total degradation or environmental experiment? *Tenside, Surfactants, Deterg.*, 37, No. 5 (2000) 276-280; *C.A.*, 134 (2001) 75999b.

36b. Antioxidants and preservatives

897 Burits, M. and Bucar, F.: Antioxidant activity of *Nigella sativa* essential oil. *Phytother. Res.*, 14 (2000) 323-328; *C.A.*, 134 (2001) 110410b.

See also 605.

36c. Complex mixtures, technical products and unidentified compounds

898 Berezkin, V.G., Mardanov, R.G., Markov, A.B., Dedkov, Yu.M., Radugina, O.G. and Kel'ina, S.Yu.: Concentration of low-volatility impurities in thin-layer chromatography. *Ind. Lab. (Diagn. Mater.)*, 66, No. 5 (2000) 294-296; *C.A.*, 134 (2001) 109814e.

899 Ma, W.-x., Chen, H., Bu, R., Wang, Z.-p. and Wang, J.-t.: (Synthesis, properties and analytical applications of a new ortanic reagent 2-(2-benzothiazolylazo)-5-(3-sulfopropyl) aminophenol). *Huaihai Gongxeyuan Xuebao,* 9, No. 3 (2000) 50-53; *C.A.*, 134 (2001) 109805c.

900 Olsen, B. and Hopson, D.: Identification of unknown black inks by thin-layer chromatography. A simple protocol for the analysis and comparison of unknown writing inks. *Int. J. Forensic Doc. Exam.*, 5 (1999) 354-355; *C.A.*, 134 (2001) 111344v.

901 Sugimoto, I., Hiramatsu, S., Jurakami, D., Fujie, M., Usami, S. and Yamada, T.: Algal-lytic activities encoded by *Chlorella virus* CVK2. *Virology,* 277 (2000) 119-126; *C.A.*, 134 (2001) 97593s.

See also 775.

38. INORGANIC COMPOUNDS

38a. Cations

902 Ghoulipour, V. and Husain, S.W.: New adsorbents in planar chromatography: II. Behavior of metal ions on titanium(IV) silicate ion-exchanger. *J. Planar Chromatogr.*, 13 (2000) 354-358.

903 Guimaraes, J.R.D., Ikingura, J. and Akagi, H.: Methyl mercury production and distribution in river water-sediment systems investigated through radiochemical techniques. *Water, Air, Soil Pollut.*, 124 (2000) 113-124; *C.A.*, 134 (2001) 75953g.

904 Mohammad, A. and Iraqi, E.: Sorption behaviour of certain metal ions in normal-phase and reversed-phase TLC using layers of silica-zirconium tungstophosphate gels. *Indian J. Chem. Technol.*, 7, No. 5 (2000) 223-226; *C.A.*, 134 (2001) 109810a.

905 Saritha, K. and Kumar, N.V.N.: Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic-carboxyl esterase enzyme inhibiton technique. *J. Chromatogr. A,* 919 (2001) 223-228.

906 Sharma, S.D., Sharma, S.C. and Sharma, C.: Reversed-phase TLC of 3d metal ions on silica gel GF_{254} impregnated with silicone fluid DC200, tri-aryl phosphate, and tri-*n*-butyl phosphate and with DMSO-HNO_3 mobile phases. *J. Planar Chromatogr.*, 14 (2001) 16-20.

See also 908.

38b. Anions

907 Orlova, A., Lebeda, O., Tolmachev, V., Sjoberg, S., Carlsson, J. and Lundqvist, H.: Closo-dodecaborate (2-) anion as a prosthetic group for labelling proteins with astatine. *Spec. Publ. - R. Soc. Chem.*, 253(Contemporary Boron Chemistry) (2000) 144-147; *C.A.*, 134 (2001) 76240j.

908 Tkac, P., Kopunec, R., Macasek, F. and Skraskova, S.: Sorption of Tc(IV) and Tc(VII) on soils: influence of humic substances. *J. Radioanal. Nucl. Chem.*, 246 (2000) 527-531; *C.A.*, 134 (2001) 105186d.

See also 714.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

See 601, 741, 774, 895, 907.

Gel Electrophoresis

1. REVIEWS AND BOOKS

1221 Studier, F.W.: Slab-gel electrophoresis. *Trends Biochem. Sci.*, 25 (2000) 588-590; *C.A.*, 134 (2001) 204447w - a review with 22 refs.

1222 Sugimura, T.: (Electrophoresis in cancer research). *Seibutsu Butsuri Kagaku*, 44 (2000) 231-239; *C.A.*, 134 (2001) 112342e - a review with 22 refs.

See also 1226, 1229, 1230, 1235, 1242, 1253, 1268, 1270, 1289, 1290, 1309, 1316, 1322, 1323, 1326, 1329, 1333, 1337, 1378, 1411, 1412, 1415, 1470, 1501, 1505, 1531, 1676, 1759, 1776, 1813, 1814, 1844, 1850, 1946.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

1223 Griess, G.A., Rogers, E. and Serwer, P.: Application of the concept of an electrophoretic ratchet. *Electrophoresis (Weinheim)*, 22 (2001) 981-989.

See also 1314.

2d. Measurement of physico-chemical and related values

See 1311.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

1224 Barrett, M.: Cup-gel electrophoresis: a new development for gel electrophoresis. *Am. Biotechnol. Lab.*, 18, No. 6 (2000) 52; *C.A.*, 134 (2001) 53371p.

1225 O'Dell, S.D., Gaunt, T.R. and Day, I.N.M.: SNP genotyping by combination of 192-well MADGE, ARMS and computerized gel image analysis. *BioTechniques*, 29 (2000) 500-506; *C.A.*, 134 (2001) 111021n.

See also 1831.

3b. Detectors and detection procedures

1226 Castellanos-Serra, L. and Hardy, E.: Detection of biomolecules in electrophoresis gels with salts of imidazole and zinc II: A decade of research. *Electrophoresis (Weinheim)*, 22 (2001) 864-873 - a review with 51 refs.

1227 Jiang, N., Wu, K.-l., Huang, Q. and Pan, S.-h.: (A simple method of protein staining with CBB G250). *Shengwu Huaxue Yu Shengwu Wuli Jinzhan*, 27 (2000) 560-561; *C.A.*, 134 (2001) 219131n.

1228 McNamara, P., Lew, W. and Han, L.: Fluorescent imaging and analysis with Typhoon 8600. *Electrophoresis (Weinheim)*, 22 (2001) 837-842.

1229 Miller, M.D., Jr., Acey, R.A., Lee, L.Y.-T. and Edwards, A.J.: Digital imaging considerations for gel electrophoresis analysis systems. *Electrophoresis (Weinheim)*, 22 (2001) 791-800 - a review with 11 refs.

1230 Miura, K.: Imaging and detection technologies for image analysis in electrophoresis. *Electrophoresis (Weinheim)*, 22 (2001) 801-813 - a review with 20 refs.

1231 Rabilloud, T., Strub, J.-M., Luche, S., van Dorsselaer, A. and Lunardi, J.: A comparison between Sypro Ruby and ruthenium II tris (bathophenanthroline disulfonate) as fluorescent stains for protein detection in gels. *Proteomics (Weinheim)*, 1 (2001) 699-704.

1232 Scharfke, M., Baumeister, H. and Meyerhof, W.: Method for the immunological detection of silver-stained proteins on nitro cellulose membranes. *BioTechniques*, 30 (2001) 266-272; *C.A.*, 134 (2001) 249181w.

1233 Seville, M.: A whole new way of looking at things: The use of Dark Reader technology to detect fluorophors. *Electrophoresis (Weinheim)*, 22 (2001) 814-828.

1234 Smilansky, Z.: Automatic registration for images of two-dimensional protein gels. *Electrophoresis (Weinheim)*, 22 (2001) 1616-1626.

1235 Spibey, C.A., Jackson, P. and Herick, K.: A unique charge-coupled device/xenon arc lamp based imaging system for the accurate detection and quantitation of multicolour fluorescence. *Electrophoresis (Weinheim)*, 22 (2001) 829-836 - a review with 21 refs.

1236 Tonge, R., Shaw, J., Middleton, B., Rowlinson, R., Rayner, S., Young, J., Pognan, F., Hawkins, E., Currie, I. and Davison, M.: Validation and development of fluorescence two-dimensional differential gel electrophoresis proteomics technology. *Proteomics (Weinheim)*, 1 (2001) 377-396.

1237 Westbrook, J.A., Yan, J.X., Wait, R. and Dunn, M.J.: A combined radiolabelling and silver staining technique for improved visualisation, localisation, and identification of proteins separated by two-dimensional gel electrophoresis. *Proteomics (Weinheim)*, 1 (2001) 370-376.

See also 1316, 1317, 1319, 1321, 1326, 1327, 1328, 1331, 1335, 1342, 1344, 1352, 1353, 1785, 1790, 1791, 1914.

3c. Stabilization media for electrophoresis

1238 Xie, M.-J., Feng, Y.-Q. and Da, S.-L.: Capillary electrophoresis using zirconia-coated fused silica capillaries. *J. Separ. Sci.*, 24 (2001) 62-66.

3d. Quantitative analysis

See 1785.

3e. Preparative scale electrophoresis

See 1340.

4. SPECIAL TECHNIQUES

4a. Automation

See 1278.

4b. Computerization and modelling

See 1225, 1243, 1783.

4c. Combination with other physicochemical techniques, (MS, IR etc.)

1239 Choudhary, J.S., Blackstock, W.P., Creasy, D.M. and Cottrell, J.S.: Interrogating the human genome using uninterpreted mass spectrometry data. *Proteomics (Weinheim),* 1 (2001) 651-667.

1240 Küster, B., Mortensen, P., Andersen, J.S. and Mann, M.: Mass spectrometry allows direct identification of proteins in large genomes. *Proteomics (Weinheim),* 1 (2001) 641-650.

See also 1231, 1277, 1307, 1312, 1313, 1320, 1323, 1324, 1330, 1331, 1345, 1346, 1348, 1349, 1352, 1397, 1424, 1428, 1444, 1458, 1487, 1527, 1626, 1955.

4d. Affinity electrophoresis

See 1478.

4e. Two dimensional databases

1241 Poirier, F., Imam, N., Pontet, M., Joubert-Caron, R. and Caron, M.: The BPP (protein biochemistry and proteomics) two-dimensional electrophoresis database. *J. Chromatogr. B,* 753 (2001) 23-28.

See also 1262, 1276, 1318, 1354, 1379, 1424, 1444, 1446, 1448, 1509, 1537, 1596.

4f. Isoelectric focusing

1242 Garfin, D.E.: Isoelectric focusing. *Sep. Sci. Technol. (San Diego),* 2(Handbook of Bioseparations) (2000) 263-298; *C.A.,* 134 (2001) 174941h - a review with 76 refs.

1243 Renon, P., Colombo, M.M., Colombo, F., Malandra, R. and Biondi, P.A.: Computer-assisted evaluation of isoelectric focusing patterns in electrophoretic gels: Identification of smoothhounds (*Mustelus mustelus, Mustelus asterias*) and comparison with lower value shark species. *Electrophoresis (Weinheim),* 22 (2001) 1534-1538.

See also 1400, 1441, 1503, 1506, 1522, 1579, 1957.

4h. Two dimensional electrophoresis

1244 Conrad, C.C., Malakowsky, C.A., Talent, J., Rong, D., Lakdawala, S. and Gracy, R.W.: Chemiluminescent standards for quantitative comparison of two-dimensional electrophoresis western blots. *Proteomics (Weinheim),* 1 (2001) 365-369.

See also 1232, 1234, 1236, 1237, 1270, 1276, 1277, 1286, 1303, 1309, 1318, 1322, 1323, 1326, 1330, 1331, 1335, 1338, 1343, 1346, 1348, 1352, 1354, 1363, 1364, 1370, 1371, 1372, 1376, 1379, 1387, 1401, 1409, 1410, 1411, 1416, 1422, 1424, 1425, 1428, 1438, 1439, 1440, 1444, 1445, 1446, 1448, 1451, 1455, 1457, 1458, 1460, 1487, 1489, 1490, 1491, 1509, 1510, 1513, 1515, 1516, 1519, 1521, 1524, 1525, 1527, 1532, 1534, 1537, 1540, 1541, 1573, 1579, 1593, 1594, 1595, 1596, 1626, 1640, 1657, 1759, 1848, 1955.

4i. Other special techniques

See 1311, 1399.

10. CARBOHYDRATES

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

1245 Drummond, K.J., Yates, E.A. and Turnbull, J.E.: Electrophoretic sequencing of heparin/heparan sulfate oligosaccharides using a highly sensitive fluorescent end label. *Proteomics (Weinheim),* 1 (2001) 304-310.

1246 Mikusova, K., Tetsuya, Y., Stern, R., McNeil, M.R., Besra, G.S., Crick, D.C. and Brennan, P.J.: Biosynthesis of the galactan component of the mycobacterial cell wall. *J. Biol. Chem.,* 275 (2000) 33890-33897.

1247 Preeprame, S., Hayashi, K., Lee, J.-B., Sankawa, U. and Hayashi, T.: A novel antivirally active fucan sulfate derived from an edible brown alga, *Sargassum horneri. Chem. Pharm. Bull.,* 49 (2001) 484-485.

1248 Ridley, B.L., Jeyaretnam, B.S. and Carlson, R.W.: The type and yield of lipopolysaccharide from simbiotically deficient Rhizobium lipopolysaccharide mutants vary depending on the extraction method. *Glycobiology,* 10 (2000) 1013-1023; *C.A.,* 134 (2001) 53374s.

1249 Vives, R.R., Goodger, S. and Pye, D.A.: Combined strong anion-exchange HPLC and PAGE approach for the purification of heparan sulphate oligosaccharides. *Biochem. J.,* 354 (2001) 141-147.

1250 Wugeditch, T., Paiment, A., Hocking, J., Drummelsmith, J., Forrester, C. and Whitfield, Ch.: Phosphorylation of Wzc, a tyrosine autokinase, is essential for assembly of group 1 capsular polysaccharides in *Escherichia coli. J. Biol. Chem.,* 276 (2001) 2361-2371.

10c. Glycoproteins and their constituents

1251 Arima, H., Yunomae, K., Hirayama, F. and Uekama, K.: Contribution of P-glycoprotein to the enhancing effects of dimethyl-β-cyclodextrin on oral bioavailability of tacrolimus. *J. Pharmacol. Exp. Ther.,* 297 (2001) 547-555.

1252 Baron, J.M., Goh, L.B., Yao, D., Wolf, C.R. and Friedberg, T.: Modulation of P450 CYP3A4-dependent metabolism by P-glycoprotein: implications for P450 phenotyping. *J. Pharmacol. Exp. Ther.,* 296 (2001) 351-358.

1253 Bry, L., Chen, P.C. and Sacks, D.B.: Effects of hemoglobin variants and chemically modified derivatives on assays for glycohemoglobin. *Clin. Chem. (Washington),* 47 (2001) 153-163 - a review with 61 refs.

1254 Charlwood, J., Skehel, J.M. and Camilleri, P.: Immobilisation of antibodies in gels allows the improved release and identification of glycans. *Proteomics (Weinheim),* 1 (2001) 275-284.

1255 Chen, X., VanValkenburgh, C., Liang, H., Fang, H. and Green, N.: Signal peptidase and oligosaccharyltransferase interact in a sequential and dependent manner within the endoplasmic reticulum. *J. Biol. Chem.,* 276 (2001) 2411-2416.

1256 De Boer, D.: (Erythropoietin. Is it detectable in monitoring of doping?). *Nat. &* Tech. Wetenschapsmag., 68, No. 9 (2000) 52-55; *C.A.,* 134 (2001) 52362z.

1257 Domowicz, M.S., Pirok, E.W., III., Novak, T.E. and Schwartz, N.B.: Role of the C-terminal G3 domain in sorting and secretion of aggrecan core protein and ubiquitin-mediated degradation of accumulated mutant precursors. *J. Biol. Chem.,* 275 (2000) 35098-35105.

1258 Fujisaki, S.: (Study on development of enzyme immunoassay of human osteopontin: molecular fragility of serum osteopontin). *Hokkaido Igaku Zasshi,* 75 (2000) 45-52; *C.A.,* 134 (2001) 68318a.

1259 Germann, U.A.: Detection of recombinant P-glycoprotein in multidrug resistant cultured cells. *Mol. Biotechnol.,* 14 (2000) 131-145; *C.A.,* 134 (2001) 53419k.

1260 Hamilton, K.O., Backstrom, G., Yazdanian, M.A. and Audus, K.L.: P-Glycoprotein efflux pump expression and activity in Calu-3 cells. *J. Pharm. Sci.,* 90 (2001) 647-658.

1261 Huse, J.T., Pijak, D.S., Leslie, G.J., Lee, V.M.-Y. and Doms, R.W.: Maturation and endosomal targeting of ^{b}-site amyloid precursor protein-cleaving enzyme. *J. Biol. Chem.,* 275 (2000) 33729-33737.

1262 Jung, E., Veuthey, A.-L., Gasteiger, E. and Bairoch, A.: Annotation of glycoproteins in the SWISS-PROT database. *Proteomics (Weinheim),* 1 (2001) 262-268.

1263 Keyhami, N.O., Bacia, K. and Roseman, S.: The transport/phosphorylation of N,N'-diacetylchitobiose in *Escherichia coli. J. Biol. Chem.,* 275 (2000) 33102-33109.

1264 Matsumoto, H., Natsume, A., Ueda, H., Saitoh, T. and Ogawa, H.: Screening of a unique lectin from 16 cultivable mashrooms wih hybrid glycoprotein and neoproteoglycan probes and purification of a novel *N*-acetylglucosamine-specific lectin from *Oudemansiella platyphylla fruiting body. Biochim. Biophys. Acta,* 1526 (2001) 37-43.

1265 Riquelme, C., Larrain, J., Schönherr, E., Henriquez, J.P., Kresse, H. and Brandan, E.: Antisense inhibition of decorin expression in myoblasts decreases cell responsiveness to transforming growth factor β and accelerates skeletal muscle differentiation. *J. Biol. Chem.,* 276 (2001) 3589-3596.

1266 Rudd, P.M., Colominas, C., Royle, L., Murphy, N., Hart, E., Merry, A.H., Hebestreit, H.F. and Dwek, R.A.: A high-performance liquid chromatography based strategy for rapid, sensitive sequencing of *N*-linked oligosaccharide modifications to proteins in sodium dodecyl sulphate polyacrylamide electrophoresis gel bands. *Proteomics (Weinheim),* 1 (2001) 285-294.

1267 Sattler, M., Verma, S., Pride, Y.B., Salgia, R., Rohrschneider, L.R. and Griffia, J.D.: SHIP1, an SH2 domain containing polyinositol-5-phosphatase, regulates migration through two critical tyrosine residues and forms a novel signaling complex with DOK1 and CRKL. *J. Biol. Chem.,* 276 (2001) 2451-2458.

1268 Schäffer, C., Graninger, M. and Messner, P.: Prokaryotic glycosylation. *Proteomics (Weinheim),* 1 (2001) 248-261 - a review with 111 refs.

1269 Tallet, B., Astier-Gin, T., Castroviejo, M. and Santarelli, X.: One-step chromatographic purification procedure of a His-tag recombinant carboxyl half part of the HTLV-I surface envelope glycoprotein overexpressed in *Escherichia coli* as a secreted form. *J. Chromatogr. B,* 753 (2001) 17-22.

1270 Taniguchi, N., Ekuni, A., Ko, J.H., Miyoshi, E., Ikeda, Y., Ihara, Y., Nishikawa, A., Honke, K. and Takahashi, M.: A glycomic approach to the identification and characterization of glycoprotein function in cells transfected with glycosyltransferase genes. *Proteomics (Weinheim),* 1 (2001) 239-247 - a review with 68 refs.

1271 Tomczak, M.M., Hincha, D.K., Estrada, S.D., Feeney, R.E. and Crowe, J.H.: Antifreeze proteins differentially affect model membranes during freezing. *Biochim. Biophys. Acta,* 1511 (2001) 255-263.

1272 Weston, B.S., Bagneris, C., Price, R.G. and Stirling, J.L.: The polycystin-1 C-type lectin domain binds carbohydrate in a calcium-dependent manner, and interacts with extracellular matrix proteins *in vitro. Biochim. Biophys. Acta,* 1536 (2001) 161-176.

1273 Zdebska, E., Musielak, M., Jaeken, J. and Koscielak, J.: Band 3 glycoprotein and glycophorin A from erythrocytes of children with congenital disorder of glycosylation type-Ia are underglycosylated. *Proteomics (Weinheim),* 1 (2001) 269-274.

See also 1329, 1469, 1582.

11. ORGANIC ACIDS AND LIPIDS

11c. Lipids and their constituents

1274 Zorn, U., Haug, C., Celik, E., Wennauer, R., Schmid-Kotsas, A., Bachem, M.G. and Grünert, A.: Characterization of modified low density lipoprotein subfractions by capillary isotachophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1143-1149.

See also 1248, 1470.

11d. Lipoproteins and their constituents

1275 Adler, L., Hill, J.S. and Frohlich, J.: Chemical precipitation of apolipoprotein B-containing lipoproteins facilitates determination of LDL partile size. *Clin. Biochem.,* 33, No. 3 (2000) 187-190; *C.A.,* 134 (2001) 128092j.

1276 Candiano, G., Musante, L., Zennaro, C., Bruschi, M., Carraro, M., Artero, M., Gusmano, R., Ginevri, F., Perfumo, F. and Ghiggeri, G.: Inhibition of renal permeability towards albumin: A new function of apolipoproteins with possible pathogenic relevance in focal glomerulosclerosis. *Electrophoresis (Weinheim),* 22 (2001) 1819-1825.

1277 Hesse, C., Nilsson, C.L., Blennow, K. and Davidsson, P.: Identification of the apolipoprotein E4 isoform in cerebrospinal fuid with preparative two-dimensional electrophoresis and matrix assisted laser desorption/ionization-time of flight-mass spectrometry. *Electrophoresis (Weinheim),* 22 (2001) 1834-1837.

1278 Hoefner, D.M., Hodel, S.D., O'Brien, J.F., Branum, E.L., Sun, D., Meissner, I. and McConnell, J.P.: Development of a rapid, quantitative method for LDL subfractionation with use of the Quantimetrix Lipoprint LDL system. *Clin. Chem. (Washington),* 47 (2001) 266-274.

1279 Kiss, R.S., Ryan, R.O. and Francis, G.A.: Functional similarities of human and chicken apolipoprotein A-I: dependence on secondary and tertiary rather than primary structure. *Biochim. Biophys. Acta,* 1531 (2001) 251-259.

1280 Knouff, Ch., Malloy, S., Wilder, J., Altenburg, M.K. and Maeda, N.: Doubling expression of the low density lipoprotein receptor by truncation of the 3'-untranslated region sequence ameliorates type III hyperlipoproteinemia in mice expressing the human ApoE2 isoform. *J. Biol. Chem.,* 286 (2001) 3856-3862.

1281 Kondo, A., Muranaka, Y., Ohta, I., Notsu, K., Manabe, M., Kotani, K., Saito, K., Maekawa, M. and Kanno, T.: Relationship between triglyceride concentrations and LDL size evaluated by malondialdehyde-modified LDL. *Clin. Chem. (Washington),* 47 (2001) 893-900.

1282 Kondo, H., Kawazoe, I., Nakaya, M., Kikuchi, K., Aida, K. and Watanabe, S.: The novel sequences of major plasma apolipoproteins in the eel *Anguilla japonica. Biochim. Biophys. Acta,* 1531 (2001) 132-142.

1283 Kostner, K., Spitzauer, S., Rumpold, H., Maurer, G., Knipping, G., Krzenjak, A., Frank, S. and Kostner, G.M.: Urinary excretion of apolipoprotein(a): relation to other plasma proteins. *Clin. Chim. Acta,* 304 (2001) 29-37.

1284 Liang, J., Wu, X., Fisher, E.A. and Ginoberg, H.N.: The amino-terminal domain of apolipoprotein B does not undergo retrograde translocation from the endoplasmic reticulum to the cytosol. *J. Biol. Chem.,* 275 (2000) 32003-32010.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

1285 Horigome, H., Homma, M., Hirano, T. and Oka, K.: Glycyrrhetic acid induced apoptosis in murine splenocytes. *Biol. Pharm. Bull.,* 24 (2001) 54-58.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

1286 Blume-Jensen, P. and Hunter, T.: Two-dimensional phosphoamino acid analysis. *Methods Mol. Biol. (Totowa),* 124(Protein Kinase Protocols) (2001) 49-65; *C.A.,* 134 (2001) 233866n.

1287 Jakubowski, H.: Amino acid selectivity in the aminoacylaton of coenzyme A and RNA minihelices by aminoacyl-tRNA synthetases. *J. Biol. Chem.,* 275 (2000) 34845-34848.

See also 1295.

18b. Peptides, peptidic and proteinous hormones, growth factors

1288 Busby, W.H. Jr., Nam, T.-J., Morales, A., Smith, C., Jennings, M. and Clemmons, D.R.: The complement component C1s is the protease that accounts for cleavage of insulin-like growth factor-binding protein-5 fibroblast medium. *J. Biol. Chem.,* 275 (2000) 37638-37644.

1289 Cole, A.M. and Ganz, T.: Human antimicrobial peptides: analysis and application. *BioTechniques,* 29 (2000) 822-831; *C.A.,* 134 (2001) 53194h - a review with 62 refs.

1290 Dunn, M.J.: Gel electrophoresis of peptides and proteins. *Drugs Pharm. Sci.,* 101(Peptide and Protein Drug Analysis) (2000) 387-451; *C.A.,* 134 (2001) 97241a - a review with 213 refs.

1291 Frankel, A. and Clarke, S.: PRMT3 is a distinct member of the protein arginine N-methyltransferase. *J. Biol. Chem.,* 275 (2000) 32974-32982.

1292 Johnson, T.M., Williamson, N.A., Scholz, G., Jaworowski, A., Wettenholl, R.E.H., Dunn, A.R. and Cheng, H.-C.: Modulation of the catalytic activity of the SRC family tyrosine kinase HcK by autophosphorylation at a novel site in the unique domain. *J. Biol. Chem.,* 275 (2000) 33353-33364.

1293 Kawasaki, H., Nose, T., Muta, T., Iwanaga, S., Shimoshigashi, Y. and Kawabata, S.: Head-to-tail polymerization of coagulin, a cottable protein of the horseshoe crab. *J. Biol. Chem.,* 275 (2000) 35297-35301.

1294 Maity, A., Pore, N., Lee, J., Somolon, D. and O'Rourke, D.M.: Epidermal growth factor receptor transcriptionally up-regulates vascular endothelial growth factor expression in human glioblastoma cells via a pathway involving phosphatidylinositol 3'-kinase and distinct that induced by hypoxia. *Cancer Res.,* 60 (2000) 5879-5886.

1295 Ostvold, A.C., Norum, J.H., Mathiesen, S., Wanvik, B., Sefland, I. and Grundt, K.: Molecular cloning of a mammalian nuclear phosphoprotein NUCKS, which serves as a substrate for Cdk 1 *in vivo. Eur. J. Biochem.,* 268 (2001) 2430-2440.

1296 Qing, J., Zhang, Y. and Derynck, R.: Structural and functional characterization of the transforming growth factor-β-induced Smad3/c-Jun transcriptional cooperativity. *J. Biol. Chem.,* 275 (2000) 38802-38812.

1297 Schwer, B., Lehman, K., Saha, N. and Shuman, S.: Characterization of the mRNA capping apparatus of *Candida albicans. J. Biol. Chem.,* 276 (2001) 1857-1864.

1298 Yamamura, Y., Hua, X., Bergelson, S. and Lodish, H.F.: Critical role of Smads and AP-1 complex transforming growth factor-β-dependent apoptosis. *J. Biol. Chem.*, 275 (2000) 36295-36302.

1299 Yang, Z., Deng, X. and Friedman, E.: Oncogenic Ki-ras confers a more aggressive colon cancer phenotype through modification of transforming growth factor-β receptor III. *J. Biol. Chem.*, 276 (2001) 1555-1563.

See also 1239, 1240, 1364, 1411, 1433, 1547, 1563, 1602, 1893.

18c. Elucidation of structure of proteins and enzymes

1300 Chuang, V.T.G. and Otagiri, M.: Flunitrazepam, a 7-nitro-1,4-benzodiazepine that is unable to bind to the indole-benzodiazepine site of human serum albumin. *Biochim. Biophys. Acta,* 1546 (2001) 337-345.

1301 Hong, S.K., Pawlikowski, S.A., Vander Meulen, K.A. and Yocum, C.F.: The oxidation state of the photosystem II manganese cluster influences the structure of manganese stabilizing protein. *Biochim. Biophys. Acta,* 1504 (2001) 262-274.

1302 Houbiers, M.C., Spruijt, R.B., Demel, R.A., Hemminga, M.A. and Wolfs, C.J.A.M.: Spontaneous insertion of gene 9 minor coat protein of bacteriophage M13 in model membranes. *Biochim. Biophys. Acta,* 1511 (2001) 309-316.

1303 Larsen, M.R., Sørensen, G.L., Fey, S.J., Larsen, P.M. and Roepstorff, P.: Phospho-proteomics: Evaluation of the use of enzymatic de-phosphorylation and differential mass spectrometric peptide mass mapping for site specific phosphorylation assignment in proteins separated by gel electrophoresis. *Proteomics (Weinheim),* 1 (2001) 223-238.

1304 Lisacek, F.C., Traini, M.D., Sexton, D., Harry, J.L. and Wilkins, M.R.: Strategy for protein isoform identification from expressed sequence tags and its application to peptide mass fingerprinting. *Proteomics (Weinheim),* 1 (2001) 186-193.

1305 Shevchenko, A., Chernushevich, I., Wilm, M. and Mann, M.: *De novo* peptide sequencing by nanoelectrospray tandem mass spectrometry using triple quandrupole and quadrupole/time-of-flight instruments. *Methods Mol. Biol. (Totowa),* 146(Mass Spectrometry of Proteins and Peptides) 1-16; *C.A.*, 134 (2001) 190174r.

1306 Tanaka, N., Ikeda, C., Kamaori, K., Hiraga, K., Konno, T. and Kunugi, S.: Pressure effect on the conformational fluctuation of apomyoglobin in the native state. *Biochemistry,* 39 (2000) 12063-12068.

1307 Uttenweiler-Joseph, S., Neubauer, G., Christoforidis, S., Zerial, M. and Wilm, M.: Automated *de novo* sequencing of proteins using the differential scanning technique. *Proteomics (Weinheim),* 1 (2001) 668-682.

1308 Wu, K., Chen, A. and Pan, Z.-Q.: Conjugation of Nedd8 to CUL1 enhances the ability of the ROC1-CUL1 complex to promote ubiquitin polymerization. *J. Biol. Chem.*, 275 (2000) 32317-32324.

See also 1387, 1427, 1456, 1592, 1611, 1789, 1944.

19. PROTEINS

19a. General techniques

1309 Anderson, N.G., Matheson, A. and Anderson, N.L.: Back to the future: the human protein index (HPI) and the agenda for post-proteomic biology. *Proteomics,* 1 (2001) 3-12; *C.A.*, 134 (2001) 233717q - a review with 35 refs.

1310 Bhaskar, S., Dutt, S. and Mukherjee, R.: A simple method of electroelution of individual protein bands from SDS polyacrylamide gels for direct study in cellular assays. *J. Immunoassay,* 21 (2000) 355-375; *C.A.*, 134 (2001) 97367w.

1311 Bousse, L., Mouradian, S., Minalla, A., Yee, H., Williams, K. and Dubrow, R.: Protein sizing on a microchip. *Anal. Chem.*, 73 (2001) 1207-1212.

1312 Buzas, Z., Chang, H.-T., Vieira, N.E., Yergey, A.L., Stastna, M. and Chrambach, A.: Direct vertical electroelution of protein from a PhastSystem band for mass spectrometric identification at the level of a few picomoles. *Proteomics (Weinheim),* 1 (2001) 691-698.

1313 Castellanos-Serra, L., Vallin, A., Proenza, W., le Caer, J.P. and Rossier, J.: An optimized procedure for detection of proteins on carrier ampholyte isoelectric focusing and immobilized pH gradient gels with imidazole and zinc salts: Its application to the identification of isolelectric focusing separated isoforms by in-gel proteolysis and mass spectrometry analysis. *Electrophoresis (Weinheim),* 22 (2001) 1677-1685.

1314 Chaufer, B. and Rabiller-Baudry, M.: Role of electrophoretic mobility of protein on its retention by an ultrafiltration membrane. Comparison to chromatography mechanisms. *J. Chromatogr. B,* 753 (2001) 3-16.

1315 Crow, M.K., Karasavvas, N. and Sarris, A.H.: Protein aggregation mediated by cysteine oxidation during the stacking phase of discontinuous buffer SDS-PAGE. *BioTechniques,* 30 (2001) 311-316; *C.A.*, 134 (2001) 249092t.

1316 Daban, J.-R.: Fluorescent labeling of proteins with Nile red and 2-methoxy-2,4-diphenyl-3(2H)-furanone: Physicochemical basis and application to the rapid staining of sodium dodecyl sulfate polyacrylamide gels and Western blots. *Electrophoresis (Weinheim),* 22 (2001) 874-880 - a review with 40 refs.

1317 Dutt, M.J. and Lee, K.H.: The scaled volume as an image analysis variable for detecting changes in protein expression levels by silver stain. *Electrophoresis (Weinheim),* 22 (2001) 1627-1632.

1318 Fountoulakis, M. and Takacs, B.: Effect of strong detergents and chaotropes on the detection of proteins in two-dimensional gels. *Electrophoresis (Weinheim),* 22 (2001) 1593-1602.

1319 Ganesh, G., Kumar, T.K.S., Pandian, S.T.K. and Yu, C.: Rapid staining of proteins on polyacrylamide gels and nitrocellulose membranes using a mixture of fluorescent dyes. *J. Biochem. Biophys. Methods,* 46, No. 1-2 (2000) 31-38; *C.A.*, 134 (2001) 128081e.

1320 Gevaert, K., Demol, H., Martens, L., Hoorelbeke, B., Puype, M., Goethals, M., van Damme, J., de Boeck, S. and Vandekerckhove, J.: Protein identification based on matrix assisted laser desorption/ionization-post source decay-mass spectrometry. *Electrophoresis (Weinheim),* 22 (2001) 1645-1651.

1321 Graf, R. and Friedl, P.: Charge-coupled device camera-based detection of fluorescence-labeled proteins immobilized on nitrocellulose membranes. *Electrophoresis (Weinheim),* 22 (2001) 890-895.

1322 Gromov, P.S. and Celis, J.E.: From genomics to proteomics. *Mol. Biol.,* 34 (2000) 508-520; *C.A.,* 134 (2001) 51942b - a review with 61 refs.

1323 Hamdan, M., Bordini, E., Galvani, M. and Righetti, P.G.: Protein alkylation by acrylamide, its N-substituted derivatives and cross-linkers and its relevance to proteomics: A matrix assisted laser desorption/ionization-time of flight-mass spectrometry study. *Electrophoresis (Weinheim),* 22 (2001) 1633-1644 - a review with 43 refs.

1324 Hammar, F.: (At the "film of life" with functional proteomics). *LaborPraxis,* (Sonderausgabe) (2001) 107-109; *C.A.,* 134 (2001) 66892j.

1325 Hayakawa, K., Yoshinaga, T., Hirano, M., Yoshikawa, K., Katsumata, N., Tanaka, T. and Nagamine, T.: Protein determination by high-performance gel-permeation chromatography: applications to human pancreatic juice, human bile and tissue homogenate. *J. Chromatogr. B,* 754 (2001) 65-76.

1326 Kaufmann, H., Bailey, J.E. and Fussenegger, M.: Use of antibodies for detection of phosphorylated proteins separated by two-dimensional gel electrophoresis. *Proteomics (Weinheim),* 1 (2001) 194-199 - a review with 47 refs.

1327 Kemper, C., Berggren, K., Diwu, Z. and Patton, W.F.: An improved, luminescent europium-based stain for detection of electroblotted proteins on nitrocellulose or polyvinylidene difluoride membranes. *Electrophoresis (Weinheim),* 22 (2001) 881-889.

1328 Kemper, C., Steinberg, T.H., Jones, L. and Patton, W.F.: Simultaneous, two-color fluorescence detection of total protein profiles and β-glucuronidase activity in polyacrylamide gel. *Electrophoresis (Weinheim),* 22 (2001) 970-976.

1329 Küster, B., Krogh, T.N., Mørtz, E. and Harvey, D.J.: Glycosylation analysis of gel-separated proteins. *Proteomics (Weinheim),* 1 (2001) 350-361 - a review with 63 refs.

1330 Lamer, S. and Jungblut, P.R.: Matrix-assisted laser desorption-ionization mass spectrometry peptide mass fingerprinting for proteome analysis: identification efficiency after on-blot or in-gel digestion with and without desalting procedures. *J. Chromatogr. B,* 752 (2001) 311-322.

1331 Lauber, W.M., Carroll, J.A., Dufield, D.R., Kiesel, J.R., Radabaugh, M.R. and Malone, J.P.: Mass spectrometry compatibility of two-dimensional gel protein stains. *Electrophoresis (Weinheim),* 22 (2001) 906-918.

1332 Levine, R.L., Wehr, N., Williams, J.A., Stadtman, E.R. and Shacter, E.: Determination of carbonyl groups in oxidized proteins. *Methods Mol. Biol. (Totowa),* 99(Stress Response) (2000) 15-24; *C.A.,* 134 (2001) 68358p.

1333 Lottspeich, F.: (Postgenomics or what occurs after gene analysis). *LaborPraxis,* (Sonderausgabe)(2001) 102-106; *C.A.,* 134 (2001) 68186f - a review with 1 ref.

1334 Ma, X., Brush, J.S. and Wang, T.: New method for analyzing the molecular weights of proteins by sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *Biochem. Biophys. Res. Commun.,* 281 (2001) 976-878.

1335 Malone, J.P., Radabaugh, M.R., Leimgruber, R.M. and Gerstenecker, G.S.: Practical aspects of fluorescent staining for proteomic applications. *Electrophoresis (Weinheim),* 22 (2001) 919-932.

1336 Martinez, I., Friis, T.J. and Seppola, M.: Requirements for the application of protein sodium dodecyl sulfate-polyacrylamide gel electrophoresis and randomly amplified polymorphic DNA analyses to product speciation. *Electrophoresis (Weinheim),* 22 (2001) 1526-1533.

1337 McDonald, W.H. and Yates, J.R., III: Proteomic tools for cell biology. *Traffic (Copenhagen),* 1 (2000) 747-754; *C.A.,* 134 (2001) 97249j - a review with 47 refs.

1338 Nock, S. and Wagner, P.: (Proteomics. Post genomic revolution). *Chem. Unserer Zeit,* 34 (2000) 348-354; *C.A.,* 134 (2001) 66792b.

1339 Odijk, T.: Depletion theory of protein transport in semi-dilute polymer solutions. *Biophys. J.,* 79 (2000) 2314-2321; *C.A.,* 134 (2001) 128078j.

1340 Poggel, M. and Melin, T.: Free-flow zone electrophoresis: A novel approach and scale-up for preparative protein separation. *Electrophoresis (Weinheim),* 22 (2001) 1008-1015.

1341 Prabhakaram, M., Ortwerth, B.J. and Smith, J.B.: Determination of early glycation products by mass spectrometry and quantification of glycation mediated protein crosslinks by the incorporation of [^{14}C]lysine into proteins. *Methods Mol. Biol. (Totowa),* 159(Amino Acid Analysis Protocols) (2001) 245-253; *C.A.,* 134 (2001) 219266k.

1342 Pretty On Top, K., Hatleberg, G., Berggren, K.N., Ryan, D., Kemper, C., Haugland, R.P. and Patton, W.F.: Green/red dual fluorescence detection ot total protein and alkaline phosphate-conjugated probes on blotting membranes. *Electrophoresis (Weinheim),* 22 (2001) 896-905.

1343 Sanchez, J.-C., Chiappe, D., Converset, V., Hoogland, C., Binz, P.-A., Paesano, S., Appel, R.D., Wang, S., Sennitt, M., Nolan, A., Cawthorne, M.A. and Hochstrasser, D.F.: The mouse SWISS-2D PAGE database: a tool for proteomics study of diabetes and obesity. *Proteomics (Weinheim),* 1 (2001) 136-163.

1344 Santora, K.E., Nelson, S.A., Lewis, K.A. and LaRochelle, W.J.: Avidin- or streptavidin-biotin as a highly sensitive method to stain total protein on membranes. *Mol. Biotechnol.,* 15, No. 2 (2000) 161-165; *C.A.,* 134 (2001) 97330d.

1345 Sass, H.-J., Musco, G., Stahl, S.J., Wingfield, P.T. and Grzesiek, S.: Solution NMR of proteins within polyacrylamide gels: diffusional properties and residual alignment by mechanical stress or embedding of oriented purple membranes. *J. Biomol. NMR,* 18 (2000) 303-309; *C.A.,* 134 (2001) 233844d.

1346 Shevchenko, A., Loboda, A., Ens, W., Schraven, B., Standing, K.G. and Shevchenko, A.: Archived polyacrylamide gels as a resource for proteome characterization by mass spectrometry. *Electrophoresis (Weinheim),* 22 (2001) 1194-1203.

1347 Shindo, N., Fujimura, T., Kazuno, S. and Murayama, K.: Ion-pair chromatography for identification of picomolar-order protein on a PVDF membrane. *Methods Mol. Biol. (Totowa),* 159(Amino Acid Analysis Protocols) (2001) 87-100; *C.A.,* 134 (2001) 233768g.

1348 Sickmann, A., Marcus, K., Schäfer, H., Butt-Dörje, E., Lehr, S., Herkner, A., Suer, S., Bahr, I. and Meyer, H.E.: Identification of post-translationally modified proteins in proteome studies. *Electrophoresis (Weinheim),* 22 (2001) 1669-1676.

1349 Smith, R.D., Pasa-Tolic, L., Lipton, M.S., Jensen, P.K., Anderson, G.A., Shen, Y., Conrads, T.P., Udseth, H.R., Harkewicz, R., Belov, M.E., Masselon, C. and Veenstra, T.D.: Rapid quantitative measurements of proteomes by Fourier transform ion cyclotron resonance mass spectrometry. *Electrophoresis (Weinheim),* 22 (2001) 1652-1668.

1350 Tang, W.-H., Zhang, J.-L., Wang, Z.-Y. and Hong, M.-M.: (The cause of deviation made in determining the molecular weight of His-tag fusion proteins by SDS-PAGE). *Zhiwu Shengli Xuebao,* 26 (2000) 64-68; *C.A.,* 134 (2001) 217709h.

1351 Van Kooten, T.G., Klein, C.L. and Kirkpatrick, C.J.: Western blotting as a method for studying cell-biomaterial interactions: the role of protein collection. *J. Biomed. Mater. Res.,* 54 (2001, Pub. 2000) 385-389; *C.A.,* 134 (2001) 227292f.

1352 Walker, A.K., Rymar, G. and Andrews, P.C.: Mass spectrometric imaging of immobilized pH gradient gels and creation of "virtual" two-dimensional gels. *Electrophoresis (Weinheim),* 22 (2001) 933-945.

1353 Yefimov, S., Sjomeling, C., Yergey, A.L. and Chrambach, A.: Stacking of unlabeled sodium dodecyl sulfate-proteins within a fluorimetrically detected moving boundary, electroelution and mass spectrometric identification. *Electrophoresis (Weinheim),* 22 (2001) 999-1003.

1354 Zuo, X., Echan, L., Hembach, P., Tang, H.Y., Speicher, K.D., Santoli, D. and Speicher, D.W.: Towards global analysis of mammalian proteomes using sample prefractionation prior to narrow pH range two-dimensional gels and using one-dimensional gels for insoluble and large proteins. *Electrophoresis (Weinheim),* 22 (2001) 1603-1615.

See also 1222, 1227, 1231, 1232, 1234, 1239, 1240, 1241, 1244, 1290, 1304, 1307, 1451, 1457, 1487, 1591, 1946.

19b. Proteins of cells, viruses and subcellular particles

1355 Akita, H., Suzuki, H., Ito, K., Kinoshita, S., Sato, N., Takikawa, H. and Sugiyama, Y.: Characterization of bile acid transport mediated by multidrug resistance associated protein 2 and bile salt export pump. *Biochim. Biophys. Acta,* 1511 (2001) 7-16.

1356 Arakaki, N., Ueyama, Y., Hirose, M., Himeda, T., Shibata, H., Futaki, S., Kitagawa, K. and Higuti, T.: Stoichiometry of subunit e in rat liver mitochondrial H^+-ATP synthase and membrane topology of its putative Ca^{2+}-dependent regulatory region. *Biochim. Biophys. Acta,* 1504 (2001) 220-228.

1357 Beatrix, B., Sakai, H. and Wiedmann, M.: The α and β subunit of the nascent polypeptide-associated complex have distinct functions. *J. Biol. Chem.,* 275 (2000) 37838-37845.

1358 Benedi, V.J. and Martinez-Martinez, L.: Outer membrane pro-

1360 Burritt, J.B., DeLeo, F.R., McDonald, C.L., Prigge, J.R., Dinauer, M.C., Nakamura, M., Nauseef, W.M. and Jeasitis, A.J.: Phage display epitope mapping of human neutrophil flavocytochrome b_{558}. *J. Biol. Chem.,* 276 (2001) 2053-2061.

1361 Conlan, S., Zhang, Y., Cheley, S. and Bayley, H.: Biochemical and biophysical characterization of OmpG: a monomeric porin. *Biochemistry,* 39 (2000) 11845-11854.

1362 Crowe, D.L. and Nguyen, D.C.: Rb and E2F-1 regulate telomerase activity in human cancer cells. *Biochim. Biophys. Acta,* 1518 (2001) 1-6.

1363 Csar, X.F., Wilson, N.J., Strike, P., Sparrow, L., McMahon, K.A., Ward, A.C. and Hamilton, J.A.: Copper/zinc superoxide dismutase is phosphorylated and modulated specifically by granulocyte-colony stimulating factor in myeloid cells. *Proteomics (Weinheim),* 1 (2001) 435-443.

1364 Daub, H., Gevaert, K., Vandekerckhove, J., Sobel, A. and Hall, A.: Rac/Cdc42 and p65PAK regulate the microtubule-destabilizing protein stathmin through phosphorylation at serine 16. *J. Biol. Chem.,* 276 (2001) 1677-1680.

1365 Dhar, S.K. and Dutta, A.: Identification and characterization of the human ORC6 homolog. *J. Biol. Chem.,* 275 (2000) 34983-34988.

1366 Dowell, P., Flexner, Ch., Kwiterovich, P.O. and Lane, M.D.: Suppression of preadipocyte differentiation and promotion of adipocyte death by HIV protease inhibitors. *J. Biol. Chem.,* 275 (2000) 41325-41332.

1367 Dunford, J.E., Thompson, K., Coxon, F.P., Luckman, S.P., Hahn, F.M., Poulter, C.D., Ebetino, F.H. and Rogers, M.J.: Structure-activity relationships for inhibition of farnesyl disphosphate synthase *in vitro* and inhibition of bone resorption *in vivo* by nitrogen-containing bisphosphonates. *J. Pharmacol. Exp. Ther.,* 296 (2001) 235-242.

1368 Feschenko, M.S., Stevenson, E. and Sweadner, K.J.: Interaction of protein kinase C and cAMP-dependent pathways in the phosphorylation of the Na,K-ATPase. *J. Biol. Chem.,* 275 (2000) 34693-34700.

1369 Fiske, M.J., Fredenburg, R.A., VanDer Meid, K.R., McMichael, J.C. and Arumugham, R.: Method for reducing endotoxin in *Moraxella catarrhalis* UspA2 protein preparations. *J. Chromatogr. B,* 753 (2001) 269-278.

1370 Gerner, C., Fröhwein, U., Gotzmann, J., Bayer, E., Gelbmann, D., Bursch, W. and Schulte-Hermann, R.: The Fas-induced apoptosis analyzed by high throughput proteome analysis. *J. Biol. Chem.,* 275 (2000) 39018-39026.

1371 Greco, A., Bienvenut, W., Sanchez, J.-C., Kindbeiter, K., Hochstrasser, D., Madjar, J.-J. and Diaz, J.-J.: Identification of ribosome-associated viral and cellular basic proteins during the course of infection with herpes simplex virus type 1. *Pro-*

files of clonally related *Klebsiella pneumoniae*. *Methods Mol.*

1372 Hanson, B.J., Schulenberg, B., Patton, W.F. and Capaldi, R.A.: A

1504 Cui, X., Kawashima, H., Barclay, T.B., Peters, J.M., Gonzalez, F.J., Morgan, E.T. and Strobel, H.W.: Molecular cloning and regulation of expression of two novel mouse CYP4F genes: expression in peroxisome proliferator-activated receptor α-deficient mice upon lipopolysaccharide and clofibrate challenges. *J. Pharmacol. Exp. Ther.,* 296 (2001) 542-550.

1505 Gillery, P.: (Forces and limits in HbA1C measurement. The biologists point of view). *Journ. Annu. Diabetol. Hotel-Dieu,* (2000) 195-201; *C.A.,* 134 (2001) 174938n - a review with 18 refs.

1506 Knopf, C., Rod, R., Jaeken, J., Berant, M., van Schaftingen, E., Fryns, J.P., Brill-Zamir, R., Gershoni-Baruch, R., Lischinski, S. and Mandel, H.: Transferrin protein variant mimicking carbohydrate-deficient glycoprotein syndrome in trisomy 7 mosaicism. *J. Inherited Metab. Dis.,* 23 (2000) 399-403; *C.A.,* 134 (2001) 84564h.

1507 Rodriguez-Manzaneque, J.C., Milchanowski, A.B., Dufour, E.K., Leduc, R. and Iruela-Arispe, M.L.: Characterization of METH-1/ADAMTS1 processing reveals two distinct active forms. *J. Biol. Chem.,* 275 (2000) 33471-33479.

1508 Schutz, J., Dolashka-Angelova, P., Abrashev, R., Nicolov, P. and Voelter, W.: Isolation and spectroscopic characterization of the structural subunits of keyhole limpet hemocyanin. *Biochim. Biophys. Acta,* 1546 (2001) 325-336.

See also 1252, 1253, 1798.

19i. Proteins of glands, gland products, various zymogens (incl. milk proteins)

1509 Fountoulakis, M., Juranville, J.-F., Berndt, P., Langen, H. and Suter, L.: Two-dimensional database of mouse liver proteins. An update. *Electrophoresis (Weinheim),* 22 (2001) 1747-1763.

1510 Goldfarb, M.: Analysis of antibody to milk protein in HIV positive/negative sera using two-dimensional electrophoresis, Western blot and immunoassay. *Proteomics (Weinheim),* 1 (2001) 721-726.

1511 Grus, F.H., Sabuncuo, P. and Augustin, A.J.: Analysis of tear protein patterns of dry-eye patients using fluorescent staining dyes and two-dimensional quantification algorithms. *Electrophoresis (Weinheim),* 22 (2001) 1845-1850.

1512 Hemsley, S., Cole, N., Canfield, P. and Willcox, M.D.P.: Protein microanalysis of animal tears. *Res. Vet. Sci.,* 68 (2000) 207-209; *C.A.,* 134 (2001) 128152d.

1513 Herber, S., Grus, F.H., Sabuncuo, P. and Augustin, A.J.: Two-dimensional analysis of tear protein patterns of diabetic patients. *Electrophoresis (Weinheim),* 22 (2001) 1838-1844.

1514 Jeoung, M., Phang, T., Song, Y.S., Ji, I. and Ji, T.H.: Hormone interactions to Leu-rich repeats in the gonadotropine receptors. *J. Biol. Chem.,* 276 (2001) 2443-2450.

1515 Lefkovits, I., Kettman, J.R. and Frey, J.R.: Proteomic analysis of rare molecular species of translated polypeptides from a mouse fetal thymus cDNA library. *Proteomics (Weinheim),* 1 (2001) 560-573.

1516 Mans, B.J., Venter, J.D., Vrey, P.J., Louw, A.I. and Neitz, A.W.H.: Identification of putative proteins involved in granule biogenesis of tick salivary glands. *Electrophoresis (Weinheim),* 22 (2001) 1739-1746.

1517 Meetei, A.R., Ullas, K.S. and Rao, M.R.S.: Identification of two novel zinc finger modules and nuclear localization signal in rat spermatidal protein TP2 by site-directed mutagenesis. *J. Biol. Chem.,* 275 (2000) 38500-38507.

1518 Pellegrini, M., Panara, F., Angiolillo, A., Lucentini, L., Maras, B. and Panara, F.: Structural and immunological similarities between high molecular weight zinc ion-dependent *p*-nitrophenylphosphatase and fructose-1,6-bisphosphate aldolase from bovine liver. *Biochim. Biophys. Acta,* 1546 (2001) 226-233.

1519 Quaranta, S., Giuffrida, M.G., Cavaletto, M., Giunta, C., Godovac-Zimmermann, J., Canas, B., Fabris, C., Bertino, E., Mombro, M. and Conti, A.: Human proteome enhancement: High-recovery method and improved two-dimensional map of colostral fat globule membrane proteins. *Electrophoresis (Weinheim),* 22 (2001) 1810-1818.

1520 Ritz-Laser, B., Estreicher, A., Ganthier, B. and Philippe, J.: The paired homeodomain transcription factor Pax-2 is expressed in the endocrine pancreas and transactivates the glucagon gene promoter. *J. Biol. Chem.,* 275 (2000) 32708-32715.

See also 1545, 1827, 1893.

19j. Proteins of brain, cerebrospinal fluid and eye

1521 Burkhard, P.R., Rodrigo, N., May, D., Sztajzel, R., Sanchez, J.-C., Hochstrasser, D.F., Shiffer, E., Reverdin, A. and Lacroix, J.S.: Assessing cerebrospinal fluid rhinorrhea: A two-dimensional electrophoresis approach. *Electrophoresis (Weinheim),* 22 (2001) 1826-1833.

1522 Castellanos Oetega, M.R., Cruz Aguado, R., Lorigados Pedré, L. and de la Cuétara Bernal, K.: Purification and characterization of murine beta-nerve growth factor. *J. Chromatogr. B,* 753 (2001) 245-252.

1523 Caudie, C., Allausen, O. and Bancel, J.: (Evaluation of a new technique for the detection of oligoclonal IgG bands in cerebrospinal fluid by immunofixation following electrophoresis using Hydrasis (Sebia)). *Ann. Biol. Clin.,* 58 (2000) 376-379; *C.A.,* 134 (2001) 84744s.

1524 Davidsson, P., Paulson, L., Hesse, C., Blennow, K. and Nilsson, C.L.: Proteome studies of human cerebrospinal fluid and brain tissue using a preparative two-dimensional electrophoresis approach prior to mass spectrometry. *Proteomics (Weinheim),* 1 (2001) 444-452.

1525 Friso, G., Kaiser, L., Raud, J. and Wikström, L.: Differential protein expression in rat trigeminal ganglia during inflammation. *Proteomics (Weinheim),* 1 (2001) 397-408.

1526 Li, J., Huang, F.L. and Huang, K.-P.: Glutathiolation of proteins by glutathione disulfide S-oxide derived from S-nitrosoglutathione. *J. Biol. Chem.,* 276 (2001) 3098-3105.

1527 Matsumoto, H. and Komori, N.: Ocular proteomics: Cataloging photoreceptor proteins by two-dimensional gel electrophoresis and mass spectrometry. *Methods Enzymol.,* 316(Vertebrate Phototransduction and the Visual Cycle, Pt. B) (2000) 492-511; *C.A.,* 134 (2001) 83023u.

1528 Moran, J., Morales-Mulia, M. and Pasantes-Morales, H.: Reduction of phospholemman expression decreases osmosensitive taurine efflux in astrocytes. *Biochim. Biophys. Acta,* 1538 (2001) 313-320.

1529 Stark, M., Danielsson, O., Griffiths, W.J., Jörnvall, H. and Johansson, J.: Peptide repertoire of human cerebrospinal fluid: novel proteolytic fragments of neurendocrine proteins. *J. Chromatogr. B,* 754 (2001) 357-367;.

1530 Swamy-Mruthinti, S.: Glycation decreases calmodulin binding to lens transmembrane protein, MIP. *Biochim. Biophys. Acta,* 1536 (2001) 64-72.

1531 Tsugita, A.: (Proteome research in post genome science). *No no Kagaku,* 23 (2001) 31-37; *C.A.,* 134 (2001) 98354b - a review with 8 refs.

1532 Yoo, B.C., Vlkolinsky, R., Engidawork, E., Cairns, N., Fountoulakis, M. and Lubec, G.: Differential expression of molecular chaperones in brain of patients with Down syndrome. *Electrophoresis (Weinheim),* 22 (2001) 1233-1241.

See also 1398, 1701, 1725.

19k. Proteins of neoplastic tissue and transformed cells

1533 Barkett, M., Dooher, J.E., Lemonnier, L., Simmons, L.V., Scarpati, J.N., Wang, Y. and Gilmore, T.D.: Three mutations in v-Rel render it resistant to cleavage by cell-death protease caspase-3. *Biochim. Biophys. Acta,* 1526 (2001) 25-36.

1534 Charrier, J.-P., Tournel, C., Michel, S., Comby, S., Jolivet-Reynaud, C., Passagot, J., Dalbon, P., Chautard, D. and Jolivet, M.: Differential diagnosis of prostate cancer and benign prostate hyperplasia using two-dimensional electrophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1861-1866.

1535 Dovhey, S.E., Hgosh, N.S. and Wright, K.L.: Loss of interferon-γ inducibility of TAP1 and LMP2 in a renal cell carcinoma cell line. *Cancer Res.,* 60 (2000) 5789-5796.

1536 Hjerrild, M., Milne, D., Dumaz, N., Hay, T., Issinger, O.-G. and Meek, D.: Phosphorylation of murine double minute clone 2 (MD) protein and serine-267 by protein kinase CK2 *in vitro* and in cultered cells. *Biochem. J.,* 355 (2001) 347-356.

1537 Lichtenfels, R., Ackermann, A., Kellner, R. and Seliger, B.: Mapping and expression pattern analysis of key components of the major histocompatibility complex class I antigen processing and presentation pathway in a representative human renal cell carcinoma cell line. *Electrophoresis (Weinheim),* 22 (2001) 1801-1809.

1538 Miyagishi, M., Fujii, R., Hatta, M., Yoshida, E., Araya, N., Nagafuchi, A., Ishihara, S., Nakajima, T. and Fukamizu, A.: Regulation of Lef-mediated transcription and p53-dependent pathway by associating β-catenin with CBP/p300. *J. Biol. Chem.,* 275 (2000) 35170-35175.

1539 Pastorcic, M. and Das, H.K.: Regulation of transcription of the human presenilin-1 gene by Ets transcription factores and the p53 protooncogene. *J. Biol. Chem.,* 275 (2000) 34938-34945.

1540 Poirier, F., Pontet, M., Labas, V., le Caër, J.-P., Sghiouar-Imam, N., Raphaël, M., Caron, M. and Joubert-Caron, R.: Two-dimensional database of a Burkitt lymphoma cell line (DG 75) proteins: Protein pattern changes following treatment with 5'-azycytidine. *Electrophoresis (Weinheim),* 22 (2001) 1867-1878.

1541 Vancompernolle, K., Boonefaes, T., Mann, M., Fiers, W. and Grooten, J.: Tumor necrosis factor-induced microtubule stabilization mediated by hyperphosphorylated oncoprotein 18 promotes cell death. *J. Biol. Chem.,* 275 (2000) 33876-33882.

1542 Yang, L., Chansky, H.A. and Hickstein, D.D.: EWS-Fli-1 fusion protein interacts with hyperphosphorylated RNA polymerase II and interferes with serine-arginine protein-mediated RNA splicing. *J. Biol. Chem.,* 275 (2000) 37612-37618.

1543 Zelivianski, S., Verni, M., Moore, C., Kondrikov, D., Taylor, R. and Lin, M.-F.: Multipathways for transdifferentiation of human prostate cancer cells into neuroendocrine-like phenotype. *Biochim. Biophys. Acta,* 1539 (2001) 28-43.

See also 1294, 1380, 1390, 1477, 1549, 1563, 1796.

19l. Specific binding and receptor proteins

1544 Amorim, C.R.N., Matsuura, M.S.A., Rosa, J.C., Greene, L.J., Leite, D.S. and Yano, T.: Purification and characterization of the fimbria F18ac (2134P) isolated from enterotoxigenic *Escherichia coli* (ETEC). *Vet. Microbiol.,* 76 (2000) 41-49; *C.A.,* 134 (2001) 190273x.

1545 Asazuma, N., Wilde, J.I., Berlanga, O., Leduc, M., Leo, A., Schweighoffer, E., Tybulewicz, V., Bon, C., Liu, S.K., McGlade, C.J., Schraven, B. and Watson, S.P.: Interaction of linker for activation of T cells with multiple adapter proteins in platelets activated by the glycoprotein VI-selective ligand, convulxin. *J. Biol. Chem.,* 275 (2000) 33427-33434.

1546 Barton, V.A., Hall, M.A., Hudson, K.R. and Heath, J.K.: Interleukin-11 signals through the formation of a hexameric receptor complex. *J. Biol. Chem.,* 275 (2000) 36197-36203.

1547 Borges, E., Jan, Y. and Ruoslahti, E.: Platelet-derived growth factor receptor β and vascular endothelial growth factor receptor 2 bind to the β_3 integrin through its extracellular domain. *J. Biol. Chem.,* 275 (2000) 39867-39873.

1548 Buchdunger, E., Cioffi, C.L., Law, N., Stover, D., Ohno-Jones, S., Druker, B.J. and Lydon, N.B.: Abl protein-tyrosine kinase inhibitor STI571 inhibits *in vitro* signal transduction mediated by c-Kit and platelet-derived growth factor receptors. *J. Pharmacol. Exp. Ther.,* 295 (2000) 139-145.

1549 Burns, D.J. and Hulme, M.J.: Photoaffinity detection of cAMP binding proteins in ovarian cancer. *Methods Mol. Med.,* 39(Ovarian Cancer) (2000) 645-648; *C.A.,* 134 (2001) 190243n.

1550 Cailliau, K., Browaeys-Poly, E. and Vilain, J.P.: Fibroblast growth factors 1 and 2 differently activate MAP kinase in Xenopus oocytes expressing fibroblast growth factor receptors 1 and 4. *Biochim. Biophys. Acta,* 1538 (2001) 228-233.

1551 Chuang, T.-H. and Ulevitch, R.J.: Identification of hTLR10: a novel human Toll-like receptor preferentially expressed in immune cells. *Biochim. Biophys. Acta,* 1518 (2001) 157-161.

1552 Cowan, K.J., Law, D.A. and Phillips, C.R.: Identification of SHC as the primary protein binding to the tyrosine-phosphorylated β_3 subunit of $\alpha_{IIb}\beta_3$ during outside-in integrin platelet signaling. *J. Biol. Chem.,* 275 (2000) 36423-36429.

1553 Cuervo, A.M., Gomes, A.V., Barnes, J.A. and Dice, J.F.: Selective degradation of annexins by chaperone-mediated autophagy. *J. Biol. Chem.,* 275 (2000) 33329-33335.

1554 Danieluk, M., Golczak, M., Pikula, S. and Bandorowicz-Pikula, J.: UDP hydrolase activity associated with the porcine liver annexin fraction. *Biochim. Biophys. Acta,* 1526 (2001) 70-76.

1555 Gao, Z., Reavey-Cantwell, J., Young, R.A., Jegier, P. and Wolf, B.A.: Synaptotagmin III/VII isoforms mediate Ca^{2+}-induced insulin secretion in pancreatic islets β-cells. *J. Biol. Chem.,* 275 (2000) 36079-36085.

1556 Gee, K.R., Kang, H.C., Meier, T.I., Zhao, G. and Blaszcak, L.C.: Fluorescent Bocillins: Synthesis and application in the detection of penicillin-binding proteins. *Electrophoresis (Weinheim),* 22 (2001) 960-965.

1557 Grierson, A.J., Shaw, C.E. and Miller, C.C.J.: Androgen induced cell death in SHSY5Y neuroblastoma cells expressing wild-type and spinal bulbar muscular atrophy mutant androgen receptors. *Biochim. Biophys. Acta,* 1536 (2001) 13-20.

1558 Guilherme, A., Emoto, M., Buxton, J.M., Bose, S., Sabini, R., Theurkauf, W.E., Leszyk, J. and Czech, M.P.: Perinuclear localization and insulin responsiveness of GLUT4 requires cytoskeletal integrity in 3T3-L1 adipocytes. *J. Biol. Chem.,* 275 (2000) 38151-38159.

1559 Huxford, T., Malek, S. and Ghosh, G.: Preparation and crystallization of dynamic NF-κB.IκB complexes. *J. Biol. Chem.,* 275 (2000) 32800-32806.

1560 Kalandakanond, S. and Coffield, J.A.: Cleavage of intracellular substrates of botulinum toxins A, C and D in a mammalian target tissue. *J. Pharmacol. Exp. Ther.,* 296 (2001) 749-755.

1561 Kang, J., Kim, T., Ko, Y.-G., Rho, S.B., Park, S.G., Kim, M.J., Kwon, H.J. and Kim, S.: Heat shock protein 90 mediates protein-protein interactions between human aminoacyl-tRNA synthetases. *J. Biol. Chem.,* 275 (2000) 31682-31688.

1562 Ki, S.W., Ishigami, K., Kitahara, T., Kasahara, K., Yoshida, M. and Horinouchi, S.: Radicicol binds and inhibits mammalian ATP citrate lyase. *J. Biol. Chem.,* 275 (2000) 39231-39236.

1563 Komine, M., Rao, L.S., Kaneko, T., Tomic-Canic, M., Tamaki, K., Freedberg, I.M. and Blumenberg, M.: Inflammatory *versus* proliferative processes in epidermis. *J. Biol. Chem.,* 275 (2000) 32077-32088.

1564 Komori, K., Myiata, T., Daiyasu, H., Toh, H., Shinagawa, H. and Ishino, Y.: Domain analysis of an archaeal RadA protein for the strand exchange activity. *J. Biol. Chem.,* 275 (2000) 33791-33797.

1565 Komori, K., Myiata, T., DiRuggiero, J., Holley-Shanks, R., Hayashi, I., Cann, I.K.O., Mayanagi, K., Shinagawa, H. and Ishino, Y.: Both RadA and RadB are involved in homologous recombination in *Pyrococcus furiosus.* *J. Biol. Chem.,* 275 (2000) 33782-33790.

1566 Korneeva, N.L., Lamphear, B.J., Hennigan, F.L.C., Merrick, W.C. and Rhoads, R.E.: Characterization of the two eIF4A-binding sites on human eIF4G-1. *J. Biol. Chem.,* 276 (2001) 2872-2879.

1567 Liu, P., Wang, P., Michaely, P., Zhu, M. and Anderson, R.G.W.: Presence of oxidized cholesterol in calveolae uncouples active platelet-derived growth factor receptors from tyrosine kinase substrates. *J. Biol. Chem.,* 275 (2000) 31648-31654.

1568 Medley, Q.G., Serra-Pages, C., Iannotti, E., Seipel, K., Tang, M., O'Brien, S.P. and Streuli, M.: The Trio guanine nucleotide exchange factor is a RhoA target. *J. Biol. Chem.,* 275 (2000) 36116-36123.

1569 Nagayama, Y., Nishihara, E., Namba, H., Yamashita, S. and Niwa, M.: Identification of the sites of asparagine-linked glycosylation on the human thyrotropin receptor and studies on their role in receptor function and expression. *J. Pharmacol. Exp. Ther.,* 295 (2000) 404-409.

1570 Opanasopit, P., Higuchi, Y., Kawakami, S., Yamashita, F., Nishikawa, M. and Hashida, M.: Involvement of serum mannan binding proteins and mannose receptors in uptake of mannosylated liposomes by macrophages. *Biochim. Biophys. Acta,* 1511 (2001) 134-145.

1571 Park, O.K., Schaefer, L.K., Wan, W. and Schaefer, T.S.: Dimer stability as a determination of differential DNA binding activity of Stat 3 isoforms. *J. Biol. Chem.,* 275 (2000) 32244-32249.

1572 Paul-Pletzer, K., Palnitkar, S.S., Jimenez, L.S., Morimoto, H. and Parnes, J.: The skeletal muscle ryanodine receptor identified as a molecular target of [^{3}H]azidodantrolene by photoaffinity labeling. *Biochemistry,* 40 (2001) 464-542.

1573 Peters, M.F. and Ross, Ch.A.: Isolation of a 40-kDa Huntingtin-associated protein. *J. Biol. Chem.,* 276 (2001) 3188-3194.

1574 Qiu, L., Joazeiro, C., Fang, N., Wang, H.-Y., Elly, C., Altman, Y., Fang, D., Hunter, T. and Liu, Y.-C.: Recognition and ubiquitination of Notch by Itch, a Hect-type E3 ubiquitin ligase. *J. Biol. Chem.,* 275 (2000) 35734-35737.

1575 Reid, K.J., Hendy, S.C., Saito, J., Sorensen, P. and Nelson, C.C.: Two classes of androgen receptor elements mediate cooperativity through allosteric interactions. *J. Biol. Chem.,* 276 (2001) 2943-2952.

1576 Rekdal, C., Sjøttem, E. and Johansen, T.: The nuclear factor SPBP contains different functional domains and stimulates the activity various transcriptional activators. *J. Biol. Chem.,* 275 (2000) 40288-40300.

1577 Rybin, V.O., Xu, X., Lisanti, M.P. and Steinberg, S.F.: Differential targeting of β-adrenergic receptor subtypes and adenylyl cyclase to cardiomycete calveolae. *J. Biol. Chem.,* 275 (2000) 41447-41457.

1578 Safadi, F., Reddy, V.S. and Reddy, A.S.N.: A pollen-specific novel calmodulin-binding protein with tetratricopeptide repeats. *J. Biol. Chem.,* 275 (2000) 35457-35470.

1579 Scaffidi, C., Kischkel, F.C., Krammer, P.H. and Peter, M.E.: Analysis of the CD95 (APO-1/Fas) death-inducing signaling complex by high-resolution two-dimensional gel electrophoresis. *Methods Enzymol.,* 322 (2000) 363-373; *C.A.,* 134 (2001) 191921u.

1580 Smith, M.F., Jr.: Electrophoretic mobility shift assay (EMSA). *Methods Mol. Med.,* 50 (2001) 249-257; *C.A.,* 134 (2001) 232395w.

1581 Tait, S.W.G., Reid, E.B., Greaves, D.R., Wileman, T.E. and Powel, P.P.: Mechanism of inactivation of NF-κB by a viral homologue of IκBα. *J. Biol. Chem.,* 275 (2000) 34656-34664.

1582 Thibault, G., Tardif, P. and Lapalme, G.: Comparative specificity of platelet αIIbβ3 integrin antagonists. *J. Pharmacol. Exp. Ther.,* 296 (2001) 690-696.

1583 Tso, P.H. and Wong, Y.H.: G_Z can mediate the acute actions of μ- and κ-opioids but is not involved in opioid-induced adenylyl cyclase supersensitization. *J. Pharmacol. Exp. Ther.,* 295 (2000) 168-176.

1584 Underhill, C., Qutob, M.S., Yee, S.-P. and Torchia, J.: A novel nuclear receptor corepressor complex, N-CoR, contains components of mammalian SWI/SNF complex and the corepressor KAP-1. *J. Biol. Chem.,* 275 (2000) 40463-40470.

1585 Wixler, V., Geerts, D., Laplantine, E., Westhoff, D., Smyth, N., Aumailley, M., Sonnenberg, A. and Paulsson, M.: The LIM-only protein DRAL/FHL2 binds to the cytoplasmic domain of several α and β integrin chains and is recruited to adhesin complexes. *J. Biol. Chem.,* 275 (2000) 33669-33678.

See also 1377, 1391, 1431, 1500, 1583.

20d. Hydrolases, acting on ester bonds (E.C. 3.1.-.-)

1634 Amalin, D.M., Pena, J.E. and McSorley, R.: Gut content analysis of three species of SAC spiders by electrophoresis. *Fla. Entomol.*, 83, No. 4 (2000) 489-492; *C.A.*, 134 (2001) 234558a.

1635 Bosch, R.R., Hoenderop, J.G.J., van der Heijden, L., de Pont, J.J.H.H.M., Bindels, R.J.M. and Willems, P.H.G.M.: Hormonal regulation of phospholipase D activity in Ca^{2+} transporting cells of rabbit connecting tubule and cortical collecting duct. *Biochim. Biophys. Acta*, 1538 (2001) 329-338.

1636 Dwivedi, Y., Rizavi, H.S., Rao, J.S. and Pandey, G.N.: Modifications in the phosphoinositide signaling pathway by adrenal glucocorticoids in rat brain: focus on phosphoinositide-specific phospholipase C and inositol 1,4,5-trisphosphate. *J. Pharmacol. Exp. Ther.*, 295 (2000) 244-254.

1637 Giordano, D., de Stefano, M.E., Citro, G., Modica, A. and Giorgi, M.: Expression of cGMP-binding cGMP-specific phosphodiesterase (PDE5) in mouse tissues and cell lines using an antibody against the enzyme amino-terminal domain. *Biochim. Biophys. Acta*, 1539 (2001) 16-27.

1638 Hartleib, J. and Rüterjans, H.: Insights into the reaction mechanism of the diisopropyl fluorophosphatase from *Loligo vulgaris* by means of kinetic studies, chemical modification and site-directed mutagenesis. *Biochim. Biophys. Acta*, 1546 (2001) 312-324.

1639 Ikeda, S. and Kawasaki, N.: Isolation and characterization of the *Schizosaccharomyces pombe* cDNA encoding the mitochondrial endonuclease. *Biochim. Biophys. Acta*, 1519 (2001) 111-116.

1640 Lomolino, G., Lante, A., Crapisi, A., Spettoli, P. and Curioni, A.: Detection of *Saccharomyces cerevisiae* carboxylesterase activity after native and sodium dodecyl sulfate electrophoresis by using fluorescein diacetate as substrate. *Electrophoresis (Weinheim)*, 22 (2001) 1021-1023.

1641 Zhang, W. and Neer, E.J.: Reassembly of phospholipase C-β_2 from separated domains. *J. Biol. Chem.*, 276 (2001) 2503-2508.

1642 Zhao, W., Confalone, E., Breukelman, H.J., Sasso, M.P., Jekel, P.A., Hodge, E., Furia, A. and Beintema, J.J.: Ruminant brain ribonucleases: expression and evolution. *Biochim. Biophys. Acta*, 1547 (2001) 95-103.

See also 1811.

20e. Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)

1643 Affar, El B., Germain, M., Winstall, E., Vodenicharov, M., Shah, R.G., Salvesen, G.S. and Poirier, G.G.: Caspase-3-mediated processing of poly(ADP-ribose) glycohydrolase during apoptosis. *J. Biol. Chem.*, 276 (2001) 2935-2942.

1644 Barbeyron, T., Michel, G., Potin, P., Henrissat, B. and Kloareg, B.: ι -Carrageenases constitute a novel family of glycoside hydrolases, unrelated to that of κ-carrageenases. *J. Biol. Chem.*, 275 (2000) 35499-35505.

1645 Gonzalez-Noriega, A. and Michalak, C.: Mannose 6-phosphate-independent endocytosis of β-glucuronidase II. Purification of a cation-dependent receptor from bovine liver. *Biochim. Biophys. Acta*, 1538 (2001) 152-161.

1646 Hujer, A.M., Hujer, K.M. and Bonomo, R.A.: Mutagenesis of amino acid residues in the SHV-1 β-lactamase: the premier role of Gly238Ser in penicillin and cephalosporin resistance. *Biochim. Biophys. Acta*, 1547 (2001) 37-50.

1647 Osanai, K., Mason, R.J. and Voelker, D.R.: Pulmonary surfactant phosphatidylcholine transport bypasses the brefeldin A sensitive compartment of alveolar type II cells. *Biochim. Biophys. Acta*, 1531 (2001) 222-229.

1648 Pan, I.-H. and Li, Y.-K.: Rapid process for purification of an extracellular β-xylosidase by aqueous two-phase extraction. *J. Chromatogr. B*, 754 (2001) 179-184.

1649 Xu, Y., Hansen, K., Rosenquist, T.A., Williams, D.A., Limp-Foster, M. and Kelley, M.R.: Protection of mammalian cells against chemotherapeutic agents thiotepa, 1,3-N,N'-bis(2-chloroethyl)-N-nitrosourea, and mafosfamide using the DNA base excision repair genes Fpg and α-hOgg1: implications for protective gene therapy applications. *J. Pharmacol. Exp. Ther.*, 296 (2001) 825-831.

See also 1328.

20f. Other hydrolases

1650 Aufurth, S., Schägger, H. and Müller, V.: Identification of subunits a, b, and c_1 from *Acetobacterium woodii* Na^+-F_1F_0-ATPase. *J. Biol. Chem.*, 275 (2000) 33297-33301.

1651 Bellosta, S., Canavesi, M., Favari, E., Cominacini, L., Gaviraghi, G., Fumagalli, R., Paoletti, R. and Bernini, F.: Lalsoacidipine modulates the secretion of matrix metalloproteinase-9 by human macrophages. *J. Pharmacol. Exp. Ther.*, 296 (2001) 736-743.

1652 Choi-Miura, N.-H., Saito, K., Takahashi, K., Yoda, M. and Tomita, M.: Regulation mechanism of the serine protease activity of plasma hyaluronan binding protein. *Biol. Pharm. Bull.*, 24 (2001) 221-225.

1653 Hicks-Berger, C.A., Yang, F., Smith, T.M. and Kirley, T.L.: The importance of histidine residues in human ecto-nucleoside triphosphate diphosphohydrolase-3 as determined by site-directed mutagenesis. *Biochim. Biophys. Acta*, 1547 (2001) 72-81.

1654 Hoglen, N.C., Hirakawa, B.P., Fisher, C.D., Weeks, S., Srinivasan, A., Wong, A.M., Valentino, K.L., Tomaselli, K.J., Bai, X., Karanewsky, D.S. and Contreras, P.: Characterization of the caspase inhibitor IDN-1965 in a model of apoptosis-associated liver injury. *J. Pharmacol. Exp. Ther.*, 297 (2001) 811-818.

1655 Ikeda, M., Maekawa, R., Tanaka, H., Matsumoto, M., Takeda, Y., Tamura, Y., Nemori, R. and Yoshioka, T.: Inhibition of gelatinolytic activity in tumor tissues by synthetic matrix metalloproteinase inhibitor: Application of film *in situ* zymography. *Clin. Cancer Res.*, 6 (2000) 3290-3296; *C.A.*, 134 (2001) 125645f.

1656 Jiao, J., Yu, M. and Ru, B.: Characterization of a recombinant chimeric plasminogen activator with enhanced fibrin binding. *Biochim. Biophys. Acta*, 1546 (2001) 399-405.

1657 Kawai, M., Hara, Y., Miyazato, I. and Hosaki, S.: Novel, aberratly truncated isoform of serum CD13 in a family with high serum aminopeptidase N (CD13) activity. *Clin. Chem. (Washington)*, 47 (2001) 223-230.

1658 Kim, D.R., Sharmin, S., Inoue, M. and Kido, H.: Cloning and expression of novel mosaic serine proteases with and without a transmembrane domain from human lung. *Biochim. Biophys. Acta,* 1518 (2001) 204-209.

1659 Koyama, H., Iwata, H., Kuwabara, Y., Iwase, H., Kobayashi, S. and Fujii, Y.: Gelatinolytic activity of matrix metalloproteinase-2 and -9 in esophageal carcinoma: a study using *in situ* zymography. *Eur. J. Cancer,* 36 (2000) 2164-2170; *C.A.*, 134 (2001) 250414f.

1660 Leber, T.M. and Negus, R.P.M.: Detection and quantification of matrix metalloproteases by zymography. *Methods Mol. Med.*, 39(Ovarian Cancer) (2000) 509-514; *C.A.*, 134 (2001) 96993k.

1661 Llano, E., Pendas, A.M., Aza-Blanc, P., Kronberg, T.B. and Lopez-Otin, C.: Dm1-MMP, a matrix metalloproteinase from Drosophila with a potential role in extracellular matrix remodeling during neural development. *J. Biol. Chem.*, 275 (2000) 35978-35985.

1662 Luo, L.-Y., Grass, L., Horwath, D.J.C., Thibault, P., Ong, H. and Diamandis, E.P.: Immunofluorometric assay of human kallikrein 10 and its identification in biological fluids and tissues. *Clin. Chem. (Washington),* 47 (2001) 237-246.

1663 Nakajima, T., Fukiage, C., Azuma, M., Ma, H. and Shearer, T.R.: Different expression patterns for ubiquitous calpains and Capn3 splice variants in monkey ocular tissues. *Biochim. Biophys. Acta,* 1519 (2001) 55-64.

1664 Porembska, Z., Zabek, J., Grabon, W., Rahden-Staron, I. and Baranczyk-Kuzma, A.: Arginase isoforms in human colorectal cancer. *Clin. Chim. Acta,* 305 (2001) 157-165.

1665 Sanchez, J., Verdoni, N., Fitton, V. and Santarelli, X.: Efficient two-step chromatographic purification of penicillin acylase from clarified *Escherichia coli* ultrasonic homogenate. *J. Chromatogr. B,* 753 (2001) 45-50.

1666 Shono, M., Wada, M., Hara, Y. and Fujii, T.: Molecular cloning of Na^+-ATPase cDNA from a marine alga, *Heterosigma akashiwo*. *Biochim. Biophys. Acta,* 1511 (2001) 193-199.

See also 1288, 1469, 1518, 1896, 1948.

20g. Lyases

1667 Gonzales, E., Fernandez, M.R., Larroy, C., Sola, L., Pericas, M.A., Peres, X. and Biosca, J.A.: Characterization of a (2R,3R)-2,3-butanediol dehydrogenase as the *Saccharomyces cerevisiae* YAL060W gene product. *J. Biol. Chem.*, 275 (2000) 35876-35885.

See also 1562.

20h. Isomerases

1668 Champoux, J.J.: DNA topoisomerase I-mediated nicking of circulat duplex DNA. *Methods Mol. Biol. (Totowa),* 95(DNA Topoisomerase Protocols, Pt. 2) (2001) 81-87; *C.A.*, 134 (2001) 112182c.

1669 Roca, J.: Filter binding assays for topoisomerase-DNA complexes. *Methods Mol. Biol. (Totowa),* 95(DNA Topoisomerase Protocols, Pt. 2) (2001) 75-80; *C.A.*, 134 (2001) 112044j.

1670 Shuman, S.: Analysis of topoisomerase-DNA interactions by eletrophoretic mobility shift assay. *Methods Mol. Biol. (Totowa),* 95(DNA Topoisomerase Protocols, Pt. 2) (2001) 65-74; *C.A.*, 134 (2001) 112043h.

See also 1614, 1685.

20i. Ligases

1671 Minty, A., Dumont, X., Kaghad, M. and Caput, D.: Covalent modification of p73α by SUMO-1. *J. Biol. Chem.*, 275 (2000) 36316-36323.

See also 1561, 1574, 1917.

20j. Complex mixtures and incompletely identified enzymes

See 1417, 1433, 1561.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

1672 Bae, S.-H. and Seo, Y.-S.: Characterization of the enzymatic properties of the yeast DNA 2 helicase/endonuclease suggests a new model for Okazaki fragment processing. *J. Biol. Chem.*, 275 (2000) 38022-38031.

1673 Bell, S.D. and Jackson, S.: Mechanism of autoregulation by a archaeal transcriptional repressor. *J. Biol. Chem.*, 275 (2000) 31624-31629.

1674 Bonham, K., Ritchie, S.A., Dehm, S.M., Snyder, K. and Boyd, F.M.: An alternative, human SRC promoter and its regulation by hepatic nucelar factor-1α. *J. Biol. Chem.*, 275 (2000) 37604-37611.

1675 Dean, G., Young, D.A., Edwards, D.R. and Clark, I.M.: The human tissue inhibitor of metalloproteinases (TIMP)-I gene contains repressive elements within the promoter and intron 1. *J. Biol. Chem.*, 275 (2000) 32664-32671.

1676 El Affar, R., Gobeil, S., Germain, M., Winstall, E. and Shah, R., Bourassa, S., St-Cyr, J., Boucher, C. and Poirier, G.G.: Determination of poly(ADP-ribose)polymerase activation and cleavage during cell death. In: Szabo, C. (Editor), *Cell Death,* CRC Press, Boca Raton, 2000, pp. 305-321; *C.A.*, 134 (2001) 127883f - a review with 40 refs.

1677 Gong, F. and Yanofsky, Ch.: Reproducing tna operon regulation *in vitro* in an S-30 system. *J. Biol. Chem.*, 276 (2001) 1947-1983.

1678 Gross, C., Kelleher, M., Iyer, V.R., Brown, P.O. and Winge, D.R.: Identification of the copper regulon in *Saccharomyces cerevisiae* by DNA microarrays. *J. Biol. Chem.*, 275 (2000) 32310-32316.

1679 Grover, J., Liu, Ch.-Y., Kao, W.W.-Y. and Roughley, P.J.: Analysis of the human lumican gene promoter. *J. Biol. Chem.*, 275 (2000) 40967-40973.

1680 Harrington, R.H. and Sharma, A.: Transcription factors recognizing overlapping C1-A2 binding sites positively regulate insulin gene expression. *J. Biol. Chem.*, 276 (2001) 104-113.

1681 Ito, M., Achermann, J.C. and Jameson, J.L.: A naturally occurring steroidogenic factor 1 mutation exhibits differential binding and activation of target genes. *J. Biol. Chem.,* 275 (2000) 31708-31714.

1682 Jansen, M.S., Cook, G.A., Song, S. and Park, E.A.: Thyroid hormone regulates carnitine palmitoyltransferase Iα gene expression through elements in the promoter and first intron. *J. Biol. Chem.,* 275 (2000) 34989-34997.

1683 Ko, J.L. and Loh, H.H.: Single-tranded DNA-binding complex involved in transcriptional regulation of mouse μ-opioid receptor gene. *J. Biol. Chem.,* 276 (2001) 788-795.

1684 Kreklau, E.L., Liu, N., Li, Z., Cornetta, K. and Erickson, L.C.: Comparison of single- versus double-bolus treatments of O^6-benzylguanine for depletion of O^6-methylguanine DNA methyltransferase (MGMT) activity *in vivo*: development of a novel fluorometric oligonucleotide assay for measurement of MGMY activity. *J. Pharmacol. Exp. Ther.,* 297 (2001) 524-530.

1685 Lovett, B.D., Strumberg, D., Blair, I.A., Pang, S., Burden, D.A., Megonigal, M.D., Rappaport, E.F., Rebbeck, T.R., Osheroff, N., Pommier, Y.G. and Felix, C.A.: Etoposide metabolites enhance DNA topoisomerase II cleavage near leukemia-associated MLL translocation breakpoints. *Biochemistry,* 40 (2001) 1159-1170.

1686 Lu, W., Peterson, R., Dasgupta, A. and Scovell, W.M.: Influence of HMG-1 and adenovirus oncoprotein E1A on early stages of transcriptional preinitiation complex assembly. *J. Biol. Chem.,* 275 (2000) 35006-35012.

1687 Oh, Y., Lee, S., Yoon, J., Han, K. and Baek, K.: Promoter analysis of the *Drosophila melanogaster* gene encoding transcription elongation factor TFIIS. *Biochim. Biophys. Acta,* 1518 (2001) 276-281.

1688 Petersen, C. and Moller, L.B.: The RihA, RihB, and RihC ribonucleoside hydrolases of *Escherichia coli. J. Biol. Chem.,* 276 (2001) 884-894.

1689 Podlutsky, A.Ja., Dianova, I.I., Wilson, S.H., Bohr, W.A. and Dianov, G.L.: DNA synthesis and dRPase activities of polymerase β are both essential for single-nucleotide patch excision repair in mammalian cell extracts. *Biochemistry,* 40 (2001) 809-813.

1690 Seroz, T., Perez, C., Bergmann, E., Bradsher, J. and Egly, J.-M.: p44/SSL1, The regulatory subunit of the XPD/RAD3 helicase, plays a crucial role in the transcriptional activity of TFIIH. *J. Biol. Chem.,* 275 (2000) 33260-33266.

1691 Tachiki, H., Kato, R. and Kuramitsu, S.: DNA binding and protein-protein interaction sites in MutS, a mismatched DNA recognition protein from *Thermus thermophilus* HB8. *J. Biol. Chem.,* 275 (2000) 40703-40709.

1692 Terzano, S., Flora, A., Clementi, F. and Fornasari, D.: The minimal promoter of the human α_3 nicotinic receptor subunit gene. *J. Biol. Chem.,* 275 (2000) 41495-41503.

1693 Turner, F.B., Taylor, S.M. and Moran, R.G.: Expression patterns of the multiple transcripts from the folylpolylglutamate synthetase gene in human leukemias and normal differentiated tissues. *J. Biol. Chem.,* 275 (2000) 35960-35968.

1694 Verhaeg, G.W., van Bohhoven, A., Smit, F., Schalken, J.A. and Bussemakers, M.J.G.: Isolation and characterization of the promoter of the human prostate cancer-specific DD3 gene. *J. Biol. Chem.,* 275 (2000) 37496-37503.

See also 1222, 1257, 1498, 1535, 1704, 1733, 1804, 1861, 1871, 1924, 1928, 1950.

21b. Nucleic acids, RNA

1695 Alcaraz, M.J., Habib, A., Creminon, C., Vicente, A.M., Lebret, M., Levy-Toledano, S. and Maclouf, J.: Heme oxygenase-1 induction by nitric oxide in RAW 264.7 macrophages is upregulated by a cyclo-oxygenase-2 inhibitor. *Biochim. Biophys. Acta,* 1526 (2001) 13-16.

1696 Arai, S., Ogawa, K., Yamachika, S., Nishihara, T. and Nishikawa, J.-i.: Cloning and functional characterization of chicken p160 coactivator family members. *Biochim. Biophys. Acta,* 1518 (2001) 7-18.

1697 Barton, E.S., Connolly, J.L., Forrest, J.C., Chappell, J.D. and Dermody, T.S.: Utilization of sialic acid as a coreceptor enhances reovirus attachment by multistep adhesion strenthening. *J. Biol. Chem.,* 276 (2001) 2200-2211.

1698 Bellarosa, D., Ciucci, A., Bullo, A., Nardelli, F., Mancini, S., Maggi, C.A. and Goso, C.: Apoptotic events in a human ovarian cancer cell line exposed to anthracyclines. *J. Pharmacol. Exp. Ther.,* 296 (2001) 276-283.

1699 Bluteau, G., Conrozier, T., Mathieu, P., Vignon, E., Herbage, D. and Mallein-Gerin, F.: Matrix metalloproteinase-1, -3, -13 and aggrecanase-1 and -2 are differentially expressed in experimental osteoarthritis. *Biochim. Biophys. Acta,* 1526 (2001) 147-158.

1700 Bunse, A.A., Nickelsen, J. and Kück, U.: Intron-specific RNA binding proteins in the chloroplast of the green alga *Chlamydomonas reinhardtii. Biochim. Biophys. Acta,* 1519 (2001) 46-54.

1701 Carim-Todd, L., Escarceller, M., Estivill, X. and Sumoy, L.: Characterization of human FSD1, a novel brain specific gene on chromosome 19 with paralogy to 9q31. *Biochim. Biophys. Acta,* 1518 (2001) 200-203.

1702 Chen, M.-C., Gong, H.-Y., Cheng, C.-Y., Wang, J.-P., Hong, J.-R. and Wu, J.-L.: Cloning and characterization of zfBLP1, a Bcl-XL homologue from the zebrafish, *Danio rerio. Biochim. Biophys. Acta,* 1519 (2001) 127-133.

1703 Coutte, L., Slomianny, M.-C., Malecha, J. and Baert, J.-L.: Cloning and expression analysis of a cDNA that encodes a leech hemerythrin. *Biochim. Biophys. Acta,* 1518 (2001) 282-286.

1704 Dailly, Y.P., Zhou, Y., Linkhart, T.A., Baylink, D.J. and Strong, D.D.: Structure and characterization of the human insulin-like growth factor binding protein (IGFBP)-6 promoter: identification of a functional retinoid response element. *Biochim. Biophys. Acta,* 1518 (2001) 145-151.

1705 Diah, S.K., Padbury, J.F., Campbell, W.A., Britt, D. and Thompson, N.L.: Molecular cloning of the rat TA1/LAT-1/CD98 light chain gene promoter. *Biochim. Biophys. Acta,* 1518 (2001) 267-270.

1706 Dibbens, J.A., Polyak, S.W., Damert, A., Risau, W., Vadas, M.A. and Goodall, G.J.: Nucleotide sequence of the mouse VEGF 3'UTR and quantitative analysis of sites of polyadenylation. *Biochim. Biophys. Acta,* 1518 (2001) 57-62.

1707 Feeney, G.P. and Worwood, M.: The effects of wild-type and mutant HFE expression upon cellular iron uptake in transfected human embryonic kidney cells. *Biochim. Biophys. Acta,* 1538 (2001) 242-151.

1708 Feeney, K.A., Tatham, A.S., Gilbert, S.M., Fido, R.J., Halford, N.G. and Shewry, P.R.: Synthesis, expression and characterization of peptides comprised of perfect repeat motifs based on a wheat seed storage protein. *Biochim. Biophys. Acta,* 1546 (2001) 346-355.

1709 Franko, J., Ashley, C. and Xiao, W.: Molecular cloning and functional characterization of two murine cDNAs which encode Ubc variants involved in DNA repair and mutagenesis. *Biochim. Biophys. Acta,* 1519 (2001) 70-77.

1710 Fredriksson, J.M., Thonberg, H., Ohlson, K.B.E., Ohba, K.-i., Cannon, B. and Nedergaard, J.: Analysis of inhibition by H89 of UCP1 gene expression and thermogenesis indicates protein kinase A mediation of β_3-adrenergic signalling rather than β_3-adrenoceptor antagonism by H89. *Biochim. Biophys. Acta,* 1538 (2001) 206-217.

1711 Frolov, M.V., Benevolenskaya, E.V. and Birchler, J.A.: Molecular analysis of a novel Drosophila diacylglycerol kinase, *DGKε*. *Biochim. Biophys. Acta,* 1538 (2001) 339-352.

1712 Fujimora, T. and Esteban, R.: Recognition of RNA encapsidation signal by the yeast L-A double-stranded RNA virus. *J. Biol. Chem.,* 275 (2000) 37118-37126.

1713 Fujimoto, K., Mizukami, Y., Kimura, M., Mogami, K., Todoroki-Ikeda, N., Kobayashi, S. and Matsuzaki, M.: Molecular cloning of rat transmembrane domain protein of 40 kDa regulated in adipocytes and its expression in H9c2 cells exposed to ischemic hypoxia and reoxygenation. *Biochim. Biophys. Acta,* 1518 (2001) 173-177.

1714 Geiman, T.M., Tessarollo, L., Anver, M.R., Kopp, J.B., Ward, J.M. and Muegge, K.: Lsh, a SNF2 family member, is required for normal murine development. *Biochim. Biophys. Acta,* 1526 (2001) 211-220.

1715 Gou, D.M., Sun, Y., Gao, L., Chow, L.M.C., Huang, J., Feng, Y.D., Jiang, D.H. and Li, W.X.: Cloning and characterization of a novel Krüppel-like zinc finger gene, ZNF268, expressed in early human embryo. *Biochim. Biophys. Acta,* 1518 (2001) 306-310.

1716 Hartupee, J.C., Zhang, H., Bonaldo, M.F., Soares, M.B. and [illegible]

1722 Kumar, J.M. and Bond, J.S.: Developmental expression of meprin metalloprotease subunits in ICR and C3H/He mouse kidney and intestine in the embryo, postnatally and after weaning. *Biochim. Biophys. Acta,* 1518 (2001) 106-114.

1723 Ling, R., Bridges, C.C., Sugawara, M., Fujita, T., Leibach, F.H., Prasad, P.D. and Ganapathy, V.: Involvement of transporter recruitment as well as gene expression in the substrate-induced adaptive regulation of amino acid transport system A. *Biochim. Biophys. Acta,* 1512 (2001) 15-21.

1724 Liu, Z., Zhao, M., Yokoyama, K.K. and Li, T.: Molecular cloning of a cDNA for rat TM4SF4, a homolog of human il-TMP (TM4SF4), and enhanced expression of the corresponding gene in regenerating rat liver. *Biochim. Biophys. Acta,* 1518 (2001) 183-189.

1725 Long, X. and Griffith, L.C.: Identification and characterization of a SUMO-1 conjugation system that modifies neuronal calcium/calmodulin-dependent protein kinase II in *Drosophila melanogaster. J. Biol. Chem.,* 275 (2000) 40765-40776.

1726 Min, J., Lee, Y.-J., Kim, Y.-A., Park, H.-S., Han, S.-Y., Jhon, G.-J. and Choi, W.: Lysophosphatidylcholine derived from deer antler extract suppresses hyphal transition in *Candida albicans* through MAP kinase pathway. *Biochim. Biophys. Acta,* 1531 (2001) 77-89.

1727 Mochizuki, K., Suruga, K., Yagi, E., Takase, S. and Goda, T.: The expression of PPAR-associated genes is modulated through postnatal development of PPAR subtypes in the small intestine. *Biochim. Biophys. Acta,* 1531 (2001) 68-76.

1728 Muguerza, B., Castilla-Cortazar, I., Garcia, M., Quiroga, J., Santidrian, S. and Prieto, J.: Antifibrogenic effect *in vivo* of low doses of insulin-like growth factor-I in cirrhotic rats. *Biochim. Biophys. Acta,* 1536 (2001) 185-195.

1729 Nakamura, T., Aoki, S., Kitajima, K., Takahashi, T., Matsumoto

1899 Heaton, J.H., Dlakic, W.M., Dlakic, M. and Gelehrter, T.D.: Identification and cDNA cloning of a novel RNA-binding protein that interacts with the cyclic nucleotide-resposive sequence in the type-1 plasminogen activator inhibitor mRNA. *J. Biol. Chem.,* 276 (2001) 3341-3347.

1900 Hofstra, R.M.W., Wu, Y., Stulp, R.P., Elfferich, P., Osinga, J., Maas, S.M., Siderius, L., Borrks, A.S., Ende, J.J., Heydendael, V.M.R., Severijnen, R.S.V.M., Bax, K.M.A., Meijers, C. and Buys, C.H.C.M.: RET and GDNF gene scanning in Hirschsprung patients using two dual denaturing gel systems. *Hum. Mutat.,* 15 (2000) 418-429; *C.A.,* 134 (2001) 111028v.

1901 Huang, W., Wang, H., Kekuda, R., Fei, Y.-J., Friedrich, A., Wang, J., Conway, S.J., Cameron, R.S., Leibach, F.H. and Ganapathy, V.: Transport of N-acetylaspartate by the Na^+-dependent high-affinity dicarboxylate transporter NaDC3 and its relevance to the expression of the transporter in the brain. *J. Pharmacol. Exp. Ther.,* 295 (2000) 392-403.

1902 Iftode, C. and Borowiec, J.A.: 5'→3' Molecular polarity of human replication protein A (hRPA) binding to pseudo-origin DNA substrates. *Biochemistry,* 39 (2000) 11970-11981.

1903 Jones, R.B., Wang, F., Luo, Y., Yu, Ch., Jin, Ch., Suzuki, T., Kan, M. and McKeehan, W.L.: The nonsense-mediated decay pathway and mutually exclusive expression of alternatively spliced FGFR2IIIb and -IIIc mRNAs. *J. Biol. Chem.,* 276 (2001) 4158-4167.

1904 Kamashev, D.E., Balandina, A.V. and Karpov, V.L.: Tramtrac protein-DNA interactions. *J. Biol. Chem.,* 275 (2000) 36056-36061.

1905 Kasahara, M., Maeda, M., Hayashi, S., Mori, Y. and Abe, T.: A missense mutation in the Na^+/glucose cotransporter gene SGLT1 in a patient with congenital glucose-galactose malabsorption: normal trafficking but inactivation of the mutant protein. *Biochim. Biophys. Acta,* 1536 (2001) 141-147.

1906 Kohler, S., Pradervand, S., Verdumo, C., Merillat, A.-M., Bens, M., Vandewalle, A., Beermann, F. and Hummler, E.: Analysis of the mouse Scnn 1a promoter in cortical collecting duct cells and in transgenic mice. *Biochim. Biophys. Acta,* 1519 (2001) 106-110.

1907 Kreuzer, K.-A., Bohn, A., Lupberger, J., Solassol, J., le Coutre, P. and Andreas-Schmidt, C.: Simultaneous absolute quantification of target and control templates by real-time fluorescence reverse transcription-PCR using 4-(4'-dimethylaminophenylazo)benzoic acid as a dark quencher dye. *Clin. Chem. (Washington),* 47 (2001) 486-490.

1908 Kutay, U., Hartmann, E., Treichel, N., Calado, A., Carno-Fonseca, M., Prehn, S., Kraft, R., Görlich, D. and Bischoff, F.R.: Identification of two novel RanCTP-binding proteins belonging to the importin β superfamily. *J. Biol. Chem.,* 275 (2000) 40163-40168.

1909 Laumonnier, Y., Nadaud, S., Agrapart, M. and Soubier, F.: Characterization of an upstream enhancer region in the promoter of the human endothelial nitric-oxide synthase gene. *J. Biol. Chem.,* 275 (2000) 40732-40741.

1910 Lee, T.-X., Metzger, S.U., Cho, Y.S., Whitmarsh, J. and Kallas, T.: Modification of inhibitor binding sites in the cytochrome bf complex by directed mutagenesis of cytochrome b_6 in Synechococcus sp. PCC 7002. *Biochim. Biophys. Acta,* 1504 (2001) 235-247.

1911 Lee, W.Y., Loflin, P., Clancey, C.J., Peng, H. and Lever, J.E.: Cyclic nucleotide regulation of Na^+/glucose cotransporter (SGLT1) mRNA stability. *J. Biol. Chem.,* 275 (2000) 33998-34008.

1912 Li, H., Xue, G. and Yeung, E.S.: Selective detection of individual DNA molecules by capillary polymerase chain reaction. *Anal. Chem.,* 73 (2001) 1537-1543.

1913 Lockley, A.K. and Bardsley, R.G.: Novel method for the discrimination of tuna (*Thunnus thynnus*) and bonito (*Sarda sarda*) DNA. *J. Agric. Food Chem.,* 48 (2000) 4463-4468.

1914 Lorenz, M. and Diekmann, S.: Quantitative distance information on protein-DNA complexes determined in polyacrylamide gels by fluorescence resonance energy transfer. *Electrophoresis (Weinheim),* 22 (2001) 990-998.

1915 Mancini, P., Dentice, M., Aniello, F., Branno, M., Piscopo, M., Pulcrano, G. and Fucci, L.: The replacement H3.3 histone gene in *Paracentrotus lividus* sea urchin: structure and regulatory elements. *Biochim. Biophys. Acta,* 1519 (2001) 39-45.

1916 Mansur, A.H. and Morrison, J.F.J.: Genome-wide search for asthma genes. *Methods Mol. Med.,* 44(Asthma: Mechanisms and Protocols) (2000) 321-341; *C.A.,* 134 (2001) 114435m.

1917 Marshall, N.F. and Dahmus, M.E.: C-terminal domain phosphatase sensitivity of RNA polymerase II in early elongation complexes on the HIV-1 and adenovirus 2 major late templates. *J. Biol. Chem.,* 275 (2000) 32430-32437.

1918 Mavrogiannis, L.A., Argyrokastritis, A., Tzitzikas, N., Dermitzakis, E., Sarafidou, T., Patsalis, P.C. and Moschonas, N.K.: ZNF232: structure and expression analysis of a novel human C_2H_2 zinc finger gene, member of the SCAN/LeR domain subfamily. *Biochim. Biophys. Acta,* 1518 (2001) 300-305.

1919 McCormac, D.J., Litz, H., Wang, J., Gollnick, P.D. and Berry, J.O.: Light-associated and processing-dependent protein binding to 5'regions of rbcL mRNA in the chloroplasts of a C_4 plant. *J. Biol. Chem.,* 276 (2001) 3476-3483.

1920 Miyake, T., HU, Y.-F., Yu, D.S. and Li, R.: A functional comparison of BRCA1 C-terminal domains in transcriptional activation and chromatin remodeling. *J. Biol. Chem.,* 275 (2000) 40169-40173.

1921 Monteiro, F. Ferreira, Nunes, E., Magalhaes, R., Martins, A., Faria, M.A., Bowers, J.E. and Meredith, C.P.: Fingerprinting of the main *Vitis vinifera* varieties grown in the northern region of Portugal. *Acta Hortic.,* 528(Proceedings of the Seventh International Symposium on Grapevine Genetics and Breeding, 1998, Vol. 1) 121-127; *C.A.,* 134 (2001) 83622p.

1922 Piekielko, A., Drung, A., Rogalla, P., Schwanbeck, R., Heyduk, T., Gerharz, M., Bullerdiek, J. and Wisniewski, J.R.: Distinct organization of DNA complexes of various HMGI/Y family proteins and their modulation upon mitotic phosphorylation. *J. Biol. Chem.,* 276 (2001) 1984-1992.

1923 Rodda, S., Sharma, S., Scherer, M., Chapman, G. and Rathjen, P.: CRTR-1, a developmentally regulated transcriptional repressor related to the CP2 family of transcription factors. *J. Biol. Chem.,* 276 (2001) 3324-3332.

1924 Sakurai, H. and Fukasawa, T.: Functional connections between mediator components and general transcription of *Saccharomyces cerevisiae. J. Biol. Chem.,* 275 (2000) 37251-37256.

1925 Sawaguchi, A., Wang, X., Sawaguchi, T. and Tezuka, Y.: Analysis of STR and application to paternity testing. *Int. Congr. Ser.,* 1193(Progress in Forensic Genetics 8) (2000) 377-380; *C.A.,* 134 (2001) 81908n.

1926 Scarafoni, A., di Cataldo, A., Vassilevskaia, T.D., Bekman, E.P., Rodrigues-Pousada, C., Ceciliani, F. and Duranti, M.: Cloning, sequencing and expression in the seeds and radicles of two *Lupinus albus* conglutin γ genes. *Biochim. Biophys. Acta,* 1519 (2001) 147-151.

1927 Schneider-Stock, R., Emrich, T., Peters, B., Jaeger, V. and Roessner, A.: Analysis of human telomerase reverse transcriptase mRNA (hTERT) expression in myxoid liposarcomas using LightCycler real-time quantitative reverse transcriptase-polymerase chain reaction. *Electrophoresis (Weinheim),* 22 (2001) 1098-1101.

1928 Schultz, S.J., Zhang, M., Kelleher, C.D. and Champoux, J.J.: Analysis of plus-strand primer selection, removal, and reutilization by retroviral reverse transcriptase. *J. Biol. Chem.,* 275 (2000) 32299-32309.

1929 Seward, R.J. and Towner, K.J.: Evaluation of a PCR-immunoassay technique for detection of *Neisseria meningitidis* in cerebrospinal fluid and peripheral blood. *J. Med. Microbiol.,* 49 (2000) 451-456; *C.A.,* 134 (2001) 111041u.

1930 Shiokawa, D. and Tanuma, S.: Characterization of human DNase I family endonucleases and activation of DNase γ during apoptosis. *Biochemistry,* 40 (2001) 143-152.

1931 Stephens, R.H., O'Neill, C.A., Warurst, A., Carlson, G.L., Rowland, M. and Warhurst, G.: Kinetic profiling of P-glycoprotein-mediated drug efflux in rat and human intestinal epithelia. *J. Pharmacol. Exp. Ther.,* 296 (2001) 584-591.

1932 Stoitchkov, K., Letellier, S., Garnier, J.-P., Toneva, M., Naumova, E., Peytcheva, E., Tzankov, N., Bousquet, B., Morel, P. and le Bricon, T.: Evaluation of standard tyrosinase RT-PCR in melanoma patients by the use of the LightCycler system. *Clin. Chim. Acta,* 306 (2001) 133-138.

1933 Stros, M. and Muselikova, E.: A role of basic residues and the putative intercalating phenylalanine in the HMG-1 box B in DNA supercoiling and binding to four-way DNA junctions. *J. Biol. Chem.,* 275 (2000) 35699-35707.

1934 Suminami, Y., Kishi, F., Murakami, A., Sakaguchi, Y., Nawata, S., Numa, F. and Kato, H.: Novel forms of squamous cell carcinoma antigen transcripts produced by alternative splicing. *Biochim. Biophys. Acta,* 1519 (2001) 122-126.

1935 Tai, E.S., Koay, E.S.C., Chan, E., Seng, T.J., Loh, L.M., Sethi, S.K. and Tan, C.E.: Compound heterozygous familial hypercholesterolemia and familial defective apolipoprotein B-100 produce exaggerated hypercholesterolemia. *Clin. Chem. (Washington),* 47 (2001) 438-443.

1936 Tsai, L.-C., Wu, K.-L., Hsieh, H.-M., Chien, M.-H., Linacre, A. and Lee, J.C.-I.: A novel nomenclature for the hypervariable short tandem repeat APOAI1. *Electrophoresis (Weinheim),* 22 (2001) 1090-1094.

1937 Veis, A., Tompkins, K., Alvares, K., Wei, K., Wang, L., Wang, X.S., Brownell, A.G., Jengh, S.-M. and Healy, K.E.: Specific amelogenin gene splice products have signaling effects cells in culture and in implants *in vivo* *J. Biol. Chem.,* 275 (2000) 41263-41272.

1938 Vyas, D.R., McCarthy, J.J., Tsika, G.L. and Tsika, R.W.: Multiprotein complex formation at the β myosin heavy chain distal muscle CAT element correlates with slow muscle expression but not mechanical overload resposiveness. *J. Biol. Chem.,* 276 (2001) 1173-1184.

1939 Waleria-Aleixo, A., Kroon, E.G., Campos, M.A.S., Margutti-Pinto, M.E., Bonjardim, C.A. and Ferreira, P.C.P.: Heteroduplex mobility assay for rapid, sensitive and specific detection of mycobacteria. *Diagn. Microbiol. Infect. Dis.,* 36, No. 4 (2000) 225-235; *C.A.,* 134 (2001) 95963p.

1940 Wellmann, S., Taube, T., Paal, K., Graf v. Einsiedel, H., Geilen, W., Seifert, G., Eckert, C., Henze, G. and Seeger, K.: Specific reverse transcription-PCR quantification of vascular endothelial growth factor (VEGF) splice variants by LightCycler technology. *Clin. Chem. (Washington),* 47 (2001) 654-660.

1941 Wickham, C.L., Lynas, C. and Ellard, S.: Detection of clonal T cell populations by high resolution PCR using fluorescently labeled nucleotides; evaluation using conventional LIS-SSCP. *Mol. Pathol.,* 53, No. 3 (2000) 150-154; *C.A.,* 134 (2001) 217682u.

1942 Yan Ch., Wang, H. and Boyd, D.D.: KiSS-1 represses 92-kDa type IV collagenase expression by down-regulating NF-κBα-induced block of p65/p50 nuclear translocation. *J. Biol. Chem.,* 276 (2001) 1164-1172.

1943 Yokoyama, T., Kodama, N., Aoshima, H., Izu, H., Matsushita, K. and Yamada, M.: Cloning of a cDNA for a constitutive NRT1 transporter from soybean and comparison of gene expression of soybean NRT1 transporters. *Biochim. Biophys. Acta,* 1518 (2001) 79-86.

See also 1251, 1386, 1496, 1500, 1502, 1520, 1533, 1542, 1636, 1663, 1677, 1681, 1682, 1688, 1691, 1706, 1713, 1726, 1730, 1737, 1744, 1746, 1753, 1771, 1781, 1802, 1803, 1814, 1841, 1852, 1854, 1859, 1951, 1952, 1953, 1954.

23. OTHER SUBSTANCES CONTAINING HETEROCYCLIC NITROGEN

23d. Pyridine derivatives

1944 Daumer, K.M., Khan, A.U. and Steinbeck, M.J.: Chlorination of pyridinium compounds. *J. Biol. Chem.,* 275 (2000) 34681-34692.

25. ORGANIC PHOSPHORUS COMPOUNDS (INCL. SUGAR PHOSPHATES)

1945 Echarte, M.M., Levi, V., Rossi, R.C. and Rossi, J.P.F.C.: A microscale method to determine phosphorylated intermediates. *Int. Congr. Ser.,* 1207(Na/K-ATPase and Related ATPases) (2000) 463-466; *C.A.,* 134 (2001) 233398m.

1946 Ignatoski, K.M.W.: Immunoprecipitation and Western blotting of phosphotyrosine-containing proteins. *Methods Mol. Biol. (Totowa),* 124(Protein Kinase Protocols) (2001) 39-48; *C.A.,* 134 (2001) 233682z - a review with 19 refs.

See also 1258, 1263, 1286, 1292, 1303, 1326, 1368, 1374.

28. ANTIBIOTICS

See 1289.

32. DRUG ANALYSIS

32c. Autonomic and cardiovascular drugs

1947 Ilyukhin, O.V., Viktorov, D.V., Yakovlev, A.T. and Lopatin, Yu.M.: (Electrophoretic characterization of the captopril-bovine serum albumin conjugate bond). *Klin. Lab. Diagn.*, No. 7 (2000) 44; *C.A.*, 134 (2001) 190234k.

32f. Cytostatics

1948 Bielawska, A., Chrzanowski, K., Bielawski, K. and Palka, J.: Decreased cytotoxicity and increased antimitotic activity of a proline analogue of chlorambucil as a prodrug susceptible to the action of fibroglast's prolidase. *Pharmazie,* 56 (2001) 290-294.

32h. Toxicological and forensic applications

1949 Martin-Eauclaire, M.-F. and Rochat, H.: Purification and characterization of scorpion toxins acting on voltage-sensitive Na^+ channels. In: Rochat, H. and Martin-Eauclaire, M.-F. (Editors), *Anim. Toxins,* Birkhaeuser Verlag, Basel, 2000, pp. 152-168; *C.A.*, 134 (2001) 67246p.

See also 1443.

32i. Plant extracts

1950 Sun, P., Wu, X., Ji, P. and Zhao, M.: Determination of eritadenine in *Lentinus edodes* and other edible fungi). *Shipin Gongye Keji,* 21, No. 5 (2000) 70-72; *C.A.*, 134 (2001) 206752r.

33. CLINICO-CHEMICAL APPLICATIONS

33a. General papers and reviews

See 1253.

33b. Complex mixtures and profiling (single compounds by cross-reference only)

1951 Chen, C.-P., Chern, S.-R. and Wang, W.: Fetal DNA analyzed in plasma from a mother's three consecutive pregnancies to detect paternally inherited aneuploidy. *Clin. Chem. (Washington),* 47 (2001) 937-939.

1953 Latour, P., Boutrand, L., Levy, N., Bernard, R., Boyer, A., Claustrat, F., Chazot, G., Boucherat, M. and Vandenberghe, A.: Polymorphic short tandem repeats for diagnosis of the Charcot-Marie-Tooth IA duplication. *Clin. Chem. (Washington),* 47 (2001) 829-837.

1954 Miyashiro, I., Kuo, C., Huynh, K., Iida, A., Morton, D., Bilchik, A., Giuliano, A. and Hoon, D.S.B.: Molecular strategy for detecting metastatic cancers with use of multiple tumor-specific MAGE-A genes. *Clin. Chem. (Washington),* 47 (2001) 505-512.

See also 1278, 1281, 1283, 1463, 1466, 1476, 1478, 1479, 1481, 1588, 1657, 1664, 1717, 1884, 1887, 1890, 1932, 1935, 1940.

34. FOOD ANALYSIS

34b. Complex mixtures (single compounds by cross-reference only)

1955 Pineiro, C., Vazquez, J., Marina, A.I., Barros-Velazquez, J. and Gallardo, J.M.: Characterization and partial sequencing of species-specific sarcoplasmic polypeptides from commercial hake species by mass spectrometry following two-dimensional electrophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1545-1552.

35. ENVIRONMENTAL ANALYSIS

35c. Water pollution (complex mixtures; single compounds by cross-reference only)

See 1847.

37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES

See 1223.

38. INORGANIC COMPOUNDS

38a. Cations

1956 Makeeva, I.S., Ivanova, N.D. and Trachevskij, V.V.: (The state of

4g. Enantiomers, separation

660 Cucinotta, V., Giuffrida, A., Grasso, G., Maccarrone, G. and Vecchio, G.: Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis. *J. Chromatogr. A,* 916 (2001) 61-64.

661 De Boer, T., Mol, R., de Zeeuw, R.A., de Jong, G.J. and Ensing, K.: Enantioseparation of ofloxacin in urine by capillary electrokinetic chromatography using charged cyclodextrins as chiral selectors and assessment of enantioconversion. *Electrophoresis (Weinheim),* 22 (2001) 1413-1418.

662 Girod, M., Chankvetadze, B., Okamoto, Y. and Blaschke, G.: Highly efficient enantioseparations in non-aqueous capillary electrochromatography using cellulose tris(3,5-dichlorophenylcarbamate) as chiral stationary phase. *J. Separ. Sci.,* 24 (2001) 27-34.

663 Jabor, V.A.P. and Bonato, P.S.: Enantiomeric determination of praziquantel and its main metabolite *trans*-4-hydroxypraziquantel in human plasma by cyclodextrin-modified micellar electrokinetic chromatography. *Electrophoresis (Weinheim),* 22 (2001) 1399-1405.

664 Jabor, V.A.P., Lanchote, V.L. and Bonato, P.L.: Simultaneous determination of disopyramide and mono-*N*-dealkyldisopyramide enantiomers in human plasma by capillary electrophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1406-1412.

665 Liu, Z., Otsuka, K. and Terabe, S.: Chiral separation by open tubular capillary electrochromatography with adsorbed avidin as a stationary phase. *J. Separ. Sci.,* 24 (2001) 17-26.

666 Lu, H., Ruan, Z., Li, J. and Ou, Q.: (Synhergistic effects of negatively charged and neutral cyclodextrins as chiral additives in capillary electrophoresis). *Fenxi Huaxue,* 28 (2000) 1567; *C.A.,* 134 (2001) 231293z.

667 Wang, W., Lu, J., Fu, X. and Chen, Y.: Carboxymethyl-β-cyclodextrin for chiral separation of basic drugs by capillary electrophoresis. *Anal. Lett.,* 34 (2001) 569-578.

668 Zhu, W. and Vigh, G.: Separation selectivity patterns in the capillary electrophoretic separation of anionic enantiomers by octakis-6-sulfato-γ-cyclodextrin. *Electrophoresis (Weinheim),* 22 (2001) 1394-1398.

See also 616, 628, 639, 640, 695, 724, 727, 790, 792, 793, 801, 808, 820, 821, 822, 823, 826, 827, 832, 861.

4i. Other special techniques

669 Bianchi, F., Wagner, F., Hoffmann, P. and Girault, H.H.: Electroosmotic flow in composite microchannels and implications in microcapillary electrophoresis systems. *Anal. Chem.,* 73 (2001) 829-836.

670 Cheng, S.B., Skinner, C.D., Taylor, J., Attiya, S., Lee, W.E., Picelli, G. and Harrison, D.J.: Development of a multichannel microfluidic analysis system employing affinity capillary electrophoresis for immunoassay. *Anal. Chem.,* 73 (2001) 1471-1479.

671 Deng, Y., Zhang, H. and Henion, J.: Chip-based quantitative capillary electrophoreis/mass spectrometry determination of drugs in human plasma. *Anal. Chem.,* 73 (2001) 1432-1439.

672 Kameoka, J., Caraighead, H.G., Zhang, H. and Henion, J.: A polymeric microfluidic chip for CE/MS determination of small molecules. *Anal. Chem.,* 73 (2001) 1935-1941.

673 Liu, J., Tseng, K., Garcia, B., Lebrilla, C.B., Mukerjee, E., Collins, S. and Smith, R.: Electrophoresis separation in open microchannels. A method for coupling electrophoresis with MALDI-MS. *Anal. Chem.,* 73 (2001) 2147-2151.

674 Macounova, K., Cabrera, C.R. and Yager, P.: Concentration and separation of proteins in microfluidic channels on the basis of transverse IEF. *Anal. Chem.,* 73 (2001) 1627-1633.

675 Molho, J.I., Herr, A.E., Mosier, B.P., Santiago, J.G., Kenny, T.W., Brennen, R.A., Gordon, G.B. and Mohammadi, B.: Optimization of turn geometries for microchip electrophoresis. *Anal. Chem.,* 73 (2001) 1350-1360.

676 Webster, J.R., Burns, M.A., Burke, D.T. and Mastrangelo, C.H.: Monolithic capillary electrophoresis device with integrated fluorescence detector. *Anal. Chem.,* 73 (2001) 1622-1626.

677 Yang, W.-C., Yu, X.-D., Yu, A.-M. and Chen, H.-Y.: Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection. *J. Chromatogr. A,* 910 (2001) 311-318.

See also 573, 582, 593, 596, 607, 659, 691, 703, 732, 782, 786, 787, 791, 862.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5b. Cyclic hydrocarbons, fullerenes

678 Kuyper, C., Denham, K., Dickson, J., Murray, J. and Milofsky, R.: Chemiluminiscence detection in capillary electrophoresis using an ultra-fast co-catalyzed peroxyoxalate chemiluminiscent reaction and electrokinetic reagent delivery. *Chromatographia,* 53 (2001) 173-178.

See also 651, 652, 653.

6. ALCOHOLS

See 573.

7. PHENOLS

679 Andrade, P.B., Oliveira, B.M., Seabra, R.M., Ferreira, M.A., Ferreres, F. and Garcia-Viguera, C.: Analysis of phenolic compounds in Spanish Albrariño and Portuguese Alvarinho and Loureiro wines by capillary zone electrophoresis and high-performance liquid chromatography. *Electrophoresis (Weinheim),* 22 (2001) 1568-1572.

680 Cifuentes, A., Bartolome, B. and Gomez-Cordoves, C.: Fast determination of procyanidins and other phenolic compounds in food samples by micellar electrokinetic chromatography using acidic buffers. *Electrophoresis (Weinheim),* 22 (2001) 1561-1567.

681 Dadakova, E., Prochazkova, E. and Krizek, M.: Application of micellar electrokinetic capillary chromatography for quantitative analysis of quercetin in plant materials. *Electrophoresis (Weinheim),* 22 (2001) 1573-1578.
682 Kanitsar, K., Arce, L., Rios, A. and Valcarcel, M.: Determination of phenolic constituents in citrus samples by on-line coupling of a flow system with capillary electrophoresis. *Electrophoresis (Weinheim)* 22 (2001) 1553-1560.
683 Kuban, P., Berg, M., Garcia, C. and Karlberg, B.: On-line flow sample stacking in a flow injection analysis-capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants. *J. Chromatogr. A,* 912 (2001) 163-170.
684 Quirino, J.P. and Terabe, S.: Sweeping of neutral analytes *via* complexation with borate in capillary zone electrophoresis. *Chromatographia,* 53 (2001) 285-289.

See also 591, 677.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

685 Dogrukol-Ak, D., Kirimer, N., Tncel, M. and Aboul-Enein, H.Y.: Determination of rutin in *Hypericum perforatum* extract by capillar electrophoreis. *Anal. Lett.,* 34 (2001) 185-191.
686 Wright, L.P., Aucamp, J.P. and Apostolides, Z.: Analysis of black tea theaflavins by non-aqueous capillary electrophoresis. *J. Chromatogr. A,* 919 (2001) 205-213.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

See 851.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

687 Claeson, K., Thorsén, G. and Karlberg, B.: Methyl malondialdehyde as an internal standard for the determination of malondialdehyde. *J. Chromatogr. B,* 751 (2001) 315-323.
688 Wang, D., Yang, G., Engelhardt, H., Liu, H. and Zhao, J.: Separation by capillary zone electrophoresis of the active anthraquinone components of the Chinese herb *Polygonum multiflorum* Thunb. *Chromatographia,* 53 (2001) 185-189.

See also 646, 851, 861.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

689 Ding, X.-h. and Ye, J.-n.: (Determination of monosaccharides in hydrolyzed polysaccharide solution of Radix achyranthis bidentatae). *Fenxi Ceshi Xuebao,* 19, No. 5 (2000) 53-55; *C.A.,* 134 (2001) 198153d.
690 Hu, Q., Zhou, T., Zhang, L. and Fang, Y.: Study of the separation and determination of monosaccharides in soluble coffee by capillary zone electrophoresis with electrochemical detection. *Analyst (Cambridge),* 126 (2001) 298-301.
691 Suzuki, S., Saito, Y., Shimotsu, N. and Honda, S.: (Ultramicro analysis of amino sugars using laser-induced fluorescence detection). *Chromatography,* 21 (2000) 270-271; *C.A.,* 134 (2001) 125350f.

See also 628, 697, 771.

10b. Polysaccharides, mucopolysaccharides, lipopolysaccharides

692 Ludwiczak, P., Brando, T., Monsarrat, B. and Puzo, G.: Structural characterization of *Mycobacterium tuberculosis* lipoarabinomannans by the combination of capillary electrophoresis and matrix assisted laser desorption/ionization time-of-flight mass spectrometry. *Anal. Chem.,* 73 (2001) 2323-2330.
693 Mangin, C.M., Goodall, D.M. and Roberts, M.A.: Separation of ι, χ- and λ-carrageenans by capillary electrophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1460-1467.
694 Pumera, M., Jelinek, I. and Jindrich, J.: Determination of cyclodextrins and their derivatives by capillary electrophoresis with indirect UV and conductivity detection. *Fresenius J. Anal. Chem.,* 369 (2001) 666-669.
695 Yanes, E.G., Gratz, S.P., Sutton, R.M.C. and Stalcup, A.M.: A comparison of phosphated and sulfated beta-cyclodextrins as chiral selectors for capillary electrophoresis. *Fresenius J. Anal. Chem.,* 369 (2001) 412-417.

See also 789.

10c. Glycoproteins and their constituents

696 Geng, M., Zhang, X., Bina, M. and Regnier, F.: Proteomics of glycoproteins based on affinity selection of glycopeptides from tryptic digests. *J. Chromatogr. B,* 752 (2001) 293-306.
697 Hong, M., Cassely, A., Mechref, Y. and Novotny, M.V.: Sugar-lectin interactions investigated through affinity capillary electrophoresis. *J. Chromatogr. B,* 752 (2001) 207-216.
698 Suzuki, S., Tanaka, R., Takada, K., Inoue, N., Yashima, Y., Honda, A. and Honda, S.: Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis. *J. Chromatogr. A,* 910 (2001) 319-329.

See also 756.

11. ORGANIC ACIDS AND LIPIDS

11a. Organic acids and simple esters

699 Chen, Z.L., Krishnamurti, G.S.R. and Naidu, R.: Separation of phenolic acids in soil and plant tissue extracts by co-electroosmotic capillary electrophoresis with direct UV detection. *Chromatographia,* 53 (2001) 179-184.
700 Dabek-Zlotorzynska, E., Piechowski, M., McGrath, M. and Lawi, E.P.C.: Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis. *J. Chromatogr. A,* 910 (2001) 331-345.

701 Garcia, A., Muros, M. and Barbas, C.: Measurement of nephrolithiasis urinary markers by capillary electrophoresis. *J. Chromatogr. B,* 755 (2001) 287-295.
702 Kim, D.-H., Choi, J.-O., Kim, M. and Lee, D.W.: Determination of haloacetic acids in tap water by capillary electrophoresis with direct UV detection. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 47-55.
703 Masar, M., Kaniansky, D., Bodor, R., Jöhnck, M. and Stanislawski, B.: Determination of organic acids and inorganic anions in wine by isotachophoresis on a planar chip. *J. Chromatogr. A,* 916 (2001) 167-174.
704 Öhman, M., Wang, H., Hamberg, M. and Blomberg, L.G.: Separation of divinyl ether fatty acid isomers by micellar electrokinetic chromatography. *Electrophoresis (Weinheim),* 22 (2001) 1163-1169.
705 Spilkova, J., Bednar, P. and Stroblikova, R.: Capillary electrophoretic analysis of hydroxycinnamic acids from *Ononis arvensis* L. *Pharmazie,* 56 (2001) 424-425.

See also 581, 647, 648, 652, 657, 659, 710, 771, 858.

11c. Lipids and their constituents

706 Chen, Y.-L. and Xu, Y.: Determination of lysophosphatidic acids by capillary electrophoresis with indirect ultraviolet detection. *J. Chromatog. B,* 753 (2001) 355-363.

11d. Lipoproteins and their constituents

707 Zorn, U., Haug, C., Celik, E., Wennauer, R., Schmid-Kotsas, A., Bachem, M.G. and Grünert, A.: Characterization of modified low density lipoprotein subfractions by capillary isotachophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1143-1149.

12. ORGANIC PEROXIDES

See 772.

13. STEROIDS

13a. General techniques

See 648.

13c. Estrogens

708 Harino, H., Tsunoi, S., Sato, T. and Tanaka, M.: Applicability of micellar electrokinetic chromatography to the analysis of estrogens in water. *Fresenius J. Anal. Chem.,* 369 (2001) 546-547.
709 Hilhorst, M.J., Somsen, G.W. and de Jong, G.J.: Sensitivity enhancement in capillary electrochromatography by on-column preconcentration. *Chromatographia,* 53 (2001) 190-196.

14. STEROID GLYCOSIDES AND SAPONINS

710 Tava, A., Chiari, M. and Oleszek, W.: Separation of alfalfa *(Medicago sativa* L.) saponins as their borate complexes by capillary electrophoresis. *Proc. Phytochem. Soc. Eur.,* 45(Saponins in Food, Feedstuffs and Medicinal Plants) (2000) 43-56; *C.A.,* 134 (2001) 249081p.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

711 Suomi, J., Siren, H., Wiedmer, S.K. and Riekkola, M.-L.: Isolation of aucubin and catalpol from *Melitaea cinxia* larvae and quantification by micellar electrokinetic capillary chromatography. *Anal. Chim. Acta,* 429 (2001) 91-99.

15b. Essential oils

712 Cavazza, A., Bartle, K.D., Dugo, P. and Mondello, L.: Analysis of oxygen hetocyclic compounds in citrus essential oils by capillary electrochromatography and comparison with HPLC. *Chromatographia,* 53 (2001) 57-62.

16. NITRO AND NITROSO COMPOUNDS

See 652, 652.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

713 McKeown, A.P., Euerby, M.R., Johnson, C.M., Keoberle, M., Lomax, H., Ritchie, H. and Ross, P.: An evaluation of unbonded silica stationary phases for the separation of basic analytes using capillary electrochromatography. *Chromatographia,* 52 (2000) 777-786.

See also 651, 691, 792.

17b. Catecholamines and their metabolites

See 834.

17c. Urea and guanidine derivatives

714 Taylor, R.B., Reid, R.G. and Low, A.S.: Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography. *J. Chromatogr. A,* 916 (2001) 201-206.

18. AMINO ACIDS AND PEPTIDES; CHEMICAL STRUCTURE OF PROTEINS

18a. Amino acids and their derivatives

715 Boulat, O., McLaren, D.G., Arriaga, E.A. and Chen, D.D.Y.: Separation of free amino acids in human plasma by capillary elec-

726 Na, D.H., Park, M.O., Choi, S.Y., Kim, Y.S., Lee, S.S., Yoo, S.D., Lee, H.S. and Lee, K.C.: Identification of the modifying sites of mono-PEGylated salmon calcitonins by capillary electrophoresis and MALDI-TOF mass spectrometry. *J. Chromatogr. B,* 754 (2001) 259-263.

727 Sabbah, S. and Scriba, G.K.E.: Separation of dipeptide and

30. SYNTHETIC AND NATURAL DYES

30b. Chloroplast and other natural pigments

809 Nagyova, I. and Kaniansky, D.: Discrete spacers for photometric characterization of humic acids separated by capillary isotachophoresis. *J. Chromatogr. A,* 916 (2001) 191-200.

31. PLASTICS AND THEIR INTERMEDIATES

See 586, 734.

32. DRUG ANALYSIS

32a. Drug analysis, general techniques

810 Altria, K.: Application of standard methods in capillary electrophoresis for drug analysis. *Handb. Anal. Sep.,* 1(Separation Methods in Drug Synthesis and Purification) (2000) 87-105; *C.A.,* 134 (2001) 121015c - a review with 26 refs.

811 Davies, M.I., Cooper, J.D., Desmond, S.S., Linte, C.E. and Lunte, S.M.: Analytical considerations for microdialysis sampling. *Adv. Drug Delivery Rev.,* 45, No. 2-3 (2000) 169-188; *C.A.,* 134 (2001) 187742u - a review with 110 refs.

812 Hilhosrt, M.J., Derksen, A.F., Steringa, M., Somsen, G.W. and de Jong, G.J.: Towards a general approach for the impurity profiling of drugs by micellar electrokinetic chromatography. *Electrophoresis (Weinheim),* 22 (2001) 1337-1344.

813 Jia, Z., Ramstad, T. and Zhong, M.: Medium-throughput pK_a screening of pharmaceuticals by pressure-assisted capillary electrophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1112-1118.

See also 628, 640, 655, 667, 671, 856.

32b. Antirheumatics and antiinflammatory drugs

814 Cakrt, M., Hercegova, A., Lesko, J., Polonsky, J., Sadecka, J. and Skacani, I.: Isotachophoretic determination of naproxen in the presence of its metabolite in human serum. *J. Chromatogr. A,* 916 (2001) 207-214.

815 Gotti, R., Pomponio, R., Bertucci, C. and Cavrini, V.: Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent. *J. Chromatogr. A,* 916 (2001) 175-183.

816 Jochheim, C., Novick, S., Balland, A., Mahan-Boyce, J., Wang, W.-C., Goetze, A. and Gombotz, W.: Separation of Enbrel® (rhuTNFR:Fc) isoforms by capillary isoelectric focusing. *Chromatographia,* 53(Suppl.) (2001) S59-S65.

817 Prado, M.S.A., Steppe, M., Tavares, M.F.M., Kedor-Hackman, E.R.M. and Santoro, M.I.R.M.: Method validation for diclofenac sodium in pharmaceuticals by capillary electrophoresis. *J. Capillary Electrophor. Microchip Technol.,* 6 (1999) 125-129. 108.

818 Zaugg, S., Zhang, X., Sweedler, J. and Thormann, W.: Determination of salicylate, gentisic acid and salicyluric acid in human urine by capillary electrophoresis with laser-induced fluorescence detection. *J. Chromatogr. B,* 752 (2001) 17-31.

See also 665.

32c. Autonomic and cardiovascular drugs

819 Arias, R., Jimenez, R.M., Alonso, R.M., Telez, M., Arrieta, I., Flores, P. and Ortiz-Lastra, E.: Determination of the β-blocker atenolol in plasma by capillary zone electrophoresis. *J. Chromatogr. A,* 916 (2001) 297-304.

820 Behn, F., Michels, S., Läer, S. and Blaschke, G.: Separation of carvedilol enantiomers in very small volumes of human plasma by capillary electrophoresis with laser-induced fluorescence. *J. Chromatogr. B,* 755 (2001) 111-117.

821 Calsson, E., Wikström, H. and Owens, P.K.: Validation of a chiral capillary electrochromatographic method for metoprolol on a teicoplanin stationary phase. *Chromatographia,* 53 (2001) 419-424.

822 Kim, K.H., Kim, H.J., Kim, J.H., Lee, J.H. and Lee, S.C.: High-performance liquid chromatographic and capillary electrophoretic methods for the quantitation of the (S)-terbutaline in (R)-terbutaline. *Chromatographia,* 53 (2001) 334-337.

823 Lim, H.-K., Linh, P.T., Hong, C.-H., Kim, K.-H. and Kang, J.-S.: Enantioselective determination of metoprolol and major metabolites in human urine by capillary electrophoresis. *J. Chromatogr. B,* 755 (2001) 259-264.

824 Luo, J.-W., Chen, H.-W. and He, Q.-H.: Determination of cimetidine in human plasma by use of coupled-flow injection, solid-phase extraction, and capillary zone electrophoresis. *Chromatographia,* 53 (2001) 295-300.

825 Prieto, J.A., Akesolo, U., Jimenez, R.M. and Alonso, R.M.: Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine. *J. Chromatogr. A,* 916 (2001) 279-288.

826 Toussaint, B., Palmer, M., Chiap, P., Hubert, P. and Crommen, J.: On-line coupling of partial filling-capillary zone electrophoresis with mass spectrometry for the separation of clenbuterol enantiomers. *Electrophoresis (Weinheim),* 22 (2001) 1363-1372.

827 Vela, J., Yanes, E.G. and Stalcup, A.M.: Quantitative determination of clenbuterol, salbutamol and tolubuterol enantiomers by capillary electrophoresis. *Fresenius J. Anal. Chem.,* 369 (2001) 2122-219.

See also 664, 713, 788.

32d. Central nervous system drugs

828 Chen, J.: (Determination of lidocaine hydrochloride mucilage by MECE). *Zhongguo Yiyao Gongye Zazhi,* 31 (2000) 458-459; *C.A.,* 134 (2001) 183604c.

829 Izzo, G., Raggi, M.-A., Maichel, B. and Kenndler, E.: Separation of olanzapine, carbamazepine and their main metabolites by capillary electrophoresis with pseudo-stationary phases. *J. Chromatogr. B,* 752 (2001) 47-53.

830 Jinno, K., Kawazoe, M., Saito, Y. and Hayashida, M.: (Sample preparation technique using fiber-intube solid phase microextraction). *Chromatography,* 21 (2000) 284-285; *C.A.,* 134 (2001) 141128v.

831 Kuldvee, R. and Thormann, W.: Determination of carbamazepine and carbamazepine-10,11-epoxide in human serum and plasma by micellar electrokinetic capillary chromatography in the absence of electroosmosis. *Electrophoresis (Weinheim),* 22 (2001) 1345-1355.

832 Lin, X., Li, G., Jiang, W., Chu, Y., Wu, P. and Yafeng, G.: Chiral separation of lobeline and benzhexol by capillary electrophoresis using the reaction mixture of β-cyclodextrin, phosphorous-pentoxide and L-glutamic acid as chiral selector. *Anal. Chim. Acta,* 431 (2001) 41-48.

833 Raggi, M.A., Bugamelli, F., Mandrioli, R., Sabbioni, C., Volterra, V. and Fanali, S.: Rapid capillary electrophoretic method for the determination of clozapine and desmethylclozapine in human plasma. *J. Chromatogr. A,* 916 (2001) 289-296.

834 Zhang, L., Chen, G., Hu, Q. and Fang, Y.: Separation and determination of levodopa and carbidopa in composite tablets by capillary zone electrophoresis with amperometric detection. *Anal. Chim. Acta,* 431 (2001) 287-292.

See also 713, 788, 818.

32e. Chemotherapeutics (exc. cytostatics and antibiotics)

835 Crego, A.L., Gomez, J. and Lavandera, J.L.: Fast separation of terbinafine and eight of its metabolites by capillary electrophoresis. *J. Separ. Sci.,* 24 (2001) 265-270.

836 Dube, S. and Smith, R.M.: Separation of sulfonamides by capillarry electrochromatography. *Chromatographia,* 53 (2001) 51-56.

837 Hess, S., Dölker, M., Kertscher, H.P., Matysik, F.-M., Ortwein, J., Teubert, U., Zimmermann, W. and Eger, K.: Separation, analyses and syntheses of trimethoprim impurities. *Pharmazie,* 56 (2001) 306-310.

838 Rabanal, B., de Paz, E., Walser, N. and Negro, A.: Operating parameters effects in capillary zone electrophoresis (CZE): analysis of pentamidine, hydroxystilbamidine, propamididne, DAPI, and stilbamidine in body fluids. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 29-45.

839 Schenerman, M.A. and Bowen, S.H.: Optimization, validation, and use of capillary gel electrophoresis from quality control testing of Synagis®, a monoclonal antibody. *Chromatographia,* 53(Suppl.) (2001) S66-S74.

840 Zhang, S.S., Liu, H.X., Wu, Y.J. and Yu, C.L.: On column amperometric detection of ofloxacin and pasiniazid in urine by capillary electrophoresis with improved fractured joint and small detection cell. *Analyst (Cambridge),* 126 (2001) 441-445.

See also 663, 723, 802, 831.

32f. Cytostatics

841 Prochazkova, A., Liu, S., Friess, H., Aebi, S. and Thormann, W.: Determination of 5-fluorouracil and 5-fluoro-2'-deoxyuridine-5'-monophosphate in pancreatic cancer cell line and other biological materials using capillary electrophoresis. *J. Chromatogr. A,* 916 (2001) 215-224.

842 Soetebeer, U.B., Schierenberg, M.-O., Schulz, H., Hempel, G., Andersen, P. and Blaschke, G.: Simultaneous quantification of etoposide and etoposide phosphate in human plasma by capillary electrophoresis using laser-induced native fluorescence detection. *Anal. Chem.,* 73 (2001) 2178-2182.

843 Yu, R.Z., Geary, R.S., Leeds, J.M., Watanabe, T., Moore, M., Fitchett, J., Matson, J., Burckin, T., Templin, M.V. and Levin, A.A.: Comparison of pharmacokinetics and tissue dispositions of an antisense phosphorothioate oligonucleotide targeting human Ha-ras mRNA in mouse and monkey. *J. Pharm. Sci.,* 90 (2001) 182-193.

32g. Other drug categories

844 Blanco, M., Coello, J., Iturriaga, H., Maspoch, S. and Romero, M.A.: Resolution of isomers of sorbitolparaben esters by chromatographic and electrophoretic techniques. *J. Chromatogr. B,* 752 (2001) 99-105.

845 Cruces Blanco, C., Segura Carretero, A., Galvez Mata, L. and Fernandez Gutierrez, A.: Simultaneous determination, by capillary zone electrophoresis, of multiple components of different industrial products. *Chromatographia,* 533 (2001) 414-418.

846 Park, S.S., Cate, A. and Chang, B.S.: Use of capillary electrophoresis to determine the dilute protein concentration in formulations containing interfering excipients. *Chromatographia,* 53(Suppl.) (2001) S34-S38.

847 Pomponio, R., Gotti, R., Hudaib, M., Andrisano, V. and Cavrini, V.: Analysis of guaifenesin-based syrups by micellar electrokinetic chromatography and GC-MS. *J. Separ. Sci.,* 24 (2001) 258-264.

848 Sentellas, S., Saurina, J., Hernandez-Cassou, S., Galceran, M.T. and Puignou, L.: Resolution and quantification in poorly separated peaks from capillary zone electrophoresis using three-way data analysis methods. *Anal. Chim. Acta,* 431 (2001) 49-58.

See also 661.

32h. Toxicological and forensic applications

849 Chinaka, S. and Takayama, N.: (New analytical techniques for determination of toxins. Capillary electrophoresis system). *Jpn. J. Toxicol.,* 13 (2000) 309-317; *C.A.,* 134 (2001) 81817g - a review with 20 refs.

850 Wey, A.B. and Thormann, W.: Capillary electrophoresis-electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine. *J. Chromatogr. A,* 916 (2001) 225-238.

32i. Plant extracts and traditional Chinese medicines

851 Kuzuya, H., Tamai, I., Beppu, H., Shimpo, K. and Chihara, T.: Determination of aloenin, barbaloin and isobarbaloin in Aloe species by micellar electrokinetic chromatography. *J. Chromatogr. B,* 752 (2001) 91-97.

852 Kvasnickova, L., Glatz, Z., Sterbova, H., Kahle, V., Slanina, J. and Musil, P.: Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis. J. Chromatogr. A,* 916 (2001) 265-271.

853 Vanhoenacker, G., Dermaux, A., de Keukeleire, D. and Sandra, P.: Single-run capillary electrochromatographic analysis of hop acids and prenylated hop flavonoids. *J. Separ. Sci.,* 24 (2001) 55-58.

See also 685, 705.

33. CLINICO-CHEMICAL APPLICATIONS

33a. General papers and reviews

854 Tian, H., Brody, L.C., Fan, S., Huang, Z. and Landers, J.P.: Capillary and microchip electrophoresis for rapid detection of known mutations by combining allele-specific DNA amplification with heteroduplex analysis. *Clin. Chem. (Washington),* 47 (2001) 173-185.

33b. Complex mixtures and profiling (single compounds by cross-reference only)

See 715, 748, 768, 769.

34. FOOD ANALYSIS

34a. General papers and reviews

855 Boyce, M.C.: Determination of additives in food by capillary electrophoresis. *Electrophoresis (Weinheim),* 22 (2001) 1447-1459 - a review with 76 refs.

856 Kitagishi, K.: (Capillary electrophoresis for the analysis of foods and pharmaceuticals). *Kagaku to Seibutsu,* 39 (2001) 19-24; *C.A.,* 134 (2001) 85230h - a review with 11 refs.

857 Recio, I., Ramos, M. and Lopez-Fandino, R.: Capillary electrophoresis for the analysis of food proteins of animal origin. *Electrophoresis (Weinheim),* 22 (2001) 1489-1502 - a review with 137 refs.

See also 745, 799.

34b. Complex mixtures (single compounds by cross-reference only)

See 657, 680, 719, 755, 845.

35. ENVIRONMENTAL ANALYSIS

35b. Air pollution (complex mixtures; single compounds by cross-reference only)

858 Tam, W.F.C., Tanner, P.A., Law, P.T.R., Bächmann, K. and Pötzsch, S.: Use of capillary electrophoresis in the analysis of aerosol and bulk/dry deposition collected on a daily basis. *Anal. Chim. Acta,* 427 (2001) 259-269.

See also 700.

35c. Water pollution (complex mixtures; single compounds by cross-reference only)

859 Carou, M.I.T., Mahia, P.L., Lorenzo, S.M., Fernandez, E.F. and Rodriguez, D.P.: Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples. *J. Chromatogr. A,* 918 (2001) 411-421.

See also 654, 683, 702, 856.

35d. Soil pollution (complex mixtures; single compounds by cross-reference only)

See 699, 865.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36b. Antioxidants and preservatives

860 Imasaka, T.: (Determination of trace amount of molecules). *Bunseki,* No. 10 (2000) 597-601; *C.A.,* 134 (2001) 80299c.

See also 845.

36c. Complex mixtures, technical products and unidentified compounds

861 Jianjun, W., Guojun, Z., Liu, Y. and Wanru, S.: Enantioselective separation of epoxides by capillary electrophoresis employing sulfated beta-cyclodextrin as chiral selector. *Analyst (Cambridge),* 126 (2001) 348-440.

37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES

862 Arai, F., Ogawa, M., Ichikawa, A. and Fukuda, T.: (High speed separation of the micro-object using laser manipulation and dielectrophoresis). *Chromatography,* 21, No. 2 (2000) 107-108; *C.A.,* 134 (2001) 82950g.

863 Duffy, C.F., Gafoor, S., Richards, D.P., Admadzadeh, H., O'Kennedy, R. and Arriaga, E.A.: Determination of properties of individual liposomes by capillary electrophoresis with postcolumn laser-induced fluorescence detection. *Anal. Chem.,* 73 (2001) 1855-1861.

38. INORGANIC COMPOUNDS

38a. Cations

864 Geng, Q., Deng, D. and Gao, X.: (Determination of five cations in plaque fluid by high performance capillary electrophoresis). *Fenxi Huaxue,* 28 (2000) 1315; *C.A.,* 134 (2001) 68296s.

865 Gruenhagen, J.A., Delaware, D. and Ma, Y.: Topics in chemical instrumentation: quantitative analysis of non-UV-absorbing cations in soil samples by high-performance capillary electrophoresis: an experiment for undergraduate instrumental analysis laboratory. *J. Chem. Educ.,* 77 (2000) 1613-1616; *C.A.,* 134 (2001) 178040m.

866 Sommer, L. and Vlasankova, R.: A survey of the potential of the high performance liquid chromatography and capillary zone electrophoresis for the determination of platinum and platinum group metals. *Chromatographia,* 52 (2000) 692-702.

867 Yang, Q. and Khots, M.S.: Determination of accuracy characteristics, modeling and optimization of capillary electrophoresis for the separation of inorganic cations. *Anal. Chim. Acta,* 432 (2001) 125-133.

See also 574, 846, 858.

38b. Anions

868 Glatz, Z., Novakova, S. and Sterbova, H.: Analysis of thiocyanate in biological fluids by capillary zone electrophoresis. *J. Chromatogr. A,* 916 (2001) 273-277.

869 Liang, H.: Method development and validation for the determination of various sulfur-containing anions and other anions in the corrosion process by capillary ion electrophoresis with indirect detection. *J. Chromatogr. Sci.,* 39 (2001) 12-20.

870 O'Reilly, J.W., Dicinoski, G.W., Shaw, M.J. and Haddad, P.R.: Chromatographic and electrophoretic separation of inorganic sulfur and sulfur-oxygen species. *Anal. Chim. Acta,* 432 (2001) 165-192 - a review with 155 refs.

871 Tsuruta, R., Matsuno, Y., Mizuno, H., Sadamitsu, D. and Maekawa, T.: NO_2^- and NO_3^- Measurements for detection of *Escherichia coli* in blood samples. *Bull. Yamaguchi Med. Sch.,* 46, No. 3-4 (1999) 93-97; *C.A.,* 134 (2001) 128074e.

872 Tuncel, M., Dogrukol-Ak, D. and Erkasap, N.: Modified method for the determination of capillary electrophoresis nitric oxide-correlate nitrate in tissue homogenates. *J. Chromatogr. B,* 751 (2001) 257-263.

873 Virtanen, P., Korpela, T. and Paavilainen, S.: Capillary electrophoresis in determination of inorganic anions in microbial fermentation processes: comparison with high-performance liquid chromatography. *J. Separ. Sci.,* 24 (2001) 141-147.

See also 590, 601, 635, 654, 703, 858, 859.

39. RADIOACTIVE AND OTHER ISOTOPE COMPOUNDS

See 794.