ELSEVIER

Journal of Chromatography A, 941 (2001) B367–B551

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Bibliography Section

Liquid Column Chromatography

1. REVIEWS AND BOOKS

3116 Lanza, F. and Sellergren, B.: The application of molecular imprinting technology to solid phase extraction. *Chromatographia,* 53 (2001) 599-611 - a review with 77 refs.

3117 Macko, T. and Berek, D.: Pressure effects in HPLC: influence of pressure and pressure changes on peak shape, base line, and retention volume in HPLC separations. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1275-1293 - a review with 54 refs.

3118 Polson, N.A. and Hayes, M.A.: Microfluidics: controlling fluids in small places. *Anal. Chem.,* 73 (2001) 312A-319A - a review with 61 refs.

See also 3121, 3128, 3164, 3189, 3198, 3220, 3225, 3235, 3245, 3254, 3255, 3273, 3440, 3443, 3449, 3451, 3586, 3594, 3606, 3768, 3772, 3774, 3907, 3928, 3974, 3979, 3980, 3986, 3987, 3992, 4199, 4202, 4228, 4229, 4230, 4252.

2. FUNDAMENTALS, THEORY AND GENERAL

2a. General

3119 Baczek, T., Kaliszan, R., Claessens, H.A. and van Straten, M.A.: Computer-assisted optimization of reversed-phase HPLC isocratic separations of neutral compounds. *LC-GC Eur.,* 14 (2001) 304-313.

3120 Byrialsen, K., Kristiansen, J. and Hansen, A.M.: (Uncertainty estimates for HPLC methods). *Dan. Kemi,* 81(Suppl.) (2000) 42-45; *C.A.,* 134 (2001) 157691j.

3121 Chen, Z.-W. and Chen, Z.: (Hyphenation of supercritical fluid separation with nuclear magnetic resonance and their applications). *Guangpu Shiyanshi,* 18 (2001) 139-144; *C.A.,* 134 (2001) 360785k - a review with 18 refs.

3122 Cook, H.A., Wu, W., Fritz, J.S. and Haddad, P.R.: A mechanism of separation in electrostatic ion chromatography. *Anal. Chem.,* 73 (2001) 3022-3027.

3123 Cooley, L.A. and Dolan, J.W.: Reproducibility and carryover - a case study. *LC-GC Eur.,* 14 (2001) 209-214.

3124 Engelhardt, H.: (SFC, CE, and CEC: new liquid chromatography?). *Nachr. Chem.,* 48 (2000) 54-55; *C.A.,* 134 (2001) 347780k.

3125 Ettre, L.S. and Meyer, V.R.: 1973: when HPLC was young. *LC-GC Eur.,* 14 (2001) 314-320.

3126 Hosoya, K., Teramachi, M. and Tanaka, N.: (Development and application of separation media focusing on information technology (IT)). *Chromatography,* 21 (2000) 318-319; *C.A.,* 134 (2001) 246701e.

3127 Hughes, I.: Separating the wheat from the chaff: high throughput purification of chemical libraries. *JALA,* 5, No. 2 (2000) 69-71; *C.A.,* 134 (2001) 328357m.

3128 Jensen, D. and Bendlin, H.: (Ion chromatography for investigation of purest chemicals). *GIT Labor-Fachz.,* 45 (2001) 385-386; *C.A.,* 135 (2001) 70130x - a review with 2 refs.

3129 Jiskra, J., Jiang, T., Claessens, H.A. and Cramers, C.A.: Chromatographic properties of reversed phase stationary phases under pressure and electro driven conditions. Effect of buffer composition. *J. Microcolumn Sep.,* 12 (2000) 530-540; *C.A.,* 134 (2001) 289703z.

3130 Kuriyama, N., Nozawa, S. and Nakajima, T.: (Separation of polar compounds by reversed phase-HPLC using C18-bonded stationary phase). *Chromatography,* 21 (2000) 394-395; *C.A.,* 134 (2001) 262978f.

3131 Molnar, I.: Unexpected results in chromatography. *LC-GC Eur.,* 14 (2001) 231-242.

3132 Netopilik, M., Podzimek, S. and Kratochvil, P.: Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection. *J. Chromatogr. A,* 922 (2001) 25-36.

3133 Okada, T. and Sugaya, Y.: Chromatographic probing of electrostatic potential. *Anal. Chem.,* 73 (2001) 3051-3058.

3134 Seubert, A.: On-line coupling of ion chromatography with ICP-AES and ICP-MS. *TrAC,* 20 (2001) 274-287.

3135 Stevenson, R., Weinberger, R., Neue, U.D. and Weinberger, R.: Separations solutions. *Am. Lab. (Shelton),* 33, No. 8 (2001) 56-59; *C.A.,* 135 (2001) 28467n.

3136 Thompson, J.D., Brown, J.S. and Carr, P.W.: Dependence of thermal mismatch broadening on column diameter in high-speed liquid chromatography at elevated temperatures. *Anal. Chem.,* 73 (2001) 3340-3347.

3137 Waters (commercial progress report): Stability-indicating HPLC method development. A systematic approach using pH and column selectivity. *LC-GC Eur.* (The Applications Book), June (2001) 17-18.

3138 Wilson, N.S., Morrison, R. and Dolan, J.W.: Buffers and baselines. *LC-GC Eur.,* 14 (2001) 360-363.

3139 Yazawa, I., Katsuyama, N. and Katsuyama, A.: (Properties of high resolution ODS columns). *Chromatography,* 21 (2000) 396-397; *C.A.,* 134 (2001) 275110s.

See also 3218, 3219, 3263, 3301.

0021-9673/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0021-9673(01)01483-2

2b. Thermodynamics and theoretical relationships

3140 Cecchi, T., Pucciarelli, F. and Passamonti, P.: Extended thermodynamic approach to ion interaction chromatography. *Anal. Chem.,* 73 (2001) 2632-2639.

3141 Cecchi, T., Pucciarelli, F. and Passamonti, P.: Ion interaction chromatography of neutral molecules. Use of a potential approximation to obtain a simplified retention equation. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 291-302.

3142 Gao, S., Wang, X. and Zhou, N.: HPLC study of the physicochemical characteristics of reverse-osmosis separation on a polyamide membrane material. *Chromatographia,* 54 (2001) 21-23.

3143 Kazusaki, M., Shoda, T., Kawabata, H. and Katsukura, H.: Influence of mobile phase composition on thermodynamic properties in high-performance liquid chromatography. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 141-151.

3144 Lee, O.-S., Jang, Y.H., Cho, Y.G., Hyun, M.H., Kim, H.-J. and Chung, D.S.: Theoretical and experimental studies of chiral recognition in charged Pirkle phases. *Chem. Lett.,* No. 3 (2001) 232-233; *C.A.,* 134 (2001) 340673u.

3145 Miyabe, K. and Guiochon, G.: Analysis of the surface diffusion of alkylbenzenes and *p*-alkylphenols in reversed-phase liquid chromatography using the surface-restricted molecular diffusion model. *Anal. Chem.,* 73 (2001) 3096-3106.

3146 Sun, S., Yang, G., Tian, B. and Sun, H.: Determination and comparison of ternary competitive isotherms by frontal velocity analysis and rectangular pulse method. *Chromatographia,* 53 (2001) 651-655.

3147 Szepesy, L. and Hada, V.: Influence of column characteristics on retention and selectivity in RP-HPLC. *Chromatographia,* 54 (2001) 99-108.

3148 Teoh, H.K., Turner, M., Titchener-Hooker, N. and Sorensen, E.: Experimental verification and optimization of a detailed dynamic high performance liquid chromatography column model. *Comput. Chem. Eng.,* 25 (2001) 893-903; *C.A.,* 134 (2001) 312981z.

See also 3117, 3174, 3213, 3214, 3272, 3287, 3456, 3752, 3985, 4048.

2c. Relationship between structure and chromatographic behaviour

3149 Caffieri, S.: Reversed-phase high-performance liquid chromatogrpahy (RP-HPLC) determination of lipophilicity of furocoumarins. Relationship with DNA interaction. *J. Pharm. Sci.,* 90 (2001) 732-739.

3150 Jin, L., Yao, S., Huang, Y. and Wang, L.: Retention of substituted benzaldehydes on RP-HPLC. Correlation with partition coefficients and molecular descriptors. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 937-945.

3151 Kim, D.H., Lee, S.K., Kim, W.S., Yang, J.S. and Lee, D.W.: Quantitative retention activity relationship of quinolones using micellar liquid chromatography. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1309-1322.

3152 Nagae, N. and Enami, T.: (Relationship between retention and sample loading volume for reversed-phase liquid chromatography). *Chromatography,* 21 (2000) 388-389; *C.A.,* 134 (2001) 275108x.

2d. Measurement of physico-chemical and related values

3153 Aparicio, A., Vera, S. and San Andres, M.P.: Study of the binding constants of phenolic antioxidants with surfactant/*n*-propanol/water systems at high percentages of alcohol by RP-HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 479-496.

3154 Du, C.M., Valko, K., Bevan, C., Reynolds, D. and Abraham, M.H.: Rapid method for estimating octanol-water partition coefficient (log P_{oct}) from isocratic RP-HPLC and a hydrogen bond acidity term (A). *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 635-649.

3155 Hitzel, L., Watt, A.P. and Locker, K.L.: An increased throughput method for the determination of partition coefficients. *Pharm. Res.,* 17 (2000) 1389-1395; *C.A.,* 134 (2001) 256722b.

3156 Pyka, A.: Chromatographic data-topological index dependence for selected steroids. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 453-460.

3157 Sommer, C. and Müller, G.: Relationships between separation power and the MW averages in SEC measurements with molecular mass sensitive detectors. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1047-1060.

3158 Szasz, G., Takacs-Novak, K. and Kökösi, J.: HPLC study on ion-pairing ability of deoxycholic acid epimers. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 173-185.

3159 Wurm, G., Probst, R. and Schwandt, S.: Partiell hydrierte Aryl-1,2/1,4-anthrachinon-Derivate, 5-Lipoxygenase-Inhibitoren mit Arotinoid-Struktur. *Pharmazie,* 56 (2001) 527-533.

3160 Zhang, Y., Zhang, W., Gao, J. and Geng, X.: (Characterization of reversed-phase liquid chromatographic retention behavior of small molecules in mobile phase of *n*-fatty acid-water system). *Fenxi Huaxue,* 29 (2001) 1-5; *C.A.,* 134 (2001) 172488s.

See also 3129, 3133, 3139, 3149, 3274, 3564, 3627, 3942, 3971, 3977, 4275.

3. GENERAL TECHNIQUES

3a. Apparatus and accessories

3161 Dolan, J.W.: Autosamplers, Part II - problems and solutions. *LC-GC Eur.,* 14 (2001) 276-280.

See also 3207, 3211, 3229.

3b. Detectors and detection reagents

3162 Bald, E. and Glowacki, R.: 2-Chloro-1-methylquinolinium tetrafluoroborate as an effective and thiol specific UV-tagging reagent for liquid chromatography. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1323-1339.

3163 Brannegan, D., Ashraf-Khorassani, M. and Taylor, L.T.: High-performance liquid chromatography coupled with chemiluminiscence nitrogen detection for the study of ethoxyquin antioxidant and related organic bases. *J. Chromatogr. Sci.,* 39 (2001) 217-221.

3164 Fitzgerald, D.: Coupling optical bisensor technology with micropreparative HPLC: part 1. *Am. Biotechnol. Lab.,* 18, No. 12 (2000) 10-12; *C.A.,* 134 (2001) 262936r - a review with 20 refs.

3165 Koleva, I.I., Niderländer, H.A.G. and van Beek, T.A.: Application of ABTS radical cation for selective on-line detection of radical scavengers in HPLC eluates. *Anal. Chem.,* 73 (2001) 3373-3381.

3166 Kuch, A. and Saari-Nordhaus, R.: Dual-mode ELSD: Optimum performance for a wide range of applications. *Am. Lab. (Shelton),* 33, No. 6 (2001) 61-64; *C.A.,* 134 (2001) 335805j.

3167 Vekey, K.: Mass spectrometry and mass-selective detection in chromatography. *J. Chromatogr. A,* 921 (2001) 227-236.

3168 Wyatt Technology Corporation (commercial progress report): On-line MALS-QELS (quasi-elastic light scattering). *LC-GC Eur.* (The Applications Book), June (2001) 26.

3169 Wyatt Technology Corporation (commercial progress report): SEC-MALS of low molar mass compounds. *LC-GC Eur.* (The Applications Book), June (2001) 25.

See also 3361, 3363, 3417, 3492, 3494, 3540, 3817, 3823, 3840, 3873, 3958, 4139, 4227, 4263, 4274, 4288, 4296.

3c. Sorbents and columns, packing procedures

3170 Adbo, K. and Nicholls, I.A.: Enantioselective solid-phase extraction using Tröger's base molecularly imprinted polymers. *Anal. Chim. Acta,* 435 (2001) 115-120.

3171 Al Rifai, R., Demesmay, C., Cretier, G. and Rocca, J.L.: Chromatographic behavior of macroporous particles in electroendoosmotically and pressure driven liquid chromatography. *Chromatographia,* 53 (2001) 691-696.

3172 Bischoff, K.-D. and Lamotte, S.: (ProntoSIL, new stationary phases with polar selectivity for reversed-phase (RP) HPLC). *GIT Labor-Fachz.,* 45 (2001) 80-81; *C.A.,* 135 (2001) 116124d.

3173 Cabrera, K., Lubda, D., Sinz, K. and Schafer, C.: HPLC columns: the next great leap forward - Part 1. *Am. Lab. (Shelton),* 33, No. 4 (2001) 40-41; *C.A.,* 134 (2001) 289707d.

3174 Cecchi, T., Pucciarelli, F., Passamonti, P. and Cecchi, P.: The dipole approach in ion-interaction chromatography of zwitterions. *Chromatographia,* 54 (2001) 38-44.

3175 Chen, W.-Y., Chen, C.-S. and Lin, F.-Y.: Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry. *J. Chromatogr. A,* 923 (2001) 1-6.

3176 Collins, K.E., Sa, A.L.A., Bottoli, C.B.G. and Collins, C.H.: Thermal immobilization of poly(methyloctylsiloxane) in the pores of chromatographic silica. *Chromatographia,* 53 (2001) 661-664.

3177 Enami, T. and Nagae, N.: (Retention behavior under 100% aqueous conditions for reversed-phase liquid chromatography). *Chromatography,* 21 (2000) 390-391; *C.A.,* 134 (2001) 257254n.

3178 Gao, L., Xiao, G. and Lin, B.: (Preparation and performance evaluation of packings of Chiralcel OJ column). *Huaxue Shijie,* 41 (2000) 543-546; *C.A.,* 134 (2001) 172479q.

3179 Gritti, F., Felix, G., Achard, M.F. and Hardouin, F.: Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography V. Study of retention mechanism using linear solvation energy relationship. *J. Chromatogr. A,* 922 (2001) 51-61.

3180 Gritti, F., Terrien, I., Menu, S., Dufourc, E.J., Felix, G., Achard, M.-F. and Hardouin, F.: Liquid crystalline polymers as stationary phases IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy. *J. Chromatogr. A,* 922 (2001) 37-50.

3181 Hou, J.-g., Deng, Q.-l., Meng, X.-r., Liu, H.-l., Yang, W., Mo, Z.-l. and Gao, J.-z.: (Preparation, characterization and evaluation of cellulose tris(3,5-dimethylphenylcarbamate) chiral stationary phase). *Sepu,* 19 (2001) 154-156; *C.A.,* 134 (2001) 360798s.

3182 Hu, Y.-L., Feng, Y.-Q. and Da, S.-L.: Chromatographic evaluation of alkylphosphonic acid-modified ceria-zirconia in reversed-phase HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 957-971.

3183 Kagawa, C. and Haginaka, J.: (Preparation and evaluation of uniform-sized molecularly imprinted polymers for pheniramines). *Chromatography,* 21 (2000) 380-381; *C.A.,* 134 (2001) 337741j.

3184 Khasawneh, M.A., Vallano, P.T. and Remcho, V.T.: Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents II. Covalent imprinted polymers. *J. Chromatogr. A,* 922 (2001) 87-97.

3185 Kiseleva, M.G. and Nesterenko, P.N.: Novel stationary phase with regulated anion-exchange capacity. *J. Chromatogr. A,* 920 (2001) 87-93.

3186 Kiseleva, M.G., Radchenko, L.V. and Nesterenko, P.N.: Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange. *J. Chromatogr. A,* 920 (2001) 79-85.

3187 Lanza, F., Hall, A.J., Sellergren, B., Bereczki, A., Horvai, G., Bayoudh, S., Cormack, P.A.G. and Sherrington, D.C.: Development of a semiautomated procedure for the synthesis and evaluation of molecularly imprinted polymers applied to the search for functional monomers for phenytoin and nifedipine. *Anal. Chim. Acta,* 435 (2001) 91-106.

3188 Lepont, C., Gunatillaka, A.D. and Poole, C.F.: Retention characteristics of porous graphitic carbon in reversed phase liquid chromatography with methanol-water mobile phase. *Analyst (Cambridge),* 126 (2001) 1318-1325.

3189 Nakagama, T.: (Development of silica-based separation media - how silanol groups can be used for molecular recognition). *Chromatography,* 21 (2000) 312-315; *C.A.,* 134 (2001) 243021x - a review with 2 refs.

3190 Nayak, D.P., Ponrathnam, S. and Rajan, C.R.: Macroporous copolymer matrix IV. Expanded bed adsorption application. *J. Chromatogr. A,* 922 (2001) 63-76.

3191 Odabasi, M. and Denizli, A.: Polyhydroxyethylmethacrylate-based magnetic DNA-affinity beads for anti-DNA antibody removal from systemic lupus erythematosus patient plasma. *J. Chromatogr. B,* 760 (2001) 137-148.

3192 Ohkubo, A., Shirota, O., Kobayashi, A., Kimura, T., Ohtsu, Y., Hosova, K. and Tanaka, N.: Monodisperse polymer-based stationary phase for carbohydrate analysis by reduced-diameter column anion-exchange chromatography with pulsed amperometric detector. *J. Microcolumn Sep.,* 13 (2001) 8-12; *C.A.,* 134 (2001) 304789c.

3193 Ohta, K.: Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection. *J. Chromatogr. A,* 920 (2001) 69-77.

3194 Pirogov, A.V.: Polyelectrolyte sorbents for ion chromatography. *J. Anal. Chem.*, 55 (2000) 1155-1160; *C.A.*, 134 (2001) 153036b.

3195 Pyo, D. and Kim, H.: Development of open tubular capillary columns for ion chromatography. *J. Korean Chem. Soc.*, 45 (2001) 143-148; *C.A.*, 135 (2001) 101524k.

3196 Quaglia, M., Chenon, K., Hall, A.J., de Lorenzi, E. and Sellergren, B.: Targer analogue imprinted polymers with affinity for folic acid and related compounds. *J. Am. Chem. Soc.*, 123 (2001) 2146-2154; *C.A.*, 134 (2001) 262986g.

3197 Rabel, F., Cabrera, K. and Lubda, D.: (Monolithic silica columns for HPLC. A new era in chromatography). *Tec. Lab.*, 22 (2000) 676-678; *C.A.*, 134 (2001) 304777x.

3198 Rabel, F., Cabrera, K. and Lubda, D.: Advancing separation science with monolithic silica HPLC columns. *Am. Lab. (Shelton)*, 32, No. 24 (2000) 20-22; *C.A.*, 134 (2001) 157002k - a review with 3 refs.

3199 Schulte, M. and Dingenen, J.: Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography. *J. Chromatogr. A*, 923 (2001) 17-25.

3200 Thermo Hypersil (commercial progress report): Using Hypercarb for LC-MS applications. *LC-GC Eur.* (The Applications Book), June (2001) 24.

3201 Trammell, B.C., Hillmyer, M.A. and Carr, P.W.: A study of the Lewis acid-base interactions of vinylphosphonic acid modified polybutadiene-coated zirconia. *Anal. Chem.*, 73 (2001) 3323-3331.

3202 Watson, R.C., Shaw, P.N., Ritchie, H.J., Ross, P. and Barrett, D.A.: Effect of trace metal concentration on chromatographic performance of ODS bonded silicas with modified metal content. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 1253-1273.

3203 Yamamoto, C. and Okamoto, Y.: (Optical resolution using novel polysaccharide derivatives). *Jasco Rep.*, 43 (2001) 31-32; *C.A.*, 134 (2001) 266191q.

3204 Ying, Z. and Li, K.: (Syntheses of polymer-coated silica packing materials and their retention behavior for reversed-phase liquid chromatography). *Sepu*, 19 (2001) 5-8; *C.A.*, 134 (2001) 260656a.

3205 Yu, J.C., Qu, F., Lin, J., Lam, H. and Chen, Z.: Ion chromatographic separation of anions and cations on a titania packed column. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 367-380.

See also 3126, 3129, 3130, 3132, 3139, 3142, 3147, 3212, 3226, 3235, 3238, 3239, 3240, 3242, 3244, 3247, 3250, 3272, 3353, 3395, 3421, 3438, 3456, 3508, 3541, 3587, 3591, 3597, 3599, 3600, 3609, 3619, 3688, 3828, 3976, 4240, 4292.

3d. Quantitative analysis

3206 Castillo, M.A. and Castells, R.C.: Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations. *J. Chromatogr. A*, 921 (2001) 121-133.

See also 3295, 3330, 3520, 3840.

3e. Preparative scale chromatography

3207 Anonymous: (New developments in preparative HPLC. Waters automated purification system for HPLC). *Lab. 2000*, 14, No. 9 (2000) 14-16; *C.A.*, 134 (2001) 286018u.

3208 Oram, P.D., Seibert, K., Leonard, W. and Dovletoglou, A.: Modeling the selection of fractions during preparative HPLC of a semisynthetic pneumocandin. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 781-798.

3209 Schmidt, J.: (New paths to automated preparative liquid chromatography. Mass signal-controlled preparative HPLC). *CLB Chem. Labor Biotech.*, 51 (2000) 364-366; *C.A.*, 134 (2001) 157012p.

See also 3199, 3264, 3304, 3339, 3589, 3652, 3952.

4. SPECIAL TECHNIQUES

4a. Automation

3210 Gooding, O.W., Lindberg, T., Miller, W., Munyak, E. and Vo, L.: Case studies in process screening and optimization utilizing a new automated reactor-analysis system. *Org. Process Res. Dev.*, 5 (2001) 283-293; *C.A.*, 134 (2001) 368557h.

3211 Liedtke, S. and Grimm, R.: (Work with the pipet robot Probot: fractionates from μHPLC). *BIOspektrum*, 7, No. 2 (2001) 168-169; *C.A.*, 135 (2001) 16192f.

See also 3209, 3590, 3596, 3935, 4002, 4029.

4b. Computerization and modelling

3212 Ban, K. and Jinno, K.: (Computational investigation on retention mechanism in liquid chromatography). *Chromatography*, 21 (2000) 328-329; *C.A.*, 134 (2001) 243114e.

3213 Guillaume, Y.-C., Robert, J.-F. and Guinchard, C.: A mathematical model for hydrodynamic and size exclusion chromatography of polymers on porous particles. *Anal. Chem.*, 73 (2001) 3059-3064.

3214 Liapis, A.I., Grimes, B.A., Lacki, K. and Neretnieks, I.: Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer. *J. Chromatogr. A*, 921 (2001) 135-145.

3215 Malmberg, R.L. and Godwin, J.: Replacement of an old HPLC integrator with an inexpensive computer and custom software. *BioTechniques*, 30 (2001) 1306-1308; *C.A.*, 135 (2001) 89335q.

3216 McDowall, R.D.: Back up your data or backs to the wall? *LC-GC Eur.*, 14 (2001) 282-287.

3217 Novic, M., Zupan, J. and Novic, M.: Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column. *J. Chromatogr. A*, 922 (2001) 1-11.

3218 Wang, W., Zhang, X., Lu, P. and Deng, J.: Prediction of parameters *c* and *a* in reversed-phase high-performance liquid chromatography using retention parameters in gas liquid chromatography. *Anal. Lett.,* 34 (2001) 785-802.

3219 Yang, X., Wang, J., Liu, X. and Shang, Z.: Study on system identification of linear and non-linear liquid chromatography separation. *Anal. Lett.,* 34 (2001) 803-811.

See also 3119, 3145, 3528, 3564, 3752, 3777, 3909, 3977.

4c. Combination with other physico-chemical techniques (MS, IR etc.)

3220 Diehl, G. and Karst, U.: (A coupling technique with potential in HPLC/EC/MS). *GIT Labor-Fachz.,* 45 (2001) 376-379; *C.A.,* 135 (2001) 70263t - a review with 9 refs.

3221 Huang, S., Xu, S. and Zhang, X.: (Optimization of the interface for coupling capillary high performance liquid chromatography with capillary electrophoresis in comprehensive two-dimensional system). *Fenxi Huaxue,* 28 (2000) 1467-1471; *C.A.,* 134 (2001) 152755y.

3222 Tolley, L., Jorgenson, J.W. and Moseley, M.A.: Very high pressure gradient LC/MS/MS. *Anal. Chem.,* 73 (2001) 2985-2991.

3223 Wolff, J.-C., Eckers, C., Sage, A.B., Giles, K. and Bateman, R.: Accurate mass liquid chromatography/mass spectrometry on quadrupole orthogonal acceleration time-of-flight mass analyzers using switching between separate samples and reference sprays. 2. Applications using the dual-electrospray ion source *Anal. Chem.,* 73 (2001) 2605-2612.

See also 3121, 3164, 3166, 3167, 3200, 3207, 3211, 3227, 3231, 3246, 3261, 3262, 3266, 3271, 3281, 3288, 3299, 3309, 3310, 3314, 3321, 3342, 3378, 3441, 3442, 3444, 3445, 3446, 3449, 3452, 3455, 3459, 3460, 3462, 3466, 3475, 3477, 3478, 3479, 3480, 3483, 3498, 3507, 3550, 3551, 3557, 3564, 3566, 3567, 3575, 3590, 3591, 3593, 3596, 3626, 3629, 3636, 3646, 3648, 3668, 3671, 3672, 3674, 3685, 3697, 3700, 3747, 3755, 3765, 3770, 3783, 3784, 3786, 3802, 3822, 3827, 3829, 3832, 3835, 3836, 3869, 3907, 3908, 3910, 3912, 3915, 3921, 3923, 3924, 3927, 3931, 3935, 3938, 3941, 3948, 3949, 3965, 3972, 3978, 3979, 3982, 3983, 3984, 3987, 3988, 3993, 3994, 3998, 4001, 4003, 4010, 4011, 4012, 4014, 4031, 4033, 4037, 4038, 4063, 4065, 4079, 4094, 4099, 4101, 4106, 4110, 4113, 4114, 4116, 4130, 4131, 4139, 4147, 4150, 4154, 4169, 4184, 4185, 4196, 4200, 4203, 4211, 4214, 4215, 4217, 4219, 4221, 4222, 4234, 4246, 4250, 4251, 4257, 4261, 4265, 4266, 4270, 4289, 4293, 4302.

4d. Affinity chromatography (advances)

3224 Ding, J.L., Zhu, Y. and Ho, B.: High-performance affinity capture-removal of bacterial pyrogen from solutions. *J. Chromatogr. B,* 759 (2001) 237-246.

See also 3276, 3277, 3572, 3609, 3621, 3631, 4202.

4f. Trace analysis and preseparation techniques

3225 Boos, K.-S. and Fleischer, C.T.: Bioanalytical solid-phase extraction: a classic in a new, tailor-made garment. *Chimia,* 55 (2001) 42-45; *C.A.,* 134 (2001) 307380y - a review with refs.

3226 Brambilla, G., Fiori, M., Rizzo, B., Crescenzi, V. and Masci, G.: Use of molecularly imprinted polymers in the solid-phase extraction of clenbuterol from animal feeds and biological matrices. *J. Chromatogr. B,* 759 (2001) 27-32.

3227 Gilar, M., Belenky, A. and Wang, B.H.: High-throughput biopolymer desalting by solid-phase extraction prior to mass spectrometric analysis. *J. Chromatogr. A,* 921 (2001) 3-13.

3228 Jandik, P., Cheng, J., Jensen, D., Manz, S. and Avdalovic, N.: Simplified in-line sample preparation for amino acid analysis in carbohydrate containing samples. *J. Chromatogr. B,* 758 (2001) 189-196.

3229 Majors, R.E.: New chromatography columns and accessories at the 2001 Pittsburgh Conference, Part II. *LC-GC Eur.,* 14 (2001) 364-376.

3230 Muzic, R.F., Jr., Landmeier, B., Zhang, Z., Zheng, L. and Berridge, M.S.: Solid-phase analysis method for (S)-[^{18}F]fluorocarazolol and its metabolites. *J. Chromatogr. B,* 759 (2001) 355-359.

3231 Obrist, H.: On-line solid phase extraction for HPLC analysis. *Chimia,* 55 (2001) 46-47; *C.A.,* 134 (2001) 350087v.

3232 Slingsby, R. and Kiser, R.: Sample treatment techniques and methodologies for ion chromatography. *TrAC,* 20 (2001) 288-295.

3233 Yang, J.S., Kim, W.-S., Lee, D.W. and Yu, E.K.: Enhanced-fluidity liquid extraction of PCBs and PCDDs from fly ash. Effect of static/dynamic modification and flow rate. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 993-1005.

See also 3116, 3285, 3290, 3300, 3333, 3787, 3921, 3933, 4045, 4064, 4208, 4245, 4253.

4g. Enantiomers, separation

3234 Aboul-Enein, H.Y., Ali, I., Schmid, M.G., Jetcheva, V., Gecse, O. and Gübitz, G.: Chiral resolution of two potential aromatase inhibitors on cellulose tris(3,5-dimethylphenyl carbamate) chiral stationary phases. *Anal. Lett.,* 34 (2001) 1107-1115.

3235 Beesley, T.E., Lee, J.T. and Wang, A.X.: Method development and optimization of enantiomeric separations using macrocyclic glycopeptide chiral stationary phases. In: Subramanian, G. (Editor), *Chiral Sep. Tech.* (2nd Ed.), Wiley, Weinheim, 2001, pp. 25-54; *C.A.,* 134 (2001) 340101f - a review with 39 refs.

3236 Chankvetadze, B., Yamamoto, C. and Okamoto, Y.: Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous-organic and normal-phase eluents. *J. Chromatogr. A,* 922 (2001) 127-137.

3237 Franco, P., Klaus, P.M., Minguillon, C. and Lindner, W.: Evaluation of the contribution to enantioselectivity of quinine and quinidine scaffolds in chemically and physically mixed chiral selectors. *Chirality,* 13 (2001) 177-186; *C.A.,* 135 (2001) 101630s.

3238 He, L., Wang, S. and Geng, X.: Coating and fusing cell membranes onto a silica surface and their chromatographic characteristics. *Chromatographia,* 54 (2001) 71-76.

3239 Hyun, M.H., Choi, S.Y., Um, B.H. and Han, S.C.: Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases. *J. Chromatogr. A,* 922 (2001) 119-125.

3240 Kontrec, D., Vinkovic, V., Lesac, A., Sunjic, V. and Aced, A.: Novel chiral stationary phases comprising 2,4-(or 2,6)-diamino-5,6-(or 2,5)-dichlorobenzene-1,3-dicarbonitrile and 1-acyl (1R,2R)-diaminocyclohexane. *Enantiomers,* 5 (2000) 333-344; *C.A.,* 134 (2001) 172478p.

3241 Lehotay, J., Hrobonova, K., Cizmarik, J., Reneova, M. and Armstrong, D.W.: Modification of the chiral bonding properties of teicoplanin chiral stationary phase by organic additives. HPLC separation of enantiomers of alkoxysubstituted esters of phenylcarbamic acid. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 609-624.

3242 Massolini, G., Calleri, E., de Lorenzi, E., Pregnolato, M., Terreni, M., Felix, G. and Gandini, C.: Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography. *J. Chromatogr. A,* 921 (2001) 147-160.

3243 Ohnishi, A. and Tachibana, K.: (Chiral discrimination ability of chiral stationary phase based on polysaccharide chiral-carbamate derivatives). *Chromatography,* 21 (2000) 296-297; *C.A.,* 134 (20011) 289700w.

3244 Pesek, J.J., Matyska, M.T. and Fu, P.F.: Evaluation of the silanization/hydrosilation process for the synthesis of chiral stationary phases. *Chromatographia,* 53 (2001) 635-640.

3245 Sellergren, B.: Enantiomer separations using designed imprinted chiral phases. In: Subramanian, G. (Editor), *Chiral Sep. Tech.* (2nd Ed.), Wiley, Weinheim, 2001, pp. 151-184; *C.A.,* 134 (2001) 340103h - a review with 118 refs.

3246 Skogsberg, U. and Allenmark, S.: Determination of enantiomer separation factors by nuclear magnetic resonance spectroscopy and by chiral liquid chromatography. *J. Chromatogr. A,* 921 (2001) 161-167.

3247 Suzuki, T., Timofei, S., Iuoras, B.E., Uray, G., Verdino, P. and Fabian, W.M.F.: Quantitative structure-enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases. *J. Chromatogr. A,* 922 (2001) 13-23.

3248 Tao, W.A. and Gilpin, R.K.: Liquid chromatographic studies of the effect of phosphate on binding properties of silica-immobilized bovine serum albumin. *J. Chromatogr. Sci.,* 39 (2001) 205-212.

3249 Thompson, R., Prasad, V., Grinberg, N., Ellison, D. and Wyvratt, J.: Mechanistic aspects of the stereospecific interactions of immobilized α_1-acid glycoprotein. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 813-825.

3250 Vaton-Chanvrier, L., Combret, Y. and Combret, J.C.: High-performance liquid chromatographic investigation on the enantioselectivity and mechanism of chiral recognition of new cholic acid-based stationary phase. *Chromatographia,* 54 (2001) 31-37.

See also 3143, 3144, 3170, 3178, 3181, 3183, 3199, 3203, 3270, 3279, 3280, 3283, 3400, 3428, 3450, 3500, 3521, 3524, 3530, 3535, 3538, 3541, 3619, 3750, 3791, 3806, 3815, 3818, 3893, 3917, 3922, 3926, 3929, 3976, 3992, 4018, 4028, 4042, 4049, 4062, 4069, 4124, 4129, 4142, 4163.

4h. Other special techniques

3251 Andersson, M.B.O. and Blomberg, L.G.: Some aspects of selectivity in electric field-assisted micro-packed HPLC. *J. Sep. Sci.,* 24 (2001) 304-308; *C.A.,* 134 (2001) 375511s.

3252 Ban, T., Shibata, M., Kawaizumi, F., Nii, S. and Takahashi, K.: Enhancement of phase separation using a drop coalescer in an aqueous two-phase system. *J. Chromatogr. B,* 760 (2001) 65-72.

3253 Degenhardt, A., Schwarz, M., Winterhalter, P. and Ito, Y.: Evaluation of different tubing geometries for high-speed countercurrent chromatography. *J. Chromatogr. A,* 922 (2001) 355-358.

3254 Hansson, U.-B. and Wingren, C.: Liquid-liquid partition chromatography (LLPC). *Methods Biotechnol.,* 11(Aqueous Two-Phase Systems) (2000) 65-75; *C.A.,* 135 (2001) 2352w - a review with 28 refs.

3255 Koo, Y.M. and Row, K.H.: (Separation technology of biopolymers by high-performance membrane chromatography). *Kongop Hwahak,* 11 (2000) 807-815; *C.A.,* 134 (2001) 322867f - a review with 27 refs.

3256 Perez-Pe, R., Barrios, B., Muino-Blanco, T. and Cebrian-Perez, J.A.: Seasonal differences in ram seminal plasma revealed by partition in an aqueous two-phase system. *J. Chromatogr. B,* 760 (2001) 113-121.

3257 Qingguo, W., Lixing, C., Thompson, D., Xinkui, Y., Zhihang, C., Junbo, C. and Qiaomei, Q.: Differential gel permeation chromatography. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 317-325.

3258 Rasouli, S., Blanchart, P., Cledat, D. and Cardot, P.J.P.: Size- and shape-dependent separation of TiO_2 colloidal sub-populations with gravitational field flow fractionation. *J. Chromatogr. A,* 923 (2001) 119-126.

3259 Saenko, E., Sarafanov, A., Ananyeva, N., Behre, E., Shima, M., Schwinn, H. and Josic, D.: Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII. *J. Chromatogr. A,* 921 (2001) 49-56.

3260 Teotia, S. and Gupta, M.N.: Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes. *J. Chromatogr. A,* 923 (2001) 275-280.

3261 Tomer, S., Dorsey, J.G. and Berthod, A.: Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors. *J. Chromatogr. A,* 923 (2001) 7-16.

3262 Wang, D. and Liu, Z.: (Investigations on ion exchange chromatography conducted in alternating electric field). *Huagong Xuebao,* 52 (2001) 311-315; *C.A.,* 135 (2001) 104456a.

3263 Wenkel, N.: (Rapid micro-HPLC analysis). *LaborPraxis,* 25, No. 4 (2001) 62-64; *C.A.,* 134 (2001) 360793m.

3264 Yang, F. and Ito, Y.: pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract. *J. Chromatogr. A,* 923 (2001) 281-285.

See also 3197, 3198, 3304, 3323, 3375, 3588, 3621, 3645, 3688, 3731, 3761, 3911, 3952, 3985, 4278.

5. HYDROCARBONS AND HALOGEN DERIVATIVES

5b. Cyclic hydrocarbons, fullerenes

3265 Brzeznicki, S.: (Polycyclic aromatic hydrocarbons - determination method). *Podstawy Metody Oceny Srodowiska Pr.,* 16, No. 3 (2000) 159-164; *C.A.,* 134 (2001) 370916t.

3266 Enache, I., Dumitrescu, V., Robert, E., Pasquereau, M. and Codet, G.: (Analysis of the polycyclic aromatic hydrocarbons in the particle extracts from diesel engines by HPLC-GC). *Rev. Roum. Chim.,* 45 (2000, Pub. 2001) 119-126; *C.A.,* 134 (2001) 270356s.

3267 Isidorov, V.A., Krajewska, U., Dubis, E.N. and Jdanova, M.A.: Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system. *J. Chromatogr. A,* 923 (2001) 127-136.

3268 James, M.O., Tong, Z., Rowland-Faux, L., Venugopal, C. and Kleinow, K.M.: Intestinal bioavailability and biotransformation of 3-hydroxybenzo(a)pyrene in an isolated perfused preparation from channel carfish, *Ictalurus punctatus. Drug Metab. Disp.,* 29 (2001) 721-728.

3269 Mazeas, L. and Budzinski, H.: Polycyclic aromatic hydrocarbon $^{13}C/^{12}C$ ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill. *J. Chromatogr. A,* 923 (2001) 165-176.

3270 Payan, J.P., Cossec, B., Beydon, D., Fabry, J.P. and Ferrari, E.: Toxicokinetics and metabolism of 1,2-diethylbenzene in male Sprague Dawley rats - part 2: evidence for *in vitro* and *in vivo* stereoselectivity of 1,2-diethylbenzene metabolism. *Drug Metab. Disp.,* 29 (2001) 868-876.

3271 Perez, S. and Barcelo, D.: Determination of polycyclic aromatic hydrocarbons in sewage reference sludge by liquid chromatography-atmospheric-pressure chemical-ionization mass spectrometry. *Chromatographia,* 53 (2001) 475-480.

3272 Ravelet, C., Peyrin, E., Villet, A., Grosset, C., Ravel, A. and Alray, J.: Chromatographic study of PAH-βCD inclusion complexes using a binary mixture and cyano-stationary phase. *Chromatographia,* 53 (2001) 624-628.

3273 Taranenko, N.A., Dorogova, V.B., Meshchakova, N.M. and Panfilova, L.I.: (Use of gas and liquid chromatography in examining the metabolism of organic compounds (Review)). *Gig. Sanit.,* No. 2 (2001) 75-76; *C.A.,* 134 (2001) 362340k - a review with 19 refs.

3274 Wang, F.A., Guo, Y.C., Zhu, J.Q., Chen, H.S. and Jiang, Y.L.: Relationship between the separation factor and the bonded-phase molecular structure for fullerenes in HPLC. *Am. Lab. (Shelton),* 33 (2001) 13-15; *C.A.,* 134 (2001) 260584a.

3275 Wornat, M.J., Ledesma, E.B., Sandrowitz, A.K., Roth, M.J., Dawsey, S.M., Qiao, Y.-L. and Chen, W.: Polycyclic aromatic hydrocarbons identified in soot extracts from domestic coal-burning stoves of Henan Province, China. *Environ. Sci. Technol.,* 35 (2001) 1943-1952; *C.A.,* 134 (2001) 343710q.

See also 3119, 3145, 3179, 3180, 3182, 3197, 3278.

5c. Halogen derivatives

3276 Concejero, M.A., Galve, R., Herradon, B., Gonzales, M.J. and de Frutos, M.: Feasibility of high-performance immunochromatography as an isolation method for PCBs and other dioxin-like compounds. *Anal. Chem.,* 73 (2001) 3119-3125.

3277 Huwe, J.K., Shelver, W.L., Stanker, L., Patterson, D.G., Jr. and Turner, W.E.: On the isolation of polychlorinated dibenzo-*p*-dioxins and furans from serum samples using immunoaffinity chromatography prior to high-resolution gas chromatography-mass spectrometry. *J. Chromatogr. B,* 757 (2001) 285-293.

See also 3233.

5d. Complex hydrocarbon mixtures (incl. analysis of tars, bitumens and mineral oils)

3278 Pasadakis, N., Gaganis, V. and Varotsis, N.: Accurate determination of aromatic groups in heavy petroleum fractions using HPLC-UV-DAD. *Fuel,* 80, No.2 (2001, Pub. 2000) 147-153; *C.A.,* 134 (2001) 149707d.

6. ALCOHOLS

3279 Donnoli, M.I., Scafato, P., Superchi, S. and Rosini, C.: Synthesis and stereochemical characterization of optically active 1,2-diarylethane-1,2-diols: useful chiral controllers in the Ti-mediated enantioselective sulfoxidation. *Chirality,* 13 (2001) 258-265; *C.A.,* 135 (2001) 107105w.

3280 Hu, M., Xu, X., Shao, B. and Zhou, L.: (Resolution of racemic α-phenylethanol on cellulose tris(4-methylbenzoate)-based chiral stationary phase). *Fenxi Huaxue,* 29 (2001) 611; *C.A.,* 135 (2001) 70284a.

3281 Jude, A.R., Little, J.M., Czernik, P.J., Tephly, T.R., Grant, D.F. and Radominska-Pandya, A.: Glucuronidation of linoleic acid diols by human microsomal and recombinant UDP-glucuronosyltransferases: identification of UGT2B7 as the major isoform involved. *Arch. Biochem. Biophys.,* 389 (2001) 176-186.

3282 Menyes, U., Kessler, D. and Roth, U.: (Determination of ethanol by HPLC with water as the eluent). *GIT Labor-Fachz.,* 45 (2001) 44-45; *C.A.,* 134 (2001) 294745u.

3283 Török, G., Peter, A., Forro, E. and Fülöp, F.: Method development for the high-performance liquid chromatographic enantioseparation of 2-caynocycloalkanols. *J. Chromatogr. Sci.,* 39 (2001) 188-194.

See also 3160, 3220, 3257, 3268, 3270, 3273, 3338, 3359, 3411, 3414, 3423.

7. PHENOLS

3284 Areias, F.M., Valentao, P., Andrade, P.B., Ferreres, F. and Seabra, R.M.: Phenolic fingerprint of peppermint leaves. *Food Chem.,* 73 (2001) 307-311; *C.A.,* 135 (2001) 106428s.

3285 Campins-Falco, P., Herraez-Hernandez, R., Goeritz, M. and Monzie, I.: Comparative study of C_{18}- and styrene-divinylbenzene-based sorbents for the enrichment of phenols from water. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1295-1308.

3286 Chang, Q., Zhu, M., Zuo, Z., Chow, M. and Ho, W.K.K.: High-performance liquid chromatographic method for simultaneous determination of hawthorn active components in rat plasma. *J. Chromatogr. B,* 760 (2001) 227-235.

3287 Choi, Y.S., Lee, J.W., Koo, Y.M., Row, K.H. and Choi, D.K.: Single and competitive isotherms of phenol and *o*-cresol by pulsed-input method. *Korean J. Chem. Eng.,* 17 (2000) 625-628; *C.A.,* 135 (2001) 7139s.

3288 Elsby, R., Maggs, J.L., Ashby, J. and Park, B.K.: Comparison of the modulatory effects of human and rat liver microsomal metabolism on the estrogenicity of bisphenol A: implications for extrapolation to humans. *J. Pharmacol. Exp. Ther.,* 297 (2001) 103-113.

3289 Fukudda, T., Uchida, H., Takashima, Y., Uwajima, T., Kawabata, T. and Suzuki, M.: Degradation of bisphenol A by purified laccase from *Trametes villosa. Biochem. Biophys. Res. Commun.,* 284 (2001) 704-706.

3290 Gonzalez-Toledo, E., Prat, M.D. and Alpendurada, M.F.: Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water. *J. Chromatogr. A,* 923 (2001) 45-52.

3291 Iwasaki, H., Akiya, M., Anabuki, K. and Inoue, N.: (Determination of total polyphenol, catechins, vitamin C and caffeine in tea drinks). *Suginami-ku Eisei Shikensho Nenpo,* 18 (2000) 43-50; *C.A.,* 134 (2001) 325362y.

3292 Li, S., Sun, S. and Liu, Y.: (Determination of 4-chloro-3,5-xylenol in Zetar lotion by CS-HPLC). *Zhongguo Yiyao Gongye Zazhi,* 32 (2001) 22-24; *C.A.,* 134 (2001) 316242g.

3293 Li, X. and Yang, Z.: (HPLC determinatin of phenol in contaminated food). *Zhongguo Gonggong Weisheng,* 16 (2000) 595; *C.A.,* 135 (2001) 4667b.

3294 Lopez, M., Martinez, F., del Valle, C., Orte, C. and Miro, M.: Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography. *J. Chromatogr. A,* 922 (2001) 359-363.

3295 Marengo, E., Gennaro, M.C., Gianotti, V. and Angelino, S.: A test of robustness in II R-RP-HPLC separation of nine priority pollutant phenols. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 341-353.

3296 Perry, N.B., Burgess, E.J. and Glennie, V. LeAnne: Echinacea standardization: analytical methods for phenolic compounds and typical levels in medicinal species. *J. Agric. Food Chem.,* 49 (2001) 1702-1706.

3297 Shin, B.S., Park, K.L., Han, S.-Y., Lee, B.M., Kim, H.S., Lee, K.C., Eom, H.J. and Yoo, S.D.: Sensitive micro-sample analysis of bisphenol A in serum by high-performance liquid chromatography with fluorescence detection. *Chromatographia,* 52 (2001) 669-672.

3298 Wagner, K. and Schulz, S.: Adsorption of phenol, chlorophenols, and dihydroxybenzenes onto unfunctionalized polymeric resins at temperatures from 294.15 K to 318.15 K. *J. Chem. Eng. Data,* 46 (2001) 322-330; *C.A.,* 134 (2001) 316548m.

3299 Wollgast, J., Pallaroni, L., Agazzi, M.-E. and Anklam, E.: Analysis of procyanidins in chocolate by reversed-phase high-performance liquid chromatography with electrospray ionisation mass spectrometric and tandem mass spectrometric detection. *J. Chromatogr. A,* 926 (2001) 211-220.

3300 Zimmermann, B., Papagiannopoulos, M., Mellenthin, A. and Galensa, R.: (Online coupling of ASE, SPE and HPLC for example polyphenol analysis in malt). *Lebensmittelchemie,* 55, No. 3 (2001) 66-67; *C.A.,* 135 (2001) 60338g.

See also 3152, 3153, 3197, 3220, 3328, 3333, 3943, 4200.

8. SUBSTANCES CONTAINING HETEROCYCLIC OXYGEN

8a. Flavonoids

3301 Careri, M., Elviri, L. and Mangia, A.: Validation of a high-performance liquid chromatographic method for determination of isoflavonoids in soybeans. Study of the extraction procedure by experimental design. *Chromatographia,* 54 (2001) 45-50.

3302 Chin, L., Lin, Y.-R., Huang, C.-Y. and Wen, K.-C.: Evaluation of quantitative analysis of flavonoid aglycons in *Ginkgo biloba* extract and its products. *Yaowu Shipin Fenxi,* 8 (2000) 289-296; *C.A.,* 134 (2001) 256980j.

3303 Da Queija, C., Queiros, M.A. and Rodrigues, L.M.: Determination of flavonoids in wine by high performance liquid chromatography. *J. Chem. Educ.,* 78 (2001) 236-237; *C.A.,* 134 (2001) 251870p.

3304 Du, Q., Li, Z. and Ito, Y.: Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography. *J. Chromatogr. A,* 923 (2001) 271-274.

3305 Inocencio, C., Rivera, D., Alcaraz, F. and Tomas-Barberan, F.A.: Flavonoid content of commercial capers *(Capparis spinosa, C. sicula* and *C. orientalis)* produced in Mediteranean countries. *Eur. Food Res. Technol.,* 212 (2000) 70-74; *C.A.,* 135 (2001) 75932v.

3306 Ishii, K., Furuta, T. and Kasuya, Y.: Determination of rutin in human plasma by high-performance liquid chromatography utilizing solid-phase extraction and ultraviolet detection. *J. Chromatogr. B,* 759 (2001) 161-168.

3307 Kulevanova, S., Stefova, M., Stefov, G. and Stafilov, T.: Identification, isolation, and determination of flavones in *Origanum vulgare* from Macedonian flora. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 589-600.

3308 Maciejewicz, W.: Isolation of flavonoid aglycones from propolis by a column chromatography method and their identification by GC-MS and TLC methods. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1171-1179.

3309 Mulder, T.P.J., van Platerink, C.J., Wijnand Schuyl, P.J. and van Amelsvoort, J.M.M.: Analysis of theaflavins in biological fluids using liquid chromatography-electrospray mass spectrometry. *J. Chromatogr. B,* 760 (2001) 271-279.

3310 Satterfield, M., Black, D.M. and Brodbelt, J.S.: Detection of the isoflavone aglycones genistein and daidzein in urine using solid-phase microextraction-high-performance liquid chromatography-electrospray ionization mass spectrometry. *J. Chromatogr. B,* 759 (2001) 33-41.

3311 Song, H., Zeng, M., Hu, J., Wang, D. and Zhang, H.: (Determination and chromatographic identification of 3 isoflavones of Pueraria plants). *Yaowu Fenxi Zazhi,* 20 (2000) 223-226; *C.A.*, 134 (2001) 168432b.

3312 Thomas, B.F., Zeisel, S.H., Busby, M.G., Hill, J.M., Mitchell, R.A., Scheffler, N.M., Brown, S.S., Bloeden, L.T., Dix, K.J. and Jeffcoat, A.R.: Quantitative analysis of the principle soy isoflavones genistein, daidzein and glycitein, and their primary conjugated metabolites in human plasma and urine using reversed-phase high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr. B,* 760 (2001) 191-205.

3313 Tong, R., Sun, S. and Wu, Q.: (Determination of hesperidin in fructus *Aurantii immaturus* by RP-HPLC). *Huaxi Yaoxue Zazhi,* 15 (2000) 454-455; *C.A.*, 134 (2001) 168439j.

3314 Waridel, P., Wolfender, J.-L., Ndjoko, K., Hobby, K.R., Major, H.J. and Hostettmann, K.: Evaluation of quadrupole time-of-flight tandem mass spectrometry and ion-trap multiple-stage mass spectrometry for the differentiation of *C*-glycosidic flavonoid isomers. *J. Chromatogr. A,* 926 (2001) 29-41.

3315 Wollersen, H., Grote, M. and Heseker, H.: (Method development for the quantification of selected flavonoids in barley with HPLC and UV/EC detection). *Lebensmittelchemie,* 55, No. 3 (2001) 65-66; *C.A.*, 135 (2001) 60337f.

3316 Yan, J.-l., Luo, B.-s., Ji, Z.-s. and Sun, T.-e.: (Study and analysis of flavonoids in the cultured ginkgo root hairs by biological technique). *Fenxi Kexue Xuebao,* 16 (2000) 320-323; *C.A.*, 134 (2001) 168434d.

3317 Zhang, L.: (RP-HPLC determination of daidzein, genistein, daidzin, and genistin in soybean extract). *Zhonggaoyao,* 32 (2001) 118-120; *C.A.*, 134 (2001) 271337y.

See also 3284, 3956, 3963, 4181, 4183, 4193, 4195.

8b. Aflatoxins and other mycotoxins

3318 Fazekas, B., Koncz-Tar, A., Toth-Hajdu, E. and Zomborskz-Kovacs, M.: Resuability of immunoaffinity columns for determination of fumonisins in maize. *Nat. Toxins,* 7, No.6 (1999) 259-263; *C.A.*, 134 (2001) 294717m.

3319 Goda, Y., Akiyama, H., Otsuki, T., Fujii, A. and Toyoda, M.: (Application and improvement of aflatoxin analysis in foods using a multifunctional column and HPLC). *Shokuhin Eiseigaku Zasshi,* 42 (2001) 56-62; *C.A.*, 134 (2001) 236448p.

3320 Scarano, G., Grasso, L., Arace, O., Oliviero, G. and Serpe, L.: (Determination of fumonisin B1 in milk with semiautomatic equipment). *Ind. Aliment. (Pinerolo),* 40 (2001) 257-260; *C.A.*, 134 (2001) 339696x.

3321 Seefelder, W., Hartl, M. and Humpf, H.-U.: Determination of N-(carboxymethyl)fumonisin B_1 in corn products by liquid chromatography/electrospray ionization mass spectrometry. *J. Agric. Food Chem.,* 49 (2001) 2146-2151.

3322 Terada, H.: Microanalysis of zearalenone and its related compounds. *Mycotoxins,* 50, No.2 (2000) 129-135; *C.A.*, 134 (2001) 309901t.

8c. Other compounds with heterocyclic oxygen (incl. tannins)

3323 Baumann, D., Adler, S. and Hamburger, M.: A simple isolation method for the major catechins in green tea using high-speed countercurrent chromatography. *J. Nat. Prod.,* 64 (2001) 353-355; *C.A.*, 134 (2001) 251374e.

3324 De Orsi, D., Gagliardi, L., Bolasco, A. and Tonelli, D.: HPLC determination of 6-methylcoumarin and 3-pyridine methanol in toiletries for oral hygiene. *Anal. Sci.,* 16 (2000) 1341-1343; *C.A.*, 134 (2001) 168039d.

3325 Magiatis, P., Pratsinis, H., Kalpoutzakis, E., Konstantinidou, A., Devaris, P. and Skaltsounis, A.-L.: Hydrozable tannins, the active constituents of three Greek *Cytinus taxa* against several tumor cell lines. *Biol. Pharm. Bull.,* 24 (2001) 707-709.

3326 Meng, X., Lee, M.-J., Li, C., Sheng, S., Zhu, N., Sang, S., Ho, C.-T. and Yang, C.S.: Formation and identification of 4'-O-methyl-(-)-epigallocatechin in humans. *Drug Metab. Disp.,* 29 (2001) 789-793.

See also 3149, 3233, 3291, 3336, 3339, 3905, 3916, 4141, 4208.

9. OXO COMPOUNDS, ETHERS, EPOXIDES AND QUINONES

3327 Biavatti, M.W., Vieira, P.C., da Silva, M.F.G.F., Fernandes, J.B., Begani, A.L.G., Cass, Q.B., Schefer, A.B. and Ferreira, A.G.: Separation and NMR studies on lignans of *Raulinoa echinata. Phytochem. Anal.,* 12 (2001) 64-68; *C.A.*, 134 (2001) 292759c.

3328 Chang, C.J., Chiu, K.L., Chen, Y.L. and Yang, P.W.: Effect of ethanol content on carbon dioxide extraction of polyphenols from tea. *J. Food Compos. Anal.,* 14 (2001) 75-82; *C.A.*, 135 (2001) 91654m.

3329 Da Cuanha Veloso, M.C., da Silva, V.M., Santos, G.V. and de Andrade, J.B.: Determination of aldehydes in fish by high-performance liquid chromatography. *J. Chromatogr. Sci.,* 39 (2001) 173-176.

3330 Fenaille, F., Mottier, P., Turesky, R.J., Ali, S. and Guy, P.A.: Comparison of analytical techniques to quantify malondialdehyde in milk powders. *J. Chromatogr. A,* 921 (2001) 237-245.

3331 Kainou, T., Okada, K., Suzuki, K., Nakagawa, T., Matsuda, H. and Kawamukai, M.: Dimer formation of octaprenyl-diphosphate synthase (IspB) is essential for chain length determination of ubiquinone. *J. Biol. Chem.,* 276 (2001) 7876-7883.

3332 Luckey, S.W. and Petersen, D.R.: Metabolism of 4-hydroxynonenal by rat Kupffer cells. *Arch. Biochem. Biophys.,* 389 (2001) 77-83.

3333 Palma, M., Piñeiro, Z. and Barroso, C.G.: Stability of phenolic compounds during extraction with superheated solvents. *J. Chromatogr. A,* 921 (2001) 169-174.

3334 Ping, D.-l. and Wang, Y.-c.: (Analysis by HPLC/DAD of unknown trace impurities in ethylene glycol). *Shiyou Huangong,* 29 (2000) 942-945; *C.A.*, 134 (2001) 312784n.

3335 Posniak, M.: (Formaldehyde - determination method). *Podstawy Metody Oceny Srodowiska Pr.,* 22, (1999) 96-100; *C.A.*, 134 (2001) 151609s.

3336 Samo, M., Tabata, M., Suzuki, M., Degawa, M., Myiase, M. and Yamamoto, M.M.: Simultaneous determination of twelve tea catechins by high-performance liquid chromatography with electrochemical detection. *Analyst (Cambridge),* 126 (2001) 816-820.

3337 Sandner, F., Dott, W. and Hollender, J.: Sensitive indoor air monitoring of formaldehyde and other carbonyl compounds using the 2,4-dinitrophenylhydrazine method. *Int. J. Hyg. Environ. Health,* 203 (2001) 275-279; *C.A.,* 135 (2001) 23655n.

3338 Smith, C.K., Cheung, C., Elahi, E.N. and Hotchkiss, S.A.M.: High-performance liquid chromatography method for the quantification of non-radiolabelled cinnamic compounds in analytes derived from human skin absorption and metabolism experiments. *J. Chromatogr. B,* 758 (2001) 249-264.

3339 Smith, R.E., Eick, J.D. and Yourtee, D.M.: Liquid chromatography and purification of dental monomers. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 531-542.

3340 Zielinski, B. and Hergenbahn, M.: 2-Chloroacetaldehyde induces εdA DNA adduct in DNA of Raji cells as demonstrated by an improved HPLC-fluorimetry method. *Fresenius J. Anal. Chem.,* 370 (2001) 97-100.

See also 3150, 3152, 3159, 3277, 3324, 3414, 4050, 4125.

10. CARBOHYDRATES

10a. Mono and oligosaccharides. Structural studies

3341 Abreu, P. Pereira, A. and Relva, A.: Characterisation of a sugar fraction from *Sarcocephalus latifolius* stem bark extract. *Carbohydr. Polym.,* 45 (2001) 155-160; *C.A.,* 135 (2001) 89877t.

3342 Breitling-Utzmann, C.M., Unger, A., Friedl, D.A. and Lederer, M.O.: Identification and quantification of phosphatidylethanolamine-derived glucosamines and aminoketoses from human erythrocytes - influence of glycation products on lipid peroxidation. *Arch. Biochem. Biophys.,* 391 (2001) 245-254.

3343 Casella, I.G. and Gatta, M.: Electrocatalysis and detection of carbohydrates by anion-exchange chromatography at a gold substrate electrode modified with nickel cyanide ions. *Electroanalysis,* 13 (2001) 549-554; *C.A.,* 135 (2001) 86257e.

3344 Corradini, C., Canali, G., Galanti, R. and Nicoletti, I.: Determination of alditols and carbohydrates of food interest using a sulfonated monodisperse resin-based column, coupled with pulsed amperometric detection (PAD) and postcolumn pH adjustment. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1073-1088.

3345 Corradini, C., Canali, G., Nicoletti, I., Biondi, A. and Vinci, G.: (Characterization of UHT low-lactose milk by innovative analytical methods). *Ind. Aliment. (Pinerolo),* 40 (2001) 261-271; *C.A.,* 134 (2001) 339697y.

3346 Deconinck, T.J.-M., Ciza, A., Sinnaeve, G.M., Laloux, J.T. and Thonart, P.: High-performance anion-exchange chromatography — DAD as a tool for the identification and quantification of oligogalacturonic acids in pectin depolymerisation. *Carbohydr. Res.,* 329 (2000) 907-911; *C.A.,* 134 (2001) 149222s.

3347 Falch, B.H. and Stokke, B.T.: Structural stability of (1→3)-β-D-glucan macrocycles. *Carbohydr. Polym.,* 44 (2001, Pub. 2000) 113-121; *C.A.,* 134 (2001) 147773y.

3348 Farine, S., Versluis, C., Bonnici, P.J., Heck, A., L'homme, C., Puigserver, A. and Biagini, A.: Application of high performance anion exchange chromatography to study invertase-catalysed hydrolysis of sucrose and formation of intermediate fructan products. *Appl. Microbiol. Biotechnol.,* 55 (2001) 55-60; *C.A.,* 134 (2001) 326682q.

3349 Farine, S., Versluis, C., Bonnici, P.J., Heck, A., Peschet, J.L., Puigserver, A. and Biagini, A.: Separation and identification of enzymatic sucrose hydrolysis products by high-performance anion-exchange chromatography with pulsed amperometric detection. *J. Chromatogr. A,* 920 (2001) 299-308.

3350 Fujita, M., Shoda, S.-i., Haneda, K., Inazu, T., Takegawa, K. and Yamamoto, K.: A novel disaccharide substrate having 1,2-oxazoline moiety for detection of transglycosylating activity of endoglycosidases. *Biochim. Biophys. Acta,* 1528 (2001) 9-14.

3351 Heber, Por Castillo-Guajardo, Patricia, Severiano-Perez, Landy Y, Ramirez-Burgos, del Carmen, Duran-Dominquez-de-Bazua Ma.: Sucrose in syrups of sugarcane mills, analytical methodologies validation using two types of polarimeter and a high pressure liquid chromatograph. *Int. Sugar J.,* 102 (2000) 612-616; *C.A.,* 134 (2001) 354753g.

3352 Hong, S.P., Yoon, H.R. and Kim, M.K.: Development of a new HPLC diagnostic method for galactosemia using 8-amino-2-naphthalenesulfonic acid. *Chromatographia,* 54 (2001) 83-86.

3353 Kawano, A., Masuda, T., Kitahara, K., Nagashima, K. and Arai, S.: (Separation of carbohydrates by anion-exchange chromatography - effect of divalent cations). *Chromatography,* 21 (2000) 378-379; *C.A.,* 134 (2001) 289702y.

3354 Kim, Y.S., Thanawiroon, C., Bazin, H.G., Kerns, R.J. and Linhardt, R.J.: Enzymatic preparation of heparin disaccharides as building blocks in glycosaminoglycan synthesis. *Prepar. Biochem. Biotechnol.,* 31 (2001) 113-124.

3355 Kishi, H. and Kawana, K.: (Determination of sucralose in foods by anion-exchange chromatography and reverse-phase chromatography). *Shokuhin Eiseigaku Zasshi,* 42 (2001) 133-138; *C.A.,* 135 (2001) 4672z.

3356 Ko, J.H. and Cheong, W.-J.: Simultaneous quantitative determination of mono-, di-, tri-, tetra-, and penta-saccharides in yogurt products by a simple HPLC system with a refractive index detector. *Bull. Korean Chem. Soc.,* 22 (2001) 123-126; *C.A.,* 134 (2001) 279760b.

3357 Kuhn, R., Weide, F. and Schollaert, W.: (Oligosaccharide analysis by capillary electrophoresis, MALDI-TOF mass spectrometry and anion exchange chromatography). *Bioforum,* 22, No. 1-2 (1999) 29-32; *C.A.,* 134 (2001) 159648z.

3358 Lei, L., Song, Z.-h., Tu, P.-f., Wu, L.-j. and Chen, F.-k.: (Separation of echinacoside by reversed-phase preparative high performance liquid chromatography). *Sepu,* 19 (2001) 200-202; *C.A.,* 135 (2001) 111792k.

3359 Liu, Y.-C., Wang, F.-S. and Lee, W.-C.: On-line monitoring and controlling system for fermentation processes. *Biochem. Eng. J.,* 7 (2001) 17-25; *C.A.,* 134 (2001) 339560y.

3360 Meyer, A., Raba, C. and Fischer, K.: Ion-pair RP-HPLC determination of sugars, amino sugars, and uronic acids after derivatization with *p*-aminobenzoic acid. *Anal. Chem.,* 73 (2001) 2377-2382.

3361 Mora, M.I. and Marioli, J.M.: Honey carbohydrate analysis by HPLC, with electrochemical detection, using a Ni-Cr alloy electrode. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 711-720.

3362 Nakazato, M., Kobayashi, C., Yamajima, Y., Kawano, M. and Yasuda, K.: (Determination of neohesperidin dihydrochalcone in foods). *Shokuhin Eiseigaku Zasshi,* 42 (2001) 40-44; *C.A.*, 134 (2001) 236465s.

3363 Panagiotopoulos, C., Sempere, R., Lafont, R. and Kerherve, P.: Sub-ambient temperature effects on the separation of monosaccharides by high-performance anion-exchange chromatography with pulse amperometric detection. Application to marine chemistry. *J. Chromatogr. A,* 920 (2001) 13-22.

3364 Rong, J., Habuchi, H., Kimata, K., Lindahl, U. and Kusche-Gullberg, M.: Substrate specificity of the heparan sulfate hexuronic acid 2-*O*-sulfotransferase. *Biochemistry,* 40 (2001) 5548-5555.

3365 Sumi, T., Sakaki, T., Ohba, H., Sukimoto, S. and Shibata, M.: Relationship between average molecular weight of glucose-oligomers in decomposed cellulose and temperature of hot-compressed water. *ITE Lett. Batteries, New Technol. Med.,* 1 (2000) 758-761; *C.A.*, 134 (2001) 312626n.

3366 Sumi, T., Sallay, I., Asakawa, M., Park, S.S., Miyazaki, M. and Ohba, H.: Purification and identification of N-glycolylneuraminic acid (Neu5Gc) from the holothuroidea gumi, *Cucumaria echinata. Prepar. Biochem. Biotechnol.,* 31 (2001) 135-146.

3367 Yamamoto, F. and Rokushika, S.: (Effects of configuration of PMP-sugars on their chromatographic retention behaviors). *Chromatography,* 21 (2000) 326-327; *C.A.*, 134 (2001)

3374 Otake, Y., Fujimoto, I., Tanaka, F., Nakagawa, T., Ikeda, T., Menon, K.K., Hase, S., Wada, H. and Ikenaka, K.: Isolation and characterization of an *N*-linked oligosaccharide that is significantly increased in sera from patients with non-small cell lung cancer. *J. Biochem. (Tokyo),* 129 (2001) 537-542.

3375 Shinomiya, K., Kabasawa, Y., Toida, T., Imanari, T. and Ito, Y.: Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography. *J. Chromatogr. A,* 922 (2001) 365-369.

3376 Talaga, P. and Moreau, M.: Quantification of C-polysaccharide in *Streptococcus pneumoniae* polysaccharides by high-performance anion exchange chromatography with pulsed-amperometric detection. *Dev. Biol. (Basel),* 103(Physico-Chemical Procedures for the Characterization of Vaccines) (2000) 27-34; *C.A.*, 134 (2001) 316213y.

3377 Tiedemann, K., Larsson, T., Heinegard, D. and Malström, A.: The glucuronyl C5-epimerase activity is the limiting factor in the dermatan sulfate biosynthesis. *Arch. Biochem. Biophys.,* 391 (2001) 65-71.

3378 Tsukamoto, T., Hattori, M., Sakabe, M. and Haginaka, J.: Determination of the molecular mass of new L-fucose-containing glycosaminoglycan and its distribution by high-performance gel-permeation chromatography with laser light-scattering detection. *Anal. Sci.,* 17 (2001) 555-558; *C.A.*, 135 (2001)

3411 Kawamoto, T., Makihata, N. and Teranishi, K.: (Development of analytical methods and identification of ethyl acrylate, *n*-butyl acrylate, 2-ethylhexyl acrylate, acrylic acid and 2-ethylhexanol as materials of acrylic resin in the Yagi river originated from truck accident). *Hyogo-kenritsu Eisei Kenkyusho Nenpo,* 35 (2000) 135-142; *C.A.,* 135 (2001) 81711p.

3412 Kishi, H. and Kawana, K.: (Determination method of isocitric acid in food additive citric acid). *Shokuhin Eiseigaku Zasshi,* 42 (2001) 45-47; *C.A.,* 134 (2001) 236466t.

3413 Knauer (commercial progress report): Determination of oxalic acid in beer. *LC-GC Eur.* (The Applications Book), June (2001) 5-6.

3414 Koivusalmi, E. and Tulisalo, J.: Determination of highly polar compounds in reaction mixtures of 2,2-bis(hydroxymethyl)propionic acid and 3-hydroxy-2,2-bis(hydroxymethyl)propionic acid by HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 187-200.

3415 Lei, Z., Jervis, J. and Helm, R.F.: Use of methanolysis for the determination of total ellagic and gallic acid contents of wood and food products. *J. Agric. Food Chem.,* 49 (2001) 1165-1168.

3416 Li, W. and Lei, Y.: (Quantitative determination of ferulic acid in Buxueyimu granules by RP-HPLC). *Zhonggaoyao,* 32 (2001) 126-127; *C.A.,* 134 (2001) 271338z.

3417 Long, H., Zhu, Y., Coury, L.A., Duda, C.T., Kissinger, C.B. and Kissinger, P.T.: Simultaneous multiple electrode liquid chromatography/electrochemistry of phenolic acids in honey. *LC-GC Eur.,* 14 (2001) 323-328.

3418 Makharadze, G.A., Reviya, R.L. and Supatashvili, G.D.: (Separation of the components of fulvic acids from river water by high-performance liquid chromatography). *Zh. Fiz. Khim.,* 74 (2000) 2082-2086; *C.A.,* 134 (2001) 167893r.

3419 Marrubini, G., Coccini, T. and Manzo, L.: Direct analysis of urinary *trans,trans*-muconic acid by coupled column liquid chromatography and spectrophotometric ultraviolet detection: method applicability to human urine. *J. Chromatogr. B,* 758 (2001) 295-303.

3420 Ng, K.L., Glod, B.K., Dicinoski, G.W. and Haddad, P.R.: Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents. *J. Chromatogr. A,* 920 (2001) 41-49.

3421 Ohta, K.: Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection. *J. Chromatogr. A,* 920 (2001) 181-191.

3422 Peng, S., Zou, Q., Zhang, J. and Zhang, Y.: (Analysis of impurities in the industrial grade naphthalic anhydride by HPLC). *Ranliao Gonglye,* 37, No. 2 (2000) 24-26; *C.A.,* 134 (2001) 148962w.

3423 PerkinElmer Instruments (commercial progress report): Simultaneous determination of organic acids, sugars and ethanol in grape musts and wine using two polypore H columns with RI/UV detection. *LC-GC Eur.* (The Applications Book), June (2001) 7.

3424 Possanzini, M., di Palo, V., Cecinato, A. and Balducci, C.: Observation of organic acids in atmospheric aerosols in the Rome province territory. *Anal. Lett.,* 34 (2001) 957-966.

3425 Ren, X.-r., Shao, K.-s. and Tang, X.-y.: (Determination of salicylic acid and its hydroxylated products using high performance liquid chromatography and fluorescence detection). *Sepu,* 19 (2001) 191-192; *C.A.,* 134 (2001) 300904p.

3426 Ren, X.-r., Shao, K.-s., Miao, K.-f. and Tang, X.-y.: (Determination of hydroxyl radical concentration in atmosphere). *Zhongguo Huanjing Kexue,* 21 (2001) 115-118; *C.A.,* 135 (2001) 65320e.

3427 Rong, R., Yuan, J. and Wang, X.: (Determination of ferulic acid in Siwutang and its relative decoctions by RP-HPLC). *Zhongguo Yaoxue Zazhi (Beijing),* 35 (2000) 767-768; *C.A.,* 134 (2001) 242759g.

3428 Shackleford, D.M., Hayball, P.J., Reynolds, G.D., Hamon, D.P.G., Evans, A.M., Milne, R.W. and Nation, R.L.: A small-scale synthesis and enantiomeric resolution of (RS)-[1-^{14}C]-2-phenylpropionic acid and biosynthesis of its diastereomeric acyl glucuronides. *J. Labelled Compd. Radiopharm.,* 44 (2001) 225-234; *C.A.,* 134 (2001) 340644k.

3429 Tatar, E., Mihucz, V.G., Kmethy, B., Zaray, G. and Fodor, F.: Determination of organic acids and their role in nickel transport within cucumber plants. *Microchem. J.,* 67 (2000) 73-81; *C.A.,* 134 (2001) 233787n.

3430 Tian, G., Zhang, T. and Yang, F.: (Preparative isolation gallic acid from *Cornus officinalis* Sieb. et Zucc by high speed countercurrent chromatography). *Tianran Chanwu Yanjiu Yu Kaifa,* 12, No. 6 (2001) 52-55; *C.A.,* 134 (2001) 307424r.

3431 Vanatta, L.E. and Coleman, D.E.: Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems. *J. Chromatogr. A,* 920 (2001) 143-153.

3432 Wang, T., Li, Y. and Wang, Z.: (Determination of 3 kinds of organic acid in Honeysuckle Flower by RP-HPLC). *Yaowu Fenxi Zazhi,* 20 (2000) 293-296; *C.A.,* 134 (2001) 152740q.

3433 Xie, W. and Lai, X.: (HPLC determination of benzoic acid and sorbic acid in solid food after solid phase extraction). *Zhongguo Gonggong Weisheng,* 16 (2000) 550-551; *C.A.,* 135 (2001) 4665z.

3434 Xu, J., Zhang, Q. and Yu, X.: (Determination of ferulic acid in blood-activating and analgesic capsules by HPLC). *Guangdong Yaoxueyuan Xuebao,* 16 (2000) 309-310; *C.A.,* 134 (2001) 168447k.

See also 3144, 3193, 3205, 3246, 3267, 3281, 3296, 3333, 3338, 3811, 3813, 3845, 4014, 4200, 4201, 4206.

11b. Prostaglandins

3435 Peterson, J.W., King, D., Ezell, E.L., Rogers, M., Gessell, D., Hoffpauer, J., Reuss, L., Chopra, A.K. and Gorenstein, D.: Cholera toxin-induced PGE_2 activity is reduced by chemical reaction with L-histidine. *Biochim. Biophys. Acta,* 1537 (2001) 27-41.

11c. Lipids and their constituents

3436 Dumonceaux, T. and Carlsen, S.A.: Isogloboside bioxynthesis in metastatic R323OAC cells result from a decreased GMS synthase activity. *Arch. Biochem. Biophys.,* 389 (2001) 187-194.

3437 Fenske, D.B., Palmer, L.R., Chen, T., Wong, K.F. and Cullis, P.R.: Cationic poly(ethyleneglycol) lipids incorporated into preformed vesicles enhance binding and uptake to BHK cells. *Biochim. Biophys. Acta,* 1512 (2001) 259-272.

3438 Kusumoto, T. and Ohtaki, N.: (Separation of lipids on silver zirconium phosphate column). *Chromatography,* 21 (2000) 386-387; *C.A.,* 134 (2001) 275107w.

3439 Lopez-Lopez, A., Castellote-Bargallo, A.I. and Lopez-Sabater, M.C.: Direct determination by high-performance liquid chromatography of *sn*-2 monopalmitin after enzymatic lipase hydrolysis. *J. Chromatogr. B,* 760 (2001) 97-105.

3440 Merrill, A.H., Jr., Caligan, T.B., Wang, E.P.K. and Ou, J.: Analysis of sphingoid bases and sphingoid base 1-phosphates by high-performance liquid chromatography. *Methods Enzymol.,* 312(Sphingolipid Metabolism and Cell Signaling, Pt.B) (2000) 3-9; *C.A.,* 134 (2001) 307353s - a review with 14 refs.

3441 Mottram, H.R. and Evershed, R.P.: Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry. *J. Chromatogr. A,* 926 (2001) 239-253.

3442 Mottram, H.R., Grossman, Z.M. and Evershed, R.P.: Regiospecific characterisation of triacylglycerols in animal fats using high performance liquid chromatography - atmospheric pressure chemical ionisation mass spectrometry. *Analyst (Cambridge),* 126 (2001) 1018-1024.

3443 Muthing, J.: Analyses of glycosphingolipids by high-performance liquid chromatography. *Methods Enzymol.,* 312(Sphingolipid Metabolism and Cell Signaling, Pt. B) (2000) 45-64; *C.A.,* 134 (2001) 307357w - a review with 129 refs.

3444 Neff, W.E., Byrdwell, W.C. and List, G.R.: A new method to analyze triacylglycerol composition of vegetable oils. *Cereal Foods World,* 46 (2001) 6-10; *C.A.,* 135 (2001) 4622h.

3445 Neff, W.E., Byrdwell, W.C. and List, G.R.: Triacylglycerol structures of food fats high in saturated acids by HPLC and mass spectrometry. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 837-854.

3446 Neff, W.E., List, G.R. and Byrdwell, W.C.: New tool for triacylglycerol analysis in food oils. *Lipid Technol.,* 13 (2001) 15-17; *C.A.,* 134 (2001) 365890a.

3447 Nunez, A., Ashby, R., Foglia, T.A. and Salaiman, D.K.Y.: Analysis characterization of sophorolipids by liquid chromatography with atmospheric pressure chemical ionization. *Chromatographia,* 53 (2001) 673-677.

3448 Sakata, M., Todokoro, M., Kai, T., Kunitake, M. and Hirayama, C.: Effec of cationic polymer adsorbent pK_a on the selective removal of endotoxin from an albumin solution. *Chromatographia,* 53 (2001) 619-623.

3449 Sugawara, T.: (High-sensitive, simultaneous determination of lipids by light-scattering detection. Promising application to function analysis of foods and biolipids). *Kagaku to Seibutsu,* 39 (2001) 359-360; *C.A.,* 135 (2001) 75877f - a review with 6 refs.

3450 Takahashi, Y., Itabashi, Y. and Suzuki, M.: (Determination of stereochemical configuration of glycerol moieties of glycoglycerolipids by chiral phase HPLC). *Chromatography,* 21 (2000) 370-373; *C.A.,* 135 (2001) 104442t.

3451 Tepper, A.D. and van Blitterswijk, W.J.: Ceramide mass analysis by normal-phase high-performance liquid chromatography. *Methods Enzymol.,* 312(Sphingolipid Metabolism and Cell Signaling, Pt. B) (2000) 16-22; *C.A.,* 134 (2001) 307355u - a review with 9 refs.

3452 Uran, S., Larsen, A., Jacobsen, P.B. and Skotland, T.: Analysis of phospholipid species in human blood using normal-phase liquid chromatography coupled with electrospray ionizaton ion-trap tandem mass spectrometry. *J. Chromatogr. B,* 758 (2001) 265-275.

See also 3224, 3259, 3453, 3826.

11d. Lipoproteins and their constituents

3453 Atcliffe, B.W., MacRaild, C.A., Gooley, P.R. and Howlett, G.J.: The interaction of human lipoprotein C-I with sub-micellar phospholipid. *Eur. J. Biochem.,* 268 (2001) 2834-2846.

3454 Tanaka, A.: Assay for serum glycated lipoproteins. *Methods Mol. Med.,* 52(Atherosclerosis) (2001) 105-111; *C.A.,* 134 (2001) 248984y.

13. STEROIDS

13a. General techniques

3455 Lagana, A., Fago, G., Marino, A. and Santarelli, D.: Liquid chromatography tandem mass spectrometry applied to the analysis of natural and synthetic steroids in environmental waters. *Anal. Lett.,* 34 (2001) 913-926.

3456 Xue, B. and Sun, Y.: Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support. *J. Chromatogr. A,* 921 (2001) 109-119.

See also 3139, 3156.

13b. Pregnane and androstane derivatives

3457 Antignac, J.-P., le Bizec, B., Monteau, F., Poulain, F. and Andre, F.: Multi-residue extraction-purification procedure for corticosteroids in biological samples for efficient control of their misuse in livestock production. *J. Chromatogr. B,* 757 (2001) 11-19.

3458 Blom, M.J., Wassink, M.G., van Wijk, F., Ederveen, A.G.H., Kloosterboer, H.J., Verhoeven, C.H.J., Lambert, J.G.D. and Goods, H.J.Th.: Metabolism of norethisterone and norethisterone derivatives in rat uterus, vagina, and aorta. *Drug Metab. Disp.,* 29 (2001) 976-982.

3459 Draisci, R., Palleschi, L., Marchiafava, C., Ferretti, E. and Delli Quadri, F.: Confirmatory analysis of residues of stanozolol and its major metabolite in bovine urine by liquid chromatography-tandem mass spectrometry. *J. Chromatogr. A,* 926 (2001) 69-77.

3460 Fluri, K., Rivier, L., Dienes-Nagy, A., You, C., Maître, A., Schweizer, C., Saugy, M. and Mangin, P.: Method for confirmation of synthetic corticosteroids in doping urine samples by liquid chromatography-electrospray ionisation mass spectrometry. *J. Chromatogr. A,* 926 (2001) 87-95.

3461 Jendbro, M., Johansson, C.-J., Strandberg, P., Falk-Nilsson, H. and Edsbäcker, S.: Pharmacokinetics of budesonide and its major ester metabolite after inhalation and intravenous administration of budesonide in the rat. *Drug Metab. Disp.*, 29 (2001) 769-776.

3462 Marwah, A., Marwah, P. and Lardy, H.: Liquid chromatography-electrospray ionization mass spectrometric analysis of corticosterone in rat plasma using selected ion monitoring. *J. Chromatogr. B*, 757 (2001) 333-342.

3463 Reepmeyer, J.C.: Screening for corticosteroids in topical pharmaceuticals by HPLC with a scanning ultraviolet detector. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 693-709.

3464 Torres-Cartas, S., Villanueva-Camanas, R.M. and Garcia-Alvarez-Coque, M.C.: Determination of steroidal hormones in urine samples by micellar liquid chromatography following solid-phase extraction. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 1089-1103.

3465 Whalley, P.M., Bakes, D., Grime, K. and Weaver, R.J.: Rapid high-performance liquid chromatographic method for the separation of hydroxylated testosterone metabolites. *J. Chromatogr. B*, 760 (2001) 281-288.

See also 3998, 4070.

13c. Estrogens

3466 Higashi, T., Tobiyama, M., Horita, F., Sajimoto, M., Shimada, K., Tanaka, K. and Honjo, H.: Determination of estriol-3-sulfate-16-glucuronide in pregnancy serum using LC/tandem MS. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 509-519.

3467 Itoh, Y., Takanashi, K., Itoh, S. and Yoshizawa, I.: High-performance liquid chromatographic separation of potential hydroxylated metabolites of estradiol 17-sulfate by female rat liver microsomes. *Anal. Sci.*, 17 (2001) 659-661; *C.A.*, 135 (2001) 104455z.

3468 Lima, S.B., Neto, L.M.R. and Verreschi, I.T.N.: (The use of high-performance liquid chromatography for the determination of equine estrogens). *Rev. Bras. Cienc. Farm.*, 36 (2000) 213-217; *C.A.*, 135 (2001) 112092u.

3469 Wilson, E.G., Broussalis, A., Benencia, H. and Ferraro, G.E.: (Quantification of the phytoestrogen naringenin in grapefruit and orange juices marked in Argentina). *Acta Farm. Bonaerense*, 19 (2000) 277-279; *C.A.*, 134 (2001) 265521n.

See also 3747.

13d. Sterols

3470 Navarro, A., de las Heras, B. and Villar, A.: Anti-inflammatory and immunomodulating properties of a sterol fraction from *Sideritis foetens* Clem. *Biol. Pharm. Bull.*, 24 (2001) 470-473.

3471 Ravelet, C., Grosset, C. and Alary, J.: Quantitation of ergosterol in river sediment by liquid chromatography. *J. Chromatogr. Sci.*, 39 (2001) 239-242.

13e. Bile acids and alcohols

3472 Lin, D.-L., Chang, H.-C. and Chen, C.-Y.: Identification and quantitation of bile acids in bear bile by HPLC. *Yaowu Shipin Fenxi*, 8 (2000) 283-288; *C.A.*, 134 (2001) 335951d.

See also 3158, 4135.

14. STEROID GLYCOSIDES AND SAPONINS

3473 Du, S., Wang, X., Xi, C. and Liu, W.: (RP-HPLC determination of diosgenin in total saponin from *Dioscorea nipponica*). *Zhongguo Yaoke Daxue Xuebao*, 32 (2001) 37-40; *C.A.*, 134 (2001) 331712d.

3474 Jiang, Y., Wang, Q., Ma, S. and Dang, X.: (Quantitative determination of saponins in the root of *Panax pseudo-ginseng* var. *notoginseng* by HPLC-ELSD and UV spectrophotometry). *Zhongcaoyao*, 31 (2000) 737-739; *C.A.*, 134 (2001) 152731n.

3475 Li, S., Li, Z., Wang, S. and Chen, Y.: (Rapid separation and identification of saponins from Chinese herb *Anemone raddeana* Regel by Rp-HPLC-MS-MS). *Hubei Daxue Xuebao, Ziran Kexueban*, 22 (2000) 382-386; *C.A.*, 134 (2001) 331701z.

See also 4146, 4173, 4174, 4176, 4180, 4189.

15. TERPENES AND OTHER VOLATILE AROMATIC COMPOUNDS

15a. Terpenes

3476 Benson, C.G., Wyllie, S.G., Leach, D.N., Mares, C.L. and Fitt, G.P.: Improved method for the rapid determination of terpenoid aldehydes in cotton. *J. Agric. Food. Chem.*, 49 (2001) 2181-2184.

3477 Geiger, J., Korte, E.-H. and Schrader, W.: Development of a simple gradient LC-IR interface for the detection of terpenoids from the α-pinene-ozone reaction. *J. Chromatogr. A*, 922 (2001) 99-110.

3478 Lacey, M.E., Tan, Z.J., Webb, A.G. and Sweedler, J.V.: Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids. *J. Chromatogr. A*, 922 (2001) 139-149.

3479 Lu, F., Chen, W., Feng, F. and Zhang, Z.: (Determination of terpene lactones in Ginkgo injections). *Zhongguo Yaoke Daxue Xuebao*, 32 (2001) 34-36; *C.A.*, 134 (2001) 331711c.

3480 Talbot, H.M., Watson, D.F., Murrell, J.C., Carter, J.F. and Farrimond, P.: Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry. *J. Chromatogr. A*, 921 (2001) 175-185.

3481 Tang, F., Xiang, D. and Li, H.: (Determination of andrographolide and 14-deoxy-11,12-didehydro-andrographolide in *Andrographis paniculata* and its preparations by RP-HPLC). *Yaowu Fenxi Zazhi*, 20 (2000) 420-422; *C.A.*, 134 (2001) 256965h.

3482 Wang, Y., Xu, H., Zhang, Y. and Wang, Q.: (Quality evaluation study of radix aucklandiae. Determination of 2 sesquiterpene lactones in *Aucklandia lappa* by HPLC). *Yaowu Fenxi Zazhi*, 20 (2000) 366-368; *C.A.*, 134 (2001) 242758f.

3483 Wheeler, A.L., Long, R.M., Ketchum, R.E.B., Rithner, C.D., Williams, R.M. and Croteau, R.: Taxol biosynthesis: differential transformation of taxadien-5α-ol and its acetate ester by cytochrome P450 hydroxylases from Taxus suspension cells. *Arch. Biochem. Biophys.,* 390 (2001) 265-278.

See also 3264, 4115, 4178, 4195.

15c. Bitter substances

3484 Jorge, K. and Trugo, L.G.: Quality control of beer hopped with reduced isomerized products. *Tech. Q.-Master Brew. Assoc. Am.,* 37 (2000) 219-224; *C.A.,* 134 (2001) 265506m.

3485 Toker, G., Erdemoglu, N. and Toker, M.C.: High performance liquid chromatographic analysis of cucurbitacins in some Bryonia species. *FABAD Farm. Bilimler Derg.,* 25, No. 4 (2000) 153-156; *C.A.,* 134 (2001) 344659s.

16. NITRO AND NITROSO COMPOUNDS

3486 Huang, Z.-p., Cao, Q.-w. and Gao, X.-l.: (Study on determination method of HNIW purity). *Hanneng Cailiao,* 9 (2001) 44-48; *C.A.,* 135 (2001) 7558c.

3487 Phelan, J.M. and Barnett, J.L.: Solubility of 2,4-dinitrotoluene and 2,4,6-trinitrotoluene in water. *J. Chem. Eng. Data,* 46 (2001) 375-376; *C.A.,* 134 (2001) 153174v.

3488 Xiong, L., Ying, S. and Luo, F.: (Determination of deterrents in single-base oblate spherical powder by high-performance liquid chromatography). *Huozhayao Xuebao,* 24, No. 2 (2001) 54-55; *C.A.,* 135 (2001) 109314n.

See also 3144.

17. AMINES, AMIDES AND RELATED NITROGEN COMPOUNDS

17a. Amines and polyamines

3489 Campins-Falco, P., Molins-Legua, C., Sevillano-Cabeza, A. and Tortajada Genaro, L.A.: o-Phthalaldehyde-*N*-acetylcysteine polyamine derivatives: formation and stability in solution and in C_{18} supports. *J. Chromatogr. B,* 759 (2001) 285-297.

3490 Djakovic-Sekulic, T.L., Petrovic, S.M., Perisic-Janjic, N.U. and Petrovic, S.D.: HPLC behavior and hydrophobic parameters of some anilides. *Chromatographia,* 54 (2001) 60-64.

3491 Ganzera, M., Pujol, P., Walker, L. and Khan, I.A.: An improved method for the determination of betaine in Echinacea products. *Pharmazie,* 56 (2001) 552-553.

3492 Gerrieri, A. and Palmisano, F.: An acetylcholinesterase/choline oxidase-based amperometric biosensor as a liquid chromatography detector for acetylcholine and choline determination in brain tissue homogenates. *Anal. Chem.,* 73 (2001) 2875-2882.

3493 Li, C.: (HPLC analysis of aniline in *p*-aminobenzenesulfonic acid). *Ranliao Gongye,* 37, No. 2 (2000) 30-31; *C.A.,* 134 (2001) 148954v.

3494 Liu, X., Wang, H., Liang, S.-C. and Zhang, H.-S.: Determination of primary and secondary aliphatic amines by N-hydroxysuccinimidyl 4,3,2′-naphthapyrone-4-acetate and reversed-phase high-performance liquid chromatography. *Anal. Chim. Acta,* 441 (2001) 45-52.

3495 Mastri, C., Thorborn, D.E., Davies, A.J., Ariyanayagam, M.R. and Hunter, K.J.: Polyamine and thiol metabolism in *Trypanosoma granulosum*: similarities with *Trypanosoma cruzi. Biochem. Biophys. Res. Commun.,* 282 (2001) 1177-1182.

3496 Qiu, M. and Liu, X.: Determination of sphinganine, sphingosine and Sa/So ratio in urine of humans exposed to dietary fumonisin B_1. *Food Addit. Contam.,* 18 (2001) 263-269; *C.A.,* 135 (2001) 1333d.

3497 Romero, R., Sanchez-Vinas, M., Gazquez, D., Bagur, M.G. and Cuadro-Rodriguez, L.: Robustness for the determination of biogenic amines by HPLC. *Chromatographia,* 53 (2001) 481-484.

3498 Shaw, C.J., Chao, H. and Hanson, J.E.: Using NPS chromatography to monitor mesylation reactions. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 869-880.

3499 Swierczek, S. and Baranowska, I.: Determination of diphenylamine in fruit and vegetables by partition HPLC. *Chem. Environ. Res.,* 9 (2000) 169-173; *C.A.,* 134 (2001) 325376f.

3500 Toyo'oka, T., Jin, D., Tomoi, N., Oe, T. and Hiranuma, H.: R(-)-4-(3-isothiocyanatopyrrolidin-1-yl)-7-(N,N-dimethylaminosulfonyl)-2,1,3-benzoxadiazole, a fluorescent chiral tagging reagent: sensitive resolution of chiral amines and amino acids by reversed-phase liquid chromatography. *Biomed. Chromatogr.,* 15 (2001) 56-57; *C.A.,* 134 (2001) 350120a.

3501 Turnock, J., Cowan, S., Watson, A., Bartholomew, B., Bright, C., Larif, Z., Sarker, S.D. and Nash, R.J.: N-trans-feruloyltyramine from two species of the Solanaceae. *Biochem. Syst. Ecol.,* 29 (2001) 209-211; *C.A.,* 134 (2001) 263502h.

3502 Venza, M., Visalli, M., Cicciu, D. and Teti, D.: Determination of polyamines in human saliva by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr. B,* 757 (2001) 111-117.

3503 Xu, F., Gao, M., Shi, G., Wang, L., Zhang, W., Xue, J., Jin, L. and Jin, J.: Simultaneous detection of monoamines in rat striatal microdialysate at poly(*para*-aminobenzoic acid) modified electrode by high-performance liquid chromatography. *Anal. Chim. Acta,* 439 (2001) 239-246.

See also 3182, 4268.

17b. Catecholamines and their metabolites

3504 El Bouhali, B., Masri, I., Lemoine, Y. and Mouradi, A.: New precolumn derivatization by the benzaldehyde for HPLC. *Meded.-Fac. Landbouwkd. Toegepaste Biol. Wet. (Univ. Gent),* 65 (2000) 253-256; *C.A.,* 134 (2001) 279730s.

3505 Pattono, D., Bottero, M.T., Civera, T., Grassi, M.A. and Turi, R.M.: (Biogenic amine content in processed and grated cheeses). *Ind. Aliment. (Pinerolo),* 39, No. 398 (2000) 1403-1410; *C.A.,* 134 (2001) 279858q.

3506 Roden, M., Raffesberg, W., Raber, W., Bernroider, E., Niederle, B., Waldhäusl, W. and Gasic, S.: Quantification of unconjugated metanephrines in human plasma without interference by acetaminophen. *Clin. Chem. (Washington),* 47 (2001) 1061-1067.

3583 Pettigrew, N.E., Brush, E.J. and Colman, R.F.: 3-Methyleneoxindole: an affinity label of glutathione S-transferase pi which targets tryptophan 38. *Biochemistry,* 40 (2001) 7549-7558.

3584 Suzuki, K., Nishida, T., Matsumoto, M., Kanouchi, H., Kaneki, K. and Oka, T.: Purification, characterization and developmental expression of rat brain PSP protein. *Biochim. Biophys. Acta,* 1527 (2001) 47-53.

3585 Zani, M.-L., Brillard-Bourdet, M., Lazure, C., Juliano, L., Courty, Y., Gauthier, F. and Moreau, T.: Purification and characterization of active recombinant rat kallikrein rK9. *Biochim. Biophys. Acta,* 1547 (2001) 387-396.

See also 3549, 3553, 3566, 3586, 3612, 3626, 3628, 3636, 3656, 3663, 3673.

19. PROTEINS

19a. General techniques

3586 Bayard, C. and Lottspeich, F.: Bioanalytical characterization of proteins. *J. Chromatogr. B,* 756 (2001) 113-122 - a review with 94 refs.

3587 Chen, C.-H. and Lee, W.-C.: Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate. *J. Chromatogr. A,* 921 (2001) 31-37.

3588 Ghosh, R.: Separation of proteins using hydrophobic interaction membrane chromatography. *J. Chromatogr. A,* 923 (2001) 59-64.

3589 Iberer, G., Schwinn, H., Josic, D., Jungbauer, A. and Buchacher, A.: Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode. *J. Chromatogr. A,* 921 (2001) 15-24.

3590 Li, L., Masselon, C.D., Anderson, G.A., Pasa-Tolic, L., Lee, S.W., Shen, Y., Zhao, R., Lipton, M.S., Conrads, T.P., Tolic, N. and Smith, R.D.: High-throughput peptide identification from protein digests using data-dependent multiplexed tandem FTICR mass spectrometry coupled with capillary liquid chromatography. *Anal. Chem.,* 73 (2001) 3312-3322.

3591 Luo, Q., Zou, H., Xiao, X., Guo, Z., Kong, L. and Mao, X.: Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate-co-ethylene dimethacrylate). *J. Chromatogr. A,* 926 (2001) 255-264.

3592 Peyrin, E., Guillaume, Y.C., Villet, A., Ravel, A., Grosset, C., Alary, J. and Favier, A.: Flow rate dependence on the biopolymer retention in hydrodynamic chromatography. Comparison between the behaviors of proteins and plasmids. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1245-1252.

3593 Premstaller, A., Oberacher, H., Walcher, W., Timperio, A.M., Zolla, L., Chervet, J.-P., Cavusoglu, N., van Dorsselaer, A. and Huber, C.G.: High-performance liquid chromatography-electrospray ionization mass spectrometry using monolithic capillary columns for proteomic studies. *Anal. Chem.,* 73 (2001) 2390-2396.

3594 Righetti, P.G., Castagna, A. and Herbert, B.: Prefractionation techniques in proteome analysis. *Anal. Chem.,* 73 (2001) 320A-326A - a review with 26 refs.

3595 Sawada, O., Ishida, T. and Horiike, K.: Frontal gel chromatographic analysis of the interaction of a protein with self-associating ligands: aberrant saturation in the binding of flavins to bovine serum albumin. *J. Biochem. (Tokyo),* 129 (2001) 899-907.

3596 Shen, Y., Tolic, N., Zhao, R., Pasa-Tolic, L., Li, L., Berger, S.J., Harkewicz, R., Anderson, G.A., Belov, M.E. and Smith, R.D.: High-throughput proteomics using high-efficiency multiple-capillary liquid chromatography with on-line high-performance ESI FTICR mass spectrometry. *Anal. Chem.,* 73 (2001) 3011-3021.

3597 Tong, D., Hetenyi, C., Bikadi, Z., Gao, J.-P. and Hjerten, S.: Some studies of the chromatographic properties of gels (artificial antibodies/receptors) for selective adsorption of proteins. *Chromatographia,* 54 (2001) 7-14.

3598 Wagner, K. and Unger, K.K.: (Sample preparation for proteomics). *GIT Spez. Sep.,* 21 (2001) 14-17; *C.A.,* 135 (2001) 16209s.

3599 Wei, Y., Zhang, T., Liu, Q. and Zhang, S.: (Preparation of a macroporous methyl linoleate-silica gel-polymer-bonded packing and its application to the separation of proteins). *Fenxi Huaxue,* 29 (2001) 368; *C.A.,* 134 (2001) 322942b.

3600 Zhang, M. and Sun, Y.: Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography. *J. Chromatogr. A,* 922 (2001) 77-86.

See also 3252, 3255, 3256, 3555, 3564, 3609, 4202, 4261.

19b. Proteins of cells, viruses and subcellular particles

3601 Blanton, M.P., Lala, A.K. and Cohen, J.B.: Identification and characterization of membrane-associated polypeptides in Torpedo nicotinic acetylcholine receptor-rich membranes by hydrophobic photolabeling. *Biochim. Biophys. Acta,* 1512 (2001) 215-224.

3602 Boronowsky, U., Wenk, S.-O., Schneider, D., Jäger, C. and Rögner, M.: Isolation of membrane protein subunits in their native state: evidence for selective binding of chlorophyll and carotenoid to the b_6 subunit of the cytochrome b_6f complex. *Biochim. Biophys. Acta,* 1506 (2001) 55-66.

3603 Helistö, P., Aktuganov, G., Galimzianova, N., Melentjev, A. and Korpela, T.: Lytic enzyme complex of an antagonistic Bacillus sp. X-b: isolation and purification of components. *J. Chromatogr. B,* 758 (2001) 197-205.

3604 Ishii, K., Usui, S., Yamamoto, H., Sugimura, Y., Tatematsu, M. and Hirano, K.: Decreases of metallothionein and aminopeptidase N in renal cancer tissues. *J. Biochem. (Tokyo),* 129 (2001) 253-258.

3605 Lee, I.H., Lee, Y.S., Kim, C.H., Kim, C.R., Hong, T., Menzel, L., Boo, L.M., Pohl, J., Sherman, M.A., Waring, A. and Lehrer, R.I.: Dicynthaurin: an antimicrobial peptide from hemocytes of the solitary tunicate, *Halocynthia aurantium. Biochim. Biophys. Acta,* 1527 (2001) 141-148.

See also 3660, 3662, 3664.

19c. Proteins synthesized by genetic manipulation, monoclonal antibodies

3606 Lorenz, A.-R., Scheurer, S., Haustein, D. and Vieths, S.: Recombinant food allergens. *J. Chromatogr. B,* 756 (2001) 255-279 - a review with 219 refs.

3607 Weitzhandler, M., Farnan, D. and Avdalovic, N.: Monoclonal antibody variant separations using cation-exchange chromatography on grafted, polymeric stationary phases. *Am. Biotechnol. Lab.,* 18, No. 10 (2000) 36-38; *C.A.,* 134 (2001) 351948p.

3608 Westra, D.F., Welling, G.W., Koedijk, D.G.A.M., Scheffer, A.J., The, T.H. and Welling-Wester, S.: Immobilised metal-ion affinity chromatography purification of histidine-tagged recombinant proteins: a wash step with a low concentration of EDTA. *J. Chromatogr. B,* 760 (2001) 129-136.

3609 Zeng, Q., Xu, J., Fu, R. and Ye, Q.: Functional polymer affinity matrix for purifying hexahistidine-tagged recombinant protein. *J. Chromatogr. A,* 921 (2001) 197-205.

See also 3572, 3582, 3585.

19d. Microbial and plant proteins

3610 Grover, V., Ghosh, S., Sharma, N., Chakraborti, A., Majumdar, S. and Ganguly, N.K.: Characterization of a galactoside specific adhesin of enteroaggregative *Escherichia coli. Arch. Biochem. Biophys.,* 390 (2001) 109-118.

3611 Michalik, I.: Analysis of storage proteins and HMW-glutenin subunits content in grains of winter wheat cultivars. *Zito Hleb,* 27, No. 6 (2000) 167-177; *C.A.,* 134 (2001) 279900x.

3612 Miller, D.A. and Walsh, C.T.: Yersiniabactin synthetase: probing the recognition of carrier protein domains by the catalytic heterocyclization domains by the catalytic heterocyclization domains, Cy1 and Cy2 in the chain-initiating HMWP2 subunit. *Biochemistry,* 40 (2001) 5313-5321.

3613 Osmond, R.I.W., Hrmova, M., Fontaine, F., Imberty, A. and Fincher, G.B.: Binding interactions between barley thaumalin-like proteins and (1,3)-β-D-glucans. Kinetics, specificity, structural analysis and biological implications. *Eur. J. Biochem.,* 268 (2001) 4190-4199.

3614 Pastorello, E.A., Farioli, L., Pravettoni, V., Giuffrida, M.G., Ortolani, C., Fortunato, D., Trambaioli, C., Scibola, E., Calamari, A.M., Robino, A.M. and Conti, A.: Characterization of the major allergen of plum as a lipid transfer protein. *J. Chromatogr. B,* 756 (2001) 95-103.

3615 Song, M., Shao, H., Mujeeb, A., James, T.L. and Miller, W.L.: Molten-globule structure and membrane binding of the N-terminal protease-resistant domain (63-193) of the steroidogenic acute regulatory protein (StAR). *Biochem. J.,* 356 (2001) 151-158.

3616 Studer, A., Stupperich, E., Vuilleumier, S. and Leisinger, T.: Chloromethane:tetrahydrofolate methyl transfer by two proteins from *Methylobacterium chloromethanicum* strain CM4. *Eur. J. Biochem.,* 268 (2001) 2931-2938.

3617 Van den Hooven, H.W., van den Burg, H.A., Vossen, P., Boeren, S., de Wit, P.J.G.M. and Vervoort, J.: Disulfide bond structure of the AVR9 elicitor of the fungal tomato pathogen *Cladosporium fulvum*: evidence for a cystine knot. *Biochemistry,* 40 (2001) 3458-3466.

3618 Wu, Z.P., Xu, B.J. and Chen, Z.Y.: Separation and purification of *Bacillus thuringgiensis* (Bt) toxic protein CrylAb from transgenic rice by ion-exchange chromatography. *Chromatographia,* 53 (2001) 571-573.

See also 3448, 3578, 3658, 3662.

19e. Proteins of blood, serum and blood cells

3619 Bertucci, C., Andrisano, V., Gotti, R. and Caurini, V.: Modulation of chromatographic performances of HSA-based HPLC column by reversible binding of lithocholic acid. *Chromatographia,* 53 (2001) 51-518.

3620 Conder, J.R. and Hayek, B.O.: Adsorption kinetics and equilibria of bovine serum albumin on rigid ion-exchange and hydrophobic interaction chromatography matrices in a stirred cell. *Biochem. Eng. J.,* 6 (2000) 215-223; *C.A.,* 134 (2001) 146467q.

3621 Einhauer, A. and Jungbauer, A.: Affinity of the monoclonal antibody M1 directed against the FLAG peptide. *J. Chromatogr. A,* 921 (2001) 25-30.

3622 Evans, R.P. and Fletcher, G.L.: Isolation and characterization of type I antifreeze proteins from Atlantic snailfish *(Liparis atlanticus)* and dusky snailfish *(Liparis gibbus). Biochim. Biophys. Acta,* 1547 (2001) 235-244.

3623 Guillaume, Y.C., Robert, J.F. and Guinchard, C.: Use of chromatography to investigate biological recognition of a ligand by human serum albumin. *Chromatographia,* 53 (2001) 498-502.

3624 Karlsson, G. and Winge, S.: Separation of native and latent forms of human antithrombin by hydrophobic interaction high-performance liquid chromatography. *Protein Expression Purif.,* 21 (2001) 149-155; *C.A.,* 134 (2001) 344439v.

3625 Luo, L., Yuan, J. and Mu, L.: (High purified human factor VIII: concentrate prepared by ion-exchange chromatography). *Huaxi Yaoxue Zazhi,* 15 (2000) 174-176; *C.A.,* 134 (2001) 315946c.

3626 Mironova, R. and Niwa, T.: Molecular heterogeneity of amyloid β_2-microglobulin and modification with advanced glycation end products. *J. Chromatogr. B,* 758 (2001) 109-115.

3627 Miyabe, K. and Guiochon, G.: (Kinetic study of the concentration dependence of the mass transfer rate coefficient in anion-exchange chromatography of bovine serum albumin). *Chromatography,* 21 (2000) 360-361; *C.A.,* 134 (2001) 337722d.

3628 Pastorello, E.A., Varin, E., Farioli, L., Pravettoni, V., Ortolani, C., Trambaioli, C., Fortunato, D., Giuffrida, M.G., Rivolta, F., Robino, A., Calamari, A.M., Lacava, L. and Conti, A.: The major allergen of sesame seeds *(Sesamum indicum)* is a 2S albumin. *J. Chromatogr. B,* 756 (2001) 85-93.

3629 Peng, J.-H., Sheng, L.-S., Xiang, B.-R. and An, D.-K.: (HPLC/ESI/MS analysis of rHuEPO). *Zhongguo Yaoke Daxue Xuebao,* 31 (2000) 438-442; *C.A.,* 134 (2001) 331705d.

3630 Pitiot, O., Folley, L. and Vijayalakshmi, M.A.: Protein adsorption on histidyl-aminohexyl-Sepharose 4B I. Study of the mechanistic aspects of adsorption for the separation of human serum albumin from its non-enzymatic glycated isoforms (advanced glycosylated end products). *J. Chromatogr. B,* 758 (2001) 163-172.

3631 Pitiot, O., Nedonchelle, E., Legallais, C. and Vijayalakshmi, M.A.: Protein adsorption on histidyl-aminohexyl-Sepharose 4B II. Application to the negative one-step affinity purification of human β2-microglobulin and Immunoglobulin G. *J. Chromatogr. B,* 758 (2001) 173-182.

3632 Power, M.: Preparation of monoclonal antibodies using ion exchange chromatography. *Methods Mol. Med.,* 40(Diagnostic and Therapeutic Antibodies) 289-293; *C.A.,* 134 (2001) 279214b.

3633 Schempp, H., Reim, M., Dornisch, K. and Elstner, E.F.: Chlorite-hemoprotein interaction as key role for the pharmacological activity of the chlorite-based drug WF10. *Arzneim.-Forsch.,* 51 (2001) 554-562.

3634 Scott, C., Phillips, G.W. and Baines, A.J.: Properties for the C-terminal domain of 4.1 proteins. *Eur. J. Biochem.,* 268 (2001) 3709-3717.

3635 Tamburrini, M., Verde, C., Olianas, A., Giardina, B., Corda, M., Sanna, M.T., Fais, A., Deiana, A.M., di Prisco, G. and Pellegrini, M.: The hemoglobin system of the brown moray *Gymnothorax unicolar*. Structure/function relationship. *Eur. J. Biochem.,* 268 (2001) 4104-4111.

3636 Zhang, X., Medzihradszky, K.F., Cunningham, J., Lee, P.D.K., Rognerud, C.L., Ou, C.-N., Hartmaz, P. and Witkowska, H.E.: Characterization of glycated hemoglobin in diabetic patients: usefulness of electrospray mass spectrometry in monitoring the extent and distribution of glycation. *J. Chromatogr. B,* 759 92001) 1-15.

See also 3191, 3259, 3262, 3587, 3589, 3595, 3606, 3607, 3637, 3641, 3665, 3712, 4261.

19f. Structural and muscle proteins

3637 Pagani, F., Serena, C., Bosio, C., Cuccia, C. and Panteghini, M.: Evaluation of a rapid bedside immunochromatographic assay for detection of cardiac troponin I in whole blood. *Clin. Chem. Lab. Med.,* 39 (2001) 458-459.

See also 3649.

19g. Protamines, histones and other nuclear proteins

3638 Ballestar, E., Boix-Chornet, M. and Franco, L.: Conformational changes in the nucleosome followed by the selective accessibility of histone glutamines in the transglutaminase reaction: effects of ionic strength. *Biochemistry,* 40 (2001) 1922-1929.

3639 Freire, J., Covelo, G., Sarandeses, C., Diaz-Jullien, C. and Freire, M.: Identification of nuclear-import and cell-cycle reglatory proteins that bind to prothymosin α. *Biochem. Cell Biol.,* 79 (2001) 123-131.

3640 Wang, X., He, Ch., Moore, S.C. and Ausio, J.: Effects of histone acetylation on the solubility and folding of the chromatin fiber. *J. Biol. Chem.,* 2776 (2001) 12764-12768.

19h. Chromoproteins and metalloproteins

3641 Helander, A., Eriksson, G., Stibler, H. and Jeppsson, J.-O.: Interference of transferrin isoform types with carbohydrate-deficient transferrin quantification in the identification of alcohol abuse. *Clin. Chem. (Washington),* 47 (2001) 1225-1233.

3642 Kitamura, M., Nakanishi, T., Kojima, S., Kumagai, I. and Inoue, H.: Cloning and expression of the catalase gene from the anaerobic bacterium *Desulfovibrio vulgaris* (Miyazaki F). *J. Biochem. (Tokyo),* 129 (2001) 357-364.

See also 3211, 3385, 3633.

19i. Proteins of glands, gland products, various zymogens (incl. milk proteins)

3643 Aguilar, I., Giron, M.E. and Rodriguez-Acosta, A.: Purification and characterisation of a haemorrhagic fraction from the venom of the Uracoan rattlesnake *Crotalus vegrandis*. *Biochim. Biophys. Acta,* 1548 (2001) 57-65.

3644 Ali, S.A., Stoeva, S., Grossmann, J.G., Abbasi, A. and Voelter, W.: Purification, characterization, and primar structure of four depressant insect-selective neurotoxin analogs from scorpion (*Buthus sindicus*) venom. *Arch. Biochem. Biophys.,* 391 (2001) 197-206.

3645 Bramanti, E., Sortino, C., Raspi, G. and Synovec, R.E.: Separation and determination of denatured casein by hydrophobic interaction chromatography. II. Method and applications. *Analyst (Cambridge),* 126 (2001) 995-1000.

3646 Hau, J. and Bovetto, L.: Characterisation of modified whey protein in milk ingredients by liquid chromatography coupled to electrospray ionisation mass spectrometry. *J. Chromatogr. A,* 926 (2001) 105-112.

3647 Matsuda, S., Hayashi, H., Atoda, H., Morita, T. and Araki, S.: cDNA cloning and characterization of the vascular apoptosis-inducing protein, HVI, from *Trimeresus flavoviridis*. *Eur. J. Biochem.,* 268 (2001) 3339-3345.

3648 Metafora, V., Franco, P., Massa, O., Morelli, F., Stiuso, P., Ferranti, P., Mamone, G., Malorni, A., Stoppelli, M.P. and Metafora, S.: Phosphorylation of seminal vesicle protein IV on Ser58 enhances its peroxidase-stimulating activity. *Eur. J. Biochem.,* 268 (2001) 3858-3869.

3649 Miyamoto, K., Morishita, Y., Yamazaki, M., Minamino, M., Kangawa, K., Matsuo, H., Mizutani, T., Yamada, K. and Minegishi, T.: Isolation and characterization of vascular smooth muscle cell growth promoting factor from bovine ovarian follicular fluid and its cDNA cloning from bovine and human ovary. *Arch. Biochem. Biophys.,* 390 (2001) 93-100.

3650 Polverino de Laureto, P., Vinante, D., Scaramella, E., Frare, E. and Fontana, A.: Stepwise proteolytic removal of the β subdomain in α-lactalbumin. The protein remains folded and can form the molten globule in acid solution. *Eur. J. Biochem.,* 268 (2001) 4324-4333.

3651 Qiao, Z.-S., Guo, Z.-Y. and Feng, Y.-M.: Putative disulfide-forming pathway of porcine insulin precursor during its refolding *in vitro*. *Biochemistry,* 40 (2001) 2662-2668.

3652 Spasova, M.I. and Kozhev, A.P.: (Method for demineralization of skim milk and technology for the manufacture of protein products with specific technological and functional properties). *Nauchni Tr. - Vissh Inst. Khranit. Vkusova Prom-st., Plovdiv,* 44 (2000) 182-187; *C.A.,* 135 (2001) 106454x.

3653 Valente, R.H., Dragulev, B., Perales, J., Fox, J.W. and Domont, G.B.: BJ46a, a snake venom metalloproteinase inhibitor. Isolation, characterization, cloning and insights into its mechanism of action. *Eur. J. Biochem.,* 268 (2001) 3042-3052.

3654 Zhang, J.-H., Hua, Z.-C., Xu, Z., Zheng, W.-J. and Zhu, D.-X.: Expression of anti-neuroexcitation peptide (ANEP) by scorpion *Buthus martensii* Karsch in *Escherichia coli*. *Prepar. Biochem. Biotechnol.,* 31 (2001) 49-57.

See also 3579.

19j. Proteins of brain, cerebrospinal fluid and eye

3655 Krapfenbauer, K., Berger, M., Friedlein, A., Lubec, G. and Fountoulakis, M.: Changes in the levels of low-abundance brain proteins induced by kainic acid. *Eur. J. Biochem.,* 268 (2001) 3532-3537.

3656 Kuo, Y.-M., Kokjohn, T.A., Beach, T.G., Sue, L.I., Brune, D., Lopez, J.C., Kalback, W.M., Abramowski, D., Sturchler-Pierrat, Ch., Staufenbiel, M. and Roher, A.E.: Comparative analysis of amyloid-β chemical structure and amyloid plaque morphology of transgenic mouse and Alzheimer's disease brains. *J. Biol. Chem.,* 276 (2001) 12991-12998.

3657 Lin, L. and Lobel, P.: Production and characterization of recombinant human CLN2 protein for enzyme-replacement therapy in late infantile neuronal ceroid lipofuscinosis. *Biochem. J.,* 357 (2001) 49-55.

See also 3584, 3954.

19k. Proteins of neoplastic tissue and transformed cells

3658 Berggren, M.M. and Powis, G.: Alternative splicing is associated with decreased expression of the redox proto-oncogene thioredoxin-1 in human cancers. *Arch. Biochem. Biophys.,* 389 (2001) 144-149.

See also 3604.

19l. Specific binding and receptor proteins

3659 Evelson, P., Travacio, M., Repetto, M., Escobar, J., Llesuy, S. and

See also 3384, 3841.

19n. Other proteins (incl. proteinous inhibitors of enzymic activity)

3666 Gladysheva, I.P., Moroz, N.A., Papisova, A.I. and Larionova, N.I.: (Soybean Bowman-Birk inhibitor conjugates with clinical dextran. Synthesis and antiproteolytic activity.) *Biokhimiya (Moscow),* 66 (2001) 474-480.

3667 Hofsteenge, J., Huwiler, K.G., Macek, B., Hess, D., Lawler, J., Mosher, D.F. and Peter-Katalinic, J.: C-mannosylation and O-fucosylation of the thrombospondin type 1 module. *J. Biol. Chem.,* 276 (2001) 6485-6498.

3668 Huang, L., Wring, S.A., Wooley, J.L., Brouweer, K.R., Serabjit-Singh, C. and Polli, J.W.: Induction of P-glycoprotein and cytochrome P450 3A by HIV protease inhibitors. *Drug Metab. Disp.,* 29 (2001) 754-760.

3669 Luciani, N., de Rocquigny, H., Turcaud, S., Romieu, A. and Roques, B.P.: Highly sensitive and selective fluorescence assays for rapid screening of endothelin-converting enzyme inhibitors. *Biochem. J.,* 356 (2001) 813-819.

3670 Nomeir, A.A., Ruegg, C., Shoemaker, M., Favreau, L.V., Palamanda, J.R., Silber, P. and Lin, C.-C.: Inhibition of CYP3A4 in a rapid microtiter plate assay using recombinant enzyme and in human liver microsomes using conventional substrates. *Drug Metab. Disp.,* 29 (2001) 748-753.

3671 Yergey, J.A., Trimble, L.A., Silva, J., Chauret, N., Li, C., Therien, M., Grimm, E. and Nicoll-Griffith, D.A.: *In vitro* metabolism of the COX-2 inhibitor DFU, including a novel glutathione adduct rearomatization. *Drug Metab. Disp.,* 29 (2001) 638-644.

3672 Zhang, K.E., Hee, B., Lee, C.A., Liang, B. and Potts, B.C.M.: Liquid chromatography-mass spectrometry and liquid chroma-

20c. Transferases transferring phosphorus containing groups (E.C. 2.7.-.-)

3704 Kawai, S., Mori, S., Mukai, T., Hashimoto, W. and Murata, K.: Molecular characterization of *Escherichia coli* BAD kinase. *Eur. J. Biochem.,* 268 (2001) 4359-4365.

3705 Padmanabhan, S., Zhou, K., Chu, C., Lim, R.W. and Lim, L.W.: Overexpression, biophysical characterization, and crystallization of ribonuclease I from *Escherichia coli*, a broad specificity enzyme in the RNase T2 family. *Arch. Biochem. Biophys.,* 390 (2001) 42-50.

3706 Santiago, J. and Sturgill, T.W.: Identification of the S6 kinase activity stimulated in quiescent brine shrimp embryos upon entry to preemergence development as p70 ribosomal protein S6 kinase: isolation of *Artemia franciscana* $p70^{S6k}$ cDNA. *Biochem. Cell Biol.,* 79 (2001) 141-152.

3707 Woods, Y.L., Cohen, P., Becker, W., Jakes, R., Goedert, W., Wang, X. and Proud, C.G.: The kinase DYRK phosphorylates protein-synthesis initiation factor eIF2Bε at Ser^{539} and the microtubule-associated protein tau at Thr^{212}: potential role for DYRK as a glycogen synthase kinase 3-priming kinase. *Biochem. J.,* 355 (2001) 609-615.

3708 Woods, Y.L., Rena, G., Morrice, N., Barthel, A., Becker, W., Guo, S., Unterman, T.G. and Cohen, P.: The kinase DYRK1A phosphorylates the transcription factor FKHR and Ser^{329} *in vitro*, a novel *in vivo* phosphorylation site. *Biochem. J.,* 355 (2001) 597-607.

3709 Wu, M.-X. and Preiss, J.: Truncated forms of the recombinant *Escherichia coli* ADP-glucose pyrophosphorylase: the importance of the N-terminal region for allosteric activation and inhibition. *Arch. Biochem. Biophys.,* 389 (2001) 159-165.

3710 Yu, L., Ishida, T., Ozawa, K., Akutsu, H. and Horiike, K.: Purification and characterization of homo- and hetero-dimeric acetate kinases from the sulfate-reducing bacterium *Desulfovibrio vulgaris. J. Biochem. (Tokyo),* 129 (2001) 411-421.

20d. Hydrolases, acting on ester bonds (E.C. 3.1.-.-)

3711 Gopal, V.K., Francis, S.H. and Corbin, J.D.: Allosteric sites of phosphodiesterase-5 (PDE5). A potential role in negative regulation of cGMP signalling in corpus cavernosum. *Eur. J. Biochem.,* 268 (2001) 33-4-3312.

3712 Igarashi, Y., Lee, M.Y. and Matsuzaki, S.: Heparin column analysis of serum type 5 tartrate-resistant acid phosphatase isoforms. *J. Chromatogr. B,* 757 (2001) 269-276.

3713 Jenkins, Ch.M., Wolf, M.J., Manusco, D.J. and Gross, R.W.: Identification of the calmodulin-binding domain of recombinant calcium-independent phospholipase $A_2\beta$. *J. Biol. Chem.,* 276 (2001) 7129-7135.

3714 O'Malley, C.J., McColl, B.K., Kong, A.M., Ellis, S.L., Wijayaratnam, A.P.W., Sambrook, J. and Mitchell, C.A.: Mammalian inositol polyphosphate 5-phosphate II can compensate for the absence of all three Sac I-like-domain-containing 5-phosphatases. *Biochem. J.,* 355 (2001) 805-817.

3715 Ohba, Y., Soda, K. and Zaitsu, K.: A sensitive assay of human blood platelet cyclic nucleotide phosphodiesterase activity by HPLC using fluorescence derivatization and its application of assessment of cyclic nucleotide phosphodiesterase inhibitors. *Biol. Pharm. Bull.,* 24 (2001) 567-569.

3716 Suematsu, N., Okamoto, K., Shibata, K., Nakanishi, Y. and Isohashi, F.: Molecular cloning and functional expression of rat liver cytosolic acetyl-CoA hydrolase. *Eur. J. Biochem.,* 268 (2001) 2700-2709.

3717 Takahashi, S.-I., Nedachi, T., Fukushima, T., Umesaki, K., Ito, Y., Hakuno, F., van Wyk, J.J. and Conti, M.: Long-term hormonal regulation of the cAMP-specific phosphodiesterases in cultured FRTL-5 thyroid cells. *Biochim. Biophys. Acta,* 1540 (2001) 68-81.

3718 Takeshita, H., Yasuda, T., Iida, R., Nakajima, T., Mori, S., Mogi, K., Kaneko, Y. and Kishi, K.: Amphibian DNases I are characterized by a C-terminal end with a unique, cysteine-rich stretch and by the insertion of a serine residue into the Ca^{2+}-binding site. *Biochem. J.,* 357 (2001) 473-480.

3719 Wainszelbaum, M., Isola, E., Wilkowsky, S., Cannata, J.J.B., Florin-Christensen, J. and Florin-Christensen, M.: Lysosomal phospholipase A_1 in *Trypanosoma cruzi*: an enzyme with a posssible role in the pathogenesis of Chagas' disease. *Biochem. J.,* 355 (2001) 765-770.

3720 Wu, M., Liu, W., Xu, Y., Yue, G., Sun, C. and Huang, W.: (Study on HPLC and ESIMS of alkaline lipase). *Wuxi Qinggong Daxue Xuebao,* 19 (2000) 484-487; *C.A.,* 134 (2001) 233411k.

20e. Hydrolases, acting on glycosyl compounds (E.C. 3.2.-.-)

3721 Lee, R.C., Burton, R.A., Hrmova, M. and Fincher, G.B.: Barley arabinoxylan arabinofuranohydrolases: purification, characterization and determination of primary structures from cDNA clones. *Biochem. J.,* 356 (2001) 181-189.

3722 Maksimenko, A.V., Schechilina, Y.V. and Tischenko, E.G.: (The resistance of dextran modified hyaluronidase to heparin inhibition.) *Biokhimiya (Moscow),* 66 (2001) 563-572.

3723 Zhang, C., Yu, H., Bao, Y., An, L. and Jin, F.: Purification and characterization of ginsenoside β-glucosidase from ginseng. *Chem. Pharm. Bull.,* 49 (2001) 795-798.

See also 3350, 3587.

20f. Other hydrolases

3724 Araki, H., Li, Y.-H., Yamamoto, Y., Haneda, M., Nishi, K., Kikkawa, R. and Ohkubo, I.: Purification, molecular cloning, and immunohistochemical localization of dipeptidyl peptidase II from the rat kideny and its identity with quiescent cell proline dipeptidase. *J. Biochem. (Tokyo),* 129 (2001) 279-288.

3725 Boileau, G., Tenenhoose, H.S., de Groseillers, L. and Crine, P.: Characterization of PHEX endopeptidase catalytic activity: identification of parathyroid-hormone-related $peptide_{107\text{-}139}$ as a substrate and osteocalcin, PP_1 and phosphate as inhibitors. *Biochem. J.,* 355 (2001) 707-713.

3726 Bonomo, R.A., Liu, J., Chen, Y., Ng, L., Hujer, A.M. and Anderson, V.E.: Inactivation of CMY-2 β-lactamase by tazobactam: initial mass spectroscopic characterization. *Biochim. Biophys. Acta,* 1547 (2001) 196-205.

3727 Collwluoei, D.M., Morris, S.M., Jr. and Ash, D.E.: Expression, purification, and characterization of human type II arginase. *Arch. Biochem. Biophys.,* 389 (2001) 135-143.

3728 Hosokawa, M., Suzuki, K., Takahashi, D., Mori, M., Satoh, T. and Chiba, K.: Purification, molecular cloning, and functional expression of dog liver microsomal acyl-CoA hydrolase: a member of the carboxylesterase multigene family. *Arch. Biochem. Biophys.*, 389 (2001) 245-253.

3729 Malykh, E.V., Tiourina, O.P. and Larionova, N.I.: (Acylation of Bowman-Birk soybean proteinase inhibitor by unsaturated fatty acid derivatives.) *Biokhimiya (Moscow)*, 66 (2001) 549-554.

3730 Morozova, A.V., Skovorodkin, I.N., Khaitlina, S.Y. and Malinin, A.Y.: (The actin-hydrolyzing bacterial proteinase ECP32 and its effect on cytoskelton *in vivo*.). *Biokhimiya (Moscow)*, 66 (2001) 105-113.

3731 Sookkumnerd, T., Hsu, P.P., Hsu, J.T. and Ito, Y.: Shear stress and precipitation effect on enzymatic activity of α-chymotrypsin in centrifugal precipitation chromatography. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 947-955.

3732 Tada, M., Tsuda, Y., Wanaka, K., Hijikata-Okunomiya, A., Horie, N., Okamoto, U., Okamoto, S. and Okada, Y.: Isolation of plasma kallikrein by high efficiency affinity chromatography and its characterization. *Biol. Pharm. Bull.*, 24 (2001) 520-524.

See also 3557, 3568.

20g. Lyases

3733 Bertoldi, M., Castellani, S. and Voltattorni, C.B.: Mutation of residues in the coenzyme binding pocket of Dopa decarboxylase. Effects on catalytic properties. *Eur. J. Biochem.*, 268 (2001) 2975-2981.

3734 Brock, M., Darley, D., Textor, S. and Buckel, W.: 2-Methylisocitrate lyases from the bacterium *Escherichia coli* and the filamentous fungus *Aspergillus nidulans*. Characterization and comparison of both enzymes. *Eur. J. Biochem.*, 268 (2001) 3577-3586.

3735 Demir, N., Demir, Y. and Nadaroglu, H.: Carbonic anhydrase from bovine bone. *Prepar. Biochem. Biotechnol.*, 31 (2001) 33-47.

3736 Dengler, K., Ruff, J., Rein, U. and Cook, A.M.: Sulphoacetaldehyde sulpho-lyase (EC 4.4.1.12) from *Desulfonispora thiasulfatigenes*: purification, properties and primary sequence. *Biochem. J.*, 357 (2001) 581-586.

3737 Kim, B.-T., Hong, S.-W., Kim, W.-S., Kim, Y.S. and Kim, D.-H.: Purification and characterization of acharan sulfate lyases, two novel heparinases, by *Bacteroides stercosis* HJ-15. *Eur. J. Biochem.*, 268 (2001) 2635-2641.

3738 Kosarikov, D.N., Young, P., Cversky, V.N. and Gerber, N.C.: Human soluble guanylate cyclase: functional expression, purification and structural characterization. *Arch. Biochem. Biophys.*, 388 (2001) 185-197.

20h. Isomerases

3739 Barat, B. and Bhattacharyya, D.: UDP-galactose 4-epimerase from *Escherichia coli*: formation of catalytic site during reversible folding. *Arch. Biochem. Biophys.*, 391 (2001) 188-196.

20i. Ligases

3740 Lim, J.H., Choi, J., Kim, W., Ahn, B.Y. and Han, Y.S.: Mutational analyses of *Aquifex pyrophilus* DNA ligase define essential domains for self-adenylation and DNA binding activity. *Arch. Biochem. Biophys.*, 388 (2001) 253-260.

3741 Shikata, K., Ohta, S., Yamada, K., Obuse, C., Yoshikawa, H. and Tsurimoto, T.: The human homologue of fission yeast cdc27, p66, is a component of active human DNA polymerase δ. *J. Biochem. (Tokyo)*, 129 (2001) 699-708.

20j. Complex mixtures and incompletely identified enzymes

3742 Hoch, U. and de Montellano, P.R.O.: Covalantly linked heme in cytochrome P4504A fatty acid hydroxylases. *J. Biol. Chem.*, 276 (2001) 11339-11346.

3743 Luo, S., Wang, Z.-Y., Kobayashi, M. and Nozawa, T.: The dimerization of folded monomers of ribulose 1,5-bisphosphate carboxylase/oxygenase. *J. Biol. Chem.*, 276 (2001) 7023-7026.

21. PURINES, PYRIMIDINES, NUCLEIC ACIDS AND THEIR CONSTITUENTS

21a. Purines, pyrimidines, nucleosides, nucleotides

3744 Auchere, F., Bertho, G., Artaud, I., Girault, J.P. and Capeillere-Blandin, C.: Purification and structure of the major product obtained by reaction of NADPH and NMNH with the myeloperoxidase/hydrogen peroxide/chloride system. *Eur. J. Biochem.*, 268 (2001) 2889-2895.

3745 Chimploy, K. and Mathews, Ch.K.: Mouse ribonucleotide reductase control. *J. Biol. Chem.*, 276 (2001) 7093-7100.

3746 Daxecker, H., Raab, M., Cichna, M., Markl, P. and Müller, M.M.: Determination of the effects of mycophenolic acid on the nucleotide pool of human peripheral blood mononuclear cells *in vitro* by high-performance liquid chromatography. *Clin. Chim. Acta*, 310 (2001) 81-87.

3747 Embrechts, J., Lemiere, F., van Dongen, W. and Esmans, E.L.: Equilenin-2'-deoxynucleoside adducts: analysis with nano-liquid chromatography coupled to nano-electrospray tandem mass spectrometry. *J. Mass Spectrom.*, 36 (2001) 317-328; *C.A.*, 135 (2001) 14433m.

3748 Günther Sillero, M.A., Socorro, S., Baptista, M.J., del Valle, M., de Diego, A. and Sillero, A.: Poly(A) polymerase from *Escherichia coli* adenylylates the 3'-hydroxyl residue of nucleosides, nucleoside 5-phosphates and nucleoside(5)oligophospho(5')nucleosides (Np_nN). *Eur. J. Biochem.*, 268 (2001) 3605-3611.

3749 Han, J.-t., Xue, L.-f. and Li, Y.-l.: (Study of purine compounds by reversed phase high performance liquid chromatography). *Xinyang Shifan Xueyuan Xuebao, Ziran Kexueban*, 14 (2001) 74-76; *C.A.*, 135 (2001) 97852w.

3750 He, K. and Shaw, B.R.: Synthesis and separation of diastereomers of uridine 2',3'-cyclic boranophosphate. *Bioorg. Med. Chem. Lett.*, 11 (2001) 615-617; *C.A.*, 134 (2001) 353465c.

3751 Jiang, K., Xu, J., Huang, K. and Li, X.: (Separation of cytidine diphosphate (5'-CDP) from ferment liquid by anion exchange chromatography). *Yaowu Shengwu Jishu*, 7 (2000) 164-165; *C.A.*, 134 (2001) 236259c.

3752 Kang, D.H., Lee, J.W. and Row, K.H.: Empirical correlation of retention factor of mononucleotides to buffer concentration in RP-HPLC. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 855-868.

3753 Katayama, M., Matsuda, Y., Shimokawa, K.-i., Tanabe, S., Kaneko, S., Hara, I. and Sato, H.: Simultaneous determination of six adenyl purines in human plasma by high-performance liquid chromatography with fluorescence derivatization. *J. Chromatogr. B,* 760 (2001) 159-163.

3754 Kazoka, H.: Application of mixed partition-adsorption systems in high-performance liquid chromatography of purines and pyrimidines. *J. Chromatogr. A,* 922 (2001) 187-192.

3755 Kim, J.-I., Choi, J.-S., Kim, W.-S. and Cheigh, H.-S.: (Studies on identification and composition of nucleosides from mustard leaf and mustard leaf Kimchi). *Han'guk Sikp'um Yongyang Kwahak Hoechi,* 29 (2000) 796-801; *C.A.,* 134 (2001) 325393j.

3756 Krubasik, P., Kobayashi, M. and Sandmann, G.: Expression and functional analysis of a gene cluster involved in the synthesis of decaprenoxantin reveals the mechanisms for C_{50} carotenoid formation. *Eur. J. Biochem.,* 268 (2001) 3702-3708.

3757 Lesignoli, F., Germini, A., Corradini, R., Sforza, S., Galaverna, G., Dossena, A. and Marchelli, R.: Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis. *J. Chromatogr. A,* 922 (2001) 177-185.

3758 Pike, M.G., Franklin, C.L., Mays, D.C., Lipsky, J.J., Lowry, P.W. and Sandborn, W.J.: Improved methods for determining the concentration of 6-thioguanine nucleotides and 6-methylmercaptopurine nucleotides in blood. *J. Chromatogr. B,* 757 (2001) 1-9.

3759 Smirnov, I.V., Zavyalov, G.G. and Eremin, S.V.: A comparative study of the kinetics of cytarabine hydrolytic deamination in aqueous solutions. *Pharm. Chem. J.,* 34 (2000) 451-454; *C.A.,* 135 (2001) 81920f.

3760 Terashima, I., Matsuda, T., Fang, T.-W., Suzuki, N., Kobayashi, J., Kohda, K. and Shibutani, S.: Miscoding potential of the N^2-ethyl-2'-deoxyguanosine DNA adduct by the exonuclease-free Klenow fragment of *Escherichia coli* DNA polymerase I. *Biochemistry,* 40 (2001) 4106-4114.

3761 Tugcu, N., Deshmukh, R.R., Sanghvi, Y.S., Moore, J.A. and Cramer, S.M.: Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers. *J. Chromatogr. A,* 923 (2001) 65-73.

3762 Vasquez, H., Seifert, W. and Strobel, H.: High-performance liquid chromatographic method with electrochemical detection for the analysis of O^6-methylguanine. *J. Chromatogr. B,* 759 (2001) 185-190.

3763 Xu, M. and Zeng, F.: (Determination of ara-AMP by ion-pair HPLC). *Zhongguo Yiyao Gongye Zazhi,* 32, No. 2 (2001) 67-84; *C.A.,* 134 (2001) 331709h.

3764 Zhong, Y., Tan, R., Mai, H., Rong, K. and Wang, F.: (Determination of disodium ATP in eye drops by HPLC). *Guangdong Yaoxueyuan Xuebao,* 16 (2000) 311-312; *C.A.,* 134 (2001) 168438h.

See also 3200, 3227, 3773, 3815, 3841.

21c. Nucleic acids, DNA

3765 Gangl, E.T., Turesky, R.J. and Vouros, P.: Detection of *in vivo* formed DNA adducts at the part-per-billion level by capillary liquid chromatography/microelectrospray mass spectrometry. *Anal. Chem.,* 73 (2001) 2397-2404.

3766 Gross, E., Arnold, N., Pfeifer, K., Bandick, K. and Kiechle, M.: Identification of specific BRCA1 and BRCA2 variants by DHPLC. *Hum. Mutat.,* 16 (2000) 345-353; *C.A.,* 135 (2001) 103026y.

3767 Nickerson, M.L., Weirich, G., Zbar, B. and Schmidt, L.S.: Signature-based analysis of MET proto-oncogene mutations using DHPLC. *Hum. Mutat.,* 16 (2000) 68-76; *C.A.,* 134 (2001) 276214r.

3768 Oto, M.: (DNA fragment analysis by DHPLC). *Rinsho Kensa,* 44 (2000) 1007-1024; *C.A.,* 135 (2001) 87520x - a review with 16 refs.

3769 Sbalzarini, M. and Guenzi, S.: (The Helix II denaturing HPLC (DHPLC) system). *Lab. 2000,* 15 (2001) 70-75; *C.A.,* 135 (2001) 89345t.

3770 Soglia, J.R., Turesky, R.J., Paehler, A. and Vouros, P.: Quantification of the heterocyclic aromatic amine DNA adduct N-(deoxyguanosin-8-yl)-2-amino-3-methylimidazo[4,5-f]quinoline in livers of rats using capillary liquid chromatography/microelectrospray mass spectrometry: a dose-response study. *Anal. Chem.,* 73 (2001) 2819-2827.

See also 3340, 3592.

21d. Structural studies on RNA and RNA mapping

3771 Nogues, M.V. and Cuchillo, C.M.: Analysis by HPLC of distributive activities and the synthetic (back) reaction of pancreatic-type ribonucleases. *Methods Mol. Biol. (Totowa),* 160(Nuclease Methods and Protocols) (2001) 15-24; *C.A.,* 134 (2001) 322529x.

3772 Scaringe, S.A.: RNA Oligonucleotide synthesis via 5'-silyl-2'-orthoester chemistry. *Methods (San Diego),* 23 (2001) 206-217; *C.A.,* 134 (2001) 326671k - a review with 16 refs.

21e. Structural studies on DNA and DNA mapping

3773 Defrancq, E. and Lhomme, J.: Use of an aminooxy linker for the functionalization of oligodeoxyribonucleotides. *Bioorg. Med. Chem. Lett.,* 11 (2001) 931-933; *C.A.,* 135 (2001) 5762r.

3774 Oto, M.: (DNA analyses by capillary electrophoresis and DHPLC technique). *Seibutsu Butsuri Kagaku,* 45 (2001) 17-22; *C.A.,* 134 (2001) 276203m - a review with 20 refs.

3775 Spiegelman, J.I., Mindrinos, M.N. and Oefner, P.J.: High-accuracy DNA sequence variation screening by DHPLC. *BioTechniques,* 29 (2000) 1084-1092; *C.A.,* 134 (2001) 348685v.

See also 3747, 3767, 3768, 3769.

21f. Complex mixtures of nucleic acids, their fragments and PCR products

3776 Christiansen, L., Bygum, A., Käehne, M., Jensen, A., Horder, M. and Petersen, N.E.: Mutation screening of the entire coding region of the protoporphyrinogen oxidase gene using denaturing gradient gel electrophoresis and denaturing HPLC. *Clin. Chem. (Washington),* 47 (2001) 1115-1117.

3777 Guillaume, Y.C., Thomassin, M., Robert, J.F. and Guinchard, C.: Peculiarities of the retention mechanism of circulat and linear DNA fragments using non-equilibrium chromatography. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1061-1072.

3778 Kaler, S.G., Devaney, J.M., Pettit, E.L., Kirshman, R. and Marino, M.A.: Novel method for molecular detection of the two common hereditary hemochromatosis mutations. *Genet. Test.*, 4 (2000) 125-129; *C.A.*, 134 (2001) 321336v.

3779 Perez, R.P., Pendyala, L., Elakawi, Z. and Abu-Hadid, M.: RT-PCR quantitation of HSP60 mRNA expression. *Methods Mol. Med.*, 39(Ovarian Cancer) (2000) 439-447; *C.A.*, 135 (2001) 71725g.

22. ALKALOIDS

3780 Abourashed, E.A. and Khan, I.A.: High-performance liquid chromatography determination of hydrastine and berberine in dietary supplements containing goldenseal. *J. Pharm. Sci.*, 90 (2001) 817-822.

3781 Abu-Qare, A.W. and Abou-Donia, M.B.: Quantification of nicotine, chlorpyrifos and their metabolites in rat plasma and urine using high-performance liquid chromatography. *J. Chromatogr. B*, 757 (2001) 295-300.

3782 Asano, T., Sadakane, C., Ishihara, K., Yanagisawa, T., Kimura, M. and Kamei, H.: High-performance liquid chromatographic assay with fluorescence detection for the determination of cephaeline and emetine in human plasma and urine. *J. Chromatogr. B*, 757 (2001) 197-206.

3783 Baud-Camus, F., Marquet, P., Soursac, M., Davrinche, C. and Farinotti, R.: Determination of *N*-acetylation phenotype using caffeine as a metabolic probe and high-performance liquid chromatography with either ultraviolet detection or electrospray mass spectrometry. *J. Chromatogr. B*, 760 (2001) 55-63.

3784 Bringmann, D., Wohlfarth, M., Rischer, H., Heubes, M., Saeb, W., Diem, S., Herderich, M. and Schlauer, J.: A photometric screening method for dimeric naphthylisoquinoline alkaloids and complete on-line structural elucidation of a dimer in crude plant extracts, by the LC-MS/LC-NMR/LC-CD triad. *Anal. Chem.*, 73 (2001) 2571-2577.

3785 Chen, Q.-C. and Wang, J.: Determination of quinine in drinks by reversed-phase ion-pair chromatography. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 1341-1352.

3786 Cheng, Y.-F., Neue, U.D., Bonin, R., Block, E. and Bean, L.: Simplified procedure for the determination of codeine and its metabolite in urine and plasma by LC/UV and LC/MS using mixed-mode cation exchange for sample preparation. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 1353-1364.

3787 Georga, K.A., Samanidou, V.F. and Papadoyannis, I.N.: Use of novel solid-phase extraction sorbent materials for high-performance liquid chromatography quantitation of caffeine metabolism products methylxanthines and methyluric acids in samples of biological origin. *J. Chromatogr. B*, 759 (2001) 209-218.

3788 Gerasimenko, I., Sheludko, Y., Unger, M. and Stockigt, J.: Development of an efficient system for the separation of indole alkaloids by high performance liquid chromatography and its applications. *Phytochem. Anal.*, 12, No. 2 (2001) 96-103; *C.A.*, 135 (2001) 112086v.

3789 Ghosheh, O.A., Dwoskin, L.P., Miller, D.K. and Crooks, P.A.: Accumulation of nicotine and its metabolites in rat brain after intermittent or continuous peripheral administration of [2'-^{14}C]nicotine. *Drug Metab. Disp.*, 29 (2001) 645-651.

3790 Goumon, Y., Casares, F., Zhu, W. and Stefano, G.B.: The presence of morphine in ganglionic tissues of *Modiolus deminissus*: a highly sensitive method of quantitation for morphine and its derivatives. *Mol. Brain Res.*, 86 (2001) 184-188; *C.A.*, 134 (2001) 275292c.

3791 Herraez-Hernandez, R. and Campins-Falco, P.: Chiral separation of ephedrines by liquid chromatography using β-cyclodextrins. *Anal. Chim. Acta*, 434 (2001) 315-324.

3792 Kanumula, G.V. and Raman, B.: Simultaneous determination of pseudoephedrine HCl and loratidine HCl in pharmaceutical dosage forms by reverse-phase high performance liquid chromatography. *Indian Drugs*, 37 (2000) 574-576; *C.A.*, 134 (2001) 271361b.

3793 Li, H.-x., Ding, M.-y., Lu, K. and Yu, J.-y.: (Separation and determination of ephedrine alkaloids and 2,3,5,6-tetramethylpyrazine in Ephedra herba by HPLC). *Sepu*, 19 (2001) 161-163; *C.A.*, 134 (2001) 344663p.

3794 Ngawhirunpat, T., Hatanaka, T., Kawakami, J. and Adachi, I.: Age difference in simultaneous permeation and metabolism of ethyl nicotinate in rat skin. *Biol. Pharm. Bull.*, 24 (2001) 414-417.

3795 Otter, K., Mignat, C., Heber, D. and Ziegler, A.: Pharmacokinetics of morphine-3-esters after oral administration in rabbits. *Pharmazie*, 56 (2001) 471-474.

3796 Rojas, J.H., Gil, A., Romero, D. and Sierra, N.: (Validation of two analytical methods, UV spectrophotometry and high performance liquid chromatography, for the determination of codeine phosphate in tablets). *Rev. Colomb. Cienc. Quim.-Farm.*, 29 (2000) 9-15; *C.A.*, 134 (2001) 242769k.

3797 Sheu, S.-j. and Huang, M.-h.: Separation of the ephedra alkaloids by RPLC. *Yaowu Shipin Fenxi*, 8 (2000) 337-341; *C.A.*, 134 (2001) 344658r.

3798 Sheu, S.J. and Huang, M.H.: Determination of ephedra alkaloids by high-performance liquid chromatography. *Chromatographia*, 54 (2001) 117-119.

3799 South, S.M., Wright, A.W.E., Lau, M., Mather, L.E. and Smith, M.T.: Sex-related differences in antinociception and tolerance development following chronic intravenous infusion of morphine in the rat: modulatory role of testosterone via morphine clearance. *J. Pharmacol. Exp. Ther.*, 297 (2001) 446-457.

3800 Srivastava, S., Verma, R.K., Gupta, M.M., Singh, S.C. and Kumar, S.: HPLC determination of vasicine and vasicinone in *Adhatoda vasica* with photo diode array detection. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 153-159.

3801 Sur, S.V., Makarenko, O.G. and Gerasimchuk, T.V.: (Method for identification and determination of mate leaf alkaloids in herbal diet tea by high performance liquid chromatography). *Farm. Zh. (Kiev)*, No. 5 (2000) 64-68; *C.A.*, 135 (2001) 24755g.

3802 Toyooko, T., Yano, M., Kato, M. and Nakahara, Y.: Simultaneous determination of morphine and its glucuronides in rat hair and rat plasma by reversed-phase liquid chromatography with electrospray ionization mass spectrometry. *Analyst (Cambridge)*, 126 (2001) 1339-1345.

3803 Tucker, S.P.: Determination of capsaicin and dihydrocapsaicin in air in a pickle and pepper processing plant. *AIHAJ*, 62 (2001) 45-48; *C.A.*, 134 (2001) 284821b.

3804 Wang, S., Song, B., Li, H. and Xie, Y.: (Determination of ephedrine and *d*-pseudoephedrine in Xiaoer-Magan decoction by RP-HPLC). *Huaxi Yaoxue Zazhi*, 16 (2000) 458-459; *C.A.*, 134 (2001) 168441d.

3848 Margolis, S.A. and Park, E.: Stability of ascorbic acid in solutions stored in autosampler vials. *Clin. Chem. (Washington),* 47 (2001) 1463-1464.

3849 Miyagi, M., Yokoyama, H., Shiraishi, H., Matsumoto, M. and Ishii, H.: Simultaneous quantification of retinol, retinal, and retinoic acid isomers by high-performance liquid chromatography with a simple gradiation. *J. Chromatogr. B,* 757 (2001) 365-368.

3850 Netzer, M. and Bandion, F.: (Determination and evaluation of thiamine in grape must and partly fermented grape must ("Sturm"). *Mitt. Klosterneuburg,* 51 (2001) 27-39; *C.A.*, 135 (2001) 4687h.

3851 Nogala-Kaiucka, M., Gogolewski, M. and Elmadfa, I.: Comparison of the methods of determining the tocopherol dimers generated during oxidation of fats. *Czech J. Food Sci.,* 18(Spec. Issue) (2000) 173-174; *C.A.*, 134 (2001) 251361y.

3852 Phenomenex (commercial progress report): Simple analysis of water-soluble vitamins. *LC-GC Eur.* (The Applications Book), June (2001) 9.

3853 Sarioglu, K., Celebi, S.S. and Mutlu, M.: A rapid method for determination of vitamins D_2 and D_3 in pharmaceutical preparations by HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 973-982.

3854 Simonovska, B., Gercar, N., Vovk, I. and Prosek, M.: (Simultaneous determination of vitamins B_1, B_2, and B_6 in vitamin-enriched biscuits). In: Glavic, P. and Brodnjak-Voncina, D. (Editors), *Zb. Ref. Posvetovanja Slov. Kem. Dnevi, Pt. 2,* Univerza v Mariboru, Fakulteta za Kemijo in Kemijsko Tehnologijo, Maribor, 2000, pp. 615-619; *C.A.*, 134 (2001) 146554r.

3855 Thermo Hypersil (commercial progress report): HPLC of fat-soluble and water-soluble vitamins. *LC-GC Eur.* (The Applications Book), June (2001) 10.

3856 Vinas, P., Lopez-Erroz, C., Balsalobre, N. and Hernandez-Cordoba, M.: Comparison of ion-pair and amide-based column reversed-phase liquid chromatography for the separation of thiamine-related compounds. *J. Chromatogr. B,* 757 (2001) 301-308.

3857 Wielinski, S. and Olszanowski, A.: Development and validation of HPLC method for simultaneous determination of fat-soluble vitamins in capsules. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 201-213.

3858 Zhang, J., Xu, Y., Li, W. and Wu, W.: (Study on retinoids and α-tocopherol in liver of silver carp from organochlorine polluted-Yanjia Lake). *Shuisheng Shengwu Xuebao,* 25 (2001) 105-110; *C.A.*, 135 (2001) 24182t.

3859 Zumaeta de Valverde, V.G.S.: (Determination of cyanocobalamine using near infrared (NIR) instead of HPLC). *Bol. Soc. Quim. Peru,* 66 (2000) 26-32; *C.A.*, 135 (2001) 24758k.

See also 3291, 3956, 3958, 3959, 3960, 3962, 3964, 3966.

28. ANTIBIOTICS

3860 Boison, J.O., Souster, K., Drury, C., Musser, J.B. and Anderson, K.L.: An HPLC method for the determination of penicillin G residues in veal calf liver tissues. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 881-892.

3861 Capitan-Vallvey, L.F., Navas, N., Titos, A. and Checa, R.: Determination of the antibiotic zinc bacitracin in animal food by high-performance liquid chromatography with ultraviolet detection. *Chromatographia,* 54 (2001) 15-20.

3862 Chen, N., Shen, J. and Zhang, C.: (Determination of oxytetracycline hydrochloride and related substances by HPLC). *Huaxi Yaoxue Zazhi,* 16 (2001) 56-57; *C.A.*, 134 (2001) 242765f.

3863 Chen, Y., Chen, Y. and Wang, H.: (HPLC determination of amoxicillin and sulbactam sodium in compound injection). *Zhongguo Yaoxue Zazhi (Beijing),* 36, No. 3 (2001) 191-192; *C.A.*, 135 (2001) 10117p.

3864 Chen, Y., Xu, G., Gu, Y. and Philippe, B.: (Determination of citrinin in monascus products by TLC and HPLC). *Wuxi Qinggong Daxue Xuebao,* 20 (2001) 164-168; *C.A.*, 135 (2001) 57989q.

3865 Chepkwony, H.K., Vermaelen, A., Roets, E. and Hoogmartens, J.: Development and validation of reversed-phase liquid chromatographic method for analysis of spiramycin and related compounds. *Chromatographia,* 54 (2001) 51-56.

3866 Chung, L., Patel, S., Carney, J.R. and Reeves, C.D.: Deletion of rapQONML from the rapamycin gene cluster of *Streptomyces hygroscopicus* gives production of the 16-O-desmethyl-27-desmethoxy analog. *J. Antibiot.,* 54 (2001) 250-256.

3867 Comuzzi, B., Arcelloni, C., Vaiani, R. and Paroni, R.: Gentamicin diffusion in Mueller-Hinton agar plates from different manufacturers. *J. Antimicrob. Chemother.,* 47 (2001) 496-498; *C.A.*, 135 (2001) 58077c.

3868 Dornberger, K., Krügel, H. and Peschel, G.: HPLC determination of the major factors of the nourseothricin complex, an antibiotic for nonmedical uses. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1153-1159.

3869 Draisci, R., Palleschi, L., Ferretti, E., Achene, L. and Cecilia, A.: Confirmatory method for macrolide residues in bovine tissues by micro-liquid chromatography-tandem mass spectrometry. *J. Chromatogr. A,* 926 (2001) 97-104.

3870 Dusi, G., Faggionato, E., Bertocchi, L., Facchetti, S. and Baiguera, M.: (Determination of avermectin and milbemycin residues in milk). *Ind. Aliment. (Pinerolo),* 40, No. 399 (2001) 11-14; *C.A.*, 134 (2001) 279764f.

3871 Egger, P., Bellmann, R. and Wiedermann, C.J.: Determination of amphotericin B, liposomal amphotericin B, and amphotericin B colloidal dispersion in plasma by high-performance liquid chromatography. *J. Chromatogr. B,* 760 (2001) 307-313.

3872 Fardis, M., Ashley, G.W., Carney, J.R. and Chu, D.T.: Synthesis of 14,15-dehydroerythromycin A ketolides: effects of the 13-substituent on erythromycin tautomerism. *J. Antibiot.,* 54 (2001) 278-284.

3873 Feng, C.-H., Lin, S.-J., Wu, H.-L. and Chen, S.-H.: Trace analysis of amikacin in commercial preparation by derivatization and HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 381-392.

3874 Forlay-Frick, P., Nagy, Z.B. and Fekete, J.: Validated determination of ciprofloxacin in influenza vaccine by RP-HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 827-836.

3875 Forlay-Frick, P., Nagy, Z.B., Fekete, J., Kettrup, A. and Gebefugi, I.: Reverse phase HPLC method for determination of vancomycin in influenza vaccine. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 497-507.

3876 Furusawa, N.: Liquid chromatographic determination/identification of residual penicillin G in food-producing animal tissues. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 161-172.

3877 Gebhardt, K., Pukall, R. and Fiedler, H.-P.: Streptocidins A–D, novel cyclic decapeptide antibiotics produced by Streptomyces sp. Tü 6071. *J. Antibiot.,* 54 (2001) 428-433.

3878 Guan, R. and Wei, X.: (HPLC assay of fleroxacin in capsules). *Fenxi Ceshi Xuebao,* 20, No. 2 (2001) 80-81; *C.A.,* 134 (2001) 371895x.

3879 Hajee, C.A.J., van Rhijn, H.J.A., Lasaroms, J.J.P., Keukens, H.J. and de Jong, J.: Development and validation of a method for the determination of sub-additive levels of virginiamycin in compound animal feeds by liquid chromatography. *Analyst (Cambridge),* 126 (2001) 1332-1338.

3880 Halkar, U.P. and Ankalkope, P.B.: Reverse phase high-performance liquid chromatographic determination of ofloxacin and tinidazole in tablets. *Indian Drugs,* 37 (2000) 585-588; *C.A.,* 134 (2001) 271363d.

3881 He, Q.: (Determination of norfloxacin in compound preparation by HPLC). *Fenxi Ceshi Xuebao,* 20, No. 2 (2001) 75-76; *C.A.,* 134 (2001) 371888x.

3882 Huang, H. and Qiu, S.: (Determination of amphotericin B by HPLC). *Zhongguo Kangshengsu Zazhi,* 26 (2001) 43-45; *C.A.,* 134 (2001) 271344y.

3883 Ishikawa, T., Kamiyama, K., Nakayama, Y., Iizawa, Y., Okonogi, K. and Miyake, A.: Studies on anti-MRSA parenteral cephalosporins. III. Synthesis and antibacterial activity of 7β-[2-(5-amino-1,2,4-thiadiazol-3-yl)-2(Z)-alkoxyiminoacetamido]-3-[(E)-2-(1-alkylimidazo[1,2-*b*]pyridazinium-6-yl-thiovinyl]-3-cephem-4-carboxylates and related compounds. *J. Antibiot.,* 54 (2001) 257-277.

3884 Kono, K., Tanaka, M., Ono, Y., Hosoya, T., Ogita, T. and Kohama, T.: S-15183a and b, new sphingosine kinase inhibitors, produced by a fungus. *J. Antibiot.,* 54 (2001) 415-420.

3885 Li, Y., Wang, J. and Xia, L.: (Determination of amoxicillin and potassium clavulanate in effervescent tablets by HPLC). *Zhongguo Yiyao Gongye Zazhi,* 32 (2001) 72-74; *C.A.,* 134 (2001) 316221z.

3886 Liu, D. and Yang, J.: (Determination of enrofloxacin in animal plasma by reversed-phase ion-pair high-performance liquid chromatography). *Huaxue Yanhiu Yu Yingyong,* 13 (2001) 104-106; *C.A.,* 134 (2001) 260820z.

3887 Lu, F., Yang, G.J., Liu, L.L., Shen, X.F., Lin, H.W. and Yi, Y.H.: Temperature-dependent separation of bryostatin 18 and 10 by high performance liquid chromatography. *Chromatographia,* 54 (2001) 57-59.

3888 Martin, R., Sterner, O., Alvarez, M.A., de Clercq, E., Bailey, J.E. and Minas, W.: Collinone, a new recombinant angular polyketide antibiotic mode by an engineered Streptomyces strain. *J. Antibiot.,* 54 (2001) 239-249.

3889 Matsumoto, N., Nakashima, T., Isshiki, K., Kuboki, H., Hirano, S.-i., Kumagai, H., Yoshioka, T., Ishizuka, M. and Takeuchi, T.: Synthesis and biological evaluation of cytogenin derivatives. *J. Antibiot.,* 54 (2001) 285-296.

3890 Matsushima, Y., Nakayama, T., Fujita, M., Bhandari, R., Eguchi, T., Shindo, K. and Kakinuma, K.: Isolation and structure elucidation of vicenistatin M, and importance of the vicenisamine aminosugar for exerting cytotoxicity of vicenistatin. *J. Antibiot.,* 54 (2001) 211-219.

3891 Muroi, M., Sano, K., Okada, G., Koshino, H., Oku, T. and Takatsuki, A.: F13459, a new derivative of mycophenolic acid. I. Taxonomy, isolation, and biological properties. *J. Antibiot.,* 54 (2001) 489-493.

3892 Nishihara, Y., Takase, S., Tsujii, E., Hatanaka, H. and Hashimoto, S.: New anti-influenza agents, FR198248 and its derivatives II. Characterization of FR198248, its related compounds and some derivatives. *J. Antibiot.,* 54 (2001) 297-303.

3893 Peyrin, E., Ravel, A., Grosset, C., Villet, A., Ravalet, C., Nicolle, E. and Alary, J.: Interactions between D,L dansyl amino acids and immobilized teicoplanin: study of the dual effect of sodium citrate on chiral recognition. *Chromatographia,* 53 (2001) 645-650.

3894 Pufal, E., Sykutera, M. and Sliwka, K.: Determination of cephalosporin antibiotics in post-mortem material. *Z Zagadnien Nauk Sadowych,* 41 (2000) 37-51; *C.A.,* 134 (2001) 276586p.

3895 Rogozhkina, E.A., Lapshina, M.B., Eremin, S.V., Shvets, C.I. and Skladnev, D.A.: Cultivation of *Emericellopsis salmosynnemata* mycelium fungus - producer of the peptide antibiotic zervamicin IIb. Part 1. HPLC analysis of zervamicin. *Pharm. Chem. J.,* 34 (2000) 332-335; *C.A.,* 134 (2001) 265183d.

3896 Schiell, M., Hofmann, J., Kurz, M., Schmidt, F.R., Vertesy, L., Vogel, M., Wink, J. and Siebert, G.: Cephaibols, new peptaibol antibiotics with anthelmintic properties from *Acremonium tubakii. J. Antibiot.,* 54 (2001) 220-233.

3897 Toki, S., Agatsuma, T., Ochiai, K., Saitoh, Y., Ando, K., Nakahishi, S., Lokker, N.A., Giese, N.A. and Matsuda, Y.: RP-1776, a novel cyclic peptide produced by Streptomyces sp., inhibits the binding of PDGF to the extracellular domain of its receptor. *J. Antibiot.,* 54 (2001) 405-414.

3898 Vertesy, L., Kurz, M., Paulus, E.F., Schummer, D. and Hammann, P.: The chemical structure of mumbaistatin, a novel glucose-6-phosphate translocase inhibitor produced by Streptomyces sp. DSM 11641. *J. Antibiot.,* 54 (2001) 354-363.

3899 Wrigley, S.K., Ainsworth, A.M., Kau, D.A., Martin, S.M., Bahl, S., Tang, J.S., Hardick, D.J., Rawlins, P., Sadheghi, R. and Moore, M.: Novel reduced benzo[*j*]fluoranthen-3-ones from Cladosporium cf. Clacosporioides with cytokine production and tyrosine kinase inhibitory properties. *J. Antibiot.,* 54 (2001) 479-488.

3900 Wu, L. and Yang, J.: (Simultaneous determination of cefalexin and trimethoprim in compound capsules by HPLC). *Guangdong Yaoxueyuan Xuebao,* 17 (2001) 15-16; *C.A.,* 134 (2001) 357649p.

3901 Xu, W.: (Simultaneous determination of cefoperazone and sulbactam sodium in compound injections by RP-HPLC). *Guangdong Yaoxueyuan Xuebao,* 17 (2001) 42-43; *C.A.,* 134 (2001) 357650g.

3902 Yang, Y.: (Determination of rifampicin capsules by HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 21, No. 2 (2001) 86-87; *C.A.,* 134 (2001) 271343x.

3903 Yeh, P.-H., Lee, C.-H., Cheng, F.-C. and Tsai, T.-H.: Determination of unbound cefamandole in rat blood by microdialysis and microbore liquid chromatography. *Biomed. Chromatogr.,* 15 (2001) 14-17; *C.A.,* 134 (2001) 360936k.

3904 Yoshizawa, T.: Chromatographic methods for trichothecenes. *Methods Mol. Biol. (Totowa),* 157(Mycotoxin Protocols) (2001) 115-129; *C.A.,* 134 (2001) 248032m.

3905 Zhao, R. and Yan, B.: (Determination of amphotericin B in rabbits plasma and pharmacokinetics by HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 21, No. 2 (2001) 69-71; *C.A.,* 134 (2001) 260821a.

3906 Zhou, X., Zhang, Q., Chen, N., Xue, Y. and Xu, B.: (Determination of three components in Lifujingan capsules). *Zhongguo Yiyao Gongye Zazhi,* 32, No. 3 (2001) 128-130; *C.A.*, 135 (2001) 10119r.

See also 3151, 3196, 3391, 4070, 4093, 4168.

29. INSECTICIDES, PESTICIDES AND OTHER AGROCHEMICALS

29a. General techniques

3907 Crescenzi, C., di Corcia, A. and e Samperi, R.: (Analysis of traces of pesticides and their metabolites in natural waters; solid-phase extraction with Carbograph 4 followed by liquid chromatography-electrospray ionization mass spectrometry). *Quad.-Ist. Ric. Acque,* 112 (2000) 7-26; *C.A.*, 134 (2001) 270742q -a review with no refs.

3908 Dijkman, E., Mooibroek, D., Hoogerbrugge, R., Hogendoorn, E., Sancho, J.-V., Pozo, O. and Hernandez, F.: Study of matrix effects on the direct trace analysis of acidic pesticides in water using various liquid chromatographic modes coupled to tandem mass spectrometric detection. *J. Chromatogr. A,* 926 (2001) 113-125.

3909 Garrieo Frenich, A., Martinez Galera, M., Gil Garcia, M.D., Martinez Vidal, J.L., Catasus, M., Martì, L. and Mederos, M.V.: Resolution of HPLC-DAD highly overlapping analytical signals for quantitation of pesticide mixtures in groundwater and soil using multicomponent analysis and neural networks. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 651-668.

3910 Martinez, K. and Barcelo, D.: Determination of antifouling pesticides and their degradation products in marine sediments by means of ultrasonic extraction and HPLC-APCI-MS. *Fresenius J. Anal. Chem.,* 370 (2001) 940-945.

3911 Wang, W.M., Liang, X.M. and Zhang, Q.: A new rapid determination method of soil organic carbon adsorption coefficients of pesticides with soil column liquid chromatography. *Chin. Chem. Lett.,* 12 (2001) 261-264; *C.A.*, 134 (2001) 306543s.

3912 Yu, X.: Multiresidue-determination of pesticides in fruits and vegetables by liquid chromatography tandem mass spectrometry with on-line sample clean-up technique. *UMI,* Order No. DA9974002, 2000, 106 pp., *C.A.*, 135 (2001) 18698z.

See also 3276, 3942.

29b. Chlorinated insecticides

3913 Arend, M.W., Jarman, W.M. and Ballschmiter, K.: Determination of organochlorine POPs in Pacific halibut- and cod liver with SPE, NP-HPLC and HRGC-ECD/MSD. *Prepr. Ext. Abstr. ACS Natl. Meet., Am. Chem. Soc., Div. Environ. Chem.,* [computer optical disk], 41 (2001) 90-94; *C.A.*, 134 (2001) 331166d.

3914 Furusawa, N.: Normal-phase high-performance liquid chromatographic determination and identification of Aldrin, Dieldrin, and DDTs in eggs. *J. Chromatogr. Sci.,* 39 (2001) 183-187.

3915 Takino, M., Dalshima, S. and Nakahara, T.: Automated on-line in-tube solid-phase microextraction followed by liquid chromatography/electro spray ionization-mass spectrometry for the determination of chlorinated phenoxy acid herbicides in environmental waters. *Analyst (Cambridge),* 126 (2001) 602-608.

3916 Urano, K., Kato, M., Nagayanagi, Y., Saito, Y., Aono, A., Nagata, J. and Syudo, H.: Convenient dioxin measuring method using an efficient sampling train, an efficient HPLC system and a highly sensitive HRGC/LRMS with a PTV injector. *Chemosphere,* 43 (2001) 425-431; *C.A.*, 135 (2001) 65316h.

3917 Vetter, W. and Kirchberg, D.: Production of toxaphene enantiomers by enantioselective HPLC. *Organohalogen Compd.,* 47 (2000) 268-271; *C.A.*, 134 (2001) 289706c.

3918 Zhang, Q. and Xie, J.: (Determination of BHC and DDT in drinking water by half-sequence and high ratio liquid-liquid extraction-gas chromatographic method). *Fujian Fenxi Ceshi,* 9 (2000) 1263-1266; *C.A.*, 134 (2001) 300470u.

See also 3781.

29c. Phosphorus insecticides

3919 Abu-Qare, A.W. and Abou-Donia, M.B.: Determination of diazinon, chlorpyrifos, and their metabolites in rat plasma and urine by high-performance liquid chromatography. *J. Chromatogr. Sci.,* 39 (2001) 200-204.

3920 Holden, A.J., Chen, L. and Shw, L.C.: Thermal stability of organophosphorus pesticide triazophos and its relevance in the assessment of risk to the consumer of triazophos residues in food. *J. Agric. Food Chem.,* 49 (2001) 103-106.

3921 Salleh, S.H., Saito, Y., Kiso, Y. and Jinno, K.: Solventless sample preparation procedure for organophosphorus pesticides analysis using solid phase microextraction and on-line supercritical fluid extraction/high performance liquid chromatography technique. *Anal. Chim. Acta,* 433 (2001) 207-215.

See also 3936.

29d. Carbamates

3922 Aboul-Enein, H.Y. and Ali, I.: Comparison of the chiral resolution of econazole, miconazole and sulconazole by HPLC using normal phase amylose CSPS. *Fresenius J. Anal. Chem.,* 370 (2001) 951-955.

3923 Budde, W.L., Wang, N. and Maizels, M.: LC/MS using a benchtop time-of-flight mass spectrometer. *Prepr. Ext. Abstr. ACS Natl. Meet., Am. Chem. Soc., Div. Environ. Chem.* [computer optical disk], 41 (2001) 646-648; *C.A.*, 134 (2001) 300495f.

3924 Krol, J., Romano, J. and Block, E.: The analysis of carbamates using LC/MS. *Prepr. Ext. Abstr. ACS Natl. Meet., Am. Chem. Soc., Div. Environ. Chem.* [computer optical disk], 41 (2001) 649-656; *C.A.*, 134 (2001) 291463q.

3925 Liu, K.H., Byoun, J.Y., Sung, H.J., Lee, H.K., Kim, K., Lee, H.S. and Kim, J.H.: Simultaneous determination of furathiocarb and metabolites in biological tissues by high-performance liquid chromatography and post-column derivatization. *Chromatographia,* 53 (2001) 687-690.

3926 Liu, Y.-Q., Ge, Y.-H., Cai, Q.-S., Jiang, S.-X., Chen, L.-R. and Chang, J.-B.: (Direct resolution of enantiomeric α,β-biphenyl dialkyl dicarboxylates by HPLC on a cellulose-based chiral stationary phase. Middle phase modifier effects on retention and stereoselectivity). *Gaodeng Xuexiao Huaxue Xuebao,* 21 (2000) 1828-1831; *C.A.*, 134 (2001) 316234f.

3927 Makihata, N., Kawamoto, T. and Teranishi, K.: (Hydrolytic degradation of carbofuran and the three carbofuran derivatives in water-analysis by HPLC and LC/MS). *Hyogo-kenritsu Eisei Kenkyusho Nenpo,* 35 (2000) 114-122; *C.A.,* 135 (2001) 81678h.

3928 Soriano, J.M., Jimenez, B., Font, G. and Molto, C.: Analysis of carbamate pesticides and their metabolites in water by solid phase extraction and liquid chromatography: a review. *Crit. Rev. Anal. Chem.,* 31 (2001) 19-52; *C.A.,* 134 (2001) 291548s - a review with 141 refs.

See also 3939.

29e. Herbicides

3929 Aga, D.S., Hamersky, K., Moser, A., Hany, R. and Mueller, S.: Chiral separation of the acetanilide herbicide metabolites by CZE and HPLC. *Prepr. Ext. Abstr. ACS Natl. Meet., Am. Chem. Soc., Div. Environ. Chem.* [computer optical disk], 41 (2001) 164-168; *C.A.,* 134 (2001) 306542r.

3930 Colin, R. le Fur, E., Charreteur, C., Dufau, C. and Peron, J.-J.: Determination of glyphosate herbicide and (aminomethyl)phosphonic acid (AMPA) in water by liquid chromatography and fluorescence detection. Part II: direct determination using pre-column derivatization with NBD-Cl. *Analusis,* 28 (2000, Pub. 2001) 819-824; *C.A.,* 135 (2001) 1590k.

3931 Ferrer, I. and Barcelo, D.: Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples. *J. Chromatogr. A,* 926 (2001) 221-228.

3932 Gong, A. and Liu, J.: (Determination of atrazine residue in soil and crop). *Nongyao Kexue Yu Guanli,* 21, No. 6 (2000) 16-19; *C.A.,* 134 (2001) 248245h.

3933 Hrdlicka, A. and Dolinova, J.: Automated hot solvent extraction and HPLC determination of atrazine and its degradation products in soil. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 721-734.

3934 Kim, B.-H., Kim, H.-J., Ok, J.H. and Kang, S.-H.: Analysis of a new herbicide (pyribenzoxium) residues in soil using direct-extract-injection HPLC with column switching. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 669-678.

3935 Koeber, R., Fleischer, C., Lanza, F., Boos, K.-S., Sellergren, B. and Barcelo, D.: Evaluation of a multidimensional solid-phase extraction platform for highly selective on-line cleanup and high-throughput LC-MS analysis of triazines in river water samples using molecularly imprinted polymers. *Anal. Chem.,* 73 (2001) 2437-2444.

3936 Kotrikla, A. and Lekkas, T.D.: The HPLC separation of two mixtures of neutral pesticides: effects of temperature, gradient steepness, and flow rate. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 543-553.

3937 Le Fur, E., Colin, R., Charreteur, C., Dufau, C. and Peron, J.-J.: Determination of glyphosate herbicide and aminomethylphosphonic acid in natural waters by liquid chromatography using pre-column fluorogenic labeling. Part I: Direct determination at the 0.1 μg/L level using FMOC. *Analusis,* 28 (2000, Pub. 2001) 813-818; *C.A.,* 135 (2001) 1589s.

3938 Martinez-Frnandez, J., Martinez Vidal, J.L., Parrilla Vazquez, P. and Garrido Frenich, A.: Application of restricted-access media column in coupled-column RPLC with UV detection and electrospray mass spectrometry for determination of azole pesticides in urine. *Chromatographia,* 53 (2001) 503-509.

3939 Munoz-Soto, M.G., Carricondo-Moguel, F., Gonzalez-Casado, A., Alonso-Hernandez, E.J., Navalon, A. and Vilchez, J.L.: Determination of carbetamide in water by micro liquid-liquid extraction followed by HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 355-366.

3940 Navas, E., de Prado, R., Diaz, M.A. and Pena, F.: Residue studies of oxyfluorfen and simazine in soil. *Meded. - Fac. Landbouwkd. Toegepaste Biol. Wet. (Univ. Gent),* 65 (2000) 161-164; *C.A.,* 134 (2001) 232976m.

3941 Pozo, O., Pitarch, E., Sancho, J.V. and Hernandez, F.: Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography-electrospray tandem mass spectrometry. *J. Chromatogr. A,* 923 (2001) 75-85.

3942 Wang, W.-M. and Liang, X.M.: A new method for determination of adsorption and desorption coefficients of pesticides with soil column liquid chromatography. *Chin. Chem. Lett.,* 12 (2001) 157-160; *C.A.,* 134 (2001) 248254k.

See also 3915.

29f. Fungicides

3943 Kondo, T., Emori, K., Shinomiya, T., Iijima, M., Kimura, H. and Tokumaru, M.: (Application of solid phase extraction to the determination of bisphenol A in canned foods by HPLC with photodiode array). *Shokuhin Eisei Kenkyu,* 50, No. 11 (2000) 57-66; *C.A.,* 134 (2001) 365885c.

See also 3499.

29g. Other types of pesticides and various agrochemicals

3944 Peeters, M.-C., Defloor, I., Coosemans, J., Delcour, J.A., Ooms, L., Deliever, R. and de Vos, D.: Simple ion chromatographic method for the determination of chlormequat residues in pears. *J. Chromatogr. A,* 920 (2001) 255-259.

3945 Vontas, J.G., Small, G.J. and Hemingway, J.: Glutathione S-transferases as antioxidant defence agents confer pyrethroid resistance in *Nilaparvate lugens. Biochem. J.,* 357 (2001) 65-72.

3946 Watanabe, E., Yoshimura, Y., Yuasa, Y. and Nakazawa, H.: Immunoaffinity column clean-up for the determination of imazalil in citrus fruits. *Anal. Chim. Acta,* 433 (2001) 199-206.

See also 3870, 4031.

30. SYNTHETIC AND NATURAL DYES

30a. Synthetic dyes

3947 Hirata, K., Uematsu, Y., Suzuki, K., Iida, K., Yasuda, K. and Saito, K.: (Analysis of main pigments and other ingredients in lac color product). *Shokuhin Eiseigaku Zasshi,* 42 (2001) 109-113; *C.A.,* 135 (2001) 4745a.

3948 Holcapek, M., Jandera, P. and Zderadicka, P.: High performance liquid chromatography-mass spectrometric analysis of sulphonated dyes and intermediates. *J. Chromatogr. A,* 926 (2001) 175-186.

3949 Mottaleb, M.A. and Littlejohn, D.: Application of an HPLC-FTIR modified thermospray interface for analysis of dye samples. *Anal. Sci.,* 17 (2001) 429-434; *C.A.,* 135 (2001) 6843e.

3950 Scalia, S. and Simeoni, S.: Assay of xanthene dyes in lipsticks by inverse supercritical fluid extraction and HPLC. *Chromatographia,* 53 (2001) 490-494.

3951 Shao, B.H., Xu, X.Z., Yan, J.W. and Fu, X.Y.: Quantitative determination of commercial oxidation hair dyes by reversed-phase HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 241-249.

3952 Weisz, A., Mazzola, E.P., Matusik, J.E. and Ito, Y.: Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography. *J. Chromatogr. A,* 923 (2001) 87-96.

30b. Chloroplast and other natural pigments

3953 Baunsgaard, D., Norgaard, L. and Godshall, M.A.: Specific screening for color precursors and colorants in beet and cane sugar liquors in relation to model colorants using spectrofluorometry evaluated by HPLC and multiway data analysis. *J. Agric. Food Chem.,* 49 (2001) 1687-1694.

3954 Cheng, R., Lin, B., Lee, K.-W. and Ortwerth, B.J.: Similarity of the yellow chromophores isolated from human cataracts with those from ascorbic acid-modified calf lens proteins: evidence for ascorbic acid glycation during cataract formation. *Biochim. Biophys. Acta,* 1537 (2001) 14-26.

3955 Cserhati, T., Forgacs, R., Morais, M.H., Mota, T. and Ramos, A.C.: Separation of color pigments of chili powder on narrow-bore HPLC columns. A comparison. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 425-433.

3956 Degenhardt, A., Knapp, H. and Winterhalter, P.: Separation of natural food colorants by high-speed countercurrent chromatography. *ACS Symp. Ser.,* 775(Chemistry and Physiology of Selected Food Colorants) (2001) 22-42; *C.A.,* 134 (2001) 294731m.

3957 Ferruzzi, M.G., Nguyen, M.L., Sander, L.C., Rock, C.L. and Schwartz, S.J.: Analysis of lycopene geometrical isomers in biological microsamples by liquid chromatography with coulometric array detection. *J. Chromatogr. B,* 760 (2001) 289-299.

3959 Gagliardi, L., Prra, R., Incarnato, G. and de Orsi, D.: (Simultaneous identification and measurement of retinyl acetate and palmitate, unidecarenone and tocopheryl acetate in antiaging cosmetic products using high-resolution liquid chromatography). *Kosmetica,* 1, No. 5 (1999) 24-27; *C.A.,* 134 (1999) 271035y.

3960 Goodner, K.L., Rouseff, R.L. and Hofsommer, H.J.: Orange, mandarin, and hybrid classification using multivariate statistics based on carotenoid profiles. *J. Agric. Food Chem.,* 49 (2001) 1146-1150.

3961 Junghans, A., Sies, H. and Stahl, W.: Macular pigments lutein and zeaxanthin as blue light filters studied in liposomes. *Arch. Biochem. Biophys.,* 391 (2001) 160-164.

3962 Marx, M., Schieber, A. and Carle, R.: (Simultaneous HPLC determination of carotenes and tocopherols in ACE beverages). *Fluess. Obst,* 68, No.3 (2001) 141-143; *C.A.,* 134 (2001) 309903v.

3963 Matsomoto, H., Hanamura, S., Kawakami, T., Sato, Y. and Hirayama, M.: Preparative-scale isolation of four anthocyanin components of black currant (*Ribes nigrum* L.) fruits. *J. Agric. Food Chem.,* 49 (2001) 1541-1545.

3964 Nasri, I., El Bouhali, B., Mouradi, A. and Ouichou, A.: Determination of retinoids in food commonly consumed in the Kingdom of Morocco by simple HPLC method. *Meded.-Fac. Landbouwkd. Toegepaste Biol. Wet. (Univ. Gent),* 65 (2000) 263-267; *C.A.,* 134 (2001) 279731t.

3965 Pfeifer, T., Klaus, U., Hoffmann, R. and Spiteller, M.: Characterisation of humic substances using atmospheric pressure chemical ionisation and electrospray ionisation mass spectrometry combined with size-exclusion chromatography. *J. Chromatogr. A,* 926 (2001) 151-159.

3966 Shukolyukov, S.A. and Saakov, V.S.: (American cockroache, *Periplaneta americana,* syntesizes of carotenoids from their precursor - pyrophosphate [^{14}C]mevalonic acid.) *Biokhimiya (Moscow),* 66 (2001) 663-669.

3967 Skvarilova, D. and Drdak, M.: Changes of pigments in the red wine. *Czech J. Food Sci.,* 18(Spec. Issue) (2000) 218-219; *C.A.,* 134 (2001) 251362z.

3968 Tu, W., Liu, Z. and Li, D.: (Determination of melatonin by HPLC). *Guangxi Yike Daxue Xuebao,* 18 (2001) 63-64; *C.A.,* 135 (2001) 24759m.

3969 Zhong, L. and Bi, L.: (Analysis of monascin components by HPLC). *Huaxue Shijie,* 42 (2001) 17-18; *C.A.,* 135 (2001) 106645k.

See also 3323, 3418, 3842, 3846, 3849, 3858.

31. PLASTICS AND THEIR INTERMEDIATES

3970 Bektashi, N.R., Alieva, D.N., Dzhalilov, R.A. and Ragimov, A.V.: (HPLC study of oligo(epichlorohydrins). *Vysokomol. Soedin.*

4024 Ishigami, M., Kawabata, K., Takasaki, W., Ikeda, T., Komai, T., Ito, K. and Sugiyama, Y.: Drug interaction between simvastatin and itraconazole in male and female rats. *Drug Metab. Disp.*, 29 (2001) 1068-1072.

4025 Khuhawar, M.Y. and Rind, F.M.A.: HPLC determination of tranexamic acid in pharmaceutical preparations and blood. *Chromatographia,* 53 (2001) 709-711.

4026 Lu, G. and Wang, P.: (Determination of 4 constituents of antiasthmatic tablets by RP-HPLC). *Zhongguo Yaoxue Zazhi (Beijing),* 36, No. 3 (2001) 189-191; *C.A.*, 135 (2001) 10122m.

4027 Miao, A., Wang, B. and Tang, K.: (Determination of naphazoline hydrochloride in nasal drops by HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 20 (2000) 753; *C.A.*, 134 (2001) 168454k.

4028 Mistry, B., Leslie, J.L. and Eddington, N.D.: Enantiomeric separation of metoprolol and α-hydroxymetoprolol by liquid chromatography and fluorescence detection using a chiral stationary phase. *J. Chromatogr. B,* 758 (2001) 153-161.

4029 Mullett, W.M., Martin, P. and Pawliszyn, J.: In-tube molecularly imprinted polymer solid-phase microextraction for the selective determination of propranolol. *Anal. Chem.*, 73 (2001) 2383-2389.

4030 Nakashima, A., Saxer, C., Niina, M., Masuda, N., Iwasaki, K. and Furukawa, K.: Determination of fluvastatin and its five metabolites in human plasma using simple gradient reversed-phase high-performance liquid chromatography with ultraviolet detection. *J. Chromatogr. B,* 760 (2001) 17-25.

4031 Ngui, J.S., Chen, Q., Shou, M., Wang, R.W., Stearns, R.A., Baillie, T. and Tang, W.: *In vitro* stimulation of warfarin metabolism by quinidine: increases in the formation of 4'- and 10-hydroxywarfarin. *Drug Metab. Disp.*, 29 (2001) 877-886.

4032 Ozkan, S.A., Akay, C., Cevheroglu, S. and Senturk, Z.: Rapid and accurate simultaneous determination of fosinopril sodium and hydrochlorothiazide in tablets by HPLC. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 983-991.

4033 Qin, X. and Frech, P.: Liquid chromatography/mass spectrometry (LC/MS) identification of photooxidative degradates of crystalline and amorphous MK-912. *J. Pharm. Sci.*, 90 (2001) 833-844.

4034 Shintani, H. and Hayashi, F.: HPLC validation of ameziniummetilsulfate in human plasma from uremia patient treated by dialysis. *Chromatographia,* 53 (2001) 574-578.

4035 Stanisz, B. and Nowinski, W.: Determination of oxymetazoline hydrochloride and decomposition products by high-performance liquid chromatography. *Acta Pol. Pharm.*, 57 (2000) 399-401; *C.A.*, 134 (2001) 242774h.

4036 Tatar, S. and Atmaca, S.: Determination of amlodipine in human plasma by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr. B,* 758 (2001) 305-310.

4037 Tong, V., Sheng, T., Walker, M.J.A. and Abbott, F.S.: Determination of an arylether antiarrhytmic and its N-dealkyl metabolite in rat plasma and hepatic microsomal incubates using liquid chromatography-tandem mass spectrometry. *J. Chromatogr. B,* 759 (2001) 259-266.

4038 Walles, M., Thum, T., Levsen, K. and Borlak, J.: Verapamil metabolism in distinct regions of the heart and in cultures of cardiomycetes of adult rats. *Drug Metab. Disp.*, 29 (2001) 761-768.

4039 Zarapakar, S.S. and Rane, S.H.: Reversed-phase high-performance liquid chromatographic determination of ramipril and hydrochlorothiazide in tablets. *Indian Drugs,* 37 (2000) 589-593; *C.A.*, 134 (2000) 285683v.

4040 Zarzuelo, A., Sayalero, M.L., Lopez, F.G. and Lanao, J.M.: Determination of ambroxol hydrochloride by HPLC. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 1007-1014.

4041 Zhang, Y., Liu, Z., Guo, Y. and Gu, X.: (Determination of nifedipine in human serum by micellar liquid chromatography). *Zhongguo Yiuan Yaoxue Zazhi,* 21, No. 3 (2001) 152-153; *C.A.*, 134 (2001) 320477e.

See also 3226, 3303, 3669, 3907.

32d. Central nervous system drugs

4042 Adamowicz, P. and Kala, M.: Enantioselective method for determination of amphetamine and its eight analogues using chiral stationary phase. *Z Zagadnien Nauk Sadowych,* 44 (2000) 24-42; *C.A.*, 135 (2001) 88096a.

4043 Akira, K., Negishi, E., Imachi, M. and Hashimoto, T.: Direct nuclear magnetic resonance spectroscopic analysis of ^{13}C-labeled antipyrine metabolites in human urine. *Drug Metab. Disp.*, 29 (2001) 903-907.

4044 Beljean, M. and Siouffi, A.M.: Behavior of haloperidol and various phenothiazines on several alkyl bonded phases. *J. Chromatogr. Sci.*, 39 (2001) 229-234.

4045 Berrueta, L.A., Fernandez-Armentia, M., Bakkali, A., Gonzalo, A., Lucero, M.L. and Orjales, A.: Matrix solid-phase dispersion technique for the determination of a new antiallergic drug, bilastine, in rat faeces. *J. Chromatogr. B,* 760 (2001) 185-190.

4046 Boulton, D.W., Markowitz, J.S. and DeVane, C.L.: A high-performance liquid chromatography assay with ultraviolet detection for olanzapine in human plasma and urine. *J. Chromatogr. B,* 759 (2001) 319-323.

4047 Caubet, M.S., Millaret, A., Elbast, W. and Brazier, J.L.: Solid-phase extraction with HPLC-DAD selective detection of amitriptyline and nortriptyline in human breast milk. *J. Liq. Chromatogr. Relat. Technol.*, 24 (2001) 1181-1187.

4048 Chiap, P., Boulanger, B., Fotsing, L., Hubert, P. and Crommen, J.: Liquid chromatographic analysis of local anesthetics in human plasma after sample preparation by on-line dialysis. Optimization by use of experimental design. *Chromatographia,* 53 (2001) 678-686.

4049 Chilmonczyk, Z., Ksycinska, H., Krzywda, J. and Iskra-Jopa, J.: Enantioselectivity of 3-amino-2-oxazolidinone derivatives with potential psychotropic activity on cellulose tris(4-methylbenzoate) chiral selector. *Chirality,* 13 (2001) 148-152; *C.A.*, 134 (2001) 357660k.

4050 Di Pietra, A.M., Gotti, R., del Borrello, E., Pomponio, R. and Cavrini, V.: Analysis of amphetamine and congeners in illicit samples by liquid chromatography and capillary electrophoresis. *J. Anal. Toxicol.*, 25, No. 2 (2001) 99-105; *C.A.*, 134 (2001) 349090j.

4051 Driouich, R., Trabelsi, H. and Bouzouita, K.A.: Stability-indicating assay for haloperidol syrup by high-performance liquid chromatography. *Chromatographia,* 53 (2001) 629-634.

4052 Dubuc, M.-C., Hamel, C., Caubet, M.S. and Brazier, J.L.: A rapid HPLC-DAD method for separation and determination of omeprazole extracted from human plasma. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1161-1169.

4053 Edafiogho, I.O., Abdel-Hamid, M.E., Hamza, H. and Scott, K.R.: Stability study of an anticonvulsant enaminone (E139) using HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 565-577.

4054 Erturk, S., Aktas, E.S. and Atmaca, S.: Determination of vigabatrin in human plasma and urine by high-performance liquid chromatography with fluorescence detection. *J. Chromatogr. B,* 760 (2001) 207-212.

4055 Fedorova, G.A., Baram, G.I., Grachev, M.A., Aleksandrov, Y.A., Tyuleneva, G.N. and Starodubtsev, A.V.: Application of microcolumn HPLC to the determination of phenobarbital and carbamazepine in human blood plasma. *Chromatographia,* 53 (2001) 495-497.

4056 Gan, S.H. and Ismail, R.: Validation of a high-performance liquid chromatography method for tramadol and o-desmethyltramadol in human plasma using solid-phase extraction. *J. Chromatogr. B,* 759 (2001) 325-335.

4057 Garcia-Fernandez, M.A., Fernandez-Abedul, M.T. and Costa-Garcia, A.: Determination of buprenorphine in biological samples by high-performance liquid chromatography with electrochemical detection. *Chromatographia,* 53 (2001) 704-708.

4058 Giorgi, M., Bertini, S., Soldani, G. and Giusiani, M.: Comparison of HPLC and GC-MS methods for determination of embutramide (a component of Tanax or T-61) in biological specimens. *J. Anal. Toxicol.,* 25 (2001) 323-327; *C.A.,* 135 (2001) 103545s.

4059 Hashizume, T., Mise, M., Matsumoto, S., Terauchi, Y., Fujii, T., Imaoka, S., Funae, Y., Kamataki, T. and Miyazaki, H.: A novel cytochrome P450 enzyme responsible for the metabolism of ebastine in monkey small intestine. *Drug Metab. Disp.,* 29 (2001) 798-805.

4060 Herraez-Hernandez, R., Campins-Falco, P. and Verdu-Andres, J.: Sensitive determination of methylenedioxylated amphetamines by liquid chromatography. *Analyst (Cambridge),* 126 (2001) 581-586.

4061 Hoskins, J.M., Shenfield, G.M. and Gross, A.S.: A modified HPLC method for rapid detection of moclobemide and its N-oxide metabolite in human urine. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 521-529.

4062 Irai, T., Fukunishi, T., Iikawa, R. and Hayashi, N.: (Comparative validation study of chiral assay methods for pharmaceutical preparations containing L-epinephrine). *Iyakuhin Kenkyu,* 32 (2001) 1-8; *C.A.,* 135 (2001) 24766m.

4063 Katagi, M., Tatsuno, M., Miki, A., Nishikawa, M., Nakajima, K. and Tsuchihashi, H.: Simultaneous determination of selegiline-*N*-oxide, a new indicator for selegiline administration, and other metabolites in urine by high-performance liquid chromatography-electrospray ionization mass spectrometry. *J. Chromatogr. B,* 759 (2001) 125-133.

4064 Kau, Y.C., Wong, K.M., Shyr, M.H., Lee, Y.H. and Tsai, T.H.: Simultaneous determination of unbound ropivacaine in rat blood and brain using microdialysis. *J. Chromatogr. B,* 760 (2001) 107-112.

4065 Keski-Hynnilä, H., Raanaa, K., Forsberg, M., Männistö, P., Taskinen, J. and Kostiainen, R.: Quantitation of entacapone glucuronide in rat plasma by on-line coupled restricted access media column and liquid chromatography-tandem mass spectrometry. *J. Chromatogr. B,* 759 (2001) 227-236.

4066 Martinez-Pla, J.J., Sagrado, S., Villanueva-Camanas, R.M. and Medina-Hernandez, M.J.: Retention-property relationships of anticonvulsant drugs by biopartitioning micellar chromatography. *J. Chromatogr. B,* 757 (2001) 89-99.

4067 Matoga, M., Pehourcq, F., Titier, K., Dumora, F. and Jarry, C.: Rapid high-performance liquid chromatographic measurement of venlafaxine and *O*-desmethylvenlafaxine in human plasma. Application to management of acute intoxications. *J. Chromatogr. B,* 760 (2001) 213-218.

4068 Matsuda, M., Mizuki, Y. and Terauchi, Y.: Simultaneous determination of the histamine H_1-receptor antagonist ebastine and its two metabolites, carebastine and hydroxyebastine, in human plasma using high-performance liquid chromatography. *J. Chromatogr. B,* 757 (2001) 173-179.

4069 Munro, J., Gormley, J.P. and Walker, T.A.: Bupropion hydrochloride: the development of a chiral separation using a chiral AGP column. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 327-339.

4070 Nassr, S., Brunet, M., Lavoie, P. and Brazier, J.L.: HPLC-DAD method for studying the stability of solutions containing morphine, dexamethasone, haloperidol, midazolam, famotidine, metoclopramide, and dimenhydrinate. *J. Liq. Chromatog. Relat. Technol.,* 24 (2001) 265-281.

4071 Obach, R.S.: Cytochrome P450-catalyzed metabolism of ezlopitant alkene (CJ-12,458), a pharmacologically active metabolite of ezlopitant: enzyme kinetics and mechanism of an alkene hydration reaction. *Drug Metab. Disp.,* 29 (2001) 1057-1067.

4072 Ohkawa, Y., Matsumura, M., Kurosaki, Y., Kurumi, M., Sasaki, K. and Nakayama, T.: Effects of 4-hydroxyantipyrine and its 4-O-sulfate on antipyrine as biodistribution promoter. *Biol. Pharm. Bull.,* 24 (2001) 529-534.

4073 Ozkan, Y., Ozkan, S.A. and Aboul-Enein, H.Y.: Determination of clenbuterol HCl in human serum, pharmaceuticals, and in drug dissolution studies by RP-HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 679-691.

4074 Patil, D. and Raman, B.: Simultaneous determination of dextropropoxyphene-HCl, diclofenac sodium and paracetamol in capsules by reversed-phase HPLC. *Indian Drugs,* 38 (2001) 36-39; *C.A.,* 134 (2001) 344683v.

4075 Polymer Laboratories (commercial progress report): Analysis of analgesics and peptides by microbore HPLC. *LC-GC Eur.* (The Applications Book), June (2001) 12-13.

4076 Queiroz, M.E.C., Carrilho, E., Carvalho, D. and Lancas, F.M.: Comparison of high-resolution gas chromatography and high-performance liquid chromatography for simultaneous determination of lamotrigine and carbamazepine in plasma. *Chromatographia,* 53 (2001) 485-489.

4077 Segura, M., Barbosa, J., Torrens, M., Farre, M., Castillo, C., Segura, J. and de la Torre, R.: Analytical methodology for the detection of benzodiazepine consumption in opioid-dependent subjects. *J. Anal. Toxicol.,* 25, No 2 (2001) 130-136; *C.A.,* 134 (2001) 349091k.

4078 Shenoy, K.R.P., Krishnamurthy, K.S. and Sumatheendra, K.S.: Determination of codeine phosphate, doxylamine succinate, paracetamol and caffeine in combined dosage formulation by reverse phase liquid chromatography. *Indian Drugs,* 37 (2000) 486-488; *C.A.*, 134 (2001) 316249q.

4079 Shou, W.Z., Jiang, X., Beato, B.D. and Naidong, W.: A highly automated 96-well solid phase extraction and liquid chromatography/tandem mass spectrometry method for the determination of fentanyl in human plasma. *Rapid Commun. Mass Spectrom.,* 15 (2001) 466-476; *C.A.*, 135 (2001) 101876b.

4080 Tanaka, E., Nakamura, T., Nagashima, A., Yamazaki, K., Ohashi, N., Tsuchihashi, H. and Misawa, S.: Determination of plasma bromvalerylurea and its main metabolite by a simple high-performance liquid chromatographic method and quantitation of bromide by energy dispersive X-ray spectrometry in carbon tetrachloride-intoxicated rats. *J. Chromatogr. B,* 759 (2001) 361-366.

4081 Uang, Y.-S., Chen, I.-K., Wang, L.-H. and Hsu, K.-Y.: Determination of mephenoxalone in human plasma sample by high-performance liquid chromatography-fluorescence detection. *J. Chromatogr. B,* 759 (2001) 91-97.

4082 Uchino, T., Tokunaga, H. and Ando, M.: (Determination of procaine hydrochloride and dibucaine hydrochloride in lotions, milky lotions and creams by HPLC). *Nippon Keshohin Gijutsusha Kaishi,* 34 (2000) 261-266; *C.A.*, 134 (2001) 331323c.

4083 Weigmann, H., Härtter, S., Maehrlein, S., Kiefer, W., Krämer, G., Dannhardt, G. and Hiemke, C.: Simultaneous determination of olanzapine, clozapine and demethylated metabolites in serum by on-line column-switching high-performance liquid chromatography. *J. Chromatogr. B,* 759 (2001) 63-71.

4084 Xu, C., Wang, P., Yang, J. and Zheng, Z.: (Determination of phenobarbitone and carbamazepine in plasma by RP-HPLC). *Zhongguo Yiyuan Yaoxue Zazhi,* 20 (2000) 714-716; *C.A.*, 134 (2001) 157152j.

4085 Yanagihara, Y., Kariya, S., Ohtani, M., Uchino, K., Aoyama, T., Yamamura, Y. and Iga, T.: Involvement of CYP2B6 in N-demethylation of ketamine in human liver microsomes. *Drug Metab. Disp.,* 29 (2001) 887-890.

4086 Zarapkar, S.S., Bhandari, N.P. and Halkar, U.P.: Simultaneous determination of nimesulide and chlorzoxazone in pharmaceutical dosage by reverse phase high performance liquid chromatography. *Indian Drugs,* 37 (2000) 469-473; *C.A.*, 134 (2001) 316248p.

4087 Zhao, J. and Olesik, S.V.: Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases. *J. Chromatogr. A,* 923 (2001) 107-117.

4088 Zhao, Y., Zhang, C., Guo, C. and Shao, Y.: (Determination of eugenol in Suhexin pellets by HPLC). *Zhongguo Zhongyao Zazhi,* 26 (2001) 175-177; *C.A.*, 134 (2001) 371889y.

4089 Zlobin, V.A., Bukreeva, L.P., Kuznetsov, P.E., Panfilov, A.V., Nazarov, G.V. and Kirsanov, A.T.: Analysis of opiates by HPLC with indirect spectrophotometric detection. *Pharm. Chem. J.,* 34 (2000) 279-280; *C.A.*, 134 (2001) 152776f.

See also 3152, 3241, 3461, 3786, 3790, 3791, 3792, 3796, 3801, 4007, 4008, 4023, 4035, 4219.

32e. Chemotherapeutics (exc. cytostatics and antibiotics)

4090 Caballero, R.D., Carda-Broch, S. and Garcia-Alvarez-Coque, M.C.: Hydro-organic and micellar-organic reversed-phase liquid chromatographic procedures for the evaluation of sulfonamides in pharmaceuticals. *Anal. Lett.,* 34 (2001) 1189-1203.

4091 Chen, C.-L., Venkatachalam, T.K., Waurzyniak, B., Chelstrom, L. and Uckun, F.M.: *In vivo* toxicity, pharmacokinetic features and tissue distribution of N-[2-(2,5-dimethoxyphenylethyl)]-N'-[2-(5-bromopyridyl)]-thiourea (HI-236), a potent inhibitor of HIV-1 reverse transcriptase. *Arzneim.-Forsch.,* 51 (2001) 574-581.

4092 Chen, C.-L., Venkatachalam, T.K., Zhu, Z.-H. and Uckun, F.M.: *In vivo* pharmacokinetics and metabolism of anti-human immunodeficiency virus agent D4T-5'-[*p*-bromophenylmethoxyalaninylphosphate] (sampidine) in mice. *Drug Metab. Disp.,* 29 (2001) 1035-1041.

4093 Immanuel, C. and Hemanth Kumar, A.K.: Simple and rapid high-performance liquid chromatography method for the determination of ofloxacin concentrations in plasma and urine. *J. Chromatogr. B,* 760 (2001) 91-95.

4094 Phillips, O.A., Abdel-Hamid, M.E. and Al-Hassawi, N.A.: Determination of linezolid in human plasma by LC-MS-MS. *Analyst (Cambridge),* 126 (2001) 609-614.

4095 Quaglia, M.G., Donati, E., Bossu, E., Desideri, N. and Campana, F.: Determination of fenticonazole and its impurities by capillary electrophoresis and high performance liquid chromatography. *J. Sep. Sci.,* 24 (2001) 392-396.

4096 Zhang, S., Yi, J., Tan, Z. and Zhou, H.: (RP-HPLC determination of 5-aminosalicylic acid and its related compounds in sustained-release tablets). *Zhongguo Yiyuan Yaoxue Zazhi,* 21, No. 3 (2001) 139-141; *C.A.*, 134 (2001) 344680s.

See also 3208, 4024, 4168.

32f. Cytostatics

4097 Ciccolini, J., Catalin, J., Blachon, M.F. and Durand, A.: Rapid high-performance liquid chromatographic determination of docetaxel (Taxotere) in plasma using liquid-liquid extraction. *J. Chromatogr. B,* 759 (2001) 299-306.

4098 Dubhashi, S.S. and Vavia, P.R.: Stability indicating reverse-phase HPLC method for acyclovir. *Indian Drugs,* 37 (2000) 464-468; *C.A.*, 134 (2001) 316247n.

4099 Fan, P.W. and Bolton, J.L.: Bioactivation of tamoxifen to metabolite E quinone methide: reaction with glutathione and DNA. *Drug Metab. Disp.,* 29 (2001) 891-906.

4100 Fujino, H., Yamada, Y., Shimada, S. and Yoneda, M.: Simultaneous determination of taxol and its metabolites in microsomal samples by a simple thin-layer chromatography radioactivity assay - inhibitory effect of NK-104, a new inhibitor of HMG-CoA reductase. *J. Chromatogr. B,* 757 (2001) 143-150.

4101 Hicks, K.O., Pruijn, F.B., Baguley, B.C. and Wilson, W.R.: Extravascular transport of the DNA intercalator and topoisomerase poison N-[2-(dimethylamino)ethyl]acridine-4-carboxamide (DACA): diffusion and metabolism in multicellular layers of tumor cells. *J. Pharmacol. Exp. Ther.,* 297 (2001) 1088-1098.

4102 Huitema, A.D.R., Mathôt, R.A.A., Tibben, M.M., Rodenhuis, S. and Beijnen, J.H.: A mechanism-based pharmacokinetic model for the cytochrome P450 drug-drug interaction between cyclophosphamide and thioTEPA and the autoinduction of cyclophosphamide. *J. Pharmacokin. Pharmacodyn.,* 28 (2001) 211-230.

4103 Kemper, E.M., Jansen, B., Brouwer, K.R., Schellens, J.H.M., Beijnen, J.H. and van Tellingen, O.: Bioanalysis and preliminary pharmacokinetics of the acridonecarboxamide derivative GF120918 in plasma of mice and humans by ion-pairing reversed-phase high-performance liquid chromatography with fluorescence detection. *J. Chromatogr. B,* 759 (2001) 135-143.

4104 Kobylinska, K., Kobylinska, M. and Sobik, B.: Pharmacokinetics of (-)-(S)-bromofosfamide after intravenous and oral administration in mice. *Arzneim.-Forsch.,* 51 (2001) 596-599.

4105 Kobylinska, K., Koralewski, P., Sibik, B., Gasiorek, M. and Kobylinska, M.: Pharmacokinetics and toxicity of oral (-)-(S)-bromofosfamide in lung cancer patients. *Arzneim.-Forsch.,* 51 (2001) 600-603.

4106 Mürdter, T.E., Coller, J., Claviez, A., Schnberger, F., Hofmann, U., Dreger, P. and Schwab, M.: Sensitive and rapid quantification of busulfan in small plasma volumes by liquid chromatography-electrospray mass spectrometry. *Clin. Chem. (Washington),* 47 (2001) 1437-1442.

4107 Niopas, I. and Daftsios, A.C.: Determination of 2-hydroxyflutamide in human plasma by high-performance liquid chromatography and its application to pharmacokinetic studies. *J. Chromatogr. B,* 759 (2001) 179-183.

4108 Osman, S., Rowlinson-Busza, G., Luthra, S.K., Aboagye, E.O., Brown, G.D., Brady, F., Myers, R., Ganage, S.A., Denny, W.A., Baguley, B.C. and Price, P.M.: Comparative biodistribution and metabolism of carbon-11-labeled N-[2-dimethylamino)ethyl]acridine-4-carboxamide and DNA-intercalating analogues. *Cancer*

4114 Woo, E.W., Messmann, R., Sausville, E.A. and Figg, W.D.: Quantitative determination of perifosine, a novel alkylphosphocholine anticancer agent, in human plasma by reversed-phase liquid chromatography-electrospray mass spectrometry. *J. Chromatogr. B,* 759 (2001) 247-257.

4115 Yoo, B.-H., Lee, B.-H., Kim, J.-S., Kim, N.-J., Kim, S.-H. and Ryu, K.-W.: Effects of Shikunshito-Kamiho on fecal enzymes and formation of averrant crypt foci induced by 1,2-dimethylhydrazine. *Biol. Pharm. Bull.,* 24 (2001) 638-642.

4116 Zhang, H. and Henion, J.: Comparison between liquid chromatography-time-of-flight mass spectrometry and selected reaction monitoring liquid chromatography-mass spectrometry for quantitative determination of iodoxifene in human plasma. *J. Chromatogr. B,* 757 (2001) 151-159.

4117 Zhou, R., Frostvik-Stolt, M. and Liliemark, E.: Determination of etoposide in human plasma and leukemic cells by high-performance liquid chromatography with electrochemical detection. *J. Chromatogr. B,* 757 (2001) 135-141.

4118 Zhou, S., Paxton, J.W., Tingle, M.D. and Kestell, P.: Determination of the covalent adducts of the novel anti-cancer agent 5,6-dimethylxanthenone-4-acetic acid in biological samples by high-performance liquid chromatography. *J. Chromatogr. B,* 757 (2001) 343-348.

4119 Zhou, S., Paxton, J.W., Tingle, M.D. and Kestell, P.: Determination of unbound concentration of the novel anti-cancer agent 5,6-dimethylxanthenone-4-acetic acid in human plasma by ultrafiltration followed by high-performance liquid chromatography with fluorimetric detection. *J. Chromatogr. B,* 757 (2001) 359-363.

See also 3149, 3303, 3759.

32a. Other drug categories

4201 Castellari, M., Sartini, E., Spinabelli, U., Riponi, C. and Galassi, S.: Determination of carboxylic acids, carbohydrates, glycerol, ethanol, and 5-HMF in beer by high-performance liquid chromatography and UV-refractive index double detection. *J. Chromatogr. Sci.,* 39 (2001) 235-238.

4202 Pastorello, E.A. and Trambaioli, C.: Isolation and food allergens. *Biochim. Biophys. Acta,* 756 (2001) 71-84 - a review with 102 refs.

See also 3293, 3299, 3344, 3355, 3356, 3403, 3417, 3445, 3446, 3606, 3614, 3652, 3785, 3838, 3860, 3876, 3912, 3943, 4231, 4269, 4286.

35. ENVIRONMENTAL ANALYSIS

35a. General papers and reviews

4203 Hogenboom, A.C., Niessen, W.M.A. and Brinkman, U.A.T.: The role of column liquid chromatography-mass spectrometry in environmental trace-level analysis. Determination and identification of pesticides in water. *J. Sep. Sci.,* 24 (2001) 331-354.

4204 Ritter, J.P.: Environmental and biological applications of high-performance chromatographic techniques. *UMI,* Order No. DA9985579, 2000, 223 pp.; *C.A.,* 135 (2001) 116052d.

See also 4302.

35b. Air pollution (complex mixtures; single compounds by cross-reference only)

See 3337, 3424, 3837, 4230, 4232, 4285.

35c. Water pollution (complex mixtures; single compounds by cross-reference only)

4205 Bruzzoniti, M.C., Mentasti, E., Sarzanini, C. and Tarasco, E.: Liquid chromatographic methods for chloral hydrate determination. *J. Chromatogr. A,* 920 (2001) 283-289.

4206 Huber, T.M., Schwikowski, M. and Gäggeler, H.W.: Continuous melting and ion chromatographic analyses of ice cores. *J. Chromatogr. A,* 920 (2001) 193-200.

4207 Jackson, P.E., Thomas, D.H., Donovan, B., Pohl, C.A. and Kiser, R.E.: New block-grafted anion exchanger for environmental water analysis by ion chromatography. *J. Chromatogr. A,* 920 (2001) 51-60.

4208 Kim, D.H., Yang, J.S., Lee, D.W. and Chung, H.K.: Sample preparation for effective determination of polychlorinated dibenzodioxins from leachates. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 229-239.

4209 Kruger, A., Heinrich, K., Mikutta, R., Neue, H.-U. and Neumeister, H.: (HPLC studies on the effect of dissolved organic carbon in groundwater on the evolution of meadow soils in central Germany). *UFZ-Ber.,* No. 8 (2001) 156-157; *C.A.,* 135 (2001) 76403k.

4210 Tanaka, K., Ohta, K., Haddad, P.R., Fritz, J.S., Miyanaga, A., Hu, W., Hasebe, K., Lee, K.-P. and Sarzanini, C.: High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin. *J. Chromatogr. A,* 920 (2001) 239-245.

4211 Vassileva, E., Becker, A. and Broekaert, J.A.C.: Determination of arsenic and selenium species in groundwater and soil extracts by ion chromatography coupled to inductively coupled plasma mass spectrometry. *Anal. Chim. Acta,* 441 (2001) 135-146.

See also 3285, 3290, 3363, 3401, 3411, 3418, 3455, 3508, 3823, 3908, 3909, 3913, 3915, 3918, 3923, 3927, 3928, 3930, 3935, 3939, 4123, 4213, 4214, 4215, 4216, 4217, 4230, 4237, 4249, 4250, 4253, 4259, 4264, 4272, 4273, 4274, 4281, 4283, 4287, 4294.

35d. Soil pollution (complex mixtures; single compounds by cross-reference only)

See 3269, 3271, 3499, 3517, 3909, 3911, 3932, 3933, 3934, 3940, 3941, 3942, 4209, 4211, 4234, 4296.

36. SOME TECHNICAL PRODUCTS AND COMPLEX MIXTURES

36a. Surfactants

4212 Cao, C.-l., Sui, X.-h., Shi, X.-l., Jiang, X.-f., Wang, H.-z., Jiang, S.-x. and Liu, X.: (Study on analysis of concentration of surfactant PS in injected-produced liquid used in ASP flooding with HPLC). *Sepu,* 19 (2001) 164-166; *C.A.,* 134 (2001) 313289s.

4213 Chang, X., Fang, C., Li, Q. and Gao, F.: (Determination of sodium dodecylphenylsulfonate in drinking water by HPLC). *Zhongguo Gonggong Weisheng,* 16, No. 2 (2000) 158; *C.A.,* 135 (2001) 9692r.

4214 Crescenzi, C., di Corcia, A., Marcomini, A., Pojana, G. and Samperi, R.: Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry. *J. Chromatogr. A,* 923 (2001) 97-105.

4215 Ferrer, I. and Furlong, E.T.: Identification of alkyl dimethylbenzylammonium surfactants in water samples by solid-phase extraction followed by ion trap LC/MS and LC/MS/MS. *Environ. Sci. Technol.,* 35 (2001) 2583-2588; *C.A.,* 134 (2001) 371475k.

4216 Nitschke, L.: (Analysis of substances contained in washing agents and cleaning agents). *Muench. Beitr. Abwasser-, Fisch.-Flussbiol.,* 54(Moderne Wasch- und Reinigungsmittel) (2001) 251-262; *C.A.,* 134 (2001) 341845p.

4217 Schröder, H.F.: Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection-mass spectrometry and liquid chromatography-mass spectrometry and -tandem mass spectrometry. *J. Chromatogr. A,* 926 (2001) 127-150.

4218 Trathnigg, B., Kollroser, M. and Rappel, C.: Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants III. Two-dimensional separation of fatty alcohol ethoxylates. *J. Chromatogr. A,* 922 (2001) 193-205.

See also 3401, 4008.

36b. Antioxidants and preservatives

4219 Schupke, H., Hempel, R., Peter, G., Hermann, R., Wessel, K., Engel, J. and Kronbach, T.: New metabolic pathways of α-lipoic acid. *Drug Metab. Disp.,* 29 (2001) 855-862.

4220 Thilen, M. and Shishoo, R.: Quantification of antioxidants in polypropylene using SFE/HPLC. In: *Polypropylene Text., World Congr.,* University of Huddersfield, Huddersfield, 2000, pp. 87-97; *C.A.,* 134 (2001) 311838w.

See also 3153, 3163, 3165, 3299, 3659.

36c. Complex mixtures, technical products and unidentified compounds

4221 Corradini, D., Mezzetti, M., Grego, S., Spiteller, M. and Mincione, E.: Fingerprinting of the development of aerobic compositing processes of agricultural wastes by on-line combination of liquid chromatography and mass spectrometry. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 1229-1244.

4222 Kohler, M. and Heeb, N.V.: Characterization of ageing products of ester-based synthetic lubricants by liquid chromatography with electrospray ionization mass spectrometry and by electrospray ionization (tandem) mass spectrometry. *J. Chromatogr. A,* 926 (2001) 161-165.

4223 Kolb, M., Wilfinger, W., Jostan, J.L. and Scholta, E.: (Study of crack products by HPLC). *LaborPraxis,* 25, No. 3 (2001) 52-54; *C.A.,* 134 (2001) 313351f.

See also 3257, 3258, 3269.

37. CELLS, CELLULAR PARTICLES AND SUPRAMOLECULAR STRUCTURES

4224 Johnstone, S.A., Masin, D., Mayer, L. and Bally, M.B.: Surface-associated serum proteins inhibit the uptake of phosphatidylserine and poly(ethylene glycol) liposomes by mouse macrophages. *Biochim. Biophys. Acta,* 1513 (2001) 25-37.

4225 Li, W.M., Xue, L., Mayer, L.D. and Bally, M.B.: Intermembrane transfer of polyethylene glycol-modified phosphatidylethanolamine as a means to reveal surface-associated binding ligands on liposomes. *Biochim. Biophys. Acta,* 1513 (2001) 193-206.

4226 Moschetta, A., Eckhardt, E.R.M., de Smet, M.B.M., Renooij, W., van Berge-Henegouwen, G.P. and van Erpecum, K.J.: Accurate separation of vesicles, micelles and cholesterol crystals in supersaturated model bites by ultracentrifugation, ultrafiltration and dialysis. *Biochim. Biophys. Acta,* 1532 (2001) 15-27.

See also 3550.

38. INORGANIC COMPOUNDS

4227 Buchberger, W.W.: Detection techniques in ion chromatography of inorganic ions. *TrAC,* 20 (2001) 296-303.

4228 Haddad, P.R.: Chromatographic and electroseparations of inorganic ions. Editorial. *TrAC,* 20 (2001) 272-273.

4229 Nesterenko, P.N.: Simultaneous separation and detection of anions and cations in ion chromatography. *TrAC,* 20 (2001) 311-319.

4230 Vanatta, L.E.: Application of ion chromatography in the semiconductor industry. *TrAC,* 20 (2001) 336-345.

See also 3232.

38a. Cations

4231 Bermejo, P., Pena, E., Fompedrina, D., Dominguez, A., Frage, J.M. and Cocho, J.A.: Copper fractionation by SEC-HPLC and ETAAS. Study of breast milk and infant formulae whey used in lactation of full-term newborn infants. *Analyst (Cambridge),* 126 (2001) 571-575.

4232 Borai, E.H. and Soliman, A.A.: Monitoring and statistical evaluation of heavy metals in airborne particulates in Cairo, Egypt. *J. Chromatogr. A,* 920 (2001) 261-269.

4233 Chen, C., Zhang, P. and Chai, Z.: Distribution of some rare earth elements and their binding species with proteins in human liver studied by instrumental neutron activation analysis combined with biochemical techniques. *Anal. Chim. Acta,* 439 (2001) 19-27.

4234 Collins, R.N., Onisko, B.C., McLaughlin, M.J. and Merrington, G.: Determination of metal-EDTA complexes in soil solution and plant xylem by ion chromatography-electrospray mass spectrometry. *Environ. Sci. Technol.,* 35 (2001) 2589-2593; *C.A.,* 135 (2001) 106781b.

4235 Dauphas, N., Reisberg, L. and Marty, B.: Solvent extraction, ion chromatography, and mass spectrometry of molybdenum isotopes. *Anal. Chem.,* 73 (2001) 2613-2616.

4236 Dicinoski, G.W., Shaw, M.J., Madden, J.E. and Haddad, P.R.: Optimisation, simulation, and training in ion chromatography - all for free! *Chem. Aust.,* 68, No. 4 (2001) 8-11; *C.A.,* 135 (2001) 116055g.

4237 Ding, M.Y., Tanaka, K., Hu, W., Hasebe, K. and Haddad, P.R.: Simultaneous ion-exclusion chromatography and cation exchange chromatography of anions and cations in environmental water samples on weakly acid cation-exchange resin by elution with pyridine-2,6-dicarboxylic acid. *Analyst (Cambridge),* 126 (2001) 567-570.

4238 Ding, X. and Mou, S.: Retention behavior of transition metals on a bifunctional ion-exchange column with oxalic acid as eluent. *J. Chromatogr. A,* 920 (2001) 101-107.

4239 Garcia-Valls, R., Hrdlicka, A., Perutka, J., Havel, J., Deorkar, N.V., Tavlarides, L.L., Munoz, M. and Valiente, M.: Separation of rare earth elements by high performance liquid chromatography using a covalent modified silica gel column. *Anal. Chim. Acta,* 439 (2001) 247-253.

4240 Haidekker, A. and Huber, C.G.: Ion chromatography on chelating stationary phases: separation of alkali metals. *J. Chromatogr. A,* 921 (2001) 217-226.

4241 Hajos, P. and Szikszay, E.: Histidine as a dipolar eluent component in cation chromatography II. Prediction of retention data for alkaline and alkaline-earth ions. *J. Chromatogr. A,* 920 (2001) 23-30.

4242 Hu, W., Hasebe, K., Iles, A. and Tanaka, K.: High resolution determination of H^+ by ion chromatography. Application to simultaneous determination of H^+, Na^+, NH_4^+ and K^+ in acid rain. *Analyst (Cambridge),* 126 (2001) 821-824.

4243 Hu, W., Hes, A., Hasebe, K., Matsukami, H., Cao, S. and Tanaka, K.: Determination of hydrogen ion by ion chromatography (IC) with sulfonated cation-exchange resin as the stationary phase and aqueous EDTA(ethylendiamine-N,N,N',N'-tetraacetic acid) solution as the mobile phase. *Fresenius J. Anal. Chem.,* 370 (2001) 48-51.

4244 Hu, W., Matsukami, H., Iles, A., Hasebe, K., Cao, S. and Tanaka, K.: Use of zwitterionic micelles in the eluent II.: a new approach to ion chromatographic analysis of inorganic cations in biological fluids with direct sample injection. *Fresenius J. Anal. Chem.,* 370 (2001) 426-428.

4245 Jarvis, M., Jackson, A., Tyler, P. and Hulteen, J.C.: Ammonium extraction method for ion chromatographic measurements of disc drive components. *J. Chromatogr. A,* 920 (2001) 271-274.

4246 Kobayashi, Y., Ogra, Y. and Suzuki, K.T.: Speciation and metabolism of selenium injected with ^{82}Se-enriched selenite and selenate in rats. *J. Chromatogr. B,* 760 (2001) 73-81.

4247 Le Fevre, B. and Pin, C.: An extraction chromatography method for Hf separation prior to isotopic analysis using multiple collection ICP-mass spectrometry. *Anal. Chem.,* 73 (2001) 2453-2460.

4248 Li, C.Y., Gao, J.Z., Yu, S.Y., Han, X.Q., Li, B.Y. and Liu, H.T.: Simultaneous separation and determination of Cu(II), Fe(III), and Pb(II) by reversed-phase ion-pair chromatography with N,N,N',N'-ethylenediaminetetrakis(methylenephosphonic acid). *Chromatographia,* 54 (2001) 114-116.

4249 Lian, H.-Z., Bi, S.-P., Chen, Y.-J., Dai, L.-M., Cao, M., Li, H.-M. and Tian, L.-C.: Direct determination of aluminum in drinking and natural waters as 8-hydroxyquinoline chelate by RP-HPLC. *J. Liq. Chromatogr. Relat. Technol.,* 24 (2001) 215-228.

4250 Martinez-Bravo, Y., Roig-Navarro, A.F., Lopez, F.J. and Hernandez, F.: Multielemental determination of arsenic, selenium and chromium(IV) species in water by high-performance liquid chromatography-inductively coupled plasma mass spectrometry. *J. Chromatogr. A,* 926 (2001) 265-274.

4251 McSheehy, S., Pohl, P., Lobinski, R. and Szpunar, J.: Complementarity of multidimensional HPLC-ICP-MS and electrospray MS-MS for speciation analysis of arsenic in algae. *Anal. Chim. Acta,* 440 (2001) 3-16.

4252 Nash, K.L. and Jensen, M.P.: Analytical-scale separations of the lanthanides: a review of techniques and fundamentals. *Sep. Sci. Technol.,* 36 (2001) 1257-1282; *C.A.,* 135 (2001) 28338w - a review with 81 refs.

4253 Nickus, U. and Thies, H.: Ion chromatographic determination of lithium at trace level concentrations. Application to a tracer experiment in a high-mountain lake. *J. Chromatogr. A,* 920 (2001) 201-204.

4254 Ohta, K., Morikawa, H. and Sando, M.: Ion chromatographic separation of common mono- and divalent cations on silica gel modified with zirconium using tartaric acid-15-crown-5 as eluent. *Anal. Chim. Acta,* 439 (2001) 255-263.

4255 Ohta, K., Morikawa, H., Tanaka, K., Uwamino, Y., Furukawa, M. and Sando, M.: Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid-15-crown-5 as eluent. *J. Chromatogr. A,* 920 (2001) 109-118.

4256 Ohta, K., Tanaka, K. and Haddad, P.R.: Simultaneous separation of common mono- and divalent cations on silica gels modified with aluminium and zirconium. *TrAC,* 20 (2001) 330-335;.

4257 Pardo-Martinez, M., Viñas, P., Fisher, A. and Hill, S.J.: Comparison of enzymatic extraction procedures for use with directly coupled high performance liquid chromatography-inductively coupled plasma mass spectrometry for the speciation of arsenic in baby foods. *Anal. Chim. Acta,* 441 (2001) 29-36.

4258 Philippeit, G. and Angerer, J.: Determination of palladium in human urine by high-performance liquid chromatography and ultraviolet detection after ultraviolet photolysis and selective solid-phase extraction. *J. Chromatogr. B,* 760 (2001) 237-245.

4259 Polesello, S., Valsecchi, S., Cavalli, S. and Reschiotto, C.: Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy. *J. Chromatogr. A,* 920 (2001) 231-238.

4260 Rey, M.A.: High-capacity cation-exchange column for enhanced resolution of adjacent peaks of cations in ion chromatography. *J. Chromatogr. A,* 920 (2001) 61-68.

4261 Sariego Munlz, C., Marchnate Gayon, J.M., Garcia Alonso, J.I. and Sanz-Medel, A.: Speciation of essential elements in human serum using anion-exchange chromatography coupled to post-column isotope dilution analysis with double focusing ICP-MS. *J. Anal. At. Spectrom.,* 16 (2001) 587-592; *C.A.,* 135 (2001) 89463e.

4262 Sarzanini, C. and Bruzzoniti, M.C.: Metal species determination by ion chromatography. *TrAC,* 20 (2001) 302-310.

4263 Sikovec, M., Franko, M., Novic, M. and Veber, M.: Effect of organic solvents in the on-line thermal lens spectrometric detection of chromium(III) and chromium(VI) after ion chromatographic separation. *J. Chromatogr. A,* 920 (2001) 119-125.

4264 Sinniah, K. and Piers, K.: Topics in chemical instrumentation: ion chromatography: analysis of ions in pond waters. *J. Chem. Educ.,* 78 (2001) 358-362; *C.A.,* 134 (2001) 340059y.

4265 Svete, P., Milacic, R., Mitrovic, B. and Pihlar, B.: Potential for speciation of Zn using fast protein liquid chromatography (FPLC) and convective interaction media (CIM) fast monolithic chromatography with FAAS and electrospray (ES)-MS-MS detection. *Analyst (Cambridge),* 126 (2001) 1346-1354.

4266 Vela, N.P., Heitkemper, D.T. and Stewart, K.R.: Arsenic extraction and speciation in carrots using accelerated solvent extraction, liquid chromatography and plasma mass spectrometry. *Analyst (Cambridge),* 126 (2001) 1011-1017.

4267 Yokoyma, Y., Sawaguchi, N. and Sato, H.: Succesive non-suppresed ion chromatography of common cations and anions using dual column with single eluent. *Analyst (Cambridge),* 126 (2001) 989-994.

4268 Yu, H. and Li, P.: (Determination of alkali metals, ammonium ion and alkyl amines by non-suppressed ion chromatography). *Sepu,* 19 (2001) 182-183; *C.A.,* 134 (2001) 331226y.

See also 3128, 3134, 3186, 3205, 3349, 3652, 4206, 4210, 4276, 4279, 4282, 4283, 4293, 4294, 4303, 4305.

38b. Anions

4269 Bernini, R., Picconi, F., Iacovacci, V. and Abballe, F.: (Cured meat products analysis by ion chromatography. Part 1. Chlorides). *Ind. Aliment. (Pinerolo),* 40 (2001) 275-279; *C.A.,* 134 (2001) 339698z.