

Journal of Chromatography A, 942 (2002) 297-303

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 942

Affinity chromatography

DNA-support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and N-hydroxysuccinimide chemistries 942(2001)167

Aldehyde-silica

DNA-support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and N-hydroxysuccinimide chemistries 942(2001)167

Alkanes

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2001)211

Alkylbenzenes

Determination of linear alkylbenzenes in fish tissue by gel permeation chromatography and gas chromatography-mass spectrometry 942(2001)223

Amino acids

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Amino acids, DNS derivatives

Chemically modified chiral monolithic silica column prepared by a sol-gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2001)83

Amino acids, non-protein

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2001)177

Anaerobic treatment

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Antitrypsin

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α1-antitrypsin 942(2001)133

Arocy B10

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2001)53

Azoles

Analytical and semipreparative enantiomeric separation of azole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2001)107

Bisphenol A dicyanate

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2001)53

Buffer composition

 pK_a values of peptides in aqueous and aqueous-organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

Caffeine

Rapid determination of caffeine in tea leaves 942(2001)271

Cannabinoids

Determination of cannabinoids in hair using high-pH* nonaqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2001)259

Capillary electrophoresis-ion chromatography

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Carbohydrates

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Carboxylic acids

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2001)289

0021-9673/02/\$ - see front matter © 2002 Elsevier Science B.V. All right reserved PII: S0021-9673(01)01529-1

Chiral stationary phases, LC

Chemically modified chiral monolithic silica column prepared by a sol-gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2001)83

Analytical and semipreparative enantiomeric separation of azole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2001)107

Conductivity detection

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2001)249

Cyprodinil

Solid-phase microextraction—gas chromatographic—mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2001)41

Derivatisation, LC

Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2001)185

Derivatization, LC

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2001)177

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Detection, electrophoresis

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2001)249

Detection, LC

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2001)63

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2001)275

Detection, subcritical water chromatography

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Dissociation constants

 pK_a values of peptides in aqueous and aqueous-organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

DNA

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2001)167

Edible animal tissue

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2001)275

Electrochromatography

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Enantiomer separation

Chemically modified chiral monolithic silica column prepared by a sol-gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2001)83

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2001)115

Enantiomeric separation

Analytical and semipreparative enantiomeric separation of azole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2001)107

Fast-scanning fluorescence spectroscopy

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2001)275

Fermentation broth

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2001)123

Fish

Determination of linear alkylbenzenes in fish tissue by gel permeation chromatography and gas chromatography-mass spectrometry 942(2001)223

Fitting procedures

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2001)93

Flame ionization detection

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Forensic analysis

Determination of cannabinoids in hair using high-pH* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2001)259

Fludioxonil

Solid-phase microextraction—gas chromatographic—mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2001)41

Flumequine

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2001)275

9-Fluorenylmethyl chloroformate

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2001)177

Gas chromatography

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2001)211

Genetic algorithms

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2001)93

Headspace sampling

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2001)33

Heat capacity

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2001)211

Heavy metals

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Hydrogen peroxide

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human $\alpha 1$ -antitrypsin 942(2001)133

Hydroxy acids

Chemically modified chiral monolithic silica column prepared by a sol–gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2001)83

Iminodiacetic acid bonded silica

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Inorganic anions

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2001)289

Inorganic cations

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Instrumentation

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2001)249

Ion chromatography-capillary electrophoresis

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Ion exchangers

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2001)123

Ionic strength

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Ion-exchange chromatography

Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2001)157

Lignosulfonates

Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2001)191

Linear solvation energy relationships

Solute-solvent interactions in micellar electrokinetic chromatography

III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Liquid chromatography

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

Membrane chromatography

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2001)115

Metal cations

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2001)249

Methionine

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α 1-antitrypsin 942(2001)133

Micellar electrokinetic chromatography

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Micelles

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Michelia alba

Rapid determination of volatile constituents of *Michelia alba* flowers by gas chromatography–mass spectrometry with solid-phase microextraction 942(2001)283

Microfluidics

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2001)115

Mixed-mode chromatography

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2001)167

Mobile phase composition

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2001)63

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

 pK_a values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

Modeling

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2001)93

Modifiers

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2001)63

Molecular mass determination

Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2001)191

Monobromobimane

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Monolithic columns

Chemically modified chiral monolithic silica column prepared by a sol-gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2001)83

Mugineic acid

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2001)177

Multi-angle laser light scattering

Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2001)191

NIST 1640

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Non-aqueous capillary electrophoresis

Determination of cannabinoids in hair using high-pH* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2001)259

Nucleobases

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

Optimization

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2001)33

 pK_a values of peptides in aqueous and aqueous—organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

Organic acids

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Organophosphorous compounds

Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2001)185

Oxolinic acid

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2001)275

Partition coefficients

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2001)211

Partition-adsorption systems

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

Peptides

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human $\alpha 1$ -antitrypsin 942(2001)133

 pK_a values of peptides in aqueous and aqueous-organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

Pesticides

Solid-phase microextraction—gas chromatographic—mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2001)41

pH effects

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

 pK_a values of peptides in aqueous and aqueous-organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

Phosphonic acid

Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2001)185

Phytometallophores

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2001)177

Plant materials

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2001)289

Poly(acrylic acid)

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2001)123

Polyphenols

Rapid determination of caffeine in tea leaves 942(2001)271

Polysulfone

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2001)53

Proteins

Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2001)157

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2001)167

Principal component analysis

Solute-solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Purines

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

Pyrimidines

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

Refractive index detection

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2001)63

Relation prediction

 pK_a values of peptides in aqueous and aqueous—organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145

Response surface modeling

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2001)93

Reviews

Analysis of purines and pyrimidines by mixed partition—adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Selectivity

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Determination of cannabinoids in hair using high-pH* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2001)259

Sensitivity

Determination of cannabinoids in hair using high-pH* nonaqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2001)259

Shikimic acid

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2001)123

Soil

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2001)289

Solid-phase microextraction

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2001)33

Solid-phase microextraction—gas chromatographic—mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2001)41

Solute descriptors

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Solvation parameters

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2001)53

Stationary phases, electrochromatography

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11

Stationary phases, LC

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2001)123

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2001)167

Subcritical water chromatography

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Sulfide

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Sulfit

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Surfactants

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237

Superheated water

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231

Tea leaves

Rapid determination of caffeine in tea leaves 942(2001)271

Temperature effects

Temperature-dependent refractive index issues using a UV–visible detector in high-performance liquid chromatography 942(2001)63

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942 (2001) 211

Thermodynamic parameters

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2001)211

Thiopental

 $\begin{array}{ll} High\text{-resolution chiral separation using microfluidics-based} \\ membrane \\ \text{chromatography} & 942 (2001) 115 \end{array}$

Thiosulfate

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Tobacco

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2001)33

Transition metals

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73

Tryptophan

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2001)115

Volatile compounds

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2001)33

Volatile organic compounds

Rapid determination of volatile constituents of *Michelia alba* flowers by gas chromatography–mass spectrometry with solid-phase microextraction 942(2001)283

Wastewater analysis

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201

Water analysis

Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2001)185

Wine

Solid-phase microextraction—gas chromatographic—mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2001)41

$Z_{\rm basic}$ protein domain

Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2001)157