

Journal of Chromatography A, 945 (2002) 295-299

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 945

Adulteration

Detection of adulterants in olive oil by headspace-mass spectrometry 945(2002)221

Amines

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Amino acids

Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139

Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Anilines

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Bisphenol A

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Caftaric acid

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Carbamates

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Chemometrics

Detection of adulterants in olive oil by headspace-mass spectrometry 945(2002)221

Chloranilines

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Cichoric acid

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Coal

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Coal tar

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Complexation

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Computational fluid dynamics

Study of feed temperature control of chromatography using computional fluid dynamics simulation 945(2002)117

Counter-current chromatography

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Diffusion

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved PII: \$0021-9673(01)01616-8

Echinacea purpurea

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Echinaforce

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Electrochromatography

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Enantiomer separation

Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139

Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Environmental analysis

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Experimental design

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Flow patterns

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

FLUENT

Study of feed temperature control of chromatography using computional fluid dynamics simulation 945(2002)117

Food analysis

Analysis of quinolone residues in edible animal products 945(2002)1

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Functional monomers

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Gradient elution

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Headspace analysis

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Detection of adulterants in olive oil by headspace-mass spectrometry 945(2002)221

Ionic strength

Effect of ionic strength on perfusive flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231

Ionizable compounds

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

Isothermal retention indices

Improving the accuracy of Kováts' retention indices in isothermal gas chromatography 945(2002)185

Ligand-exchange capillary electrophoresis

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Linear discriminant analysis

Detection of adulterants in olive oil by headspace-mass spectrometry 945(2002)221

Linear solvation energy relationships

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

Linear solvent strength theory

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

Lysine

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Magnetic resonance

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

296

Memory effect

Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139

Metal complexes

Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies 945(2002)25

Mobile phase composition

Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139

Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147

Molecular imprinting

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Multiple linear regression analysis

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Mycotoxin

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Neural networks, artificial, self-training

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Nonlinear function

Nonlinear function retention model in weak acid anion chromatography 945(2002)97

Nonylphenols

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Ochratoxin A

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Olive oil

Detection of adulterants in olive oil by headspace-mass spectrometry 945(2002)221

Organic acids

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Organosulfur compounds

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Packing methods

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

Perfusive flow

Effect of ionic strength on perfusive flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231

Pesticides

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Pharmaceutical analysis

Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies 945(2002)25

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Phenolic acids

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Phenols

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Plant hormones

Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257

Plant materials

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Platinum-group elements

Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies 945(2002)25

Polyethylene

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Polynuclear aromatic hydrocarbons

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Pore network model

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

Porous media

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

Preparative chromatography

Study of feed temperature control of chromatography using computional fluid dynamics simulation 945(2002)117

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Pyrethroids

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Quantitative structure-activity relationships

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Quinolones

Analysis of quinolone residues in edible animal products 945(2002)1

Regression analysis

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Retention indices

Improving the accuracy of Kováts' retention indices in isothermal gas chromatography 945(2002)185

Retention models

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

Nonlinear function retention model in weak acid anion chromatography 945(2002)97

Retention times, relative

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Reviews

Analysis of quinolone residues in edible animal products (Review) 945(2002)1

Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies (Review) 945(2002)25

Salvia miltiorrhiza

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Sample handling

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Sample stacking

Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257

Sensitivity

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Simulation

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

Study of feed temperature control of chromatography using computional fluid dynamics simulation 945(2002)117

Solid-phase extraction

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Solute behaviour

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

Stationary phases, electrochromatography

Effect of ionic strength on perfusive flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231

Sulfonic acids

Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147

Tanshinones

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Tars

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Temperature control

Study of feed temperature control of chromatography using computional fluid dynamics simulation 945(2002)117

Tobacco

Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257

Visualization of flow inhomogeneity

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

Volatile fatty acids

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Volatile organic compounds

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Wastewater analysis

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Weak-acid anions

Nonlinear function retention model in weak acid anion chromatography 945(2002)97

Weighted least-squares analysis

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Wine

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Xenoestrogens

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133