



ELSEVIER

Journal of Chromatography A, 946 (2002) 311–316

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 946

Acid red

Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157

Adsorption

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. II. Tests using various simplified models 946(2002)33

Amines

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Amino sugars

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Anion-exchanger

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

Aqueous two-phase systems

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Background electrolyte composition

Migration of (hydroxy)carboxylic acids in coelectroosmotic capillary electrophoresis. Influence of the electrolyte composition 946(2002)255

Band broadening

Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51

Beer

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Bonded phase wetting

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Carbohydrates

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Carboxylic acids

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

Migration of (hydroxy)carboxylic acids in coelectroosmotic capillary electrophoresis. Influence of the electrolyte composition 946(2002)255

Cation exchangers

Sulfoacylated poly(styrene–divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91

Cellulose

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

Chiral stationary phases, GC

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Chlordimeform

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Chlorotoluidines

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey* 946(2002)247

Cigarette smoke

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Cocaine

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Compensation temperatures

Mechanistic implications of the equality of compensation temperatures in chromatography 946(2002)47

Counter-current chromatography

Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157

Cutinase

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Cyclodextrins

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Derivatization, electrophoresis

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Derivatization, GC

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Derivatization, LC

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Detection, electrophoresis

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Detection, LC

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Molecular mass distribution analysis of ethyl(hydroxyethyl)cellulose by size-exclusion chromatography with dual light-scattering and refractometric detection 946(2002)69

Diisopropylnaphthalenes

Isolation and identification of diisopropylnaphthalene isomers in the alkylation products of naphthalene 946(2002)221

Dust

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Dyes

Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157

Dynamic coating ion-exchange chromatography

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

Enantiomer separation

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Environmental analysis

Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate

Development and validation of a reversed-phase high-performance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Ethyl(hydroxyethyl)cellulose

Molecular mass distribution analysis of ethyl(hydroxyethyl)cellulose by size-exclusion chromatography with dual light-scattering and refractometric detection 946(2002)69

Explosives

Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 946(2002)125

Extraction methods

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177
Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209

Factorial analysis

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Factor IX

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Factor VIII

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Food analysis

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Food Color Red No. 106

Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157

Headspace analysis

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Hydroxycarboxylic acids

Migration of (hydroxy)carboxylic acids in coelectroosmotic capillary electrophoresis. Influence of the electrolyte composition 946(2002)255

Immobilized artificial membrane column

Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107

Inorganic cations

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

Insect repellents

Development and validation of a reversed-phase high-performance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Ion mobility spectrometry

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Ion-exchange chromatography

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

IR 3535

Development and validation of a reversed-phase high-performance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Kinetic studies

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Kraft pulp

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Lactylglucosamines

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Laminar flow

Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51

Linear solvation energy relationships

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

Methacrylate

Methacrylate monolithic columns of 320 μm I.D. for capillary liquid chromatography 946(2002)99

Methanol

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Methionine enkephalin

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Microchannels

Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51

Microwave-assisted derivatization

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Mobile phase composition

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

Monolithic columns

Methacrylate monolithic columns of 320 μm I.D. for capillary liquid chromatography 946(2002)99

Multiple headspace extraction

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Muramic acid

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Nanotiv

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Naphthalenes

Isolation and identification of diisopropyl-naphthalene isomers in the alkylation products of naphthalene 946(2002)221

Natural gas

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Nitrosamines

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Nitrotoluenes

Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 946(2002)125

Octonativ-M

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Oxadiazon

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Partition

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. II. Tests using various simplified models 946(2002)33

Partitioning

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Peptides

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Periodate oxidation

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

Pesticides

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Solid-phase extraction and sample stacking–capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

Pharmaceutical analysis

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Phenolic compounds

Determination of phenolic xenoestrogens in water by liquid chromatography with coulometric-array detection 946(2002)291

Phosphorus-containing stationary phases

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

Polyallylamine

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

Polyamines

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Polychlorinate biphenyls

Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209

Polymers

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Preparative chromatography

Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157

Pressurized liquid extraction

Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209

Proteins

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Pyrenebutanoic acid succinimidyl ester

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Quaternary ammonium compounds

Solid-phase extraction and sample stacking-capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

Retention characteristics

Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107

Retention factor

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. II. Tests using various simplified models 946(2002)33

Retention mechanisms

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Sample stacking

Solid-phase extraction and sample stacking-capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

Sampling artefacts

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Selectivity

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Soil

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography-mass spectrometry 946(2002)239

Solid-phase extraction

Determination of triorganotin species in water samples by liquid chromatography-electrospray-mass spectrometry 946(2002)1

Sorptive losses

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Stationary phases, GC

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

Stationary phase(s), LC

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Sulfoacylated poly(styrene-divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91

Methacrylate monolithic columns of 320 μm I.D. for capillary liquid chromatography 946(2002)99

Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

Sulfinate esters

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Sulfoacylated poly(styrene–divinylbenzene) copolymers

Sulfoacylated poly(styrene–divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91

Sulfoxides

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Surfactants

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Thermodynamic parameters

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

Toluidines

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Tributyltin

Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1

Trinitrotoluenes

Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 946(2002)125

Triphenyltin

Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1

Tripropylytin

Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1

Triton X-100

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163

Tryptophan

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Validation

Development and validation of a reversed-phase high-performance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Vanillins

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Volatile sulfur compounds

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Water analysis

Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Solid-phase extraction and sample stacking–capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

Wine

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

Xenoestrogens

Determination of phenolic xenoestrogens in water by liquid chromatography with coulometric-array detection 946(2002)291