



ELSEVIER

Journal of Chromatography A, 947 (2002) 337–342

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 947

Adsorption

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Ageratina adenophora

Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Air analysis

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119

Albumin

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Aldehydes

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

Alkanolamines

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Alkenes, C₅–C₇ acyclic

Gas chromatographic–mass spectrometric characterization of all acyclic C₅–C₇ alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

Amines

Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301

Amino acids

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Aminophosphonic acids

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Ammonium ion

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Aroma compounds

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Aromatic hydrocarbons, polar

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Beta-blockers

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Chelators

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Chiral stationary phases, LC

Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69

Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301

Chlorophenols

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Chloroquine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Chondroitin sulfates

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Coated capillaries

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

Collection techniques, SFE

Collection in analytical-scale supercritical fluid extraction 947(2002)1

Croton hemiargyreus

High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255

Crude oil refining

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Cymenes

Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Demethylcantharidin

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319

Derivatization, GC

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

***O*-Desethylreboxetine**

Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247

Desulfurization products

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Diuretics

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Doxylamine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Efficiency

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Enantiomer separation

Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69

Impurity profiling of ephedrines in methamphetamine by high-performance liquid chromatography 947(2002)151

Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301

Enantioselectivity

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

End-capping

Synthesis and characterization of endcapped C₁₈ stationary phases using a silica hydride intermediate 947(2002)195

Endosulfan

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119

Environmental analysis

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Enzyme inhibitors

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319

Ephedrines

Impurity profiling of ephedrines in methamphetamine by high-performance liquid chromatography 947(2002)151

Essential oils

Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Extraction methods

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Food analysis

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Fruits

Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Furfurals

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

Gas chromatography

High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255

Gasoline

Gas chromatographic–mass spectrometric characterization of all acyclic C₅–C₇ alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

Glycidyl methacrylate

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Glyphosate

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Immunoglobulins

Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143

Impurity profiling

Impurity profiling of ephedrine in methamphetamine by high-performance liquid chromatography 947(2002)151

Inductively coupled plasma mass spectrometry

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Infant formulas

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

Lactoferrin

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Laudanosine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Magnetic sorbents

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Metal complexes

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Methamphetamine

Impurity profiling of ephedrine in methamphetamine by high-performance liquid chromatography 947(2002)151

Methylphosphonic acids

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Micellar liquid chromatography

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Microcystins

Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237

Microfluidics

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

Milk

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Mobile phase composition

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile–water mobile phases 947(2002)47

Modifier selectivity

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Monoclonal antibodies

Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143

Monolithic columns

Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237

Multi-column system

Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Nodularin

Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237

Pentachlorophenol

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

PH effects

Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile–water mobile phases 947(2002)47

Pentachlorophenol

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Peptides

Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237

Pesticides

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Pharmaceutical analysis

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319

Pharmaceuticals

Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69

Phenethylamines

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Phenols

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Phosphonic acids

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Plant materials

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119

High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255

Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Polybrene/chondroitin sulfate C double coated capillaries

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Polycarboxylic acids

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Preparative chromatography

Application of the "VARICOL" process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Primaquine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Propranolol

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Protein phosphatase 2A

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine-platinum compounds with anticancer activity by gas chromatography 947(2002)319

Proteins

Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene-divinylbenzene 947(2002)307

Reboxetine

Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247

Resolution

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Retention behaviour

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Retention indices

Gas chromatographic-mass spectrometric characterization of all acyclic C₅-C₇ alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

Retention models

Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile-water mobile phases 947(2002)47

Retinol

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

SB-553261

Application of the "VARICOL" process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Reviews

Collection in analytical-scale supercritical fluid extraction (Review) 947(2002)1

Selectivity

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Separation selectivity

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Shape selectivity

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Silica hydride

Synthesis and characterization of endcapped C₁₈ stationary phases using a silica hydride intermediate 947(2002)195

Simulated moving bed

Application of the "VARICOL" process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Simultaneous distillation and extraction

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation-extraction 947(2002)23

Solid-phase microextraction

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Stationary phases, GC

Gas chromatographic-mass spectrometric characterization of all acyclic C₅-C₇ alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

Stationary phases, LC

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Synthesis and characterization of endcapped C_{18} stationary phases using a silica hydride intermediate 947(2002)195

Rapid separation of microcystins and nodularin using a monolithic silica C_{18} column 947(2002)237

Steroids

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Supercritical fluid extraction

Collection in analytical-scale supercritical fluid extraction 947(2002)1

Sulfates

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Sulfonamides

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Surfactants

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

Tobacco

Analysis of free and bound volatiles by gas chromatography and gas chromatography–mass spectrometry in uncased and cased tobaccos 947(2002)267

Tocopherols

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Toxins

Rapid separation of microcystins and nodularin using a monolithic silica C_{18} column 947(2002)237

Trapping

Collection in analytical-scale supercritical fluid extraction 947(2002)1

VARICOL process

Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Vegetables

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119

Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Vitamins

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Volatile organic compounds

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Volatiles

Analysis of free and bound volatiles by gas chromatography and gas chromatography–mass spectrometry in uncased and cased tobaccos 947(2002)267

Wash amines

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Water analysis

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Whey

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Whey proteins

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Wood

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155