



ELSEVIER

Journal of Chromatography A, 949 (2002) 373–377

JOURNAL OF
CHROMATOGRAPHY Awww.elsevier.com/locate/chroma

Author Index Vols. 948 and 949

- Abidi, S.L., Thiam, S. and Warner, I.M.
Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195
- Abushoffa, A.M., Fillet, M., Hubert, P. and Crommen, J.
Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321
- Afonso, A.M., see Pino, V. 949(2002)291
- Agbaba, D., see Milojevic, Z. 949(2002)79
- Airoldi, C., see Silva, C.R. 948(2002)85
- Akesolo, U., see Maguregui, M.I. 949(2002)91
- Albert, K., see Silva, C.R. 948(2002)85
- Albert, K., see Tonhi, E. 948(2002)97
- Alonso, R.M., see González, L. 949(2002)49
- Alonso, R.M., see Maguregui, M.I. 949(2002)91
- Aparicio, A., see Santoyo, E. 949(2002)281
- Arentsen, N.C., see Kok, S.J. 948(2002)257
- Ayala, J.H., see Pino, V. 949(2002)291
- Bachmann, S., see Silva, C.R. 948(2002)85
- Bachmann, S., see Tonhi, E. 948(2002)97
- Bajad, S., Johri, R.K., Singh, K., Singh, J. and Bedi, K.L.
Simple high-performance liquid chromatography method for the simultaneous determination of ketoconazole and piperine in rat plasma and hepatocyte culture 949(2002)43
- Bald, E., see Chwatko, G. 949(2002)141
- Barbas, C., see Galli, V. 949(2002)367
- Baron, G.V., see Desmet, G. 948(2002)19
- Bedi, K.L., see Bajad, S. 949(2002)43
- Berthod, A., see Zukowski, J. 948(2002)331
- Boberic-Borojevic, D., see Milojevic, Z. 949(2002)79
- Borremans, F., see Péter, A. 948(2002)283
- Bottoli, C.B.G., Chaudhry, Z.F., Fonseca, D.A., Collins, K.E. and Collins, C.H.
Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121
- Braun, G., see Rehorek, A. 949(2002)263
- Canarelli, S., Fisch, I. and Freitag, R.
On-line microdialysis of proteins with high-salt buffers for direct coupling of electrospray ionization mass spectrometry and liquid chromatography 948(2002)139
- Casamenti, G., see Raggi, M.A. 949(2002)23
- Cazemier, G., see Theodoridis, G. 948(2002)177
- Chakraborty, A. and Regnier, F.E.
Global internal standard technology for comparative proteomics 949(2002)173
- Chaudhry, Z.F., see Bottoli, C.B.G. 948(2002)121
- Chen, C.F., see Cheng, F.C. 949(2002)35
- Cheng, F.C., Ho, Y.F., Hung, L.C., Chen, C.F. and Tsai, T.H.
Determination and pharmacokinetic profile of omeprazole in rat blood, brain and bile by microdialysis and high-performance liquid chromatography 949(2002)35
- Chiap, P., Hubert, P. and Crommen, J.
Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151
- Chládek, J., see Nobilis, M. 949(2002)11
- Choi, S.-H., see Lee, K.-P. 948(2002)129
- Chwatko, G. and Bald, E.
Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141
- Claessens, H.A., see Mengerink, Y. 949(2002)307
- Claessens, H.A., see Mengerink, Y. 949(2002)337
- Claessens, H.A., see Staněk, V. 948(2002)235
- Clicq, D., see Desmet, G. 948(2002)19
- Collins, C.H., see Bottoli, C.B.G. 948(2002)121
- Collins, C.H., see Tonhi, E. 948(2002)97
- Collins, C.H., see Tonhi, E. 948(2002)109
- Collins, K.E., see Bottoli, C.B.G. 948(2002)121
- Collins, K.E., see Tonhi, E. 948(2002)97
- Collins, K.E., see Tonhi, E. 948(2002)109
- Cools, P.J.C.H., see Kok, S.J. 948(2002)257
- Cramers, C.A., see Mengerink, Y. 949(2002)307
- Cramers, C.A., see Mengerink, Y. 949(2002)337
- Crommen, J., see Abushoffa, A.M. 948(2002)321
- Crommen, J., see Chiap, P. 948(2002)151
- Crommen, J., see Fillet, M. 949(2002)225
- Crommen, J., see Piette, V. 948(2002)295
- Csámpai, A., see Mengerink, Y. 949(2002)99
- Cserháti, T., see Forgács, E. 948(2002)69
- Cserháti, T., Forgács, E., Darwish, Y., Morais, H., Mota, T. and Ramos, A.C.
Effect of reduced glutathione on the stability of pigments in paprika powders studied by multiwavelength

- spectrometry and high-performance liquid chromatography 949(2002)269
- Darwish, Y., see Cserháti, T. 949(2002)269
- De Biasi, V., see Zukowski, J. 948(2002)331
- De Graeve, J., see Fillet, M. 949(2002)225
- De Jong, G.J., see Theodoridis, G. 948(2002)177
- Desmet, G., Vervoort, N., Clicq, D., Huau, A., Gzil, P. and Baron, G.V.
Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19
- Diallo, B., see Theodoridis, G. 948(2002)177
- Dolan, J.W., see Jupille, T.H. 948(2002)35
- Ebber, A., Vaher, M., Peterson, J. and Lopp, M.
Application of capillary zone electrophoresis to the separation and characterization of poly(amidoamine) dendrimers with an ethylenediamine core 949(2002)351
- Els, J., see Smit, M.J. 949(2002)65
- Els, J., see Sutherland, F.C.W. 949(2002)71
- Eric, S., see Milojevic, Z. 949(2002)79
- Erim, F.B., see Kavran, G. 949(2002)301
- Fauler, J., see Oertel, R. 948(2002)187
- Fillet, M., see Abushoffa, A.M. 948(2002)321
- Fillet, M., Van Heugem, J.-C., Servais, A.-C., De Graeve, J. and Crommen, J.
Separation, identification and quantitation of ceramides in human cancer cells by liquid chromatography–electrospray ionization tandem mass spectrometry 949(2002)225
- Fisch, I., see Canarelli, S. 948(2002)139
- Fonseca, D.A., see Bottoli, C.B.G. 948(2002)121
- Font, G., see Rodríguez, R. 949(2002)359
- Forgács, E. and Cserháti, T.
Quantitative relationship between the retention of peptides on a reversed-phase alumina support and their physicochemical parameters 948(2002)69
- Forgács, E., see Cserháti, T. 949(2002)269
- Frederix, M., see Peters, R. 949(2002)327
- Freitag, R., see Canarelli, S. 948(2002)139
- Galceran, M.T., see Toribio, F. 948(2002)267
- Galli, V., Olmo, N. and Barbas, C.
Capillary electrophoresis for the determination of new markers of natural latex quality 949(2002)367
- García, R., see Santoyo, E. 949(2002)281
- Głowniak, K., see Mroczek, T. 949(2002)249
- González, L., López, J.A., Alonso, R.M. and Jiménez, R.M.
Fast screening method for the determination of angiotensin II receptor antagonists in human plasma by high-performance liquid chromatography with fluorimetric detection 949(2002)49
- González, V., see Pino, V. 949(2002)291
- Grechishkina, O.
Relationship between chromatographic properties of aromatic carboxylic acids and their structure 948(2002)65
- Gupalo, T.V., Lojkina, O.V., Pálagnuk, V.G., Totolian, A.A. and Tennikova, T.B.
Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185
- Gusev, I. and Horváth, C.
Streaming potential in open and packed fused-silica capillaries 948(2002)203
- Gzil, P., see Desmet, G. 948(2002)19
- Haasnoot, W., see Theodoridis, G. 948(2002)177
- Haginaka, J. and Kagawa, C.
Uniformly sized molecularly imprinted polymer for d-chlorpheniramine. Evaluation of retention and molecular recognition properties in an aqueous mobile phase 948(2002)77
- Hankemeier, Th., see Kok, S.J. 948(2002)257
- Herbst, L., see Sutherland, F.C.W. 949(2002)71
- Higaki, M., see Kanazawa, H. 948(2002)303
- Ho Row, K., see Hui Kang, D. 949(2002)217
- Ho, Y.F., see Cheng, F.C. 949(2002)35
- Hong, S.B., see Kim, J.I. 949(2002)275
- Horváth, C., see Gusev, I. 948(2002)203
- Horváth, C., see Zhang, S. 948(2002)193
- Huang, X., see Zhang, S. 948(2002)193
- Huau, A., see Desmet, G. 948(2002)19
- Hubert, P., see Abushoffa, A.M. 948(2002)321
- Hubert, P., see Chiap, P. 948(2002)151
- Hui Kang, D. and Ho Row, K.
Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217
- Hundt, A.F., see Smit, M.J. 949(2002)65
- Hundt, A.F., see Sutherland, F.C.W. 949(2002)71
- Hundt, H.K.L., see Smit, M.J. 949(2002)65
- Hundt, H.K.L., see Sutherland, F.C.W. 949(2002)71
- Hung, L.C., see Cheng, F.C. 949(2002)35
- Jandera, P., see Staněk, V. 948(2002)235
- Jardim, I.C.S.F., see Queiroz, S.C.N. 948(2002)171
- Jardim, I.C.S.F., see Silva, C.R. 948(2002)85
- Jardim, I.C.S.F., see Tonhi, E. 948(2002)97
- Jaziri, M., see Theodoridis, G. 948(2002)177
- Jiménez, R.M., see González, L. 949(2002)49
- Jiménez, R.M., see Maguregui, M.I. 949(2002)91
- Jira, T., see Sokolies, T. 948(2002)309
- John, R.K., see Bajad, S. 949(2002)43
- Jupille, T.H., Dolan, J.W., Snyder, L.R. and Molnar, I.
Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35
- Kagawa, C., see Haginaka, J. 948(2002)77
- Kanazawa, H., Okada, A., Matsushima, Y., Yokota, H., Okubo, S., Mashige, F. and Nakahara, K.
Determination of omeprazole and its metabolites in human plasma by liquid chromatography–mass spectrometry 949(2002)1
- Kanazawa, H., Tsubayashi, A., Nagata, Y., Matsushima, Y., Mori, C., Kizu, J. and Higaki, M.
Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303
- Kang, H.-D., see Lee, K.-P. 948(2002)129

- Kavran, G. and Erim, F.B.
Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography 949(2002)301
- Kim, I.H., see Yoon, T.H. 949(2002)209
- Kim, J.I., Hong, S.B. and Row, K.H.
Effect of particle size in preparative reversed-phase high-performance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275
- Kirch, W., see Oertel, R. 948(2002)187
- Kizu, J., see Kanazawa, H. 948(2002)303
- Kok, S.J., Arentsen, N.C., Cools, P.J.C.H., Hankemeier, Th. and Schoenmakers, P.J.
Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257
- Kopecký, J., see Nobilis, M. 949(2002)11
- Kuneš, J., see Nobilis, M. 949(2002)11
- Kutlán, D., see Mengerink, Y. 949(2002)99
- Kutlán, D., Presits, P. and Molnár-Perl, I.
Behavior and characteristics of amine derivatives obtained with *o*-phthalaldehyde/3-mercaptopropionic acid and with *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235
- Květina, J., see Nobilis, M. 949(2002)11
- Langereis, S., see Peters, R. 949(2002)327
- Lee, K.-P., Choi, S.-H. and Kang, H.-D.
Preparation and characterization of polyalkene membranes modified with four different ion-exchange groups by radiation-induced graft polymerization 948(2002)129
- Lindner, W., see Piette, V. 948(2002)295
- Lingeman, H. and Poppe, H.
Foreword 948(2002)1
- Linssen, H., see Peters, R. 949(2002)327
- Lojkina, OV., see Gupalova, TV. 949(2002)185
- López, J.A., see González, L. 949(2002)49
- Lopp, M., see Ebber, A. 949(2002)351
- Maguregui, M.I., Jiménez, R.M., Alonso, R.M. and Akesolo, U.
Quantitative determination of oxprenolol and timolol in urine by capillary zone electrophoresis 949(2002)91
- Mandrioli, R., see Raggi, M.A. 949(2002)23
- Mañes, J., see Rodríguez, R. 949(2002)359
- Manesiotsis, P., see Theodoridis, G. 948(2002)163
- Markoglou, N. and Wainer, I.W.
Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in single-enzyme and coupled-enzyme formats 948(2002)249
- Mashige, F., see Kanazawa, H. 949(2002)1
- Matsushima, Y., see Kanazawa, H. 948(2002)303
- Matsushima, Y., see Kanazawa, H. 949(2002)1
- Matthews, C.Z., Woolf, E.J. and Matuszewski, B.K.
Improved procedure for the determination of rofecoxib in human plasma involving 96-well solid-phase extraction and fluorescence detection 949(2002)83
- Matuszewski, B.K., see Matthews, C.Z. 949(2002)83
- Melo, L.F.C., see Queiroz, S.C.N. 948(2002)171
- Mengerink, Y., Kutlán, D., Tóth, F., Csámpai, A. and Molnár-Perl, I.
Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*-phthalaldehyde/3-mercaptopropionic acid and *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography-mass spectrometry study 949(2002)99
- Mengerink, Y., Peters, R., van der Wal, Sj., Claessens, H.A. and Cramers, C.A.
Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307
- Mengerink, Y., see Peters, R. 949(2002)327
- Mengerink, Y., Peters, R., van der Wal, Sj., Claessens, H.A. and Cramers, C.A.
Endgroup-based separation and quantitation of polyamide-6,6 by means of critical chromatography 949(2002)337
- Menyes, U., see Sokolies, T. 948(2002)309
- Meurer, R., see Rehorek, A. 949(2002)263
- Milojevic, Z., Agbaba, D., Eric, S., Boberic-Borojevic, D., Ristic, P. and Solujic, M.
High-performance liquid chromatographic method for the assay of dexamethasone and xylometazoline in nasal drops containing methyl *p*-hydroxybenzoate 949(2002)79
- Molnar, I., see Jupille, T.H. 948(2002)35
- Molnar, I., see Rieger, H.J. 948(2002)43
- Molnar, I., see Schmidt, A.H. 948(2002)51
- Molnár-Perl, I., see Kutlán, D. 949(2002)235
- Molnár-Perl, I., see Mengerink, Y. 949(2002)99
- Morais, H., see Cserháti, T. 949(2002)269
- Mori, C., see Kanazawa, H. 948(2002)303
- Mota, T., see Cserháti, T. 949(2002)269
- Moyano, E., see Toribio, F. 948(2002)267
- Mroczek, T., Głowiąk, K. and Właszczyk, A.
Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249
- Nagata, Y., see Kanazawa, H. 948(2002)303
- Nakahara, K., see Kanazawa, H. 949(2002)1
- Nobilis, M., Kopecký, J., Květina, J., Chládek, J., Svoboda, Z., Voříšek, V., Perlík, F., Pour, M. and Kuneš, J.
High-performance liquid chromatographic determination of tramadol and its *O*-desmethylated metabolite in blood plasma. Application to a bioequivalence study in humans 949(2002)11
- Oertel, R., Richter, K., Fauler, J. and Kirch, W.
Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187
- Okada, A., see Kanazawa, H. 949(2002)1
- Okubo, S., see Kanazawa, H. 949(2002)1
- Olmo, N., see Galli, V. 949(2002)367
- Ostryanina, N.D., Vlasov, G.P. and Tennikova, T.B.
Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163
- Pálagnuk, V.G., see Gupalova, T.V. 949(2002)185

- Papadoyannis, I.N., see Theodoridis, G. 948(2002)177
- Penner, N.A., see Slentz, B.E. 948(2002)225
- Perlík, F., see Nobilis, M. 949(2002)11
- Péter, A., Vékes, E., Tóth, G., Tourwé, D. and Borremans, F. Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283
- Péter, A., see Vékes, E. 949(2002)125
- Peters, R., see Mengerink, Y. 949(2002)307
- Peters, R., Mengerink, Y., Langereis, S., Frederix, M., Linssen, H., Van Hest, J. and van der Wal, Sj. Quantitation of functionality of poly(methyl methacrylate) by liquid chromatography under critical conditions followed by evaporative light-scattering detection. Comparison with NMR and titration 949(2002)327
- Peters, R., see Mengerink, Y. 949(2002)337
- Peterson, J., see Ebber, A. 949(2002)351
- Picó, Y., see Rodríguez, R. 949(2002)359
- Piette, V., Lindner, W. and Crommen, J. Enantiomeric separation of N-protected amino acids by non-aqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295
- Pino, V., Ayala, J.H., Afonso, A.M. and González, V. Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291
- Pinzauti, S., see Raggi, M.A. 949(2002)23
- Plum, A., see Rehorek, A. 949(2002)263
- Poppe, H. Mass transfer in rectangular chromatographic channels 948(2002)3
- Poppe, H., see Lingeman, H. 948(2002)1
- Pour, M., see Nobilis, M. 949(2002)11
- Presits, P., see Kutlán, D. 949(2002)235
- Puignou, L., see Toribio, F. 948(2002)267
- Queiroz, S.C.N., Melo, L.F.C. and Jardim, I.C.S.F. Poly(methyloctadecylsiloxane) immobilized on silica by γ radiation for use in solid-phase extraction 948(2002)171
- Raggi, M.A., Mandrioli, R., Casamenti, G., Volterra, V. and Pinzauti, S. Determination of reboxetine, a recent antidepressant drug, in human plasma by means of two high-performance liquid chromatography methods 949(2002)23
- Ramos, A.C., see Cserháti, T. 949(2002)269
- Regnier, F.E., see Chakraborty, A. 949(2002)173
- Regnier, F.E., see Slentz, B.E. 948(2002)225
- Regnier, F.E., see Wang, S. 949(2002)153
- Rehorek, A., Urbig, K., Meurer, R., Schäfer, C., Plum, A. and Braun, G. Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263
- Richter, K., see Oertel, R. 948(2002)187
- Rieger, H.J. and Molnar, I. Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43
- Ristic, P., see Milojevic, Z. 949(2002)79
- Rodríguez, R., Picó, Y., Font, G. and Mañes, J. Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis-electrospray mass spectrometry 949(2002)359
- Roth, U., see Sokoließ, T. 948(2002)309
- Row, K.H., see Kim, J.I. 949(2002)275
- Sandoval, F., see Santoyo, E. 949(2002)281
- Santoyo, E., Verma, S.P., Sandoval, F., Aparicio, A. and García, R. Suppressed ion chromatography for monitoring chemical impurities in steam for geothermal power plants 949(2002)281
- Sápi, J., see Vékes, E. 949(2002)125
- Schäfer, C., see Rehorek, A. 949(2002)263
- Schefer, R.R., see Silva, C.R. 948(2002)85
- Schilt, R., see Theodoridis, G. 948(2002)177
- Schmidt, A.H. and Molnar, I. Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51
- Schoenmakers, P.J., see Kok, S.J. 948(2002)257
- Servais, A.-C., see Fillet, M. 949(2002)225
- Silva, C.R., Bachmann, S., Schefer, R.R., Albert, K., Jardim, I.C.S.F. and Airoldi, C. Preparation of a new C₁₈ stationary phase containing embedded urea groups for use in high-performance liquid chromatography 948(2002)85
- Singh, J., see Bajad, S. 949(2002)43
- Singh, K., see Bajad, S. 949(2002)43
- Slentz, B.E., Penner, N.A. and Regnier, F.E. Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization 948(2002)225
- Smit, M.J., Sutherland, F.C.W., Hundt, H.K.L., Swart, K.J., Hundt, A.F. and Els, J. Rapid and sensitive liquid chromatography-tandem mass spectrometry method for the quantitation of domperidone in human plasma 949(2002)65
- Smit, M.J., see Sutherland, F.C.W. 949(2002)71
- Snyder, L.R., see Jupille, T.H. 948(2002)35
- Sokoließ, T., Menyes, U., Roth, U. and Jira, T. Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[b,e]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309
- Solujic, M., see Milojevic, Z. 949(2002)79
- Staněk, V., Jandera, P. and Claessens, H.A. Effects of substituted cyclodextrins on the separation of aromatic sulphonnic acids by capillary zone electrophoresis 948(2002)235
- Stojkovic, A., see Zecevic, M. 949(2002)61
- Sutherland, F.C.W., see Smit, M.J. 949(2002)65
- Sutherland, F.C.W., Smit, M.J., Herbst, L., Els, J., Hundt, H.K.L., Swart, K.J. and Hundt, A.F. Highly specific and sensitive liquid chromatography-tandem mass spectrometry method for the determination of 3-desmethylthiocolchicine in human plasma as analyte for the assessment of bioequivalence after oral administration of thiocolchicoside 949(2002)71

- Svoboda, Z., see Nobilis, M. 949(2002)11
- Swart, K.J., see Smit, M.J. 949(2002)65
- Swart, K.J., see Sutherland, F.C.W. 949(2002)71
- Tennikova, T.B., see Gupalova, TV. 949(2002)185
- Tennikova, T.B., see Ostryanina, N.D. 949(2002)163
- Theodoridis, G., Haasnoot, W., Cazemier, G., Schilt, R., Jaziri, M., Diallo, B., Papadoyannis, I.N. and de Jong, G.J. Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177
- Theodoridis, G. and Manesiotis, P. Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163
- Thiam, S., see Abidi, S.L. 949(2002)195
- Tonhi, E., Bachmann, S., Albert, K., Jardim, I.C.S.F., Collins, K.E. and Collins, C.H. High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. I. Physical and chemical characterizations 948(2002)97
- Tonhi, E., Collins, K.E. and Collins, C.H. High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. II. Chromatographic evaluation 948(2002)109
- Toribio, F., Moyano, E., Puignou, L. and Galceran, M.T. Ion-trap tandem mass spectrometry for the determination of heterocyclic amines in food 948(2002)267
- Török, G., see Vékes, E. 949(2002)125
- Tóth, F., see Mengerink, Y. 949(2002)99
- Tóth, G., see Péter, A. 948(2002)283
- Totolian, A.A., see Gupalova, TV. 949(2002)185
- Tourwé, D., see Péter, A. 948(2002)283
- Tourwé, D., see Vékes, E. 949(2002)125
- Vékes, E., Török, G., Péter, A., Sápi, J. and Tourwé, D. Indirect high-performance liquid chromatographic separation of stereoisomers of β -alkyl-substituted amino acids by the application of (*S*)-*N*-(4-nitrophenoxycarbonyl)phenylalanine methoxyethyl ester as chiral derivatizing agent 949(2002)125
- Tsai, T.H., see Cheng, F.C. 949(2002)35
- Tsubayashi, A., see Kanazawa, H. 948(2002)303
- Urbig, K., see Rehorek, A. 949(2002)263
- Vaher, M., see Ebber, A. 949(2002)351
- Van der Wal, Sj., see Mengerink, Y. 949(2002)307
- Van der Wal, Sj., see Mengerink, Y. 949(2002)337
- Van der Wal, Sj., see Peters, R. 949(2002)327
- Van Hest, J., see Peters, R. 949(2002)327
- Van Heugen, J.-C., see Fillet, M. 949(2002)225
- Vékes, E., see Péter, A. 948(2002)283
- Verma, S.P., see Santoyo, E. 949(2002)281
- Vervoort, N., see Desmet, G. 948(2002)19
- Vlasov, G.P., see Ostryanina, N.D. 949(2002)163
- Volterra, V., see Raggi, M.A. 949(2002)23
- Voříšek, V., see Nobilis, M. 949(2002)11
- Wainer, I.W., see Markoglou, N. 948(2002)249
- Wang, S., Zhang, X. and Regnier, F.E. Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153
- Warner, I.M., see Abidi, S.L. 949(2002)195
- Właszczyk, A., see Mrocze, T. 949(2002)249
- Woolf, E.J., see Matthews, C.Z. 949(2002)83
- Yao, N., see Zhang, S. 948(2002)193
- Yokota, H., see Kanazawa, H. 949(2002)1
- Yoon, T.H. and Kim, I.H. Phosphatidylcholine isolation from egg yolk phospholipids by high-performance liquid chromatography 949(2002)209
- Zecevic, M., Zivanovic, L. and Stojkovic, A. Validation of a high-performance liquid chromatography method for the determination of pancuronium in Pavulon injections 949(2002)61
- Zhang, S., Huang, X., Yao, N. and Horváth, C. Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193
- Zhang, X., see Wang, S. 949(2002)153
- Zivanovic, L., see Zecevic, M. 949(2002)61
- Zukowski, J., De Biasi, V. and Berthod, A. Chiral separation of basic drugs by capillary electrophoresis with carboxymethylcyclodextrins 948(2002)331