

Journal of Chromatography A, 950 (2002) 303-308

# JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

# Subject Index Vol. 950

#### Abscisic acid

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

## Acylglycerols

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

#### Adsorption isotherms

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

## Affinity sorbents

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

# Alkylxanthines

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293

# Amines

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

#### Amino acids

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 950(2002)55

## Angiotensin-converting enzyme

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125

## Art analysis

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

#### Auxir

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

## Azaspiracid poisoning

Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspiracids in shellfish 950(2002)139

## Azaspiracids

Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspiracids in shellfish 950(2002)139

## **Background electrolyte composition**

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

# Benzoates

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

# Binaphthyl derivatives

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

## Calcium alginate beads

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

## Carbonyl compounds

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

## Carboxylic acids

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved

PII: S0021-9673(02)00100-0

#### Catecholamines

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

## Central composite face-centered design

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

## Chemiluminescence detection

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

# Chiral stationary phases, LC

Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 950(2002)55

Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-*O*-phenylcarbamoylated)-β-cyclodextrin immobilized onto aminofunctionalized silica gel via multiple urea linkages 950(2002)65

Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89

## Charged cyclodextrins

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

# Citrates

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

## Column retentivity

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

# Conductivity detection

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

# Cizolirtine

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

## Cyanine-nucleic acid

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

## Cyanine-nucleic acid dyes

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

#### Cyclodextrins

Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-*O*-phenylcarbamoylated)-β-cyclodextrin immobilized onto amino-functionalized silica gel via multiple urea linkages 950(2002)65

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis\* 950(2002)257

#### **Cytokinins**

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

# Depth of penetration

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

## Derivatization, CE

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

## Derivatization, LC

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

## Detection, CE

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

# **Detection, GC**

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

# **Detection, LC**

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

## Diastereomers

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

# N,N-Dimethylacetamide

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

## Dipeptide

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

## DNA

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

#### Dves

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

#### **Enantiomer separation**

Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 950(2002)55

Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-*O*-phenylcarbamoylated)-β-cyclodextrin immobilized onto amino-functionalized silica gel via multiple urea linkages 950(2002)65

Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

## **Environmental analysis**

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157

## **Enzyme inhibitors**

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125

## **Enzymes**

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

# Expanded bed chromatography

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

#### Fatty acids

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

#### Field-flow fractionation

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

## Flame ionization detection

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

## Flow injection analysis

Evaluation of the temporal effect to the peak tailing in flow injection analysis 950(2002)271

#### Flow-rate

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

#### Fluorescence detection

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

#### Gelatin

Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113

#### Glycerols

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

## Hippuric acid

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125

## Hollow fiber flow field-flow fractionation

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

# Humic substances

Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221

## Hydrophobic surfaces

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

## Hydrophobicity

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

## Hydroxyindoles

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

# Hyperlayer separation

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

#### Insulin

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

#### Lanolin

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography—negative chemical ionization mass spectrometric confirmation 950(2002)213

## Leuprolide

Liquid chromatography—mass spectrometry and capillary electrophoresis combined approach for separation and characterization of multicomponent peptide mixtures. Application to crude products of leuprolide synthesis 950(2002)99

## Luminol

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

## Macromolecular probes

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

# Micellar electrokinetic chromatography

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

# Microemulsion electrokinetic chromatography

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

## Molecular descriptors

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

## Molecular recognition

Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89

## Molecularly imprinted polymers

Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89

## **Neutral cyclodextrins**

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

## Neural networks, artificial, self-training

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

# Non-aqueous capillary electrophoresis

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

#### Non-equilibrium chromatography

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

## Nonylphenol ethoxylates

Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography–electrospray mass spectrometry 950(2002)167

## Nucleic acid dyes

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

#### Oils

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography—mass spectrometry 950(2002)195

## Organic acids

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

# Organochlorine compounds

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography—negative chemical ionization mass spectrometric confirmation 950(2002)213

# Organophosphorus compounds

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography—negative chemical ionization mass spectrometric confirmation 950(2002)213

## **Paint**

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

#### Paper

Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113

#### Peak tailing

Evaluation of the temporal effect to the peak tailing in flow injection analysis 950(2002)271

#### Peptides

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1

Liquid chromatography—mass spectrometry and capillary electrophoresis combined approach for separation and characterization of multicomponent peptide mixtures. Application to crude products of leuprolide synthesis 950(2002)99

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125

#### **Pesticides**

Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography—negative chemical ionization mass spectrometric confirmation 950(2002)213

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

# Pharmaceutical analysis

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293

# Phenylureas

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

## Photochemically induced fluorescence detection

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

#### Photoionization detection

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

#### Plant hormones

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

#### Polymer

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

# Poly(methyl methacrylate)

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

#### Polystyrene

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

#### Poly(vinyl chloride)

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

#### Pressure effects

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

## Principal component analysis

Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221

#### **Proteins**

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

## **Pullulanase**

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

# Pyrethroids

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography—negative chemical ionization mass spectrometric confirmation 950(2002)213

## Regression analysis

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

#### Resolution

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

## Response factors

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

#### Reviews

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

#### Sarin

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

#### Selectivity

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

#### Snow

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

# Solid-phase extraction

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

#### Stability studies

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

## Stationary phases, LC

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

## Supercritical fluid extraction

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

#### Surfactants

Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography–electrospray mass spectrometry 950(2002)167

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293

#### Temperature effects

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

#### Temporal effect

Evaluation of the temporal effect to the peak tailing in flow injection analysis 950(2002)271

## Tetramethylammonium hydroxide

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

#### Tobacco

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

#### **Toxins**

Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspiracids in shellfish 950(2002)139

#### Vitamins

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

## Warfare agents

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

## Water analysis

Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157

Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography–electrospray mass spectrometry 950(2002)167

Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221

#### Waxes

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography-negative chemical ionization mass spectrometric confirmation 950(2002)213

## **Xanthines**

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293