



ELSEVIER

Journal of Chromatography A, 951 (2002) 1–84

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

CUMULATIVE AUTHOR INDEX

J. CHROMATOGR. A VOLS. 902–950

A

- Abad, E., see Concejero, M. 917(2001)227
- Abe, T., Baba, H., Itoh, E. and Tanaka, K.
Separation of perfluoroalkylsulfonic acids and
perfluoroalkylsulfonic acids by ion-exclusion
chromatography 920(2001)173
- Abel, S., Mazzotti, M. and Morbidelli, M.
Solvent gradient operation of simulated moving beds. I.
Linear isotherms 944(2002)23
- Abella, R., see Santoyo, E. 920(2001)325
- Abellán, P., see Ferrer, E. 947(2002)85
- Abeydeera, W.P.P., see Hurse, T.J. 942(2001)201
- Abidi, S.L.
Chromatographic analysis of plant sterols in foods and
vegetable oils (Review) 935(2001)173
- Abidi, S.L. and Rennick, K.A.
Capillary electrochromatographic evaluation of vitamin E-
active oil constituents: tocopherols and tocotrienols
913(2001)379
- Abidi, S.L., Thiam, S. and Warner, I.M.
Elution behavior of unsaponifiable lipids with various
capillary electrochromatographic stationary phases
949(2002)195
- Aboul-Enein, H.Y.
High-performance liquid chromatographic enantioseparation
of drugs containing multiple chiral centers on
polysaccharide-type chiral stationary phases 906(2001)185
- Abraham, M.H., see Fuguet, E. 907(2001)257
- Abraham, M.H., see Fuguet, E. 942(2001)237
- Abraham, M.H., see Valkó, K. 933(2001)73
- Abramson, F.P., Black, G.E. and Lecchi, P.
Application of high-performance liquid chromatography
with isotope-ratio mass spectrometry for measuring low
levels of enrichment of underivatized materials
913(2001)269
- Abushoffa, A.M., Fillet, M., Hubert, P. and Crommen, J.
Prediction of selectivity for enantiomeric separations of
uncharged compounds by capillary electrophoresis
involving dual cyclodextrin systems 948(2002)321
- Aceto, M., see Marengo, E. 943(2002)123
- Achard, M.-F., see Gritti, F. 913(2001)147
- Achard, M.-F., see Gritti, F. 922(2001)37
- Achard, M.-F., see Gritti, F. 922(2001)51
- Achene, L., see Draisci, R. 926(2001)97
- Achten, C. and Püttmann, W.
Method for determination of methyl *tert*-butyl ether in
gasoline by gas chromatography 910(2001)377
- Adachi, T., Ando, S. and Watanabe, J.
Characterization of synthetic adsorbents with fine particle
sizes for preparative-scale chromatographic separation
944(2002)41
- Adahchour, M., see Beens, J. 919(2001)127
- Adamovský, P., see Bednář, P. 917(2001)319
- Addová, G., see Soják, L. 947(2002)103
- Adrados, B.P., Galaev, I.Yu., Nilsson, K. and Mattiasson, B.
Size exclusion behavior of hydroxypropylcellulose beads
with temperature-dependent porosity 930(2001)73
- Aebi, S., see Procházková, A. 916(2001)215
- Afonso, A.M., see Cárdenes, L. 946(2002)133
- Afonso, A.M., see Pino, V. 949(2002)291
- Agazzi, M.-E., see Wollgast, J. 926(2001)211
- Agbaba, D., see Milojevic, Z. 949(2002)79
- Agrafiotou, P., see Nikitas, P. 946(2002)9
- Agrafiotou, P., see Nikitas, P. 946(2002)33
- Agrawal, A., see Li, Y. 909(2001)183
- Agrofoglio, L.A., see Mesplet, N. 927(2001)161
- Agüera, A., see Hernando, M.D. 938(2001)103
- Agüera, A., see Vial, J. 937(2001)21

- Aguilar, C., see Gimeno, R.A. 915(2001)139
- Aguilar, C., Hofte, A.J.P., Tjaden, U.R. and van der Greef, J.
Analysis of histones by on-line capillary zone
electrophoresis–electrospray ionisation mass spectrometry
926(2001)57
- Aguilera, A., see Valverde, A. 943(2002)101
- Ahmed, F., see Layne, J. 913(2001)233
- Ahmed, F., see Rustamov, I. 913(2001)49
- Ahn, K.-H., see Jung, M.-W. 917(2001)87
- Ahn, K.-H., see Min, B.R. 950(2002)175
- Ahrer, W., Scherwenk, E. and Buchberger, W.
Determination of drug residues in water by the
combination of liquid chromatography or capillary
electrophoresis with electrospray mass spectrometry
910(2001)69
- Ahrer, W., Schöftner, R. and Buchberger, W.
Identification of unknown degradation products in a new
cholesterol-reducing drug by ion-chromatography coupled
to mass spectrometry 912(2001)91
- Ai, P., see Yuan, L.M. 927(2001)91
- Aidos, I., see De Geus, H.-J. 910(2001)95
- Airoidi, C., see Silva, C.R. 913(2001)65
- Airoidi, C., see Silva, C.R. 948(2002)85
- Airs, R.L., Atkinson, J.E. and Keely, B.J.
Development and application of a high resolution liquid
chromatographic method for the analysis of complex
pigment distributions 917(2001)167
- Akbay, C., Shamsi, S.A. and Warner, I.M.
Separation of monomethyl-benz[*a*]anthracene isomers using
cyclodextrin-modified electrokinetic chromatography
910(2001)147
- Akesolo, U., see Maguregui, M.I. 949(2002)91
- Akesolo, U., see Prieto, J.A. 916(2001)279
- Åkesson Nilsson, G., Nilsson, O., Odenbrand, I. and Wesén, C.
New halogen-specific detector applied to the analysis of
chlorinated fatty acids 912(2001)99
- Akiba, N., see Yamamoto, A. 928(2001)139
- Akita, S., see Saitoh, T. 932(2001)159
- Akiyama, H., Goda, Y., Tanaka, T. and Toyoda, M.
Determination of aflatoxins B1, B2, G1 and G2 in spices
using a multifunctional column clean-up 932(2001)153
- Alajbeg, A., see Alajbeg, I. 918(2001)127
- Alajbeg, I., Dinter, G., Alajbeg, A., Telen, S. and Proštenik, M.
Study of Croatian non-aromatic naphthalene constituents
with skeletons analogous to bioactive compounds
918(2001)127
- Alary, J., see Peyrin, E. 923(2001)37
- Alasandro, M., see Chen, J.-G. 917(2001)63
- Albanis, T.A., see Lambropoulou, D.A. 922(2001)243
- Albanis, T.A., see Sakkas, V.A. 930(2001)135
- Albert, K., see Hellriegel, C. 914(2001)315
- Albert, K., see Silva, C.R. 948(2002)85
- Albert, K., see Tonhi, E. 948(2002)97
- Al-Bokari, M., see Cherrak, D.E. 943(2002)15
- Alderman, J., see Murrhly, J.P. 924(2001)233
- Alderman, J., see Murrhly, J.P. 943(2002)311
- Alderman, J., see O'Neill, A.P. 924(2001)259
- Aldstadt, J.H., see Killelea, D.R. 918(2001)169
- Alegría, A., see Ferrer, E. 947(2002)85
- Alegría, A., see Rodrigo, N. 947(2002)97
- Ali, S., see Fenaille, F. 921(2001)237
- Alishoev, V.R., see Berezkin, V.G. 903(2000)173
- Alishoev, V.R., see Berezkin, V.G. 918(2001)423
- Alkema, G., see De Koning, S. 922(2001)391
- Allen, J.R., Williams, J.D., Burinsky, D.J. and Cole, S.R.
Isolation of the components of a complex mixture by
means of column switching for their enhanced detection by
mass spectrometry 913(2001)209
- Allenmark, S., see Skogsberg, U. 921(2001)161
- Almela, L., see Fernández-López, J.A. 913(2001)415
- Alonso, R.M.^a, see Arias, R. 916(2001)297
- Alonso, R.M.^a, see González, L. 949(2002)49
- Alonso, R.M.^a, see Maguregui, M.I. 949(2002)91
- Alonso, R.M.^a, see Prieto, J.A. 916(2001)279
- Alonso-Salces, R.M., Kortá, E., Barranco, A., Berrueta, L.A.,
Gallo, B. and Vicente, F.
Pressurized liquid extraction for the determination of
polyphenols in apple 933(2001)37
- Alpendurada, M.F., see González-Toledo, E. 923(2001)45
- Altria, K.D., see Mahuzier, P.-E. 924(2001)465
- Aluko, R.E., see Wu, J. 950(2002)125
- Álvarez, R., see Díez, M.A. 945(2002)161
- Alvarez, R., see Domínguez, A. 918(2001)135
- Alvarez-Pez, J.M., see Bermejo, R. 917(2001)135
- Amigo, L., see Miralles, B. 915(2001)225
- Amirav, A., see Gordin, A. 903(2000)155
- Ammann, A.A.
Determination of strong binding chelators and their metal
complexes by anion-exchange chromatography and
inductively coupled plasma mass spectrometry
947(2002)205
- An, M., Haig, T. and Hatfield, P.
On-site field sampling and analysis of fragrance from
living Lavender (*Lavandula angustifolia* L.) flowers by
solid-phase microextraction coupled to gas chromatography
and ion-trap mass spectrometry 917(2001)245
- Anacleto, J.F., see Presto Elgstoen, K.B. 914(2001)265
- Anděl, L., see Jandera, P. 908(2001)3
- Ander, B., Karlsson, A. and Öhrlund, Å.
Determination of heparin on intraocular lens surfaces by
ion chromatography 917(2001)105
- Andersen, T., see Trones, R. 902(2000)421
- Andersen, T., Molander, P., Trones, R., Hegna, D.R. and
Greibrokk, T.
Separation of polyethylene glycol oligomers using inverse
temperature programming in packed capillary liquid
chromatography 918(2001)221
- Anderson, D.J., see Shan, L. 909(2001)191
- Anderson, J.L., Ding, J., McCulla, R.D., Jenks, W.S. and
Armstrong, D.W.
Separation of racemic sulfoxides and sulfinate esters on
four derivatized cyclodextrin chiral stationary phases using
capillary gas chromatography 946(2002)197
- Andersson, M., see Götmar, G. 905(2001)3
- Andersson, M., see Porsch, B. 946(2002)69
- Andersson, S., see Persson, B.-A. 906(2001)195
- Ando, S., see Adachi, T. 944(2002)41
- Andrews, A.R.J., see de Jager, L.S. 911(2001)97
- Anex, D.S., see Lurie, I.S. 924(2001)421
- Anex, D.S., see Shediach, R. 925(2001)251

- Anfossi, L., see Baggiani, C. 938(2001)35
 Angelin, M.-L., see Fabre, N. 904(2000)35
 Angioi, S., see Gennaro, M.C. 945(2002)287
 Angiolella, L., see Cirilli, R. 942(2001)107
 Anklam, E., see Careri, M. 912(2001)61
 Anklam, E., see Stroka, J. 904(2000)251
 Anklam, E., see Stroka, J. 904(2000)263
 Anklam, E., see Wollgast, J. 926(2001)211
 Antos, D., see Kaczmarek, K. 925(2001)1
 Antos, D. and Seidel-Morgenstern, A.
 Two-step solvent gradients in simulated moving bed chromatography. Numerical study for linear equilibria 944(2002)77
 Aoudé-Werner, D., see Ndaw, S. 928(2001)77
 Aparicio, A., see Santoyo, E. 920(2001)325
 Aparicio, A., see Santoyo, E. 949(2002)281
 Apostolides, Z., see Wright, L.P. 919(2001)205
 Araki, R.Y., Dodo, G.H., Reimer, S.H. and Knight, M.M.
 Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177
 Arata, Y., Hirabayashi, J. and Kasai, K.-I.
 Application of reinforced frontal affinity chromatography and advanced processing procedure to the study of the binding property of a *Caenorhabditis elegans* galectin 905(2001)337
 Araujo, L., see Navalón, A. 946(2002)239
 Araujo, L., see Vélchez, J.L. 919(2001)215
 Arce, L., see Lista, A.G. 919(2001)407
 Arce, L., see Valcárcel, M. 924(2001)3
 Archontaki, H.A., see Marselos, S.C. 946(2002)295
 Arentsen, N.C., see Kok, S.J. 948(2002)257
 Argvelan, J., see Szanya, T. 908(2001)265
 Arias, E., see Jiménez, J.J. 919(2001)147
 Arias, M.E., see Hernández, M. 919(2001)389
 Arias, R., Jiménez, R.M.^a, Alonso, R.M.^a, Téllez, M., Arrieta, I., Flores, P. and Ortiz-Lastra, E.
 Determination of the β -blocker atenolol in plasma by capillary zone electrophoresis 916(2001)297
 Arickx, I., see Vercammen, J. 912(2001)127
 Ariese, F., see de Rijke, E. 932(2001)55
 Ariese, F., see Dijkstra, R.J. 918(2001)25
 Ariese, F., see Kuijt, J. 907(2001)291
 Arikawa, A., see Kemmochi, Y. 943(2002)295
 Arlt, K., Brandt, S. and Kehr, J.
 Amino acid analysis in five pooled single plant cell samples using capillary electrophoresis coupled to laser-induced fluorescence detection 926(2001)319
 Arlt, W., see Ching, C.B. 945(2002)117
 Armstrong, D.W., see Anderson, J.L. 946(2002)197
 Armstrong, D.W., see Hui, F. 906(2001)91
 Armstrong, D.W., see Péter, A. 904(2000)1
 Armstrong, D.W., see Péter, A. 919(2001)79
 Armstrong, D.W., see Péter, A. 926(2001)229
 Arnošťová, H., Kučerová, Z., Tišlerová, I., Trnka, T. and Tichá, M.
 Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211
 Arrebola, F.J., see Cruz Márquez, M. 939(2001)79
 Arrieta, I., see Arias, R. 916(2001)297
 Asano, N., see Scholl, Y. 928(2001)217
 Asbury, G.R. and Hill Jr., H.H.
 Separation of amino acids by ion mobility spectrometry 902(2000)433
 Asperger, A., Efer, J., Koal, T. and Engewald, W.
 On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography–tandem mass spectrometry 937(2001)65
 Astorga-Llorens, C., see Larsen, B.R. 926(2001)167
 Asztemborska, M., Nowakowski, R. and Sybilska, D.
 Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381
 Atkinson, J.E., see Airs, R.L. 917(2001)167
 Atta Rashid, K., see Gavril, D. 919(2001)349
 Atta Rashid, K., Gavril, D., Katsanos, N.A. and Karaiskakis, G.
 Flux of gases across the air–water interface studied by reversed-flow gas chromatography 934(2001)31
 Attinà, M., see Baciocchi, R. 911(2001)135
 Aubagnac, J.-L., see Farenc, C. 910(2001)61
 Aucamp, J.P., see Wright, L.P. 919(2001)205
 Audhuy, F., see Blanche, F. 921(2001)39
 Audran, M., see Farenc, C. 910(2001)61
 Aue, W.A., see Thurbide, K.B. 905(2001)241
 Auger, J., see Casaña-Giner, V. 921(2001)341
 Augier, C., see Schneider, R. 936(2001)145
 Aussenac, J., Chassagne, D., Claparols, C., Charpentier, M., Duteurtre, B., Feuillat, M. and Charpentier, C.
 Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155
 Aust, O., Sies, H., Stahl, W. and Polidori, M.C.
 Analysis of lipophilic antioxidants in human serum and tissues: tocopherols and carotenoids (Review) 936(2001)83
 Au-Yeung, S.C.F., see To, K.K.W. 947(2002)319
 Avdalovic, N., see Madden, J.E. 910(2001)173
 Avdalovic, N., see Murihiy, J.P. 924(2001)233
 Avdalovic, N., see Murihiy, J.P. 943(2002)311
 Avdalovic, N., see Novič, M. 909(2001)289
 Avramides, E.J., see Lentza-Rizos, Ch. 912(2001)135
 Avramides, E.J., see Lentza-Rizos, Ch. 921(2001)297
 Axelsson, A., see Pålsson, E. 912(2001)235
 Ayala, J.H., see Cárdenes, L. 946(2002)133
 Ayala, J.H., see Pino, V. 949(2002)291
- ## B
- Baba, H., see Abe, T. 920(2001)173
 Bächmann, K., see Lochmann, H. 917(2001)311
 Bachmann, S., see Silva, C.R. 948(2002)85
 Bachmann, S., see Tonhi, E. 948(2002)97

- Baciocchi, R., Attinà, M., Lombardi, G. and Boni, M.R.
Fast determination of phenols in contaminated soils
911(2001)135
- Baciocchi, R., Zenoni, G., Mazzotti, M. and Morbidelli, M.
Separation of binaphthol enantiomers through achiral
chromatography 944(2002)225
- Backofen, U., Matsysik, F.-M. and Lunte, C.E.
Determination of cannabinoids in hair using high-pH* non-
aqueous electrolytes and electrochemical detection. Some
aspects of sensitivity and selectivity 942(2001)259
- Báčková, V., see Jandera, P. 917(2001)123
- Báčková, V., see Jandera, P. 919(2001)67
- Báčková, V., see Jandera, P. 925(2001)19
- Badenhorst, D., see Sutherland, F.C.W. 914(2001)37
- Badenhorst, D., see Sutherland, F.C.W. 914(2001)45
- Baggiani, C., Giovannoli, C., Anfossi, L. and Tozzi, C.
Molecularly imprinted solid-phase extraction sorbent for the
clean-up of chlorinated phenoxyacids from aqueous
samples 938(2001)35
- Bagheri, H. and Saraji, M.
New polymeric sorbent for the solid-phase extraction of
chlorophenols from water samples followed by gas
chromatography–electron-capture detection 910(2001)87
- Bailey, D.J. and Dorsey, J.G.
Linear solvation energy relationships of mixed micelles of
sodium dodecyl sulfate and decanol: towards a better
model of octanol/water partitioning 919(2001)181
- Bailey, G.S., see Loveland, P.M. 932(2001)33
- Baillet, A., see Bleton, J. 917(2001)251
- Baillet, A., see Deschamps, F.S. 928(2001)127
- Bailly, M., see Nicolaos, A. 908(2001)71
- Bailly, M., see Nicolaos, A. 908(2001)87
- Bajad, S., Johri, R.K., Singh, K., Singh, J. and Bedi, K.L.
Simple high-performance liquid chromatography method for
the simultaneous determination of ketoconazole and
piperine in rat plasma and hepatocyte culture 949(2002)43
- Baker, G.B., see Chen, Z. 914(2001)293
- Bakkali, A., see Korta, E. 930(2001)21
- Bald, E., see Chwatko, G. 949(2002)141
- Bald, E., see Glowacki, R. 914(2001)29
- Bald, E., Glowacki, R. and Drzewoski, J.
Determination by liquid chromatography of free and total
cysteine in human urine in the form of its *S*-quinolinium
derivative 913(2001)319
- Baldet-Dupy, P., see Girod, S. 943(2002)147
- Balke, S.T., see Karami, A. 911(2001)127
- Balke, S.T., see Torabi, K. 910(2001)19
- Ballantine, D.S., see Graffis, C.A. 946(2002)185
- Bamba, T., Fukusaki, E., Kajiyama, S., Ute, K., Kitayama, T.
and Kobayashi, A.
High-resolution analysis of polyprenols by supercritical
fluid chromatography 911(2001)113
- Bambagiotti-Alberti, M., see Coran, S.A. 915(2001)209
- Ban, E., Nam, H.-S. and Yoo, Y.S.
Competitive immunoassay for recombinant hirudin using
capillary electrophoresis with laser-induced fluorescence
detection 924(2001)337
- Baratova, L., see Ivanov, A.R. 913(2001)315
- Barbarin, N., Tilquin, B. and de Hoffmann, E.
Radiosterilization of cefotaxime: investigation of potential
degradation compounds by liquid chromatography–
electrospray mass spectrometry 929(2001)51
- Barbas, C., see Galli, V. 949(2002)367
- Barbas, C., see Rupérez, F.J. 935(2001)45
- Barbas, C., see Torre, J. 919(2001)305
- Barberá, R., see Rodrigo, N. 947(2002)97
- Barbero, L., see Piquet, G. 944(2002)141
- Barbosa, J., see Barrón, D. 919(2001)395
- Barbosa, J., see Hernández-Arteseros, J.A. 945(2002)1
- Barbosa, J., see Sanz-Nebot, V. 921(2001)69
- Barbosa, J., see Sanz-Nebot, V. 933(2001)45
- Barbosa, J., see Sanz-Nebot, V. 942(2001)145
- Barbosa, J., see Sanz-Nebot, V. 950(2002)99
- Barbosa, J., Toro, I., Bergés, R. and Sanz-Nebot, V.
Retention behaviour of peptides, quinolones, diuretics and
peptide hormones in liquid chromatography. Influence of
ionic strength and pH on chromatographic retention
915(2001)85
- Barbot, A., see Blanche, F. 921(2001)39
- Barceló, D., see Farré, M. 938(2001)187
- Barceló, D., see Ferrer, I. 926(2001)221
- Barceló, D., see Knepper, T.P. 938(2001)1
- Barceló, D., see Loos, R. 938(2001)45
- Barceló, D., see López de Alda, M.J. 911(2001)203
- Barceló, D., see López de Alda, M.J. 938(2001)145
- Barceló, D., see Pérez, S. 938(2001)57
- Barker, S., see Tan, W.G. 924(2001)377
- Barnes, R.A., see dos Santos Pereira, A. 947(2002)255
- Baron, G.V., see Desmet, G. 924(2001)111
- Baron, G.V., see Desmet, G. 946(2002)51
- Baron, G.V., see Desmet, G. 948(2002)19
- Barranco, A., see Alonso-Salces, R.M. 933(2001)37
- Barrett, D.A., Brown, V.A., Watson, R.C., Davies, M.C., Shaw,
P.N., Ritchie, H.J. and Ross, P.
Effects of acid treatment on the trace metal content of
chromatographic silica: bulk analysis, surface analysis and
chromatographic performance of bonded phases
905(2001)69
- Barriocanal, C., see Díez, M.A. 945(2002)161
- Barriocanal, C., see Domínguez, A. 918(2001)135
- Barron, A.E., see McCormick, L.C. 924(2001)43
- Barrón, D., Jimenez-Lozano, E. and Barbosa, J.
Prediction of electrophoretic behaviour of a series of
quinolones in aqueous methanol 919(2001)395
- Barroso, C.G., see Domínguez, C. 918(2001)303
- Barroso, C.G., see Palma, M. 921(2001)169
- Barta, C., Ronai, Z., Nemoda, Z., Szekely, A., Kovacs, E.,
Sasvari-Szekely, M. and Guttman, A.
Analysis of dopamine D4 receptor gene polymorphism
using microchip electrophoresis 924(2001)285
- Barták, P., see Bednář, P. 917(2001)319
- Bartels, T., see Gerecke, A.C. 930(2001)9
- Bartle, K.D. and Myers, P.
Theory of capillary electrochromatography (Review)
916(2001)3

- Barua, A.B.
Improved normal-phase and reversed-phase gradient high-performance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71
- Barut, M., see Branović, K. 903(2000)21
- Barwick, V.J., Ellison, S.L.R., Lucking, C.L. and Burn, M.J.
Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267
- Bashir, W. and Paull, B.
Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191
- Bashir, W. and Paull, B.
Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301
- Bashir, W. and Paull, B.
Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2001)73
- Basili, N., see Scaccia, S. 915(2001)167
- Baškevičiūtė, B., see Zaveckas, M. 904(2000)145
- Bastarda, A., see Grahek, R. 918(2001)319
- Bate, I.M., see Thomas, T.M. 944(2002)161
- Battersby, J.E., Snedecor, B., Chen, C., Champion, K.M., Riddle, L. and Vanderlaan, M.
Affinity-reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61
- Battu, S., see Clarot, I. 903(2000)67
- Baud, B., see Roger, P. 917(2001)179
- Baumann, H., see Harding, S.G. 905(2001)19
- Baumes, R., see Masson, E. 905(2001)183
- Baumes, R., see Schneider, R. 936(2001)145
- Bautista-Sánchez, A., see Muñoz de la Peña, A. 950(2002)287
- Bayle, C., see Liu, X. 924(2001)323
- Bayle, C., see Siméon, N. 913(2001)253
- Bayona, J.M., see Bou Carrasco, P. 909(2001)61
- Bazzanella, A., see Lochmann, H. 917(2001)311
- Beam, B., see Koch, J.T. 914(2001)223
- Beaudet, S., see Groom, C.A. 909(2001)53
- Be Brabander, H.F., see De Wasch, K. 912(2001)311
- Becchi, M., Perret, F., Carraze, B., Beziau, J.F. and Michel, J.P.
Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography–mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207
- Becher, G., see Thomsen, C. 923(2001)299
- Beck, N.V., Carrick, W.A., Cooper, D.B. and Muir, B.
Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221
- Beckers, J.L., Gebauer, P. and Boček, P.
Why robust background electrolytes containing multivalent ionic species can fail in capillary zone electrophoresis 916(2001)41
- Bedi, K.L., see Bajad, S. 949(2002)43
- Bednář, P., Barták, P., Adamovský, P., Gavenda, A., Ševčík, J. and Stránský, Z.
Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319
- Bedsworth, W.W. and Sedlak, D.L.
Determination of metal complexes of ethylenediaminetetraacetate in the presence of organic matter by high-performance liquid chromatography 905(2001)157
- Beens, J., Adahchour, M., Vreuls, R.J.J., Van Altena, K. and Brinkman, U.A.Th.
Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127
- Behre, E., see Saenko, E. 921(2001)49
- Beitle, R.R., see Li, Y. 909(2001)183
- Bekkouche, K., see Cherkaoui, S. 922(2001)321
- Bekkouche, K., see Daali, Y. 903(2000)237
- Belenky, A., see Gilar, M. 921(2001)3
- Bellini, M.S., Deyl, Z., Manetto, G. and Kohlíčková, M.
Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483
- Belloli, E., Foulon, C., Yous, S., Vaccher, M.-P., Bonte, J.-P. and Vaccher, C.
Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101
- Belmonte, Á., see Hernando, M.D. 938(2001)103
- Beltrán, J.L., see Hernández-Arteseros, J.A. 942(2001)275
- Beltrán, J.L., see Pérez-Urquiza, M. 917(2001)331
- Benavente, F., see Sanz-Nebot, V. 921(2001)69
- Benavente, F., see Sanz-Nebot, V. 942(2001)145
- Benavente, F., see Sanz-Nebot, V. 950(2002)99
- Bendig, J., see Sergejeva, T.A. 907(2001)89
- Bengtsson, F., see Öhman, D. 947(2002)247
- Benincasa, M.-A. and Caldwell, K.D.
Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159
- Bennett, B.D., see Kato, M. 924(2001)187
- Benvegna, T., see Cassel, S. 919(2001)95
- Berberich, D.W., see Matchett, M.W. 927(2001)97
- Berezki, A., Tolokán, A., Horvai, G., Horváth, V., Lanza, F., Hall, A.J. and Sellergren, B.
Determination of phenytoin in plasma by molecularly imprinted solid-phase extraction 930(2001)31
- Berek, D.
Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75
- Berezkin, V.G., Alishoev, V.R., Korolev, A.A. and Malyukova, I.V.
Ammonia as a carrier gas for acidic–basic chromatography 903(2000)173
- Berezkin, V.G., Alishoev, V.R., Korolev, A.A. and Malyukova, I.V.
Ammonia as carrier gas in capillary gas–liquid chromatography 918(2001)423

- Berezkin, V.G., Lapin, A.B. and Malyukova, I.V.
Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357
- Berg, M., see Kuban, P. 912(2001)163
- Bergaentzlé, M., see Ndaw, S. 928(2001)77
- Bergamaschi, L., see Pace, G. 907(2001)81
- Berger, S.J., see Shen, Y. 914(2001)257
- Bergés, R., see Barbosa, J. 915(2001)85
- Bergli, S.O., see Egeberg, P.K. 950(2002)221
- Bergström, E.T., see Driffield, M. 939(2001)41
- Bermejo, J., Fernández, A.L., Granda, M., Suelves, I., Herod, A.A., Kandiyoti, R. and Menéndez, R.
Study of the polymerization of anthracene oil with AlCl₃ by chromatography and related techniques 919(2001)255
- Bermejo, R., Talavera, E.M. and Alvarez-Pez, J.M.
Chromatographic purification and characterization of B-phycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135
- Bernal, J.L., see Jiménez, J.J. 919(2001)147
- Bernal, J.L., see Jiménez, J.J. 919(2001)373
- Bernal, J.L., see Jiménez, J.J. 946(2002)247
- Bernal, J.L., see Nozal, M.J. 917(2001)95
- Bernal, J.L., see Nozal, M.J. 919(2001)87
- Bernal, J.L., see Toribio, L. 921(2001)305
- Berrueta, L.A., see Alonso-Salces, R.M. 933(2001)37
- Berrueta, L.A., see Korta, E. 930(2001)21
- Bertho, G., see Meng, Y. 935(2001)309
- Berthod, A. and Billardello, B.
Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323
- Berthod, A., see Tomer, S. 923(2001)7
- Berthod, A., see Zukowski, J. 948(2002)331
- Berton, A., see Pace, G. 907(2001)81
- Bertoncini, F., Thiébaud, D., Caude, M., Gagean, M., Carrazé, B., Beurdouche, P. and Duteurtre, X.
On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127
- Bertucci, C., see Gotti, R. 916(2001)175
- Berzas Nevado, J.J., Castañeda Peñalvo, G. and Guzmán Bernardo, F.J.
Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205
- Bester, K., see Weigel, S. 912(2001)151
- Bettencourt, A.M., see Larsen, B.R. 926(2001)167
- Betts, T.J.
Chemical characterisation of the different types of volatile oil constituents by various solute retention ratios with the use of conventional and novel commercial gas chromatographic stationary phases (Review) 936(2001)33
- Beurdouche, P., see Bertoncini, F. 910(2001)127
- Bevan, C., see Valkó, K. 933(2001)73
- Bewsher, A.D., Polya, D.A., Lythgoe, P.R., Bruckshaw, I.M. and Manning, D.A.C.
Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247
- Beziau, J.F., see Becchi, M. 905(2001)207
- Bhoumik, D., see Suryanarayana, M.V.S. 907(2001)229
- Biagini, A., see Farine, S. 920(2001)299
- Biagini, A., see L'homme, C. 920(2001)291
- Biancardi, A., see Chiavaro, E. 937(2001)31
- Bianchetti, M., see Zolla, L. 912(2001)269
- Bicchi, C., Brunelli, C., Galli, M. and Sironi, A.
Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129
- Bielčíková, J., see Masár, M. 916(2001)101
- Bielejewska, A., Duszczyk, K. and Sybilska, D.
Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81
- Bielicka, K. and Voelkel, A.
Selectivity of solid-phase extraction phases in the determination of biodegradation products 918(2001)145
- Bienert, M., see Wieprecht, T. 912(2001)1
- Biernat, J.F., see Przyk, E. 928(2001)99
- Billardello, B., see Berthod, A. 902(2000)323
- Billiet, H.A.H., see Houwing, J. 944(2002)189
- Billiot, E.J., see Billiot, F.H. 922(2001)329
- Billiot, E.J., see Haddadian Billiot, F. 950(2002)233
- Billiot, F.H., Billiot, E.J. and Warner, I.M.
Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329
- Binet, A., see Février, P. 923(2001)53
- Birck-Wilson, E., see Schwartz, W. 908(2001)251
- Björklund, E., see Müller, A. 925(2001)197
- Björklund, E., see Sparr Eskilsson, C. 902(2000)227
- Björklund, E., see Turner, C. 947(2002)1
- Black, G.E., see Abramson, F.P. 913(2001)269
- Blanc, P., see Rivasseau, C. 920(2001)345
- Blanc, T., see Dolan, J.W. 910(2001)385
- Blanchart, P., see Cardot, P.J.P. 905(2001)163
- Blanchart, P., see Rasouli, S. 923(2001)119
- Blanche, F., Monegier, B., Faucher, D., Duchesne, M., Audhuy, F., Barbot, A., Bouvier, S., Daude, G., Dubois, H., Guillemin, T. and Maton, L.
Polypeptide composition of an adenovirus type 5 used in cancer gene therapy 921(2001)39
- Blanco, C.G., see Domínguez, A. 918(2001)135
- Blanco, M. and Valverde, I.
Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293
- Bland, J.M., Osbrink, W.L.A., Cornelius, M.L., Lax, A.R. and Vigo, C.B.
Solid-phase microextraction for the detection of termitic cuticular hydrocarbons 932(2001)119
- Blank, G.S., see Knudsen, H.L. 907(2001)145
- Blankenhorn, I., see Sacher, F. 938(2001)199

- Blaschke, G., see Chankvetadze, B. 906(2001)309
- Blasco, C., Picó, Y., Mañes, J. and Font, G.
Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227
- Błaszczczyk, U., see Janoszka, B. 938(2001)155
- Bleton, J., Gaudin, K., Chaminade, P., Goursaud, S., Baillet, A. and Tchaplal, A.
Structural analysis of commercial ceramides by gas chromatography–mass spectrometry 917(2001)251
- Blomberg, L.G., see Wan, H. 916(2001)255
- Blomberg, L.G., see Wan, H. 924(2001)59
- Blomhoff, R., see Gundersen, T.E. 935(2001)13
- Blum, M., see Horká, M. 916(2001)65
- Blumberg, L.M. and Klee, M.S.
Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113
- Blumberg, L.M. and Klee, M.S.
Metrics of separation in chromatography 933(2001)1
- Blumberg, L.M. and Klee, M.S.
Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13
- Bobeldijk, I., Brandt, A., Wullings, B. and Noij, Th.
High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277
- Bobeldijk, I., Broess, K., Speksnijder, P. and van Leerdam, T.
Determination of the herbicide amitrole in water with pre-column derivatization, liquid chromatography and tandem mass spectrometry 938(2001)15
- Bobeldijk, I., see Steen, R.J.C.A. 915(2001)129
- Bobeldijk, I., Vissers, J.P.C., Kearney, G., Major, H. and van Leerdam, J.A.
Screening and identification of unknown contaminants in water with liquid chromatography and quadrupole-orthogonal acceleration-time-of-flight tandem mass spectrometry 929(2001)63
- Boberic-Borojevic, D., see Milojevic, Z. 949(2002)79
- Boček, P., see Beckers, J.L. 916(2001)41
- Bodor, R., Kaniansky, D. and Masár, M.
Conductivity detection cell for capillary zone electrophoresis with a solution mediated contact of the separated constituents with the detection electrodes 916(2001)31
- Bodor, R., Madajová, V., Kaniansky, D., Masár, M., Jöhnck, M. and Stanislawski, B.
Isotachophoresis and isotachophoresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155
- Bodor, R., see Masár, M. 916(2001)167
- Bodzek, D., see Janoszka, B. 938(2001)155
- Bolanča, T., see Cerjan Stefanović, Š. 918(2001)325
- Bombi, G.G., see Di Marco, V.B. 931(2001)1
- Bon, C., see Rochu, D. 910(2001)347
- Bondesson, U., see Carlsson, Y. 922(2001)303
- Bonerz, M., see Ternes, T. 938(2001)175
- Boni, M.R., see Baciocchi, R. 911(2001)135
- Bonn, G.K., see Huck, C.W. 943(2002)33
- Bonnici, P.J., see Farine, S. 920(2001)299
- Bonte, J.-P., see Belloli, E. 907(2001)101
- Bonte, J.-P., see Lipka-Belloli, E. 943(2002)91
- Boon, J.J., see van den Berg, J.D.J. 950(2002)195
- Boone, C.M., Jonkers, E.Z., Franke, J.P., de Zeeuw, R.A. and Ensing, K.
Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203
- Boonkerd, S., see Van Eeckhaut, A. 903(2000)245
- Borai, E.H. and Soliman, A.A.
Monitoring and statistical evaluation of heavy metals in airborne particulates in Cairo, Egypt 920(2001)261
- Bordin, G., Cordeiro Raposo, F., de la Calle, B. and Rodriguez, A.R.
Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63
- Bordunov, A., see Slingsby, R.W. 913(2001)159
- Borges, T., see Rodríguez-Delgado, M.A. 912(2001)249
- Borremans, F., see Péter, A. 948(2002)283
- Borrey, D., Meyer, E., Lambert, W., Van Calenberg, S., Van Peteghem, C. and De Leenheer, A.P.
Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105
- Borruat, G., Roten, C.-A.H., Marchant, R., Fay, L.-B. and Karamata, D.
Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219
- Borrull, F., see Gimeno, R.A. 915(2001)139
- Borrull, F., see Martínez, D. 902(2000)65
- Borrull, F., see Peñalver, A. 922(2001)377
- Bortolotti, F., see Macchia, M. 924(2001)499
- Bortolotti, F., see Tagliaro, F. 924(2001)493
- Bosáková, Z., see Coufal, P. 946(2002)99
- Bosch, E., see Canals, I. 911(2001)191
- Bosch, E., see Espinosa, S. 945(2002)83
- Bosch, E., see Espinosa, S. 947(2002)47
- Bosch, E., see Fuguet, E. 907(2001)257
- Bosch, E., see Fuguet, E. 942(2001)237
- Bosch, E., see Rosés, M. 910(2001)187
- Bosch, E., see Valkó, K. 933(2001)73
- Boschetti, E., see Schwartz, W. 908(2001)251
- Bosch-Reig, F., see Gimeno-Adelantado, J.V. 922(2001)385
- Boselli, E., Velazco, V., Fiorenza Caboni, M. and Lercker, G.
Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239
- Botana, A.M., see González, J.C. 910(2001)119
- Botana, L.M., see González, J.C. 910(2001)119
- Bottoli, C.B.G., Chaudhry, Z.F., Fonseca, D.A., Collins, K.E. and Collins, C.H.
Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121
- Bou Carrasco, P., Escolà, R., Marco, M.-P. and Bayona, J.M.
Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61

- Bouaid, A., Ramos, L., Gonzalez, M.J., Fernández, P. and Cámara, C.
Solid-phase microextraction method for the determination of atrazine and four organophosphorus pesticides in soil samples by gas chromatography 939(2001)13
- Boucher, D., see Sion, B. 935(2001)259
- Boulaid, M., see Valverde, A. 943(2002)101
- Boulet, C.A., see Melanson, J.E. 920(2001)359
- Bouvier, E.S.P., see Gilar, M. 909(2001)111
- Bouvier, S., see Blanche, F. 921(2001)39
- Bovetto, L., see Hau, J. 926(2001)105
- Bøwadt, S., see Cohen, A. 927(2001)103
- Bowerbank, C.R., Smith, P.A., Fetterolf, D.D. and Lee, M.L.
Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives 902(2000)413
- Boysen, R.I., see Matyska, M.T. 924(2001)211
- Braaten, S.M., see Fredheim, G.E. 942(2001)191
- Bradley, S.D., see Rimmer, D.A. 928(2001)209
- Brahmachary, E., see Xu, M. 928(2001)25
- Braña-Magdalena, A., see Lehane, M. 950(2002)139
- Brancaleoni, E., see Yassaa, N. 915(2001)185
- Branch, B.R., see Fields, S.M. 913(2001)197
- Brandl, F., Pustet, N. and Mannschreck, A.
Chiroptical detection during liquid chromatography 7. The rotation angle/absorbance ratio of chiral molecules. Its possible use for on-line analysis during preparative separations of enantiomers 909(2001)147
- Brandt, A., see Bobeldijk, I. 918(2001)277
- Brandt, S., see Arlt, K. 926(2001)319
- Branović, K., Buchacher, A., Barut, M., Strancar, A. and Josić, Dj.
Application of monoliths for downstream processing of clotting factor IX 903(2000)21
- Bratt, C., Lindberg, C. and Marko-Varga, G.
Restricted access chromatographic sample preparation of low mass proteins expressed in human fibroblast cells for proteomics analysis 909(2001)279
- Brauch, H.-J., see Sacher, F. 938(2001)199
- Braun, G., see Breitenbach, J. 936(2001)59
- Braun, G., see Rehorek, A. 949(2002)263
- Brazel, D., see Dönges, R. 924(2001)307
- Breadmore, M.C., see Fritz, J.S. 942(2001)111
- Breadmore, M.C., Haddad, P.R. and Fritz, J.S.
Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31
- Breadmore, M.C., see Murrhly, J.P. 924(2001)233
- Breadmore, M.C., see Murrhly, J.P. 943(2002)311
- Breitenbach, J., Braun, G., Steiger, S. and Sandmann, G.
Chromatographic performance on a C₃₀-bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59
- Bressolle, F., see Farenc, C. 910(2001)61
- Breuil, C., see Fernandez, M.P. 922(2001)225
- Brewer, J.M., see De Borba, B.M. 919(2001)59
- Bringmann, G., Wohlfarth, M. and Heubes, M.
Observation of exchangeable protons by high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243
- Brinkman, U.A.Th., see Beens, J. 919(2001)127
- Brinkman, U.A.Th., see De Geus, H.-J. 910(2001)95
- Brinkman, U.A.Th., see De Koning, S. 922(2001)391
- Brinkman, U.A.Th., see de Rijke, E. 932(2001)55
- Brinkman, U.A.Th., see Dijkstra, R.J. 918(2001)25
- Brinkman, U.A.Th., see Geerdink, R.B. 910(2001)291
- Brinkman, U.A.Th., see Hooijschuur, E.W.J. 907(2001)165
- Brinkman, U.A.Th., see Hooijschuur, E.W.J. 928(2001)187
- Brinkman, U.A.Th., see Kristenson, E.M. 917(2001)277
- Brinkman, U.A.Th., see Kuijt, J. 907(2001)291
- Brinkman, U.A.Th., see Luthe, G. 933(2001)27
- Brinkman, U.A.Th., see Steen, R.J.C.A. 915(2001)129
- Brinkman, U.A.Th., see van Rhijn, J.A. 929(2001)31
- Brinkman, U.A.Th., see Veraart, J.R. 922(2001)339
- Broeders, J., see Luthe, G. 933(2001)27
- Broess, K., see Bobeldijk, I. 938(2001)15
- Brown, C.E., see Wang, Z. 926(2001)275
- Brown, V.A., see Barrett, D.A. 905(2001)69
- Brown, V.A., see Willetts, M. 903(2000)33
- Brownawell, B.J., see Ferguson, P.L. 938(2001)79
- Broyles, B.S., Shalliker, R.A. and Guiochon, G.
Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1
- Bruchelt, G., see Renner, S. 916(2001)247
- Bruckshaw, I.M., see Bewsher, A.D. 920(2001)247
- Brunelli, C., see Bicchì, C. 931(2001)129
- Bruns, R.E., see de Oliveira, M.A.L. 924(2001)533
- Bruzzoniti, M.C., Mentasti, E., Pohl, C.A., Riviello, J.M. and Sarzanini, C.
Effect of ion-exchange site and eluent modifiers on the anion-exchange of carboxylic acids 925(2001)99
- Bruzzoniti, M.C., Mentasti, E., Sarzanini, C. and Tarasco, E.
Liquid chromatographic methods for chloral hydrate determination 920(2001)283
- Bruzzoniti, M.C., Sarzanini, C. and Mentasti, E.
Preconcentration of contaminants in water analysis (Review) 902(2000)289
- Bryntesson, L.M.
Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103
- Brzozowski, R., Skupiński, W., Jamróz, M.H., Skarżyński, M. and Otwinowska, H.
Isolation and identification of diisopropyl-naphthalene isomers in the alkylation products of naphthalene 946(2002)221
- Buchacher, A., see Branović, K. 903(2000)21
- Buchacher, A., see Iberer, G. 921(2001)15
- Buchacher, A., see Pock, K. 921(2001)57
- Buchberger, W., see Ahrer, W. 910(2001)69
- Buchberger, W., see Ahrer, W. 912(2001)91
- Buchberger, W., see Demel, J. 931(2001)107
- Buchberger, W., see Hilder, E.F. 922(2001)293
- Buchberger, W., see Klampfl, C.W. 911(2001)277

- Buchberger, W., see Pirogov, A.V. 916(2001)51
- Buchberger, W., see Schöftner, R. 920(2001)333
- Buchmeiser, M.R.
New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233
- Buchmeiser, M.R., see Huck, C.W. 943(2002)33
- Buchmeiser, M.R., see Mayr, B. 907(2001)47
- Buchmeiser, M.R., see Mayr, B. 907(2001)73
- Budi Muljono, R.A., Darsono, F.L., Scheffer, J.J.C. and Verpoorte, R.
Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39
- Budinská, M., see Janoušková, J. 914(2001)183
- Budzinski, H., see Mazeas, L. 923(2001)165
- Bugamelli, F., see Raggi, M.A. 916(2001)289
- Buijs, J.B., see Dijkstra, R.J. 918(2001)25
- Bujalance, M., see Gómez-Ariza, J.L. 946(2002)209
- Bumelis, V., see Gelūnaitė, L. 904(2000)131
- Bumelis, V., see Zaveckas, M. 904(2000)145
- Bunčková, S., see Jandera, P. 925(2001)19
- Burinsky, D.J., see Allen, J.R. 913(2001)209
- Burn, M.J., see Barwick, V.J. 918(2001)267
- Burton, S.C., see Thwaites, E. 943(2002)77
- Busby, M.B., see Russell, W.K. 914(2001)325
- Busnel, J.P., Foucault, F., Denis, L., Lee, W. and Chang, T.
Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61
- Busson, R., see Orwa, J.A. 912(2001)369
- Bustamante-Rangel, M., see Delgado-Zamarreño, M.M. 935(2001)77
- Busto, O., see Mestres, M. 945(2002)211
- Bylund, D., Danielsson, R. and Markides, K.E.
Peak purity assessment in liquid chromatography–mass spectrometry 915(2001)43
- Byrdwell, W.C., see Neff, W.E. 912(2001)187
- Byrdwell, W.C. and Neff, W.E.
Autoxidation products of normal and genetically modified canola oil varieties determined using liquid chromatography with mass spectrometric detection 905(2001)85
- Byrne, C.D., Smith, N.W., Dearie, H.S., Moffatt, F., Wren, S.A.C. and Evans, K.P.
Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169
- Cabezudo, M.D., see Díaz-Maroto, M.C. 947(2002)23
- Caccia, P., see Piquet, G. 944(2002)141
- Cacho, J., see Ortega, C. 923(2001)205
- Cacho, J., see Ortega, L. 931(2001)31
- Cacia, J., see Wan, H.Z. 913(2001)437
- Cai, B., see Li, J. 905(2001)35
- Cai, J., Liu, B., Ling, P. and Su, Q.
Analysis of free and bound volatiles by gas chromatography and gas chromatography–mass spectrometry in uncased and cased tobaccos 947(2002)267
- Cai, J., Liu, B. and Su, Q.
Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1
- Čakrt, M., Hercegová, A., Leško, J., Polonský, J., Sádecká, J. and Skačáni, I.
Isotachophoretic determination of naproxen in the presence of its metabolite in human serum 916(2001)207
- Calanni Rindina, P., see Taibi, G. 921(2001)323
- Caldwell, K.D., see Benincasa, M.-A. 925(2001)159
- Calleri, E., see Massolini, G. 921(2001)147
- Calull, M., see Martínez, D. 902(2000)65
- Calvet, C., see Gómez-Gomar, A. 950(2002)257
- Cámara, C., see Bouaid, A. 939(2001)13
- Camarda, J., see De Borba, B.M. 919(2001)59
- Campíns-Falcó, P., see Verdú-Andrés, J. 930(2001)95
- Campos, A., see Recalde, I.B. 942(2001)53
- Canals, I., Oumada, F.Z., Rosés, M. and Bosch, E.
Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol–water mixtures 911(2001)191
- Canarelli, S., Fisch, I. and Freitag, R.
On-line microdialysis of proteins with high-salt buffers for direct coupling of electrospray ionization mass spectrometry and liquid chromatography 948(2002)139
- Cancho, B., Ventura, F. and Galceran, M.
Determination of aldehydes in drinking water using pentafluorobenzylhydroxylamine derivatization and solid-phase microextraction 943(2002)1
- Cancho Grande, B., see Rial Otero, R. 942(2001)41
- Canela, R., see Eras, J. 918(2001)227
- Cao, C.-X., Zhou, S.-L., He, Y.-Z., Qian, Y.-T., Yang, L., Qu, Q.-S., Gan, W.-E., Dong, L., Zhao, Y.-Q. and Chen, W.-K.
Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347
- Cao, C.-X., Zhou, S.-L., Qian, Y.-T., He, Y.-Z., Yang, L., Qu, Q.-S. and Chen, W.-K.
Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283
- Cao, Y., Lou, C., Fang, Y. and Ye, J.
Determination of active ingredients of *Rhododendron dauricum* L. by capillary electrophoresis with electrochemical detection 943(2002)153
- Caballero, R.D., see Ruiz-Angel, M.J. 947(2002)31
- Cabello, F., see Revilla, E. 915(2001)53

C

- Capitan-Vallvey, L.F., Titos, A., Checa, R. and Navas, N.
High-performance liquid chromatography determination of Zn-bacitracin in animal feed by post-column derivatization and fluorescence detection 943(2002)227
- Carabias-Martínez, R., see Moreno-Cordero, B. 902(2000)195
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Herrero-Hernández, E., Sánchez-San Román, F.J. and Prado Flores, M.G.
Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Moreno-Cordero, B., Pérez-Pavón, J.L., García-Pinto, C. and Fernández Laespada, M.
Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251
- Carbonell, S.A., see dos Santos Pereira, A. 947(2002)255
- Carda-Broch, S., see Detroyer, A. 912(2001)211
- Cárdenas, S., see Columé, A. 912(2001)83
- Cárdenas, L., Ayala, J.H., González, V. and Afonso, A.M.
Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133
- Cardot, P.J.P., see Clarot, I. 903(2000)67
- Cardot, P.J.P., see Rasouli, S. 923(2001)119
- Cardot, P.J.P., Rasouli, S. and Blanchart, P.
TiO₂ colloidal suspension polydispersity analysed with sedimentation field flow fractionation and electron microscopy 905(2001)163
- Careri, M., Elviri, L. and Mangia, A.
Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249
- Careri, M., Furlattini, L., Mangia, A., Musci, M., Anklam, E., Theobald, A. and von Holst, C.
Supercritical fluid extraction for liquid chromatographic determination of carotenoids in *Spirulina Pacifica* algae: a chemometric approach 912(2001)61
- Carle, R., see Schieber, A. 910(2001)265
- Carlsson, Y., Hedeland, M., Bondesson, U. and Pettersson, C.
Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303
- Carlucci, G., Mazzeo, P., Del Governatore, S., Di Giacomo, G. and Del Re, G.
Liquid chromatographic method for the analysis of tocopherols in malt sprouts with supercritical fluid extraction 935(2001)87
- Carnelley, T.J., see Tan, W.G. 924(2001)377
- Carr, P.W., see Castells, C.B. 904(2000)17
- Carr, P.W., see Ranatunga, R. 946(2002)47
- Carrascosa, A.V., see Mateo, C. 915(2001)97
- Carraze, B., see Becchi, M. 905(2001)207
- Carrazé, B., see Bertoncini, F. 910(2001)127
- Carrick, W.A., see Beck, N.V. 907(2001)221
- Carrick, W.A., Cooper, D.B. and Muir, B.
Retrospective identification of chemical warfare agents by high-temperature automatic thermal desorption–gas chromatography–mass spectrometry 925(2001)241
- Carrillo-Morales, G., Dávila-Jiménez, M.M., Elizalde-González, M.P. and Peláez-Cid, A.A.
Removal of metal ions from aqueous solution by adsorption on the natural adsorbent CACMM2 938(2001)237
- Carta, G., see Hunter, A.K. 930(2001)79
- Carta, G., see Hunter, A.K. 937(2001)13
- Carter, J.F., see Talbot, H.M. 921(2001)175
- Carter, S., see Li, X.-F. 914(2001)5
- Casamenti, G., see Raggi, M.A. 949(2002)23
- Casaña-Giner, V., Oliver, J.E., Thibout, E. and Auger, J.
On the pheromone of the Asparagus fly, *Platyparea poeciloptera* 921(2001)341
- Casas-Catalán, M.J., see Gimeno-Adelantado, J.V. 922(2001)385
- Casella, I.G. and Gatta, M.
Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223
- Cassada, D.A., see Zhu, J. 928(2001)177
- Cassel, S., Chaïmbault, P., Debaig, C., Benvegna, T., Claude, S., Plusquellec, D., Rollin, P. and Lafosse, M.
Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95
- Castañeda Peñalvo, G., see Berzas Nevado, J.J. 918(2001)205
- Castells, C.B. and Carr, P.W.
Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17
- Castells, R.C., see Castillo, M.A. 921(2001)121
- Castells, R.C., see González, F.R. 927(2001)111
- Castillo, M.A. and Castells, R.C.
Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121
- Castle, W.S., see Lee, H.S. 913(2001)371
- Castro Cano, M.L., see Cruz Márquez, M. 939(2001)79
- Castro, J., Pérez, R.A., Miguel, E., Sánchez-Brunete, C. and Tadeo, J.L.
Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119
- Castro, J., Sánchez-Brunete, C. and Tadeo, J.L.
Multiresidue analysis of insecticides in soil by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 918(2001)371
- Castro, R., Moyano, E. and Galceran, M.T.
Determination of quaternary ammonium pesticides by liquid chromatography–electrospray tandem mass spectrometry 914(2001)111
- Caude, M., see Bertoncini, F. 910(2001)127

- Cavalli, S., see Polesello, S. 920(2001)231
 Cavalli, S., see Valsecchi, S. 925(2001)297
 Cavazzini, A., see Dondi, F. 943(2002)185
 Cavazzini, A., see Szabelski, P. 950(2002)41
 Cavrini, V., see Gotti, R. 916(2001)175
 Cavrini, V., see Pomponio, R. 945(2002)239
 Cazemier, G., see Theodoridis, G. 948(2002)177
 Cecilia, A., see Draisci, R. 926(2001)97
 Cerjan Stefanović, Š., Bolanča, T. and Ćurković, L.
 Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography 918(2001)325
 Cert, A., see Moreda, W. 936(2001)159
 Cha, G.S., see Lee, D.K. 902(2000)337
 Chai, X.-S., Luo, Q. and Zhu, J.Y.
 Analysis of nonvolatile species in a complex matrix by headspace gas chromatography 909(2001)249
 Chai, X.S., Luo, Q. and Zhu, J.Y.
 Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177
 Chai, Z., see Sun, X. 943(2002)209
 Chaimbault, P., see Cassel, S. 919(2001)95
 Chakraborty, A. and Regnier, F.E.
 Global internal standard technology for comparative proteomics 949(2002)173
 Chaler, R., Simoneit, B.R.T. and Grimalt, J.O.
 Bile acids and sterols in urban sewage treatment plants 927(2001)155
 Chalmers, J.J., see Hoyos, M. 903(2000)99
 Chaminade, P., see Bleton, J. 917(2001)251
 Chaminade, P., see Deschamps, F.S. 928(2001)127
 Champion, K.M., see Battersby, J.E. 927(2001)61
 Champion, W.L. Jr., see Jackson Ellington, J. 928(2001)145
 Chan, B.T.-P., see Gong, F. 909(2001)237
 Chan, F., see Kazakevich, Y.V. 913(2001)75
 Chan, F., see Rustamov, I. 913(2001)49
 Chan, K.K.
 Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47
 Chan, S.-W., see Li, S.-L. 909(2001)207
 Chan, S.-W., see Lin, G. 935(2001)321
 Chang, C.M., see Fuh, C.B. 923(2001)263
 Chang, C.-T., see Jen, J.-F. 930(2001)119
 Chang, H.-T., see Hsieh, M.-M. 924(2001)397
 Chang, H.-T., see Tseng, W.-L. 924(2001)93
 Chang, H.-T., see Tseng, W.-L. 927(2001)179
 Chang, P.-L., see Tseng, W.-L. 927(2001)179
 Chang, S., see Lee, H.G. 947(2002)143
 Chang, T., see Busnel, J.P. 930(2001)61
 Chang, T., see Lee, W. 910(2001)51
 Chang, T., see Lee, W. 919(2001)229
 Chang, Y.L., Chou, M.H., Lin, M.F., Chen, C.F. and Tsai, T.H.
 Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77
 Chang-Chien, G.-P., Lee, W.-S., Tsai, J.-L. and Jeng, S.-H.
 Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97
 Chankvetadze, B.
 Preface 906(2001)1
 Chankvetadze, B. and Blaschke, G.
 Enantioseparations in capillary electromigration techniques: recent developments and future trends 906(2001)309
 Chankvetadze, B., Yamamoto, C. and Okamoto, Y.
 Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous–organic and normal-phase eluents 922(2001)127
 Chao, H., see Shaw, C.J. 913(2001)365
 Charpentier, C., see Aussenac, J. 907(2001)155
 Charpentier, M., see Aussenac, J. 907(2001)155
 Charvátová, J., Matějka, P., Král, V. and Deyl, Z.
 Open-tubular electrochromatography of organic phosphates on a saphyrin-modified capillary 921(2001)99
 Chassagne, D., see Aussenac, J. 907(2001)155
 Chau, F.-T., see Gong, F. 905(2001)193
 Chau, F.-T., see Gong, F. 909(2001)237
 Chau, M.-H., see Liu, C.-Y. 933(2001)117
 Chaudhry, Z.F., see Bottoli, C.B.G. 948(2002)121
 Chaumont, J.P., see Perrin, F.X. 950(2002)281
 Checa, R., see Capitan-Vallvey, L.F. 943(2002)227
 Chen, C., see Battersby, J.E. 927(2001)61
 Chen, C.-C., see Lin, C.-E. 910(2001)165
 Chen, C.F., see Chang, Y.L. 914(2001)77
 Chen, C.F., see Cheng, F.C. 949(2002)35
 Chen, C.F., see Tsai, T.H. 914(2001)83
 Chen, C.-H. and Lee, W.-C.
 Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31
 Chen, C.-S., see Chen, W.-Y. 923(2001)1
 Chen, C.-S., see Lin, F.-Y. 912(2001)281
 Chen, F., see Li, H.-B. 905(2001)151
 Chen, F., see Li, H.-B. 918(2001)335
 Chen, F., see Li, H.-B. 925(2001)109
 Chen, F., see Li, H.-B. 925(2001)133
 Chen, F., see Li, H.-B. 932(2001)91
 Chen, F., see Li, H.-B. 943(2002)235
 Chen, F.-T.A., Shen, G. and Evangelista, R.A.
 Characterization of highly sulfated cyclodextrins 924(2001)523
 Chen, G., Zhang, J. and Ye, J.
 Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255
 Chen, H., Zuo, Y. and Deng, Y.
 Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387
 Chen, H.-W., see Lin, C.-E. 910(2001)165
 Chen, H.-W., see Lin, C.-E. 917(2001)297
 Chen, H.-W., see Lin, C.-E. 924(2001)83
 Chen, H.-Y., see Yang, W.-C. 905(2001)309
 Chen, H.-Y., see Yang, W.-C. 910(2001)311
 Chen, J.-G., Glancy, K., Chen, X. and Alasandro, M.
 Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

- Chen, K.-H., see Lin, C.-E. 930(2001)155
- Chen, L., Han, Y., Yang, F. and Zhang, T.
High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343
- Chen, L., Zhang, L.-F., Ching, C.-B. and Ng, S.-C.
Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-*O*-phenylcarbamoylated)- β -cyclodextrin immobilized onto amino-functionalized silica gel via multiple urea linkages 950(2002)65
- Chen, M.-J., see Lin, C.-E. 923(2001)241
- Chen, M.-J., see Lin, C.-E. 924(2001)83
- Chen, Q.-C. and Wang, J.
Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57
- Chen, S.-H., see Lin, Y.-H. 937(2001)115
- Chen, S.-H., see Yang, D.-Yu. 913(2001)349
- Chen, T.-C. and Her, G.-R.
On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229
- Chen, W.-K., see Cao, C.-X. 907(2001)347
- Chen, W.-K., see Cao, C.-X. 922(2001)283
- Chen, W.-L., see Wang, J.-L. 927(2001)143
- Chen, W.-Y., Chen, C.-S. and Lin, F.-Y.
Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1
- Chen, W.-Y., see Lin, F.-Y. 912(2001)281
- Chen, X., see Chen, J.-G. 917(2001)63
- Chen, X., see Liu, S. 928(2001)109
- Chen, X., see Zhang, H. 907(2001)353
- Chen, X.X., see Yuan, L.M. 927(2001)91
- Chen, Y., Kele, M., Quiñones, I., Sellergren, B. and Guiochon, G.
Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1
- Chen, Y., see Lu, X. 945(2002)249
- Chen, Y.F., see Tsai, T.H. 914(2001)83
- Chen, Y.-H., Chung, Yu.-L. and Lin, C.-H.
Ultra-low-temperature non-aqueous capillary electrophoretic separation–77 K fluorescence spectroscopic detection for the on-line identification of photo-converted analytes of *trans*-resveratrol 943(2002)287
- Chen, Y.W., see Wang, T. 902(2000)345
- Chen, Z., see Liang, D. 931(2001)163
- Chen, Z., Naidu, R. and Subramanian, A.
Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219
- Chen, Z., see Song, L. 915(2001)231
- Chen, Z., Uchiyama, K. and Hobo, T.
Chemically modified chiral monolithic silica column prepared by a sol–gel process for enantiomeric separation by micro high-performance liquid chromatography 942(2001)83
- Chen, Z., Wu, J., Baker, G.B., Parent, M. and Dovichi, N.J.
Application of capillary electrophoresis with laser-induced fluorescence detection to the determination of biogenic amines and amino acids in brain microdialysate and homogenate samples 914(2001)293
- Chen, Z., see Xu, J. 942(2001)289
- Cheng, C.-H., see Yang, D.-Yu. 913(2001)349
- Cheng, F.C., Ho, Y.F., Hung, L.C., Chen, C.F. and Tsai, T.H.
Determination and pharmacokinetic profile of omeprazole in rat blood, brain and bile by microdialysis and high-performance liquid chromatography 949(2002)35
- Cheng, F.C., see Tsai, T.H. 914(2001)83
- Cheng, F.-C., see Wu, Y.-S. 913(2001)341
- Cheng, F.-C., see Yang, D.-Yu. 913(2001)349
- Cheng, H., see Du, Q. 921(2001)331
- Cheng, J.-K., see Liu, Y.-M. 939(2001)91
- Cheng, Y.-F., see Neue, U.D. 925(2001)49
- Chenier, C.L., see D'Agostino, P.A. 950(2002)149
- Chenoweth, D.M., see Nurok, D. 903(2000)211
- Cheong, W.J. and Keum, Y.I.
Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195
- Chepkwony, H.K., Roets, E. and Hoogmartens, J.
Liquid chromatography of troleandomycin 914(2001)53
- Cherasco, F., see Lentza-Rizos, Ch. 912(2001)135
- Cherkaoui, S., Bekkouche, K., Christen, P. and Veuthey, J.-L.
Non-aqueous capillary electrophoresis with diode array and electro spray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321
- Cherkaoui, S., see Daali, Y. 903(2000)237
- Cherkaoui, S., see Tran, N.T. 929(2001)151
- Cherrak, D.E., Al-Bokari, M., Drumm, E.C. and Guiochon, G.
Behavior of packing materials in axially compressed chromatographic columns 943(2002)15
- Cherrak, D.E. and Guiochon, G.
Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147
- Cherton, J.-C., see Jerosch, H. 927(2001)31
- Cheung, A.P., see He, J. 913(2001)355
- Cheung, C.S., see Cheung, H.Y. 930(2001)171
- Cheung, H.Y., Cheung, C.S. and Kong, C.K.
Determination of bioactive diterpenoids from *Andrographis paniculata* by micellar electrokinetic chromatography 930(2001)171
- Cheung, H.Y., Ng, C.W. and Hood, D.J.
Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119
- Chia, L.S., see Hua, L. 909(2001)297
- Chiang, M.-T. and Whang, C.-W.
Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

- Chiap, P., Hubert, P. and Crommen, J.
Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151
- Chiari, M., see de Ridder, R. 916(2001)73
- Chiavari, G., Fabbri, D. and Prati, S.
Gas chromatographic–mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235
- Chiavaro, E., Dall'Asta, C., Galaverna, G., Biancardi, A., Gambarelli, E., Dossena, A. and Marchelli, R.
New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31
- Chieh, C.-L., see Sheu, S.-J. 911(2001)285
- Chiem, N., see Youssof Badal, M. 947(2002)277
- Chien, R.-L., see Yang, H. 924(2001)155
- Chilenski, J., see Ko, J. 913(2001)15
- Ching, C.-B., see Chen, L. 950(2002)65
- Ching, C.B., Wu, Y.X., Lisso, M., Wozny, G., Laiblin, T. and Arlt, W.
Study of feed temperature control of chromatography using computational fluid dynamics simulation 945(2002)117
- Chirica, G.S. and Remcho, V.T.
Novel monolithic columns with templated porosity 924(2001)223
- Chisvert, A., Pascual-Martí, M.C. and Salvador, A.
Determination of the UV filters worldwide authorised in sunscreens by high-performance liquid chromatography. Use of cyclodextrins as mobile phase modifier 921(2001)207
- Chládek, J., see Nobilis, M. 949(2002)11
- Chmelík, J., see Janoušková, J. 914(2001)183
- Chmelík, J., see Plocková, J. 918(2001)361
- Chmieliauskaitė, V., see Zaveckas, M. 904(2000)145
- Cho, B.-Y., see Liu, H. 927(2001)77
- Cho, D., see Lee, W. 910(2001)51
- Cho, D., see Lee, W. 919(2001)229
- Chockalingam, P.S., Gadgil, H. and Jarrett, H.W.
DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2001)167
- Choi, B.K., Hercules, D.M. and Gusev, A.I.
Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337
- Choi, J.-G., Kim, M., Dadoo, R. and Zare, R.N.
Electrophoretion: a new method for enhancing resolution in electrokinetic separations 924(2001)53
- Choi, M.M.F., see Shuang, S. 919(2001)321
- Choi, S.-H., see Lee, K.-P. 948(2002)129
- Choi, S.Y., see Hyun, M.H. 922(2001)119
- Choi, W.-Y., see Lurie, I.S. 924(2001)421
- Chou, M.H., see Chang, Y.L. 914(2001)77
- Chowdhury, B., Rozan, P., Kuo, Yu.-H., Sumino, M. and Lambein, F.
Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129
- Christen, P., see Cherkaoui, S. 922(2001)321
- Christen, P., see Daali, Y. 903(2000)237
- Christensen, B.E., see Fredheim, G.E. 942(2001)191
- Christians, T. and Holzgrabe, U.
New single-isomer chiral selector for capillary electrophoresis: the highly water-soluble *heptakis*(2-*N,N*-dimethylcarbamoyl)- β -cyclodextrin 911(2001)249
- Christophersen, C., see Holst, P.B. 903(2000)267
- Chu, B., see Liang, D. 909(2001)271
- Chu, B., see Liang, D. 931(2001)163
- Chu, B., see Song, L. 915(2001)231
- Chuang, W.-L., McAllister, H. and Rabenstein, D.L.
Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65
- Chun, B.O., see Lee, W. 910(2001)51
- Chun, B.O., see Lee, W. 919(2001)229
- Chung, W.-C., see Jen, J.-F. 912(2001)363
- Chung, Yu.-L., see Chen, Y.-H. 943(2002)287
- Chwatko, G. and Bald, E.
Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141
- Ciccio, P., see Yassaa, N. 915(2001)185
- Cichna, M., Markl, P., Knopp, D. and Niessner, R.
On-line coupling of sol–gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51
- Čihák, M., see Coufal, P. 946(2002)99
- Cini, M., see Gatti, R. 905(2001)345
- Cirilli, R., Costi, R., Di Santo, R., Ferretti, R., La Torre, F., Angiolella, L. and Micocci, M.
Analytical and semipreparative enantiomeric separation of azole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2001)107
- Cirilli, R., Del Giudice, M.R., Ferretti, R. and La Torre, F.
Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27
- Cittadini, F., see Tagliaro, F. 924(2001)493
- Citterio, A., see Sebastiani, R. 924(2001)71
- Claessens, H.A., see Cottet, H. 915(2001)241
- Claessens, H.A., see Jiang, T. 923(2001)215
- Claessens, H.A., see Mengerink, Y. 914(2001)131
- Claessens, H.A., see Mengerink, Y. 949(2002)307
- Claessens, H.A., see Mengerink, Y. 949(2002)337
- Claessens, H.A., see Staněk, V. 948(2002)235
- Claessens, H.A., see Vervoort, R.J.M. 931(2001)67
- Claessens, H.A., see Vonk, E.C. 911(2001)13
- Claparols, C., see Aussenac, J. 907(2001)155
- Claparols, C., see Fabre, N. 904(2000)35
- Clark, B.J., see Mahuzier, P.-E. 924(2001)465
- Clarot, I., Clédat, D., Battu, S. and Cardot, P.J.P.
Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β -cyclodextrin as mobile phase modifier 903(2000)67
- Claude, S., see Cassel, S. 919(2001)95

- Claude, S., see Schürch, S. 905(2001)175
 Clédat, D., see Clarot, I. 903(2000)67
 Clédat, D., see Rasouli, S. 923(2001)119
 Clench, M.R., see Willetts, M. 903(2000)33
 Clicq, D., see Desmet, G. 924(2001)111
 Clicq, D., see Desmet, G. 948(2002)19
 Cloix, J.-F. and Wainer, I.W.
 Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133
 Clonis, Y.D., see Melissis, S.C. 917(2001)29
 Coates, G.A., see Lee, H.S. 913(2001)371
 Cocker, D., see Healy, L.O. 924(2001)459
 Codony, R., see Leal, C. 910(2001)285
 Coffman, J., see Moscarriello, J. 908(2001)131
 Cohen, A., Klint, K., Bøwadt, S., Persson, P. and Jönsson, J.Å.
 Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography–electrospray mass spectrometry 927(2001)103
 Cohen, A., see Richardson, S. 917(2001)111
 Cohen, S.A., see Liu, H. 927(2001)77
 Cole, S.R., see Allen, J.R. 913(2001)209
 Coleman, D.E., see Vanatta, L.E. 920(2001)143
 Coleman, D.W., see Li, P. 914(2001)147
 Coleman, J., Wrzosek, T., Roman, R., Peterson, J. and McAllister, P.
 Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23
 Coll, P., see Pietrogrande, M.C. 939(2001)69
 Collén, A., Penttilä, M., Stålbbrand, H., Tjerneld, F. and Veide, A.
 Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)–phosphate aqueous two-phase system 943(2002)55
 Collén, A., Ward, M., Tjerneld, F. and Stålbbrand, H.
 Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275
 Collins, C.H., see Bottoli, C.B.G. 948(2002)121
 Collins, C.H., see Tonhi, E. 948(2002)97
 Collins, C.H., see Tonhi, E. 948(2002)109
 Collins, G.E., see Evans III, L. 911(2001)127
 Collins, K.E., see Bottoli, C.B.G. 948(2002)121
 Collins, K.E., see Tonhi, E. 948(2002)97
 Collins, K.E., see Tonhi, E. 948(2002)109
 Collison, M.W., see Griffith, A.P. 913(2001)397
 Colombo, R., see Fernández, M. 922(2001)257
 Colombo, R., see Rossi, S. 905(2001)223
 Colón, M., see McClenny, W.A. 929(2001)89
 Colonna, P., see Roger, P. 917(2001)179
 Columé, A., Cárdenas, S., Gallego, M. and Valcárcel, M.
 Selective enrichment of 17 pyrethroids from lyophilised agricultural samples 912(2001)83
 Compañó, R., see González-Toledo, E. 946(2002)1
 Compañó, R., see Hernández-Arteseros, J.A. 942(2001)275
 Compañó, R., see Hernández-Arteseros, J.A. 945(2002)1
 Compañó, R., see Leal, C. 910(2001)285
 Compernelle, F., see Vanhees, I. 915(2001)75
 Compton, B.J., see Gilar, M. 909(2001)111
 Concejero, M., Ramos, L., Jiménez, B., Gómara, B., Abad, E., Rivera, J. and González, M.J.
 Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227
 Connolly, D. and Paull, B.
 Fast separation of UV absorbing anions using ion-interaction chromatography 917(2001)353
 Cook, H., see Hu, W. 920(2001)95
 Cools, P.J.C.H., see Kok, S.J. 948(2002)257
 Cooney, C.L., see Griffiths, S.W. 942(2001)133
 Cooper, D.B., see Beck, N.V. 907(2001)221
 Cooper, D.B., see Carrick, W.A. 925(2001)241
 Coosemans, J., see Peeters, M.-C. 920(2001)255
 Coran, S.A., Giannellini, V., Furlanetto, S., Bambagiotti-Alberti, M. and Pinzauti, S.
 Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209
 Cordeiro Raposo, F., see Bordin, G. 928(2001)63
 Cornelius, M.L., see Bland, J.M. 932(2001)119
 Cornwell, C., see Marriott, P.J. 936(2001)1
 Corradini, R., see Galaverna, G. 922(2001)151
 Corradini, R., see Lesignoli, F. 922(2001)177
 Corrêa, B., see Dilkin, P. 925(2001)151
 Coscia, D., see Szopa, C. 904(2000)73
 Costa, L., Vega, M., Díaz, Y., Marcelo, J.L., Hernández, J.M. and Martino, T.
 Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173
 Costi, R., see Cirilli, R. 942(2001)107
 Cottet, H., Gareil, P., Guenoun, P., Muller, F., Delsanti, M., Lixon, P., Mays, J.W. and Yang, J.
 Capillary electrophoresis of associative diblock copolymers 939(2001)109
 Cottet, H., Struijk, M.P., van Dongen, J.L.J., Claessens, H.A. and Cramers, C.A.
 Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241
 Couderc, F., see Liu, X. 924(2001)323
 Couderc, F., see Siméon, N. 913(2001)253
 Coufal, P., Čihák, M., Suchánková, J., Tesařová, E., Bosáková, Z. and Štulík, K.
 Methacrylate monolithic columns of 320 μm I.D. for capillary liquid chromatography 946(2002)99
 Coufal, P., see Gaš, B. 905(2001)269
 Courtheyn, D., see De Wasch, K. 912(2001)311
 Courtheyn, D., see De Wasch, K. 926(2001)79
 Courtheyn, D., see Van de Wiele, M. 904(2000)203
 Covaci, A. and Schepens, P.
 Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287
 Crabtree, S., see New, A.P. 913(2001)205

- Cramer, S.M., see Ghose, S. 928(2001)13
- Cramer, S.M., see Tugcu, N. 923(2001)65
- Cramers, C.A., see Cottet, H. 915(2001)241
- Cramers, C.A., see Jiang, T. 923(2001)215
- Cramers, C.A., see Mengerink, Y. 914(2001)131
- Cramers, C.A., see Mengerink, Y. 949(2002)307
- Cramers, C.A., see Mengerink, Y. 949(2002)337
- Cramers, C.A., see Vervoort, R.J.M. 931(2001)67
- Cramers, C.A., see Vonk, E.C. 911(2001)13
- Crego, A.L., see García-Ruiz, C. 910(2001)157
- Crego, A.L., Marina, M.L. and Lavandera, J.L.
Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337
- Crescenzi, C., Di Corcia, A., Marcomini, A., Pojana, G. and Samperi, R.
Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography–electrospray mass spectrometry 923(2001)97
- Crescenzi, C., see Möller, K. 938(2001)121
- Crommen, J., see Abushoffa, A.M. 948(2002)321
- Crommen, J., see Chiap, P. 948(2002)151
- Crommen, J., see Fillet, M. 949(2002)225
- Crommen, J., see Piette, V. 948(2002)295
- Cross, R.F.
Joule heating calculations in capillary zone electrophoresis. Reply to “Recalculation of the temperature inside capillaries using high buffer concentrations” by Zhang et al 907(2001)357
- Cross, R.F. and Smairl, A.M.
Salt effects in capillary zone electrophoresis. V. Adsorption and retention of electrically neutral analytes 929(2001)113
- Crosser, O.K., see Meyers, J.J. 908(2001)35
- Crouch, D.J., see Reilly, C.A. 912(2001)259
- Cruwys, J.A., Dinsdale, R.M., Hawkes, F.R. and Hawkes, D.L.
Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195
- Cruz Márquez, M., Arrebola, F.J., Egea González, F.J., Castro Cano, M.L. and Martínez Vidal, J.L.
Gas chromatographic–tandem mass spectrometric analytical method for the study of inhalation, potential dermal and actual exposure of agricultural workers to the pesticide malathion 939(2001)79
- Csámpai, A., see Mengerink, Y. 949(2002)99
- Cserhádi, T., see Forgács, E. 917(2001)287
- Cserhádi, T., see Forgács, E. 948(2002)69
- Cserhádi, T., see Kósa, A. 915(2001)149
- Cserhádi, T., see Mikšik, I. 921(2001)81
- Cserhádi, T., see Morais, H. 936(2001)139
- Cserhádi, T. and Forgács, E.
Liquid chromatographic separation of terpenoid pigments in foods and food products (Review) 936(2001)119
- Cserhádi, T., Forgács, E., Darwish, Y., Morais, H., Mota, T. and Ramos, A.C.
Effect of reduced glutathione on the stability of pigments in paprika powders studied by multiwavelength spectrometry and high-performance liquid chromatography 949(2002)269
- Cserhádi, T., Forgács, E., Deyl, Z., Miksik, I. and Eckhardt, A.
Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137
- Cucinotta, V., Giuffrida, A., Grasso, G., Maccarrone, G. and Vecchio, G.
Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61
- Cugat, M.J., see Martínez, D. 902(2000)65
- Cui, H., see Gong, F. 909(2001)237
- Cui, Y. and Lin, G.
Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85
- Culbertson, J.A., Prins, J.M. and Grimsrud, E.P.
Improvements in the detection and analysis of CF₃-containing compounds in the background atmosphere by gas chromatography–high-resolution mass spectrometry 903(2000)261
- Ćurković, L., see Cerjan Stefanović, Š. 918(2001)325
- Curran, M.A.J. and Palmer, A.S.
Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107
- Cvačka, J., see Koutek, B. 923(2001)137
- Czichocki, G., Fiedler, H., Haage, K., Much, H. and Weidner, S.
Characterization of alkyl polyglycosides by both reversed-phase and normal-phase modes of high-performance liquid chromatography 943(2002)241
- ## D
- Da Silva, J.A.F., Guzman, N. and do Lago, C.L.
Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2001)249
- Daali, Y., Bekkouche, K., Cherkaoui, S., Christen, P. and Veuthey, J.-L.
Use of borate complexation for the separation of non-UV-absorbing calystegines by capillary electrophoresis 903(2000)237
- Daali, Y., see Tran, N.T. 929(2001)151
- Dabek-Zlotorzynska, E., Piechowski, M., McGrath, M. and Lai, E.P.C.
Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331
- Dadoo, R., see Choi, J.-G. 924(2001)53

- D'Agostino, P.A., Chenier, C.L. and Hancock, J.R.
Packed capillary liquid chromatography–electrospray mass spectrometry of snow contaminated with sarin 950(2002)149
- D'Agostino, P.A., Hancock, J.R. and Provost, L.R.
Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography–electrospray mass spectrometry 912(2001)291
- Dainiak, M.B., Galaev, I.Yu. and Mattiasson, B.
Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2001)123
- Daishima, S., see Nakamura, S. 912(2001)329
- Daishima, S., see Nakamura, S. 919(2001)275
- Daishima, S., see Takino, M. 904(2000)65
- Daishima, S., see Takino, M. 928(2001)53
- Dall'Asta, C., see Chiavaro, E. 937(2001)31
- Dallavalle, F., see Galaverna, G. 922(2001)151
- Dallos, A., Sisak, A., Kulcsár, Z. and Kováts, E.sz.
Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211
- Dalpero, A.P., see Rossi, S. 905(2001)223
- Damasiewicz-Bodzek, A., see Janoszka, B. 938(2001)155
- Dambuleff, K., see Williams, A. 944(2002)69
- Damin, F., see de Ridder, R. 916(2001)73
- Danielsson, R., see Bylund, D. 915(2001)43
- Danková, M., Strašák, S., Molnárová, M., Kaniansky, D. and Marák, J.
Capillary zone electrophoresis of ototic acid in urine with on-line isotachopheresis sample pretreatment and diode array detection 916(2001)143
- Dansereau, S.M., see Peng, S.X. 914(2001)105
- Dapkevicius, A., van Beek, T.A. and Niederländer, H.A.G.
Evaluation and comparison of two improved techniques for the on-line detection of antioxidants in liquid chromatography eluates 912(2001)73
- Darsono, F.L., see Budi Muljono, R.A. 927(2001)39
- Darwish, Y., see Cserháti, T. 949(2002)269
- Das, M., see Rastogi, S. 933(2001)91
- Daude, G., see Blanche, F. 921(2001)39
- Daunert, S., see Feltus, A. 918(2001)381
- Daunoravicius, Z., see Jankovskiene, G. 934(2001)67
- Davelaar, E., see van Rhijn, J.A. 929(2001)31
- David, F., see Sandra, P. 928(2001)117
- David, F., see Tienpont, B. 911(2001)235
- Davies, M.C., see Barrett, D.A. 905(2001)69
- Dávila-Jiménez, M.M., see Carrillo-Morales, G. 938(2001)237
- De Almeida, C.A.A., see Dilkin, P. 925(2001)151
- Dean, J.R., see Fitzpatrick, L.J. 918(2001)429
- De Aquino Neto, F.R., see dos Santos Pereira, A. 947(2002)255
- Dearie, H.S., see Byrne, C.D. 927(2001)169
- Dearie, H.S., Smith, N.W., Moffatt, F., Wren, S.A.C. and Evans, K.P.
Effect of ionic strength on perfusive flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231
- Dearie, H.S., Spikmans, V., Smith, N.W., Moffatt, F., Wren, S.A.C. and Evans, K.P.
Characterisation of electroosmotic flow in capillary electrochromatography columns 929(2001)123
- Debaig, C., see Cassel, S. 919(2001)95
- Debeljak, Ž., Strapač, M. and Medić-Šarić, M.
Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31
- Debets, A.J.J., see Vervoort, R.J.M. 931(2001)67
- De Biasi, V., see Zukowski, J. 948(2002)331
- De Boer, J., see de Geus, H.-J. 910(2001)95
- De Boer, R., see Vanhees, I. 915(2001)75
- De Borba, B.M., Brewer, J.M. and Camarda, J.
On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59
- De Brabander, H., see Van de Wiele, M. 904(2000)203
- De Brabander, H.F., see De Wasch, K. 926(2001)79
- De Coning, J.P., see Laurens, J.B. 911(2001)107
- Defloor, I., see Peeters, M.-C. 920(2001)255
- Degenhardt, A., Habben, S. and Winterhalter, P.
Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299
- Degenhardt, A., Schwarz, M., Winterhalter, P. and Ito, Y.
Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355
- De Geus, H.-J., Aidos, I., de Boer, J., Lutén, J.B. and Brinkman, U.A.Th.
Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95
- De Graeve, J., see Fillet, M. 949(2002)225
- De Graeve, J., see Van Heugem, J.C. 926(2001)11
- De Grauwe, K., see Hillaert, S. 924(2001)439
- De Greyt, W., see Verleyen, T. 921(2001)277
- DeGuzman, E., see Fernando, P.N. 920(2001)155
- De Hoffmann, E., see Barbarin, N. 929(2001)51
- Dehouck, P., Van Schepdael, A., Roets, E. and Hoogmartens, J.
Analysis of clindamycin by micellar electrokinetic chromatography with a mixed micellar system 932(2001)145
- De Jager, A.D., see Sutherland, F.C.W. 914(2001)37
- De Jager, A.D., see Sutherland, F.C.W. 914(2001)45
- De Jager, L.S. and Andrews, A.R.J.
Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97
- De Jong, G.J., see Theodoridis, G. 948(2002)177
- De Jong, G.J., see Vervoort, R.J.M. 931(2001)67
- De Koning, S., Van der Meer, B., Alkema, G., Janssen, H.-G. and Brinkman, U.A.Th.
Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391
- DeKoster, C.G., see Mengerink, Y. 914(2001)131
- Del Giudice, M.R., see Cirilli, R. 923(2001)27
- Del Governatore, S., see Carlucci, G. 935(2001)87
- Del Nozal, M.J., see Toribio, L. 921(2001)305
- Del Nozal, M².J., see Jiménez, J.J. 919(2001)147

- Del Nozal, M^a.J., see Jiménez, J.J. 919(2001)373
- Del Nozal, M^a.J., see Jiménez, J.J. 946(2002)247
- Del Re, G., see Carlucci, G. 935(2001)87
- Del Valle, C., see López, M. 922(2001)359
- De la Calle, B., see Bordin, G. 928(2001)63
- Delcomyn, C.A., Weinberg, H.S. and Singer, P.C.
Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213
- Delcour, J.A., see Peeters, M.-C. 920(2001)255
- De Leenheer, A.P., see Borrey, D. 910(2001)105
- Delgado-Zamarreño, M.M., Bustamante-Rangel, M., Sánchez-Pérez, A. and Hernández-Méndez, J.
Analysis of vitamin E isomers in seeds and nuts with and without coupled hydrolysis by liquid chromatography and coulometric detection 935(2001)77
- Deliever, R., see Peeters, M.-C. 920(2001)255
- Delli Quadri, F., see Draisci, R. 926(2001)69
- De Lorenzi, E., see Massolini, G. 921(2001)147
- Delsanti, M., see Cottet, H. 939(2001)109
- Demel, J., Buchberger, W. and Malissa, H.
Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107
- Deming, S.N., see Dojahn, J.G. 917(2001)187
- Demuth, H.-U., see Wolf, R. 926(2001)21
- Denet, F., see Di Giovanni, O. 919(2001)1
- Deng, C., see Shang, C. 942(2001)283
- Deng, S.-L., see Xie, S.-Y. 932(2001)43
- Deng, Y., see Chen, H. 913(2001)387
- Denis, L., see Busnel, J.P. 930(2001)61
- Denisenko, A.D., see Tcherkas, Y.V. 913(2001)309
- Denker, K., see Tsikas, D. 915(2001)107
- Denton, G., Murray, A., Price, M.R. and Levison, P.R.
Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223
- De Oliveira, M.A.L., Micke, G.A., Bruns, R.E. and Tavares, M.F.M.
Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533
- De Pauw, E., see Focant, J.-F. 925(2001)207
- DePhillips, P. and Lenhoff, A.M.
Determinants of protein retention characteristics on cation-exchange adsorbents 933(2001)57
- De Ridder, R., Damin, F., Reijenga, J. and Chiari, M.
Use of a fluorosurfactant in micellar electrokinetic capillary chromatography 916(2001)73
- De Rijke, E., Zafra-Gómez, A., Ariese, F., Brinkman, U.A.Th. and Gooijer, C.
Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55
- Desai, N., see Harris, J.E. 919(2001)427
- Deschamps, F.S., Chaminate, P., Ferrier, D. and Baillet, A.
Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127
- Descostes, M., see Motellier, S. 907(2001)329
- Deshmukh, R.R., see Tugcu, N. 923(2001)65
- Desiderio, C., see Fanali, S. 919(2001)195
- Desmet, G. and Baron, G.V.
Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51
- Desmet, G., Vervoort, N., Clicq, D. and Baron, G.V.
Experimental demonstration of the possibility to perform shear-driven chromatographic separations in micro-channels 924(2001)111
- Desmet, G., Vervoort, N., Clicq, D., Huau, A., Gzil, P. and Baron, G.V.
Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19
- Desruisseaux, C., see McCormick, L.C. 924(2001)43
- Detaevernier, M.R., see Van Eeckhaut, A. 903(2000)245
- Detroyer, A., Vander Heyden, Y., Carda-Broch, S., García-Alvarez-Coque, M.C. and Massart, D.L.
Quantitative structure–retention and retention–activity relationships of β -blocking agents by micellar liquid chromatography 912(2001)211
- Devoisselle, J.-M., see Girod, S. 943(2002)147
- De Vos, D., see Peeters, M.-C. 920(2001)255
- De Wasch, K., Be Brabander, H.F., Impens, S., Vandewiele, M. and Courtheyn, D.
Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography–mass spectrometry 912(2001)311
- De Wasch, K., De Brabander, H.F., Van de Wiele, M., Vercammen, J., Courtheyn, D. and Impens, S.
Differentiation between dexamethasone and betamethasone in a mixture using multiple mass spectrometry 926(2001)79
- De Wasch, K., see Van de Wiele, M. 904(2000)203
- De Weerd, T., see Xie, Y. 908(2001)273
- Dewettinck, K., see Verleyen, T. 921(2001)277
- Dewulf, J., see Huybrechts, T. 922(2001)207
- Deyl, Z., see Bellini, M.S. 924(2001)483
- Deyl, Z., see Charvátová, J. 921(2001)99
- Deyl, Z., see Cserhádi, T. 910(2001)137
- Deyl, Z., see Forgács, E. 917(2001)287
- Deyl, Z., see Mikšík, I. 921(2001)81
- Deyl, Z., see Shibahi, Z.K. 902(2001)1
- De Zeeuw, R.A., see Boone, C.M. 927(2001)203
- Di Corcia, A., see Crescenzi, C. 923(2001)97
- Di Giacomo, G., see Carlucci, G. 935(2001)87
- Di Giovanni, O., Mazzotti, M., Morbidelli, M., Denet, F., Hauck, W. and Nicoud, R.M.
Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1
- Di Marco, V.B. and Giorgio Bombi, G.
Mathematical functions for the representation of chromatographic peaks (Review) 931(2001)1
- Di Pietra, A.M., see Gatti, R. 905(2001)345
- Di Pietro, N., see Macchia, M. 924(2001)499
- Di Santo, R., see Cirilli, R. 942(2001)107
- Diallo, B., see Theodoridis, G. 948(2002)177
- Díaz, Y., see Costa, L. 907(2001)173

- Díaz-Maroto, M.C., Pérez-Coello, M.S. and Cabezedo, M.D.
Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23
- Dicinoski, G.W., see Ng, K.L. 920(2001)41
- Dickson, N., see Quiñones-García, I. 908(2001)169
- Dienes-Nagy, A., see Fluri, K. 926(2001)87
- Dierich, M.P., see Gutleben, W. 922(2001)313
- Diez, F.J., see Nozal, M.J. 919(2001)87
- Díez, M.A., Álvarez, R., Gayo, F., Barriocanal, C. and Moineo, S.R.
Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161
- Díez, M.A., see Domínguez, A. 918(2001)135
- Dijkman, E., see Hogendoorn, E.A. 938(2001)23
- Dijkman, E., Mooibroek, D., Hoogerbrugge, R., Hogendoorn, E., Sancho, J.-V., Pozo, O. and Hernández, F.
Study of matrix effects on the direct trace analysis of acidic pesticides in water using various liquid chromatographic modes coupled to tandem mass spectrometric detection 926(2001)113
- Dijkstra, R.J., Slooten, C.J., Stortelder, A., Buijs, J.B., Ariese, F., Brinkman, U.A.Th. and Gooijer, C.
Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25
- Dilkin, P., Mallmann, C.A., de Almeida, C.A.A. and Corrêa, B.
Robotic automated clean-up for detection of fumonisins B₁ and B₂ in corn and corn-based feed by high-performance liquid chromatography 925(2001)151
- Dinan, L., Harmatha, J. and Lafont, R.
Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105
- Dinan, L., see Meng, Y. 935(2001)309
- Ding, D., see Liu, Z. 921(2001)93
- Ding, F., Stol, R., Kok, W.Th. and Poppe, H.
Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239
- Ding, J., see Anderson, J.L. 946(2002)197
- Ding, M.-Yu., see Guo, L. 946(2002)169
- Ding, M.-Yu., see Wei, Y. 904(2000)113
- Ding, W.-H., see Liu, C.-H. 926(2001)341
- Ding, W.-H. and Liu, C.-H.
Analysis of linear alkybenzenesulfonates by capillary zone electrophoresis with large-volume sample stacking 929(2001)143
- Ding, X. and Mou, S.
Retention behavior of transition metals on a bifunctional ion-exchange column with oxalic acid as eluent 920(2001)101
- Dingenen, J., see Schulte, M. 923(2001)17
- Dinsdale, R.M., see Cruwys, J.A. 945(2002)195
- Dinter, G., see Alajbeg, I. 918(2001)127
- Diogo, M.M., Queiroz, J.A. and Prazeres, D.M.F.
Hydrophobic interaction chromatography of homo-oligonucleotides on derivatized Sepharose CL-6B. Application of the solvophobic theory 944(2002)119
- Dion, H.M., see Matz, L.M. 946(2002)59
- Dionisi, F., see Kamm, W. 918(2001)341
- Divan, K., see New, A.P. 913(2001)205
- Do Amaral, A.C.F., see dos Santos Pereira, A. 947(2002)255
- Do, B., Robinet, S., Pradeau, D. and Guyon, F.
Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87
- Do Lago, C.L., see da Silva, J.A.F. 942(2001)249
- Do Santos, L.F., see New, A.P. 913(2001)205
- Docherty, K.S. and Ziemann, P.J.
On-line, inlet-based trimethylsilyl derivatization for gas chromatography of mono- and dicarboxylic acids 921(2001)265
- Dodi, A. and Verda, G.
Improved determination of tributyl phosphate degradation products (mono- and dibutyl phosphates) by ion chromatography 920(2001)275
- Dodo, G.H., see Araki, R.Y. 923(2001)177
- Dojahn, J.G., Wentworth, W.E., Deming, S.N. and Stearns, S.D.
Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187
- Dolan, J.W., see Jupille, T.H. 948(2002)35
- Dolan, J.W., Snyder, L.R., Blanc, T. and Van Heukelen, L.
Erratum to “Selectivity differences for C₁₈ and C₈ reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution”. [J. Chromatogr. A 897 (2000) 37–50] 910(2001)385
- Dolors Prat, M., see González-Toledo, E. 946(2002)1
- Doménech-Carbó, A., see Gimeno-Adelantado, J.V. 922(2001)385
- Doménech-Carbó, M.T., see Gimeno-Adelantado, J.V. 922(2001)385
- Domínguez, A., Blanco, C.G., Barriocanal, C., Alvarez, R. and Díez, M.A.
Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135
- Domínguez, C., Guillén, D.A. and Barroso, C.G.
Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303
- Dondi, F., Cavazzini, A., Remelli, M., Felinger, A. and Martin, M.
Stochastic theory of size exclusion chromatography by the characteristic function approach 943(2002)185
- Dondi, F., see Pietrogrande, M.C. 939(2001)69
- Donetsky, I.A., see Sergeev, N.V. 907(2001)131
- Dong, L., see Cao, C.-X. 907(2001)347
- Dönges, R., Römisch, J., Stauss, H. and Brazel, D.
Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307
- Donovan, B., see Jackson, P.E. 920(2001)51

- Doong, R.-A. and Liao, P.-L.
Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177
- Dorsey, J.G., see Bailey, D.J. 919(2001)181
- Dorsey, J.G., see Tomer, S. 923(2001)7
- Dos Santos, L.C. and Vilegas, W.
Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259
- Dos Santos Pereira, A., Carbonell, S.A., de Aquino Neto, F.R., do Amaral, A.C.F. and Barnes, R.A.
High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255
- Dossena, A., see Chiavaro, E. 937(2001)31
- Dossena, A., see Galaverna, G. 922(2001)151
- Dossena, A., see Lesignoli, F. 922(2001)177
- Doubský, J., see Koutek, B. 923(2001)137
- Doulis, A., see Rizov, I. 922(2001)347
- Dovich, N.J., see Chen, Z. 914(2001)293
- Dovich, N.J., see Hu, S. 924(2001)369
- Dovich, N.J., see Li, X.-F. 914(2001)5
- Drabowicz, J., see Kudzin, Z.H. 947(2002)129
- Dräger, B., see Rüttinger, H.-H. 925(2001)291
- Dräger, B., see Scholl, Y. 928(2001)217
- Draisici, R., Palleschi, L., Ferretti, E., Achene, L. and Cecilia, A.
Confirmatory method for macrolide residues in bovine tissues by micro-liquid chromatography–tandem mass spectrometry 926(2001)97
- Draisici, R., Palleschi, L., Marchiafava, C., Ferretti, E. and Delli Quadri, F.
Confirmatory analysis of residues of stanozolol and its major metabolite in bovine urine by liquid chromatography–tandem mass spectrometry 926(2001)69
- Dreux, M., see Gard, S. 925(2001)79
- Dreux, M., see Gard, S. 926(2001)3
- Dreux, M., see Mouchère, F. 914(2001)167
- Dreux, M., see Petritis, K. 913(2001)331
- Dreux, M., see Salvador, A. 929(2001)101
- Drevenkar, V., see Mendaš, G. 918(2001)351
- Driffield, M., Bergström, E.T., Goodall, D.M., Klute, A.S. and Smith, D.K.
High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41
- Driouich, R., Takayanagi, T., Oshima, M. and Motomizu, S.
Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271
- Driouich, R., Takayanagi, T., Oshima, M. and Motomizu, S.
Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95
- Drotleff, A.M. and Ternes, W.
Determination of *RS,E/Z*-tocotrienols by HPLC 909(2001)215
- Drouin, G., see McCormick, L.C. 924(2001)43
- Drumm, E.C., see Cherrak, D.E. 943(2002)15
- Drzewoski, J., see Bald, E. 913(2001)319
- Du, C.M., see Valkó, K. 933(2001)73
- Du Fresne von Hohenesche, C., see Großmann, F. 910(2001)223
- Du, Q., Cheng, H. and Ito, Y.
Separation of radioactive metabolites in cultured tea cells fed with [¹⁴C]phenylalanine using high-speed counter-current chromatography 921(2001)331
- Du, Q., Li, Z. and Ito, Y.
Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271
- Du, Y., Taga, A., Suzuki, S., Liu, W. and Honda, S.
Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287
- Duarte, D., see Tomaz, C.T. 944(2002)211
- Dubis, E.N., see Isidorov, V.A. 923(2001)127
- Dubois, H., see Blanche, F. 921(2001)39
- Ducey, M.W., see Pemberton, J.E. 913(2001)243
- Duchesne, M., see Blanche, F. 921(2001)39
- Dufossé, L., see Février, P. 923(2001)53
- Dufourc, E.J., see Gritti, F. 922(2001)37
- Dulay, M.T., see Kato, M. 924(2001)187
- Dunlop, K.Y. and Li, L.
Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123
- Dupont, A.-L.
Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113
- Duszczyk, K., see Bielejewska, A. 931(2001)81
- Duteurtre, B., see Aussenac, J. 907(2001)155
- Duteurtre, X., see Bertoncini, F. 910(2001)127
- Dzido, T.H., Kossowski, T.E. and Matusiak, D.
Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

E

- Ebber, A., Vaher, M., Peterson, J. and Lopp, M.
Application of capillary zone electrophoresis to the separation and characterization of poly(amidoamine) dendrimers with an ethylenediamine core 949(2002)351
- Eberwein, C., see Muzikar, J. 950(2002)249

- Echigo, S., Minear, R.A., Yamada, H. and Jackson, P.E.
Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205
- Eckhardt, A., see Cserhádi, T. 910(2001)137
- Eckhardt, A., see Forgács, E. 917(2001)287
- Eckhardt, A., see Mikšfik, I. 921(2001)81
- Edelmann, A., Ruzicka, C., Frank, J., Lendl, B., Schrenk, W., Gornik, E. and Strasser, G.
Towards functional group-specific detection in high-performance liquid chromatography using mid-infrared quantum cascade lasers 934(2001)123
- Edwards, C., see Lawton, L.A. 912(2001)191
- Edwards, S.H. and Shamsi, S.A.
Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227
- Efer, J., see Asperger, A. 937(2001)65
- Effenberger, H., see Jandera, P. 914(2001)233
- Egea González, F.J., see Cruz Márquez, M. 939(2001)79
- Egeberg, P.K. and Bergli, S.O.
Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221
- Egmond, M.R., see Nilsson, A. 946(2002)141
- Egwu, I.N., see Fernando, P.N. 920(2001)155
- Ehn, M., see Gräslund, T. 942(2001)157
- Ehwald, V., see Großmann, F. 910(2001)223
- Eiceman, G.A., Tadjikov, B., Krylov, E., Nazarov, E.G., Miller, R.A., Westbrook, J. and Funk, P.
Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205
- Eichhorn, P., see Trimpin, S. 938(2001)67
- Einhauer, A. and Jungbauer, A.
Affinity of the monoclonal antibody M1 directed against the FLAG peptide 921(2001)25
- Einhauer, A., see Uretschläger, A. 908(2001)243
- Eisert, R., Jackson, S. and Krotzky, A.
Application of on-site solid-phase microextraction in aquatic dissipation studies of profoxydim in rice 909(2001)29
- Ekborg-Ott, K.H., see Hui, F. 906(2001)91
- El Haddad, M., see Mouchère, F. 914(2001)167
- El Rassi, Z., see Tegeler, T. 945(2002)267
- Elfakir, C., see Gard, S. 925(2001)79
- Elfakir, C., see Mouchère, F. 914(2001)167
- Elfakir, C., see Petritis, K. 913(2001)331
- Elgar, D.F., see Palmano, K.P. 947(2002)307
- Elizalde-González, M.P., see Carrillo-Morales, G. 938(2001)237
- Elliott, N.G., see Nichols, P.D. 936(2001)183
- Ellison, S.L.R., see Barwick, V.J. 918(2001)267
- Elmore, J.S., Mottram, D.S. and Hierro, E.
Two-fibre solid-phase microextraction combined with gas chromatography–mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233
- Els, J., see Smit, M.J. 949(2002)65
- Els, J., see Sutherland, F.C.W. 949(2002)71
- Elviri, L., see Careri, M. 935(2001)249
- Emmrich, M., Lahrz, T. and Spyra, W.
Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121
- Endo, Y., Tagiri-Endo, M., Seo, H.-S. and Fujimoto, K.
Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39
- Engel, K.-H., see Kamm, W. 918(2001)341
- Engelhardt, H., see Maruszak, W. 926(2001)327
- Engewald, W., see Asperger, A. 937(2001)65
- Engvild, K.C., see Holst, P.B. 903(2000)267
- Enjalbal, C., see Farenc, C. 910(2001)61
- Enlund, A.M., Isaksson, R. and Westerlund, D.
Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211
- Ensing, K., see Boone, C.M. 927(2001)203
- Ensinger, W.J., see Pamme, N. 943(2002)47
- Eppe, G., see Focant, J.-F. 925(2001)207
- Epping, A., see Jupke, A. 944(2002)93
- Eras, J., Montañes, F., Ferran, J. and Canela, R.
Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227
- Erhardt, P., see Faghihi, J. 915(2001)61
- Eric, S., see Milojevic, Z. 949(2002)79
- Erim, F.B., see Kavran, G. 949(2002)301
- Erim, F.B., see Öztekin, N. 924(2001)541
- Esaka, Y., Inagaki, S., Uchida, D., Goto, M. and Kano, K.
Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291
- Escolà, R., see Bou Carrasco, P. 909(2001)61
- Escrivà, A., Esteve, M.J., Farré, R. and Frígola, A.
Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313
- Eshraghi, J., see Nguyen, T. 911(2001)55
- Eskilsson, C.S., see Turner, C. 947(2002)1
- Espinosa, S., Bosch, E. and Rosés, M.
Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83
- Espinosa, S., Bosch, E. and Rosés, M.
Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile–water mobile phases 947(2002)47
- Espinosa, S., see Valkó, K. 933(2001)73
- Esposito, P., see Piquet, G. 944(2002)141
- Esteve, M.J., see Escrivà, A. 947(2002)313
- Evangelista, R.A., see Chen, F.-T.A. 924(2001)523
- Evans, J.J., see Jackson Ellington, J. 928(2001)145
- Evans, K.P., see Byrne, C.D. 927(2001)169
- Evans, K.P., see Dearie, H.S. 929(2001)123
- Evans, K.P., see Dearie, H.S. 945(2002)231

- Evans III, L. and Collins, G.E.
Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127
- Evershed, R.P., see Mottram, H.R. 926(2001)239
- F**
- Fabbri, D., see Chiavari, G. 922(2001)235
- Fabian, W.M.F., see Suzuki, T. 922(2001)13
- Fabre, N., Claparols, C., Richelme, S., Angelin, M.-L., Fourasté, I. and Moulis, C.
Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography–electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35
- Fadeev, A.Y., see Roshchina, T.M. 931(2001)119
- Faghihi, J., Jiang, X., Vierling, R., Goldman, S., Sharfstein, S., Sarver, J. and Erhardt, P.
Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61
- Fahey, J.W., see Troyer, J.K. 919(2001)299
- Fahrner, R.L., see Knudsen, H.L. 907(2001)145
- Fairman, B.E., see Truscott, J.B. 928(2001)91
- Fanali, S., see Raggi, M.A. 916(2001)289
- Fanali, S., Rudaz, S., Veuthey, J.-L. and Desiderio, C.
Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195
- Fang, D., see Song, L. 915(2001)231
- Fang, K., see He, J. 913(2001)355
- Fang, Q., Yeung, H.W., Leung, H.W. and Huie, C.W.
Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47
- Fang, Y., see Cao, Y. 943(2002)153
- Farcas, T., see Layne, J. 913(2001)233
- Farcas, T., see Rustamov, I. 913(2001)49
- Farenc, C., Enjalbal, C., Sanchez, P., Bressolle, F., Audran, M., Martinez, J. and Aubagnac, J.-L.
Quantitative determination of rocuronium in human plasma by liquid chromatography–electrospray ionization mass spectrometry 910(2001)61
- Farine, S., Versluis, C., Bonnici, P.J., Heck, A., Peschet, J.L., Puigserver, A. and Biagini, A.
Separation and identification of enzymatic sucrose hydrolysis products by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)299
- Farré, M., Ferrer, I., Ginebreda, A., Figueras, M., Olivella, L., Tirapu, L., Vilanova, M. and Barceló, D.
Determination of drugs in surface water and wastewater samples by liquid chromatography–mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187
- Farré, R., see Escrivá, A. 947(2002)313
- Farré, R., see Ferrer, E. 947(2002)85
- Farré, R., see Rodrigo, N. 947(2002)97
- Farrimond, P., see Talbot, H.M. 921(2001)175
- Farris III, A.B., see Ward, T.J. 906(2001)73
- Fässler, P., see Öllers, S. 911(2001)225
- Fastyn, P., see Gawryś, M. 933(2001)107
- Fatah, A.A., see Reilly, C.A. 912(2001)259
- Fatemi, M.H., see Jalali-Heravi, M. 915(2001)177
- Faucher, D., see Blanche, F. 921(2001)39
- Fauler, J., see Oertel, R. 948(2002)187
- Fay, L.-B., see Borruat, G. 922(2001)219
- Fay, L.-B., see Kamm, W. 918(2001)341
- Felinger, A., see Dondi, F. 943(2002)185
- Felinger, A. and Guiochon, G.
Validation of a chromatography data analysis software 913(2001)221
- Felinger, A., see Jandera, P. 919(2001)67
- Felinger, A., Kele, M. and Guiochon, G.
Identification of the factors that influence the reproducibility of chromatographic retention data 913(2001)23
- Felix, G.
Regioselectively modified polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography 906(2001)171
- Félix, G., see Gritti, F. 913(2001)147
- Félix, G., see Gritti, F. 922(2001)37
- Félix, G., see Gritti, F. 922(2001)51
- Félix, G., see Massolini, G. 921(2001)147
- Feltl, L., see Koutek, B. 923(2001)137
- Felton, J.S., see Knize, M.G. 914(2001)95
- Feltus, A., Hentz, N.G. and Daunert, S.
Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381
- Fenaille, F., Mottier, P., Turesky, R.J., Ali, S. and Guy, P.A.
Comparison of analytical techniques to quantify malondialdehyde in milk powders 921(2001)237
- Feng, J. and May, S.W.
High-performance liquid chromatographic enantiomeric separation of an enzyme inhibitor which possesses both a chiral center and tautomeric moieties 905(2001)103
- Feng, S., see Liu, Z. 921(2001)93
- Feng, Y., see Zhang, Y. 904(2000)87
- Ferguson, P.L., Iden, C.R. and Brownawell, B.J.
Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography–electrospray mass spectrometry 938(2001)79
- Fernández, A.L., see Bermejo, J. 919(2001)255
- Fernández Fernández, E., see Miñones Vázquez, M. 919(2001)363
- Fernández Fernández, E., see Turnes Carou, M.I. 918(2001)411

- Fernández Laespada, M., see Carabias-Martínez, R. 902(2000)251
- Fernández Laespada, M., see Moreno-Cordero, B. 902(2000)195
- Fernández Laespada, M.^aE., see Marcos Lorenzo, I. 945(2002)221
- Fernández, M., Padrón, C., Marconi, L., Ghini, S., Colombo, R., Sabatini, A.G. and Girotti, S.
Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257
- Fernández, M., Rodríguez, R., Picó, Y. and Mañes, J.
Liquid chromatographic–mass spectrometric determination of post-harvest fungicides in citrus fruits 912(2001)301
- Fernandez, M.P., Watson, P.A. and Breuil, C.
Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225
- Fernández, P., see Bouaid, A. 939(2001)13
- Fernandez-Alba, A., see Vial, J. 937(2001)21
- Fernández-Alba, A.R., see Hernando, M.D. 938(2001)103
- Fernandez-Lafuente, R., see Mateo, C. 915(2001)97
- Fernández-López, J.A. and Almela, L.
Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits 913(2001)415
- Fernandez-Lorente, G., see Mateo, C. 915(2001)97
- Fernández-Pérez, V. and Luque de Castro, M.D.
Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357
- Fernandez-Puente, P., see Furey, A. 938(2001)167
- Fernando, P.N., McLean, M.A., Egwu, I.N., deGuzman, E. and Weyker, C.
Analysis of residual trifluoroacetic acid in a phosphate-buffered saline matrix by ion chromatography with suppressed conductivity detection 920(2001)155
- Ferran, J., see Eras, J. 918(2001)227
- Ferreira, V., see Ortega, C. 923(2001)205
- Ferreira, V., see Ortega, L. 931(2001)31
- Ferrer, E., Alegría, A., Farré, R., Abellán, P. and Romero, F.
High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85
- Ferrer, I. and Barceló, D.
Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples 926(2001)221
- Ferrer, I., see Farré, M. 938(2001)187
- Ferretti, E., see Draisci, R. 926(2001)69
- Ferretti, E., see Draisci, R. 926(2001)97
- Ferretti, R., see Cirilli, R. 923(2001)27
- Ferretti, R., see Cirilli, R. 942(2001)107
- Ferrier, D., see Deschamps, F.S. 928(2001)127
- Fetterolf, D.D., see Bowerbank, C.R. 902(2000)413
- Feuillat, M., see Aussenac, J. 907(2001)155
- Février, P., Binet, A., Dufossé, L., Grée, R. and Yvergnaux, F.
Separation of glyceride positional isomers by silver ion chromatography 923(2001)53
- Fiddler, W., Pensabene, J.W., Shadwell, R.J. and Lehotay, S.J.
Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427
- Fiedler, H., see Czichocki, G. 943(2002)241
- Fiedler, P., see Stránský, K. 936(2001)173
- Field, J.A., see Loveland, P.M. 932(2001)33
- Fields, S.M., Ye, C.Q., Zhang, D.D., Branch, B.R., Zhang, X.J. and Okafo, N.
Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197
- Fife, D.J., see Li, P. 914(2001)147
- Figueras, M., see Farré, M. 938(2001)187
- Filho, L.X., see Vicente, C. 917(2001)55
- Fillet, M., see Abushoffa, A.M. 948(2002)321
- Fillet, M., Van Heugen, J.-C., Servais, A.-C., De Graeve, J. and Crommen, J.
Separation, identification and quantitation of ceramides in human cancer cells by liquid chromatography–electrospray ionization tandem mass spectrometry 949(2002)225
- Fingas, M., see Wang, Z. 909(2001)155
- Fingas, M., see Wang, Z. 926(2001)275
- Fintschenko, Y., see Lurie, I.S. 924(2001)421
- Fiorenza Caboni, M., see Boselli, E. 917(2001)239
- Fisch, I., see Canarelli, S. 948(2002)139
- Fischer, J., see Jandera, P. 914(2001)233
- Fitch, W.L., see Liu, X. 924(2001)323
- Fitzpatrick, L.J. and Dean, J.R.
Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429
- Flood, K.G., Reynolds, E.R. and Snow, N.H.
Characterization of inclusion complexes of betamethasone-related steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49
- Flood, K.G., Reynolds, E.R. and Snow, N.H.
Determination of apparent association constants of steroid–cyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261
- Florêncio, M.H., see Larsen, B.R. 926(2001)167
- Flores, P., see Arias, R. 916(2001)297
- Fluri, K., Rivier, L., Dienes-Nagy, A., You, C., Maître, A., Schweizer, C., Saugy, M. and Mangin, P.
Method for confirmation of synthetic corticosteroids in doping urine samples by liquid chromatography–electrospray ionisation mass spectrometry 926(2001)87
- Focant, J.-F., Epe, G., Pirard, C. and De Pauw, E.
Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207
- Folesani, G., see Galaverna, G. 922(2001)151
- Folestad, S., see Larsson, M. 934(2001)75
- Foley, J.P., see Klotz, W.L. 930(2001)145
- Fonseca, D.A., see Bottoli, C.B.G. 948(2002)121
- Font, G., see Blasco, C. 947(2002)227
- Font, G., see Rodríguez, R. 924(2001)387
- Font, G., see Rodríguez, R. 949(2002)359

- Fontaniella, B., Mateos, J.L., Vicente, C. and Legaz, M.-E.
Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283
- Fontaniella, B., see Vicente, C. 917(2001)55
- Ford, J.C., see Ko, J. 913(2001)3
- Ford, J.C., see Ko, J. 913(2001)15
- Forgács, E., see Cserhádi, T. 910(2001)137
- Forgács, E., see Cserhádi, T. 936(2001)119
- Forgács, E., see Cserhádi, T. 949(2002)269
- Forgács, E., see Kósa, A. 915(2001)149
- Forgács, E., see Mikšik, I. 921(2001)81
- Forgács, E., see Morais, H. 936(2001)139
- Forgács, E. and Cserhádi, T.
Quantitative relationship between the retention of peptides on a reversed-phase alumina support and their physicochemical parameters 948(2002)69
- Forgács, E., Cserhádi, T., Deyl, Z., Miksik, I. and Eckhardt, A.
Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287
- Formanski, L., see Iyer, M.S. 944(2002)263
- Fornstedt, T., see Götmar, G. 905(2001)3
- Fornstedt, T., see Ravald, L. 908(2001)111
- Foucault, A.P.
Enantioseparations in counter-current chromatography and centrifugal partition chromatography 906(2001)365
- Foucault, F., see Busnel, J.P. 930(2001)61
- Foulon, C., see Belloli, E. 907(2001)101
- Fourasté, I., see Fabre, N. 904(2000)35
- Fox, A., see Kozar, M.P. 946(2002)229
- Frache, R., see Magi, E. 905(2001)141
- Francis, M.A., see Yang, Yu. 942(2001)231
- Franco, P., see Maier, N.M. 906(2001)3
- Franco, P., Senso, A., Oliveros, L. and Minguillón, C.
Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography 906(2001)155
- François, C., see Mesplet, N. 927(2001)161
- Francotte, E.R.
Enantioselective chromatography as a powerful alternative for the preparation of drug enantiomers 906(2001)379
- Frank, J., see Edelman, A. 934(2001)123
- Franke, J.P., see Boone, C.M. 927(2001)203
- Frankema, W., van Bruijnsvoort, M., Tijssen, R. and Kok, W.Th.
Characterisation of core-shell latexes by flow field-flow fractionation with multi-angle light scattering detection 943(2002)251
- Franklin, S., see Thomas, T.M. 944(2002)161
- Franko, M., see Šikovec, M. 920(2001)119
- Frattoni, M., see Yassaa, N. 915(2001)185
- Frebis, C., see Hautman, D.P. 920(2001)221
- Fréchet, J.M.J., see Lämmerhofer, M. 925(2001)265
- Fréchet, J.M.J., see Xu, M. 928(2001)25
- Frédérrix, M., see Peters, R. 949(2002)327
- Fredheim, G.E., Braaten, S.M. and Christensen, B.E.
Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2001)191
- Freitag, R., see Canarelli, S. 948(2002)139
- Freitag, R., see Hoegger, D. 914(2001)211
- Freitag, R., see Schmidt, B. 944(2002)149
- Frenz, J., see Wan, H.Z. 913(2001)437
- Fricke, J., see Mhlbachler, K. 908(2001)49
- Friedl, Z., see Horká, M. 916(2001)65
- Friesen, D.A., see Headley, J.V. 917(2001)159
- Friess, H., see Procházková, A. 916(2001)215
- Frígola, A., see Escrivá, A. 947(2002)313
- Frígola, J., see Gómez-Gomar, A. 950(2002)257
- Fritsche, E., see Lee, H.G. 947(2002)143
- Fritz, J.S., see Breadmore, M.C. 920(2001)31
- Fritz, J.S., Breadmore, M.C., Hilder, E.F. and Haddad, P.R.
Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2001)11
- Fritz, J.S., see Hu, W. 920(2001)95
- Fritz, J.S. and Macka, M.
Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137
- Fritz, J.S. and Masso, J.J.
Miniaturized solid-phase extraction with resin disks 909(2001)79
- Fritz, J.S. and Steiner, S.A.
Effect of a soluble ionic polymer on the separation of anions by capillary electrophoresis 934(2001)87
- Fritz, J.S., see Tanaka, K. 920(2001)239
- Frölich, J.C., see Tsikas, D. 915(2001)107
- Frost, M.C., see Nurok, D. 903(2000)211
- Fu, H., Lu, Y. and Xie, M.
Nonlinear function retention model in weak acid anion chromatography 945(2002)97
- Fu, J., see Yu, Z. 903(2000)183
- Fu, R., see Zeng, Q. 921(2001)197
- Fu, R.N., see Yuan, L.M. 927(2001)91
- Fu, Yu.-R., see Ru, Q.-H. 924(2001)331
- Fuguet, E., Ràfols, C., Bosch, E., Abraham, M.H. and Rosés, M.
Solute-solvent interactions in micellar electrokinetic chromatography. III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2001)237
- Fuguet, E., Ràfols, C., Bosch, E., Rosés, M. and Abraham, M.H.
Solute-solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate-lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257
- Fuh, C.B., Lai, J.Z. and Chang, C.M.
Particle magnetic susceptibility determination using analytical split-flow thin fractionation 923(2001)263
- Fujii, K., see Harada, K.-i. 921(2001)187
- Fujii, K., see Harada, K.-i. 932(2001)75
- Fujii, K., see Oka, H. 946(2002)157
- Fujimoto, K., see Endo, Y. 911(2001)39
- Fukusaki, E., see Bamba, T. 911(2001)113
- Fülöp, F., see Péter, A. 919(2001)79
- Fülöp, F., see Péter, A. 926(2001)229
- Fülöp, F., see Péter, M. 910(2001)247

- Fung, Y.S. and Long, Y.H.
Determination of phenols in soil by supercritical fluid extraction–capillary electrochromatography 907(2001)301
- Funk, P., see Eiceman, G.A. 917(2001)205
- Furey, A., see Lehane, M. 950(2002)139
- Furey, A., Lehane, M., Gillman, M., Fernandez-Puente, P. and James, K.J.
Determination of domoic acid in shellfish by liquid chromatography with electrospray ionization and multiple tandem mass spectrometry 938(2001)167
- Furlanetto, S., see Coran, S.A. 915(2001)209
- Furlattini, L., see Careri, M. 912(2001)61
- Furukawa, M., see Ohta, K. 920(2001)109
- Furusawa, N., see Kishida, K. 937(2001)49
- Furushima, N., see Zhou, X. 913(2001)165
- Fuzzati, N., Gabetta, B., Strepponi, I. and Villa, F.
High-performance liquid chromatography–electrospray ionization mass spectrometry and multiple mass spectrometry studies of hyperforin degradation products 926(2001)187

G

- Głowacki, R., Wójcik, K. and Bald, E.
Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29
- Gabetta, B., see Fuzzati, N. 926(2001)187
- Gadgil, H., see Chockalingam, P.S. 942(2001)167
- Gadgil, H., Taylor, W.L. and Jarrett, H.W.
Bi-column method for purification of transcription factors 905(2001)133
- Gadgil, H., Taylor, W.L. and Jarrett, H.W.
Comparative studies on discrete and concatemeric DNA–Sephacryl columns for purification of transcription factors 917(2001)43
- Gagean, M., see Bertoncini, F. 910(2001)127
- Gäggeler, H.W., see Huber, T.M. 920(2001)193
- Gago-Martínez, A., Moscoso, S.A., Leão Martins, J.M., Rodríguez Vázquez, J.-A., Niedzwiedek, B. and Lawrence, J.F.
Effect of pH on the oxidation of paralytic shellfish poisoning toxins for analysis by liquid chromatography 905(2001)351
- Gahm, K.H., see Steffek, R.J. 947(2002)301
- Galaev, I.Yu., see Adrados, B.P. 930(2001)73
- Galaev, I.Yu., see Dainiak, M.B. 942(2001)123
- Galaev, I.Yu., see Ivanov, A.E. 907(2001)115
- Galaev, I.Yu., see Li, Y. 925(2001)115
- Galaev, I.Yu., see Li, Y.C. 909(2001)137
- Galaverna, G., see Chiavaro, E. 937(2001)31
- Galaverna, G., Corradini, R., Dallavalle, F., Folesani, G., Dossena, A. and Marchelli, R.
Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151
- Galaverna, G., see Lesignoli, F. 922(2001)177
- Galceran, M., see Cancho, B. 943(2002)1
- Galceran, M.T., see Castro, R. 914(2001)111
- Galceran, M.T., see Núñez, O. 912(2001)353
- Galceran, M.T., see Núñez, O. 946(2002)275
- Galceran, M.T., see Ruiz-Calero, V. 914(2001)277
- Galceran, M.T., see Sanz, R. 919(2001)339
- Galceran, M.T., see Sarrion, M.N. 947(2002)155
- Galceran, M.T., see Sentellas, S. 909(2001)259
- Galceran, M.T., see Toribio, F. 948(2002)267
- Galensa, R., see Gel-Moreto, N. 925(2001)279
- Gallejo, M., see Columé, A. 912(2001)83
- Galli, M., see Bicchi, C. 931(2001)129
- Galli, V., Olmo, N. and Barbas, C.
Capillary electrophoresis for the determination of new markers of natural latex quality 949(2002)367
- Gallo, B., see Alonso-Salces, R.M. 933(2001)37
- Gallo, B., see Korta, E. 930(2001)21
- Gambarelli, E., see Chiavaro, E. 937(2001)31
- Gan, W.-E., see Cao, C.-X. 907(2001)347
- Gan, W.-E., see Yang, L. 932(2001)13
- Gandini, C., see Massolini, G. 921(2001)147
- Gao, J., see Wang, P.-C. 942(2001)115
- García, C., see Kuban, P. 912(2001)163
- García, J.L., see Mateo, C. 915(2001)97
- García, L., see Verleyen, T. 921(2001)277
- García, M.A. and Sanz, J.
Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189
- García, M.A., Vitha, M.F., Sandquist, J., Mulville, K. and Marina, M.L.
Study of retention in micellar liquid chromatography on a C₈ column by the use of linear solvation energy relationships 918(2001)1
- García Montelongo, F.J., see Rodríguez-Delgado, M.A. 912(2001)249
- García Pinto, C., see Moreno-Cordero, B. 902(2000)195
- García Pinto, C., see Marcos Lorenzo, I. 945(2002)221
- García, R., see Santoyo, E. 920(2001)325
- García, R., see Santoyo, E. 949(2002)281
- García-Alvarez-Coque, M.C., see Detroyer, A. 912(2001)211
- García-Alvarez-Coque, M.C., see Ruiz-Angel, M.J. 947(2002)31
- García-Beneytez, E., see Revilla, E. 915(2001)53
- García-Carmona, F., see López-Mas, J.A. 911(2001)47
- García-Domínguez, J.A., see Lebrón-Aguilar, R. 945(2002)185
- García-Pinto, C., see Carabias-Martínez, R. 902(2000)251
- García-Ruiz, C., see Kuijt, J. 907(2001)291

- García-Ruiz, C., Martín-Biosca, Y., Crego, A.L. and Marina, M.L.
Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157
- Gareil, P., see Cottet, H. 939(2001)109
- Garkani-Nejad, Z., see Jalali-Heravi, M. 927(2001)211
- Garkani-Nejad, Z., see Jalali-Heravi, M. 945(2002)173
- Garkani-Nejad, Z., see Jalali-Heravi, M. 950(2002)183
- Gaš, B., Coufal, P., Jaroš, M., Muzikář, J. and Jelínek, I.
Optimization of background electrolytes for capillary electrophoresis. I. Mathematical and computational model 905(2001)269
- Gaš, B., see Gogová, K. 916(2001)79
- Gaš, B., see Kabátek, Z. 916(2001)305
- Gaš, B., see Kvasnička, F. 916(2001)131
- Gaš, B., see Muzikář, J. 924(2001)147
- Gasparrini, F., Misiti, D. and Villani, C.
High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors 906(2001)35
- Gatta, M., see Casella, I.G. 912(2001)223
- Gatti, M., see Piquet, G. 944(2002)141
- Gatti, R., Gioia, M.G., Di Pietra, A.M. and Cini, M.
Determination of retinoids in galenicals by column liquid chromatography with fluorescence and diode-array detection 905(2001)345
- Gaudin, K., see Bleton, J. 917(2001)251
- Gavenda, A., see Bednář, P. 917(2001)319
- Gavril, D., see Atta Rashid, K. 934(2001)31
- Gavril, D., Atta Rashid, K. and Karaiskakis, G.
Study of the mechanism of the interaction of vinyl chloride with water by reversed-flow gas chromatography 919(2001)349
- Gawłowski, J., see Gawryś, M. 933(2001)107
- Gawryś, M., Fastyn, P., Gawłowski, J., Gierczak, T. and Niedzielski, J.
Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107
- Gayo, F., see Díez, M.A. 945(2002)161
- Gebauer, P., see Beckers, J.L. 916(2001)41
- Gee, S.C., see Thomas, T.M. 944(2002)161
- Geerdink, R.B., Niessen, W.M.A. and Brinkman, U.A.Th.
Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291
- Geiger, J., Korte, E.-H. and Schrader, W.
Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99
- Geise, H.J., see Zielinska, D. 915(2001)25
- Gelfi, C., see Giorgio Righetti, P. 920(2001)309
- Gelfi, C., see Sebastiano, R. 924(2001)71
- Gel-Moreto, N., Streich, R. and Galensa, R.
Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279
- Gelūnaitė, L., Lukša, V., Sūdžiuvienė, O., Bumelis, V. and Pesliakas, H.
Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131
- Geng, A. and Loh, K.-C.
Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37
- Gennaro, M.C., Marengo, E., Gianotti, V. and Angioi, S.
Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di- and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287
- Gennaro, M.C., Marengo, E., Gianotti, V. and Maurino, V.
New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79
- Gerbec, J.A., see Nahir, T.M. 915(2001)265
- Gerber, C., see Renner, S. 916(2001)247
- Gerecke, A.C., Tixier, C., Bartels, T., Schwarzenbach, R.P. and Müller, S.R.
Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9
- Germini, A., see Lesignoli, F. 922(2001)177
- Ghini, S., see Fernández, M. 922(2001)257
- Ghini, S., see Rossi, S. 905(2001)223
- Ghose, S. and Cramer, S.M.
Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13
- Ghosh, R.
Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59
- Giannellini, V., see Coran, S.A. 915(2001)209
- Gianotti, V., see , M.C. 910(2001)79
- Gianotti, V., see Gennaro, M.C. 945(2002)287
- Gibbs, S.J., see Park, J.C. 945(2002)65
- Gibeau, T.E. and Marcus, R.K.
Separation and identification of organic and organometallic compounds by use of a liquid chromatography–particle beam-glow discharge mass spectrometry combination 915(2001)117
- Gierczak, T., see Gawryś, M. 933(2001)107
- Giese, R.W.
Lloyd Synder Retirement 905(2001)1
- Gilar, M., Belenky, A. and Wang, B.H.
High-throughput biopolymer desalting by solid-phase extraction prior to mass spectrometric analysis 921(2001)3
- Gilar, M., Bouvier, E.S.P. and Compton, B.J.
Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods 909(2001)111
- Gil-García, M.D., see Martínez-Galera, M. 918(2001)79
- Gillman, M., see Furey, A. 938(2001)167
- Gimeno, R.A., Aguilar, C., Marcé, R.M. and Borrull, F.
Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

- Gimeno-Adelantado, J.V., Mateo-Castro, R., Doménech-Carbó, M.T., Bosch-Reig, F., Doménech-Carbó, A., Casas-Catalán, M.J. and Osete-Cortina, L.
Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385
- Ginebreda, A., see Farré, M. 938(2001)187
- Gioia, M.G., see Gatti, R. 905(2001)345
- Giorgio Righetti, P., see Sebastiano, R. 924(2001)71
- Giovannoli, C., see Baggiani, C. 938(2001)35
- Giráldez, I., see Gómez-Ariza, J.L. 938(2001)211
- Giráldez, I., see Gómez-Ariza, J.L. 946(2002)209
- Girault, J.-P., see Meng, Y. 935(2001)309
- Girod, S., Baldet-Dupy, P., Maillols, H. and Devoisselle, J.-M.
On-line direct determination of the second virial coefficient of a natural polysaccharide using size-exclusion chromatography and multi-angle laser light scattering 943(2002)147
- Girotti, S., see Fernández, M. 922(2001)257
- Girotti, S., see Rossi, S. 905(2001)223
- Giuffrida, A., see Cucinotta, V. 916(2001)61
- Glancy, K., see Chen, J.-G. 917(2001)63
- Glasl, S., Gunbilig, D., Narantuya, S., Werner, I. and Jurenitsch, J.
Combination of chromatographic and spectroscopic methods for the isolation and characterization of polar guaianolides from *Achillea asiatica* 936(2001)193
- Glatz, Z., see Kvasničková, L. 916(2001)265
- Glatz, Z., Nováková, S. and Štěrbová, H.
Analysis of thiocyanate in biological fluids by capillary zone electrophoresis 916(2001)273
- Glavas, S.
Analysis of C₂–C₄ peroxyacyl nitrates and C₁–C₅ alkyl nitrates with a non-polar capillary column 915(2001)271
- Glavas, S., see Moschonas, N. 902(2000)405
- Glennon, J.D., see Healy, L.O. 924(2001)459
- Glennon, J.D., see Murríhy, J.P. 924(2001)233
- Glennon, J.D., see Murríhy, J.P. 943(2002)311
- Glennon, J.D., see O'Neill, A.P. 924(2001)259
- Glód, B.K., see Ng, K.L. 920(2001)41
- Gloukhova, N.S., see Sergeev, N.V. 907(2001)131
- Glovinová, E., see Pospíchal, J. 918(2001)195
- Glowacki, R., see Bald, E. 913(2001)319
- Glowniak, K., see Mroczek, T. 949(2002)249
- Goda, Y., see Akiyama, H. 932(2001)153
- Godula, M., see Maštovská, K. 907(2001)235
- Godula, M., see Zrostlíková, J. 937(2001)73
- Gogová, K., Maichel, B., Gaš, B. and Kenndler, E.
Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79
- Goh, N.K., see Hua, L. 909(2001)297
- Goldman, S., see Faghihi, J. 915(2001)61
- Gómara, B., see Concejero, M. 917(2001)227
- Gómez, C.M., see Recalde, I.B. 942(2001)53
- Gomez, F.A., see Zhang, Y. 928(2001)233
- Gómez-Ariza, J.L., Bujalance, M., Giráldez, I., Velasco, A. and Morales, E.
Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209
- Gómez-Ariza, J.L., Morales, E., Giráldez, I., Sánchez-Rodas, D. and Velasco, A.
Sample treatment in chromatography-based speciation of organometallic pollutants (Review) 938(2001)211
- Gómez-Gomar, A., Ortega, E., Calvet, C., Mercé, R. and Frigola, J.
Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257
- Gonçalves, F.F., see Zanella, R. 904(2000)257
- Gong, F., Liang, Y.-Z., Cui, H., Chau, F.-T. and Chan, B.T.-P.
Determination of volatile components in peptic powder by gas chromatography–mass spectrometry and chemometric resolution 909(2001)237
- Gong, F., Liang, Y.-Z., Xu, Q.-S. and Chau, F.-T.
Gas chromatography–mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193
- Gonyea, G., see Nguyen, T. 911(2001)55
- González, F.R.
Considerations on the temperature dependence of the gas–liquid chromatographic retention 942(2001)211
- González, F.R., Castells, R.C. and Nardillo, A.M.
Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111
- González, J.C., Vieytes, M.R., Botana, A.M., Vieites, J.M. and Botana, L.M.
Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119
- González, L., López, J.A., Alonso, R.M. and Jiménez, R.M.
Fast screening method for the determination of angiotensin II receptor antagonists in human plasma by high-performance liquid chromatography with fluorimetric detection 949(2002)49
- Gonzalez, M.J., see Bouaid, A. 939(2001)13
- González, M.J., see Concejero, M. 917(2001)227
- González, V., see Cárdenas, L. 946(2002)133
- González, V., see Pino, V. 949(2002)291
- González-Toledo, E., Compañó, R., Dolors Prat, M. and Granados, M.
Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1
- González-Toledo, E., Prat, M.D. and Alpendurada, M.F.
Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45
- Goodall, D.M., see Driffield, M. 939(2001)41
- Goodall, D.M., see Nhujak, T. 907(2001)313
- Gooijer, C., see de Rijke, E. 932(2001)55
- Gooijer, C., see Dijkstra, R.J. 918(2001)25
- Gooijer, C., see Kuijt, J. 907(2001)291
- Gorbunov, A., see Trathnigg, B. 910(2001)207
- Gordin, A. and Amirav, A.
SnifProbe: new method and device for vapor and gas sampling 903(2000)155
- Gornik, E., see Edelmann, A. 934(2001)123
- Gorton, L., see Richardson, S. 917(2001)111
- Gorton, L., see Yigzaw, Y. 929(2001)13

- Götmar, G., Fornstedt, T., Andersson, M. and Guiochon, G.
Influence of the solute hydrophobicity on the enantioselective adsorption of β -blockers on a cellulase protein used as the chiral selector 905(2001)3
- Goto, H., Igarashi, T., Yamamoto, M., Yasuda, M., Sekiguchi, R., Watai, M., Tanno, K. and Yasumoto, T.
Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181
- Goto, J., see Iida, T. 937(2001)97
- Goto, M., see Esaka, Y. 905(2001)291
- Goto, T., see Oka, H. 946(2002)157
- Gotteland, P., see Nicolaos, A. 908(2001)71
- Gotteland, P., see Nicolaos, A. 908(2001)87
- Gotti, R., see Pomponio, R. 945(2002)239
- Gotti, R., Pomponio, R., Bertucci, C. and Cavrini, V.
Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175
- Goursaud, S., see Bleton, J. 917(2001)251
- Gout, P.W., see Ueda, E.K.M. 922(2001)165
- Govaerts, C., see Orwa, J.A. 912(2001)369
- Graffis, C.A. and Ballantine, D.S.
Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185
- Grahek, R., Milivojević, D., Bastarda, A. and Kračun, M.
Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319
- Gralak, D.K., see Kudzin, Z.H. 947(2002)129
- Granados, M., see González-Toledo, E. 946(2002)1
- Granados, M., see Leal, C. 910(2001)285
- Granda, M., see Bermejo, J. 919(2001)255
- Grard, S., Elfakir, C. and Dreux, M.
Analysis of sulfobutyl ether- β -cyclodextrin mixtures by ion-spray mass spectrometry and liquid chromatography–ion-spray mass spectrometry 925(2001)79
- Grard, S., Morin, P., Dreux, M. and Ribet, J.P.
Efficient applications of capillary electrophoresis–tandem mass spectrometry to the analysis of adrenoreceptor antagonist enantiomers using a partial filling technique 926(2001)3
- Gräslund, T., Ehn, M., Lundin, G., Hedhammar, M., Uhlén, M., Nygren, P. and Hober, S.
Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2001)157
- Grasserbauer, M., see Sulyok, M. 917(2001)367
- Grasso, G., see Cucinotta, V. 916(2001)61
- Grechishkina, O.
Relationship between chromatographic properties of aromatic carboxylic acids and their structure 948(2002)65
- Grée, R., see Février, P. 923(2001)53
- Green, C.E., see Hettiarachchi, K. 924(2001)471
- Greibrokk, T., see Andersen, T. 918(2001)221
- Greibrokk, T., see Trones, R. 902(2000)421
- Griffith, A.P. and Collison, M.W.
Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography–mass spectrometry 913(2001)397
- Griffiths, S.W. and Cooney, C.L.
Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α 1-antitrypsin 942(2001)133
- Grimalt, J.O., see Chaler, R. 927(2001)155
- Grimes, B.A. and Liapis, A.I.
Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157
- Grimes, B.A., see Liapis, A.I. 921(2001)135
- Grimes, M., see Slingsby, R.W. 913(2001)159
- Grimsrud, E.P., see Culbertson, J.A. 903(2000)261
- Griswold, M.P., see Gunawan, S. 914(2001)1
- Gritti, F., Félix, G., Achard, M.-F. and Hardouin, F.
Laterally attached liquid-crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. III. Effect of the local anisotropic order on the separation of polycyclic aromatic hydrocarbons 913(2001)147
- Gritti, F., Félix, G., Achard, M.-F. and Hardouin, F.
Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51
- Gritti, F., Terrien, I., Menu, S., Dufourc, E.J., Félix, G., Achard, M.-F. and Hardouin, F.
Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37
- Grizard, G., see Sion, B. 935(2001)259
- Grønhaug Halvorsen, T., see Pedersen-Bjergaard, S. 902(2000)91
- Gröning, M. and Hakkarainen, M.
Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1
- Groom, C.A., Beaudet, S., Halasz, A., Paquet, L. and Hawari, J.
Detection of the cyclic nitramine explosives hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53
- Grosset, C., see Peyrin, E. 923(2001)37
- Großmann, F., Ehwald, V., du Fresne von Hohenesche, C. and Unger, K.K.
Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223
- Grushka, E., see Openheim, G. 942(2001)63
- Grushka, E., see Tsirkin, I. 919(2001)245

- Grüter, U.M., Hitzke, M., Kresimon, J. and Hirner, A.V.
Derivatization of organometal(loid) species by sodium borohydride. Problems and solutions 938(2001)225
- Gu, R.-F. and Jezorek, J.R.
Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21
- Gu, Z., Su, Z. and Janson, J.-C.
Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311
- Guasch, J., see Mestres, M. 945(2002)211
- Guček, M., see Novič, M. 909(2001)289
- Guenoun, P., see Cottet, H. 939(2001)109
- Guerra, R.M., Marín, M.L., Sánchez, A. and Jiménez, A.
Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31
- Guerrier, L., see Schwartz, W. 908(2001)251
- Guillamón, M., see Pérez, S. 938(2001)57
- Guillaume, Y.C., see Perrin, F.X. 950(2002)281
- Guillemin, T., see Blanche, F. 921(2001)39
- Guillén, D.A., see Domínguez, C. 918(2001)303
- Guinchard, C., see Perrin, F.X. 950(2002)281
- Guiochon, G.
Foreword 908(2001)1
- Guiochon, G.
Foreword 944(2002)1
- Guiochon, G., see Broyles, B.S. 917(2001)1
- Guiochon, G., see Chen, Y. 927(2001)1
- Guiochon, G., see Cherrak, D.E. 911(2001)147
- Guiochon, G., see Cherrak, D.E. 943(2002)15
- Guiochon, G., see Felinger, A. 913(2001)23
- Guiochon, G., see Felinger, A. 913(2001)221
- Guiochon, G., see Götmár, G. 905(2001)3
- Guiochon, G., see Jandera, P. 908(2001)3
- Guiochon, G., see Jandera, P. 917(2001)123
- Guiochon, G., see Jandera, P. 925(2001)19
- Guiochon, G., see Kaczmarek, K. 925(2001)1
- Guiochon, G., see Kele, M. 913(2001)89
- Guiochon, G., see Mihlbachler, K. 908(2001)49
- Guiochon, G., see Mihlbachler, K. 944(2002)3
- Guiochon, G., see Miyabe, K. 903(2000)1
- Guiochon, G., see Miyabe, K. 919(2001)231
- Guiochon, G., see Szabelski, P. 950(2002)41
- Guirardello, R., see Silvino Dos Santos, E. 944(2002)217
- Guisan, J.M., see Mateo, C. 915(2001)97
- Gulyaev, V.A., see Sergeev, N.V. 907(2001)131
- Gunawan, S., Griswold, M.P. and Kahn, D.G.
Liquid chromatographic–tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1
- Gunbilig, D., see Glasl, S. 936(2001)193
- Gundersen, J.L.
Separation of isomers of nonylphenol and select nonylphenol polyethoxylates by high-performance liquid chromatography on a graphitic carbon column 914(2001)161
- Gundersen, T.E. and Blomhoff, R.
Qualitative and quantitative liquid chromatographic determination of natural retinoids in biological samples (Review) 935(2001)13
- Guo, L. and Ding, M.-Yu.
Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169
- Guo, L., see Lu, X. 945(2002)249
- Guo, X. and Mitra, S.
On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189
- Guo, Z., see Luo, Q. 926(2001)255
- Gupalova, T.V., Lojkina, O.V., Pálágnuk, V.G., Totolian, A.A. and Tennikova, T.B.
Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185
- Gupta, A.K., see Vijaya Saradhi, U.V.R. 911(2001)63
- Gupta, M.N., see Roy, I. 950(2002)131
- Gupta, M.N., see Teotia, S. 923(2001)275
- Gurevich, K.B., see Roshchina, T.M. 931(2001)119
- Gusev, A.I., see Choi, B.K. 907(2001)337
- Gusev, I. and Horváth, C.
Streaming potential in open and packed fused-silica capillaries 948(2002)203
- Gustavsson, P.-E. and Larsson, P.-O.
Continuous superporous agarose beds in radial flow columns 925(2001)69
- Gustavsson, S.Å., Samskog, J., Markides, K.E. and Långström, B.
Studies of signal suppression in liquid chromatography–electrospray ionization mass spectrometry using volatile ion-pairing reagents 937(2001)41
- Gutleben, W., Tuan, N.D., Stoiber, H., Dierich, M.P., Sarcletti, M. and Zemann, A.
Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313
- Guttman, A., see Barta, C. 924(2001)285
- Guttman, A., see Khandurina, J. 943(2002)159
- Guy, P.A., see Fenaille, F. 921(2001)237
- Guyon, F., see Do, B. 918(2001)87
- Güzeltunç, E. and Ülgen, K.Ö.
Recovery of actinorhodin from fermentation broth 914(2001)67
- Guzman, N., see da Silva, J.A.F. 942(2001)249
- Guzmán Bernardo, F.J., see Berzas Nevado, J.J. 918(2001)205
- Gyéresi, Á., see Péter, M. 910(2001)247
- Gyllenhaal, O., see Salvador, A. 929(2001)101
- Gzil, P., see Desmet, G. 948(2002)19

H

- Haage, K., see Czichocki, G. 943(2002)241
- Haake, C., see Weber, G. 928(2001)171
- Haasnoot, W., see Theodoridis, G. 948(2002)177
- Habben, S., see Degenhardt, A. 943(2002)299
- Haberhauer-Troyer, C., see Sulyok, M. 917(2001)367
- Haberhauer-Troyer, C., see Sulyok, M. 946(2002)301
- Haddad, P.R., see Breadmore, M.C. 920(2001)31
- Haddad, P.R., see Fritz, J.S. 942(2001)11
- Haddad, P.R., see Hilder, E.F. 922(2001)293
- Haddad, P.R., see Hu, W. 920(2001)95
- Haddad, P.R., see Johns, C. 927(2001)237
- Haddad, P.R., see Klampfl, C.W. 911(2001)277
- Haddad, P.R., see Madden, J.E. 910(2001)173
- Haddad, P.R., see Murrhij, J.P. 924(2001)233
- Haddad, P.R., see Murrhij, J.P. 943(2002)311
- Haddad, P.R., see Ng, K.L. 920(2001)41
- Haddad, P.R., see Tanaka, K. 920(2001)239
- Haddadian Billiot, F., Billiot, E.J. and Warner, I.M.
Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233
- Hage, D.S.
Chromatographic and electrophoretic studies of protein binding to chiral solutes 906(2001)459
- Hagège, A., see Martin-Jouet, M. 946(2002)255
- Haginaka, J.
Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations 906(2001)253
- Haginaka, J. and Kagawa, C.
Uniformly sized molecularly imprinted polymer for *d*-chlorpheniramine. Evaluation of retention and molecular recognition properties in an aqueous mobile phase 948(2002)77
- Haginaka, J. and Sanbe, H.
Uniformly sized molecularly imprinted polymer for (*S*)-naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141
- Hahn, R. and Jungbauer, A.
Control method for integrity of continuous beds 908(2001)179
- Haidekker, A. and Huber, C.G.
Ion chromatography on chelating stationary phases: separation of alkali metals 921(2001)217
- Haig, T., see An, M. 917(2001)245
- Hajós, P. and Szikszay, É.
Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23
- Hajšlová, J., see Maštovská, K. 907(2001)235
- Hajšlová, J., see Maštovská, K. 926(2001)291
- Hajšlová, J., see Zrostlíková, J. 937(2001)73
- Hakkarainen, M., see Gröning, M. 932(2001)1
- Halasz, A., see Groom, C.A. 909(2001)53
- Hall, A.J., see Berczki, A. 930(2001)31
- Hall, K., see Waterman, D. 912(2001)143
- Halvorsen, T.G., Pedersen-Bjergaard, S. and Rasmussen, K.E.
Liquid-phase microextraction and capillary electrophoresis of citalopram, an antidepressant drug 909(2001)87
- Hamada, J.S.
Scale-up potential of ion-pair high-performance liquid chromatography method to produce biologically active inositol phosphates 944(2002)241
- Hammock, B.D., see Newman, J.W. 925(2001)223
- Hampl, R., see Hill, M. 935(2001)297
- Han, H., see Shangguan, D. 910(2001)367
- Han, S., see Xiao, C. 927(2001)121
- Han, S.B., see Kwon, S.W. 921(2001)335
- Han, S.C., see Hyun, M.H. 910(2001)359
- Han, S.C., see Hyun, M.H. 922(2001)119
- Han, S.C., see Hyun, M.H. 950(2002)55
- Han, Y., see Chen, L. 907(2001)343
- Hanak, L., see Szanya, T. 908(2001)265
- Hancock, J.R., see D'Agostino, P.A. 912(2001)291
- Hancock, J.R., see D'Agostino, P.A. 950(2002)149
- Hancock, W.S., see Karger, B.L. 924(2001)1
- Händel, H., see Hellriegel, C. 914(2001)315
- Handley, A., see Loudon, D. 910(2001)237
- Hang, W., see Yan, X. 943(2002)275
- Hankemeier, Th., see Kok, S.J. 948(2002)257
- Harada, K.-i., Matsui, A., Shimizu, Y., Ikemoto, R. and Fujii, K.
Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187
- Harada, K.-i., see Oka, H. 903(2000)93
- Harada, K.-I., see Oka, H. 946(2002)157
- Harada, K.-i., Suzuki, M., Kato, A., Fujii, K., Oka, H. and Ito, Y.
Separation of WAP-8294A components, a novel antimethicillin-resistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75
- Harding, S.G. and Baumann, H.
Nuclear magnetic resonance studies of solvent flow through chromatographic columns: effect of packing density on flow patterns 905(2001)19
- Hardouin, F., see Gritti, F. 913(2001)147
- Hardouin, F., see Gritti, F. 922(2001)37
- Hardouin, F., see Gritti, F. 922(2001)51
- Harmatha, J., see Dinan, L. 935(2001)105
- Harris, J.E., Desai, N., Seaver, K.E., Watson, R.T., Kane-Maguire, N.A.P. and Wheeler, J.F.
Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427
- Harrison, C.R., see Lucy, C.A. 920(2001)135
- Harrison, D.J., see Youssouf Badal, M. 947(2002)277
- Hartonen, K., see Kuosmanen, K. 943(2002)113
- Hasebe, K., see Hu, W. 920(2001)95
- Hasebe, K., see Tanaka, K. 920(2001)239
- Hasselmann, C., see Ndaw, S. 928(2001)77
- Hata, K., see Iwasaki, Y. 905(2001)111
- Hatfield, P., see An, M. 917(2001)245

- Hatsis, P. and Lucy, C.A.
Effect of temperature on retention and selectivity in ion chromatography of anions 920(2001)3
- Hau, J. and Bovetto, L.
Characterisation of modified whey protein in milk ingredients by liquid chromatography coupled to electrospray ionisation mass spectrometry 926(2001)105
- Hauck, W., see Di Giovanni, O. 919(2001)1
- Hauser, B. and Popp, P.
Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters 909(2001)3
- Hauser, P.C., see Schwarz, M.A. 928(2001)225
- Hautman, D.P., Munch, D.J., Frebis, C., Wagner, H.P. and Pepich, B.V.
Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221
- Havel, J., see Madden, J.E. 910(2001)173
- Haverkate, E.G.J., see Kristenson, E.M. 917(2001)277
- Havlíková, H., see Hill, M. 935(2001)297
- Hawari, J., see Groom, C.A. 909(2001)53
- Hawkes, D.L., see Cruwys, J.A. 945(2002)195
- Hawkes, F.R., see Cruwys, J.A. 945(2002)195
- Hawrył, A., see Waksmundzka-Hajnos, M. 919(2001)39
- Hawthorne, S.B., see Kubátová, A. 923(2001)187
- Hayakawa, K., see Kodama, S. 932(2001)139
- Hayakawa, K., see Yamamoto, A. 910(2001)217
- Hayakawa, S., see Hirokawa, T. 919(2001)417
- Hayakawa, T., see Ohta, M. 910(2001)1
- He, J., Cheung, A.P., Wang, E., Fang, K. and Liu, P.
High-performance liquid chromatographic analysis for a non-chromophore-containing phosphatidyl inositol analog, 1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*-inositol, using indirect UV detection 913(2001)355
- He, J. and Xie, B.
Reversed-phase argentation high-performance liquid chromatography in phytochemical analysis of ginkgolic acids in leaves from *Ginkgo biloba* L. 943(2002)303
- He, Y., Zhang, Y.H. and Yeung, E.S.
Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271
- He, Y.-Z., see Cao, C.-X. 907(2001)347
- He, Y.-Z., see Cao, C.-X. 922(2001)283
- He, Y.-Z., see Yang, L. 932(2001)13
- Headley, J.V., Peru, K.M., Friesen, D.A. and Neu, T.
Liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry determination of *N*-methylpyrrolidinone in riverine biofilms 917(2001)159
- Headley, J.V., see Winkler, M. 903(2000)203
- Healy, L.O., Murrhly, J.P., Tan, A., Cocker, D., McEnery, M. and Glennon, J.D.
Enantiomeric separation of *R,S*-naproxen by conventional and nano-liquid chromatography with methyl- β -cyclodextrin as a mobile phase additive 924(2001)459
- Hearn, M.T.W., see Matyska, M.T. 924(2001)211
- Heck, A., see Farine, S. 920(2001)299
- Hedeland, M., see Carlsson, Y. 922(2001)303
- Hedhammar, M., see Gråslund, T. 942(2001)157
- Heeb, N.V., see Kohler, M. 926(2001)161
- Heftmann, E.
Foreword 935(2001)1
- Hegna, D.R., see Andersen, T. 918(2001)221
- Hegna, D.R., see Trones, R. 902(2000)421
- Heller, L.I., see Wheal, M.S. 942(2001)177
- Hellriegel, C., Händel, H., Wedig, M., Steinhauer, S., Sörgel, F., Albert, K. and Holzgrave, U.
Study on the chiral recognition of the enantiomers of ephedrine derivatives with neutral and sulfated heptakis(2,3-*O*-diacetyl)- β -cyclodextrins using capillary electrophoresis, UV, nuclear magnetic resonance spectroscopy and mass spectrometry 914(2001)315
- Hendershot, S. and Koharski, D.
Appropriate column configurations for the rapid analysis and semipreparative purification of the radiolabeled drug flutamide by high-performance liquid chromatography 914(2001)23
- Hennion, M.-C., see Vial, J. 937(2001)21
- Henriksson, E., see Karlsson, G. 946(2002)163
- Henry III, C.W., McCarroll, M.E. and Warner, I.M.
Separation of the insecticidal pyrethrin esters by capillary electrochromatography 905(2001)319
- Hentz, N.G., see Feltus, A. 918(2001)381
- Her, G.-R., see Chen, T.-C. 927(2001)229
- Herbreteau, B., see Salvador, A. 929(2001)101
- Herbst, L., see Sutherland, F.C.W. 949(2002)71
- Hercegová, A., see Čakrt, M. 916(2001)207
- Hercules, D.M., see Choi, B.K. 907(2001)337
- Hernández, F., see Dijkman, E. 926(2001)113
- Hernández, F., see Martínez-Bravo, Y. 926(2001)265
- Hernández, F., see Pozo, O. 923(2001)75
- Hernández, F., see Roig-Navarro, A.F. 912(2001)319
- Hernández, F., Sancho, J.V., Pozo, O., Lara, A. and Pitarch, E.
Rapid direct determination of pesticides and metabolites in environmental water samples at sub- $\mu\text{g}/\text{l}$ level by on-line solid-phase extraction-liquid chromatography–electrospray tandem mass spectrometry 939(2001)1
- Hernández, J.M., see Costa, L. 907(2001)173
- Hernández, M., Hernández-Coronado, M.J., Montiel, M.D., Rodríguez, J. and Arias, M.E.
Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389
- Hernández-Arteseros, J.A., Barbosa, J., Compañó, R. and Prat, M.D.
Analysis of quinolone residues in edible animal products 945(2002)1
- Hernández-Arteseros, J.A., Beltrán, J.L., Compañó, R. and Prat, M.D.
Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2001)275
- Hernández-Cassou, S., see Latorre, R.M. 934(2001)105
- Hernández-Cassou, S., see Sentellas, S. 909(2001)259
- Hernández-Coronado, M.J., see Hernández, M. 919(2001)389

- Hernández-Méndez, J., see Delgado-Zamarreño, M.M. 935(2001)77
- Hernando, M.D., Piedra, L., Belmonte, Á., Agüera, A. and Fernández-Alba, A.R.
Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103
- Herod, A.A., see Bermejo, J. 919(2001)255
- Herráez-Hernández, R., see Verdú-Andrés, J. 930(2001)95
- Herrera, E., see Rupérez, F.J. 935(2001)45
- Herrero-Hernández, E., see Carabias-Martínez, R. 950(2002)157
- Heskamp, H.H., see van Rhijn, J.A. 929(2001)31
- Hess, P., see Jaime, E. 929(2001)43
- Hettiarachchi, K., Green, C.E., Ramanathan-Girish, S., Wu, B., Jackson, C.J., Ridge, S., Salem, M.A. and Lanser, M.E.
Analysis of 2 β -carbomethoxy-3 β -(4-fluorophenyl)-*N*-(3-iodo-*E*-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471
- Heubes, M., see Bringmann, G. 904(2000)243
- Hierro, E., see Elmore, J.S. 905(2001)233
- Higaki, M., see Kanazawa, H. 948(2002)303
- Higashi, T., see Shimada, K. 935(2001)141
- Hikosaka, M., see Iida, T. 937(2001)97
- Hilder, E.F., see Fritz, J.S. 942(2001)11
- Hilder, E.F., Klampfl, C.W., Buchberger, W. and Haddad, P.R.
Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293
- Hill Jr., H.H., see Asbury, G.R. 902(2000)433
- Hill Jr., H.H., see Matz, L.M. 946(2002)59
- Hill, M., Lapčák, O., Havlíková, H., Morfin, R. and Hampl, R.
7-Hydroxydehydroepiandrosterone epimers in human serum and saliva. Comparison of gas chromatography–mass spectrometry and radioimmunoassay 935(2001)297
- Hillaert, S., De Grauwe, K. and Van den Bossche, W.
Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439
- Himeno, S., see Kitazumi, I. 939(2001)123
- Hindocha, D. and Smith, N.W.
Resolution of positional isomers by capillary electrochromatography 904(2000)99
- Hinz, A.-C., see Karlsson, G. 946(2002)163
- Hirabayashi, J., see Arata, Y. 905(2001)337
- Hiraide, M., see Saitoh, T. 932(2001)159
- Hirner, A.V., see Grüter, U.M. 938(2001)225
- Hirokawa, T., Nishimoto, K., Jie, Y., Ito, K., Nishiyama, F., Ikuta, N. and Hayakawa, S.
Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis–particle-induced X-ray emission 919(2001)417
- Hischenhuber, C., see Kamm, W. 918(2001)341
- Hitzke, M., see Grüter, U.M. 938(2001)225
- Ho, C.-h., see Tomkins, B.A. 909(2001)13
- Ho, M., see Pemberton, J.E. 913(2001)243
- Ho Row, K., see Hui Kang, D. 949(2002)217
- Ho, Y.F., see Cheng, F.C. 949(2002)35
- Ho, Y.-P., see To, K.K.W. 947(2002)319
- Hobby, K.R., see Waridel, P. 926(2001)29
- Hober, S., see Gräslund, T. 942(2001)157
- Hobo, T., see Chen, Z. 942(2001)83
- Hobo, T., see Xu, W. 907(2001)279
- Hoegger, D. and Freitag, R.
Acrylamide-based monoliths as robust stationary phases for capillary electrochromatography 914(2001)211
- Hoffman, D., see O'Neill, A.P. 924(2001)259
- Hoffmann, R., see Pfeifer, T. 926(2001)151
- Hoffmann, T., see Wolf, R. 926(2001)21
- Hofte, A.J.P., see Aguilar, C. 926(2001)57
- Hogendoorn, E., see Dijkman, E. 926(2001)113
- Hogendoorn, E.A., Huls, R., Dijkman, E. and Hoogerbrugge, R.
Microwave assisted solvent extraction and coupled-column reversed-phase liquid chromatography with UV detection. Use of an analytical restricted-access-medium column for the efficient multi-residue analysis of acidic pesticides in soils 938(2001)23
- Holčapek, M., Jandera, P. and Zderadička, P.
High performance liquid chromatography–mass spectrometric analysis of sulphonated dyes and intermediates 926(2001)175
- Holst, P.B., Christophersen, C. and Engvild, K.C.
In vivo incorporation of radioactive ³⁶Cl, a method for monitoring chloro compounds in biological material 903(2000)267
- Holt, R.U.
Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107
- Holzgrabe, U., see Christians, T. 911(2001)249
- Holzgrabe, U., see Hellriegel, C. 914(2001)315
- Honda, A., see Suzuki, S. 910(2001)319
- Honda, S., see Du, Y. 947(2002)287
- Honda, S., see Suzuki, S. 910(2001)319
- Honda, S., see Taga, A. 911(2001)259
- Hong, S.B., see Kim, J.I. 949(2002)275
- Hood, D.J., see Cheung, H.Y. 911(2001)119
- Hoogerbrugge, R., see Dijkman, E. 926(2001)113
- Hoogerbrugge, R., see Hogendoorn, E.A. 938(2001)23
- Hoogmartens, J., see Chepkwony, H.K. 914(2001)53
- Hoogmartens, J., see Dehouck, P. 932(2001)145
- Hoogmartens, J., see Kaale, E. 924(2001)451
- Hoogmartens, J., see Orwa, J.A. 912(2001)369
- Hooijschuur, E.W.J., Kientz, C.E. and Brinkman, U.A.Th.
Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165
- Hooijschuur, E.W.J., Kientz, C.E. and Brinkman, U.A.Th.
Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187
- Horie, H., Nesumi, A., Ujihara, T. and Kohata, K.
Rapid determination of caffeine in tea leaves 942(2001)271

- Horká, M., Willmann, T., Blum, M., Nording, P., Friedl, Z. and Šlais, K.
Capillary isoelectric focusing with UV-induced fluorescence detection 916(2001)65
- Horsfield, B., see Waterman, D. 912(2001)143
- Horvai, G., see Bereczki, A. 930(2001)31
- Horváth, C., see Gusev, I. 948(2002)203
- Horváth, C., see Zhang, S. 914(2001)189
- Horváth, C., see Zhang, S. 948(2002)193
- Horváth, V., see Bereczki, A. 930(2001)31
- Hosoya, K., see Turowski, M. 911(2001)177
- Hostettmann, K., see Wardel, P. 926(2001)29
- Houwing, J., Billiet, H.A.H. and van der Wielen, L.A.M.
Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189
- Hoyos, M., Moore, L.R., McCloskey, K.E., Margel, S., Zuberi, M., Chalmers, J.J. and Zborowski, M.
Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99
- Hradil, J., see Ousaleh, M. 903(2000)13
- Hsieh, M.-M., Kuo, Y.-C., Tsai, P.-L. and Chang, H.-T.
Optimizing separation conditions for polycyclic aromatic hydrocarbons in micellar electrokinetic chromatography 924(2001)397
- Hsieh, M.-M., see Tseng, W.-L. 927(2001)179
- Hu, G., see Soják, L. 947(2002)103
- Hu, J.-y., see Shao, B. 950(2002)167
- Hu, K., see Shang, C. 942(2001)283
- Hu, S., Zhang, L. and Dovichi, N.J.
Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369
- Hu, W., Haddad, P.R., Cook, H., Yamamoto, H., Hasebe, K., Tanaka, K. and Fritz, J.S.
Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95
- Hu, W., see Tanaka, K. 920(2001)239
- Hu, Y., see Shang, C. 942(2001)283
- Hu, Z., see Liu, S. 928(2001)109
- Hu, Z., see Zhang, H. 907(2001)353
- Hua, L., Peng, Z., Chia, L.S., Goh, N.K. and Tan, S.N.
Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297
- Huang, C.B., see Yang, S.S. 942(2001)33
- Huang, C.-C., see Tseng, W.-L. 927(2001)179
- Huang, G.-R., see Lin, Y.-H. 937(2001)115
- Huang, H.-C., see Lin, C.-E. 910(2001)165
- Huang, H.-C., see Lin, C.-E. 917(2001)297
- Huang, H.-C., see Lin, C.-E. 924(2001)83
- Huang, J.-W., see Jen, J.-F. 912(2001)363
- Huang, R.-B., see Xie, S.-Y. 932(2001)43
- Huang, S., see Zhang, X. 910(2001)13
- Huang, W., see Lu, Y. 950(2002)89
- Huang, X., see Zhang, S. 948(2002)193
- Huang, Z., see Zeng, Z. 934(2001)51
- Huau, A., see Desmet, G. 948(2002)19
- Huber, C.G., see Haidekker, A. 921(2001)217
- Huber, T.M., Schwikowski, M. and Gäggeler, H.W.
Continuous melting and ion chromatographic analyses of ice cores 920(2001)193
- Hubert, P., see Abushoffa, A.M. 948(2002)321
- Hubert, P., see Chiap, P. 948(2002)151
- Huck, C.W., Buchmeiser, M.R. and Bonn, G.K.
Fast analysis of flavonoids in plant extracts by liquid chromatography–ultraviolet absorbance detection on poly(carboxylic acid)-coated silica and electrospray ionization tandem mass spectrometric detection 943(2002)33
- Hudaib, M., see Pomponio, R. 945(2002)239
- Hugo, P., see Liseč, O. 908(2001)19
- Hühnerfuss, H., see Weigel, S. 912(2001)151
- Hui, F., Ekborg-Ott, K.H. and Armstrong, D.W.
High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91
- Hui Kang, D. and Ho Row, K.
Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217
- Huie, C.W., see Fang, Q. 904(2000)47
- Hulliger, J., see Schürch, S. 905(2001)175
- Huls, R., see Hogendoorn, E.A. 938(2001)23
- Hulteen, J.C., see Jarvis, M. 920(2001)271
- Hummert, C., see Jaime, E. 929(2001)43
- Hundt, A.F., see Smit, M.J. 949(2002)65
- Hundt, A.F., see Sutherland, F.C.W. 914(2001)37
- Hundt, A.F., see Sutherland, F.C.W. 914(2001)45
- Hundt, A.F., see Sutherland, F.C.W. 949(2002)71
- Hundt, H.K.L., see Smit, M.J. 949(2002)65
- Hundt, H.K.L., see Sutherland, F.C.W. 914(2001)37
- Hundt, H.K.L., see Sutherland, F.C.W. 914(2001)45
- Hundt, H.K.L., see Sutherland, F.C.W. 949(2002)71
- Hung, L.C., see Cheng, F.C. 949(2002)35
- Hunter, A.K. and Carta, G.
Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79
- Hunter, A.K. and Carta, G.
Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13
- Hurse, T.J. and Abeydeera, W.P.P.
Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2001)201
- Huthmann, E. and Juza, M.
Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185
- Huybrechts, T., Dewulf, J., Van Craeynest, K. and Van Langenhove, H.
Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207
- Huyghebaert, A., see Verleyen, T. 921(2001)277
- Hwee Sian, T., see Nakamura, S. 919(2001)275

- Hyötyläinen, T., see Kuosmanen, K. 943(2002)113
 Hyötyläinen, T., see Palonen, S. 916(2001)89
 Hyuga, M., see Ohta, M. 910(2001)1
 Hyuga, S., see Ohta, M. 910(2001)1
 Hyun, M.H., Choi, S.Y., Um, B.H. and Han, S.C.
 Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119
 Hyun, M.H., Han, S.C., Lee, C.W. and Lee, Y.K.
 Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 950(2002)55
 Hyun, M.H., Han, S.C., Lipshutz, B.H., Shin, Y.-J. and Welch, C.J.
 New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359
 Hyun, M.H., see Jin, J.S. 933(2001)83
 Hywel Evans, E., see Truscott, J.B. 928(2001)91
- I**
- Ianni, C., see Magi, E. 905(2001)141
 Ibaraki, T., see Kawata, K. 911(2001)75
 Iberer, G., Schwinn, H., Josic, D., Jungbauer, A. and Buchacher, A.
 Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15
 Iden, C.R., see Ferguson, P.L. 938(2001)79
 Igarashi, T., see Goto, H. 907(2001)181
 Iida, T., Hikosaka, M., Goto, J. and Nambara, T.
 Capillary gas chromatographic behaviour of *tert*-hydroxylated steroids by trialkylsilylation 937(2001)97
 Ikai, Y., see Ito, Y. 911(2001)217
 Ikeda, I., see Takayanagi, T. 932(2001)165
 Ikegami, T., see Turowski, M. 911(2001)177
 Ikemoto, R., see Harada, K.-i. 921(2001)187
 Ikuta, N., see Hirokawa, T. 919(2001)417
 Imanari, T., see Shinomiya, K. 922(2001)365
 Impens, S., see De Wasch, K. 912(2001)311
 Impens, S., see De Wasch, K. 926(2001)79
 Impens, S., see Van de Wiele, M. 904(2000)203
 Inagaki, S., see Esaka, Y. 905(2001)291
 Ingelse, B.A., van Dam, R.C.J., Vreeken, R.J., Mol, H.G.J. and Steijger, O.M.
 Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography–tandem mass spectrometry 918(2001)67
 Ingkaninan, K., see Rhee, I.K. 915(2001)217
 Inoue, K., Yoshie, Y., Kondo, S., Yoshimura, Y. and Nakazawa, H.
 Determination of phenolic xenoestrogens in water by liquid chromatography with coulometric-array detection 946(2002)291
 Inoue, M., see Okada, T.K. 914(2001)175
 Inoue, N., see Suzuki, S. 910(2001)319
 Inoue, S., see Takeuchi, T. 910(2001)373
 Intes, O., Renault, J.-H., Sinquin, C., Zèches-Hanrot, M. and Nuzillard, J.-M.
 Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47
 Irimescu, R., see Iwasaki, Y. 905(2001)111
 Isaksson, R., see Enlund, A.M. 918(2001)211
 Ishii, Y., see Onaka, T. 903(2000)193
 Ishikawa, T., see Iwasaki, Y. 905(2001)111
 Isidorov, V.A., Krajewska, U., Dubis, E.N. and Jdanova, M.A.
 Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane–acetonitrile system 923(2001)127
 Ismail, N., Vairamani, M. and Rao, R.N.
 Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255
 Iso, K. and Okada, T.
 Simultaneous control of electrostatic micellar partition and electroosmotic flow-rate by anion-dominated partition into zwitterionic micelles 920(2001)317
 Isozaki, M., see Shibusawa, Y. 915(2001)253
 Isozaki, T., Matano, Y., Yamamoto, K., Kosaka, N. and Tani, T.
 Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249
 Issaq, H.J., see Janini, G.M. 924(2001)291
 Ito, H., Nakamura, M., Saito, K., Sugita, K. and Sugo, T.
 Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41
 Ito, K., see Hirokawa, T. 919(2001)417
 Ito, S. and Tsukada, K.
 Matrix effect and correction by standard addition in quantitative liquid chromatographic–mass spectrometric analysis of diarrhetic shellfish poisoning toxins 943(2002)39
 Ito, Y., see Degenhardt, A. 922(2001)355
 Ito, Y., see Du, Q. 921(2001)331
 Ito, Y., see Du, Q. 923(2001)271
 Ito, Y., see Harada, K.-i. 932(2001)75
 Ito, Y., Ikai, Y., Oka, H., Matsumoto, H., Miyazaki, Y., Takeba, K. and Nagase, H.
 Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217
 Ito, Y., see Lei, L. 912(2001)181
 Ito, Y., see Oka, H. 903(2000)93
 Ito, Y., see Okamoto, H. 929(2001)133
 Ito, Y., see Shibusawa, Y. 915(2001)253

- Ito, Y., see Shinomiya, K. 922(2001)365
- Ito, Y., see Tian, G. 904(2000)107
- Ito, Y., see Tian, G. 945(2002)281
- Ito, Y., see Wei, Y. 917(2001)347
- Ito, Y., see Wei, Y. 929(2001)169
- Ito, Y., see Weisz, A. 923(2001)87
- Ito, Y., see Yang, F. 919(2001)443
- Ito, Y., see Yang, F. 923(2001)281
- Ito, Y., see Yang, F. 928(2001)163
- Ito, Y., see Yang, F. 943(2002)219
- Ito, Yo., see Oka, H. 946(2002)157
- Ito, Yu., see Oka, H. 946(2002)157
- Itoh, E., see Abe, T. 920(2001)173
- Iuoras, B.E., see Suzuki, T. 922(2001)13
- Ivanov, A.E., Galaev, I.Yu., Kazakov, S.V. and Mattiasson, B.
Thermosensitive copolymers of *N*-vinylimidazole as
displacers of proteins in immobilised metal affinity
chromatography 907(2001)115
- Ivanov, A.R., Nazimov, IV., Baratova, L., Lobazov, A.P. and
Popkovich, G.B.
Determination of biologically active low-molecular-mass
thiols in human blood. III. Highly sensitive narrow-bore
isocratic reversed-phase high-performance liquid
chromatography with fluorescence detection 913(2001)315
- Ivanov Dobrev, P. and Kamínek, M.
Fast and efficient separation of cytokinins from auxin and
abscisic acid and their purification using mixed-mode solid-
phase extraction 950(2002)21
- Iwahashi, H.
High-performance liquid chromatographic determination of
linoleic acid peroxide-derived radicals using
electrochemical detection 904(2000)197
- Iwasaki, Y., Yasui, M., Ishikawa, T., Irimescu, R., Hata, K. and
Yamane, T.
Optical resolution of asymmetric triacylglycerols by chiral-
phase high-performance liquid chromatography
905(2001)111
- Iwaya, M., see Oka, H. 946(2002)157
- Iyer, M.S., Palomo, M., Schilling, K.M., Xie, Y., Formanski, L.
and Zembower, D.E.
Efficient reversed-phase purification of a hydrophobic
reaction product following Mitsunobu-mediated
glycosylation 944(2002)263
- Jackson Ellington, J., Evans, J.J., Prickett, K.B. and Champion,
W.L. Jr.
High-performance liquid chromatographic separation of the
enantiomers of organophosphorus pesticides on
polysaccharide chiral stationary phases 928(2001)145
- Jackson, P.E., see Echigo, S. 920(2001)205
- Jackson, P.E., Thomas, D.H., Donovan, B., Pohl, C.A. and
Kiser, R.E.
New block-grafted anion exchanger for environmental
water analysis by ion chromatography 920(2001)51
- Jackson, S., see Eisert, R. 909(2001)29
- Jacobs, P.A., see Kimpe, K. 937(2001)87
- Jaime, E., Hummert, C., Hess, P. and Luckas, B.
Determination of paralytic shellfish poisoning toxins by
high-performance ion-exchange chromatography
929(2001)43
- Jalali-Heravi, M. and Fatemi, M.H.
Artificial neural network modeling of Kováts retention
indices for noncyclic and monocyclic terpenes
915(2001)177
- Jalali-Heravi, M. and Garkani-Nejad, Z.
Prediction of electrophoretic mobilities of sulfonamides in
capillary zone electrophoresis using artificial neural
networks 927(2001)211
- Jalali-Heravi, M. and Garkani-Nejad, Z.
Use of self-training artificial neural networks in modeling
of gas chromatographic relative retention times of a variety
of organic compounds 945(2002)173
- Jalali-Heravi, M. and Garkani-Nejad, Z.
Prediction of relative response factors for flame ionization
and photoionization detection using self-training artificial
neural networks 950(2002)183
- Jalali-Heravi, M. and Parastar, F.
Development of comprehensive descriptors for multiple
linear regression and artificial neural network modeling of
retention behaviors of a variety of compounds on different
stationary phases 903(2000)145
- James, K.J., see Furey, A. 938(2001)167
- James, K.J., see Lehane, M. 950(2002)139
- Jamróz, M.H., see Brzozowski, R. 946(2002)221
- Janco, M., see Xu, M. 928(2001)25
- Jandera, P., Bačková, V. and Felinger, A.
Analysis of the band profiles of the enantiomers of
phenylglycine in liquid chromatography on bonded
teicoplanin columns using the stochastic theory of
chromatography 919(2001)67
- Jandera, P., Bunčková, S., Míhlbachler, K., Guiochon, G.,
Bačková, V. and Planeta, J.
Fitting adsorption isotherms to the distribution data
determined using packed micro-columns for high-
performance liquid chromatography 925(2001)19
- Jandera, P., Fischer, J., Jebavá, J. and Effenberger, H.
Characterisation of retention in micellar high-performance
liquid chromatography, in micellar electrokinetic
chromatography and in micellar electrokinetic
chromatography with reduced flow 914(2001)233
- Jandera, P., see Holčapek, M. 926(2001)175
- Jandera, P., see Kaspereit, M. 944(2002)249

J

Jackson, A., see Jarvis, M. 920(2001)271

Jackson, C.J., see Hettiarachchi, K. 924(2001)471

- Jandera, P., Škavrada, M., Anděl, L., Komers, D. and Guiochon, G.
Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3
- Jandera, P., Škavrada, M., Klemmová, K., Bačkovská, V. and Guiochon, G.
Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123
- Jandera, P., see Staněk, V. 948(2002)235
- Jang, M.D., see Kim, I.W. 915(2001)35
- Janini, G.M., Metral, C.J. and Issaq, H.J.
Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291
- Jankovskiene, G., Daunoravicius, Z. and Padarauskas, A.
Capillary electrophoretic determination of sulfite using the zone-passing technique of in-capillary derivatization 934(2001)67
- Jankowski, C.K., see Lamouroux, C. 917(2001)261
- Janoszka, B., Błaszczyk, U., Warzecha, L., Strózyk, M., Damasiewicz-Bodzek, A. and Bodzek, D.
Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat-treated meat samples 938(2001)155
- Janoszka, B., see Luks-Betlej, K. 938(2001)93
- Janoušková, J., Budinská, M., Plocková, J. and Chmelík, J.
Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183
- Janson, J.-C., see Gu, Z. 918(2001)311
- Janssen, H.-G., see De Koning, S. 922(2001)391
- Janssen, R.A.J., see Vonk, E.C. 911(2001)13
- Jardim, I.C.S.F., see Queiroz, S.C.N. 948(2002)171
- Jardim, I.C.S.F., see Silva, C.R. 913(2001)65
- Jardim, I.C.S.F., see Silva, C.R. 948(2002)85
- Jardim, I.C.S.F., see Tonhi, E. 948(2002)97
- Jaroš, M., see Gaš, B. 905(2001)269
- Jaroš, M., see Kvasnička, F. 916(2001)131
- Jarrett, H.W., see Chockalingam, P.S. 942(2001)167
- Jarrett, H.W., see Gadgil, H. 905(2001)133
- Jarrett, H.W., see Gadgil, H. 917(2001)43
- Jarvis, M., Jackson, A., Tyler, P. and Hulteen, J.C.
Ammonium extraction method for ion chromatographic measurements of disc drive components 920(2001)271
- Jastrzębski, D., see Kamiński, M. 947(2002)217
- Jaus, A. and Oehme, M.
Consequences of variable purity of heptakis(2,3,6-tri-*O*-methyl)- β -cyclodextrin determined by liquid chromatography–mass spectrometry on the enantioselective separation of polychlorinated compounds 905(2001)59
- Jayaram, B., see Vijaya Saradhi, U.V.R. 911(2001)63
- Jaziri, M., see Theodoridis, G. 948(2002)177
- Jdanova, M.A., see Isidorov, V.A. 923(2001)127
- Jebavá, J., see Jandera, P. 914(2001)233
- Jekel, M., see Putschew, A. 930(2001)127
- Jelínek, I., see Gaš, B. 905(2001)269
- Jellum, E., see Presto Elgstoen, K.B. 914(2001)265
- Jen, J.-F., Chang, C.-T. and Yang, T.C.
On-line microdialysis–high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119
- Jen, J.-F., Lin, T.-H., Huang, J.-W. and Chung, W.-C.
Direct determination of sinigrin in mustard seed without desulfatation by reversed-phase ion-pair liquid chromatography 912(2001)363
- Jen, J.-F., Tsai, Y.-Y. and Yang, T.C.
Microdialysis of salicylic acid from viscous emulsion samples prior to high-performance liquid chromatographic determination 912(2001)39
- Jeng, S.-H., see Chang-Chien, G.-P. 932(2001)97
- Jenks, W.S., see Anderson, J.L. 946(2002)197
- Jensen, D., see Kaiser, E. 920(2001)127
- Jensen, I.H., see Staby, A. 908(2001)149
- Jerosch, H., Lavédrine, B. and Cherton, J.-C.
Study of the stability of cellulose–holocellulose solutions in *N,N*-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31
- Jeyashoke, N., see Lomsugarit, S. 926(2001)337
- Ježek, J. and Suhaj, M.
Application of capillary isotachopheresis for fruit juice authentication 916(2001)185
- Jezorek, J.R., see Gu, R.-F. 919(2001)21
- Jiang, H., Zou, H., Wang, H., Ni, J., Zhang, Q. and Zhang, Y.
On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77
- Jiang, T., Jiskra, J., Claessens, H.A. and Cramers, C.A.
Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215
- Jiang, X., see Faghihi, J. 915(2001)61
- Jiang, Y. and Lee, C.S.
On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315
- Jiang, Y., see Li, H.-B. 943(2002)235
- Jie, Y., see Hirokawa, T. 919(2001)417
- Jiménez, A., see Guerra, R.M. 950(2002)31
- Jiménez, B., see Concejero, M. 917(2001)227
- Jiménez, J.J., Bernal, J.L., del Nozal, M².J., Toribio, L. and Arias, E.
Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147
- Jiménez, J.J., Bernal, J.L., del Nozal, M².J., Toribio, L. and Mayorga, A.L.
Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection 919(2001)373
- Jiménez, J.J., Bernal, J.L., Toribio, L., del Nozal, M².J. and Martín, M².T.
Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247
- Jiménez, J.J., see Nozal, M.J. 917(2001)95

- Jiménez, J.J., see Toribio, L. 921(2001)305
 Jiménez, M., see Mateo, J.J. 918(2001)99
 Jiménez, R.M.^a, see Arias, R. 916(2001)297
 Jiménez, R.M.^a, see González, L. 949(2002)49
 Jiménez, R.M.^a, see Maguregui, M.I. 949(2002)91
 Jiménez, R.M.^a, see Prieto, J.A. 916(2001)279
 Jimenez-Lozano, E., see Barrón, D. 919(2001)395
 Jin, J.S., Stalcup, A.M. and Hyun, M.H.
 Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83
 Jin, J.-Y., see Sato, K. 919(2001)313
 Jin, X., see Qiu, J. 950(2002)81
 Jira, T., see Sokoließ, T. 948(2002)309
 Jisaki, F., see Okada, T.K. 914(2001)175
 Jiskra, J., see Jiang, T. 923(2001)215
 Jodlbauer, J., Maier, N.M. and Lindner, W.
 Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45
 Johannsen, M.
 Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135
 Jöhnck, M., see Bodor, R. 916(2001)155
 Jöhnck, M., see Masár, M. 916(2001)101
 Jöhnck, M., see Masár, M. 916(2001)167
 Johns, C., Macka, M., Haddad, P.R., King, M. and Paull, B.
 Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237
 Johnson, J.E., see Matchett, M.W. 927(2001)97
 Johnson, P.D., see Rimmer, D.A. 928(2001)209
 Johri, R.K., see Bajad, S. 949(2002)43
 Jones, A., see LoBrutto, R. 913(2001)173
 Jones, A., see LoBrutto, R. 913(2001)189
 Jones, A.D., see Yang, Yu. 942(2001)231
 Jones, P., see Truscott, J.B. 928(2001)91
 Jonkers, E.Z., see Boone, C.M. 927(2001)203
 Jönsson, J.Å., see Cohen, A. 927(2001)103
 Jönsson, J.Å. and Mathiasson, L.
 Membrane-based techniques for sample enrichment 902(2000)205
 Jordi, W., see van Rhijn, J.A. 929(2001)31
 Jorgenson, J.W., see Lan, K. 905(2001)47
 Jorgenson, J.W., see Lan, K. 915(2001)1
 Josić, D.
 Foreword 921(2001)1
 Josic, D., see Iberer, G. 921(2001)15
 Josic, D., see Pock, K. 921(2001)57
 Josic, D., see Saenko, E. 921(2001)49
 Josić, Dj., see Branović, K. 903(2000)21
 Jover, E. and Maria Bayona, J.
 Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213
 Judd, D., see Schwartz, W. 908(2001)251
 Jung, M.-W., Ahn, K.-H., Lee, Y., Kim, K.-P., Rhee Paeng, I., Rhee, J.-S., Tae Park, J. and Paeng, K.-J.
 Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87
 Jungbauer, A., see Einhauer, A. 921(2001)25
 Jungbauer, A., see Hahn, R. 908(2001)179
 Jungbauer, A., see Iberer, G. 921(2001)15
 Jungbauer, A., see Uretschläger, A. 908(2001)243
 Jungvid, H., see Li, Y. 925(2001)115
 Jungvid, H., see Li, Y.C. 909(2001)137
 Jupille, T.H., Dolan, J.W., Snyder, L.R. and Molnar, I.
 Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35
 Jupke, A., Epping, A. and Schmidt-Traub, H.
 Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93
 Jupke, A., see Mihlbachler, K. 944(2002)3
 Jurenitsch, J., see Glasl, S. 936(2001)193
 Jurt, S., Schär, M. and Meyer, V.R.
 Procedure for the quantification of rider peaks 929(2001)165
 Jussila, M., see Molina, M. 927(2001)191
 Jussila, M., see Palonen, S. 916(2001)89
 Justesen, U.
 Negative atmospheric pressure chemical ionisation low-energy collision activation mass spectrometry for the characterisation of flavonoids in extracts of fresh herbs 902(2000)369
 Juza, M., see Huthmann, E. 908(2001)185
- ## K
- Kaale, E., Van Schepdael, A., Roets, E. and Hoogmartens, J.
 Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451
 Kabasawa, Y., see Shinomiya, K. 922(2001)365
 Kabátek, Z., Klepárník, K. and Gaš, B.
 Effect of temperature on the separation of long DNA fragments in polymer solution 916(2001)305
 Kač, M., see Kovačević, M. 918(2001)159
 Kaczmarski, K., Antos, D., Sajonz, H., Sajonz, P. and Guiochon, G.
 Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1
 Kaczmarski, K., see Szabelski, P. 950(2002)41

- Kagan, M.Z.
Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293
- Kagawa, C., see Haginaka, J. 948(2002)77
- Kahle, V., see Kvasničková, L. 916(2001)265
- Kählig, H., see Mayer, B.X. 917(2001)219
- Kahn, D.G., see Gunawan, S. 914(2001)1
- Kaiser, E., Rohrer, J.S. and Jensen, D.
Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127
- Kajiyama, S., see Bamba, T. 911(2001)113
- Kallio, H., see Sjøvall, O. 905(2001)119
- Kalo, P. and Kuuranne, T.
Analysis of free and esterified sterols in fats and oils by flash chromatography, gas chromatography and electrospray tandem mass spectrometry 935(2001)237
- Kalogerakis, N., see Psillakis, E. 907(2001)211
- Kalogerakis, N., see Psillakis, E. 938(2001)113
- Kámán, J., see Péter, A. 919(2001)79
- Kamimori, H. and Konishi, M.
Evaluation and application of liquid chromatographic columns coated with 'intelligent' ligands: (I) acylcarnitine column 929(2001)1
- Kamínek, M., see Ivanov Dobrev, P. 950(2002)21
- Kamiński, M., Jastrzębski, D., Przyjazny, A. and Kartanowicz, R.
Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217
- Kamm, W., Dionisi, F., Fay, L.-B., Hischenhuber, C., Schmarr, H.-G. and Engel, K.-H.
Analysis of steryl esters in cocoa butter by on-line liquid chromatography–gas chromatography 918(2001)341
- Kamo, N., see Liu, X.-Y. 913(2001)123
- Kanazawa, H., Okada, A., Matsushima, Y., Yokota, H., Okubo, S., Mashige, F. and Nakahara, K.
Determination of omeprazole and its metabolites in human plasma by liquid chromatography–mass spectrometry 949(2002)1
- Kanazawa, H., Tsubayashi, A., Nagata, Y., Matsushima, Y., Mori, C., Kizu, J. and Higaki, M.
Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303
- Kandiyoti, R., see Bermejo, J. 919(2001)255
- Kane-Maguire, N.A.P., see Harris, J.E. 919(2001)427
- Kaneshiro, S., see Wan, H.Z. 913(2001)437
- Kang, H.-D., see Lee, K.-P. 948(2002)129
- Kaniansky, D., see Bodor, R. 916(2001)31
- Kaniansky, D., see Bodor, R. 916(2001)155
- Kaniansky, D., see Danková, M. 916(2001)143
- Kaniansky, D., see Masár, M. 916(2001)101
- Kaniansky, D., see Masár, M. 916(2001)167
- Kaniansky, D., see Nagyová, I. 916(2001)191
- Kaniansky, D., and Kenndler, E.
Foreword 916(2001)1
- Kanno, S., see Sato, K. 919(2001)313
- Kano, K., see Esaka, Y. 905(2001)291
- Karaiskakis, G., see Atta Rashid, K. 934(2001)31
- Karaiskakis, G., see Gavril, D. 919(2001)349
- Karamata, D., see Borruat, G. 922(2001)219
- Karami, A., see Torabi, K. 910(2001)19
- Karami, A., Balke, S.T. and Schunk, T.C.
Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)127
- Karger, A.E., see McCormick, L.C. 924(2001)43
- Karger, B.L. and Hancock, W.S.
Foreword 924(2001)1
- Karlberg, B., see Kuban, P. 912(2001)163
- Karlberg, B., see Mikaeli, S. 907(2001)267
- Karlsson, A., see Ander, B. 917(2001)105
- Karlsson, A., see Salvador, A. 929(2001)101
- Karlsson, A. and Karlsson, O.
Chiral ion-pair chromatography on porous graphitized carbon using *N*-blocked dipeptides as counter ions 905(2001)329
- Karlsson, G., Hinz, A.-C., Henriksson, E. and Winge, S.
Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163
- Karlsson, K., see Spoof, L. 909(2001)225
- Karlsson, O., see Karlsson, A. 905(2001)329
- Kartanowicz, R., see Kamiński, M. 947(2002)217
- Kartsova, L.A., see Tcherkas, Y.V. 913(2001)303
- Kasai, K.-I., see Arata, Y. 905(2001)337
- Kaspereit, M., Jandera, P., Škavrada, M. and Seidel-Morgenstern, A.
Impact of adsorption isotherm parameters on the performance of enantioseparation using simulated moving bed chromatography 944(2002)249
- Kato, A., see Harada, K.-i. 932(2001)75
- Kato, K., see Yamamoto, A. 928(2001)139
- Kato, M., Dulay, M.T., Bennett, B.D., Quirino, J.P. and Zare, R.N.
Photopolymerized sol–gel frits for packed columns in capillary electrochromatography 924(2001)187
- Katsanos, N.A., see Atta Rashid, K. 934(2001)31
- Kavran, G. and Erim, F.B.
Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography 949(2002)301
- Kawamura, K., Otsuka, K. and Terabe, S.
Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μm OD-type chiral packing 924(2001)251
- Kawasaki, N., see Ohta, M. 910(2001)1
- Kawata, K., Ibaraki, T., Tanabe, A., Yagoh, H., Shinoda, A., Suzuki, H. and Yasuhara, A.
Gas chromatographic–mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75
- Kazakevich, Y.V., see LoBrutto, R. 913(2001)173
- Kazakevich, Y.V., see LoBrutto, R. 913(2001)189
- Kazakevich, Y.V., see Rustamov, I. 913(2001)49

- Kazakevich, Y.V., LoBrutto, R., Chan, F. and Patel, T.
Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75
- Kazakov, S.V., see Ivanov, A.E. 907(2001)115
- Kazmina, A.A., see Roshchina, T.M. 931(2001)119
- Kažoka, H.
Application of mixed partition-adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187
- Kažoka, H.
Analysis of purines and pyrimidines by mixed partition-adsorption normal-phase high-performance liquid chromatography (Review) 942(2001)1
- Ke, C.-B., Su, K.-D. and Lin, K.-C.
Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247
- Kearney, G., see Bobeldijk, I. 929(2001)63
- Keely, B.J., see Airs, R.L. 917(2001)167
- Kehr, J., see Arlt, K. 926(2001)319
- Kele, M., see Chen, Y. 927(2001)1
- Kele, M., see Felinger, A. 913(2001)23
- Kele, M. and Guiochon, G.
Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. V. Results obtained with Vydac 218TP C₁₈ columns 913(2001)89
- Keller, P., see Schieber, A. 910(2001)265
- Kemmochi, Y., Tsutsumi, K., Arikawa, A. and Nakazawa, H.
Centrifugal concentrator for the substitution of nitrogen blow-down micro-concentration in dioxin/polychlorinated biphenyl sample preparation 943(2002)295
- Kenndler, E., see Gogová, K. 916(2001)79
- Kenndler, E., see Kaniansky, D. 916(2001)1
- Kenndler, E., see Muzikár, J. 924(2001)147
- Kenndler, E., see Muzikar, J. 950(2002)249
- Kenndler, E., see Poppe, H. 911(2001)143
- Kenndler, E., see Porras, S.P. 905(2001)259
- Kenndler, E., see Porras, S.P. 924(2001)31
- Kennedy, R.M., see Williams, A. 944(2002)69
- Keppeler, B.K., see Timerbaev, A.R. 945(2002)25
- Kerhervé, P., see Panagiotopoulos, C. 920(2001)13
- Kettrup, A., see Zhang, W. 922(2001)277
- Keum, Y.I., see Cheong, W.J. 910(2001)195
- Kevresan, S., see Sárbu, C. 917(2001)361
- Khandurina, J. and Guttman, A.
Bioanalysis in microfluidic devices 943(2002)159
- Khanna, S.K., see Rastogi, S. 933(2001)91
- Khasawneh, M.A., Vallano, P.T. and Remcho, V.T.
Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87
- Kiceniuk, A.G., see Yeung, K.K.-C. 931(2001)153
- Kientz, C.E., see Hooijschuur, E.W.J. 907(2001)165
- Kientz, C.E., see Hooijschuur, E.W.J. 928(2001)187
- Killelea, D.R. and Aldstadt, J.H.
Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169
- Kim, H.-J., see Kim, T.-Y. 933(2001)99
- Kim, H.-J., Kim, K., Kim, N.-S. and Lee, D.-S.
Determination of floral fragrances of *Rosa hybrida* using solid-phase trapping-solvent extraction and gas chromatography-mass spectrometry 902(2000)389
- Kim, I.H., see Yoon, T.H. 949(2002)209
- Kim, I.W., Lee, H.S., Lee, Y.K., Jang, M.D. and Park, J.H.
Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35
- Kim, J.-B., Otsuka, K. and Terabe, S.
On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343
- Kim, J.-B., Otsuka, K. and Terabe, S.
Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129
- Kim, J.-B., Quirino, J.P., Otsuka, K. and Terabe, S.
On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123
- Kim, J.I., Hong, S.B. and Row, K.H.
Effect of particle size in preparative reversed-phase high-performance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275
- Kim, J.M., see Kwon, S.W. 921(2001)335
- Kim, J.-N., Yun, J.-S. and Ryu, H.-W.
Simultaneous determination of δ -aminolevulinic acid, porphobilinogen, levulinic acid and glycine in culture broth by capillary electrophoresis 938(2001)137
- Kim, J.-S. and Knapp, D.R.
Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137
- Kim, K., see Kim, H.-J. 902(2000)389
- Kim, K.-P., see Jung, M.-W. 917(2001)87
- Kim, M., see Choi, J.-G. 924(2001)53
- Kim, N.-S., see Kim, H.-J. 902(2000)389
- Kim, S.J., see Min, B.R. 950(2002)175
- Kim, T.-Y. and Kim, H.-J.
Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D,L-serine by γ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99
- Kim, U.-J. and Kuga, S.
Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29
- Kim, U.-J. and Kuga, S.
Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283
- Kimata, K., see Turowski, M. 911(2001)177
- Kimpe, K., Jacobs, P.A. and Waelkens, M.
Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87
- King, J.W., see Turner, C. 936(2001)215

- King, M., see Johns, C. 927(2001)237
- Kirch, W., see Oertel, R. 948(2002)187
- Kirdar, B., see Özyurt, S. 944(2002)203
- Kiridena, W., see Poole, C.F. 912(2001)107
- Kiridena, W., Koziol, W.W. and Poole, C.F.
Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171
- Kiseleva, M.G. and Nesterenko, P.N.
Novel stationary phase with regulated anion-exchange capacity 920(2001)87
- Kiseleva, M.G., Radchenko, L.V. and Nesterenko, P.N.
Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79
- Kiser, R.E., see Jackson, P.E. 920(2001)51
- Kishida, K. and Furusawa, N.
Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49
- Kissmeyer, A.-M. and Sonne, K.
Sensitive analysis of $1\alpha,25$ -dihydroxyvitamin D_3 in biological fluids by liquid chromatography–tandem mass spectrometry 935(2001)93
- Kitaoka, M., see Yamamoto, A. 910(2001)217
- Kitayama, T., see Bamba, T. 911(2001)113
- Kitazumi, I., Nakashima, Y. and Himeno, S.
Simultaneous electrophoretic determination of vanadium(V) and vanadium(IV) based on the complex formation with a Mo(VI)–P(V) reagent 939(2001)123
- Kizu, J., see Kanazawa, H. 948(2002)303
- Klampfl, C.W., see Hilder, E.F. 922(2001)293
- Klampfl, C.W., Buchberger, W. and Haddad, P.R.
Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277
- Klaus, U., see Pfeifer, T. 926(2001)151
- Klee, M.S., see Blumberg, L.M. 918(2001)113
- Klee, M.S., see Blumberg, L.M. 933(2001)1
- Klee, M.S., see Blumberg, L.M. 933(2001)13
- Klemmová, K., see Jandera, P. 917(2001)123
- Klepárník, K., see Kabátek, Z. 916(2001)305
- Klingenberg, A. and Seubert, A.
Sulfoacylated poly(styrene–divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91
- Klint, K., see Cohen, A. 927(2001)103
- Klotz, W.L., Schure, M.R. and Foley, J.P.
Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145
- Klute, A.S., see Driffield, M. 939(2001)41
- Knapp, D.R., see Kim, J.-S. 924(2001)137
- Knepper, T.P., see Trimpin, S. 938(2001)67
- Knepper, T.P. and Barceló, D.
Preface 938(2001)1
- Knight, M.M., see Araki, R.Y. 923(2001)177
- Knize, M.G., Kulp, K.S., Malfatti, M.A., Salmon, C.P. and Felton, J.S.
Liquid chromatography–tandem mass spectrometry method of urine analysis for determining human variation in carcinogen metabolism 914(2001)95
- Knopp, D., see Cichna, M. 919(2001)51
- Knudsen, H.L., Fahrner, R.L., Xu, Y., Norling, L.A. and Blank, G.S.
Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145
- Ko, J., Chilenski, J., Rodgers, T. and Ford, J.C.
Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15
- Ko, J. and Ford, J.C.
Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3
- Koal, T., see Asperger, A. 937(2001)65
- Kobayashi, A., see Bamba, T. 911(2001)113
- Kobayashi, M., see Onaka, T. 903(2000)193
- Koch, J.T., Beam, B., Phillips, K.S. and Wheeler, J.F.
Hydrophobic interaction electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons using non-aqueous matrices 914(2001)223
- Kocourek, V., see Maštovská, K. 907(2001)235
- Kodama, C., see Zhang, Y. 928(2001)233
- Kodama, S., see Yamamoto, A. 910(2001)217
- Kodama, S., see Yamamoto, A. 928(2001)139
- Kodama, S., Yamamoto, A., Matsunaga, A. and Hayakawa, K.
Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)–D-quinic acid as a chiral selector 932(2001)139
- Koharski, D., see Hendershot, S. 914(2001)23
- Kohata, K., see Horie, H. 942(2001)271
- Kohler, M. and Heeb, N.V.
Characterization of ageing products of ester-based synthetic lubricants by liquid chromatography with electrospray ionization mass spectrometry and by electrospray ionization (tandem) mass spectrometry 926(2001)161
- Kohlíčková, M., see Bellini, M.S. 924(2001)483
- Koide, T. and Ueno, K.
Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305
- Koide, T. and Ueno, K.
Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229
- Kok, S.J., Arentsen, N.C., Cools, P.J.C.H., Hankemeier, Th. and Schoenmakers, P.J.
Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257
- Kok, W.Th., see Ding, F. 924(2001)239
- Kok, W.Th., see Frankema, W. 943(2002)251
- Kok, W.Th., see Mes, E.P.C. 907(2001)201
- Kok, W.Th., see Stol, R. 914(2001)201
- Kok, W.Th., see van Bruijnsvoort, M. 925(2001)171
- Kolb, S., see Michalke, D. 916(2001)113

- Kolberg, A., see Russell, W.K. 914(2001)325
- Kollroser, M., see Trathnigg, B. 922(2001)193
- Komers, D., see Jandera, P. 908(2001)3
- Kondo, S., see Inoue, K. 946(2002)291
- Kong, C.K., see Cheung, H.Y. 930(2001)171
- Kong, L., Li, X., Zou, H., Wang, H., Mao, X., Zhang, Q. and Ni, J.
Analysis of terpene compounds in *Cimicifuga foetida* L. by reversed-phase high-performance liquid chromatography with evaporative light scattering detection 936(2001)111
- Kong, L., see Luo, Q. 926(2001)255
- Konidari, C.N., see Stalikas, C.D. 907(2001)1
- Konieczka, P., see Przyk, E. 928(2001)99
- Konishi, M., see Kamimori, H. 929(2001)1
- Konstantinou, I.K., see Sakkas, V.A. 930(2001)135
- Kopecký, J., see Nobilis, M. 949(2002)11
- Korolev, A.A., see Berezkin, V.G. 903(2000)173
- Korolev, A.A., see Berezkin, V.G. 918(2001)423
- Korta, E., see Alonso-Salces, R.M. 933(2001)37
- Korta, E., Bakkali, A., Berrueta, L.A., Gallo, B. and Vicente, F.
Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21
- Korte, E.-H., see Geiger, J. 922(2001)99
- Kósa, A., Cserháti, T., Forgács, E., Morais, H., Mota, T. and Ramos, A.C.
Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149
- Kosaka, N., see Isozaki, T. 923(2001)249
- Kossowski, T.E., see Dzido, T.H. 947(2002)167
- Koutek, B., Cvačka, J., Streinz, L., Vrkočová, P., Doubský, J., Šimonová, H., Felzl, L. and Svoboda, V.
Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137
- Kovačević, M. and Kač, M.
Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159
- Kovacs, E., see Barta, C. 924(2001)285
- Kovarik, P., see Li, X.-F. 914(2001)5
- Kováts, E.sz., see Dallos, A. 904(2000)211
- Kovats, S., see Szanya, T. 908(2001)265
- Kozar, M.P. and Fox, A.
Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229
- Koziol, W.W., see Kiridena, W. 932(2001)171
- Koziol, W.W., see Poole, C.F. 912(2001)107
- Kračun, M., see Grahek, R. 918(2001)319
- Krajewska, U., see Isidorov, V.A. 923(2001)127
- Král, V., see Charvátová, J. 921(2001)99
- Kralj Cigić, I., Plavec, J., Možina, S.S. and Zupančič-Kralj, L.
Characterisation of sorbate geometrical isomers 905(2001)359
- Krasnova, I.N., see Tcherkas, Y.V. 913(2001)303
- Kratochvíl, P., see Netopilík, M. 922(2001)25
- Kraus, A., see Soják, L. 947(2002)103
- Krause, E., see Wieprecht, T. 912(2001)1
- Krause, I., see Miralles, B. 915(2001)225
- Kresimon, J., see Grüter, U.M. 938(2001)225
- Krisnangkura, K., see Lomsugarit, S. 926(2001)337
- Kristenson, E.M., Haverkate, E.G.J., Slooten, C.J., Ramos, L., Vreuls, R.J.J. and Brinkman, U.A.Th.
Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277
- Křivánková, J., see Maštovská, K. 907(2001)235
- Kropsch, S., see Lochmann, H. 917(2001)311
- Krotzky, A., see Eisert, R. 909(2001)29
- Krull, I.S., see Liu, H. 927(2001)77
- Krylov, E., see Eiceman, G.A. 917(2001)205
- Kuban, P., Berg, M., García, C. and Karlberg, B.
On-line flow sample stacking in a flow injection analysis–capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants 912(2001)163
- Kubátová, A., Miller, D.J. and Hawthorne, S.B.
Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187
- Kubinec, R., see Soják, L. 947(2002)103
- Kučerová, Z., see Arnoštová, H. 911(2001)211
- Kudzin, Z.H., Gralak, D.K., Drabowicz, J. and Luczak, J.
Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129
- Kuga, S., see Kim, U.-J. 919(2001)29
- Kuga, S., see Kim, U.-J. 946(2002)283
- Kugimiya, A., Kuwada, Y. and Takeuchi, T.
Preparation of sterol-imprinted polymers with the use of 2-(methacryloyloxy)ethyl phosphate 938(2001)131
- Kuhajda, K., see Sárbu, C. 917(2001)361
- Kuijt, J., García-Ruiz, C., Stroomberg, G.J., Marina, M.L., Ariese, F., Brinkman, U.A.Th. and Gooijer, C.
Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291
- Kukkonen, K., see Nevanen, T.K. 925(2001)89
- Kuksis, A.
Plasma non-cholesterol sterols (Review) 935(2001)203
- Kuksis, A., see Sjøvall, O. 905(2001)119
- Kulcsár, Z., see Dallos, A. 904(2000)211
- Kuldvee, R., see Thormann, W. 924(2001)429
- Kulp, K.S., see Knize, M.G. 914(2001)95
- Kuneš, J., see Nobilis, M. 949(2002)11
- Küng, A., see Timerbaev, A.R. 945(2002)25
- Kuo, Y.-C., see Hsieh, M.-M. 924(2001)397
- Kuo, Yu.-H., see Chowdhury, B. 933(2001)129
- Kuosmanen, K., Hyötyläinen, T., Hartonen, K. and Riekkola, M.-L.
Pressurised hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113
- Kurano, M., see Zhou, X. 913(2001)165
- Kurganov, A.
Chiral chromatographic separations based on ligand exchange 906(2001)51
- Kurumbail, R.R., see Lasdun, A.M. 917(2001)147

- Küstners, E., see Wang-Fan, W. 925(2001)139
- Kutlán, D., see Mengerink, Y. 949(2002)99
- Kutlán, D., Presits, P. and Molnár-Perl, I.
Behavior and characteristics of amine derivatives obtained with *o*-phthaldialdehyde/3-mercaptopropionic acid and with *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235
- Kuورانne, T., see Kalo, P. 935(2001)237
- Kuwada, Y., see Kugimiya, A. 938(2001)131
- Kvasnička, F., Jaroš, M. and Gaš, B.
New configuration in capillary isotachopheresis–capillary zone electrophoresis coupling 916(2001)131
- Kvasničková, L., Glatz, Z., Štěrbová, H., Kahle, V., Slanina, J. and Musil, P.
Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis* 916(2001)265
- Květina, J., see Nobilis, M. 949(2002)11
- Kwok, Y.C. and Manz, A.
Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177
- Kwon, S.W., Han, S.B., Park, I.H., Kim, J.M., Park, M.K. and Park, J.H.
Liquid chromatographic determination of less polar ginsenosides in processed ginseng 921(2001)335
- L**
- La Torre, F., see Cirilli, R. 923(2001)27
- La Torre, F., see Cirilli, R. 942(2001)107
- Lacey, M.E., Tan, Z.J., Webb, A.G. and Sweedler, J.V.
Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139
- Lacki, K., see Liapis, A.I. 921(2001)135
- Lafont, R., see Dinan, L. 935(2001)105
- Lafont, R., see Louden, D. 910(2001)237
- Lafont, R., see Meng, Y. 935(2001)309
- Lafont, R., see Panagiotopoulos, C. 920(2001)13
- Lafosse, M., see Cassel, S. 919(2001)95
- Laguna, M.T.R., Medrano, R., Plana, M.P. and Tarazona, M.P.
Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13
- Lahély, S., see Ndash, S. 928(2001)77
- Lahrz, T., see Emmrich, M. 918(2001)121
- Lai, E.P.C., see Dabek-Zlotorzynska, E. 910(2001)331
- Lai, J.-P., see Li, H.-B. 943(2002)235
- Lai, J.Z., see Fuh, C.B. 923(2001)263
- Lai, T.L., see Shu, Y.Y. 927(2001)131
- Laiblin, T., see Ching, C.B. 945(2002)117
- Lambein, F., see Chowdhury, B. 933(2001)129
- Lambert, W., see Borrey, D. 910(2001)105
- Lambropoulou, D.A. and Albanis, T.A.
Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243
- Lämmerhofer, M., Svec, F., Fréchet, J.M.J. and Lindner, W.
Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265
- Lamouroux, C., Virelizier, H., Moulin, C. and Jankowski, C.K.
Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261
- Lan, K. and Jorgenson, J.W.
Spatial and temporal progressions of spatial statistical moments in linear chromatography 905(2001)47
- Lan, K. and Jorgenson, J.W.
A hybrid of exponential and gaussian functions as a simple model of asymmetric chromatographic peaks 915(2001)1
- Lange, F.T., see Sacher, F. 938(2001)199
- Langereis, S., see Peters, R. 949(2002)327
- Langeveld-Voss, B.M.W., see Vonk, E.C. 911(2001)13
- Långström, B., see Gustavsson, S.Å. 937(2001)41
- Lankmayr, E., see Socher, G. 912(2001)53
- Lanser, M.E., see Hettiarachchi, K. 924(2001)471
- Lanza, F., see Bereczki, A. 930(2001)31
- Lapčfk, O., see Hill, M. 935(2001)297
- Lapin, A.B., see Berezkin, V.G. 919(2001)357
- Lara, A., see Hernández, F. 939(2001)1
- Lardy, H., see Marwah, A. 935(2001)279
- Larsen, B.R., Astorga-Llorens, C., Florêncio, M.H. and Bettencourt, A.M.
Fragmentation pathways of organoarsenical compounds by electrospray ion trap multiple mass spectrometry (MS⁶) 926(2001)167
- Larsson, E.L., see Li, Y.C. 909(2001)137
- Larsson, M., Sundberg, R. and Folestad, S.
On-line capillary electrophoresis with mass spectrometry detection for the analysis of carbohydrates after derivatization with 8-aminonaphthalene-1,3,6-trisulfonic acid 934(2001)75
- Larsson, N., see Yigzaw, Y. 929(2001)13
- Larsson, P.-O., see Gustavsson, P.-E. 925(2001)69
- Larsson, P.-O., see Pålsson, E. 912(2001)235
- Lasdun, A.M., Kurumbail, R.R., Leimgruber, N.K. and Rathore, A.S.
Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147
- Latorre, R.M., Hernández-Cassou, S. and Saurina, J.
Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105
- Laurens, J.B., de Coning, J.P. and McNeil Swinley, J.
Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107
- Lavandera, J.L., see Crego, A.L. 917(2001)337

- Lavédrine, B., see Jerosch, H. 927(2001)31
- Lavine, B.K., Ritter, J.P. and Peterson, S.
Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83
- Lawrence, J.F., see Gago-Martínez, A. 905(2001)351
- Lawrence, J.F. and Menard, C.
Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111
- Lawton, L.A. and Edwards, C.
Purification of microcystins (Review) 912(2001)191
- Lax, A.R., see Bland, J.M. 932(2001)119
- Layne, J., Farcas, T., Rustamov, I. and Ahmed, F.
Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233
- Lázár, L., see Péter, A. 926(2001)229
- Le, X.C., see Tan, W.G. 924(2001)377
- Leal, C., Codony, R., Compañó, R., Granados, M. and Prat, M.D.
Determination of macrolide antibiotics by liquid chromatography 910(2001)285
- Leão Martins, J.M., see Gago-Martínez, A. 905(2001)351
- Lebrón-Aguilar, R., Quintanilla-López, J.E. and García-Domínguez, J.A.
Improving the accuracy of Kováts' retention indices in isothermal gas chromatography 945(2002)185
- Lecchi, P., see Abramson, F.P. 913(2001)269
- Lee, C.S., see Jiang, Y. 924(2001)315
- Lee, C.S., see Wang, P.-C. 942(2001)115
- Lee, C.W., see Hyun, M.H. 950(2002)55
- Lee, C.-W., see Yang, D.-Yu. 913(2001)349
- Lee, D.K., Lee, H.J., Cha, G.S., Nam, H. and Paeng, K.-J.
Ion chromatography detector based on solid-state ion-selective electrode array 902(2000)337
- Lee, D.-S., see Kim, H.-J. 902(2000)389
- Lee, G.-B., see Lin, Y.-H. 937(2001)115
- Lee, H.G., Chang, S. and Fritsche, E.
Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143
- Lee, H.J., see Lee, D.K. 902(2000)337
- Lee, H.K., see Li, N. 921(2001)255
- Lee, H.K., see Reijenga, J. 916(2001)25
- Lee, H.K., see Wu, Y.S. 912(2001)171
- Lee, H.K., see Zhao, L. 919(2001)381
- Lee, H.K., see Zhao, L. 931(2001)95
- Lee, H.K., see Zhu, L. 924(2001)407
- Lee, H.S., Castle, W.S. and Coates, G.A.
High-performance liquid chromatography for the characterization of carotenoids in the new sweet orange (Earlygold) grown in Florida, USA 913(2001)371
- Lee, H.S., see Kim, I.W. 915(2001)35
- Lee, J., see New, A.P. 913(2001)205
- Lee, J., see Tan, W.G. 924(2001)377
- Lee, K.-P., Choi, S.-H. and Kang, H.-D.
Preparation and characterization of polyalkene membranes modified with four different ion-exchange groups by radiation-induced graft polymerization 948(2002)129
- Lee, K.-P., see Tanaka, K. 920(2001)239
- Lee, M.L., see Bowerbank, C.R. 902(2000)413
- Lee, M.L., see Wu, N. 911(2001)1
- Lee, W., see Busnel, J.P. 930(2001)61
- Lee, W., Cho, D., Chun, B.O., Chang, T. and Ree, M.
Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51
- Lee, W., Cho, D., Chun, B.O., Chang, T. and Ree, M.
Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography" [J. Chromatog. A 910 (2001) 51–60] 919(2001)229
- Lee, W.-C., see Chen, C.-H. 921(2001)31
- Lee, W.-S., see Chang-Chien, G.-P. 932(2001)97
- Lee, Y., see Jung, M.-W. 917(2001)87
- Lee, Y.K., see Hyun, M.H. 950(2002)55
- Lee, Y.K., see Kim, I.W. 915(2001)35
- Legaz, M.-E., see Fontaniella, B. 919(2001)283
- Legaz, M.-E., see Vicente, C. 917(2001)55
- Lehane, M., Braña-Magdalena, A., Moroney, C., Furey, A. and James, K.J.
Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspiracids in shellfish 950(2002)139
- Lehane, M., see Furey, A. 938(2001)167
- Lehotay, S.J., see Fiddler, W. 902(2000)427
- Lehotay, S.J., see Maštovská, K. 926(2001)291
- Lei, L., Yang, F., Zhang, T., Tu, P., Wu, L. and Ito, Y.
Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181
- Leimgruber, N.K., see Lasdun, A.M. 917(2001)147
- Leitner, A., Zöllner, P. and Lindner, W.
Determination of the metabolites of nitrofurantoin antibiotics in animal tissue by high-performance liquid chromatography–tandem mass spectrometry 939(2001)49
- Leknes, H., see Thomsen, C. 923(2001)299
- Leloux, M.S., see van Rhijn, J.A. 929(2001)31
- Len, C., see Lipka-Belloli, E. 943(2002)91
- Lendl, B., see Edelmann, A. 934(2001)123
- Lenhoff, A.M., see DePhillips, P. 933(2001)57
- Lentza-Rizos, Ch., Avramides, E.J. and Cherasco, F.
Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135
- Lentza-Rizos, Ch., Avramides, E.J. and Visi, E.
Determination of residues of endosulfan and five pyrethroid insecticides in virgin olive oil using gas chromatography with electron-capture detection 921(2001)297
- Lenz, E., see Louden, D. 910(2001)237
- León-González, M.E. and Pérez-Arribas, L.V.
Chemically modified polymeric sorbents for sample preconcentration (Review) 902(2000)3

- Lepont, C. and Poole, C.F.
Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107
- Lercker, G., see Boselli, E. 917(2001)239
- Leroy, M.J.F., see Martin-Jouet, M. 946(2002)255
- Lesellier, E.
Analysis of non-saponifiable lipids by super-/subcritical-fluid chromatography (Review) 936(2001)201
- Lesignoli, F., Germini, A., Corradini, R., Sforza, S., Galaverna, G., Dossena, A. and Marchelli, R.
Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177
- Leško, J., see Čakrt, M. 916(2001)207
- Leung, H.W., see Fang, Q. 904(2000)47
- Levison, P.R., see Denton, G. 908(2001)223
- Levison, P.R., see Quiñones-García, I. 908(2001)169
- Levsen, K., see Sandvoss, M. 917(2001)75
- L'homme, C., Peschet, J.L., Puigserver, A. and Biagini, A.
Evaluation of fructans in various fresh and stewed fruits by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)291
- Li, C., see Lu, Y. 950(2002)89
- Li, C., see Xie, J. 934(2001)1
- Li, C.-W., see Lin, Y.-H. 937(2001)115
- Li, F., see Zeng, Z. 934(2001)51
- Li, H.-B. and Chen, F.
Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109
- Li, H.-B. and Chen, F.
Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133
- Li, H.-B. and Chen, F.
Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91
- Li, H.-B., Chen, F. and Xu, X.-R.
Determination of iodide in seawater and urine by size exclusion chromatography with iodine–starch complex 918(2001)335
- Li, H.-B., Chen, F., Zhang, T.-Y., Yang, F.-Q. and Xu, G.-Q.
Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151
- Li, H.-B., Lai, J.-P., Jiang, Y. and Chen, F.
Preparative isolation and purification of salvianolic acid B from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 943(2002)235
- Li, J.
Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19
- Li, J. and Cai, B.
Evaluation of the retention dependence on the physicochemical properties of solutes in reversed-phase liquid chromatographic linear gradient elution based on linear solvation energy relationships 905(2001)35
- Li, L., see Dunlop, K.Y. 925(2001)123
- Li, L., see Yeung, K.K.-C. 931(2001)153
- Li, N. and Lee, H.K.
Solid-phase extraction of polycyclic aromatic hydrocarbons in surface water. Negative effect of humic acid 921(2001)255
- Li, P., Coleman, D.W., Spaulding, K.M., McClennen, W.H., Stafford, P.R. and Fife, D.J.
Fractionation and characterization of phenolic resins by high-performance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147
- Li, P., see Li, S.-L. 909(2001)207
- Li, P., see Lin, G. 935(2001)321
- Li, Q., see Poole, C.F. 912(2001)107
- Li, Q., see Zhang, H. 907(2001)353
- Li, S., see Russell, W.K. 914(2001)325
- Li, S.F.Y., see Wu, Y.S. 912(2001)171
- Li, S.-L., see Lin, G. 935(2001)321
- Li, S.-L., Lin, G., Chan, S.-W. and Li, P.
Determination of the major isosteroidal alkaloids in bulbs of *Fritillaria* by high-performance liquid chromatography coupled with evaporative light scattering detection 909(2001)207
- Li, W., Zhong, Y., Lin, B. and Su, Z.
Characterization of polyethylene glycol-modified proteins by semi-aqueous capillary electrophoresis 905(2001)299
- Li, X., see Kong, L. 936(2001)111
- Li, X.-F., Carter, S., Dovichi, N.J., Zhao, J.Y., Kovarik, P. and Sakuma, T.
Analysis of tamoxifen and its metabolites in synthetic gastric fluid digests and urine samples using high-performance liquid chromatography with electrospray mass spectrometry 914(2001)5
- Li, Y., Agrawal, A., Sakon, J. and Beitle, R.R.
Characterization of metal affinity of green fluorescent protein and its purification through salt promoted, immobilized metal affinity chromatography 909(2001)183
- Li, Y., Pfüller, U., Linné Larsson, E., Jungvid, H., Galaev, I.Yu. and Mattiasson, B.
Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115
- Li, Y.C., Larsson, E.L., Jungvid, H., Galaev, I.Yu. and Mattiasson, B.
Shielding of protein–boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137
- Li, Z., see Du, Q. 923(2001)271
- Li, Z.Y., see Yuan, L.M. 927(2001)91
- Liang, D., see Song, L. 915(2001)231
- Liang, D., Liu, T., Song, L. and Chu, B.
Mixed triblock copolymers used as DNA separation medium in capillary electrophoresis 909(2001)271

- Liang, D., Song, L., Chen, Z. and Chu, B.
Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis 931(2001)163
- Liang, Y.-Z., see Gong, F. 905(2001)193
- Liang, Y.-Z., see Gong, F. 909(2001)237
- Liao, P.-L., see Doong, R.-A. 918(2001)177
- Liapis, A.I., see Grimes, B.A. 919(2001)157
- Liapis, A.I., see Meyers, J.J. 907(2001)57
- Liapis, A.I., see Meyers, J.J. 908(2001)35
- Liapis, A.I., Grimes, B.A., Lacki, K. and Neretnieks, I.
Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135
- Lightfoot, E.N., see Moscariello, J. 908(2001)131
- Lightfoot, E.N., see Teeters, M.A. 944(2002)129
- Lillard, S.J., see Zabzdyr, J.L. 911(2001)269
- Lin, B., see Li, W. 905(2001)299
- Lin, C.-E., Chen, C.-C., Chen, H.-W., Huang, H.-C., Lin, C.-H. and Liu, Yu.-C.
Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165
- Lin, C.-E. and Chen, K.-H.
Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155
- Lin, C.-E. and Chen, M.-J.
Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241
- Lin, C.-E., Chen, M.-J., Huang, H.-C. and Chen, H.-W.
Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83
- Lin, C.-E., Huang, H.-C. and Chen, H.-W.
A capillary electrophoresis study on the influence of β -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297
- Lin, C.-E., Liu, Yu.-C., Yang, T.-Y., Wang, T.-Z. and Yang, C.-C.
On-line concentration of *s*-triazine herbicides in micellar electrokinetic chromatography using a cationic surfactant 916(2001)239
- Lin, C.-H., see Chen, Y.-H. 943(2002)287
- Lin, C.-H., see Lin, C.-E. 910(2001)165
- Lin, F.-Y., see Chen, W.-Y. 923(2001)1
- Lin, F.-Y., Chen, C.-S., Chen, W.-Y. and Yamamoto, S.
Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (*pI*). Effects of NaCl concentration, pH value, and temperature 912(2001)281
- Lin, G., see Cui, Y. 903(2000)85
- Lin, G., see Li, S.-L. 909(2001)207
- Lin, G., Li, P., Li, S.-L. and Chan, S.-W.
Chromatographic analysis of *Fritillaria* isosteroidal alkaloids, the active ingredients of Beimu, the antitussive traditional Chinese medicinal herb (Review) 935(2001)321
- Lin, K.-C., see Ke, C.-B. 921(2001)247
- Lin, M.F., see Chang, Y.L. 914(2001)77
- Lin, T.-H., see Jen, J.-F. 912(2001)363
- Lin, X.-Q., see Yang, L. 932(2001)13
- Lin, Y.-H., Lee, G.-B., Li, C.-W., Huang, G.-R. and Chen, S.-H.
Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115
- Lin, Yu.-C., see Tseng, W.-L. 927(2001)179
- Lindberg, C., see Bratt, C. 909(2001)279
- Linder, M., see Nevanen, T.K. 925(2001)89
- Lindner, W., see Jodlbauer, J. 945(2002)45
- Lindner, W., see Lämmerhofer, M. 925(2001)265
- Lindner, W., see Leitner, A. 939(2001)49
- Lindner, W., see Maier, N.M. 906(2001)3
- Lindner, W., see Piette, V. 948(2002)295
- Lindner, W., see Poppe, H. 911(2001)143
- Ling, F.H., see Xu, M. 928(2001)25
- Ling, P., see Cai, J. 947(2002)267
- Lingeman, H. and Poppe, H.
Foreword 948(2002)1
- Linné Larsson, E., see Li, Y. 925(2001)115
- Linssen, H., see Peters, R. 949(2002)327
- Lipford, L.C., see Simon, V.A. 913(2001)447
- Lipka-Belloli, E., Len, C., Mackenzie, G., Ronco, G., Bonte, J.-P. and Vaccher, C.
Diastereomeric resolution of nucleoside analogues, new potential antiviral agents, using high-performance liquid chromatography on polysaccharide-type chiral stationary phases 943(2002)91
- Lipkowitz, K.B.
Atomistic modeling of enantioselection in chromatography 906(2001)417
- Lippert, J.A., see Wu, N. 911(2001)1
- Lipshutz, B.H., see Hyun, M.H. 910(2001)359
- Liscic, O., Hugo, P. and Seidel-Morgenstern, A.
Frontal analysis method to determine competitive adsorption isotherms 908(2001)19
- Lisso, M., see Ching, C.B. 945(2002)117
- List, G.R., see Neff, W.E. 912(2001)187
- Lista, A.G., Arce, L., Ríos, A. and Valcárcel, M.
Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407
- Liu, B., see Cai, J. 930(2001)1
- Liu, B., see Cai, J. 947(2002)267
- Liu, B.-F., Zhang, L. and Lu, Y.-T.
Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401
- Liu, B.-F., Zhong, X.-H. and Lu, Y.-T.
Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257
- Liu, C.-H., see Ding, W.-H. 929(2001)143

- Liu, C.-H. and Ding, W.-H.
Determination of naphthalenesulfonic acid isomers by large-volume on-line derivatization and gas chromatography–mass spectrometry 926(2001)341
- Liu, C.-Y., Yang, S.-H., Chau, M.-H. and Shiue, C.-C.
Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117
- Liu, E.-B., see Liu, Y.-M. 939(2001)91
- Liu, G., see Shangguan, D. 910(2001)367
- Liu, G., see Zhao, R. 913(2001)421
- Liu, H., Cho, B.-Y., Krull, I.S. and Cohen, S.A.
Homogeneous fluorescent derivatization of large proteins 927(2001)77
- Liu, H., see Pan, X. 922(2001)371
- Liu, H., see Sun, S. 918(2001)13
- Liu, H., see Zhao, R. 913(2001)421
- Liu, P., see He, J. 913(2001)355
- Liu, S., see Procházková, A. 916(2001)215
- Liu, S., Tian, X., Chen, X. and Hu, Z.
Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109
- Liu, T., see Liang, D. 909(2001)271
- Liu, W., see Du, Y. 947(2002)287
- Liu, X., see Lu, Y. 950(2002)89
- Liu, X., see Szabelski, P. 950(2002)41
- Liu, X., Takahashi, L.H., Fitch, W.L., Rozing, G., Bayle, C. and Couderc, F.
Capillary electrochromatography–laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323
- Liu, X.-Y., Yang, Q., Kamo, N. and Miyake, J.
Effect of liposome type and membrane fluidity on drug–membrane partitioning analyzed by immobilized liposome chromatography 913(2001)123
- Liu, Y., see Novič, M. 909(2001)289
- Liu, Y. and Pietrzyk, D.J.
Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367
- Liu, Y.-M., Liu, E.-B. and Cheng, J.-K.
Ultrasensitive chemiluminescence detection of sub-fM level Co(II) in capillary electrophoresis 939(2001)91
- Liu, Yu.-C., see Lin, C.-E. 910(2001)165
- Liu, Yu.-C., see Lin, C.-E. 916(2001)239
- Liu, Z., see Yin, G. 918(2001)393
- Liu, Z., Yin, G., Feng, S., Ding, D. and Yuan, N.
Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93
- Lixon, P., see Cottet, H. 939(2001)109
- Llorens, A., see Mateo, J.J. 918(2001)99
- Lloyd, D.K., see Wolbach, J.P. 914(2001)299
- Lloyd, L.L., Millichip, M.I. and Watkins, J.M.
Reversed-phase poly(styrene–divinylbenzene) materials optimised for large scale preparative and process purification of synthetic peptides and recombinant proteins 944(2002)169
- Lobazov, A.P., see Ivanov, A.R. 913(2001)315
- LoBrutto, R., see Kazakevich, Y.V. 913(2001)75
- LoBrutto, R., see Rustamov, I. 913(2001)49
- LoBrutto, R., Jones, A. and Kazakevich, Y.V.
Effect of counter-anion concentration on retention in high-performance liquid chromatography of protonated basic analytes 913(2001)189
- LoBrutto, R., Jones, A., Kazakevich, Y.V. and McNair, H.M.
Effect of the eluent pH and acidic modifiers in high-performance liquid chromatography retention of basic analytes 913(2001)173
- Lochmann, H., Bazzanella, A., Kropsch, S. and Bächmann, K.
Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311
- Lockwood, G.B.
Techniques for gas chromatography of volatile terpenoids from a range of matrices 936(2001)23
- Loh, K.-C., see Geng, A. 918(2001)37
- Lojkina, O.V., see Gupalova, T.V. 949(2002)185
- Lombardi, G., see Baciocchi, R. 911(2001)135
- Lomsugarit, S., Jeyashoke, N. and Krisnangkura, K.
Relationship between carbon number and peak width in gas chromatography 926(2001)337
- Long, Y.H., see Fung, Y.S. 907(2001)301
- Loos, R. and Barceló, D.
Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography–electrospray ionization mass spectrometric detection 938(2001)45
- López de Alda, M.J. and Barceló, D.
Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction–liquid chromatography–diode array detection 911(2001)203
- López de Alda, M.J. and Barceló, D.
Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145
- López, F.J., see Martínez-Bravo, Y. 926(2001)265
- López, F.J., see Roig-Navarro, A.F. 912(2001)319
- López, J.A., see González, L. 949(2002)49
- López, M., Martínez, F., Del Valle, C., Orte, C. and Miró, M.
Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359
- López Mahía, P., see Turnes Carou, M.I. 918(2001)411
- López Mahía, P., see Miñones Vázquez, M. 919(2001)363
- López, R., see Ortega, C. 923(2001)205
- López, R., see Ortega, L. 931(2001)31
- López-López, T., see Martínez-Galera, M. 918(2001)79
- López-Mas, J.A., Streitenberger, S.A., García-Carmona, F. and Sánchez-Ferrer, Á.
Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47
- López-Serrano, M. and Ros Barceló, A.
Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267
- Lopp, M., see Ebber, A. 949(2002)351
- Lord, B., see Ye, Y.K. 945(2002)139

- Lord, B.S., see Ye, Y.K. 945(2002)147
- Lord, H. and Pawliszyn, J.
Microextraction of drugs (Review) 902(2000)17
- Lorenz, H., Sheehan, P. and Seidel-Morgenstern, A.
Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201
- Lorenzo, M.P., see Torre, J. 919(2001)305
- Lou, C., see Cao, Y. 943(2002)153
- Louden, D., Handley, A., Taylor, S., Lenz, E., Miller, S., Wilson, I.D., Sage, A. and Lafont, R.
Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ¹H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237
- Loukas, Y.L.
Artificial neural networks in liquid chromatography: efficient and improved quantitative structure–retention relationship models 904(2000)119
- Loukas, Y.L., Sabbah, S. and Scriba, G.K.E.
Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141
- Loveland, P.M., Reddy, A.P., Pereira, C.B., Field, J.A. and Bailey, G.S.
Application of matrix solid-phase dispersion in the determination of dibenzo[*a,h*]pyrene content of experimental animal diets used in a large-scale tumor study 932(2001)33
- Low, A.S., see Taylor, R.B. 916(2001)201
- Lu, W., see Zhang, Y. 904(2000)87
- Lu, X., Chen, Y., Guo, L. and Yang, Y.
Chiral separation of underivatized amino acids by ligand-exchange capillary electrophoresis using a copper(II)–L-lysine complex as selector 945(2002)249
- Lu, Y., see Fu, H. 945(2002)97
- Lu, Y., Li, C., Liu, X. and Huang, W.
Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89
- Lu, Y.-T., see Liu, B.-F. 918(2001)401
- Lu, Y.-T., see Liu, B.-F. 945(2002)257
- Lu, Z., see Neue, U.D. 925(2001)49
- Lubda, D., see Schäfer, C. 909(2001)73
- Luckas, B., see Jaime, E. 929(2001)43
- Lucking, C.L., see Barwick, V.J. 918(2001)267
- Lucy, C.A., see Hatsis, P. 920(2001)3
- Lucy, C.A., see Melanson, J.E. 920(2001)359
- Lucy, C.A., see Paproski, R.E. 946(2002)265
- Lucy, C.A. and Harrison, C.R.
Chemiluminescence nitrogen detection in ion chromatography for the determination of nitrogen-containing anions 920(2001)135
- Luczak, J., see Kudzin, Z.H. 947(2002)129
- Ludemann-Hombourger, O., Pigorini, G., Nicoud, R.M., Ross, D.S. and Terfloth, G.
Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59
- Ludlow, D.K., see Meyers, J.J. 907(2001)57
- Luis Vílchez, J., see Navalón, A. 946(2002)239
- Lukša, V., see Gelūnaitė, L. 904(2000)131
- Lukša, V., see Zaveckas, M. 904(2000)145
- Luks-Betlej, K., Popp, P., Janoszka, B. and Paschke, H.
Solid-phase microextraction of phthalates from water 938(2001)93
- Lundanes, E., see Thomsen, C. 923(2001)299
- Lundin, G., see Gräslund, T. 942(2001)157
- Lunte, C.E., see Backofen, U. 942(2001)259
- Luo, G., see Qu, J. 919(2001)437
- Luo, G., see Qu, J. 928(2001)155
- Luo, G.-A., see Ru, Q.-H. 924(2001)331
- Luo, H., see Xie, J. 934(2001)1
- Luo, Q., see Chai, X.-S. 909(2001)249
- Luo, Q., see Chai, X.S. 946(2002)177
- Luo, Q., Zou, H., Xiao, X., Guo, Z., Kong, L. and Mao, X.
Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate–co-ethylene dimethacrylate) 926(2001)255
- Luong, J.H.T., see Male, K.B. 926(2001)309
- Luque de Castro, M.D., see Fernández-Pérez, V. 902(2000)357
- Luque de Castro, M.D., see Luque-García, J.L. 935(2001)3
- Luque de Castro, M.D., see Mataix, E. 910(2001)255
- Luque-García, J.L. and Luque de Castro, M.D.
Extraction of fat-soluble vitamins (Review) 935(2001)3
- Lurie, I.S., Anex, D.S., Fintschenko, Y. and Choi, W.-Y.
Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421
- Luten, J.B., see De Geus, H.-J. 910(2001)95
- Luthe, G., Broeders, J. and Brinkman, U.A.Th.
Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27
- Lyddiatt, A., see Thwaites, E. 943(2002)77
- Lythgoe, P.R., see Bewsher, A.D. 920(2001)247

M

- Ma, Y., see Yang, F. 928(2001)163
- Maccarrone, G., see Cucinotta, V. 916(2001)61
- Macchia, M., Manetto, G., Mori, C., Papi, C., Di Pietro, N., Salotti, V., Bortolotti, F. and Tagliaro, F.
Use of β-cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499
- Macka, M., see Fritz, J.S. 902(2000)137
- Macka, M., see Johns, C. 927(2001)237

- Mackenzie, G., see Lipka-Belloli, E. 943(2002)91
- Madajová, V., see Bodor, R. 916(2001)155
- Madden, J.E., Avdalovic, N., Haddad, P.R. and Havel, J.
Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173
- Madero, E., see Renold, P. 908(2001)143
- Maetzke, T., see Renold, P. 908(2001)143
- Maftouh, M., see Perrin, C. 947(2002)69
- Magi, E., Ianni, C., Rivaro, P. and Frache, R.
Determination of porphyrins and metalloporphyrins using liquid chromatography–diode array detection and mass spectrometry 905(2001)141
- Magnusdóttir, S., see Giorgio Righetti, P. 920(2001)309
- Maguregui, M.I., Jiménez, R.M., Alonso, R.M. and Akesolo, U.
Quantitative determination of oxprenolol and timolol in urine by capillary zone electrophoresis 949(2002)91
- Mahajan, S., see Suryanarayana, M.V.S. 907(2001)229
- Mahedero, M.C., see Muñoz de la Peña, A. 950(2002)287
- Mahuzier, P.-E., Altria, K.D. and Clark, B.J.
Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465
- Maichel, B., see Gogová, K. 916(2001)79
- Maier, N.M., see Jodlbauer, J. 945(2002)45
- Maier, N.M., Franco, P. and Lindner, W.
Separation of enantiomers: needs, challenges, perspectives 906(2001)3
- Maillols, H., see Girod, S. 943(2002)147
- Maître, A., see Fluri, K. 926(2001)87
- Majidi, V., see Yan, X. 943(2002)275
- Major, H., see Bobeldijk, I. 929(2001)63
- Major, H.J., see Waridel, P. 926(2001)29
- Mak, C.-P., see Wang-Fan, W. 925(2001)139
- Makino, Y., Urano, Y. and Nagano, T.
Impurity profiling of ephedrines in methamphetamine by high-performance liquid chromatography 947(2002)151
- Male, K.B. and Luong, J.H.T.
Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis–laser-induced fluorescence detection 926(2001)309
- Malfatti, M.A., see Knize, M.G. 914(2001)95
- Malissa, H., see Schöftner, R. 920(2001)333
- Malissa Jr., H., see Demel, J. 931(2001)107
- Mallmann, C.A., see Dilkin, P. 925(2001)151
- Malovaná, S., see Rodríguez-Delgado, M.A. 912(2001)249
- Malyukova, I.V., see Berezkin, V.G. 903(2000)173
- Malyukova, I.V., see Berezkin, V.G. 918(2001)423
- Malyukova, I.V., see Berezkin, V.G. 919(2001)357
- Mandalakis, M., Tsapakis, M. and Stephanou, E.G.
Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183
- Mandrioli, R., see Raggi, M.A. 916(2001)289
- Mandrioli, R., see Raggi, M.A. 949(2002)23
- Mañes, J., see Blasco, C. 947(2002)227
- Mañes, J., see Fernández, M. 912(2001)301
- Mañes, J., see Rodríguez, R. 924(2001)387
- Mañes, J., see Rodríguez, R. 949(2002)359
- Mañes, J., see Valenzuela, A.I. 918(2001)59
- Manesiotis, P., see Theodoridis, G. 948(2002)163
- Manetto, G., see Bellini, M.S. 924(2001)483
- Manetto, G., see Macchia, M. 924(2001)499
- Manetto, G., see Tagliaro, F. 924(2001)493
- Mangia, A., see Careri, M. 912(2001)61
- Mangia, A., see Careri, M. 935(2001)249
- Mangin, P., see Fluri, K. 926(2001)87
- Mannesse, M., see Nilsson, A. 946(2002)141
- Manning, D.A.C., see Bewsher, A.D. 920(2001)247
- Mannscheck, A., see Brandl, F. 909(2001)147
- Manso, M.A., see Miralles, B. 915(2001)225
- Manz, A., see Kwok, Y.C. 924(2001)177
- Mao, X., see Kong, L. 936(2001)111
- Mao, X., see Luo, Q. 926(2001)255
- Marák, J., see Danková, M. 916(2001)143
- Marcé, R.M., see Gimeno, R.A. 915(2001)139
- Marcé, R.M., see Peñalver, A. 922(2001)377
- Marcelo, J.L., see Costa, L. 907(2001)173
- Marchant, R., see Bourruat, G. 922(2001)219
- Marchelli, R., see Chiavaro, E. 937(2001)31
- Marchelli, R., see Galaverna, G. 922(2001)151
- Marchelli, R., see Lesignoli, F. 922(2001)177
- Marchiafava, C., see Draisci, R. 926(2001)69
- Marco, M.-P., see Bou Carrasco, P. 909(2001)61
- Marcomini, A., see Crescenzi, C. 923(2001)97
- Marconi, L., see Fernández, M. 922(2001)257
- Marcos Lorenzo, I., Pérez Pavón, J.L., Fernández Laespada, M^o.E., García Pinto, C. and Moreno Cordero, B.
Detection of adulterants in olive oil by headspace–mass spectrometry 945(2002)221
- Marcus, R.K., see Gibeau, T.E. 915(2001)117
- Marengo, E., see Gennaro, M.C. 910(2001)79
- Marengo, E., see Gennaro, M.C. 945(2002)287
- Marengo, E., Aceto, M. and Maurino, V.
Classification of Nebbiolo-based wines from Piedmont (Italy) by means of solid-phase microextraction–gas chromatography–mass spectrometry of volatile compounds 943(2002)123
- Margasińska, M., see Maruszak, W. 926(2001)327
- Margel, S., see Hoyos, M. 903(2000)99
- Maria Bayona, J., see Jover, E. 950(2002)213
- Marigo, M., see Tagliaro, F. 924(2001)493
- Marín, M.L., see Guerra, R.M. 950(2002)31
- Marina, M.L., see Crego, A.L. 917(2001)337
- Marina, M.L., see García, M.A. 918(2001)1
- Marina, M.L., see García-Ruiz, C. 910(2001)157
- Marina, M.L., see Kuijt, J. 907(2001)291
- Markides, K.E., see Bylund, D. 915(2001)43
- Markides, K.E., see Gustavsson, S.Å. 937(2001)41
- Markl, P., see Cichna, M. 919(2001)51
- Markoglou, N. and Wainer, I.W.
Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in single-enzyme and coupled-enzyme formats 948(2002)249
- Marko-Varga, G., see Bratt, C. 909(2001)279
- Márquez, A., see Vicente, C. 917(2001)55

- Marriott, P., Trapp, O., Shellie, R. and Schurig, V.
Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115
- Marriott, P.J., Shellie, R. and Cornwell, C.
Gas chromatographic technologies for the analysis of essential oils 936(2001)1
- Marrone, B.L., see Yan, X. 943(2002)275
- Marselos, S.C. and Archontaki, H.A.
Development and validation of a reversed-phase high-performance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295
- Martí, I., see Quintana, J. 938(2001)3
- Martín, D., see Rupérez, F.J. 935(2001)45
- Martín, M., see Dondi, F. 943(2002)185
- Martín, M., see Jiménez, J.J. 946(2002)247
- Martín, M.T., see Nozal, M.J. 917(2001)95
- Martín, M.T., see Nozal, M.J. 919(2001)87
- Martín-Álvarez, P.J., see Pozo-Bayón, M.A. 922(2001)267
- Martín-Biosca, Y., see García-Ruiz, C. 910(2001)157
- Martínez, D., Cugat, M.J., Borrull, F. and Calull, M.
Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65
- Martínez, F., see López, M. 922(2001)359
- Martinez, J., see Farenc, C. 910(2001)61
- Martínez-Alcázar, M.P., see Torre, J. 919(2001)305
- Martínez-Bravo, Y., see Roig-Navarro, A.F. 912(2001)319
- Martínez-Bravo, Y., Roig-Navarro, A.F., López, F.J. and Hernández, F.
Multielemental determination of arsenic, selenium and chromium(VI) species in water by high-performance liquid chromatography–inductively coupled plasma mass spectrometry 926(2001)265
- Martínez-Galera, M., López-López, T., Gil-García, M.D., Martínez-Vidal, J.L. and Parrilla Vázquez, P.
Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoradiation with fluorescence detection 918(2001)79
- Martínez Vidal, J.L., see Cruz Márquez, M. 939(2001)79
- Martínez-Vidal, J.L., see Martínez-Galera, M. 918(2001)79
- Martin-Jouet, M., Hagège, A. and Leroy, M.J.F.
Migration of (hydroxy)carboxylic acids in coelectroosmotic capillary electrophoresis. Influence of the electrolyte composition 946(2002)255
- Martino, T., see Costa, L. 907(2001)173
- Martín-Ortega, G., see Revilla, E. 915(2001)53
- Martins, A.F., see Zanella, R. 904(2000)257
- Maruszak, W., Trojanowicz, M., Margasińska, M. and Engelhardt, H.
Application of carboxymethyl- β -cyclodextrin as a chiral selector in capillary electrophoresis for enantiomer separation of selected neurotransmitters 926(2001)327
- Marwah, A., Marwah, P. and Lardy, H.
High-performance liquid chromatographic analysis of dehydroepiandrosterone (Review) 935(2001)279
- Marwah, P., see Marwah, A. 935(2001)279
- Masár, M., see Bodor, R. 916(2001)31
- Masár, M., see Bodor, R. 916(2001)155
- Masár, M., Kaniansky, D., Bodor, R., Jöhnck, M. and Stanislawski, B.
Determination of organic acids and inorganic anions in wine by isotachopheresis on a planar chip 916(2001)167
- Masár, M., Žúborová, M., Bielčíková, J., Kaniansky, D., Jöhnck, M. and Stanislawski, B.
Conductivity detection and quantitation of isotachophoretic analytes on a planar chip with on-line coupled separation channels 916(2001)101
- Mashige, F., see Kanazawa, H. 949(2002)1
- Massart, D.L., see Detryer, A. 912(2001)211
- Massart, D.L., see Perrin, C. 947(2002)69
- Masso, J.J., see Fritz, J.S. 909(2001)79
- Massolini, G., Calleri, E., De Lorenzi, E., Pregolato, M., Terreni, M., Félix, G. and Gandini, C.
Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147
- Masson, E., Baumes, R. and Puech, J.-L.
Comparison of direct and indirect methods of measuring the precursors of β -methyl- γ -octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] 905(2001)183
- Masson, P., see Rochu, D. 910(2001)347
- Maštovská, K., see Zrostlíková, J. 937(2001)73
- Maštovská, K., Hajšlová, J., Godula, M., Křivánková, J. and Kocourek, V.
Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235
- Maštovská, K., Lehotay, S.J. and Hajšlová, J.
Optimization and evaluation of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity 926(2001)291
- Masuyer, C.C., see Perrin, F.X. 950(2002)281
- Mata, V.G. and Rodrigues, A.E.
Separation of ternary mixtures by pseudo-simulated moving bed chromatography 939(2001)23
- Mataix, E. and Luque de Castro, M.D.
Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255
- Matano, Y., see Izozaki, T. 923(2001)249
- Matchett, M.W., Berberich, D.W. and Johnson, J.E.
Characterization of an unknown component in Noscapine using liquid chromatography–mass spectrometry and proton nuclear magnetic resonance spectroscopy 927(2001)97
- Matějka, P., see Charvátová, J. 921(2001)99
- Mateo, C., Fernandez-Lorente, G., Pessela, B.C.C., Vian, A., Carrascosa, A.V., Garcia, J.L., Fernandez-Lafuente, R. and Guisan, J.M.
Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

- Mateo, J.J., Llorens, A., Mateo, R. and Jiménez, M.
Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99
- Mateo, R., see Mateo, J.J. 918(2001)99
- Mateo-Castro, R., see Gimeno-Adelantado, J.V. 922(2001)385
- Mateos, J.L., see Fontaniella, B. 919(2001)283
- Mathiasson, L., see Jönsson, J.Ä. 902(2000)205
- Mathiasson, L., see Turner, C. 936(2001)215
- Mathies, R.A., see Medintz, I.L. 924(2001)265
- Mathis, J.A., see Yang, Yu. 942(2001)231
- Maton, L., see Blanche, F. 921(2001)39
- Matosiuk, D., see Dzido, T.H. 947(2002)167
- Matsui, A., see Harada, K.-i. 921(2001)187
- Matsumoto, H., see Ito, Y. 911(2001)217
- Matsumoto, H., see Oka, H. 946(2002)157
- Matsunaga, A., see Kodama, S. 932(2001)139
- Matsunaga, A., see Yamamoto, A. 910(2001)217
- Matsunaga, A., see Yamamoto, A. 928(2001)139
- Matsuo, T., see Yoshida, H. 907(2001)39
- Matsushima, Y., see Kanazawa, H. 948(2002)303
- Matsushima, Y., see Kanazawa, H. 949(2002)1
- Matthews, C.Z., Woolf, E.J. and Matuszewski, B.K.
Improved procedure for the the determination of rofecoxib in human plasma involving 96-well solid-phase extraction and fluorescence detection 949(2002)83
- Matthijs, N., see Perrin, C. 947(2002)69
- Mattiasson, B., see Adrados, B.P. 930(2001)73
- Mattiasson, B., see Dainiak, M.B. 942(2001)123
- Mattiasson, B., see Ivanov, A.E. 907(2001)115
- Mattiasson, B., see Li, Y. 925(2001)115
- Mattiasson, B., see Li, Y.C. 909(2001)137
- Matuschewski, H., see Sergejeva, T.A. 907(2001)89
- Matusik, J.E., see Weisz, A. 923(2001)87
- Matuszewski, B.K., see Matthews, C.Z. 949(2002)83
- Matysik, F.-M., see Backofen, U. 942(2001)259
- Matyska, M.T., see Pesek, J.J. 947(2002)195
- Matyska, M.T., Pesek, J.J., Boysen, R.I. and Hearn, M.T.W.
Electrochromatographic characterization of etched chemically-modified capillaries with small synthetic peptides 924(2001)211
- Matz, L.M., Dion, H.M. and Hill Jr., H.H.
Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59
- Maurino, V., see Gennaro, M.C. 910(2001)79
- Maurino, V., see Marengo, E. 943(2002)123
- May, S.W., see Feng, J. 905(2001)103
- Mayer, B.X.
How to increase precision in capillary electrophoresis (Review) 907(2001)21
- Mayer, B.X., Zöllner, P., Rauter, W. and Kählig, H.
Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy. II. Silphenylene–siloxane copolymers 917(2001)219
- Mayer, S.F., see Steinreiber, A. 911(2001)295
- Maynard, D.K., see Russell, W.K. 914(2001)325
- Mayorga, A.L., see Jiménez, J.J. 919(2001)373
- Mayr, B. and Buchmeiser, M.R.
Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73
- Mayr, B., Sinner, F. and Buchmeiser, M.R.
Chiral β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 907(2001)47
- Mays, J.W., see Cottet, H. 939(2001)109
- Mazeas, L. and Budzinski, H.
Polycyclic aromatic hydrocarbon ¹³C/¹²C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165
- Mazurek, M., Witkiewicz, Z., Popiel, S. and Śliwakowski, M.
Capillary gas chromatography–atomic emission spectroscopy–mass spectrometry analysis of sulphur mustard and transformation products in a block recovered from the Baltic Sea 919(2001)133
- Mazzeo, P., see Carlucci, G. 935(2001)87
- Mazzola, E.P., see Weisz, A. 923(2001)87
- Mazzotti, M., see Abel, S. 944(2002)23
- Mazzotti, M., see Baciocchi, R. 944(2002)225
- Mazzotti, M., see Di Giovanni, O. 919(2001)1
- McAllister, H., see Chuang, W.-L. 932(2001)65
- McAllister, P., see Coleman, J. 917(2001)23
- McCalley, D.V.
Effect of temperature and flow-rate on analysis of basic compounds in high-performance liquid chromatography using a reversed-phase column 898(2000)311
- McCalley, D.V., see Xiao, X.-Y. 923(2001)195
- McCarroll, M.E., see Henry III, C.W. 905(2001)319
- McClennen, W.H., see Li, P. 914(2001)147
- McClenny, W.A., Colón, M. and Oliver, K.D.
Ozone reaction with *n*-aldehydes (*n*=4–10), benzaldehyde, ethanol, isopropanol, and *n*-propanol adsorbed on a dual-bed graphitized carbon–carbon molecular sieve adsorbent cartridge 929(2001)89
- McCloskey, K.E., see Hoyos, M. 903(2000)99
- McCormick, L.C., Slater, G.W., Karger, A.E., Vreeland, W.N., Barron, A.E., Desruisseaux, C. and Drouin, G.
Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43
- McCulla, R.D., see Anderson, J.L. 946(2002)197
- McEnery, M., see Healy, L.O. 924(2001)459
- McEnery, M., see Murrhly, J.P. 924(2001)233
- McEnery, M., see Murrhly, J.P. 943(2002)311
- McEnery, M., see O'Neill, A.P. 924(2001)259
- McEvoy, J., see Xiao, X.-Y. 923(2001)195
- McGrath, M., see Dabek-Zlotorzynska, E. 910(2001)331
- McLean, M.A., see Fernando, P.N. 920(2001)155
- McNair, H.M., see LoBrutto, R. 913(2001)173
- McNair, H.M., see Rustamov, I. 913(2001)49
- McNeil Swinley, J., see Laurens, J.B. 911(2001)107
- Medić-Šarić, M., see Debeljak, Ž. 925(2001)31

- Medintz, I.L., Paegel, B.M. and Mathies, R.A.
Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265
- Medrano, R., see Laguna, M.T.R. 919(2001)13
- Melanson, J.E., Wong, B.L.-Y., Boulet, C.A. and Lucy, C.A.
High-sensitivity determination of the degradation products of chemical warfare agents by capillary electrophoresis–indirect UV absorbance detection 920(2001)359
- Melissis, S.C., Rigden, D.J. and Clonis, Y.D.
New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29
- Melo, L.F.C., see Queiroz, S.C.N. 948(2002)171
- Menard, C., see Lawrence, J.F. 922(2001)111
- Mendaš, G., Drevenkar, V. and Zupančič-Kralj, L.
Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351
- Menéndez, R., see Bermejo, J. 919(2001)255
- Meng, Y., Whiting, P., Zibareva, L., Bertho, G., Girault, J.-P., Lafont, R. and Dinan, L.
Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309
- Mengerink, Y., see Peters, R. 949(2002)327
- Mengerink, Y., Kutlán, D., Tóth, F., Csámpai, A. and Molnár-Perl, I.
Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*-phthaldialdehyde/3-mercaptopropionic acid and *o*-phthaldialdehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography–mass spectrometry study 949(2002)99
- Mengerink, Y., Peters, R., deKoster, C.G., van der Wal, S., Claessens, H.A. and Cramers, C.A.
Separation and quantification of the linear and cyclic structures of polyamide-6 at the critical point of adsorption 914(2001)131
- Mengerink, Y., Peters, R., van der Wal, S.J., Claessens, H.A. and Cramers, C.A.
Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307
- Mengerink, Y., Peters, R., van der Wal, S.J., Claessens, H.A. and Cramers, C.A.
Endgroup-based separation and quantitation of polyamide-6,6 by means of critical chromatography 949(2002)337
- Mentasti, E., see Bruzzoniti, M.C. 902(2000)289
- Mentasti, E., see Bruzzoniti, M.C. 920(2001)283
- Mentasti, E., see Bruzzoniti, M.C. 925(2001)99
- Menu, S., see Gritti, F. 922(2001)37
- Menyes, U., see Sokoließ, T. 948(2002)309
- Mercé, R., see Gómez-Gomar, A. 950(2002)257
- Mergler, M., see Naassner, M. 945(2002)133
- Meriluoto, J., see Spoof, L. 909(2001)225
- Meriluoto, J., see Spoof, L. 947(2002)237
- Mes, E.P.C., Tijssen, R. and Kok, W.Th.
Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201
- Mesplet, N., Morin, P., François, C. and Agrofoglio, L.A.
Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161
- Mestres, M., Busto, O. and Guasch, J.
Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211
- Metral, C.J., see Janini, G.M. 924(2001)291
- Meurer, R., see Rehorek, A. 949(2002)263
- Meyer, E., see Borrey, D. 910(2001)105
- Meyer, V.R., see Jurt, S. 929(2001)165
- Meyers, J.J., Crosser, O.K. and Liapis, A.I.
Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35
- Meyers, J.J., Nahar, S., Ludlow, D.K. and Liapis, A.I.
Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57
- Michalke, D., Kolb, S. and Welsch, T.
Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113
- Michel, J.P., see Becchi, M. 905(2001)207
- Michels, J.J.
Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123
- Michotte, Y., see Van Eeckhaut, A. 903(2000)245
- Micke, G.A., see de Oliveira, M.A.L. 924(2001)533
- Micocci, M., see Cirilli, R. 942(2001)107
- Miguel, E., see Castro, J. 947(2002)119
- Mihlbachler, K., see Jandera, P. 925(2001)19
- Mihlbachler, K., Fricke, J., Yun, T., Seidel-Morgenstern, A., Schmidt-Traub, H. and Guiochon, G.
Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49
- Mihlbachler, K., Jupke, A., Seidel-Morgenstern, A., Schmidt-Traub, H. and Guiochon, G.
Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3
- Mikaeli, S., Thorsén, G. and Karlberg, B.
Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267
- Miksik, I., see Cserhádi, T. 910(2001)137
- Miksik, I., see Forgács, E. 917(2001)287

- Mikščík, I., Eckhardt, A., Cserhádi, T., Forgács, E., Zicha, J. and Deyl, Z.
Evaluation of peptide electropherograms by multivariate mathematical–statistical methods. I. Principal component analysis 921(2001)81
- Milivojević, D., see Grahek, R. 918(2001)319
- Miller, D.J., see Kubátová, A. 923(2001)187
- Miller, R.A., see Eiceman, G.A. 917(2001)205
- Miller, S., see Louden, D. 910(2001)237
- Millet, J., see Perrin, F.X. 950(2002)281
- Millichip, M.I., see Lloyd, L.L. 944(2002)169
- Mills, G.A. and Walker, V.
Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials (Review) 902(2000)267
- Milojevic, Z., Agbaba, D., Eric, S., Boberic-Borojevic, D., Ristic, P. and Solujic, M.
High-performance liquid chromatographic method for the assay of dexamethasone and xylometazoline in nasal drops containing methyl *p*-hydroxybenzoate 949(2002)79
- Min, B.R., Kim, S.J., Ahn, K.-H. and Moon, M.H.
Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175
- Minear, R.A., see Echigo, S. 920(2001)205
- Minguillón, C., see Franco, P. 906(2001)155
- Miñones Vázquez, M., Vázquez Blanco, M.E., Muniategui Lorenzo, S., López Mahía, P., Fernández Fernández, E. and Prada Rodríguez, D.
Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363
- Miralles, B., Rothbauer, V., Manso, M.A., Amigo, L., Krause, I. and Ramos, M.
Improved method for the simultaneous determination of whey proteins, caseins and *para*- κ -casein in milk and dairy products by capillary electrophoresis 915(2001)225
- Miró, M., see López, M. 922(2001)359
- Miroshnikov, A.I., see Sergeev, N.V. 907(2001)131
- Misiti, D., see Gasparrini, F. 906(2001)35
- Mitamura, K., see Shimada, K. 935(2001)141
- Mitra, S., see Guo, X. 904(2000)189
- Miura, Y. and Watanabe, M.
Ion-pair chromatography of polythionates and thiosulfate with detection based on their catalytic effects on the postcolumn azide–iodine reaction 920(2001)163
- Miwa, T., see Sato, K. 919(2001)313
- Miwa, T., see Takeuchi, T. 910(2001)373
- Miyabe, K. and Guiochon, G.
Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1
- Miyabe, K., Sotoura, S. and Guiochon, G.
Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231
- Miyake, J., see Liu, X.-Y. 913(2001)123
- Miyakoshi, M., see Okada, T.K. 914(2001)175
- Miyamoto, K., see Tsukagoshi, K. 919(2001)331
- Miyanaga, A., see Tanaka, K. 920(2001)239
- Miyazaki, Y., see Ito, Y. 911(2001)217
- Moffatt, F., see Byrne, C.D. 927(2001)169
- Moffatt, F., see Dearie, H.S. 929(2001)123
- Moffatt, F., see Dearie, H.S. 945(2002)231
- Moinelo, S.R., see Díez, M.A. 945(2002)161
- Mol, H.G.J., see Ingelse, B.A. 918(2001)67
- Molander, P., see Andersen, T. 918(2001)221
- Molina, M., Wiedmer, S.K., Jussila, M., Silva, M. and Riekkola, M.-L.
Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191
- Möller, K., Nilsson, U. and Crescenzi, C.
Synthesis and evaluation of molecularly imprinted polymers for extracting hydrolysis products of organophosphate flame retardants 938(2001)121
- Molnar, I., see Jupille, T.H. 948(2002)35
- Molnar, I., see Rieger, H.J. 948(2002)43
- Molnar, I., see Schmidt, A.H. 948(2002)51
- Molnárová, M., see Danková, M. 916(2001)143
- Molnár-Perl, I.
Derivatization and chromatographic behavior of the *o*-phthaldialdehyde amino acid derivatives obtained with various SH-group-containing additives 913(2001)283
- Molnár-Perl, I., see Kutlán, D. 949(2002)235
- Molnár-Perl, I., see Mengerink, Y. 949(2002)99
- Monde, H., see Turowski, M. 911(2001)177
- Monegier, B., see Blanche, F. 921(2001)39
- Monson, S.J., see Zhu, J. 928(2001)177
- Montañes, F., see Eras, J. 918(2001)227
- Montiel, M.D., see Hernández, M. 919(2001)389
- Monton, M.R.N., Quirino, J.P., Otsuka, K. and Terabe, S.
Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99
- Mooibroek, D., see Dijkman, E. 926(2001)113
- Moon, M.H., see Min, B.R. 950(2002)175
- Mooney, B.D., see Nichols, P.D. 936(2001)183
- Moore, J.A., see Tugcu, N. 923(2001)65
- Moore, L.R., see Hoyos, M. 903(2000)99
- Morais, H., see Cserhádi, T. 949(2002)269
- Morais, H., see Kósa, A. 915(2001)149
- Morais, H., Ramos, A.C., Cserhádi, T. and Forgács, E.
Effects of fluorescent light and vacuum packaging on the rate of decomposition of pigments in paprika (*Capsicum annuum*) powder determined by reversed-phase high-performance liquid chromatography 936(2001)139
- Morales, E., see Gómez-Ariza, J.L. 938(2001)211
- Morales, E., see Gómez-Ariza, J.L. 946(2002)209
- Morbidelli, M., see Abel, S. 944(2002)23
- Morbidelli, M., see Baciocchi, R. 944(2002)225
- Morbidelli, M., see Di Giovanni, O. 919(2001)1
- Moreda, W., Pérez-Camino, M.C. and Cert, A.
Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159
- Moreno-Cordero, B., see Carabias-Martínez, R. 902(2000)251
- Moreno-Cordero, B., see Marcos Lorenzo, I. 945(2002)221

- Moreno-Cordero, B., Pérez Pavón, J.L., García Pinto, C., Fernández Laespada, M., Carabias Martínez, R. and Rodríguez Gonzalo, E.
Analytical applications of membrane extraction in chromatography and electrophoresis 902(2000)195
- Morfin, R., see Hill, M. 935(2001)297
- Morganti, L., see Ueda, E.K.M. 922(2001)165
- Mori, C., see Kanazawa, H. 948(2002)303
- Mori, C., see Macchia, M. 924(2001)499
- Mori, M., Tsue, H. and Tanaka, S.
Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399
- Morikawa, H., see Ohta, K. 920(2001)109
- Morimoto, T., see Turowski, M. 911(2001)177
- Morin, P., see Grard, S. 926(2001)3
- Morin, P., see Mesplet, N. 927(2001)161
- Moroney, C., see Lehane, M. 950(2002)139
- Moscariello, J., Purdom, G., Coffman, J., Root, T.W. and Lightfoot, E.N.
Characterizing the performance of industrial-scale columns 908(2001)131
- Moschonas, N. and Glavas, S.
Simple cryoconcentration technique for the determination of peroxyacyl and alkyl nitrates in the atmosphere 902(2000)405
- Moscoso, S.A., see Gago-Martínez, A. 905(2001)351
- Mota, T., see Cserhádi, T. 949(2002)269
- Mota, T., see Kósa, A. 915(2001)149
- Motellier, S. and Descostes, M.
Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329
- Motomizu, S., see Driouich, R. 903(2000)271
- Motomizu, S., see Driouich, R. 934(2001)95
- Motomizu, S., see Oshita, K. 934(2001)113
- Motomizu, S., see Takayanagi, T. 932(2001)165
- Mottier, P., see Fenaille, F. 921(2001)237
- Mottram, D.S., see Elmore, J.S. 905(2001)233
- Mottram, H.R. and Evershed, R.P.
Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 926(2001)239
- Mou, S., see Ding, X. 920(2001)101
- Mouchère, F., El Haddad, M., Elfakir, C. and Dreux, M.
Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167
- Moulin, C., see Lamouroux, C. 917(2001)261
- Moulis, C., see Fabre, N. 904(2000)35
- Moyano, E., see Castro, R. 914(2001)111
- Moyano, E., see Núñez, O. 912(2001)353
- Moyano, E., see Núñez, O. 946(2002)275
- Moyano, E., see Ruiz-Calero, V. 914(2001)277
- Moyano, E., see Toribio, F. 948(2002)267
- Možina, S.S., see Kralj Cigić, I. 905(2001)359
- Mroczek, T., Glowniak, K. and Wlaszczyk, A.
Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249
- Much, H., see Czichocki, G. 943(2002)241
- Muhr, L., see Nicolaos, A. 908(2001)71
- Muhr, L., see Nicolaos, A. 908(2001)87
- Muir, A.D., see Wu, J. 950(2002)125
- Muir, B., see Beck, N.V. 907(2001)221
- Muir, B., see Carrick, W.A. 925(2001)241
- Müllen, K., see Trimpin, S. 938(2001)67
- Müller, A., Björklund, E. and Von Holst, C.
On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingstuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197
- Muller, F., see Cottet, H. 939(2001)109
- Müller, S.R., see Gerecke, A.C. 930(2001)9
- Müller, S.R., see Öllers, S. 911(2001)225
- Mulville, K., see García, M.A. 918(2001)1
- Munch, D.J., see Hautman, D.P. 920(2001)221
- Muniategui Lorenzo, S., see Miñones Vázquez, M. 919(2001)363
- Muniategui Lorenzo, S., see Turnes Carou, M.I. 918(2001)411
- Muñoz de la Peña, A., Mahedero, M.C. and Bautista-Sánchez, A.
High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287
- Munro, J.S. and Walker, T.A.
Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275
- Munro, J.S. and Walker, T.A.
Ranitidine hydrochloride: development of an isocratic stability-indicating high-performance liquid chromatographic separation 914(2001)13
- Muratore, R., see Taibi, G. 921(2001)323
- Murphy, P., see Tan, W.G. 924(2001)377
- Murray, A., see Denton, G. 908(2001)223
- Murrell, J.C., see Talbot, H.M. 921(2001)175
- Murrihy, J., see O'Neill, A.P. 924(2001)259
- Murrihy, J.P., see Healy, L.O. 924(2001)459
- Murrihy, J.P., Breadmore, M.C., Tan, A., McEnery, M., Alderman, J., O'Mathuna, C., O'Neill, A.P., O'Brien, P., Avdalovic, N., Haddad, P.R. and Glennon, J.D.
Ion chromatography on-chip 924(2001)233
- Murrihy, J.P., Breadmore, M.C., Tan, A., McEnery, M., Alderman, J., O'Mathuna, C., O'Neill, A.P., O'Brien, P., Avdalovic, N., Haddad, P.R. and Glennon, J.D.
Erratum to "Ion chromatography on-chip" [J. Chromatogr. A, 924 (2001) 233–238] 943(2002)311
- Musci, M., see Careri, M. 912(2001)61
- Musil, P., see Kvasničková, L. 916(2001)265
- Mutelet, F. and Rogalski, M.
Experimental determination and prediction of the gas–liquid *n*-hexadecane partition coefficients 923(2001)153
- Muzikář, J., see Gaš, B. 905(2001)269
- Muzikar, J., Rozing, G., van de Goor, T., Eberwein, C. and Kennedler, E.
Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N,N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

- Muzikár, J., Van de Goor, T., Gaš, B. and Kenndler, E.
Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147
- Myers, P., see Bartle, K.D. 916(2001)3
- Myers, R., see Siméon, N. 913(2001)253
- N**
- Naassner, M., Mergler, M., Wolf, K. and Schuphan, I.
Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133
- Nagano, T., see Makino, Y. 947(2002)151
- Nagase, H., see Ito, Y. 911(2001)217
- Nagata, Y., see Kanazawa, H. 948(2002)303
- Nagels, L.J., see Zielinska, D. 915(2001)25
- Nagyová, I. and Kaniansky, D.
Discrete spacers for photometric characterization of humic acids separated by capillary isotachopheresis 916(2001)191
- Nahar, S., see Meyers, J.J. 907(2001)57
- Nahir, T.M. and Gerbec, J.A.
Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265
- Naidu, R., see Chen, Z. 927(2001)219
- Nakabayashi, Y., see Okada, T.K. 914(2001)175
- Nakahara, K., see Kanazawa, H. 949(2002)1
- Nakahara, T., see Takino, M. 928(2001)53
- Nakajima, R., see Tsukagoshi, K. 919(2001)331
- Nakajima, R., see Tsukagoshi, K. 930(2001)165
- Nakajima, T., see Okamoto, H. 929(2001)133
- Nakamura, M., see Ito, H. 925(2001)41
- Nakamura, S., Hwee Sian, T. and Daishima, S.
Determination of estrogens in river water by gas chromatography–negative-ion chemical-ionization mass spectrometry 919(2001)275
- Nakamura, S., Takino, M. and Daishima, S.
Analysis of waterborne paints by gas chromatography–mass spectrometry with a temperature-programmable pyrolyzer 912(2001)329
- Nakano, T.
Optically active synthetic polymers as chiral stationary phases in HPLC 906(2001)205
- Nakao, R., see Yoshida, H. 907(2001)39
- Nakashima, Y., see Kitazumi, I. 939(2001)123
- Nakazawa, H., see Inoue, K. 946(2002)291
- Nakazawa, H., see Kemmochi, Y. 943(2002)295
- Nakazawa, H., see Yamamoto, A. 928(2001)139
- Nam, H., see Lee, D.K. 902(2000)337
- Nam, H.-S., see Ban, E. 924(2001)337
- Nambara, T., see Iida, T. 937(2001)97
- Namiešnik, J., see Przyk, E. 928(2001)99
- Nanda Kumar, N.V., see Saritha, K. 919(2001)223
- Narantuya, S., see Glasl, S. 936(2001)193
- Nardillo, A.M., see González, F.R. 927(2001)111
- Natarajan, V. and Purdom, G.
Advances in process chromatography gradient elution using binary linear gradients 908(2001)163
- Navalón, A., see Vílchez, J.L. 919(2001)215
- Navalón, A., Prieto, A., Araujo, L. and Luis Vílchez, J.
Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239
- Navarro-Gonzalez, R., see Pietrogrande, M.C. 939(2001)69
- Navas, N., see Capitan-Vallvey, L.F. 943(2002)227
- Nayak, D.P., Ponrathnam, S. and Rajan, C.R.
Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63
- Nazarov, E.G., see Eiceman, G.A. 917(2001)205
- Nazimov, I.V., see Ivanov, A.R. 913(2001)315
- Nazimov, I.V., see Sergeev, N.V. 907(2001)131
- Ndaw, S., Bergaentzlé, M., Aoudé-Werner, D., Lahély, S. and Hasselmann, C.
Determination of folates in foods by high-performance liquid chromatography with fluorescence detection after precolumn conversion to 5-methyltetrahydrofolates 928(2001)77
- Ndjoko, K., see Waridel, P. 926(2001)29
- Neeser, J.R., see Tran, N.T. 929(2001)151
- Neff, W.E., see Byrdwell, W.C. 905(2001)85
- Neff, W.E., List, G.R. and Byrdwell, W.C.
Analysis of triacylglycerol positional isomers in food products as brominated derivatives by high-performance liquid chromatography coupled with a flame ionization detection 912(2001)187
- Nemoda, Z., see Barta, C. 924(2001)285
- Neretnieks, I., see Liapis, A.I. 921(2001)135
- Nertz, M., see Siméon, N. 913(2001)253
- Nesterenko, P.N., see Kiseleva, M.G. 920(2001)79
- Nesterenko, P.N., see Kiseleva, M.G. 920(2001)87
- Nesumi, A., see Horie, H. 942(2001)271
- Netopilík, M.
Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric–concentration detection using the universal calibration method 915(2001)15
- Netopilík, M., Podzimek, Š. and Kratochvíl, P.
Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25
- Neu, T., see Headley, J.V. 917(2001)159
- Neue, U.D., Phoebe, C.H., Tran, K., Cheng, Y.-F. and Lu, Z.
Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49
- Neumann, G., see Rethmeier, J. 934(2001)129
- Neumann, G., see Weber, G. 928(2001)171

- Nevenan, T.K., Söderholm, L., Kukkonen, K., Suortti, T., Teerinen, T., Linder, M., Söderlund, H. and Teeri, T.T. Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89
- New, A.P., Wolff, J.-C., Crabtree, S., do Santos, L.F., Okafo, G., Lee, J. and Divan, K. Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data 913(2001)205
- Newburg, D.S., see Shen, Z. 921(2001)315
- Newman, J.W. and Hammock, B.D. Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223
- Ng, C.W., see Cheung, H.Y. 911(2001)119
- Ng, K.L., Glód, B.K., Dicoski, G.W. and Haddad, P.R. Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents 920(2001)41
- Ng, S.-C., see Chen, L. 950(2002)65
- Ngiam, S.H., Zhou, Y.H., Turner, M.K. and Titchener-Hooker, N.J. Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1
- Ngola, S.M., see Shediak, R. 925(2001)251
- Nguyen, T., Eshraghi, J., Gonyea, G., Ream, R. and Smith, R. Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiflormis* by high-performance liquid chromatography 911(2001)55
- Nhujak, T. and Goodall, D.M. Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313
- Ni, J., see Jiang, H. 903(2000)77
- Ni, J., see Kong, L. 936(2001)111
- Nichols, P.D., Mooney, B.D. and Elliott, N.G. Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183
- Nickus, U. and Thies, H. Ion chromatographic determination of lithium at trace level concentrations. Application to a tracer experiment in a high-mountain lake 920(2001)201
- Nicod, L., see Perrin, F.X. 950(2002)281
- Nicolaos, A., Muhr, L., Gotteland, P., Nicoud, R.-M. and Bailly, M. Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71
- Nicolaos, A., Muhr, L., Gotteland, P., Nicoud, R.-M. and Bailly, M. Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87
- Nicolle, E., see Peyrin, E. 923(2001)37
- Nicotra, C.M.A., see Taibi, G. 921(2001)323
- Nicoud, R.M., see Di Giovanni, O. 919(2001)1
- Nicoud, R.M., see Ludemann-Hombourger, O. 947(2002)59
- Nicoud, R.-M., see Nicolaos, A. 908(2001)71
- Nicoud, R.-M., see Nicolaos, A. 908(2001)87
- Niederländer, H.A.G., see Dapkevicius, A. 912(2001)73
- Niedzielska, J., see Posyniak, A. 914(2001)59
- Niedzielski, J., see Gawryś, M. 933(2001)107
- Niedziadek, B., see Gago-Martínez, A. 905(2001)351
- Nielsen, K.F. and Thrane, U. Fast methods for screening of trichothecenes in fungal cultures using gas chromatography–tandem mass spectrometry 929(2001)75
- Niessen, W.M.A., see Geerdink, R.B. 910(2001)291
- Niessner, R., see Cichna, M. 919(2001)51
- Niethammer, D., see Renner, S. 916(2001)247
- Nieto, E.M., see Toribio, L. 921(2001)305
- Nikitas, P., Pappa-Louisi, A. and Agrafiotou, P. Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9
- Nikitas, P., Pappa-Louisi, A. and Agrafiotou, P. Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. II. Tests using various simplified models 946(2002)33
- Nikitas, P., Pappa-Louisi, A. and Papageorgiou, A. On the equations describing chromatographic peaks and the problem of the deconvolution of overlapped peaks 912(2001)13
- Nikitas, P., Pappa-Louisi, A., Papageorgiou, A. and Zitrou, A. On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2001)93
- Nilsson, A., Mannesse, M., Egmond, M.R. and Tjerneld, F. Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141
- Nilsson, G., see van Bruijnsvoort, M. 925(2001)171
- Nilsson, K., see Adrados, B.P. 930(2001)73
- Nilsson, O., see Åkesson Nilsson, G. 912(2001)99
- Nilsson, U., see Möller, K. 938(2001)121
- Nishimoto, K., see Hirokawa, T. 919(2001)417
- Nishiyama, F., see Hirokawa, T. 919(2001)417
- Niu, G., see Pan, X. 922(2001)371
- Nobilis, M., Kopecký, J., Květina, J., Chládek, J., Svoboda, Z., Voříšek, V., Perlík, F., Pour, M. and Kuneš, J. High-performance liquid chromatographic determination of tramadol and its *O*-desmethylated metabolite in blood plasma. Application to a bioequivalence study in humans 949(2002)11
- Nohta, H., see Yamaguchi, M. 950(2002)1
- Nohta, H., see Yoshida, H. 907(2001)39
- Noij, Th., see Bobeldijk, I. 918(2001)277
- Nording, P., see Horká, M. 916(2001)65
- Norlander, B., see Öhman, D. 947(2002)247
- Norling, L.A., see Knudsen, H.L. 907(2001)145
- Norman, K.N.T. and Panton, S.H.W. Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247
- Northrup, T., see Venkatesan, M.I. 942(2001)223

- Norvell, W.A., see Wheal, M.S. 942(2001)177
- Nováková, S., see Glatz, Z. 916(2001)273
- Novič, M., see Novič, M. 922(2001)1
- Novič, M., see Šikovec, M. 920(2001)119
- Novič, M., Guček, M., Turšič, J., Liu, Y. and Avdalovic, N.
Ion-exchange-based eluent-free preconcentration of some anions 909(2001)289
- Novič, M., Zupan, J. and Novič, M.
Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1
- Nowack, B.
Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2001)185
- Nowakowski, R., see Asztemborska, M. 902(2000)381
- Nozaki, O.
Steroid analysis for medical diagnosis 935(2001)267
- Nozal, M.J., Bernal, J.L., Toribio, L., Jiménez, J.J. and Martín, M.T.
High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95
- Nozal, M.J., Bernal, J.L., Toribio, L., Martín, M.T. and Diez, F.J.
Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87
- Nuhn, P., see Radschuweit, A. 937(2001)127
- Núñez, O., Moyano, E. and Galceran, M.T.
Solid-phase extraction and sample stacking–capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275
- Núñez, O., Moyano, E., Puignou, L. and Galceran, M.T.
Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis 912(2001)353
- Nurok, D., Frost, M.C. and Chenoweth, D.M.
Separation using planar chromatography with electroosmotic flow 903(2000)211
- Nussbaum, R., see Socher, G. 912(2001)53
- Nuzillard, J.-M., see Intes, O. 918(2001)47
- Nygren, P., see Gräslund, T. 942(2001)157
- Odenbrand, I., see Åkesson Nilsson, G. 912(2001)99
- Oehme, M., see Jaus, A. 905(2001)59
- Oertel, R., Richter, K., Fauler, J. and Kirch, W.
Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187
- Öhman, D., Norlander, B., Peterson, C. and Bengtsson, F.
Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247
- Öhman, M., see Wan, H. 916(2001)255
- Öhman, M., see Wan, H. 924(2001)59
- Ohnishi, A., see Tachibana, K. 906(2001)127
- Öhrlund, Å., see Ander, B. 917(2001)105
- Ohta, K.
Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69
- Ohta, K.
Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181
- Ohta, K., see Tanaka, K. 920(2001)239
- Ohta, K., Morikawa, H., Tanaka, K., Uwamino, Y., Furukawa, M. and Sando, M.
Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109
- Ohta, M., Kawasaki, N., Hyuga, S., Hyuga, M. and Hayakawa, T.
Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1
- Oka, H., see Harada, K.-i. 932(2001)75
- Oka, H., see Ito, Y. 911(2001)217
- Oka, H., Harada, K.-i., Suzuki, M. and Ito, Y.
Separation of spiramycin components using high-speed counter-current chromatography 903(2000)93
- Oka, H., Suzuki, M., Harada, K.-i., Iwaya, M., Fujii, K., Goto, T., Ito, Y., Matsumoto, H. and Ito, Y.
Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157
- Okada, A., see Kanazawa, H. 949(2002)1
- Okada, T., see Iso, K. 920(2001)317
- Okada, T.K., Miyakoshi, M., Inoue, M., Nakabayashi, Y. and Jisaki, F.
Differential elution of sodium or potassium dihydrogen- and hydrogenphosphate ions from a Sephadex G-15 column with sodium or potassium chloride solution 914(2001)175
- Okafo, G., see New, A.P. 913(2001)205
- Okafo, N., see Fields, S.M. 913(2001)197

O

- O'Brien, P., see Murrhly, J.P. 924(2001)233
- O'Brien, P., see Murrhly, J.P. 943(2002)311
- O'Brien, P., see O'Neill, A.P. 924(2001)259

- Okamoto, H., Uetake, A., Tamaya, R., Nakajima, T., Sagara, K. and Ito, Y.
Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133
- Okamoto, Y., see Chankvetadze, B. 922(2001)127
- Okubo, S., see Kanazawa, H. 949(2002)1
- Okumura, K., see Onaka, T. 903(2000)193
- Olesik, S.V., see Wen, D. 931(2001)41
- Olesik, S.V., see Zhao, J. 923(2001)107
- Olivella, L., see Farré, M. 938(2001)187
- Oliver, J.E., see Casaña-Giner, V. 921(2001)341
- Oliver, K.D., see McClenny, W.A. 929(2001)89
- Oliveros, L., see Franco, P. 906(2001)155
- Öllers, S., Singer, H.P., Fässler, P. and Müller, S.R.
Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225
- Olmo, N., see Galli, V. 949(2002)367
- Olsen, B.A.
Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113
- O'Mathuna, C., see Murrhly, J.P. 924(2001)233
- O'Mathuna, C., see Murrhly, J.P. 943(2002)311
- Onaka, T., Kobayashi, M., Ishii, Y., Okumura, K. and Suzuki, M.
Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes 903(2000)193
- O'Neill, A.P., see Murrhly, J.P. 924(2001)233
- O'Neill, A.P., see Murrhly, J.P. 943(2002)311
- O'Neill, A.P., O'Brien, P., Alderman, J., Hoffman, D., McEnery, M., Murrhly, J. and Glennon, J.D.
On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259
- Ong, E.-S., Woo, S.-O. and Yong, Y.-L.
Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57
- Ooms, L., see Peeters, M.-C. 920(2001)255
- Openheim, G. and Grushka, E.
Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2001)63
- Orendorff, C.J., see Pemberton, J.E. 913(2001)243
- Orte, C., see López, M. 922(2001)359
- Ortega, C., López, R., Cacho, J. and Ferreira, V.
Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic-flame ionisation detection analysis of dichloromethane microextracts 923(2001)205
- Ortega, E., see Gómez-Gomar, A. 950(2002)257
- Ortega, L., López, R., Cacho, J. and Ferreira, V.
Use of solid-liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxypyrazines and beta-damascenone from wine 931(2001)31
- Ortiz-Lastra, E., see Arias, R. 916(2001)297
- Orwa, J.A., Govaerts, C., Busson, R., Roets, E., Van Schepdael, A. and Hoogmartens, J.
Isolation and structural characterization of polymyxin B components 912(2001)369
- Osbrink, W.L.A., see Bland, J.M. 932(2001)119
- Osemwengie, L.I. and Steinberg, S.
On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode 932(2001)107
- Osete-Cortina, L., see Gimeno-Adelantado, J.V. 922(2001)385
- Oshima, M., see Driouich, R. 903(2000)271
- Oshima, M., see Driouich, R. 934(2001)95
- Oshima, M., see Oshita, K. 934(2001)113
- Oshita, K., Takayanagi, T., Oshima, M. and Motomizu, S.
Complex formation analysis of water-soluble calixarenes by capillary zone electrophoresis 934(2001)113
- Ostryanina, N.D., Vlasov, G.P. and Tennikova, T.B.
Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163
- Otsuka, K., see Kawamura, K. 924(2001)251
- Otsuka, K., see Kim, J.-B. 912(2001)343
- Otsuka, K., see Kim, J.-B. 916(2001)123
- Otsuka, K., see Kim, J.-B. 932(2001)129
- Otsuka, K., see Monton, M.R.N. 939(2001)99
- Otsuka, K., see Takeda, S. 924(2001)415
- Otsuka, M., see Tsukagoshi, K. 930(2001)165
- Otwinowska, H., see Brzozowski, R. 946(2002)221
- Ouchiyam, N., see Tsukagoshi, K. 919(2001)331
- Oumada, F.Z., see Canals, I. 911(2001)191
- Oumada, F.Z., see Rosés, M. 910(2001)187
- Ousalem, M., Zhu, X.X. and Hradil, J.
Evaluation of the porous structures of new polymer packing materials by inverse size-exclusion chromatography 903(2000)13
- Owens, E.H., see Wang, Z. 926(2001)275
- Öztekin, N. and Erim, F.B.
Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541
- Özyurt, S., Kirdar, B. and Ülgen, K.Ö.
Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203
- P**
- Pace, G., Berton, A. and Bergamaschi, L.
Bi-quadratic surface response for quantitative determination of analytes leading to partially overlapped chromatographic peaks 907(2001)81

- Padaruskas, A., see Jankovskiene, G. 934(2001)67
- Padrón, C., see Fernández, M. 922(2001)257
- Paegel, B.M., see Medintz, I.L. 924(2001)265
- Paeng, K.-J., see Jung, M.-W. 917(2001)87
- Paeng, K.-J., see Lee, D.K. 902(2000)337
- Pai, S.-C.
Evaluation of the temporal effect to the peak tailing in flow injection analysis 950(2002)271
- Pålågnuk, V.G., see Gupalova, T.V. 949(2002)185
- Palá-Paúl, J., Pérez-Alonso, M.J., Velasco-Negueruela, A. and Sanz, J.
Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327
- Palá-Paúl, J., Velasco-Negueruela, A., Pérez-Alonso, M.J. and Sanz, J.
Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295
- Pallaroni, L., see Wollgast, J. 926(2001)211
- Palleschi, L., see Draisci, R. 926(2001)69
- Palleschi, L., see Draisci, R. 926(2001)97
- Palma, M., Piñeiro, Z. and Barroso, C.G.
Stability of phenolic compounds during extraction with superheated solvents 921(2001)169
- Palmano, K.P. and Elgar, D.F.
Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307
- Palmer, A.S., see Curran, M.A.J. 919(2001)107
- Palmer, C.P., see Peterson, D.S. 924(2001)103
- Palmer, C.P., see Shi, W. 905(2001)281
- Palmer, C.P., see Shi, W. 924(2001)123
- Palomo, M., see Iyer, M.S. 944(2002)263
- Palonen, S., Jussila, M., Porras, S.P., Hyötyläinen, T. and Riekkola, M.-L.
Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89
- Pamme, N., Steinbach, K., Ensinger, W.J. and Schmidt, T.C.
Analysis of polynitrophenols and hexyl by liquid chromatography–mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47
- Pan, X., Niu, G. and Liu, H.
Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371
- Panagiotopoulos, C., Sempéré, R., Lafont, R. and Kerhervé, P.
Sub-ambient temperature effects on the separation of monosaccharides by high-performance anion-exchange chromatography with pulse amperometric detection. Application to marine chemistry 920(2001)13
- Pandey, D., see Suryanarayana, M.V.S. 907(2001)229
- Pang, H.-M., see Xue, G. 914(2001)245
- Panton, S.H.W., see Norman, K.N.T. 907(2001)247
- Pap, T.L. and Pápai, Zs.
Application of a new mathematical function for describing chromatographic peaks 930(2001)53
- Papadopoulou, A., see Patsias, J. 932(2001)83
- Papadopoulou-Mourkidou, E., see Patsias, J. 904(2000)171
- Papadopoulou-Mourkidou, E., see Patsias, J. 932(2001)83
- Papadoyannis, I.N., see Theodoridis, G. 948(2002)177
- Papageorgiou, A., see Nikitas, P. 912(2001)13
- Papageorgiou, A., see Nikitas, P. 942(2001)93
- Pápai, Zs., see Pap, T.L. 930(2001)53
- Papi, C., see Macchia, M. 924(2001)499
- Pappa-Louisi, A., see Nikitas, P. 912(2001)13
- Pappa-Louisi, A., see Nikitas, P. 942(2001)93
- Pappa-Louisi, A., see Nikitas, P. 946(2002)9
- Pappa-Louisi, A., see Nikitas, P. 946(2002)33
- Paproski, R.E., Roy, K.I. and Lucy, C.A.
Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265
- Paquet, L., see Groom, C.A. 909(2001)53
- Parastar, F., see Jalali-Heravi, M. 903(2000)145
- Parent, M., see Chen, Z. 914(2001)293
- Pařízek, P., see Pešková, J. 918(2001)153
- Park, C.-h., see Shin, H.-S. 912(2001)119
- Park, I.H., see Kwon, S.W. 921(2001)335
- Park, J.C., Raghavan, K. and Gibbs, S.J.
Axial development and radial non-uniformity of flow in packed columns 945(2002)65
- Park, J.H., see Kim, I.W. 915(2001)35
- Park, J.H., see Kwon, S.W. 921(2001)335
- Park, M.K., see Kwon, S.W. 921(2001)335
- Park, S.-J., see Shin, H.-S. 912(2001)119
- Parrilla Vázquez, P., see Martínez-Galera, M. 918(2001)79
- Pascali, V.L., see Tagliaro, F. 924(2001)493
- Paschke, H., see Luks-Betlej, K. 938(2001)93
- Pascual-Martí, M.C., see Chisvert, A. 921(2001)207
- Patel, T., see Kazakevich, Y.V. 913(2001)75
- Patsias, J. and Papadopoulou-Mourkidou, E.
Development of an automated on-line solid-phase extraction–high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171
- Patsias, J., Papadopoulou, A. and Papadopoulou-Mourkidou, E.
Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anion-exchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83
- Paull, B., see Bashir, W. 907(2001)191
- Paull, B., see Bashir, W. 910(2001)301
- Paull, B., see Bashir, W. 942(2001)73
- Paull, B., see Connolly, D. 917(2001)353
- Paull, B., see Johns, C. 927(2001)237
- Pawliszyn, J.
Foreword 909(2001)1
- Pawliszyn, J., see Lord, H. 902(2000)17
- Pawliszyn, J., see Wu, J. 909(2001)37
- Pålsson, E., Axelsson, A. and Larsson, P.-O.
Theories of chromatographic efficiency applied to expanded beds 912(2001)235
- Pedersen-Bjergaard, S., see Halvorsen, T.G. 909(2001)87

- Pedersen-Bjergaard, S., Rasmussen, K.E. and Grønhaug Halvorsen, T.
Liquid–liquid extraction procedures for sample enrichment in capillary zone electrophoresis (Review) 902(2000)91
- Peeters, M.-C., Defloor, I., Coosemans, J., Delcour, J.A., Ooms, L., Deliever, R. and De Vos, D.
Simple ion chromatographic method for the determination of chlormequat residues in pears 920(2001)255
- Peláez-Cid, A.A., see Carrillo-Morales, G. 938(2001)237
- Pemberton, J.E., Ho, M., Orendorff, C.J. and Ducey, M.W.
Raman spectroscopy of octadecylsilane stationary phase conformational order. Effect of solvent 913(2001)243
- Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R.M.
Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377
- Peng, C.T.
Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117
- Peng, P., see Yu, Z. 903(2000)183
- Peng, S.X. and Dansereau, S.M.
Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection 914(2001)105
- Peng, Z., see Hua, L. 909(2001)297
- Penner, N.A., see Slentz, B.E. 948(2002)225
- Pensabene, J.W., see Fiddler, W. 902(2000)427
- Penttilä, M., see Collén, A. 943(2002)55
- Pepich, B.V., see Hautman, D.P. 920(2001)221
- Perduca, M., see Giorgio Righetti, P. 920(2001)309
- Pereira, C.B., see Loveland, P.M. 932(2001)33
- Pereira, M., see Wu, Y.-T. 929(2001)23
- Pérez, J.P., see Rodríguez-Delgado, M.A. 912(2001)249
- Pérez, R.A., see Castro, J. 947(2002)119
- Pérez, S., Guillamón, M. and Barceló, D.
Quantitative analysis of polycyclic aromatic hydrocarbons in sewage sludge from wastewater treatment plants 938(2001)57
- Pérez-Alonso, M.J., see Palá-Paúl, J. 923(2001)295
- Pérez-Alonso, M.J., see Palá-Paúl, J. 947(2002)327
- Pérez-Arribas, L.V., see León-González, M.E. 902(2000)3
- Pérez-Camino, M.C., see Moreda, W. 936(2001)159
- Pérez-Coello, M.S., see Díaz-Maroto, M.C. 947(2002)23
- Pérez-Pavón, J.L., see Carabias-Martínez, R. 902(2000)251
- Pérez-Pavón, J.L., see Marcos Lorenzo, I. 945(2002)221
- Pérez-Pavón, J.L., see Moreno-Cordero, B. 902(2000)195
- Pérez-Urquiza, M. and Beltrán, J.L.
Determination of the dissociation constants of sulfonated azo dyes by capillary zone electrophoresis and spectrophotometry methods 917(2001)331
- Perlík, F., see Nobilis, M. 949(2002)11
- Pernet, T., see Rochu, D. 910(2001)347
- Perret, F., see Becchi, M. 905(2001)207
- Perrin, C., Vu, V.A., Matthijs, N., Maftouh, M., Massart, D.L. and Vander Heyden, Y.
Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69
- Perrin, F.X., Masuyer, C.C., Truong, T.-T., Guinchard, C., Millet, J., Chaumont, J.P., Thomassin, M., Guillaume, Y.C. and Nicod, L.
Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281
- Persson, B.-A. and Andersson, S.
Unusual effects of separation conditions on chiral separations 906(2001)195
- Persson, O., see Williams, A. 944(2002)69
- Persson, P., see Cohen, A. 927(2001)103
- Peru, K.M., see Headley, J.V. 917(2001)159
- Peru, K.M., see Winkler, M. 903(2000)203
- Peschet, J.L., see Farine, S. 920(2001)299
- Peschet, J.L., see L'homme, C. 920(2001)291
- Pesek, J.J., see Matyska, M.T. 924(2001)211
- Pesek, J.J., Matyska, M.T. and Yu, R.J.
Synthesis and characterization of endcapped C₁₈ stationary phases using a silica hydride intermediate 947(2002)195
- Pešková, J., Pařízek, P. and Večeřa, Z.
Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153
- Pesliakas, H., see Gelūnaitė, L. 904(2000)131
- Pesliakas, H., see Zaveckas, M. 904(2000)145
- Pessela, B.C.C., see Mateo, C. 915(2001)97
- Péter, A., see Vékes, E. 949(2002)125
- Péter, A., Kámán, J., Fülöp, F., van der Eycken, J. and Armstrong, D.W.
High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79
- Péter, A., Lázár, L., Fülöp, F. and Armstrong, D.W.
High-performance liquid chromatographic enantioseparation of β -amino acids 926(2001)229
- Péter, A., Török, G., Armstrong, D.W., Tóth, G. and Tourwé, D.
High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1
- Péter, A., Vékes, E., Tóth, G., Tourwé, D. and Borremans, F.
Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283
- Péter, M., Gyéresi, Á. and Fülöp, F.
Liquid chromatographic enantioseparation of β -blocking agents with (1R,2R)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyante as chiral derivatizing agent 910(2001)247
- Peters, R., see Mengerink, Y. 914(2001)131
- Peters, R., see Mengerink, Y. 949(2002)307
- Peters, R., see Mengerink, Y. 949(2002)337
- Peters, R., Mengerink, Y., Langereis, S., Frederix, M., Linssen, H., Van Hest, J. and van der Wal, S.J.
Quantitation of functionality of poly(methyl methacrylate) by liquid chromatography under critical conditions followed by evaporative light-scattering detection. Comparison with NMR and titration 949(2002)327
- Peterson, C., see Öhman, D. 947(2002)247
- Peterson, D.S., see Shi, W. 924(2001)123

- Peterson, D.S. and Palmer, C.P.
Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103
- Peterson, J., see Coleman, J. 917(2001)23
- Peterson, J., see Ebber, A. 949(2002)351
- Peterson, S., see Lavine, B.K. 946(2002)83
- Petritis, K., Valleix, A., Elfakir, C. and Dreux, M.
Simultaneous analysis of underivatized chiral amino acids by liquid chromatography–ionspray tandem mass spectrometry using a teicoplanin chiral stationary phase 913(2001)331
- Petruczynik, A., see Waksmundzka-Hajnos, M. 919(2001)39
- Petrukhin, O.M., see Timerbaev, A.R. 943(2002)263
- Pettersson, C., see Carlsson, Y. 922(2001)303
- Peyrin, E., Ravelet, C., Nicolle, E., Villet, A., Grosset, C., Ravel, A. and Alary, J.
Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37
- Pfeifer, T., Klaus, U., Hoffmann, R. and Spittler, M.
Characterisation of humic substances using atmospheric pressure chemical ionisation and electrospray ionisation mass spectrometry combined with size-exclusion chromatography 926(2001)151
- Pfüller, U., see Li, Y. 925(2001)115
- Pham-Tuan, H., see Vercammen, J. 912(2001)127
- Pham-Tuan, H., see Vercammen, J. 930(2001)39
- Phillips, C.R., see Venkatesan, M.I. 942(2001)223
- Phillips, K.S., see Koch, J.T. 914(2001)223
- Phoebe, C.H., see Neue, U.D. 925(2001)49
- Picó, Y., see Blasco, C. 947(2002)227
- Picó, Y., see Fernández, M. 912(2001)301
- Picó, Y., see Rodríguez, R. 924(2001)387
- Picó, Y., see Rodríguez, R. 949(2002)359
- Piechowski, M., see Dabek-Zlotorzynska, E. 910(2001)331
- Piedra, L., see Hernandez, M.D. 938(2001)103
- Pierrot-Sanders, J., see Piras, P. 906(2001)443
- Pietraszkiewicz, M., see Zielinska, D. 915(2001)25
- Pietrogrande, M.C., Coll, P., Sternberg, R., Szopa, C., Navarro-Gonzalez, R., Vidal-Madjar, C. and Dondi, F.
Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69
- Pietrzyk, D.J., see Liu, Y. 920(2001)367
- Piette, V., Lindner, W. and Crommen, J.
Enantiomeric separation of N-protected amino acids by non-aqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295
- Pigorini, G., see Ludemann-Hombourger, O. 947(2002)59
- Piletsky, S.A., see Sergeeva, T.A. 907(2001)89
- Piñeiro, Z., see Palma, M. 921(2001)169
- Ping, G., see Zhang, W. 922(2001)277
- Pino, V., Ayala, J.H., Afonso, A.M. and González, V.
Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291
- Pinto, N.G., see Thrash, M.E. 908(2001)293
- Pinto, N.G., see Thrash Jr., M.E. 944(2002)61
- Pinzauti, S., see Coran, S.A. 915(2001)209
- Pinzauti, S., see Raggi, M.A. 949(2002)23
- Piquet, G., Gatti, M., Barbero, L., Traversa, S., Caccia, P. and Esposito, P.
Set-up of large laboratory-scale chromatographic separations of poly(ethylene glycol) derivatives of the growth hormone-releasing factor 1–29 analogue 944(2002)141
- Pirard, C., see Focant, J.-F. 925(2001)207
- Piras, P., Roussel, C. and Pierrot-Sanders, J.
Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database 906(2001)443
- Pirogov, A.V. and Buchberger, W.
Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51
- Pitarch, E., see Hernández, F. 939(2001)1
- Pitarch, E., see Pozo, O. 923(2001)75
- Plana, M.P., see Laguna, M.T.R. 919(2001)13
- Planeta, J., see Jandera, P. 925(2001)19
- Plavec, J., see Kralj Cigić, I. 905(2001)359
- Plocková, J., see Janoušková, J. 914(2001)183
- Plocková, J. and Chmelík, J.
Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361
- Plugge, J., see Pörschmann, J. 909(2001)95
- Plum, A., see Rehorek, A. 949(2002)263
- Plusquellec, D., see Cassel, S. 919(2001)95
- Pock, K., Buchacher, A., Rizzi, A. and Josic, D.
Characterization of clotting factor IX in plasma-derived preparations by electrophoretic techniques 921(2001)57
- Pocurull, E., see Peñalver, A. 922(2001)377
- Podzimek, Š., see Netopilík, M. 922(2001)25
- Poels, I., see Zielinska, D. 915(2001)25
- Pohl, C.A., see Bruzzoniti, M.C. 925(2001)99
- Pohl, C.A., see Jackson, P.E. 920(2001)51
- Pojana, G., see Crescenzi, C. 923(2001)97
- Polesello, S., see Valsecchi, S. 925(2001)297
- Polesello, S., Valsecchi, S., Cavalli, S. and Reschiotto, C.
Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy 920(2001)231
- Polidori, M.C., see Aust, O. 936(2001)83
- Polo, M.C., see Pozo-Bayón, M.A. 922(2001)267
- Polo-Díez, L.M., see Santos Delgado, M.J. 921(2001)287
- Polonský, J., see Čakrt, M. 916(2001)207
- Polya, D.A., see Bewsher, A.D. 920(2001)247
- Pomponio, R., see Gotti, R. 916(2001)175
- Pomponio, R., Gotti, R., Hudaib, M. and Cavrini, V.
Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239
- Ponrathnam, S., see Nayak, D.P. 922(2001)63
- Poole, C.F., see Kiridena, W. 932(2001)171
- Poole, C.F., see Lepont, C. 946(2002)107

- Poole, C.F., Li, Q., Kiridena, W. and Koziol, W.W.
Selectivity assessment of popular stationary phases for open-tubular column gas chromatography 912(2001)107
- Popa, D.S., see Valenzuela, A.I. 918(2001)59
- Popiel, S., see Mazurek, M. 919(2001)133
- Popkovich, G.B., see Ivanov, A.R. 913(2001)315
- Popp, P., see Hauser, B. 909(2001)3
- Popp, P., see Luks-Betlej, K. 938(2001)93
- Poppe, H.
Mass transfer in rectangular chromatographic channels 948(2002)3
- Poppe, H., see Ding, F. 924(2001)239
- Poppe, H., see Lingeman, H. 948(2002)1
- Poppe, H., see Stol, R. 914(2001)201
- Poppe, H., Kenndler, E. and Lindner, W.
Obituary 911(2001)143
- Porcar, I., see Recalde, I.B. 942(2001)53
- Porras, S.P., see Palonen, S. 916(2001)89
- Porras, S.P., Riekkola, M.-L. and Kenndler, E.
Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259
- Porras, S.P., Riekkola, M.-L. and Kenndler, E.
Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31
- Porsch, B., Andersson, M., Wittgren, B. and Wahlund, K.-G.
Molecular mass distribution analysis of ethyl(hydroxyethyl)cellulose by size-exclusion chromatography with dual light-scattering and refractometric detection 946(2002)69
- Pörschmann, J., Plugge, J. and Toth, R.
In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95
- Pospíchal, J. and Glovinová, E.
Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195
- Posylniak, A., Zmudzki, J. and Niedzielska, J.
Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59
- Posylniak, A., Zmudzki, J. and Semeniuk, S.
Effects of the matrix and sample preparation on the determination of fluoroquinolone residues in animal tissues 914(2001)89
- Pour, M., see Nobilis, M. 949(2002)11
- Pozo, O., see Dijkman, E. 926(2001)113
- Pozo, O., see Hernández, F. 939(2001)1
- Pozo, O., Pitarch, E., Sancho, J.V. and Hernández, F.
Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75
- Pozo-Bayón, M.A., Pueyo, E., Martín-Álvarez, P.J. and Polo, M.C.
Polydimethylsiloxane solid-phase microextraction–gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267
- Prada Rodríguez, D., see Miñones Vázquez, M. 919(2001)363
- Prada Rodríguez, D., see Turnes Carou, M.I. 918(2001)411
- Pradeau, D., see Do, B. 918(2001)87
- Prado Flores, M.G., see Carabias-Martínez, R. 950(2002)157
- Prat, M.D., see González-Toledo, E. 923(2001)45
- Prat, M.D., see Hernández-Arteseros, J.A. 942(2001)275
- Prat, M.D., see Hernández-Arteseros, J.A. 945(2002)1
- Prat, M.D., see Leal, C. 910(2001)285
- Prati, S., see Chiavari, G. 922(2001)235
- Prazeres, D.M.F., see Diogo, M.M. 944(2002)119
- Pregolato, M., see Massolini, G. 921(2001)147
- Preiss, A., see Sandvoss, M. 917(2001)75
- Presits, P., see Kutlán, D. 949(2002)235
- Presto Elgstoen, K.B., Zhao, J.Y., Anacleto, J.F. and Jellum, E.
Potential of capillary electrophoresis, tandem mass spectrometry and coupled capillary electrophoresis–tandem mass spectrometry as diagnostic tools 914(2001)265
- Price, M.R., see Denton, G. 908(2001)223
- Prickett, K.B., see Jackson Ellington, J. 928(2001)145
- Prieto, A., see Navalón, A. 946(2002)239
- Prieto, A., see Vílchez, J.L. 919(2001)215
- Prieto, J.A., Akesolo, U., Jiménez, R.M.^a and Alonso, R.M.^a.
Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine 916(2001)279
- Primel, E.G., see Zanella, R. 904(2000)257
- Prins, J.M., see Culbertson, J.A. 903(2000)261
- Procházková, A., Liu, S., Friess, H., Aebi, S. and Thormann, W.
Determination of 5-fluorouracil and 5-fluoro-2'-deoxyuridine-5'-monophosphate in pancreatic cancer cell line and other biological materials using capillary electrophoresis 916(2001)215
- Prohaska, V., see Renner, S. 916(2001)247
- Proštenik, M., see Alajbeg, I. 918(2001)127
- Provost, L.R., see D'Agostino, P.A. 912(2001)291
- Przyjazny, A., see Kamiński, M. 947(2002)217
- Przyk, E., Konieczka, P., Szczygelska-Tao, J., Teschner, R., Biernat, J.F. and Namieśnik, J.
Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99
- Psillakis, E. and Kalogerakis, N.
Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211
- Psillakis, E. and Kalogerakis, N.
Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113
- Puech, J.-L., see Masson, E. 905(2001)183
- Pueyo, E., see Pozo-Bayón, M.A. 922(2001)267
- Puignou, L., see Núñez, O. 912(2001)353
- Puignou, L., see Ruiz-Calero, V. 914(2001)277

- Puignou, L., see Sanz, R. 919(2001)339
 Puignou, L., see Sentellas, S. 909(2001)259
 Puignou, L., see Toribio, F. 948(2002)267
 Puigserver, A., see Farine, S. 920(2001)299
 Puigserver, A., see L'homme, C. 920(2001)291
 Puozzo, C., see Van Heugen, J.C. 926(2001)11
 Purdom, G., see Moscariello, J. 908(2001)131
 Purdom, G., see Natarajan, V. 908(2001)163
 Purdom, G., see Quiñones-García, I. 908(2001)169
 Pustet, N., see Brandl, F. 909(2001)147
 Putschew, A., Schittko, S. and Jekel, M.
 Quantification of triiodinated benzene derivatives and X-ray
 contrast media in water samples by liquid chromatography–
 electrospray tandem mass spectrometry 930(2001)127
 Püttmann, W., see Achten, C. 910(2001)377
 Pyka, A. and Sliwiok, J.
 Chromatographic separation of tocopherols 935(2001)71
 Pyo, H., see Shin, H.-S. 912(2001)119

Q

- Qian, Y.-T., see Cao, C.-X. 907(2001)347
 Qian, Y.-T., see Cao, C.-X. 922(2001)283
 Qiu, J. and Jin, X.
 Development and optimization of organic acid analysis in
 tobacco with ion chromatography and suppressed
 conductivity detection 950(2002)81
 Qiu, W., see Zeng, Z. 934(2001)51
 Qu, A., see Zhang, L. 934(2001)13
 Qu, J., Wang, Y. and Luo, G.
 Determination of scutellarin in *Erigeron breviscapus*
 extract by liquid chromatography–tandem mass
 spectrometry 919(2001)437
 Qu, J., Wang, Y., Luo, G. and Wu, Z.
 Identification and determination of glucuronides and their
 aglycones in *Erigeron breviscapus* by liquid
 chromatography–tandem mass spectrometry 928(2001)155
 Qu, Q.-S., see Cao, C.-X. 907(2001)347
 Qu, Q.-S., see Cao, C.-X. 922(2001)283
 Qu, Q.-S., see Yang, L. 932(2001)13
 Queiroz, J.A., see Diogo, M.M. 944(2002)119
 Queiroz, J.A., see Tomaz, C.T. 944(2002)211
 Queiroz, S.C.N., Melo, L.F.C. and Jardim, I.C.S.F.
 Poly(methyloctadecylsiloxane) immobilized on silica by γ
 radiation for use in solid-phase extraction 948(2002)171
 Quiñones, I., see Chen, Y. 927(2001)1
 Quiñones-García, I., Rayner, I., Levison, P.R., Dickson, N. and
 Purdom, G.
 Performance comparison of suspended bed and batch
 contactor chromatography 908(2001)169

- Quintana, J., Martí, I. and Ventura, F.
 Monitoring of pesticides in drinking and related waters in
 NE Spain with a multiresidue SPE-GC–MS method
 including an estimation of the uncertainty of the analytical
 results 938(2001)3
 Quintanilla-López, J.E., see Lebrón-Aguilar, R. 945(2002)185
 Quirino, J.P., see Kato, M. 924(2001)187
 Quirino, J.P., see Kim, J.-B. 916(2001)123
 Quirino, J.P., see Monton, M.R.N. 939(2001)99
 Quirino, J.P. and Terabe, S.
 Sample stacking of cationic and anionic analytes in
 capillary electrophoresis (Review) 902(2000)119

R

- Rabenstein, A., see Rethmeier, J. 934(2001)129
 Rabenstein, D.L., see Chuang, W.-L. 932(2001)65
 Radchenko, L.V., see Kiseleva, M.G. 920(2001)79
 Radecki, J., see Zielinska, D. 915(2001)25
 Räder, H.J., see Trimpin, S. 938(2001)67
 Radschweit, A., Rüttinger, H.-H. and Nuhn, P.
 Capillary zone electrophoresis with electrochemical
 detection — a simple and effective method to analyze
 oxygen-consuming and peroxide-forming processes
 937(2001)127
 Ràfols, C., see Fuguet, E. 907(2001)257
 Ràfols, C., see Fuguet, E. 942(2001)237
 Raggi, M.A., Bugamelli, F., Mandrioli, R., Sabbioni, C.,
 Volterra, V. and Fanali, S.
 Rapid capillary electrophoretic method for the
 determination of clozapine and desmethylclozapine in
 human plasma 916(2001)289
 Raggi, M.A., Mandrioli, R., Casamenti, G., Volterra, V. and
 Pinzauti, S.
 Determination of reboxetine, a recent antidepressant drug,
 in human plasma by means of two high-performance liquid
 chromatography methods 949(2002)23
 Raghavan, K., see Park, J.C. 945(2002)65
 Rajan, C.R., see Nayak, D.P. 922(2001)63
 Ramanathan-Girish, S., see Hettiarachchi, K. 924(2001)471
 Ramos, A.C., see Cserhádi, T. 949(2002)269
 Ramos, A.C., see Kósa, A. 915(2001)149
 Ramos, A.C., see Morais, H. 936(2001)139
 Ramos, L., see Bouaid, A. 939(2001)13
 Ramos, L., see Concejero, M. 917(2001)227
 Ramos, L., see Kristenson, E.M. 917(2001)277
 Ramos, M., see Miralles, B. 915(2001)225
 Ranatunga, R., Vitha, M.F. and Carr, P.W.
 Mechanistic implications of the equality of compensation
 temperatures in chromatography 946(2002)47
 Rao, R.N., see Ismail, N. 903(2000)255

- Rappel, C., see Trathnigg, B. 922(2001)193
- Rasmussen, K.E., see Halvorsen, T.G. 909(2001)87
- Rasmussen, K.E., see Pedersen-Bjergaard, S. 902(2000)91
- Rasouli, S., see Cardot, P.J.P. 905(2001)163
- Rasouli, S., Blanchart, P., Clédat, D. and Cardot, P.J.P.
Size- and shape-dependent separation of TiO₂ colloidal sub-populations with gravitational field flow fractionation 923(2001)119
- Rastogi, S., Das, M. and Khanna, S.K.
Quantitative determination of aflatoxin B1-oxime by column liquid chromatography with ultraviolet detection 933(2001)91
- Rathore, A.S., see Lasdun, A.M. 917(2001)147
- Raulin, F., see Rodier, C. 915(2001)199
- Raulin, F., see Szopa, C. 904(2000)73
- Rauter, W., see Mayer, B.X. 917(2001)219
- Ravald, L. and Fornstedt, T.
Theoretical study of the accuracy of the elution by characteristic points method for bi-Langmuir isotherms 908(2001)111
- Ravel, A., see Peyrin, E. 923(2001)37
- Ravelet, C., see Peyrin, E. 923(2001)37
- Rayner, I., see Quiñones-García, I. 908(2001)169
- Razungles, A., see Schneider, R. 936(2001)145
- Ream, R., see Nguyen, T. 911(2001)55
- Recalde, I.B., Porcar, I., Campos, A. and Gómez, C.M.
Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2001)53
- Reddy, A.P., see Loveland, P.M. 932(2001)33
- Redondo, M.J., see Valenzuela, A.I. 918(2001)59
- Ree, M., see Lee, W. 910(2001)51
- Ree, M., see Lee, W. 919(2001)229
- Reemtsma, T.
Analysis of sulfophthalimide and some of its derivatives by liquid chromatography–electrospray ionization tandem mass spectrometry 919(2001)289
- Regnier, F.E., see Chakraborty, A. 949(2002)173
- Regnier, F.E., see Riggs, L. 924(2001)359
- Regnier, F.E., see Slentz, B.E. 948(2002)225
- Regnier, F.E., see Wang, S. 913(2001)429
- Regnier, F.E., see Wang, S. 924(2001)345
- Regnier, F.E., see Wang, S. 949(2002)153
- Regnier, F.E., see Xiong, L. 924(2001)165
- Rehorek, A., Urbig, K., Meurer, R., Schäfer, C., Plum, A. and Braun, G.
Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263
- Reid, R.G., see Taylor, R.B. 916(2001)201
- Reijenga, J., see de Ridder, R. 916(2001)73
- Reijenga, J. and Lee, H.K.
Software and internet resources for capillary electrophoresis and micellar electrokinetic capillary chromatography (Review) 916(2001)25
- Reijenga, J.C.
Training software for high-performance liquid chromatography 903(2000)41
- Reilly, C.A., Crouch, D.J., Yost, G.S. and Fatah, A.A.
Determination of capsaicin, dihydrocapsaicin, and nonivamide in self-defense weapons by liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry 912(2001)259
- Reimer, S.H., see Araki, R.Y. 923(2001)177
- Remcho, V.T., see Chirica, G.S. 924(2001)223
- Remcho, V.T., see Khasawneh, M.A. 922(2001)87
- Remelli, M., see Dondi, F. 943(2002)185
- Renault, F., see Rochu, D. 910(2001)347
- Renault, J.-H., see Intes, O. 918(2001)47
- Renner, S., Prohaska, V., Gerber, C., Niethammer, D. and Bruchelt, G.
Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachopheresis 916(2001)247
- Rennick, K.A., see Abidi, S.L. 913(2001)379
- Renold, P., Madero, E. and Maetzke, T.
Automated normal-phase preparative high-performance liquid chromatography as a substitute for flash chromatography in the synthetic research laboratory 908(2001)143
- Reschiglian, P., see Sanz, R. 919(2001)339
- Reschiotto, C., see Polesello, S. 920(2001)231
- Rethmeier, J., Neumann, G., Stumpf, C., Rabenstein, A. and Vogt, C.
Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129
- Revilla, E., García-Beneytez, E., Cabello, F., Martín-Ortega, G. and Ryan, J.-M.
Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53
- Rey, M.A.
High-capacity cation-exchange column for enhanced resolution of adjacent peaks of cations in ion chromatography 920(2001)61
- Reynolds, E.R., see Flood, K.G. 903(2000)49
- Reynolds, E.R., see Flood, K.G. 913(2001)261
- Řezanka, T. and Votruba, J.
Chromatography of long chain alcohols (polyprenols) from animal and plant sources 936(2001)95
- Rhee, I.K., van de Meent, M., Ingkaninan, K. and Verpoorte, R.
Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217
- Rhee, J.-S., see Jung, M.-W. 917(2001)87
- Rhee Paeng, I., see Jung, M.-W. 917(2001)87
- Rial Otero, R., Yagüe Ruiz, C., Cancho Grande, B. and Simal Gándara, J.
Solid-phase microextraction–gas chromatographic–mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2001)41
- Ribet, J.P., see Grard, S. 926(2001)3
- Richardson, S., Cohen, A. and Gorton, L.
High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

- Richelme, S., see Fabre, N. 904(2000)35
- Richey, C.W., see Seely, J.E. 908(2001)235
- Richter, K., see Oertel, R. 948(2002)187
- Riddle, L., see Battersby, J.E. 927(2001)61
- Ridge, S., see Hettiarachchi, K. 924(2001)471
- Rieger, H.J. and Molnar, I.
Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43
- Riekkola, M.-L., see Kuosmanen, K. 943(2002)113
- Riekkola, M.-L., see Molina, M. 927(2001)191
- Riekkola, M.-L., see Palonen, S. 916(2001)89
- Riekkola, M.-L., see Porras, S.P. 905(2001)259
- Riekkola, M.-L., see Porras, S.P. 924(2001)31
- Rigden, D.J., see Melissis, S.C. 917(2001)29
- Riggs, L., Sioma, C. and Regnier, F.E.
Automated signature peptide approach for proteomics 924(2001)359
- Righetti, P.G., Magnusdottir, S., Gelfi, C. and Perduca, M.
Behaviour of inorganic and organic cations in the Debye–Hückel layer of DNA 920(2001)309
- Rimmer, D.A., Johnson, P.D. and Bradley, S.D.
Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209
- Ríos, A., see Lista, A.G. 919(2001)407
- Ríos, A., see Valcárcel, M. 924(2001)3
- Rissler, K., see Socher, G. 912(2001)53
- Ristic, P., see Milojevic, Z. 949(2002)79
- Ritchie, H.J., see Barrett, D.A. 905(2001)69
- Ritter, J.P., see Lavine, B.K. 946(2002)83
- Rivaró, P., see Magi, E. 905(2001)141
- Rivasseau, C. and Blanc, P.
Determination of C₄–C₁₄ carboxylic acids by capillary zone electrophoresis. Application to the identification of diamide degradation products and partitioning studies 920(2001)345
- Rivera, J., see Concejero, M. 917(2001)227
- Riviello, J.M., see Bruzzoniti, M.C. 925(2001)99
- Rivier, L., see Fluri, K. 926(2001)87
- Rizov, I. and Doulis, A.
Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347
- Rizzi, A., see Pock, K. 921(2001)57
- Robinet, S., see Do, B. 918(2001)87
- Rochu, D., Pernet, T., Renault, F., Bon, C. and Masson, P.
Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347
- Rodgers, T., see Ko, J. 913(2001)15
- Rodier, C., Sternberg, R., Raulin, F. and Vidal-Madjar, C.
Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199
- Rodrigo, N., Alegría, A., Barberá, R. and Farré, R.
High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97
- Rodrigues, A.E., see Mata, V.G. 939(2001)23
- Rodríguez, A.R., see Bordin, G. 928(2001)63
- Rodríguez, J., see Hernández, M. 919(2001)389
- Rodríguez, M., see Valverde, A. 943(2002)101
- Rodríguez, R., see Fernández, M. 912(2001)301
- Rodríguez, R., Picó, Y., Font, G. and Mañes, J.
Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387
- Rodríguez, R., Picó, Y., Font, G. and Mañes, J.
Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359
- Rodríguez-Delgado, M.A., Malovaná, S., Pérez, J.P., Borges, T. and García Montelongo, F.J.
Separation of phenolic compounds by high-performance liquid chromatography with absorbance and fluorimetric detection 912(2001)249
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 902(2000)251
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R. 950(2002)157
- Rodríguez-Gonzalo, E., see Moreno-Cordero, B. 902(2000)195
- Rodríguez Vázquez, J.-A., see Gago-Martínez, A. 905(2001)351
- Roets, E., see Chepkwony, H.K. 914(2001)53
- Roets, E., see Dehouck, P. 932(2001)145
- Roets, E., see Kaale, E. 924(2001)451
- Roets, E., see Orwa, J.A. 912(2001)369
- Rogalski, M., see Mutelet, F. 923(2001)153
- Roger, P., Baud, B. and Colonna, P.
Characterization of starch polysaccharides by flow field-flow fractionation–multi-angle laser light scattering–differential refractometer index 917(2001)179
- Rohrer, J.S., see Kaiser, E. 920(2001)127
- Roig-Navarro, A.F., see Martínez-Bravo, Y. 926(2001)265
- Roig-Navarro, A.F., Martínez-Bravo, Y., López, F.J. and Hernández, F.
Simultaneous determination of arsenic species and chromium(VI) by high-performance liquid chromatography–inductively coupled plasma-mass spectrometry 912(2001)319
- Rollin, P., see Cassel, S. 919(2001)95
- Roman, R., see Coleman, J. 917(2001)23
- Romanyshyn, L.A. and Tiller, P.R.
Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic–tandem mass spectrometric analysis 928(2001)41
- Romero, F., see Ferrer, E. 947(2002)85
- Römheld, V., see Weber, G. 928(2001)171
- Römisch, J., see Dönges, R. 924(2001)307
- Ronai, Z., see Barta, C. 924(2001)285
- Ronco, G., see Lipka-Belloli, E. 943(2002)91
- Root, T.W., see Moscardello, J. 908(2001)131
- Root, T.W., see Teeters, M.A. 944(2002)129
- Ros Barceló, A., see López-Serrano, M. 919(2001)267
- Rosche, F., see Wolf, R. 926(2001)21
- Rosenberg, E., see Sulyok, M. 917(2001)367
- Rosenberg, E., see Sulyok, M. 946(2002)301
- Rosés, M., see Canals, I. 911(2001)191
- Rosés, M., see Espinosa, S. 945(2002)83
- Rosés, M., see Espinosa, S. 947(2002)47
- Rosés, M., see Fuguet, E. 907(2001)257
- Rosés, M., see Fuguet, E. 942(2001)237

- Rosés, M., see Valkó, K. 933(2001)73
- Rosés, M., Oumada, F.Z. and Bosch, E.
Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C₁₈ column by mass spectrometry with electrospray ionization 910(2001)187
- Roshchina, T.M., Shonia, N.K., Kazmina, A.A., Gurevich, K.B. and Fadeev, A.Y.
Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119
- Ross, D.S., see Ludemann-Hombourger, O. 947(2002)59
- Ross, P., see Barrett, D.A. 905(2001)69
- Rossi, S., Dalpero, A.P., Ghini, S., Colombo, R., Sabatini, A.G. and Girotti, S.
Multiresidual method for the gas chromatographic analysis of pesticides in honeybees cleaned by gel permeation chromatography 905(2001)223
- Roten, C.-A.H., see Borruat, G. 922(2001)219
- Roth, U., see Sokoließ, T. 948(2002)309
- Rothbauer, V., see Miralles, B. 915(2001)225
- Rothmund, S., see Wieprecht, T. 912(2001)1
- Roussel, C., see Piras, P. 906(2001)443
- Row, K.H., see Kim, J.I. 949(2002)275
- Roy, I. and Gupta, M.N.
Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131
- Roy, K.I., see Paproski, R.E. 946(2002)265
- Rozan, P., see Chowdhury, B. 933(2001)129
- Rozing, G., see Liu, X. 924(2001)323
- Rozing, G., see Muzikar, J. 950(2002)249
- Ru, Q.-H., Luo, G.-A. and Fu, Yu.-R.
Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331
- Rubio Barroso, S., see Santos Delgado, M.J. 921(2001)287
- Rudaz, S., see Fanali, S. 919(2001)195
- Rudewicz, P.J., see Yang, L. 926(2001)43
- Ruiz-Angel, M.J., Caballero, R.D., Simó-Alfonso, E.F. and García-Alvarez-Coque, M.C.
Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31
- Ruiz-Calero, V., Moyano, E., Puignou, L. and Galceran, M.T.
Pressure-assisted capillary electrophoresis–electrospray ion trap mass spectrometry for the analysis of heparin depolymerised disaccharides 914(2001)277
- Rupérez, F.J., Martín, D., Herrera, E. and Barbas, C.
Chromatographic analysis of α -tocopherol and related compounds in various matrices (Review) 935(2001)45
- Russell, D.H., see Russell, W.K. 914(2001)325
- Russell, W.K., Russell, D.H., Busby, M.B., Kolberg, A., Li, S., Maynard, D.K., Sanchez-Vindas, S., Zhu, W. and Vigh, G.
Artifact-free matrix-assisted laser desorption ionization time-of-flight mass spectra of *tert*-butyldimethylsilyl ether derivatives of cyclodextrins used for the synthesis of single-isomer, chiral resolving agents for capillary electrophoresis 914(2001)325
- Rustamov, I., see Layne, J. 913(2001)233
- Rustamov, I., Farcas, T., Ahmed, F., Chan, F., LoBrutto, R., McNair, H.M. and Kazakevich, YV.
Geometry of chemically modified silica 913(2001)49
- Rüttinger, H.-H., see Radschuweit, A. 937(2001)127
- Rüttinger, H.-H. and Dräger, B.
Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291
- Ruyter, E., see Vervoort, R.J.M. 931(2001)67
- Ruzgas, T., see Yigzaw, Y. 929(2001)13
- Ruzicka, C., see Edelmann, A. 934(2001)123
- Ryan, J.-M., see Revilla, E. 915(2001)53
- Rylatt, D.B., see Thomas, T.M. 944(2002)161
- Ryu, H.-W., see Kim, J.-N. 938(2001)137

S

- Sabatini, A.G., see Fernández, M. 922(2001)257
- Sabatini, A.G., see Rossi, S. 905(2001)223
- Sabbah, S., see Loukas, Y.L. 931(2001)141
- Sabbah, S. and Scriba, G.K.E.
Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321
- Sabbioni, C., see Raggi, M.A. 916(2001)289
- Sacher, F., Lange, F.T., Brauch, H.-J. and Blankenhorn, I.
Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199
- Sádecká, J., see Čákr, M. 916(2001)207
- Saenko, E., Sarafanov, A., Ananyeva, N., Behre, E., Shima, M., Schwinn, H. and Josic, D.
Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49
- Sagara, K., see Okamoto, H. 929(2001)133
- Sage, A., see Loudon, D. 910(2001)237
- Saito, K., see Ito, H. 925(2001)41
- Saitoh, T., Akita, S., Torii, T. and Hiraide, M.
Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159
- Sajonz, H., see Kaczmarek, K. 925(2001)1
- Sajonz, P., see Kaczmarek, K. 925(2001)1
- Sakkas, V.A., Konstantinou, I.K. and Albanis, T.A.
Photodegradation study of the antifouling booster biocide dichlofluanid in aqueous media by gas chromatographic techniques 930(2001)135
- Sakon, J., see Li, Y. 909(2001)183
- Sakuma, T., see Li, X.-F. 914(2001)5
- Salem, M.A., see Hettiarachchi, K. 924(2001)471
- Salimi-Moosavi, H., see Youssouf Badal, M. 947(2002)277
- Salmon, C.P., see Knize, M.G. 914(2001)95
- Salotti, V., see Macchia, M. 924(2001)499
- Salvadó, V., see Sánchez, J.M. 950(2002)241
- Salvador, A., see Chisvert, A. 921(2001)207

- Salvador, A., Herbretau, B., Dreux, M., Karlsson, A. and Gyllenhaal, O.
Chiral supercritical fluid chromatography on porous graphitic carbon using commercial dimethyl β -cyclodextrins as mobile phase additive 929(2001)101
- Samperi, R., see Crescenzi, C. 923(2001)97
- Samskog, J., see Gustavsson, S.Å. 937(2001)41
- Sanbe, H., see Haginaka, J. 913(2001)141
- Sánchez, A., see Guerra, R.M. 950(2002)31
- Sánchez, J.M. and Salvadó, V.
Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241
- Sanchez, P., see Farenc, C. 910(2001)61
- Sánchez-Brunete, C., see Castro, J. 918(2001)371
- Sánchez-Brunete, C., see Castro, J. 947(2002)119
- Sánchez-Ferrer, Á., see López-Mas, J.A. 911(2001)47
- Sánchez-Pérez, A., see Delgado-Zamarreño, M.M. 935(2001)77
- Sánchez-Rodas, D., see Gómez-Ariza, J.L. 938(2001)211
- Sánchez-San Román, F.J., see Carabias-Martínez, R. 950(2002)157
- Sanchez-Vindas, S., see Russell, W.K. 914(2001)325
- Sancho, J.-V., see Dijkman, E. 926(2001)113
- Sancho, J.V., see Hernández, F. 939(2001)1
- Sancho, J.V., see Pozo, O. 923(2001)75
- Sandmann, G., see Breitenbach, J. 936(2001)59
- Sando, M., see Ohta, K. 920(2001)109
- Sandoval, F., see Santoyo, E. 949(2002)281
- Sandquist, J., see García, M.A. 918(2001)1
- Sandra, P., see Tienpont, B. 911(2001)235
- Sandra, P., Tienpont, B., Vercammen, J., Tredoux, A., Sandra, T. and David, F.
Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117
- Sandra, P., see Vercammen, J. 912(2001)127
- Sandra, P., see Vercammen, J. 930(2001)39
- Sandra, T., see Sandra, P. 928(2001)117
- Sandvoss, M., Weltring, A., Preiss, A., Levsen, K. and Wuensch, G.
Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75
- Sanghvi, Y.S., see Tugcu, N. 923(2001)65
- Santos, F.J., see Sarrión, M.N. 947(2002)155
- Santos Delgado, M.J., Rubio Barroso, S., Toledano Fernández-Tostado, G. and Polo-Díez, L.M.
Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen–phosphorus detection 921(2001)287
- Santoyo, E., García, R., Abella, R., Aparicio, A. and Verma, S.P.
Capillary electrophoresis for measuring major and trace anions in thermal water and condensed-steam samples from hydrothermal springs and fumaroles 920(2001)325
- Santoyo, E., Verma, S.P., Sandoval, F., Aparicio, A. and García, R.
Suppressed ion chromatography for monitoring chemical impurities in steam for geothermal power plants 949(2002)281
- Sanz, J., see García, M.A. 918(2001)189
- Sanz, J., see Palá-Paúl, J. 923(2001)295
- Sanz, J., see Palá-Paúl, J. 947(2002)327
- Sanz, R., Puignou, L., Reschiglian, P. and Galceran, M.T.
Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339
- Sanz-Nebot, V., see Barbosa, J. 915(2001)85
- Sanz-Nebot, V., Benavente, F. and Barbosa, J.
Liquid chromatography–mass spectrometry and capillary electrophoresis combined approach for separation and characterization of multicomponent peptide mixtures. Application to crude products of leuprolide synthesis 950(2002)99
- Sanz-Nebot, V., Benavente, F., Toro, I. and Barbosa, J.
Electrophoretic behavior of peptides in capillary electrophoresis. Influence of ionic strength and pH in aqueous–organic media 921(2001)69
- Sanz-Nebot, V., Toro, I. and Barbosa, J.
Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45
- Sanz-Nebot, V., Toro, I., Benavente, F. and Barbosa, J.
 pK_a values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2001)145
- Sápi, J., see Vékes, E. 949(2002)125
- Sarafanov, A., see Saenko, E. 921(2001)49
- Saraji, M., see Bagheri, H. 910(2001)87
- Sârbu, C., Kuhajda, K. and Kevresan, S.
Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361
- Sarcletti, M., see Gutleben, W. 922(2001)313
- Sargent, J.R., see Wilson, R. 905(2001)251
- Saritha, K. and Nanda Kumar, N.V.
Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223
- Sarkar, S., see Subramanian, A. 944(2002)179
- Sarrión, M.N., Santos, F.J. and Galceran, M.T.
Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155
- Sarver, J., see Faghihi, J. 915(2001)61
- Sarzanini, C., see Bruzzoniti, M.C. 902(2000)289
- Sarzanini, C., see Bruzzoniti, M.C. 920(2001)283
- Sarzanini, C., see Bruzzoniti, M.C. 925(2001)99
- Sarzanini, C., see Tanaka, K. 920(2001)239
- Sasvari-Szekely, M., see Barta, C. 924(2001)285
- Sato, K., Jin, J.-Y., Takeuchi, T., Miwa, T., Suenami, K., Takekoshi, Y. and Kanno, S.
Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313
- Saugy, M., see Fluri, K. 926(2001)87

- Saurina, J., see Latorre, R.M. 934(2001)105
 Saurina, J., see Sentellas, S. 909(2001)259
 Saxer, A., see Schürch, S. 905(2001)175
 Scaccia, S., Zappa, G. and Basili, N.
 Ion chromatographic preconcentration of Cu and Cd from ultra-high-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167
 Scanes, T., see Sutherland, F.C.W. 914(2001)37
 Scanes, T., see Sutherland, F.C.W. 914(2001)45
 Schäfer, C., see Rehorek, A. 949(2002)263
 Schäfer, C. and Lubda, D.
 Alkyl diol silica: restricted access pre-column packings for fast liquid chromatography-integrated sample preparation of biological fluids 909(2001)73
 Schär, M., see Jurt, S. 929(2001)165
 Schedler, U., see Sergeeva, T.A. 907(2001)89
 Schefer, R.R., see Silva, C.R. 948(2002)85
 Scheffer, J.J.C., see Budi Muljono, R.A. 927(2001)39
 Schepens, P., see Covaci, A. 923(2001)287
 Scherer, B. and Steiner, F.
 Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197
 Scherwenk, E., see Ahrer, W. 910(2001)69
 Schiavo, M.R., see Taibi, G. 921(2001)323
 Schieber, A., Keller, P. and Carle, R.
 Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography 910(2001)265
 Schildermans, R., see Vanhees, I. 915(2001)75
 Schilling, K.M., see Iyer, M.S. 944(2002)263
 Schilt, R., see Theodoridis, G. 948(2002)177
 Schittko, S., see Putschew, A. 930(2001)127
 Schmarr, H.-G., see Kamm, W. 918(2001)341
 Schmidt, A.H. and Molnar, I.
 Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51
 Schmidt, B., Wandrey, Ch. and Freitag, R.
 Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149
 Schmidt, T., see Ternes, T. 938(2001)175
 Schmidt, T.C., see Pamme, N. 943(2002)47
 Schmidt-Traub, H., see Jupke, A. 944(2002)93
 Schmidt-Traub, H., see Mihlbachler, K. 908(2001)49
 Schmidt-Traub, H., see Mihlbachler, K. 944(2002)3
 Schmitz, O.J., see Stach, D. 924(2001)519
 Schneider, R., Razungles, A., Augier, C. and Baumes, R.
 Monoterpenic and norisoprenoic glycoconjugates of *Vitis vinifera* L. cv. Melon B. as precursors of odorants in Muscadet wines 936(2001)145
 Schoenmakers, P.J., see Kok, S.J. 948(2002)257
 Schöftner, R., see Ahrer, W. 912(2001)91
 Schöftner, R., Buchberger, W. and Malissa, H.
 Determination of quaternary alkylammonium compounds by capillary zone electrophoresis and indirect UV detection as a real alternative to ion chromatography with suppressed conductivity detection 920(2001)333
 Scholl, Y., Asano, N. and Dräger, B.
 Automated multiple development thin layer chromatography for calystegines and their biosynthetic precursors 928(2001)217
 Schrader, W., see Geiger, J. 922(2001)99
 Schrenk, W., see Edelmann, A. 934(2001)123
 Schröder, H.Fr.
 Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection–mass spectrometry and liquid chromatography–mass spectrometry and –tandem mass spectrometry 926(2001)127
 Schulte, M. and Dingenen, J.
 Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17
 Schulte, M. and Strube, J.
 Preparative enantioseparation by simulated moving bed chromatography 906(2001)399
 Schunk, T.C., see Karami, A. 911(2001)127
 Schunk, T.C., see Torabi, K. 910(2001)19
 Schuphan, I., see Naassner, M. 945(2002)133
 Schürch, S., Saxer, A., Claude, S., Tabacchi, R., Trusch, B. and Hulliger, J.
 Semi-preparative gas chromatographic separation of *all-trans*-perhydrotriphenylene enantiomers on a chiral cyclodextrin stationary phase 905(2001)175
 Schure, M.R., see Klotz, W.L. 930(2001)145
 Schurig, V.
 Separation of enantiomers by gas chromatography 906(2001)275
 Schurig, V., see Marriott, P. 919(2001)115
 Schurig, V., see Trapp, O. 911(2001)167
 Schwartz, W., Judd, D., Wysocki, M., Guerrier, L., Birk-Wilson, E. and Boschetti, E.
 Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251
 Schwarz, M., see Degenhardt, A. 922(2001)355
 Schwarz, M.A. and Hauser, P.C.
 Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225
 Schwarzenbach, R.P., see Gerecke, A.C. 930(2001)9
 Schweizer, C., see Fluri, K. 926(2001)87
 Schwikowski, M., see Huber, T.M. 920(2001)193
 Schwinn, H., see Iberer, G. 921(2001)15
 Schwinn, H., see Saenko, E. 921(2001)49
 Scriba, G.K.E., see Loukas, Y.L. 931(2001)141
 Scriba, G.K.E., see Sabbah, S. 907(2001)321
 Seaver, K.E., see Harris, J.E. 919(2001)427
 Sebastián, B., see Vicente, C. 917(2001)55
 Sebastiano, R., Gelfi, C., Giorgio Righetti, P. and Citterio, A.
 ω -Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71
 Sedlak, D.L., see Bedsworth, W.W. 905(2001)157

- Seely, J.E. and Richey, C.W.
Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235
- Sega, G.A., see Tomkins, B.A. 909(2001)13
- Sega, G.A., see Tomkins, B.A. 911(2001)85
- Seidel-Morgenstern, A., see Antos, D. 944(2002)77
- Seidel-Morgenstern, A., see Kasperleit, M. 944(2002)249
- Seidel-Morgenstern, A., see Lisec, O. 908(2001)19
- Seidel-Morgenstern, A., see Lorenz, H. 908(2001)201
- Seidel-Morgenstern, A., see Mihlbachler, K. 908(2001)49
- Seidel-Morgenstern, A., see Mihlbachler, K. 944(2002)3
- Sekiguchi, R., see Goto, H. 907(2001)181
- Selker, J., see Zhang, L. 934(2001)13
- Sellergren, B.
Imprinted chiral stationary phases in high-performance liquid chromatography 906(2001)227
- Sellergren, B., see Berezcki, A. 930(2001)31
- Sellergren, B., see Chen, Y. 927(2001)1
- Semeniuk, S., see Posyniak, A. 914(2001)89
- Semenova, O.P., see Timerbaev, A.R. 943(2002)263
- Sempéré, R., see Panagiotopoulos, C. 920(2001)13
- Semwal, R.P., see Vijaya Saradhi, U.V.R. 911(2001)63
- Senso, A., see Franco, P. 906(2001)155
- Sentellas, S., Saurina, J., Hernández-Cassou, S., Galceran, M.T. and Puignou, L.
Multivariate calibration methods for quantification in strongly overlapping capillary electrophoretic peaks 909(2001)259
- Seo, H.-S., see Endo, Y. 911(2001)39
- Sergeev, N.V., Gloukhova, N.S., Nazimov, I.V., Gulyaev, V.A., Shvets, S.V., Donetsky, I.A. and Miroshnikov, A.I.
Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption/ionisation time-of-flight mass spectrometry 907(2001)131
- Sergeyeva, T.A., Matuschewski, H., Piletsky, S.A., Bendig, J., Schedler, U. and Ulbricht, M.
Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89
- Servais, A.-C., see Fillet, M. 949(2002)225
- Seubert, A., see Klingenberg, A. 946(2002)91
- Ševčík, J., see Bednář, P. 917(2001)319
- Sforza, S., see Lesignoli, F. 922(2001)177
- Shadwell, R.J., see Fiddler, W. 902(2000)427
- Shalliker, R.A., see Broyles, B.S. 917(2001)1
- Shamsi, S.A., see Akbay, C. 910(2001)147
- Shamsi, S.A., see Edwards, S.H. 903(2000)227
- Shan, L. and Anderson, D.J.
Effect of buffer concentration on gradient chromatofocusing performance separating proteins on a high-performance DEAE column 909(2001)191
- Shang, C., Hu, Y., Deng, C. and Hu, K.
Rapid determination of volatile constituents of *Michelia alba* flowers by gas chromatography–mass spectrometry with solid-phase microextraction 942(2001)283
- Shangguan, D., Han, H., Zhao, R., Zhao, Y., Xiong, S. and Liu, G.
New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367
- Shao, B., Hu, J.-y. and Yang, M.
Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography–electrospray mass spectrometry 950(2002)167
- Sharfstein, S., see Faghihi, J. 915(2001)61
- Shave, E.E., see Thomas, T.M. 944(2002)161
- Shaw, C.J., Chao, H. and Xiao, B.
Determination of sialic acids by liquid chromatography–mass spectrometry 913(2001)365
- Shaw, P.N., see Barrett, D.A. 905(2001)69
- Shediac, R., Ngola, S.M., Throckmorton, D.J., Anex, D.S., Shepodd, T.J. and Singh, A.K.
Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251
- Sheehan, P., see Lorenz, H. 908(2001)201
- Shellie, R., see Marriott, P. 919(2001)115
- Shellie, R., see Marriott, P.J. 936(2001)1
- Shen, G., see Chen, F.-T.A. 924(2001)523
- Shen, Y., Berger, S.J. and Smith, R.D.
High-efficiency capillary isoelectric focusing of protein complexes from *Escherichia coli* cytosolic extracts 914(2001)257
- Shen, Z., Warren, C.D. and Newburg, D.S.
Resolution of structural isomers of sialylated oligosaccharides by capillary electrophoresis 921(2001)315
- Sheng, G., see Yu, Z. 903(2000)183
- Shepodd, T.J., see Shediac, R. 925(2001)251
- Sheu, S.-J., Chieh, C.-L. and Weng, W.-C.
Capillary electrophoretic determination of the constituents of *Artemisia Capillaris* Herba 911(2001)285
- Shi, W., Peterson, D.S. and Palmer, C.P.
Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123
- Shi, W., Watson, C.J. and Palmer, C.P.
Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281
- Shibusawa, Y., Yanagida, A., Isozaki, M., Shindo, H. and Ito, Y.
Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253
- Shihabi, Z.K.
Stacking in capillary zone electrophoresis (Review) 902(2000)107
- Shihabi, Z.K. and Deyl, Z.
Preface 902(2000)1
- Shikata, Y., see Tsukagoshi, K. 930(2001)165
- Shima, M., see Saenko, E. 921(2001)49
- Shimada, K., Mitamura, K. and Higashi, T.
Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141
- Shimizu, Y., see Harada, K.-i. 921(2001)187
- Shimosaka, T., see Xu, W. 907(2001)279

- Shin, H.-S., Park, C.-h., Park, S.-J. and Pyo, H.
Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119
- Shin, Y.-J., see Hyun, M.H. 910(2001)359
- Shindo, H., see Shibusawa, Y. 915(2001)253
- Shinoda, A., see Kawata, K. 911(2001)75
- Shinomiya, K., Kabasawa, Y., Toida, T., Imanari, T. and Ito, Y.
Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365
- Shiue, C.-C., see Liu, C.-Y. 933(2001)117
- Shonia, N.K., see Roshchina, T.M. 931(2001)119
- Shrivastava, R.K., see Suryanarayana, M.V.S. 907(2001)229
- Shu, Y.Y. and Lai, T.L.
Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131
- Shuang, S. and Choi, M.M.F.
Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl- β -cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321
- Shvets, S.V., see Sergeev, N.V. 907(2001)131
- Sidelnikov, V.N., see Zhdanov, V.P. 928(2001)201
- Sies, H., see Aust, O. 936(2001)83
- Sigouin, L., see Wang, Z. 909(2001)155
- Sigouin, L., see Wang, Z. 926(2001)275
- Šikovec, M., Franko, M., Novič, M. and Veber, M.
Effect of organic solvents in the on-line thermal lens spectrometric detection of chromium(III) and chromium(VI) after ion chromatographic separation 920(2001)119
- Silva, C.R., Bachmann, S., Schefer, R.R., Albert, K., Jardim, I.C.S.F. and Airoldi, C.
Preparation of a new C₁₈ stationary phase containing embedded urea groups for use in high-performance liquid chromatography 948(2002)85
- Silva, C.R., Jardim, I.C.S.F. and Airoldi, C.
Development of new urea-functionalized silica stationary phases. Characterization and chromatographic performance 913(2001)65
- Silva, M., see Molina, M. 927(2001)191
- Silvino Dos Santos, E., Guirardello, R. and Teixeira Franco, T.
Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217
- Simal Gándara, J., see Rial Otero, R. 942(2001)41
- Siméon, N., Myers, R., Bayle, C., Nertz, M., Stewart, J.K. and Couderc, F.
Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253
- Simó-Alfonso, E.F., see Ruiz-Angel, M.J. 947(2002)31
- Simon, V.A., Thiam, M.D. and Lipford, L.C.
Determination of serum levels of thirteen human immunodeficiency virus-suppressing drugs by high-performance liquid chromatography 913(2001)447
- Simoneit, B.R.T., see Chalder, R. 927(2001)155
- Šimonová, H., see Koutek, B. 923(2001)137
- Simonovska, B. and Vovk, I.
High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219
- Singer, H.P., see Öllers, S. 911(2001)225
- Singer, P.C., see Delcomyn, C.A. 920(2001)213
- Singh, A.K., see Shediac, R. 925(2001)251
- Singh, J., see Bajad, S. 949(2002)43
- Singh, K., see Bajad, S. 949(2002)43
- Sinner, F., see Mayr, B. 907(2001)47
- Sinquin, C., see Intes, O. 918(2001)47
- Sioma, C., see Riggs, L. 924(2001)359
- Sion, B., Grizard, G. and Boucher, D.
Quantitative analysis of desmosterol, cholesterol and cholesterol sulfate in semen by high-performance liquid chromatography 935(2001)259
- Siouffi, A.-M.
Preface 920(2001)1
- Siroma, Z., see Takeda, S. 924(2001)415
- Sironi, A., see Bicchi, C. 931(2001)129
- Sisak, A., see Dallos, A. 904(2000)211
- Sjovall, O., Kuksis, A. and Kallio, H.
Reversed-phase high-performance liquid chromatographic separation of *tert*-butyl hydroperoxide oxidation products of unsaturated triacylglycerols 905(2001)119
- Skačáni, I., see Čakrt, M. 916(2001)207
- Skarżyński, M., see Brzozowski, R. 946(2002)221
- Škavrada, M., see Jandera, P. 908(2001)3
- Škavrada, M., see Jandera, P. 917(2001)123
- Škavrada, M., see Kaspereit, M. 944(2002)249
- Skogsberg, U. and Allenmark, S.
Determination of enantiomer separation factors by nuclear magnetic resonance spectroscopy and by chiral liquid chromatography 921(2001)161
- Skupiński, W., see Brzozowski, R. 946(2002)221
- Šlais, K., see Horká, M. 916(2001)65
- Slanina, J., see Kvasničková, L. 916(2001)265
- Slater, G.W., see McCormick, L.C. 924(2001)43
- Slentz, B.E., Penner, N.A. and Regnier, F.E.
Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization 948(2002)225
- Slingsby, R.W., Bordunov, A. and Grimes, M.
Removal of metallic impurities from mobile phases in reversed-phase high-performance liquid chromatography by the use of an in-line chelation column 913(2001)159
- Śliwakowski, M., see Mazurek, M. 919(2001)133
- Sliwiok, J., see Pyka, A. 935(2001)71
- Slooten, C.J., see Dijkstra, R.J. 918(2001)25
- Slooten, C.J., see Kristenson, E.M. 917(2001)277
- Smairl, A.M., see Cross, R.F. 929(2001)113
- Smetena, I., see Yang, S.S. 942(2001)33
- Smit, M.J., see Sutherland, F.C.W. 949(2002)71
- Smit, M.J., Sutherland, F.C.W., Hundt, H.K.L., Swart, K.J., Hundt, A.F. and Els, J.
Rapid and sensitive liquid chromatography–tandem mass spectrometry method for the quantitation of domperidone in human plasma 949(2002)65
- Smith, D.K., see Driffield, M. 939(2001)41
- Smith, N.W., see Byrne, C.D. 927(2001)169

- Smith, N.W., see Dearie, H.S. 929(2001)123
 Smith, N.W., see Dearie, H.S. 945(2002)231
 Smith, N.W., see Hindocha, D. 904(2000)99
 Smith, P.A., see Bowerbank, C.R. 902(2000)413
 Smith, R., see Nguyen, T. 911(2001)55
 Smith, R., see Zarzycki, P.K. 912(2001)45
 Smith, R.D., see Shen, Y. 914(2001)257
 Smith, S., see Waterman, D. 912(2001)143
 Snedecor, B., see Battersby, J.E. 927(2001)61
 Snow, D.D., see Zhu, J. 928(2001)177
 Snow, N.H., see Flood, K.G. 903(2000)49
 Snow, N.H., see Flood, K.G. 913(2001)261
 Snyder, L.R., see Dolan, J.W. 910(2001)385
 Snyder, L.R., see Jupille, T.H. 948(2002)35
 Socher, G., Nussbaum, R., Rissler, K. and Lankmayr, E.
 Analysis of sulfonated compounds by ion-exchange high-performance liquid chromatography–mass spectrometry 912(2001)53
 Söderholm, L., see Nevanen, T.K. 925(2001)89
 Söderlund, H., see Nevanen, T.K. 925(2001)89
 Soják, L., Addová, G., Kubinec, R., Kraus, A. and Hu, G.
 Gas chromatographic–mass spectrometric characterization of all acyclic C₅–C₇ alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103
 Sokoließ, T., Menyes, U., Roth, U. and Jira, T.
 Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309
 Soliman, A.A., see Borai, E.H. 920(2001)261
 Solomon, T., see Yigzaw, Y. 929(2001)13
 Solujic, M., see Milojevic, Z. 949(2002)79
 Song, L., see Liang, D. 909(2001)271
 Song, L., see Liang, D. 931(2001)163
 Song, L., Liang, D., Chen, Z., Fang, D. and Chu, B.
 DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231
 Sonne, K., see Kissmeyer, A.-M. 935(2001)93
 Sörgel, F., see Hellriegel, C. 914(2001)315
 Sotoura, S., see Miyabe, K. 919(2001)231
 Spalding, R.F., see Zhu, J. 928(2001)177
 Sparr Eskilsson, C. and Björklund, E.
 Analytical-scale microwave-assisted extraction (Review) 902(2000)227
 Spaulding, K.M., see Li, P. 914(2001)147
 Speksnijder, P., see Bobeldijk, I. 938(2001)15
 Spikmans, V., see Dearie, H.S. 929(2001)123
 Spittler, M., see Pfeifer, T. 926(2001)151
 Spoof, L. and Meriluoto, J.
 Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237
 Spoof, L., Karlsson, K. and Meriluoto, J.
 High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C₁₈ and amide C₁₆ sorbents 909(2001)225
 Spyra, W., see Emmrich, M. 918(2001)121
 Staby, A. and Jensen, I.H.
 Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149
 Stach, D. and Schmitz, O.J.
 Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519
 Stafford, P.R., see Li, P. 914(2001)147
 Stahl, W., see Aust, O. 936(2001)83
 Stalcup, A.M., see Jin, J.S. 933(2001)83
 Stalikas, C.D. and Konidari, C.N.
 Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1
 Staněk, V., Jandera, P. and Claessens, H.A.
 Effects of substituted cyclodextrins on the separation of aromatic sulphonic acids by capillary zone electrophoresis 948(2002)235
 Stanislawski, B., see Bodor, R. 916(2001)155
 Stanislawski, B., see Masár, M. 916(2001)101
 Stanislawski, B., see Masár, M. 916(2001)167
 Staus, H., see Dönges, R. 924(2001)307
 Stålbbrand, H., see Collén, A. 910(2001)275
 Stålbbrand, H., see Collén, A. 943(2002)55
 Stearns, S.D., see Dojahn, J.G. 917(2001)187
 Steen, R.J.C.A., Bobeldijk, I. and Brinkman, U.A.Th.
 Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129
 Steffek, R.J., Zelechonok, Y. and Gahm, K.H.
 Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301
 Steiger, S., see Breitenbach, J. 936(2001)59
 Steijger, O.M., see Ingelse, B.A. 918(2001)67
 Steinbach, K., see Pamme, N. 943(2002)47
 Steinberg, S., see Osemwengie, L.I. 932(2001)107
 Steinbock, B., Vichaikul, P.P. and Steinbock, O.
 Nonlinear analysis of dynamic binding in affinity capillary electrophoresis demonstrated for inclusion complexes of β -cyclodextrin 943(2002)139
 Steinbock, O., see Steinbock, B. 943(2002)139
 Steiner, F., see Scherer, B. 924(2001)197
 Steiner, S.A., see Fritz, J.S. 934(2001)87
 Steinhauer, S., see Hellriegel, C. 914(2001)315
 Steinreiber, A., Strauss, U., Mayer, S.F. and Uray, G.
 Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295
 Stephanou, E.G., see Mandalakis, M. 925(2001)183
 Stephenson, K.K., see Troyer, J.K. 919(2001)299
 Štěrbová, H., see Glatz, Z. 916(2001)273
 Štěrbová, H., see Kvasničková, L. 916(2001)265
 Sternberg, R., see Pietrogrande, M.C. 939(2001)69
 Sternberg, R., see Rodier, C. 915(2001)199
 Sternberg, R., see Szopa, C. 904(2000)73
 Stewart, J.K., see Siméon, N. 913(2001)253
 Stoertzel, M., see Weinmann, W. 926(2001)199
 Stoiber, H., see Gutleben, W. 922(2001)313
 Stojkovic, A., see Zecevic, M. 949(2002)61
 Stol, R., see Ding, F. 924(2001)239

- Stol, R., Kok, W.Th. and Poppe, H.
Size-exclusion electrochromatography with controlled pore flow 914(2001)201
- Stone, M.A. and Taylor, L.T.
Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53
- Stortelder, A., see Dijkstra, R.J. 918(2001)25
- Strancar, A., see Branović, K. 903(2000)21
- Stránský, K., Valterová, I. and Fiedler, P.
Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173
- Stránský, Z., see Bednář, P. 917(2001)319
- Strapač, M., see Debeljak, Ž. 925(2001)31
- Strašák, S., see Danková, M. 916(2001)143
- Strasser, G., see Edelmann, A. 934(2001)123
- Strauss, U., see Steinreiber, A. 911(2001)295
- Streich, R., see Gel-Moreto, N. 925(2001)279
- Streinz, L., see Koutek, B. 923(2001)137
- Streitenberger, S.A., see López-Mas, J.A. 911(2001)47
- Strepponi, I., see Fuzzati, N. 926(2001)187
- Striegel, A.M.
Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21
- Stringham, R., see Ye, Y.K. 927(2001)53
- Stringham, R.W., see Ye, Y.K. 927(2001)47
- Stringham, R.W., see Ye, Y.K. 945(2002)139
- Stringham, R.W., see Ye, Y.K. 945(2002)147
- Stroka, J. and Anklam, E.
Development of a simplified densitometer for the determination of aflatoxins by thin-layer chromatography 904(2000)263
- Stroka, J., van Otterdijk, R. and Anklam, E.
Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251
- Stroomborg, G.J., see Kuijt, J. 907(2001)291
- Strózyk, M., see Janoszka, B. 938(2001)155
- Strube, J., see Schulte, M. 906(2001)399
- Struijk, M.P., see Cottet, H. 915(2001)241
- Štulík, K., see Coufal, P. 946(2002)99
- Stumpf, C., see Rethmeier, J. 934(2001)129
- Su, K.-D., see Ke, C.-B. 921(2001)247
- Su, Q., see Cai, J. 930(2001)1
- Su, Q., see Cai, J. 947(2002)267
- Su, T., see Zhao, R. 913(2001)421
- Su, Z., see Gu, Z. 918(2001)311
- Su, Z., see Li, W. 905(2001)299
- Subramanian, A., see Chen, Z. 927(2001)219
- Subramanian, A. and Sarkar, S.
Use of a modified zirconia support in the separation of immunoproteins 944(2002)179
- Suchánková, J., see Coufal, P. 946(2002)99
- Südžiuvienė, O., see Gelūnaitė, L. 904(2000)131
- Suelves, I., see Bermejo, J. 919(2001)255
- Suenami, K., see Sato, K. 919(2001)313
- Sugita, K., see Ito, H. 925(2001)41
- Sugo, T., see Ito, H. 925(2001)41
- Suhaj, M., see Ježek, J. 916(2001)185
- Sulyok, M., Haberhauer-Troyer, C. and Rosenberg, E.
Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301
- Sulyok, M., Haberhauer-Troyer, C., Rosenberg, E. and Grasserbauer, M.
Investigation of the storage stability of selected volatile sulfur compounds in different sampling containers 917(2001)367
- Sumino, M., see Chowdhury, B. 933(2001)129
- Sun, H., see Sun, S. 918(2001)13
- Sun, S., Yang, G., Sun, H., Wang, D. and Liu, H.
Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13
- Sun, X. and Chai, Z.
Urea-formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209
- Sun, Y., see Tong, X. 943(2002)63
- Sun, Y., see Xue, B. 921(2001)109
- Sun, Y., see Xue, B. 947(2002)185
- Sun, Y., see Zhang, M. 912(2001)31
- Sun, Y., see Zhang, M. 922(2001)77
- Sundberg, R., see Larsson, M. 934(2001)75
- Suortti, T., see Nevanen, T.K. 925(2001)89
- Suryanarayana, M.V.S., see Vijaya Saradhi, U.V.R. 911(2001)63
- Suryanarayana, M.V.S., Shrivastava, R.K., Pandey, D., Vaidyanathaswamy, R., Mahajan, S. and Bhoumik, D.
Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229
- Sutherland, F.C.W., see Smit, M.J. 949(2002)65
- Sutherland, F.C.W., Badenhorst, D., de Jager, A.D., Scanes, T., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Sensitive liquid chromatographic-tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45
- Sutherland, F.C.W., de Jager, A.D., Badenhorst, D., Scanes, T., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Sensitive liquid chromatography-tandem mass spectrometry method for the determination of loratadine and its major active metabolite descarboethoxyloratadine in human plasma 914(2001)37
- Sutherland, F.C.W., Smit, M.J., Herbst, L., Els, J., Hundt, H.K.L., Swart, K.J. and Hundt, A.F.
Highly specific and sensitive liquid chromatography-tandem mass spectrometry method for the determination of 3-desmethylthiocolchicine in human plasma as analyte for the assessment of bioequivalence after oral administration of thiocolchicoside 949(2002)71
- Suzuki, H., see Kawata, K. 911(2001)75
- Suzuki, M., see Harada, K.-i. 932(2001)75
- Suzuki, M., see Oka, H. 903(2000)93
- Suzuki, M., see Oka, H. 946(2002)157
- Suzuki, M., see Onaka, T. 903(2000)193
- Suzuki, S., see Du, Y. 947(2002)287
- Suzuki, S., see Taga, A. 911(2001)259

- Suzuki, S., Tanaka, R., Takada, K., Inoue, N., Yashima, Y., Honda, A. and Honda, S.
Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319
- Suzuki, T., Timofei, S., Iuoras, B.E., Uray, G., Verdino, P. and Fabian, W.M.F.
Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13
- Svec, F., see Lämmerhofer, M. 925(2001)265
- Svec, F., see Xu, M. 928(2001)25
- Svoboda, V., see Koutek, B. 923(2001)137
- Svoboda, Z., see Nobilis, M. 949(2002)11
- Swart, K.J., see Smit, M.J. 949(2002)65
- Swart, K.J., see Sutherland, F.C.W. 914(2001)37
- Swart, K.J., see Sutherland, F.C.W. 914(2001)45
- Swart, K.J., see Sutherland, F.C.W. 949(2002)71
- Sweedler, J.V., see Lacey, M.E. 922(2001)139
- Sybilska, D., see Asztemborska, M. 902(2000)381
- Sybilska, D., see Bielejewska, A. 931(2001)81
- Szabelski, P., Cavazzini, A., Kaczmarski, K., Liu, X., Van Horn, J. and Guiochon, G.
Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41
- Szanya, T., Argyelan, J., Kovats, S. and Hanak, L.
Separation of steroid compounds by overloaded preparative chromatography with precipitation in the fluid phase 908(2001)265
- Szczygelska-Tao, J., see Przyk, E. 928(2001)99
- Szekely, A., see Barta, C. 924(2001)285
- Szikszay, É., see Hajós, P. 920(2001)23
- Szopa, C., see Pietrogrande, M.C. 939(2001)69
- Szopa, C., Sternberg, R., Coscia, D., Raulin, F. and Vidal-Madjar, C.
Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73
- Tadjikov, B., see Eiceman, G.A. 917(2001)205
- Tae Park, J., see Jung, M.-W. 917(2001)87
- Taga, A., see Du, Y. 947(2002)287
- Taga, A., Suzuki, S. and Honda, S.
Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259
- Tagiri-Endo, M., see Endo, Y. 911(2001)39
- Tagliaro, F., see Macchia, M. 924(2001)499
- Tagliaro, F., Bortolotti, F., Manetto, G., Cittadini, F., Pascali, V.L. and Marigo, M.
Potassium concentration differences in the vitreous humour from the two eyes revisited by microanalysis with capillary electrophoresis 924(2001)493
- Taibi, G., Schiavo, M.R., Calanni Rindina, P., Muratore, R. and Nicotra, C.M.A.
Micellar electrokinetic chromatography of polyamines and monoacetylpolyamines 921(2001)323
- Takada, K., see Suzuki, S. 910(2001)319
- Takahashi, L.H., see Liu, X. 924(2001)323
- Takayanagi, T., see Driouich, R. 903(2000)271
- Takayanagi, T., see Driouich, R. 934(2001)95
- Takayanagi, T., Ikeda, I. and Motomizu, S.
Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165
- Takayanagi, T., see Oshita, K. 934(2001)113
- Takeba, K., see Ito, Y. 911(2001)217
- Takeda, S., Tanaka, Y., Yamane, M., Siroma, Z., Wakida, S.-i., Otsuka, K. and Terabe, S.
Ionization of dichlorophenols for their analysis by capillary electrophoresis–mass spectrometry 924(2001)415
- Takekoshi, Y., see Sato, K. 919(2001)313
- Takeuchi, T., see Kugimiya, A. 938(2001)131
- Takeuchi, T., see Sato, K. 919(2001)313
- Takeuchi, T., Inoue, S., Yamamoto, M., Tsuji, M. and Miwa, T.
Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373
- Takino, M., see Nakamura, S. 912(2001)329
- Takino, M., Daishima, S. and Yamaguchi, K.
Determination of nonylphenol ethoxylate oligomers by liquid chromatography–electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65
- Takino, M., Daishima, S., Yamaguchi, K. and Nakahara, T.
Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53
- Talavera, E.M., see Bermejo, R. 917(2001)135
- Talbot, H.M., Watson, D.F., Murrell, J.C., Carter, J.F. and Farrimond, P.
Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 921(2001)175
- Tamaya, R., see Okamoto, H. 929(2001)133
- Tan, A., see Healy, L.O. 924(2001)459
- Tan, A., see Murrphy, J.P. 924(2001)233
- Tabacchi, R., see Schürch, S. 905(2001)175
- Tachibana, K. and Ohnishi, A.
Reversed-phase liquid chromatographic separation of enantiomers on polysaccharide type chiral stationary phases 906(2001)127
- Tadeo, J.L., see Castro, J. 918(2001)371
- Tadeo, J.L., see Castro, J. 947(2002)119

T

- Tan, A., see Murrhry, J.P. 943(2002)311
- Tan, S.N., see Hua, L. 909(2001)297
- Tan, W.G., Carnelley, T.J., Murphy, P., Wang, H., Lee, J., Barker, S., Weinfeld, M. and Le, X.C.
Detection of DNA adducts of benzo[*a*]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377
- Tan, Z.J., see Lacey, M.E. 922(2001)139
- Tanabe, A., see Kawata, K. 911(2001)75
- Tanaka, H., see Zhou, X. 913(2001)165
- Tanaka, K., see Abe, T. 920(2001)173
- Tanaka, K., see Hu, W. 920(2001)95
- Tanaka, K., see Ohta, K. 920(2001)109
- Tanaka, K., Ohta, K., Haddad, P.R., Fritz, J.S., Miyanaga, A., Hu, W., Hasebe, K., Lee, K.-P. and Sarzanini, C.
High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239
- Tanaka, N., see Turowski, M. 911(2001)177
- Tanaka, R., see Suzuki, S. 910(2001)319
- Tanaka, S., see Mori, M. 922(2001)399
- Tanaka, T., see Akiyama, H. 932(2001)153
- Tanaka, Y., see Takeda, S. 924(2001)415
- Tang, C., see Xu, J. 942(2001)289
- Tani, T., see Isozaki, T. 923(2001)249
- Tanno, K., see Goto, H. 907(2001)181
- Tarasco, E., see Bruzzoniti, M.C. 920(2001)283
- Tarazona, M.P., see Laguna, M.T.R. 919(2001)13
- Tavares, M.F.M., see de Oliveira, M.A.L. 924(2001)533
- Taverna, M., see Tran, N.T. 929(2001)151
- Taylor, K., see Williams, A. 944(2002)69
- Taylor, L.T., see Stone, M.A. 931(2001)53
- Taylor, R.B., Reid, R.G. and Low, A.S.
Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201
- Taylor, S., see Loudon, D. 910(2001)237
- Taylor, W.L., see Gadgil, H. 905(2001)133
- Taylor, W.L., see Gadgil, H. 917(2001)43
- Tchapla, A., see Bleton, J. 917(2001)251
- Tcherkas, Y.V. and Denisenko, A.D.
Simultaneous determination of several amino acids, including homocysteine, cysteine and glutamic acid, in human plasma by isocratic reversed-phase high-performance liquid chromatography with fluorimetric detection 913(2001)309
- Tcherkas, Y.V., Kartsova, L.A. and Krasnova, I.N.
Analysis of amino acids in human serum by isocratic reversed-phase high-performance liquid chromatography with electrochemical detection 913(2001)303
- Teeri, T.T., see Nevanen, T.K. 925(2001)89
- Teerinen, T., see Nevanen, T.K. 925(2001)89
- Teeters, M.A., Root, T.W. and Lightfoot, E.N.
Performance and scale-up of adsorptive membrane chromatography 944(2002)129
- Tegeler, T. and El Rassi, Z.
On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267
- Teixeira, J., see Wu, Y.-T. 929(2001)23
- Teixeira Franco, T., see Silvino Dos Santos, E. 944(2002)217
- Telen, S., see Alajbeg, I. 918(2001)127
- Télez, M., see Arias, R. 916(2001)297
- Tennikova, T.B., see Gupalova, T.V. 949(2002)185
- Tennikova, T.B., see Ostryanina, N.D. 949(2002)163
- Teotia, S. and Gupta, M.N.
Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275
- Terabe, S., see Kawamura, K. 924(2001)251
- Terabe, S., see Kim, J.-B. 912(2001)343
- Terabe, S., see Kim, J.-B. 916(2001)123
- Terabe, S., see Kim, J.-B. 932(2001)129
- Terabe, S., see Monton, M.R.N. 939(2001)99
- Terabe, S., see Quirino, J.P. 902(2000)119
- Terabe, S., see Takeda, S. 924(2001)415
- Terashima, C., see Zhou, X. 913(2001)165
- Terfloth, G.
Enantioseparations in super- and subcritical fluid chromatography 906(2001)301
- Terfloth, G., see Ludemann-Hombourger, O. 947(2002)59
- Ternes, T., Bonerz, M. and Schmidt, T.
Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography–electrospray tandem mass spectrometry 938(2001)175
- Ternes, W., see Drotleff, A.M. 909(2001)215
- Terreni, M., see Massolini, G. 921(2001)147
- Terrien, I., see Gritti, F. 922(2001)37
- Tesařová, E., see Coufal, P. 946(2002)99
- Teschner, R., see Przyk, E. 928(2001)99
- Tewari, B.B.
Ionophoretic studies on mixed metal–nitrotriacetate–penicillamine complexes 910(2001)181
- Theobald, A., see Careri, M. 912(2001)61
- Theodoridis, G. and Manesiotis, P.
Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163
- Theodoridis, G., Haasnoot, W., Cazemier, G., Schilt, R., Jaziri, M., Diallo, B., Papadoyannis, I.N. and de Jong, G.J.
Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177
- Theurillat, R., see Thormann, W. 924(2001)429
- Thiam, M.D., see Simon, V.A. 913(2001)447
- Thiam, S., see Abidi, S.L. 949(2002)195
- Thibout, E., see Casaña-Giner, V. 921(2001)341
- Thiébaud, D., see Bertoncini, F. 910(2001)127
- Thies, H., see Nickus, U. 920(2001)201
- Thomas, C.S., see Van Heukelem, L. 910(2001)31
- Thomas, D.H., see Jackson, P.E. 920(2001)51

- Thomas, T.M., Shave, E.E., Bate, I.M., Gee, S.C., Franklin, S. and Rylatt, D.B.
Preparative electrophoresis: a general method for the purification of polyclonal antibodies 944(2002)161
- Thomassin, M., see Perrin, F.X. 950(2002)281
- Thomsen, C., Leknes, H., Lundanes, E. and Becher, G.
Brominated flame retardants in laboratory air 923(2001)299
- Thormann, W., see Procházková, A. 916(2001)215
- Thormann, W., see Wey, A.B. 916(2001)225
- Thormann, W., see Wey, A.B. 924(2001)507
- Thormann, W., Theurillat, R., Wind, M. and Kuldvee, R.
Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429
- Thorsén, G., see Mikaeli, S. 907(2001)267
- Thrane, U., see Nielsen, K.F. 929(2001)75
- Thrash, M.E. and Pinto, N.G.
Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293
- Thrash Jr., M.E. and Pinto, N.G.
Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61
- Throckmorton, D.J., see Shediak, R. 925(2001)251
- Thurbide, K.B. and Aue, W.A.
High-throughput reactor for simulating the flame photometric detector 905(2001)241
- Thwaites, E., Burton, S.C. and Lyddiatt, A.
Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77
- Tian, G., Zhang, T., Zhang, Y. and Ito, Y.
Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281
- Tian, G., Zhang, Y., Zhang, T., Yang, F. and Ito, Y.
Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107
- Tian, X., see Liu, S. 928(2001)109
- Tichá, M., see Arnoštová, H. 911(2001)211
- Tienpont, B., see Sandra, P. 928(2001)117
- Tienpont, B., David, F., Vanwalleghem, F. and Sandra, P.
Pyrolysis–capillary gas chromatography–mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235
- Tijssen, R., see Frankema, W. 943(2002)251
- Tijssen, R., see Mes, E.P.C. 907(2001)201
- Tiller, P.R., see Romanyshyn, L.A. 928(2001)41
- Tilquin, B., see Barbarin, N. 929(2001)51
- Timerbaev, A.R., Küng, A. and Keppler, B.K.
Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies 945(2002)25
- Timerbaev, A.R., Semenova, O.P. and Petrukhin, O.M.
Migration behavior of metal complexes in capillary zone electrophoresis. Interpretation in terms of quantitative structure–mobility relationships 943(2002)263
- Timofei, S., see Suzuki, T. 922(2001)13
- Tirapu, L., see Farré, M. 938(2001)187
- Tišlerová, I., see Arnoštová, H. 911(2001)211
- Titchener-Hooker, N.J., see Ngiam, S.H. 937(2001)1
- Titos, A., see Capitan-Vallvey, L.F. 943(2002)227
- Tixier, C., see Gerecke, A.C. 930(2001)9
- Tjaden, U.R., see Aguilar, C. 926(2001)57
- Tjerneld, F., see Collén, A. 910(2001)275
- Tjerneld, F., see Collén, A. 943(2002)55
- Tjerneld, F., see Nilsson, A. 946(2002)141
- To, K.K.W., Ho, Y.-P. and Au-Yeung, S.C.F.
Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319
- Toida, T., see Shinomiya, K. 922(2001)365
- Toledano Fernández-Tostado, G., see Santos Delgado, M.J. 921(2001)287
- Tolokán, A., see Bereczki, A. 930(2001)31
- Tomaz, C.T., Duarte, D. and Queiroz, J.A.
Comparative study on the fractionation of cellulases on some hydrophobic interaction chromatography adsorbents 944(2002)211
- Tomellini, S.A., see Yang, M. 939(2001)59
- Tomer, S., Dorsey, J.G. and Berthod, A.
Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7
- Tomkins, B.A. and Sega, G.A.
Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85
- Tomkins, B.A., Sega, G.A. and Ho, C.-h.
Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13
- Tong, X. and Sun, Y.
Nd–Fe–B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63
- Tonhi, E., Bachmann, S., Albert, K., Jardim, I.C.S.F., Collins, K.E. and Collins, C.H.
High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. I. Physical and chemical characterizations 948(2002)97
- Tonhi, E., Collins, K.E. and Collins, C.H.
High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. II. Chromatographic evaluation 948(2002)109
- Torabi, K., Karami, A., Balke, S.T. and Schunk, T.C.
Quantitative FTIR detection in size-exclusion chromatography 910(2001)19
- Toribio, F., Moyano, E., Puignou, L. and Galceran, M.T.
Ion-trap tandem mass spectrometry for the determination of heterocyclic amines in food 948(2002)267
- Toribio, L., see Jiménez, J.J. 919(2001)147
- Toribio, L., see Jiménez, J.J. 919(2001)373
- Toribio, L., see Jiménez, J.J. 946(2002)247
- Toribio, L., see Nozal, M.J. 917(2001)95
- Toribio, L., see Nozal, M.J. 919(2001)87

- Toribio, L., Bernal, J.L., del Nozal, M.J., Jiménez, J.J. and Nieto, E.M.
Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305
- Torii, T., see Saitoh, T. 932(2001)159
- Toro, I., see Barbosa, J. 915(2001)85
- Toro, I., see Sanz-Nebot, V. 921(2001)69
- Toro, I., see Sanz-Nebot, V. 933(2001)45
- Toro, I., see Sanz-Nebot, V. 942(2001)145
- Török, G., see Péter, A. 904(2000)1
- Török, G., see Vékes, E. 949(2002)125
- Torre, J., Lorenzo, M.P., Martínez-Alcázar, M.P. and Barbas, C.
Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305
- Torrens, F.
Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215
- Tóth, F., see Mengerink, Y. 949(2002)99
- Tóth, G., see Péter, A. 904(2000)1
- Tóth, G., see Péter, A. 948(2002)283
- Toth, R., see Pörschmann, J. 909(2001)95
- Totolian, A.A., see Gupalova, T.V. 949(2002)185
- Tourwé, D., see Péter, A. 904(2000)1
- Tourwé, D., see Péter, A. 948(2002)283
- Tourwé, D., see Vékes, E. 949(2002)125
- Toyoda, M., see Akiyama, H. 932(2001)153
- Tozzi, C., see Baggiani, C. 938(2001)35
- Tran, K., see Neue, U.D. 925(2001)49
- Tran, N.T., Daali, Y., Cherkaoui, S., Taverna, M., Neeser, J.R. and Veuthey, J.-L.
Routine *o*-glycan characterization in nutritional supplements — a comparison of analytical methods for the monitoring of the bovine kappa-casein macropeptide glycosylation 929(2001)151
- Trapp, O., see Marriott, P. 919(2001)115
- Trapp, O. and Schurig, V.
Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167
- Trathnigg, B.
Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155
- Trathnigg, B. and Gorbunov, A.
Liquid exclusion-adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207
- Trathnigg, B., Kollroser, M. and Rappel, C.
Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193
- Traversa, S., see Piquet, G. 944(2002)141
- Tredoux, A., see Sandra, P. 928(2001)117
- Trimpin, S., Eichhorn, P., Räder, H.J., Müllen, K. and Knepper, T.P.
Recalcitrance of poly(vinylpyrrolidone): evidence through matrix-assisted laser desorption-ionization time-of-flight mass spectrometry 938(2001)67
- Trnka, T., see Arnoštová, H. 911(2001)211
- Trojanowicz, M., see Maruszak, W. 926(2001)327
- Trones, R., see Andersen, T. 918(2001)221
- Trones, R., Andersen, T., Hegna, D.R. and Greibrokk, T.
Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*- β -hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421
- Troyer, J.K., Stephenson, K.K. and Fahey, J.W.
Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299
- Truong, T.-T., see Perrin, F.X. 950(2002)281
- Trusch, B., see Schürch, S. 905(2001)175
- Truscott, J.B., Jones, P., Fairman, B.E. and Hywel Evans, E.
Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91
- Tsai, J.-L., see Chang-Chien, G.-P. 932(2001)97
- Tsai, P.-L., see Hsieh, M.-M. 924(2001)397
- Tsai, T.H., see Chang, Y.L. 914(2001)77
- Tsai, T.H., see Cheng, F.C. 949(2002)35
- Tsai, T.-H., see Wu, Y.-S. 913(2001)341
- Tsai, T.-H., see Yang, D.-Yu. 913(2001)349
- Tsai, T.H., Cheng, F.C., Chen, Y.F. and Chen, C.F.
On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83
- Tsai, Y.-Y., see Jen, J.-F. 912(2001)39
- Tsapakis, M., see Mandalakis, M. 925(2001)183
- Tseng, W.-L. and Chang, H.-T.
Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93
- Tseng, W.-L., Hsieh, M.-M., Wang, S.-J., Huang, C.-C., Lin, Yu.-C., Chang, P.-L. and Chang, H.-T.
Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179
- Tsikakos, D., Denker, K. and Fröllich, J.C.
Artifact-free analysis of *S*-nitrosoglutathione and *S*-nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*-nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107
- Tsirkin, I. and Grushka, E.
Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245
- Tsubayashi, A., see Kanazawa, H. 948(2002)303
- Tsue, H., see Mori, M. 922(2001)399
- Tsuji, M., see Takeuchi, T. 910(2001)373
- Tsukada, K., see Ito, S. 943(2002)39

- Tsukagoshi, K., Miyamoto, K., Nakajima, R. and Ouchiyan, N.
Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331
- Tsukagoshi, K., Otsuka, M., Shikata, Y. and Nakajima, R.
Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165
- Tsutsumi, K., see Kemmochi, Y. 943(2002)295
- Tu, P., see Lei, L. 912(2001)181
- Tuan, N.D., see Gutleben, W. 922(2001)313
- Tugcu, N., Deshmukh, R.R., Sanghvi, Y.S., Moore, J.A. and Cramer, S.M.
Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65
- Turesky, R.J., see Fenaille, F. 921(2001)237
- Turner, C., Eskilsson, C.S. and Björklund, E.
Collection in analytical-scale supercritical fluid extraction (Review) 947(2002)1
- Turner, C., King, J.W. and Mathiasson, L.
Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215
- Turner, M.K., see Ngiam, S.H. 937(2001)1
- Turnes Carou, M.I., López Mahía, P., Muniategui Lorenzo, S., Fernández Fernández, E. and Prada Rodríguez, D.
Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411
- Turovski, M., Morimoto, T., Kimata, K., Monde, H., Ikegami, T., Hosoya, K. and Tanaka, N.
Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177
- Turšič, J., see Novič, M. 909(2001)289
- Tyler, P., see Jarvis, M. 920(2001)271

U

- Uchida, D., see Esaka, Y. 905(2001)291
- Uchiyama, K., see Chen, Z. 942(2001)83
- Uchiyama, K., see Xu, W. 907(2001)279
- Ueda, E.K.M., Gout, P.W. and Morganti, L.
Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165
- Ueno, K., see Koide, T. 909(2001)305
- Ueno, K., see Koide, T. 923(2001)229
- Uetake, A., see Okamoto, H. 929(2001)133
- Uhlén, M., see Gräslund, T. 942(2001)157
- Ujihara, T., see Horie, H. 942(2001)271
- Ulbricht, M., see Sergejeva, T.A. 907(2001)89
- Ülgen, K.Ö., see Güzeltunç, E. 914(2001)67
- Ülgen, K.Ö., see Özyurt, S. 944(2002)203
- Ulrich, S.
Solid-phase microextraction in biomedical analysis (Review) 902(2000)167
- Um, B.H., see Hyun, M.H. 922(2001)119
- Unger, K.K., see Großmann, F. 910(2001)223
- Urano, Y., see Makino, Y. 947(2002)151
- Uray, G., see Steinreiber, A. 911(2001)295
- Uray, G., see Suzuki, T. 922(2001)13
- Urbig, K., see Rehorek, A. 949(2002)263
- Uretschläger, A., Einhauer, A. and Jungbauer, A.
Continuous separation of green fluorescent protein by annular chromatography 908(2001)243
- Ute, K., see Bamba, T. 911(2001)113
- Uwamino, Y., see Ohta, K. 920(2001)109

V

- Vaccher, C., see Belloli, E. 907(2001)101
- Vaccher, C., see Lipka-Belloli, E. 943(2002)91
- Vaccher, M.-P., see Belloli, E. 907(2001)101
- Vaher, M., see Ebber, A. 949(2002)351
- Vaidyanathaswamy, R., see Suryanarayana, M.V.S. 907(2001)229
- Vailaya, A., see Wang, T. 902(2000)345
- Vairamani, M., see Ismail, N. 903(2000)255
- Valcárcel, M., see Columé, A. 912(2001)83
- Valcárcel, M., see Lista, A.G. 919(2001)407
- Valcárcel, M., Arce, L. and Ríos, A.
Coupling continuous separation techniques to capillary electrophoresis 924(2001)3
- Valenzuela, A.I., Popa, D.S., Redondo, M.J. and Mañes, J.
Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59
- Valkó, K., Espinosa, S., Du, C.M., Bosch, E., Rosés, M., Bevan, C. and Abraham, M.H.
Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73
- Vallano, P.T., see Khasawneh, M.A. 922(2001)87
- Valleix, A., see Petritis, K. 913(2001)331
- Valsecchi, S., see Polesello, S. 920(2001)231
- Valsecchi, S., Polesello, S. and Cavalli, S.
Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297
- Valterová, I., see Stránský, K. 936(2001)173

- Valverde, A., Aguilera, A., Rodríguez, M. and Boulaïd, M.
What are we determining using gas chromatographic
multiresidue methods: tralomethrin or deltamethrin?
943(2002)101
- Valverde, I., see Blanco, M. 950(2002)293
- Van Altena, K., see Beens, J. 919(2001)127
- Vanatta, L.E. and Coleman, D.E.
Ion-chromatographic analysis of common anions, acetate,
and formate in 30% hydrogen peroxide. Statistical
evaluation of two automated microbore systems
920(2001)143
- Van Beek, T.A., see Dapkevicius, A. 912(2001)73
- Van Beek, T.A. and Wintermans, M.S.
Preparative isolation and dual column high-performance
liquid chromatography of ginkgolic acids from *Ginkgo
biloba* 930(2001)109
- Van Bruijnsvoort, M., see Frankema, W. 943(2002)251
- Van Bruijnsvoort, M., Wahlund, K.-G., Nilsson, G. and Kok,
W.Th.
Retention behaviour of amylopectins in asymmetrical flow
field-flow fractionation studied by multi-angle light
scattering detection 925(2001)171
- Van Calenbergh, S., see Borrey, D. 910(2001)105
- Van Craeynest, K., see Huybrechts, T. 922(2001)207
- Van Dam, R.C.J., see Ingelse, B.A. 918(2001)67
- Van de Goor, T., see Muzikár, J. 924(2001)147
- Van de Goor, T., see Muzikár, J. 950(2002)249
- Van de Meent, M., see Rhee, I.K. 915(2001)217
- Van den Berg, J.D.J., van den Berg, K.J. and Boon, J.J.
Identification of non-cross-linked compounds in methanolic
extracts of cured and aged linseed oil-based paint films
using gas chromatography–mass spectrometry
950(2002)195
- Van den Berg, K.J., see van den Berg, J.D.J. 950(2002)195
- Van den Bergh, V., see Vanhees, I. 915(2001)75
- Van den Bossche, W., see Hillaert, S. 924(2001)439
- Vander Heyden, Y., see Detroyer, A. 912(2001)211
- Vander Heyden, Y., see Perrin, C. 947(2002)69
- Van der Eycken, J., see Péter, A. 919(2001)79
- Van der Greef, J.
Foreword 926(2001)1
- Van der Greef, J., see Aguilar, C. 926(2001)57
- Vanderlaan, M., see Battersby, J.E. 927(2001)61
- Van der Meer, B., see De Koning, S. 922(2001)391
- Van der Straeten, D., see Vercammen, J. 912(2001)127
- Van der Wal, S., see Mengerink, Y. 914(2001)131
- Van der Wal, S., see Mengerink, Y. 949(2002)307
- Van der Wal, S., see Mengerink, Y. 949(2002)337
- Van der Wal, S., see Peters, R. 949(2002)327
- Van der Wielen, L.A.M., see Houwing, J. 944(2002)189
- Van de Sandt, E., see Xie, Y. 908(2001)273
- Vandewiele, M., see De Wasch, K. 912(2001)311
- Van de Wiele, M., see De Wasch, K. 926(2001)79
- Van de Wiele, M., De Wasch, K., Vercammen, J., Courtheyn, D.,
De Brabander, H. and Impens, S.
Determination of 16 β -hydroxystanzolol in urine and
faeces by liquid chromatography–multiple mass
spectrometry 904(2000)203
- Van Dongen, J.L.J., see Cottet, H. 915(2001)241
- Van Dongen, J.L.J., see Vonk, E.C. 911(2001)13
- Van Eeckhaut, A., Boonkerd, S., Detaevernier, M.R. and
Michotte, Y.
Development and evaluation of a linear regression method
for the prediction of maximal chiral separation of basic
drug racemates by cyclodextrin-mediated capillary zone
electrophoresis 903(2000)245
- Vanhees, I., van den Bergh, V., Schildermans, R., De Boer, R.,
Compennolle, F. and Vinckier, C.
Determination of the oxidation products of the reaction
between α -pinene and hydroxyl radicals by high-
performance liquid chromatography 915(2001)75
- Van Hest, J., see Peters, R. 949(2002)327
- Van Heugen, J.-C., see Fillet, M. 949(2002)225
- Van Heugen, J.C., De Graeve, J., Zorza, G. and Puozzo, C.
New sensitive liquid chromatography method coupled with
tandem mass spectrometric detection for the clinical
analysis of vinorelbine and its metabolites in blood,
plasma, urine and faeces 926(2001)11
- Van Heukelem, L. and Thomas, C.S.
Computer-assisted high-performance liquid chromatography
method development with applications to the isolation and
analysis of phytoplankton pigments 910(2001)31
- Van Heukelen, L., see Dolan, J.W. 910(2001)385
- Van Horn, J., see Szabelski, P. 950(2002)41
- Van Langenhove, H., see Huybrechts, T. 922(2001)207
- Van Leerdam, J.A., see Bobeldijk, I. 929(2001)63
- Van Leerdam, T., see Bobeldijk, I. 938(2001)15
- Van Otterdijk, R., see Stroka, J. 904(2000)251
- Van Peteghem, C., see Borrey, D. 910(2001)105
- Van Rhijn, J.A., Heskamp, H.H., Davelaar, E., Jordi, W.,
Leloux, M.S. and Brinkman, U.A.Th.
Quantitative determination of glycosylated and aglycon
isoprenoid cytokinins at sub-picomolar levels by
microcolumn liquid chromatography combined with
electrospray tandem mass spectrometry 929(2001)31
- Van Schepdael, A., see Dehouck, P. 932(2001)145
- Van Schepdael, A., see Kaale, E. 924(2001)451
- Van Schepdael, A., see Orwa, J.A. 912(2001)369
- Vanwalleghem, F., see Tienpont, B. 911(2001)235
- Vázquez Blanco, M.E., see Miñones Vázquez, M.
919(2001)363
- Veber, M., see Šikovec, M. 920(2001)119
- Vecchio, G., see Cucinotta, V. 916(2001)61
- Večeřa, Z., see Pešková, J. 918(2001)153
- Vega, M., see Costa, L. 907(2001)173
- Veide, A., see Collén, A. 943(2002)55
- Vékes, E., see Péter, A. 948(2002)283
- Vékes, E., Török, G., Péter, A., Sági, J. and Tourwé, D.
Indirect high-performance liquid chromatographic
separation of stereoisomers of β -alkyl-substituted amino
acids by the application of (*S*)-*N*-(4-
nitrophenoxycarbonyl)phenylalanine methoxyethyl ester as
chiral derivatizing agent 949(2002)125
- Vékey, K.
Mass spectrometry and mass-selective detection in
chromatography 921(2001)227
- Velasco, A., see Gómez-Ariza, J.L. 938(2001)211
- Velasco, A., see Gómez-Ariza, J.L. 946(2002)209
- Velasco-Negueruela, A., see Palá-Paúl, J. 923(2001)295
- Velasco-Negueruela, A., see Palá-Paúl, J. 947(2002)327

- Velayudhan, A., see Zhang, L. 934(2001)13
- Velazco, V., see Boselli, E. 917(2001)239
- Venâncio, A., see Wu, Y.-T. 929(2001)23
- Venkatesan, M.I., Northrup, T. and Phillips, C.R.
Determination of linear alkylbenzenes in fish tissue by gel permeation chromatography and gas chromatography–mass spectrometry 942(2001)223
- Ventura, F., see Cancho, B. 943(2002)1
- Ventura, F., see Quintana, J. 938(2001)3
- Veraart, J.R. and Brinkman, U.A.Th.
Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339
- Vercammen, J., see De Wasch, K. 926(2001)79
- Vercammen, J., see Sandra, P. 928(2001)117
- Vercammen, J., see Van de Wiele, M. 904(2000)203
- Vercammen, J., Pham-Tuan, H., Arickx, I., Van der Straeten, D. and Sandra, P.
Monitoring of isothiocyanates emanating from *Arabidopsis thaliana* upon paraquat spraying 912(2001)127
- Vercammen, J., Pham-Tuan, H. and Sandra, P.
Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39
- Verda, G., see Dodi, A. 920(2001)275
- Verdino, P., see Suzuki, T. 922(2001)13
- Verdú-Andrés, J., Herráez-Hernández, R. and Campíns-Falcó, P.
Analysis of enantiomers giving partially overlapped peaks by using different treatments of the chromatographic ultraviolet signals: quantification of pseudoephedrine enantiomers 930(2001)95
- Verhe, R., see Verleyen, T. 921(2001)277
- Verleyen, T., Verhe, R., Garcia, L., Dewettinck, K., Huyghebaert, A. and De Greyt, W.
Gas chromatographic characterization of vegetable oil deodorization distillate 921(2001)277
- Verma, S.P., see Santoyo, E. 920(2001)325
- Verma, S.P., see Santoyo, E. 949(2002)281
- Verpoorte, R., see Budi Muljono, R.A. 927(2001)39
- Verpoorte, R., see Rhee, I.K. 915(2001)217
- Versluis, C., see Farine, S. 920(2001)299
- Vervoort, N., see Desmet, G. 924(2001)111
- Vervoort, N., see Desmet, G. 948(2002)19
- Vervoort, R.J.M., Ruyter, E., Debets, A.J.J., Claessens, H.A., Cramers, C.A. and de Jong, G.J.
Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67
- Veuthey, J.-L., see Cherkaoui, S. 922(2001)321
- Veuthey, J.-L., see Daali, Y. 903(2000)237
- Veuthey, J.-L., see Fanali, S. 919(2001)195
- Veuthey, J.-L., see Tran, N.T. 929(2001)151
- Vial, J., Hennion, M.-C., Fernandez-Alba, A. and Agüera, A.
Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21
- Vian, A., see Mateo, C. 915(2001)97
- Vicente, C., see Fontaniella, B. 919(2001)283
- Vicente, C., Sebastián, B., Fontaniella, B., Márquez, A., Filho, L.X. and Legaz, M.-E.
Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55
- Vicente, F., see Alonso-Salces, R.M. 933(2001)37
- Vicente, F., see Korta, E. 930(2001)21
- Vichaikul, P.P., see Steinbock, B. 943(2002)139
- Vidal-Madjar, C., see Pietrogrande, M.C. 939(2001)69
- Vidal-Madjar, C., see Rodier, C. 915(2001)199
- Vidal-Madjar, C., see Szopa, C. 904(2000)73
- Vieites, J.M., see González, J.C. 910(2001)119
- Vierling, R., see Faghghi, J. 915(2001)61
- Vieytes, M.R., see González, J.C. 910(2001)119
- Vigh, G., see Russell, W.K. 914(2001)325
- Vigo, C.B., see Bland, J.M. 932(2001)119
- Vijaya Saradhi, U.V.R., Suryanarayana, M.V.S., Gupta, A.K., Semwal, R.P. and Jayaram, B.
Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63
- Vilanova, M., see Farré, M. 938(2001)187
- Vílchez, J.L., Prieto, A., Araujo, L. and Navalón, A.
Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215
- Vilegas, W., see Dos Santos, L.C. 915(2001)259
- Villa, F., see Fuzzati, N. 926(2001)187
- Villani, C., see Gasparrini, F. 906(2001)35
- Villet, A., see Peyrin, E. 923(2001)37
- Vinckier, C., see Vanhees, I. 915(2001)75
- Virelizier, H., see Lamouroux, C. 917(2001)261
- Visi, E., see Lentza-Rizos, Ch. 921(2001)297
- Vissers, J.P.C., see Bobeldijk, I. 929(2001)63
- Vitha, M.F., see García, M.A. 918(2001)1
- Vitha, M.F., see Ranatunga, R. 946(2002)47
- Vlasov, A.A., see Zhdanov, V.P. 928(2001)201
- Vlasov, G.P., see Ostryanina, N.D. 949(2002)163
- Voelkel, A., see Bielicka, K. 918(2001)145
- Vogt, C., see Rethmeier, J. 934(2001)129
- Vogt, S., see Weinmann, W. 926(2001)199
- Volin, P.
Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125
- Volterra, V., see Raggi, M.A. 916(2001)289
- Volterra, V., see Raggi, M.A. 949(2002)23
- Von Holst, C., see Careri, M. 912(2001)61
- Von Holst, C., see Müller, A. 925(2001)197
- Vonk, E.C., Langeveld-Voss, B.M.W., van Dongen, J.L.J., Janssen, R.A.J., Claessens, H.A. and Cramers, C.A.
Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13
- Voříšek, V., see Nobilis, M. 949(2002)11
- Votruba, J., see Řezanka, T. 936(2001)95
- Vovk, I., see Simonovska, B. 903(2000)219
- Vreeken, R.J., see Ingelse, B.A. 918(2001)67
- Vreeland, W.N., see McCormick, L.C. 924(2001)43
- Vreuls, R.J.J., see Beens, J. 919(2001)127
- Vreuls, R.J.J., see Kristenson, E.M. 917(2001)277
- Vrkočová, P., see Koutek, B. 923(2001)137
- Vu, V.A., see Perrin, C. 947(2002)69

W

- Waelkens, M., see Kimpe, K. 937(2001)87
- Wagner, H.P., see Hautman, D.P. 920(2001)221
- Wahlund, K.-G., see Porsch, B. 946(2002)69
- Wahlund, K.-G., see van Bruijnsvoort, M. 925(2001)171
- Wainer, I.W., see Cloix, J.-F. 913(2001)133
- Wainer, I.W., see Markoglou, N. 948(2002)249
- Wainer, I.W., see Wolbach, J.P. 914(2001)299
- Wakida, S.-i., see Takeda, S. 924(2001)415
- Waksmundzka-Hajnos, M., Petruczynik, A. and Hawryl, A.
Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39
- Walker, T.A., see Munro, J.S. 913(2001)275
- Walker, T.A., see Munro, J.S. 914(2001)13
- Walker, V., see Mills, G.A. 902(2000)267
- Wan, H., Öhman, M. and Blomberg, L.G.
Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255
- Wan, H., Öhman, M. and Blomberg, L.G.
Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59
- Wan, H.Z., Kaneshiro, S., Frenz, J. and Cacia, J.
Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437
- Wandrey, Ch., see Schmidt, B. 944(2002)149
- Wang, B.H., see Gilar, M. 921(2001)3
- Wang, D., see Sun, S. 918(2001)13
- Wang, E., see He, J. 913(2001)355
- Wang, H., see Jiang, H. 903(2000)77
- Wang, H., see Kong, L. 936(2001)111
- Wang, H., see Tan, W.G. 924(2001)377
- Wang, J., see Chen, Q.-C. 937(2001)57
- Wang, J., see Yin, G. 918(2001)393
- Wang, J.-H.
Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435
- Wang, J.-L. and Chen, W.-L.
Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143
- Wang, N.-H.L., see Xie, Y. 908(2001)273
- Wang, P.-C., Gao, J. and Lee, C.S.
High-resolution chiral separation using microfluidics-based membrane chromatography 942(2001)115
- Wang, R., see Zhang, H. 907(2001)353
- Wang, S. and Regnier, F.E.
Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429
- Wang, S. and Regnier, F.E.
Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345
- Wang, S., Zhang, X. and Regnier, F.E.
Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153
- Wang, S.-J., see Tseng, W.-L. 927(2001)179
- Wang, T., Chen, Y.W. and Vailaya, A.
Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345
- Wang, T.-Z., see Lin, C.-E. 916(2001)239
- Wang, Y., see Qu, J. 919(2001)437
- Wang, Y., see Qu, J. 928(2001)155
- Wang, Y., see Wang-Fan, W. 925(2001)139
- Wang, Z., Fingas, M., Owens, E.H., Sigouin, L. and Brown, C.E.
Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275
- Wang, Z., Fingas, M. and Sigouin, L.
Characterization and identification of a “mystery” oil spill from Quebec (1999) 909(2001)155
- Wang, Z., see Xiao, C. 927(2001)121
- Wang-Fan, W., Küsters, E., Mak, C.-P. and Wang, Y.
Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139
- Ward, M., see Collén, A. 910(2001)275
- Ward, T.J. and Farris III, A.B.
Chiral separations using the macrocyclic antibiotics: a review 906(2001)73
- Waridel, P., Wolfender, J.-L., Ndjoko, K., Hobby, K.R., Major, H.J. and Hostettmann, K.
Evaluation of quadrupole time-of-flight tandem mass spectrometry and ion-trap multiple-stage mass spectrometry for the differentiation of C-glycosidic flavonoid isomers 926(2001)29
- Warner, I.M., see Abidi, S.L. 949(2002)195
- Warner, I.M., see Akbay, C. 910(2001)147
- Warner, I.M., see Billiot, F.H. 922(2001)329
- Warner, I.M., see Haddadian Billiot, F. 950(2002)233
- Warner, I.M., see Henry III, C.W. 905(2001)319
- Warren, C.D., see Shen, Z. 921(2001)315
- Warzecha, L., see Janoszka, B. 938(2001)155
- Watai, M., see Goto, H. 907(2001)181
- Watanabe, J., see Adachi, T. 944(2002)41
- Watanabe, M., see Miura, Y. 920(2001)163

- Waterman, D., Horsfield, B., Hall, K. and Smith, S.
Application of micro-scale sealed vessel thermal desorption–gas chromatography–mass spectrometry for the organic analysis of airborne particulate matter: linearity, reproducibility and quantification 912(2001)143
- Watkins, J.M., see Lloyd, L.L. 944(2002)169
- Watson, C.J., see Shi, W. 905(2001)281
- Watson, D.F., see Talbot, H.M. 921(2001)175
- Watson, P.A., see Fernandez, M.P. 922(2001)225
- Watson, R.C., see Barrett, D.A. 905(2001)69
- Watson, R.T., see Harris, J.E. 919(2001)427
- Webb, A.G., see Lacey, M.E. 922(2001)139
- Weber, G., Neumann, G., Haake, C. and Römheld, V.
Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171
- Wedig, M., see Hellriegel, C. 914(2001)315
- Wei, X., see Zeng, Z. 934(2001)51
- Wei, Y. and Ding, M.-Yu.
Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113
- Wei, Y., Zhang, T. and Ito, Y.
Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347
- Wei, Y., Zhang, T., Xu, G. and Ito, Y.
Application of analytical and preparative high-speed counter-current chromatography for separation of lycopenes from crude extract of tomato paste 929(2001)169
- Weidner, S., see Czichocki, G. 943(2002)241
- Weigel, S., Bester, K. and Hühnerfuss, H.
New method for rapid solid-phase extraction of large-volume water samples and its application to non-target screening of North Sea water for organic contaminants by gas chromatography–mass spectrometry 912(2001)151
- Weinberg, H.S., see Delcomyn, C.A. 920(2001)213
- Weinfeld, M., see Tan, W.G. 924(2001)377
- Weinmann, W., Stoertzel, M., Vogt, S. and Wendt, J.
Tune compounds for electrospray ionisation/in-source collision-induced dissociation with mass spectral library searching 926(2001)199
- Weisz, A., Mazzola, E.P., Matusik, J.E. and Ito, Y.
Preparative separation of isomeric 2-(2-quinoliny)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87
- Welch, C.J., see Hyun, M.H. 910(2001)359
- Welch, R.M., see Wheal, M.S. 942(2001)177
- Welsch, T., see Michalke, D. 916(2001)113
- Weltring, A., see Sandvoss, M. 917(2001)75
- Wen, D. and Olesik, S.V.
Chromatography of substituted benzoic acids with methanol–water–carbon dioxide mixtures 931(2001)41
- Wendt, J., see Weinmann, W. 926(2001)199
- Weng, W.-C., see Sheu, S.-J. 911(2001)285
- Wentworth, W.E., see Dojahn, J.G. 917(2001)187
- Wenzel, U.
Evaluation of frontal chromatograms 928(2001)1
- Werner, I., see Glasl, S. 936(2001)193
- Wesén, C., see Åkesson Nilsson, G. 912(2001)99
- Westbrook, J., see Eiceman, G.A. 917(2001)205
- Westerlund, D., see Enlund, A.M. 918(2001)211
- Wey, A.B. and Thormann, W.
Capillary electrophoresis–electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine 916(2001)225
- Wey, A.B. and Thormann, W.
Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507
- Weyker, C., see Fernando, P.N. 920(2001)155
- Whang, C.-W., see Chiang, M.-T. 934(2001)59
- Wheal, M.S., Heller, L.I., Norvell, W.A. and Welch, R.M.
Reversed-phase liquid chromatographic determination of phyto-metallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2001)177
- Wheeler, J.F., see Harris, J.E. 919(2001)427
- Wheeler, J.F., see Koch, J.T. 914(2001)223
- Whiting, P., see Meng, Y. 935(2001)309
- Wiedmer, S.K., see Molina, M. 927(2001)191
- Wieprecht, T., Rothmund, S., Bienert, M. and Krause, E.
Role of helix formation for the retention of peptides in reversed-phase high-performance liquid chromatography 912(2001)1
- Willetts, M., Brown, V.A. and Clench, M.R.
Influence of surface carbon coverage of C₁ (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33
- Williams, A., Taylor, K., Dambuleff, K., Persson, O. and Kennedy, R.M.
Maintenance of column performance at scale 944(2002)69
- Williams, J.D., see Allen, J.R. 913(2001)209
- Willmann, T., see Horká, M. 916(2001)65
- Wilson, I.D., see Loudon, D. 910(2001)237
- Wilson, R. and Sargent, J.R.
Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography 905(2001)251
- Wind, M., see Thormann, W. 924(2001)429
- Winge, S., see Karlsson, G. 946(2002)163
- Winkler, M., Headley, J.V. and Peru, K.M.
Optimization of solid-phase microextraction for the gas chromatographic–mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203
- Winterhalter, P., see Degenhardt, A. 922(2001)355
- Winterhalter, P., see Degenhardt, A. 943(2002)299
- Wintermans, M.S., see van Beek, T.A. 930(2001)109
- Witkiewicz, Z., see Mazurek, M. 919(2001)133
- Wittgren, B., see Porsch, B. 946(2002)69
- Właszczuk, A., see Mroczek, T. 949(2002)249
- Wohlfarth, M., see Bringmann, G. 904(2000)243
- Wójcik, K., see Głowacki, R. 914(2001)29

- Wolbach, J.P., Lloyd, D.K. and Wainer, I.W.
Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299
- Wolf, K., see Naassner, M. 945(2002)133
- Wolf, R., Rosche, F., Hoffmann, T. and Demuth, H.-U.
Immunoprecipitation and liquid chromatographic–mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides GIP₁₋₄₂ and GIP₃₋₄₂ from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21
- Wolfender, J.-L., see Waridel, P. 926(2001)29
- Wolff, J.-C., see New, A.P. 913(2001)205
- Wollgast, J., Pallaroni, L., Agazzi, M.-E. and Anklam, E.
Analysis of procyanidins in chocolate by reversed-phase high-performance liquid chromatography with electrospray ionisation mass spectrometric and tandem mass spectrometric detection 926(2001)211
- Wong, B.L.-Y., see Melanson, J.E. 920(2001)359
- Wong, M., see Youssouf Badal, M. 947(2002)277
- Woo, S.-O., see Ong, E.-S. 904(2000)57
- Woolf, E.J., see Matthews, C.Z. 949(2002)83
- Wozny, G., see Ching, C.B. 945(2002)117
- Wren, S.A.C., see Byrne, C.D. 927(2001)169
- Wren, S.A.C., see Dearie, H.S. 929(2001)123
- Wren, S.A.C., see Dearie, H.S. 945(2002)231
- Wright, L.P., Aucamp, J.P. and Apostolides, Z.
Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205
- Wrzosek, T., see Coleman, J. 917(2001)23
- Wu, B., see Hettiarachchi, K. 924(2001)471
- Wu, C., see Xiao, C. 927(2001)121
- Wu, J., see Chen, Z. 914(2001)293
- Wu, J. and Pawliszyn, J.
Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37
- Wu, J., Aluko, R.E. and Muir, A.D.
Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions 950(2002)125
- Wu, L., see Lei, L. 912(2001)181
- Wu, N., see Yang, L. 926(2001)43
- Wu, N., Lippert, J.A. and Lee, M.L.
Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1
- Wu, T.-F., see Wu, Y.-S. 913(2001)341
- Wu, Y.S., Lee, H.K. and Li, S.F.Y.
High-performance chiral separation of fourteen triazole fungicides by sulfated β -cyclodextrin-mediated capillary electrophoresis 912(2001)171
- Wu, Y.-S., Tsai, T.-H., Wu, T.-F. and Cheng, F.-C.
Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis–liquid chromatography 913(2001)341
- Wu, Y.-T., Pereira, M., Venâncio, A. and Teixeira, J.
Separation of endo-polygalacturonase using aqueous two-phase partitioning 929(2001)23
- Wu, Y.X., see Ching, C.B. 945(2002)117
- Wu, Z., see Qu, J. 928(2001)155
- Wuensch, G., see Sandvoss, M. 917(2001)75
- Wullings, B., see Bobeldijk, I. 918(2001)277
- Wysocki, M., see Schwartz, W. 908(2001)251

X

- Xiao, B., see Shaw, C.J. 913(2001)365
- Xiao, C., Han, S., Wang, Z., Xing, J. and Wu, C.
Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121
- Xiao, X., see Luo, Q. 926(2001)255
- Xiao, X.-Y., McCalley, D.V. and McEvoy, J.
Analysis of estrogens in river water and effluents using solid-phase extraction and gas chromatography–negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195
- Xie, B., see He, J. 943(2002)303
- Xie, J., Zhu, L., Luo, H., Zhou, L., Li, C. and Xu, X.
Direct extraction of specific pharmacophoric flavonoids from ginkgo leaves using a molecularly imprinted polymer for quercetin 934(2001)1
- Xie, M., see Fu, H. 945(2002)97
- Xie, S.-Y., Deng, S.-L., Yu, L.-J., Huang, R.-B. and Zheng, L.-S.
Separation and identification of perchlorinated polycyclic aromatic hydrocarbons and fullerenes (C₆₀, C₇₀) by coupling high-performance liquid chromatography with ultraviolet absorption spectroscopy and atmospheric pressure chemical ionization mass spectrometry 932(2001)43
- Xie, Y., see Iyer, M.S. 944(2002)263
- Xie, Y., Van de Sandt, E., de Weerd, T. and Wang, N.-H.L.
Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273
- Xing, J., see Xiao, C. 927(2001)121
- Xiong, L. and Regnier, F.E.
Channel-specific coatings on microfabricated chips 924(2001)165
- Xiong, S., see Shangguan, D. 910(2001)367
- Xiong, S., see Zhao, R. 913(2001)421
- Xu, B., see Zhang, G. 912(2001)335
- Xu, G., see Wei, Y. 929(2001)169
- Xu, G.-Q., see Li, H.-B. 905(2001)151
- Xu, J., see Zeng, Q. 921(2001)197
- Xu, J., Chen, Z., Yu, J.C. and Tang, C.
Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2001)289

- Xu, M., Brahmachary, E., Janco, M., Ling, F.H., Svec, F. and Fréchet, J.M.J.
Preparation of highly selective stationary phases for high-performance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25
- Xu, Q.-S., see Gong, F. 905(2001)193
- Xu, W., Uchiyama, K., Shimosaka, T. and Hobo, T.
Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279
- Xu, X., see Xie, J. 934(2001)1
- Xu, X.-R., see Li, H.-B. 918(2001)335
- Xu, Y., see Knudsen, H.L. 907(2001)145
- Xue, B. and Sun, Y.
Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109
- Xue, B. and Sun, Y.
Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185
- Xue, G., Pang, H.-M. and Yeung, E.S.
On-line nanoliter cycle sequencing reaction with capillary zone electrophoresis purification for DNA sequencing 914(2001)245
- Y**
- Yagoh, H., see Kawata, K. 911(2001)75
- Yagüe Ruiz, C., see Rial Otero, R. 942(2001)41
- Yamada, H., see Echigo, S. 920(2001)205
- Yamaguchi, K., see Takino, M. 904(2000)65
- Yamaguchi, K., see Takino, M. 928(2001)53
- Yamaguchi, M., see Yoshida, H. 907(2001)39
- Yamaguchi, M., Yoshida, H. and Nohta, H.
Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis 950(2002)1
- Yamamoto, A., see Kodama, S. 932(2001)139
- Yamamoto, A., Akiba, N., Kodama, S., Matsunaga, A., Kato, K. and Nakazawa, H.
Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139
- Yamamoto, A., Kodama, S., Matsunaga, A., Hayakawa, K., Yasui, Y. and Kitaoka, M.
Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217
- Yamamoto, C., see Chankvetadze, B. 922(2001)127
- Yamamoto, H., see Hu, W. 920(2001)95
- Yamamoto, K., see Isozaki, T. 923(2001)249
- Yamamoto, M., see Goto, H. 907(2001)181
- Yamamoto, M., see Takeuchi, T. 910(2001)373
- Yamamoto, S., see Lin, F.-Y. 912(2001)281
- Yamane, M., see Takeda, S. 924(2001)415
- Yamane, T., see Iwasaki, Y. 905(2001)111
- Yan, X., Hang, W., Majidi, V., Marrone, B.L. and Yoshida, T.M.
Evaluation of different nucleic acid stains for sensitive double-stranded DNA analysis with capillary electrophoretic separation 943(2002)275
- Yanagida, A., see Shibusawa, Y. 915(2001)253
- Yang, C.-C., see Lin, C.-E. 916(2001)239
- Yang, D.-Yu., Tsai, T.-H., Cheng, C.-H., Lee, C.-W., Chen, S.-H. and Cheng, F.-C.
Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349
- Yang, F., see Chen, L. 907(2001)343
- Yang, F., see Lei, L. 912(2001)181
- Yang, F., see Tian, G. 904(2000)107
- Yang, F. and Ito, Y.
pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281
- Yang, F. and Ito, Y.
Preparative separation of lappaconitine, ranaconitine, *N*-deacetylappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by high-speed counter-current chromatography 943(2002)219
- Yang, F., Ma, Y. and Ito, Y.
Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163
- Yang, F., Zhang, T. and Ito, Y.
Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443
- Yang, F.-Q., see Li, H.-B. 905(2001)151
- Yang, G., see Sun, S. 918(2001)13
- Yang, H. and Chien, R.-L.
Sample stacking in laboratory-on-a-chip devices 924(2001)155
- Yang, J., see Cottet, H. 939(2001)109
- Yang, L., see Cao, C.-X. 907(2001)347
- Yang, L., see Cao, C.-X. 922(2001)283
- Yang, L., He, Y.-Z., Gan, W.-E., Lin, X.-Q., Zhao, Y.-Q. and Qu, Q.-S.
Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13
- Yang, L., Wu, N. and Rudewicz, P.J.
Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43
- Yang, M., see Shao, B. 950(2002)167
- Yang, M., see Zeng, Z. 934(2001)51
- Yang, M. and Tomellini, S.A.
Non-derivatization approach to high-performance liquid chromatography–fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59

- Yang, P., see You, J. 909(2001)171
- Yang, Q., see Liu, X.-Y. 913(2001)123
- Yang, S.-H., see Liu, C.-Y. 933(2001)117
- Yang, S.S., Huang, C.B. and Smetena, I.
Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2001)33
- Yang, T.C., see Jen, J.-F. 912(2001)39
- Yang, T.C., see Jen, J.-F. 930(2001)119
- Yang, T.-Y., see Lin, C.-E. 916(2001)239
- Yang, W.-C., Yu, A.-M. and Chen, H.-Y.
Applications of a copper nanoparticle-modified carbon fiber microdisk array electrode for the simultaneous determination of aminoglycoside antibiotics by capillary electrophoresis 905(2001)309
- Yang, W.-C., Yu, X.-D., Yu, A.-M. and Chen, H.-Y.
Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311
- Yang, Y., see Lu, X. 945(2002)249
- Yang, Yu., Jones, A.D., Mathis, J.A. and Francis, M.A.
Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2001)231
- Yao, N., see Zhang, S. 948(2002)193
- Yashima, E.
Polysaccharide-based chiral stationary phases for high-performance liquid chromatographic enantioseparation 906(2001)105
- Yashima, Y., see Suzuki, S. 910(2001)319
- Yassaa, N., Brancaloni, E., Frattoni, M. and Ciccio, P.
Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185
- Yasuda, M., see Goto, H. 907(2001)181
- Yasuhara, A., see Kawata, K. 911(2001)75
- Yasui, M., see Iwasaki, Y. 905(2001)111
- Yasui, Y., see Yamamoto, A. 910(2001)217
- Yasumoto, T., see Goto, H. 907(2001)181
- Ye, C.Q., see Fields, S.M. 913(2001)197
- Ye, J., see Cao, Y. 943(2002)153
- Ye, J., see Chen, G. 923(2001)255
- Ye, Q., see Zeng, Q. 921(2001)197
- Ye, Y.K. and Stringham, R.
Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53
- Ye, Y.K. and Stringham, R.W.
Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47
- Ye, Y.K., Lord, B. and Stringham, R.W.
Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139
- Ye, Y.K., Lord, B.S., Yin, L. and Stringham, R.W.
Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147
- Yeung, E.S.
Foreword 913(2001)1
- Yeung, E.S., see He, Y. 924(2001)271
- Yeung, E.S., see Xue, G. 914(2001)245
- Yeung, H.W., see Fang, Q. 904(2000)47
- Yeung, K.K.-C., Kiceniuk, A.G. and Li, L.
Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153
- Yigzaw, Y., Larsson, N., Gorton, L., Ruzgas, T. and Solomon, T.
Liquid chromatographic determination of total and β -*N*-oxalyl-L- α , β -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13
- Yin, G., see Liu, Z. 921(2001)93
- Yin, G., Liu, Z., Zhou, R., Zhan, J., Wang, J. and Yuan, N.
Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393
- Yin, L., see Ye, Y.K. 945(2002)147
- Yinon, J., see Zhao, X. 946(2002)125
- Yokota, H., see Kanazawa, H. 949(2002)1
- Yong, Y.-L., see Ong, E.-S. 904(2000)57
- Yoo, Y.S., see Ban, E. 924(2001)337
- Yoon, T.H. and Kim, I.H.
Phosphatidylcholine isolation from egg yolk phospholipids by high-performance liquid chromatography 949(2002)209
- Yoshida, H., see Yamaguchi, M. 950(2002)1
- Yoshida, H., Nakao, R., Matsuo, T., Nohta, H. and Yamaguchi, M.
4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39
- Yoshida, T.M., see Yan, X. 943(2002)275
- Yoshie, Y., see Inoue, K. 946(2002)291
- Yoshimura, Y., see Inoue, K. 946(2002)291
- Yost, G.S., see Reilly, C.A. 912(2001)259
- You, C., see Fluri, K. 926(2001)87
- You, J., Zhang, B., Zhang, W., Yang, P. and Zhang, Y.
Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after pre-column derivatization with carbazole-9-*N*-acetic acid and chromatographic behaviour of alcoholic derivatives 909(2001)171
- Yous, S., see Belloli, E. 907(2001)101
- Youssef Badal, M., Wong, M., Chiem, N., Salimi-Moosavi, H. and Harrison, D.J.
Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277
- Yu, A.-M., see Yang, W.-C. 905(2001)309
- Yu, A.-M., see Yang, W.-C. 910(2001)311
- Yu, J.C., see Xu, J. 942(2001)289
- Yu, L.-J., see Xie, S.-Y. 932(2001)43
- Yu, R.J., see Pesek, J.J. 947(2002)195
- Yu, X., see Zhao, R. 913(2001)421
- Yu, X.-D., see Yang, W.-C. 910(2001)311
- Yu, Z., Sheng, G., Fu, J. and Peng, P.
Determination of porphyrin carbon isotopic composition using gas chromatography–isotope ratio monitoring mass spectrometry 903(2000)183

- Yuan, L.M., Zi, M., Ai, P., Chen, X.X., Li, Z.Y., Fu, R.N. and Zhang, T.Y.
Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91
- Yuan, N., see Liu, Z. 921(2001)93
- Yuan, N., see Yin, G. 918(2001)393
- Yun, J.-S., see Kim, J.-N. 938(2001)137
- Yun, T., see Mihlbachler, K. 908(2001)49
- Yvergnaux, F., see F evrier, P. 923(2001)53

Z

- Zabzdyr, J.L. and Lillard, S.J.
UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269
- Zafra-G omez, A., see de Rijke, E. 932(2001)55
- Zanella, R., Primel, E.G., Gonalves, F.F. and Martins, A.F.
Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257
- Zappa, G., see Scaccia, S. 915(2001)167
- Zare, R.N., see Choi, J.-G. 924(2001)53
- Zare, R.N., see Kato, M. 924(2001)187
- Zarzycki, P.K. and Smith, R.
Separation of steroids using temperature-dependent inclusion chromatography 912(2001)45
- Zaveckas, M., Baškeviiutė, B., Lukša, V., Žvirblis, G., Chmieliauskaitė, V., Bumelis, V. and Pesliakas, H.
Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and (His)₆-tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145
- Zborowski, M., see Hoyos, M. 903(2000)99
- Zderadika, P., see Holapek, M. 926(2001)175
- Zecevic, M., Zivanovic, L. and Stojkovic, A.
Validation of a high-performance liquid chromatography method for the determination of pancuronium in Pavulon injections 949(2002)61
- Z eches-Hanrot, M., see Intes, O. 918(2001)47
- Zelechonok, Y., see Steffek, R.J. 947(2002)301
- Zemann, A., see Gutleben, W. 922(2001)313
- Zembower, D.E., see Iyer, M.S. 944(2002)263
- Zeng, Q., Xu, J., Fu, R. and Ye, Q.
Functional polymer affinity matrix for purifying hexahistidine-tagged recombinant protein 921(2001)197
- Zeng, Z., Qiu, W., Yang, M., Wei, X., Huang, Z. and Li, F.
Solid-phase microextraction of monocyclic aromatic amines using novel fibers coated with crown ether 934(2001)51
- Zenoni, G., see Baciocchi, R. 944(2002)225
- Zhai, L., see Zhao, R. 913(2001)421
- Zhan, J., see Yin, G. 918(2001)393
- Zhang, B., see You, J. 909(2001)171
- Zhang, D.D., see Fields, S.M. 913(2001)197
- Zhang, G. and Xu, B.
Chromatographic behavior of poly(styrene–divinylbenzene) encapsulated packing material for capillary electrochromatography 912(2001)335
- Zhang, H., Li, Q., Hu, Z., Wang, R. and Chen, X.
Recalculation of the temperature inside capillaries using high buffer concentrations 907(2001)353
- Zhang, J., see Chen, G. 923(2001)255
- Zhang, J., see Zhang, S. 914(2001)189
- Zhang, L., see Hu, S. 924(2001)369
- Zhang, L., see Liu, B.-F. 918(2001)401
- Zhang, L., see Zhang, W. 922(2001)277
- Zhang, L., Selker, J., Qu, A. and Velayudhan, A.
Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13
- Zhang, L.-F., see Chen, L. 950(2002)65
- Zhang, M. and Sun, Y.
Poly(glycidyl methacrylate–divinylbenzene–triallylisocyanurate) continuous-bed protein chromatography 912(2001)31
- Zhang, M. and Sun, Y.
Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77
- Zhang, Q., see Jiang, H. 903(2000)77
- Zhang, Q., see Kong, L. 936(2001)111
- Zhang, S., Huang, X., Yao, N. and Horv ath, C.
Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193
- Zhang, S., Zhang, J. and Horv ath, C.
Rapid separation of peptides and proteins by isocratic capillary electrochromatography at elevated temperature 914(2001)189
- Zhang, T., see Chen, L. 907(2001)343
- Zhang, T., see Lei, L. 912(2001)181
- Zhang, T., see Tian, G. 904(2000)107
- Zhang, T., see Tian, G. 945(2002)281
- Zhang, T., see Wei, Y. 917(2001)347
- Zhang, T., see Wei, Y. 929(2001)169
- Zhang, T., see Yang, F. 919(2001)443
- Zhang, T.-Y., see Li, H.-B. 905(2001)151
- Zhang, T.Y., see Yuan, L.M. 927(2001)91
- Zhang, W., see You, J. 909(2001)171
- Zhang, W., Zhang, L., Ping, G., Zhang, Y. and Kettrup, A.
Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277
- Zhang, X., see Wang, S. 949(2002)153
- Zhang, X. and Huang, S.
Single step on-column frit making for capillary high-performance liquid chromatography using sol–gel technology 910(2001)13

- Zhang, X.J., see Fields, S.M. 913(2001)197
- Zhang, Y., see Jiang, H. 903(2000)77
- Zhang, Y., see Tian, G. 904(2000)107
- Zhang, Y., see Tian, G. 945(2002)281
- Zhang, Y., see You, J. 909(2001)171
- Zhang, Y., see Zhang, W. 922(2001)277
- Zhang, Y., Feng, Y. and Lu, W.
Identification of impurities affecting commercial ethylene glycol UV transmittance 904(2000)87
- Zhang, Y., Kodama, C., Zurita, C. and Gomez, F.A.
On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233
- Zhang, Y.H., see He, Y. 924(2001)271
- Zhao, J. and Olesik, S.V.
Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107
- Zhao, J.Y., see Li, X.-F. 914(2001)5
- Zhao, J.Y., see Presto Elgstoen, K.B. 914(2001)265
- Zhao, L. and Lee, H.K.
Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381
- Zhao, L. and Lee, H.K.
Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95
- Zhao, R., see Shangguan, D. 910(2001)367
- Zhao, R., Yu, X., Liu, H., Zhai, L., Xiong, S., Su, T. and Liu, G.
Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421
- Zhao, X. and Yinon, J.
Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 946(2002)125
- Zhao, Y., see Shangguan, D. 910(2001)367
- Zhao, Y.-Q., see Cao, C.-X. 907(2001)347
- Zhao, Y.-Q., see Yang, L. 932(2001)13
- Zhdanov, V.P., Sidelnikov, V.N. and Vlasov, A.A.
Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201
- Zheng, L.-S., see Xie, S.-Y. 932(2001)43
- Zhong, X.-H., see Liu, B.-F. 945(2002)257
- Zhong, Y., see Li, W. 905(2001)299
- Zhou, L., see Xie, J. 934(2001)1
- Zhou, R., see Yin, G. 918(2001)393
- Zhou, S.-L., see Cao, C.-X. 907(2001)347
- Zhou, S.-L., see Cao, C.-X. 922(2001)283
- Zhou, X., Furushima, N., Terashima, C., Tanaka, H. and Kurano, M.
New micro-flow pumping system for liquid chromatography 913(2001)165
- Zhou, Y.H., see Ngiam, S.H. 937(2001)1
- Zhu, J., Snow, D.D., Cassada, D.A., Monson, S.J. and Spalding, R.F.
Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177
- Zhu, J.Y., see Chai, X.-S. 909(2001)249
- Zhu, J.Y., see Chai, X.S. 946(2002)177
- Zhu, L., see Xie, J. 934(2001)1
- Zhu, L., see Zhu, L. 924(2001)407
- Zhu, L., Zhu, L. and Lee, H.K.
Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407
- Zhu, W., see Russell, W.K. 914(2001)325
- Zhu, X.X., see Ousalem, M. 903(2000)13
- Zi, M., see Yuan, L.M. 927(2001)91
- Zibareva, L., see Meng, Y. 935(2001)309
- Zicha, J., see Mikšík, I. 921(2001)81
- Zielinska, D., Poels, I., Pietraszkiewicz, M., Radecki, J., Geise, H.J. and Nagels, L.J.
Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25
- Ziemann, P.J., see Docherty, K.S. 921(2001)265
- Zitrou, A., see Nikitas, P. 942(2001)93
- Zivanovic, L., see Zecevic, M. 949(2002)61
- Zmudzki, J., see Posyniak, A. 914(2001)59
- Zmudzki, J., see Posyniak, A. 914(2001)89
- Zolla, L. and Bianchetti, M.
High-performance liquid chromatography coupled on-line with electrospray ionization mass spectrometry for the simultaneous separation and identification of the *Synechocystis* PCC 6803 phycobilisome proteins 912(2001)269
- Zöllner, P., see Leitner, A. 939(2001)49
- Zöllner, P., see Mayer, B.X. 917(2001)219
- Zorza, G., see Van Heugen, J.C. 926(2001)11
- Zou, H., see Jiang, H. 903(2000)77
- Zou, H., see Kong, L. 936(2001)111
- Zou, H., see Luo, Q. 926(2001)255
- Zrostlíková, J., Hajšlová, J., Godula, M. and Maštovská, K.
Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73
- Zuberi, M., see Hoyos, M. 903(2000)99
- Žúborová, M., see Masár, M. 916(2001)101
- Zukowski, J., De Biasi, V. and Berthod, A.
Chiral separation of basic drugs by capillary electrophoresis with carboxymethylcyclodextrins 948(2002)331
- Zuo, Y., see Chen, H. 913(2001)387
- Zupan, J., see Novič, M. 922(2001)1
- Zupančič-Kralj, L., see Kralj Cigić, I. 905(2001)359
- Zupančič-Kralj, L., see Mendaš, G. 918(2001)351
- Zurita, C., see Zhang, Y. 928(2001)233
- Žvirblis, G., see Zaveckas, M. 904(2000)145