

Journal of Chromatography A, 951 (2002) 215-330

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

CUMULATIVE COMPOUND INDEX

J. CHROMATOGR. A VOLS. 902-950

For all compound groups: see also sub-groups and individual compounds For all compound sub-groups: see also main groups and individual compounds For all individual compounds: see also compounds groups and sub-groups



Abscisic acid

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

Acaricides

Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21

Acesulfame-K

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Acetate

Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143

Acetic acid

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography–electrospray ionization mass spectrometric detection 938(2001)45

Acetone

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Acetonitrile

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Acetylacteoside

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved PII: S0021-9673(02)00184-X

Acetylcholinesterase

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Acetylcysteine

Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*phthaldialdehyde/3-mercaptopropionic acid and *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography-mass spectrometry study 949(2002)99

Acetyldaidzin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Acetylgenistin

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Acetylthebaol

Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421

Acid red

Purification of Food Color Red No. 106 (acid red) using pHzone-refining counter-current chromatography 946(2002)157

Acrylamide

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Direct extraction of specific pharmacophoric flavonoids from gingko leaves using a molecularly imprinted polymer for quercetin 934(2001)1

Acrylamidomethylpropanesulfonic acid

Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281

Acrylates

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Acteoside

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

Actinorhodin

Recovery of actinorhodin from fermentation broth 914(2001)67

Acylcarnitine

Evaluation and application of liquid chromatographic columns coated with 'intelligent' ligands: (I) acylcarnitine column 929(2001)1

Acylglycerols

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

Acypetacs zinc

Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209

Adenosine

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Adenosine phosphates

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

Adhyperforin

High-performance liquid chromatography–electrospray ionization mass spectrometry and multiple mass spectrometry studies of hyperforin degradation products 926(2001)187

Adipoyl-7-amino-3-deacetoxycephalosporanic acid

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Adrenaline

see also Epinephrine

Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Aflatoxin B1-oxime

Quantitative determination of aflatoxin B1-oxime by column liquid chromatography with ultraviolet detection 933(2001)91

Aflatoxins

see also Toxins

Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251

Development of a simplified densitometer for the determination of aflatoxins by thin-layer chromatography 904(2000)263

Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

Quantitative determination of aflatoxin B1-oxime by column liquid chromatography with ultraviolet detection 933(2001)91

New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31

Agenerase

Liquid chromatographic-tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1

Aglycones

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Albumin

Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Channel-specific coatings on microfabricated chips 924(2001)165

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61

Use of a modified zirconia support in the separation of immunoproteins 944(2002)179

Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163

Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

Alcohol ethoxylates

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography– electrospray mass spectrometry 927(2001)103

Alcohols

see also Volatile organic compounds

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after pre-column derivatisation with carbazole-9-*N*-acetic acid and chromatographic behaviour of alcoholic derivatives 909(2001)171

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Ozone reaction with *n*-aldehydes (n=4-10), benzaldehyde, ethanol, isopropanol, and *n*-propanol adsorbed on a dual-bed graphitized carbon–carbon molecular sieve adsorbent cartridge 929(2001)89

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Chromatography of long chain alcohols (polyprenols) from animal and plant sources (Review) 936(2001)95

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

Aldehydes

see also Carbonyl compounds and Volatile organic compounds

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Ozone reaction with *n*-aldehydes (n=4-10), benzaldehyde, ethanol, isopropanol, and *n*-propanol adsorbed on a dual-bed graphitized carbon–carbon molecular sieve adsorbent cartridge 929(2001)89

Determination of aldehydes in drinking water using pentafluorobenzylhydroxylamine derivatization and solid-phase microextraction 943(2002)1

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

Alginates

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Alkali-lignin

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389

Alkali metals

Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

Ion chromatography on chelating stationary phases: separation of alkali metals 921(2001)217

Alkaline-earth metals

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

Alkaloids

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography–electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35

Observation of exchangeable protons by high-performance liquid chromatography-nuclear magnetic resonance spectroscopy and high-performance liquid chromatography-electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Determination of the major isosteroidal alkaloids in bulbs of *Fritillaria* by high-performance liquid chromatography coupled with evaporative light scattering detection 909(2001)207

Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Chromatographic analysis of *Fritillaria* isosteroidal alkaloids, the active ingredients of Beimu, the antitussive traditional Chinese medicinal herb (Review) 935(2001)321

Preparative separation of lappaconitine, ranaconitine, *N*-deacetyllappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by highspeed counter-current chromatography 943(2002)219

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

Enantiomeric separation of N-protected amino acids by nonaqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Simple high-performance liquid chromatography method for the simultaneous determination of ketoconazole and piperine in rat plasma and hepatocyte culture 949(2002)43

Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249

Alkanes

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Application of micro-scale sealed vessel thermal desorption–gas chromatography–mass spectrometry for the organic analysis of airborne particulate matter: linearity, reproducibility and quantification 912(2001)143

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265 Gas chromatographic study of the volatile products from copyrolysis of coal and polyethylene wastes 918(2001)135

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Experimental determination and prediction of the gas-liquid *n*-hexadecane partition coefficients 923(2001)153

Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275

Relationship between carbon number and peak width in gas chromatography 926(2001)337

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2002)211

Alkanolamines

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Alkanones

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Alkenes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Gas chromatographic study of the volatile products from copyrolysis of coal and polyethylene wastes 918(2001)135

On-line, inlet-based trimethylsilyl derivatization for gas chromatography of mono- and dicarboxylic acids 921(2001)265

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Gas chromatographic–mass spectrometric characterization of all acyclic C_5-C_7 alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

Alkylamines

Capillary electrochromatography–laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

Tris(2,2'-bipyridyl)ruthenium(III)-based

electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95

Alkylbenzamides

Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3

Alkylbenzenes

Modeling the effect of solvation on solute retention in reversedphase liquid chromatography 913(2001)15

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Application of gas chromatography-tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphatealkylbenzene inhibitor coupling products 917(2001)261

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Determination of linear alkylbenzenes in fish tissue by gel permeation chromatography and gas chromatography-mass spectrometry 942(2002)223

Alkyl benzenesulfonates

Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247

Alkyl benzenesulfonates, linear

Determination of naphthalenesulfonic acid isomers by largevolume on-line derivatization and gas chromatography-mass spectrometry 926(2001)341

Analysis of linear alkylbenzenesulfonates by capillary zone electrophoresis with large-volume sample stacking 929(2001)143

Alkyl-methoxypyrazine

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxypyrazines and beta-damascenone from wine 931(2001)31

Alkyl nitrates

Simple cryoconcentration technique for the determination of peroxyacyl- and alkyl nitrates in the atmosphere 902(2000)405

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Alkylphenol ethoxylates

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography-electrospray mass spectrometry 938(2001)79

Alkylphenols

Development of an automated on-line solid-phase extractionhigh-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Determination of phenols in soil by supercritical fluid extraction-capillary electrochromatography 907(2001)301

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography-electrospray mass spectrometry 938(2001)79

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

Alkylphosphonic acids

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Alkyl polyglycosides

Characterization of alkyl polyglycosides by both reversed-phase and normal-phase modes of high-performance liquid chromatography 943(2002)241

6-Alkylsalicylic acid

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Alkylxanthines

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293

Alkynes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Allantoin

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Allylaltropane

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-*N*-(3-iodo-*E*-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Alprenolol

Influence of the solute hydrophobicity on the enantioselective adsorption of β -blockers on a cellulase protein used as the chiral selector 905(2001)3

Altropane

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-*N*-(3-iodo-*E*-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Aluminium

Ionophoretic studies on mixed metal-nitrilotriacetatepenicillamine complexes 910(2001)181

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Aluminum oxide

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Amaranth

Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65

Americanum

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Amides

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113

Structural analysis of commercial ceramides by gas chromatography-mass spectrometry 917(2001)251

Amihacin

Non-derivatization approach to high-performance liquid chromatography-fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59

Amines

see also Biogenic amines and Catecholamines

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Behaviour of inorganic and organic cations in the Debye-Hückel layer of DNA 920(2001)309

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (-)-2,3:4,6-di-O-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Capillary electrochromatography–laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95

Studies of signal suppression in liquid chromatography– electrospray ionization mass spectrometry using volatile ionpairing reagents 937(2001)41

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301

Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*phthaldialdehyde/3-mercaptopropionic acid and *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography-mass spectrometry study 949(2002)99

Behavior and characteristics of amine derivatives obtained with *o*-phthaldialdehyde/3-mercaptopropionic acid and with *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235 Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Amines, aromatic

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Solid-phase microextraction of monocyclic aromatic amines using novel fibers coated with crown ether 934(2001)51

Amines, heterocyclic aromatic

Liquid chromatography-tandem mass spectrometry method of urine analysis for determining human variation in carcinogen metabolism 914(2001)95

Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat-treated meat samples 938(2001)155

Ion-trap tandem mass spectrometry for the determination of heterocyclic amines in food 948(2002)267

Amino acids

Separation of amino acids by ion mobility spectrometry 902(2000)433

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359

Derivatization and chromatographic behavior of the *o*-phthaldialdehyde amino acid derivatives obtained with various SH-group-containing additives (Review) 913(2001)283

Analysis of amino acids in human serum by isocratic reversedphase high-performance liquid chromatography with electrochemical detection 913(2001)303

Simultaneous determination of several amino acids, including homocysteine, cysteine and glutamic acid, in human plasma by isocratic reversed-phase high-performance liquid chromatography with fluorimetric detection 913(2001)309

Determination by liquid chromatography of free and total cysteine in human urine in the form of its *S*-quinolinium derivative 913(2001)319

Simultaneous analysis of underivatized chiral amino acids by liquid chromatography-ionspray tandem mass spectrometry using a teicoplanin chiral stationary phase 913(2001)331

Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421

Application of capillary electrophoresis with laser-induced fluorescence detection to the determination of biogenic amines and amino acids in brain microdialysate and homogenate samples 914(2001)293

Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Gas chromatographic-mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Photopolymerized sol-gel frits for packed columns in capillary electrochromatography 924(2001)187

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

High-performance liquid chromatographic enantioseparation of β -amino acids 926(2001)229

Amino acid analysis in five pooled single plant cell samples using capillary electrophoresis coupled to laser-induced fluorescence detection 926(2001)319

Evaluation and application of liquid chromatographic columns coated with 'intelligent' ligands: (I) acylcarnitine column 929(2001)1

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized $D_{p,L}$ -serine by γ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129

Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139

Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283

Enantiomeric separation of N-protected amino acids by nonaqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*phthaldialdehyde/3-mercaptopropionic acid and *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography-mass spectrometry study 949(2002)99 Indirect high-performance liquid chromatographic separation of stereoisomers of β -alkyl-substituted amino acids by the application of (*S*)-*N*-(4-nitrophenoxycarbonyl)phenylalanine methoxyethyl ester as chiral derivatizing agent 949(2002)125

Behavior and characteristics of amine derivatives obtained with *o*-phthaldialdehyde/3-mercaptopropionic acid and with *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 950(2002)55

Amino acids, Dns derivatives

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Chemically modified chiral monolithic silica column prepared by a sol–gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2002)83

Amino acids, non-protein

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2002)177

Amino acids, OPA derivatives

Derivatization and chromatographic behavior of the *o*phthaldialdehyde amino acid derivatives obtained with various SH-group-containing additives (Review) 913(2001)283

Amino alcohols

Chiral ion-pair chromatography on porous graphitized carbon using *N*-blocked dipeptides as counter ions 905(2001)329

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

Aminoanthracene

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

4-Aminoantipyrene

Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography–electrospray tandem mass spectrometry 938(2001)175

Aminoazaarenes

Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat-treated meat samples 938(2001)155

3-Aminobicyclo[2.2.1]heptane-2-methanol

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

3-Aminobicyclo[2.2.1]hept-5-ene-2-methanol

High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79

Aminoglycosides

Applications of a copper microparticle-modified carbon fiber microdisk array electrode for the simultaneous determination of aminoglycoside antibiotics by capillary electrophoresis 905(2001)309

Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73

Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Non-derivatization approach to high-performance liquid chromatography–fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59

Aminohydroxynaphthalenedisulfonic acid

Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263

Aminoimidazoazaarenes

Ion-trap tandem mass spectrometry for the determination of heterocyclic amines in food 948(2002)267

Aminoindan

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

δ-Aminolevulinic acid

Simultaneous determination of δ -aminolevulinic acid, porphobilinogen, levulinic acid and glycine in culture broth by capillary electrophoresis 938(2001)137

Aminomethylphenylimidazo[4,5-b]pyridine

Liquid chromatography-tandem mass spectrometry method of urine analysis for determining human variation in carcinogen metabolism 914(2001)95

Aminomethylphosphonic acid

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anionexchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

Aminonaphthalenetrisulfonic acid

On-line capillary electrophoresis with mass spectrometry detection for the analysis of carbohydrates after derivatization with 8-aminonaphthalene-1,3,6-trisulfonic acid 934(2001)75

Aminophenols

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Aminophosphonic acids

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Aminopyridine

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4aminopyridine including related substances 907(2001)321

Aminosalicylic acid

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Amino sugars

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Amino thiols

Determination of biologically active low-molecular-mass thiols in human blood. III. Highly sensitive narrow-bore isocratic reversed-phase high-performance liquid chromatography with fluorescence detection 913(2001)315

Amitrole

Determination of the herbicide amitrole in water with precolumn derivatization, liquid chromatography and tandem mass spectrometry 938(2001)15

Ammonia

Ammonia as a carrier gas for acidic-basic chromatography 903(2000)173

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Ammonia as carrier gas in capillary gas-liquid chromatography 918(2001)423

Ammonium

Ammonium extraction method for ion chromatographic measurements of disc drive components 920(2001)271

Amphetamine

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Amprenavir

Liquid chromatographic-tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1

Amygdalin

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Amylases

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Amylopectins

High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

Characterization of starch polysaccharides by flow field-flow fractionation-multi-angle laser light scattering-differential refractometer index 917(2001)179

Retention behaviour of amylopectins in asymmetrical flow fieldflow fractionation studied by multi-angle light scattering detection 925(2001)171

Amylose

Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155

Characterization of starch polysaccharides by flow field-flow fractionation-multi-angle laser light scattering-differential refractometer index 917(2001)179

Amylose tris(3,5-dimethylphenylcarbamate)

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Anacardic acid

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Androgens

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Andrographolide

Determination of bioactive diterpenoids from *Andrographis* paniculata by micellar electrokinetic chromatography 930(2001)171

Anetholes

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Angiotensin-converting enzyme

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzymecatalyzed reactions 950(2002)125

Angiotensin-converting enzyme inhibitors

Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine 916(2001)279

Angiotensin II receptor antagonists

Fast screening method for the determination of angiotensin II receptor antagonists in human plasma by high-performance liquid chromatography with fluorimetric detection 949(2002)49

Anhydroecgonine methyl ester

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Anilines

Development of an automated on-line solid-phase extractionhigh-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Effect of the eluent pH and acidic modifiers in highperformance liquid chromatography retention of basic analytes 913(2001)173

Effect of counter-anion concentration on retention in highperformance liquid chromatography of protonated basic analytes 913(2001)189

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

On-line microdialysis-high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Anions

see also Inorganic anions and Organic acids

Sample stacking of cationic and anionic analytes in capillary electrophoresis 902(2000)119

Ion-exchange-based eluent-free preconcentration of some anions 909(2001)289

Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107

Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Ansamycins

Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73

Anthocyanins

Determination of anthocyanins in wine based on flow-injection, liquid-solid extraction, continuous evaporation and highperformance liquid chromatography-photometric detection 910(2001)255

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Anthraglycosides

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Antibiotics

Separation of spiramycin components using high-speed countercurrent chromatography 903(2000)93

Applications of a copper microparticle-modified carbon fiber microdisk array electrode for the simultaneous determination of aminoglycoside antibiotics by capillary electrophoresis 905(2001)309

Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Determination of macrolide antibiotics by liquid chromatography 910(2001)285

Isolation and structural characterization of polymyxin B components 912(2001)369

Liquid chromatography of troleandomycin 914(2001)53

Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59

Recovery of actinorhodin from fermentation broth 914(2001)67

Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77

On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Confirmatory method for macrolide residues in bovine tissues by micro-liquid chromatography-tandem mass spectrometry 926(2001)97

Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography-tandem mass spectrometry 928(2001)177

Separation of WAP-8294A components, a novel anti-methicillinresistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75

Analysis of clindamycin by micellar electrokinetic chromatography with a mixed micellar system 932(2001)145

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Determination of the metabolites of nitrofuran antibiotics in animal tissue by high-performance liquid chromatographytandem mass spectrometry 939(2001)49

Non-derivatization approach to high-performance liquid chromatography–fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59 Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193

Antibodies

see also Monoclonal antibodies

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437

Affinity-reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Preparative electrophoresis: a general method for the purification of polyclonal antibodies 944(2002)161

Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163

Antidepressants

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275

Dialysis–solid-phase extraction combined on-line with nonaqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Antidepressants, tricyclic

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107

Antiepileptics

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Antifouling compounds

Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples 926(2001)221

Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103

Antifungals

Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337

Antihistamines

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Anti-methicillin-resistant Staphylococcus aureus agent

Separation of WAP-8294A components, a novel anti-methicillinresistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75

Antioxidants

Evaluation and comparison of two improved techniques for the on-line detection of antioxidants in liquid chromatography eluates 912(2001)73

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Analysis of lipophilic antioxidants in human serum and tissues: tocopherols and carotenoids (Review) 936(2001)83

Antisense peptides

Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421

Antithrombins

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203

Antitrypsin

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α 1-antitrypsin 942(2002)133

Aristolochic acids

Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57

Arocy B10

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2002)53

Aroma compounds

Two-fibre solid-phase microextraction combined with gas chromatography-mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography-mass spectrometry 918(2001)189

Comparison of simultaneous distillation extraction and solidphase microextraction for the determination of volatile flavor components 930(2001)1

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Aromatic compounds

see also Hydrocarbons, aromatic and Polynuclear aromatic hydrocarbons

Acrylamide-based monoliths as robust stationary phases for capillary electrochromatography 914(2001)211

Arsenate

Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy 920(2001)231

Arsenic

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Simultaneous determination of arsenic species and chromium(VI) by high-performance liquid chromatography–inductively coupled plasma-mass spectrometry 912(2001)319

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Multielemental determination of arsenic, selenium and chromium(VI) species in water by high-performance liquid chromatography-inductively coupled plasma mass spectrometry 926(2001)265

Artificial sweeteners

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Arylalkylcarbinols

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Arylpropionic acids

Uniformly sized molecularly imprinted polymer for (*S*)naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

Aspartame

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Astaxanthin

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Asterosaponins

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography-nuclear magnetic resonance spectroscopy-tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Atenolol

Determination of the β -blocker atenolol in plasma by capillary zone electrophoresis 916(2001)297

Atrazines

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Solid-phase microextraction method for the determination of atrazine and four organophosphorus pesticides in soil samples by gas chromatography 939(2001)13

Auxin

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

Avermectin

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Azaspiracids

Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspiracids in shellfish 950(2002)139

Azo dyes

Determination of the dissociation constants of sulfonated azo dyes by capillary zone electrophoresis and spectrophotometry methods 917(2001)331

Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263

Azoles

Analytical and semipreparative enantiomeric separation of azole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2002)107



Bacitracin

High-performance liquid chromatography determination of Zn-bacitracin in animal feed by post-column derivatization and fluorescence detection 943(2002)227

Bacteriohopanepolyols

Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 921(2001)175

Bactoprenols

Chromatography of long chain alcohols (polyprenols) from animal and plant sources (Review) 936(2001)95

Barbiturates

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Basic compounds

Effect of temperature and flow-rate on analysis of basic compounds in high-performance liquid chromatography using a reversed-phase column 898(2000)311

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Basic drugs

see also Drugs

Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259

Effect of liposome type and membrane fluidity on drugmembrane partitioning analyzed by immobilized liposome chromatography 913(2001)123

Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203

Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

Chiral separation of basic drugs by capillary electrophoresis with carboxymethylcyclodextrins 948(2002)331

Beclomethasone

Determination of apparent association constants of steroidcyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

Benzaldehyde

Ozone reaction with *n*-aldehydes (n=4-10), benzaldehyde, ethanol, isopropanol, and *n*-propanol adsorbed on a dual-bed graphitized carbon–carbon molecular sieve adsorbent cartridge 929(2001)89

Benzenecarboxylic acids

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69

Benzenediols

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Benzenedithiol

Liquid chromatographic methods for chloral hydrate determination 920(2001)283

Benzenes

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Miniaturized solid-phase extraction with resin disks 909(2001)79

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Benzenesulfonic acid

Analysis of sulfonated compounds by ion-exchange highperformance liquid chromatography-mass spectrometry 912(2001)53

Benzimidazoles

Determination of omeprazole and its metabolites in human plasma by liquid chromatography-mass spectrometry 949(2002)1

Benzoates

Nonlinear analysis of dynamic binding in affinity capillary electrophoresis demonstrated for inclusion complexes of β -cyclodextrin 943(2002)139

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

Benzodiazepines

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Sensitive gas chromatographic-mass spectrometric screening of acetylated benzodiazepines 910(2001)105

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Benzoic acids

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Capillary electrochromatography in anion-exchange and normalphase mode using monolithic stationary phases 925(2001)265

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Chromatography of substituted benzoic acids with methanolwater-carbon dioxide mixtures 931(2001)41

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Nonlinear analysis of dynamic binding in affinity capillary electrophoresis demonstrated for inclusion complexes of β -cyclodextrin 943(2002)139

Benzoin

Capillary electrochromatographic enantioseparations using a packed capillary with a 3 μ m OD-type chiral packing 924(2001)251

Benzophenones

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Benzopyrene

Detection of DNA adducts of benzo[*a*]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Benzoylecgonine

Tune compounds for electrospray ionisation/in-source collisioninduced dissociation with mass spectral library searching 926(2001)199

Benzoylureas

Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoirradiation with fluorescence detection 918(2001)79

Benzyl alcohol

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Benzylamines

Effect of counter-anion concentration on retention in highperformance liquid chromatography of protonated basic analytes 913(2001)189

Benzylpenicillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Berberine

Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57

Beryllium

Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301

β-Blockers

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Influence of the solute hydrophobicity on the enantioselective adsorption of β -blockers on a cellulase protein used as the chiral selector 905(2001)3

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Liquid chromatographic enantioseparation of β -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

Quantitative structure-retention and retention-activity relationships of β -blocking agents by micellar liquid chromatography 912(2001)211

Effect of liposome type and membrane fluidity on drugmembrane partitioning analyzed by immobilized liposome chromatography 913(2001)123

Determination of the β -blocker atenolol in plasma by capillary zone electrophoresis 916(2001)297

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Quantitative determination of oxprenolol and timolol in urine by capillary zone electrophoresis 949(2002)91

Betacyanins

Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits 913(2001)415

Betamethasones

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

Determination of apparent association constants of steroidcyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

Differentiation between dexamethasone and betamethasone in a mixture using multiple mass spectrometry 926(2001)79

Betaxanthins

Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits 913(2001)415

Bialaphos

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Biguanides

Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

Bile acids

Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361

Bile acids and sterols in urban sewage treatment plants 927(2001)155

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Capillary gas chromatographic behaviour of *tert.*-hydroxylated steroids by trialkylsilylation 937(2001)97

Biliproteins

Chromatographic purification and characterization of Bphycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Binaphthol

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Separation of binaphthol enantiomers through achiral chromatography 944(2002)225

Binaphthyl derivatives

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

Binaphthyl dihydrogenphosphate

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Biogenic amines

see also Amines and Catecholamines

Application of capillary electrophoresis with laser-induced fluorescence detection to the determination of biogenic amines and amino acids in brain microdialysate and homogenate samples 914(2001)293

Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121

Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis-laser-induced fluorescence detection 926(2001)309

Behavior and characteristics of amine derivatives obtained with *o*-phthaldialdehyde/3-mercaptopropionic acid and with *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235

Biotin

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

Biphenol

Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119

Biphenyl

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Bipyridyls

Removal of metallic impurities from mobile phases in reversedphase high-performance liquid chromatography by the use of an in-line chelation column 913(2001)159

Bisabolol

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Bisphenol A

Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Bisphenol A dicyanate

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2002)53

Bisphosphonates

Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection 914(2001)105

Boronate

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Brassinosteroids

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Bromate

Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221

Bromhexine

Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Bromide

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Bufadienolides

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Bupirimate

Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429

Bupropion

Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275

tert.-Butyl hydroperoxide

Reversed-phase high-performance liquid chromatographic separation of *tert.*-butyl hydroperoxide oxidation products of unsaturated triacylglycerols 905(2001)119

Butylparaben

High-performance liquid chromatographic analysis for a nonchromophore-containing phosphatidyl inositol analog, 1-[(1-Ooctadecyl-2-O-methyl-sn-glycero)-phospho]-1D-3-deoxy-myoinositol, using indirect UV detection 913(2001)355

Butyl phosphates

Improved determination of tributyl phosphate degradation products (mono- and dibutyl phosphates) by ion chromatography 920(2001)275



Cadaverine

Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis-laser-induced fluorescence detection 926(2001)309

Cadinol

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Cadmium

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Caffeine

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Rapid determination of caffeine in tea leaves 942(2002)271

Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163

Caftaric acid

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Calcitriol

Sensitive analysis of 1α ,25-dihydroxyvitamin D_3 in biological fluids by liquid chromatography-tandem mass spectrometry 935(2001)93

Calixarenes

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Complex formation analysis of water-soluble calixarenes by capillary zone electrophoresis 934(2001)113

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarenebonded high-performance liquid chromatography stationary phases 948(2002)309

Calystegines

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Automated multiple development thin layer chromatography for calystegines and their biosynthetic precursors 928(2001)217

Camphor

Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Cannabinoids

Determination of cannabinoids in hair using high-pH* nonaqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2002)259

Capaene

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Capsaicin

Determination of capsaicin, dihydrocapsaicin, and nonivamide in self-defense weapons by liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry 912(2001)259

Carbamates

Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen-phosphorus detection 921(2001)287

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Carbamazepine

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Carbazole-9-N-acetic acid

Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after pre-column derivatisation with carbazole-9-*N*-acetic acid and chromatographic behaviour of alcoholic derivatives 909(2001)171

Carbohydrates

see also Cyclodextrins, Disaccharides, Monosaccharides, Oligosaccharides and Polysaccharides

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113

Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5pyrazolone 911(2001)259

Direct determination of sinigrin in mustard seed without desulfatation by reversed-phase ion-pair liquid chromatography 912(2001)363

Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials 913(2001)269

Artifact-free matrix-assisted laser desorption ionization time-offlight mass spectra of *tert.*-butyldimethylsilyl ether derivatives of cyclodextrins used for the synthesis of single-isomer, chiral resolving agents for capillary electrophoresis 914(2001)325

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Evaluation of fructans in various fresh and stewed fruits by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)291

Separation and identification of enzymatic sucrose hydrolysis products by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)299

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

On-line capillary electrophoresis with mass spectrometry detection for the analysis of carbohydrates after derivatization with 8-aminonaphthalene-1,3,6-trisulfonic acid 934(2001)75

Towards functional group-specific detection in high-performance liquid chromatography using mid-infrared quantum cascade lasers 934(2001)123

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Carbomethoxy (4-fluorophenyl) iodoallylnortropane

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-*N*-(3-iodo-*E*-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Carbonates

Analysis of nonvolatile species in a complex matrix by headspace gas chromatography 909(2001)249

Carbon dioxide

Analysis of nonvolatile species in a complex matrix by headspace gas chromatography 909(2001)249

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Chromatography of substituted benzoic acids with methanolwater-carbon dioxide mixtures 931(2001)41

Carbon monoxide

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Carbon tetrachloride

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Carbonyl compounds

see also Aldehydes, Ketones and Volatile organic compounds

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331

Carboxylic acids

see also Fatty acids, Hydroxy acids and Organic acids

Separation using planar chromatography with electroosmotic flow 903(2000)211

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents 920(2001)41 Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181

Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247

Determination of C_4-C_{14} carboxylic acids by capillary zone electrophoresis. Application to the identification of diamide degradation products and partitioning studies 920(2001)345

On-line, inlet-based trimethylsilyl derivatization for gas chromatography of mono- and dicarboxylic acids 921(2001)265

Effect of ion-exchange site and eluent modifiers on the anionexchange of carboxylic acids 925(2001)99

Evaluation and application of liquid chromatographic columns coated with 'intelligent' ligands: (I) acylcarnitine column 929(2001)1

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2002)289

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

Migration of (hydroxy)carboxylic acids in coelectroosmotic capillary electrophoresis. Influence of the electrolyte composition 946(2002)255

Relationship between chromatographic properties of aromatic carboxylic acids and their structure 948(2002)65

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

$Carboxymethyl-\beta\mbox{-}cyclodextrin$

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl-β-cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Cardenolides

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Carotenes

see also Vitamins

Supercritical fluid extraction for liquid chromatographic determination of carotenoids in Spirulina Pacifica algae: a chemometric approach 912(2001)61

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Carotenoids

Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Supercritical fluid extraction for liquid chromatographic determination of carotenoids in Spirulina Pacifica algae: a chemometric approach 912(2001)61

High-performance liquid chromatography for the characterization of carotenoids in the new sweet orange (Earlygold) grown in Florida, USA 913(2001)371

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Chromatographic performance on a C_{30} -bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59

Improved normal-phase and reversed-phase gradient highperformance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71

Analysis of lipophilic antioxidants in human serum and tissues: tocopherols and carotenoids (Review) 936(2001)83

Liquid chromatographic separation of terpenoid pigments in foods and food products (Review) 936(2001)119

Effects of fluorescent light and vacuum packaging on the rate of decomposition of pigments in paprika (*Capsicum annuum*) powder determined by reversed-phase high-performance liquid chromatography 936(2001)139

Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215

Carvone

Chiroptical detection during liquid chromatography 7. The rotation angle/absorbance ratio of chiral molecules. Its possible use for on-line analysis during preparative separations of enantiomers 909(2001)147

Caseins

Routine *o*-glycan characterization in nutritional supplements a comparison of analytical methods for the monitoring of the bovine kappa-casein macropeptide glycosylation 929(2001)151

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Catechins

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Separation of radioactive metabolites in cultured tea cells fed with [¹⁴C]phenylalanine using high-speed counter-current chromatography 921(2001)331

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Analysis of procyanidins in chocolate by reversed-phase highperformance liquid chromatography with electrospray ionisation mass spectrometric and tandem mass spectrometric detection 926(2001)211

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Effect of particle size in preparative reversed-phase highperformance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275

Catecholamines

see also Amines and Biogenic amines

Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Cations

see also Inorganic cations and Metal cations

Sample stacking of cationic and anionic analytes in capillary electrophoresis (Review) 902(2000)119

Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107

Cefepime

Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77

Cefotaxime

Radiosterilization of cefotaxime: investigation of potential degradation compounds by liquid chromatography–electrospray mass spectrometry 929(2001)51

Cefsulodin

On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83

Cellulases

Comparative study on the fractionation of cellulases on some hydrophobic interaction chromatography adsorbents 944(2002)211

Cellulose

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155

Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223

Study of the stability of cellulose–holocellulose solutions in *N*,*N*-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31

Polyallylamine-grafted cellulose gel as high-capacity anionexchanger 946(2002)283

Cellulose tris(3,5-dimethylphenylcarbamate)

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

238

Cephalosporins

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77

On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Ceramides

Structural analysis of commercial ceramides by gas chromatography-mass spectrometry 917(2001)251

Separation, identification and quantitation of ceramides in human cancer cells by liquid chromatography–electrospray ionization tandem mass spectrometry 949(2002)225

Chaconine

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

Chelators

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Chitosan

Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155

Chloral hydrate

Liquid chromatographic methods for chloral hydrate determination 920(2001)283

Chloranilines

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di-and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Chlorate

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Chlordimeform

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Chlorhexidine

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Chloride

Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127

Chlorite

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Chlormequat

Simple ion chromatographic method for the determination of chlormequat residues in pears 920(2001)255

2-Chloroaniline

On-line microdialysis-high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119

Chlorobenzenes

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129

Chlorofluorocarbons

Construction and validation of automated purge-and-trap-gas chromatography for the determination of volatile organic compounds 927(2001)143

Chloroform

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

2-Chloro-1-methylquinolinium tetrafluoroborate

Determination by liquid chromatography of free and total cysteine in human urine in the form of its *S*-quinolinium derivative 913(2001)319

Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29

Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141

Chlorophenols

Development of an automated on-line solid-phase extractionhigh-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171 New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

On-line flow sample stacking in a flow injection analysis– capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants 912(2001)163

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

A capillary electrophoresis study on the influence of β cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Ionization of dichlorophenols for their analysis by capillary electrophoresis-mass spectrometry 924(2001)415

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Chlorophenylbiguanide

Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

Chlorophylls

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

Chloropyridines

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Chloroquine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Chlorothalonil

Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103

Chlorotoluidines

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Chlorotoluron

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Chlorotriazines

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351

Chlorotrimethylsilane

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Chlorovinyl arsenous oxide

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Chlorovinyl arsonous acid

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Chlorovinyldichloroarsine

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Chlorpheniramine

Uniformly sized molecularly imprinted polymer for *d*-chlorpheniramine. Evaluation of retention and molecular recognition properties in an aqueous mobile phase 948(2002)77

Cholesterol

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Plasma non-cholesterol sterols (Review) 935(2001)203

Quantitative analysis of desmosterol, cholesterol and cholesterol sulfate in semen by high-performance liquid chromatography 935(2001)259

Preparation of sterol-imprinted polymers with the use of 2-(methacryloyloxy)ethyl phosphate 938(2001)131

Cholesterol sulfate

Quantitative analysis of desmosterol, cholesterol and cholesterol sulfate in semen by high-performance liquid chromatography 935(2001)259

Cholinesterase

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Chondroitin sulfates

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Chromium

Simultaneous determination of arsenic species and chromium(VI) by high-performance liquid chromatography–inductively coupled plasma-mass spectrometry 912(2001)319

Effect of organic solvents in the on-line thermal lens spectrometric detection of chromium(III) and chromium(VI) after ion chromatographic separation 920(2001)119

Multielemental determination of arsenic, selenium and chromium(VI) species in water by high-performance liquid chromatography-inductively coupled plasma mass spectrometry 926(2001)265

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a precolumn complexation agent 927(2001)219

Chymotrypsin

Shielding of protein-boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137

α-Chymotrypsinogen A

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Cibacron Blue

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Urea-formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209

Cichoric acid

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Cilazapril

Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine 916(2001)279

Cilazaprilat

Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine 916(2001)279

Cinchona alkaloids

Enantiomeric separation of N-protected amino acids by nonaqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Cineole

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Cinnamic acid

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

 ω -Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Cinnamyl acetate

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Citalopram

Liquid-phase microextraction and capillary electrophoresis of citalopram, an antidepressant drug 909(2001)87

Citrates

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

Cizolirtine

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

Clindamycin

Analysis of clindamycin by micellar electrokinetic chromatography with a mixed micellar system 932(2001)145

Clivorine

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

Clofibric acid

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Clomazone

Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257

Clotrimazole

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

Cloxacillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Clozapine

Rapid capillary electrophoretic method for the determination of clozapine and desmethylclozapine in human plasma 916(2001)289

Cobalt

Ultrasensitive chemiluminescence detection of sub-fM level Co(II) in capillary electrophoresis 939(2001)91

Cocaethylene

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Cocaine

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Codeine

Capillary electrophoresis–electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine 916(2001)225

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Codeine-6-glucuronide

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Colchicine

Highly specific and sensitive liquid chromatography-tandem mass spectrometry method for the determination of 3-desmethylthiocolchicine in human plasma as analyte for the assessment of bioequivalence after oral administration of thiocolchicoside 949(2002)71

Colesevelam

Identification of unknown degradation products in a new cholesterol-reducing drug by ion-chromatography coupled to mass spectrometry 912(2001)91

Collagens

Evaluation of peptide electropherograms by multivariate mathematical-statistical methods. I. Principal component analysis 921(2001)81

Copper

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Corticosteroids

Method for confirmation of synthetic corticosteroids in doping urine samples by liquid chromatography–electrospray ionisation mass spectrometry 926(2001)87

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Creatinine

New configuration in capillary isotachophoresis-capillary zone electrophoresis coupling 916(2001)131

o-Cresol

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Crown ethers

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

New chiral crown ether stationary phase for the liquid chromatographic resolution of α -amino acid enantiomers 910(2001)359

Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109

High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Solid-phase microextraction of monocyclic aromatic amines using novel fibers coated with crown ether 934(2001)51

Cryptoxanthin

Supercritical fluid extraction for liquid chromatographic determination of carotenoids in Spirulina Pacifica algae: a chemometric approach 912(2001)61

Cucurbitacins

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Curcumin

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Cutinase

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Cyanine-nucleic acid dyes

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

Nonlinear analysis of dynamic binding in affinity capillary electrophoresis demonstrated for inclusion complexes of β -cyclodextrin 943(2002)139

α -Cyclodextrin glycosyltransferase

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Cyclodextrins

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β -cyclodextrin as mobile phase modifier 903(2000)67

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Consequences of variable purity of heptakis(2,3,6-tri-O-methyl)- β -cyclodextrin determined by liquid chromatography-mass spectrometry on the enantioselective separation of polychlorinated compounds 905(2001)59

Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Separation of steroids using temperature-dependent inclusion chromatography 912(2001)45

Determination of apparent association constants of steroidcyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

Study on the chiral recognition of the enantiomers of ephedrine derivatives with neutral and sulfated heptakis(2,3-*O*-diacetyl)-β-cyclodextrins using capillary electrophoresis, UV, nuclear magnetic resonance spectroscopy and mass spectrometry 914(2001)315

Artifact-free matrix-assisted laser desorption ionization time-offlight mass spectra of *tert.*-butyldimethylsilyl ether derivatives of cyclodextrins used for the synthesis of single-isomer, chiral resolving agents for capillary electrophoresis 914(2001)325

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61

A capillary electrophoresis study on the influence of β cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Determination of the UV filters worldwide authorised in sunscreens by high-performance liquid chromatography. Use of cyclodextrins as mobile phase modifier 921(2001)207

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Characterization of highly sulfated cyclodextrins 924(2001)523

Analysis of sulfobutyl ether-β-cyclodextrin mixtures by ionspray mass spectrometry and liquid chromatography–ion-spray mass spectrometry 925(2001)79

Efficient applications of capillary electrophoresis-tandem mass spectrometry to the analysis of adrenoreceptor antagonist enantiomers using a partial filling technique 926(2001)3

Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis-laser-induced fluorescence detection 926(2001)309

Application of carboxymethyl-β-cyclodextrin as a chiral selector in capillary electrophoresis for enantiomer separation of selected neurotransmitters 926(2001)327

Chiral supercritical fluid chromatography on porous graphitic carbon using commercial dimethyl β -cyclodextrins as mobile phase additive 929(2001)101

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Effects of substituted cyclodextrins on the separation of aromatic sulphonic acids by capillary zone electrophoresis 948(2002)235

Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321

Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-O-phenylcarbamoylated)- β -cyclodextrin immobilized onto amino-functionalized silica gel via multiple urea linkages 950(2002)65

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

Cycloguanil

Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

Cymenes

Analysis by gas chromatography-mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Cyprodinil

Solid-phase microextraction-gas chromatographic-mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2002)41

Cysteine

Simultaneous determination of several amino acids, including homocysteine, cysteine and glutamic acid, in human plasma by isocratic reversed-phase high-performance liquid chromatography with fluorimetric detection 913(2001)309

Determination by liquid chromatography of free and total cysteine in human urine in the form of its *S*-quinolinium derivative 913(2001)319

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153

Cystine

Determination by liquid chromatography of free and total cysteine in human urine in the form of its *S*-quinolinium derivative 913(2001)319

Cytochromes

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

Determination of omeprazole and its metabolites in human plasma by liquid chromatography-mass spectrometry 949(2002)1

Cytokinins

Quantitative determination of glycosylated and aglycon isoprenoid cytokinins at sub-picomolar levels by microcolumn liquid chromatography combined with electrospray tandem mass spectrometry 929(2001)31

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

D

Daidzein

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Daidzin

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

β-Damascenone

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxypyrazines and beta-damascenone from wine 931(2001)31

Dansyl chloride

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized $_{D,L}$ -serine by γ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Dansylhydrazine

Liquid chromatographic methods for chloral hydrate determination 920(2001)283

DB-VRX

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

DB-200

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

D&C Yellow No. 10

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining countercurrent chromatography 923(2001)87

Deacetylbaccatin III

Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177

Deacetyllappaconitine

Preparative separation of lappaconitine, ranaconitine, *N*-deacetyllappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by highspeed counter-current chromatography 943(2002)219

Deacetylranaconitine

Preparative separation of lappaconitine, ranaconitine, *N*-deacetyllappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by highspeed counter-current chromatography 943(2002)219

Deacetylvinorelbine

New sensitive liquid chromatography method coupled with tandem mass spectrometric detection for the clinical analysis of vinorelbine and its metabolites in blood, plasma, urine and faeces 926(2001)11

Decalins

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Decanol

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Decarboethoxyloratadine

Sensitive liquid chromatography-tandem mass spectrometry method for the determination of loratadine and its major active metabolite descarboethoxyloratadine in human plasma 914(2001)37

Applications of new liquid chromatography-tandem mass spectrometry technologies for drug development support 926(2001)43

O-Deethylreboxetine

Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247

Dehydroepiandrosterone

High-performance liquid chromatographic analysis of dehydroepiandrosterone (Review) 935(2001)279

Dehydroepiandrosterone sulfate

High-performance liquid chromatographic analysis of dehydroepiandrosterone (Review) 935(2001)279

Dehydroretronecines

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

Deltamethrin

What are we determining using gas chromatographic multiresidue methods: tralomethrin or deltamethrin? 943(2002)101

Demethylcantharidin

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319

N-Demethylcitalopram

Liquid-phase microextraction and capillary electrophoresis of citalopram, an antidepressant drug 909(2001)87

Demethylclozapine

Rapid capillary electrophoretic method for the determination of clozapine and desmethylclozapine in human plasma 916(2001)289

Demethylnaproxen

Isotachophoretic determination of naproxen in the presence of its metabolite in human serum 916(2001)207

3-Demethylthiocolchicine

Highly specific and sensitive liquid chromatography-tandem mass spectrometry method for the determination of 3-desmethylthiocolchicine in human plasma as analyte for the assessment of bioequivalence after oral administration of thiocolchicoside 949(2002)71

O-Demethyltramadol

High-performance liquid chromatographic determination of tramadol and its *O*-desmethylated metabolite in blood plasma. Application to a bioequivalence study in humans 949(2002)11

O-Demethylvenlafaxine

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Dendrimers

Application of capillary zone electrophoresis to the separation and characterization of poly(amidoamine) dendrimers with an ethylenediamine core 949(2002)351

Deoxyandrographolide

Determination of bioactive diterpenoids from *Andrographis* paniculata by micellar electrokinetic chromatography 930(2001)171

Deoxynivalenol

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Desmosterol

Quantitative analysis of desmosterol, cholesterol and cholesterol sulfate in semen by high-performance liquid chromatography 935(2001)259

Dexamethasone

Determination of apparent association constants of steroidcyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

Differentiation between dexamethasone and betamethasone in a mixture using multiple mass spectrometry 926(2001)79

Dexamethasone sodium phosphate

High-performance liquid chromatographic method for the assay of dexamethasone and xylometazoline in nasal drops containing methyl p-hydroxybenzoate 949(2002)79

Dextran

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and $(\text{His})_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

(1R,2R)-1,3-Diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate

Liquid chromatographic enantioseparation of β -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

Diacylglyceryl ethers

Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

Dialkyldithiophosphates

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography-mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

Diaminopimelic acid

Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219

Diaminopyridine

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4aminopyridine including related substances 907(2001)321

Diaryldithiophosphates

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography-mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

Diazacrown ethers

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Dibenzo[a, l]pyrene

Application of matrix solid-phase dispersion in the determination of dibenzo[a,l]pyrene content of experimental animal diets used in a large-scale tumor study 932(2001)33

Dibenzothiophenes

Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes 903(2000)193

Dibenzoxepins

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b*,*e*]oxepin derivatives on calixarene- and resorcinarenebonded high-performance liquid chromatography stationary phases 948(2002)309

Dibucaine

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Dicaprylins

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Dicarboxylcellulose

Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29

Dichlofluanid

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Photodegradation study of the antifouling booster biocide dichlofluanid in aqueous media by gas chromatographic techniques 930(2001)135

Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103

2,4-Dichlorophenoxyacetic acid

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Dichloropyridines

New method for rapid solid-phase extraction of large-volume water samples and its application to non-target screening of North Sea water for organic contaminants by gas chromatography-mass spectrometry 912(2001)151

Diclofenac

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

Dicloxacillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Diethyl ether

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Diglycerides

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Dihydrocapsaicin

Determination of capsaicin, dihydrocapsaicin, and nonivamide in self-defense weapons by liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry 912(2001)259

Dihydrocodeine

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Dihydrocodeine-6-glucuronide

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Dihydrodioxothiazolo[4,5-g]phthalazinylbenzoic acid hydroxysuccinimide ester

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Dihydroxybenzoic acid

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Dihydrozeatin

Quantitative determination of glycosylated and aglycon isoprenoid cytokinins at sub-picomolar levels by microcolumn liquid chromatography combined with electrospray tandem mass spectrometry 929(2001)31

Diiodotyrosine

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Diisopropylideneketogulonic acid

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (-)-2,3:4,6-di-O-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Diisopropylnaphthalenes

Isolation and identification of diisopropylnaphthalene isomers in the alkylation products of naphthalene 946(2002)221

Diltiazem

High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185

1,2-Dimethoxyethane

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

Dimethylacetamide

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Study of the stability of cellulose–holocellulose solutions in *N*,*N*-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

Dimethylaniline

Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121

Dimethylarsinic acid

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

${\small Dimethyl dioctyl hexyle thoxymal on a mide} \\$

Determination of C_4-C_{14} carboxylic acids by capillary zone electrophoresis. Application to the identification of diamide degradation products and partitioning studies 920(2001)345

Dimethylformamide

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Dimetridazole

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Dinitrophenylhydrazine

Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Compound Index Vols. 902-950

Dinophysistoxin-1

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Diols

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Dioxane

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Dioxins

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Centrifugal concentrator for the substitution of nitrogen blowdown micro-concentration in dioxin/polychlorinated biphenyl sample preparation 943(2002)295

2,4-Dioxo-5-acetamido-6-phenylhexanoic acid

High-performance liquid chromatographic enantiomeric separation of an enzyme inhibitor which possesses both a chiral center and tautomeric moieties 905(2001)103

Dioxolanes

Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305

Dipeptidyl peptidases

Immunoprecipitation and liquid chromatographic–mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides $\text{GIP}_{1.42}$ and $\text{GIP}_{3.42}$ from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21

Diphenhydramine

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Diphenylethylenediamine

Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253

2,2'-Diphenyl-1-picrylhydrazyl

Evaluation and comparison of two improved techniques for the on-line detection of antioxidants in liquid chromatography eluates 912(2001)73

Diphosphogylcerate

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247

Dipyridyl disulfide

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Disaccharides

Pressure-assisted capillary electrophoresis–electrospray ion trap mass spectrometry for the analysis of heparin depolymerised disaccharides 914(2001)277

Diterpenes

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Dithiobis(nitrobenzoic acid)

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

Dithiophosphates

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography-mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

Diuretics

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Diuron

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

DMP 543

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

DNA

see also Nucleic acids

Bi-column method for purification of transcription factors 905(2001)133

Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111

Mixed triblock copolymers used as DNA separation medium in capillary electrophoresis 909(2001)271

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

On-line nanoliter cycle sequencing reaction with capillary zone electrophoresis purification for DNA sequencing 914(2001)245

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Effect of temperature on the separation of long DNA fragments in polymer solution 916(2001)305

Comparative studies on discrete and concatemeric DNA-Sepharose columns for purification of transcription factors 917(2001)43

Behaviour of inorganic and organic cations in the Debye-Hückel layer of DNA 920(2001)309

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271

Detection of DNA adducts of benzo[*a*]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179

Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis 931(2001)163

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2002)167

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

Bioanalysis in microfluidic devices (Review) 943(2002)159

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

Supercoiled circular DNA and protein retention in nonequilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

N-Dodecanoyl-L-proline-3,5-dimethylanilide

Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

Dolichols

Chromatography of long chain alcohols (polyprenols) from animal and plant sources (Review) 936(2001)95

Domoic acid

Determination of domoic acid in shellfish by liquid chromatography with electrospray ionization and multiple tandem mass spectrometry 938(2001)167

Domperidone

Rapid and sensitive liquid chromatography-tandem mass spectrometry method for the quantitation of domperidone in human plasma 949(2002)65

Dopamine

Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in singleenzyme and coupled-enzyme formats 948(2002)249

Dopamine *β*-hydroxylase

Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in singleenzyme and coupled-enzyme formats 948(2002)249

Doxepin

Sensitive liquid chromatographic-tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarenebonded high-performance liquid chromatography stationary phases 948(2002)309

Doxylamine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Drugs

see also Basic drugs

Microextraction of drugs (Review) 902(2000)17

Enantioselective chromatography as a powerful alternative for the preparation of drug enantiomers (Review) 906(2001)379 Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

New method for rapid solid-phase extraction of large-volume water samples and its application to non-target screening of North Sea water for organic contaminants by gas chromatography-mass spectrometry 912(2001)151

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69

Dyes

see also Azo dyes

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Separation using planar chromatography with electroosmotic flow 903(2000)211

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Analysis of sulfonated compounds by ion-exchange highperformance liquid chromatography-mass spectrometry 912(2001)53

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Analysis of sulfophthalimide and some of its derivatives by liquid chromatography–electrospray ionization tandem mass spectrometry 919(2001)289

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining countercurrent chromatography 923(2001)87 Experimental demonstration of the possibility to perform sheardriven chromatographic separations in micro-channels 924(2001)111

High performance liquid chromatography-mass spectrometric analysis of sulphonated dyes and intermediates 926(2001)175

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

Purification of Food Color Red No. 106 (acid red) using pHzone-refining counter-current chromatography 946(2002)157

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249



Ebrotidines

Multivariate calibration methods for quantification in strongly overlapping capillary electrophoretic peaks 909(2001)259

Ecdysteroids

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and ¹H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309

Ecgonine methyl ester

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

Echinaforce

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Econazole

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

EMD53986

Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93

Emetine dithiocarbamate metal complex

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

Endocrine disruptors

Ionization of dichlorophenols for their analysis by capillary electrophoresis-mass spectrometry 924(2001)415

Endoglucanases

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)–phosphate aqueous two-phase system 943(2002)55

Endo-polygalacturonase

Separation of endo-polygalacturonase using aqueous two-phase partitioning 929(2001)23

Endosulfan

Determination of residues of endosulfan and five pyrethroid insecticides in virgin olive oil using gas chromatography with electron-capture detection 921(2001)297

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography-mass spectrometry 947(2002)119

Enoxaparin sodium

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Enzyme inhibitors

see also Proteins

High-performance liquid chromatographic enantiomeric separation of an enzyme inhibitor which possesses both a chiral center and tautomeric moieties 905(2001)103

High-performance liquid chromatographic analysis for a nonchromophore-containing phosphatidyl inositol analog, 1-[(1-Ooctadecyl-2-O-methyl-sn-glycero)-phospho]-1D-3-deoxy-myoinositol, using indirect UV detection 913(2001)355

Determination of serum levels of thirteen human immunodeficiency virus-suppressing drugs by high-performance liquid chromatography 913(2001)447

Liquid chromatographic-tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine 916(2001)279

Chromatographic purification of some 3-hydroxy-3methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439

Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319

Determination and pharmacokinetic profile of omeprazole in rat blood, brain and bile by microdialysis and high-performance liquid chromatography 949(2002)35

Simple high-performance liquid chromatography method for the simultaneous determination of ketoconazole and piperine in rat plasma and hepatocyte culture 949(2002)43

Improved procedure for the determination of rofecoxib in human plasma involving 96-well solid-phase extraction and fluorescence detection 949(2002)83 Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzymecatalyzed reactions 950(2002)125

Enzymes

see also Proteins

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations (Review) 906(2001)253

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Continuous superporous agarose beds in radial flow columns 925(2001)69

Immunoprecipitation and liquid chromatographic–mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides $\text{GIP}_{1.42}$ and $\text{GIP}_{3.42}$ from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161

Liquid chromatographic determination of total and β -N-oxalyl-L- α , β -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13

Separation of endo-polygalacturonase using aqueous two-phase partitioning 929(2001)23

Capillary zone electrophoresis with electrochemical detection a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)– phosphate aqueous two-phase system 943(2002)55

Comparative study on the fractionation of cellulases on some hydrophobic interaction chromatography adsorbents 944(2002)211

Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319

Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in single-enzyme and coupled-enzyme formats 948(2002)249

Global internal standard technology for comparative proteomics 949(2002)173

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzymecatalyzed reactions 950(2002)125

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

Eosin

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Ephedrines

Study on the chiral recognition of the enantiomers of ephedrine derivatives with neutral and sulfated heptakis(2,3-*O*-diacetyl)-β-cyclodextrins using capillary electrophoresis, UV, nuclear magnetic resonance spectroscopy and mass spectrometry 914(2001)315

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Impurity profiling of ephedrines in methamphetamine by high-performance liquid chromatography 947(2002)151

Epigallocatechin gallate

Effect of particle size in preparative reversed-phase highperformance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275

Epinephrine

see also Adrenaline

Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in singleenzyme and coupled-enzyme formats 948(2002)249

Epoxides

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Erythromycins

Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193

Erythropoietin

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Esters

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane–acetonitrile system 923(2001)127

Estrogens

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction–liquid chromatography–diode array detection 911(2001)203

Determination of estrogens in river water by gas chromatography-negative-ion chemical-ionization mass spectrometry 919(2001)275 Analysis of estrogens in river water and effluents using solidphase extraction and gas chromatography–negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145

Ethene

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

Ethers

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Ethidium bromide

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

Ethirimol

Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429

Ethosuximide

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Ethoxylates

Separation of isomers of nonylphenol and select nonylphenol polyethoxylates by high-performance liquid chromatography on a graphitic carbon column 914(2001)161

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193 Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection-mass spectrometry and liquid chromatography-mass spectrometry and -tandem mass spectrometry 926(2001)127

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography-electrospray mass spectrometry 938(2001)79

Ethoxynonafluorobutane

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Ethyl-3-(N-n-butyl-N-acetyl)aminopropionate

Development and validation of a reversed-phase highperformance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Ethyl tert.-butyl ether

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Ethylenediamine

Application of capillary zone electrophoresis to the separation and characterization of poly(amidoamine) dendrimers with an ethylenediamine core 949(2002)351

Ethylenediaminetetraaccetate

Determination of metal complexes of ethylenediaminetetraacetate in the presence of organic matter by high-performance liquid chromatography 905(2001)157

Ethylene glycol

Identification of impurities affecting commercial ethylene glycol UV transmittance 904(2000)87

Ethylene glycol dimethacrylate

Uniformly sized molecularly imprinted polymer for (*S*)naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141

Ethyl(hydroxyethyl)cellulose

Molecular mass distribution analysis of ethyl(hydroxyethyl)cellulose by size-exclusion chromatography with dual light-scattering and refractometric detection 946(2002)69

Ethylxylene

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Eudesmol

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Explosives

Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives 902(2000)413

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Detection of the cyclic nitramine explosives hexahydro-1,3,5trininitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113

Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography– atmospheric pressure chemical ionization mass spectrometry 946(2002)125



Factor VIII

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase highperformance liquid chromatography 946(2002)163

Factor IX

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

Characterization of clotting factor IX in plasma-derived preparations by electrophoretic techniques 921(2001)57

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase highperformance liquid chromatography 946(2002)163

Farrerol

Determination of active ingredients of *Rhododendron dauricum* L. by capillary electrophoresis with electrochemical detection 943(2002)153

Fatty acid methyl esters

Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography 905(2001)251

New halogen-specific detector applied to the analysis of chlorinated fatty acids 912(2001)99

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Automated determination of fatty acid methyl ester and *cis/ trans* methyl ester composition of fats and oils 922(2001)391

Relationship between carbon number and peak width in gas chromatography 926(2001)337

Fatty acids

see also Carboxylic acids and Organic acids

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Autoxidation products of normal and genetically modified canola oil varieties determined using liquid chromatography with mass spectrometric detection 905(2001)85

Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography 905(2001)251

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39

Analysis of triacylglycerol positional isomers in food products as brominated derivatives by high-performance liquid chromatography coupled with a flame ionization detection 912(2001)187

Structural analysis of commercial ceramides by gas chromatography-mass spectrometry 917(2001)251

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Gas chromatographic characterization of vegetable oil deodorization distillate 921(2001)277

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography– atmospheric pressure chemical ionisation mass spectrometry 926(2001)239

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

Fatty alcohol ethoxylates

Liquid exclusion-adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Fatty alcohols

Relationship between carbon number and peak width in gas chromatography 926(2001)337

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

FC-129

Use of a fluorosurfactant in micellar electrokinetic capillary chromatography 916(2001)73

Fenchlorazole-ethyl

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

G-Fenozide

Effect of liquid chromatography separation of complex matrices on liquid chromatography-tandem mass spectrometry signal suppression 907(2001)337

Fetuin

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Determination of sialic acids by liquid chromatography-mass spectrometry 913(2001)365

Ficaprenols

Chromatography of long chain alcohols (polyprenols) from animal and plant sources (Review) 936(2001)95

Fipronil

Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry 919(2001)215

FLAG peptide

Affinity of the monoclonal antibody M1 directed against the FLAG peptide 921(2001)25

Flavanols

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Flavanone glycosides

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Flavonoids

Negative atmospheric pressure chemical ionisation low-energy collision activation mass spectrometry for the characterisation of flavonoids in extracts of fresh herbs 902(2000)369

Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography 910(2001)265

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Evaluation of quadrupole time-of-flight tandem mass spectrometry and ion-trap multiple-stage mass spectrometry for the differentiation of *C*-glycosidic flavonoid isomers 926(2001)29

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

Direct extraction of specific pharmacophoric flavonoids from gingko leaves using a molecularly imprinted polymer for quercetin 934(2001)1

Fast analysis of flavonoids in plant extracts by liquid chromatography–ultraviolet absorbance detection on poly(carboxylic acid)-coated silica and electrospray ionization tandem mass spectrometric detection 943(2002)33

Flavonols

Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297

Fludioxonil

Solid-phase microextraction-gas chromatographic-mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2002)41

Flumequine

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2002)275

Fluorenylmethyl chloroformate

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D,L-serine by γ-cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2002)177

Fluorescein

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Fluorocarbons

Improvements in the detection and analysis of CF₃-containing compounds in the background atmosphere by gas chromatography–high-resolution mass spectrometry 903(2000)261

Fluorodeoxyuridine monophosphate

Determination of 5-fluorouracil and 5-fluoro-2'-deoxyuridine-5'monophosphate in pancreatic cancer cell line and other biological materials using capillary electrophoresis 916(2001)215

Fluorodinitrophenylleucinamide

Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187

Fluoroform

Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107

Fluoroquinolones

Effects of the matrix and sample preparation on the determination of fluoroquinolone residues in animal tissues 914(2001)89

Fluorouracil

Determination of 5-fluorouracil and 5-fluoro-2'-deoxyuridine-5'monophosphate in pancreatic cancer cell line and other biological materials using capillary electrophoresis 916(2001)215

Fluoxetine

Sensitive liquid chromatographic-tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45

Flutamide

Appropriate column configurations for the rapid analysis and semipreparative purification of the radiolabeled drug flutamide by high-performance liquid chromatography 914(2001)23

Folates

Determination of folates in foods by high-performance liquid chromatography with fluorescence detection after precolumn conversion to 5-methyltetrahydrofolates 928(2001)77

Folpet

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Food Color Red No. 106

Purification of Food Color Red No. 106 (acid red) using pHzone-refining counter-current chromatography 946(2002)157

Formaldehyde

Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123

Fractionation and characterization of phenolic resins by highperformance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147

Formaldehyde dehydrogenase

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Formate

Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143

Liquid chromatographic methods for chloral hydrate determination 920(2001)283

Fragrances

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Freons

see Chlorofluorocarbons

Fructans

Evaluation of fructans in various fresh and stewed fruits by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)291

Separation and identification of enzymatic sucrose hydrolysis products by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)299

Fructose

Separation and identification of enzymatic sucrose hydrolysis products by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)299

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

Fullerenes

Separation and identification of perchlorinated polycyclic aromatic hydrocarbons and fullerenes (C_{60} , C_{70}) by coupling high-performance liquid chromatography with ultraviolet absorption spectroscopy and atmospheric pressure chemical ionization mass spectrometry 932(2001)43

Fulvic acids

Discrete spacers for photometric characterization of humic acids separated by capillary isotachophoresis 916(2001)191

Characterisation of humic substances using atmospheric pressure chemical ionisation and electrospray ionisation mass spectrometry combined with size-exclusion chromatography 926(2001)151

Fumonisins

Robotic automated clean-up for detection of fumonisins B_1 and B_2 in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

Furaldehyde

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furaltadone

Determination of the metabolites of nitrofuran antibiotics in animal tissue by high-performance liquid chromatography-tandem mass spectrometry 939(2001)49

Furan

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Furancarboxaldehyde

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furancarboxylic acid

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furathiocarb

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Furazolidone

Determination of the metabolites of nitrofuran antibiotics in animal tissue by high-performance liquid chromatography– tandem mass spectrometry 939(2001)49

Furfurals

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

Furfuryl alcohol

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Furohyperforin

High-performance liquid chromatography–electrospray ionization mass spectrometry and multiple mass spectrometry studies of hyperforin degradation products 926(2001)187

Furoic acid

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Furoylquinoline carboxaldehyde

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369



Galactosidases

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

Channel-specific coatings on microfabricated chips 924(2001)165

Galectin

Application of reinforced frontal affinity chromatography and advanced processing procedure to the study of the binding property of a *Caenorhabditis elegans* galectin 905(2001)337

Gallic acid

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Gases

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Gelatin

Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113

Gemfibrozil

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

Genistein

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Genistin

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Gentamicin

Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59

Geraniol

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β -cyclodextrin as mobile phase modifier 903(2000)67

Ginkgolic acids

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

Reversed-phase argentation high-performance liquid chromatography in phytochemical analysis of ginkgolic acids in leaves from *Ginkgo biloba* L 943(2002)303

Ginsenosides

Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47

New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367

Liquid chromatographic determination of less polar ginsenosides in processed ginseng 921(2001)335

Glibenclamide

Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography–electrospray tandem mass spectrometry 938(2001)175

Glucagon

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Glucocorticoids

Differentiation between dexamethasone and betamethasone in a mixture using multiple mass spectrometry 926(2001)79

Glucopyranoses

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

Glucopyranosyloxymethyloctanoic acid

Comparison of direct and indirect methods of measuring the precursors of β -methyl- γ -octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] 905(2001)183

Glucose

Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247

Glucoside malonates

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

Glucosides

Determination of anthocyanins in wine based on flow-injection, liquid-solid extraction, continuous evaporation and highperformance liquid chromatography-photometric detection 910(2001)255

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

Glucosinolates

Direct determination of sinigrin in mustard seed without desulfatation by reversed-phase ion-pair liquid chromatography 912(2001)363

Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299

Glucuronides

Liquid chromatography-tandem mass spectrometry method of urine analysis for determining human variation in carcinogen metabolism 914(2001)95

Capillary electrophoresis–electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine 916(2001)225

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Glufosinate

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Glutamate

Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133 Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349

Glutamate oxidase

Liquid chromatographic determination of total and β -N-oxalyl-L- α , β -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13

Glutamic acid

Simultaneous determination of several amino acids, including homocysteine, cysteine and glutamic acid, in human plasma by isocratic reversed-phase high-performance liquid chromatography with fluorimetric detection 913(2001)309

Glutamine synthetase

Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133

Glutathione

Artifactual-free analysis of *S*-nitrosoglutathione and *S*nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141

Effect of reduced glutathione on the stability of pigments in paprika powders studied by multiwavelength spectrometry and high-performance liquid chromatography 949(2002)269

Glutathione reductase

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Glutathione transferase

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Glycans

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Glycerides

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Glycerols

Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography– atmospheric pressure chemical ionisation mass spectrometry 926(2001)239 Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis 931(2001)163

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

Glycidyl methacrylate

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Glycine

Simultaneous determination of δ -aminolevulinic acid, porphobilinogen, levulinic acid and glycine in culture broth by capillary electrophoresis 938(2001)137

Glycitein

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Glycitin

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Glycoalkaloids

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Glycomacropeptides

Routine *o*-glycan characterization in nutritional supplements a comparison of analytical methods for the monitoring of the bovine kappa-casein macropeptide glycosylation 929(2001)151

Glycopeptides

Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Glycoproteins

Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations (Review) 906(2001)253

Shielding of protein-boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Determination of sialic acids by liquid chromatography-mass spectrometry 913(2001)365

Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203

Glycosaminoglycans

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Glycosides

Applications of a copper microparticle-modified carbon fiber microdisk array electrode for the simultaneous determination of aminoglycoside antibiotics by capillary electrophoresis 905(2001)309

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Evaluation of quadrupole time-of-flight tandem mass spectrometry and ion-trap multiple-stage mass spectrometry for the differentiation of *C*-glycosidic flavonoid isomers 926(2001)29

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

Characterization of alkyl polyglycosides by both reversed-phase and normal-phase modes of high-performance liquid chromatography 943(2002)241

Glyphosate

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anionexchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Gold

Selective concentration of gold in water to a polystyreneembedded fiber disk with polyoxyethylene(10)-p-isononylphenyl ether 932(2001)159

Growth hormone releasing factor

Set-up of large laboratory-scale chromatographic separations of poly(ethylene glycol) derivatives of the growth hormone-releasing factor 1–29 analogue 944(2002)141

Guaiacol

Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

262

Guaianolides

Combination of chromatographic and spectroscopic methods for the isolation and characterization of polar guaianolides from *Achillea asiatica* 936(2001)193

Guanosine

Electrophoretron: a new method for enhancing resolution in electrokinetic separations 924(2001)53



H-acid

Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263

Haloacetic acids

Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography-electrospray ionization mass spectrometric detection 938(2001)45

Halogenated compounds

see also Organochlorine compounds, Polychlorinated biphenyls, Polychlorinated dibenzodioxins and Polychlorinated dibenzofurans

In vivo incorporation of radioactive ³⁶Cl, a method for monitoring chloro compounds in biological material 903(2000)267

Brominated flame retardants in laboratory air 923(2001)299

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatographymass spectrometry 927(2001)229

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography–electrospray ionization mass spectrometric detection 938(2001)45

Pressurised hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113

Haloperidol

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

Tune compounds for electrospray ionisation/in-source collisioninduced dissociation with mass spectral library searching 926(2001)199

HD

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Heavy metals

see also Metals

Monitoring and statistical evaluation of heavy metals in airborne particulates in Cairo, Egypt 920(2001)261

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73

Hemispherodextrins

Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61

Heparin

Pressure-assisted capillary electrophoresis–electrospray ion trap mass spectrometry for the analysis of heparin depolymerised disaccharides 914(2001)277

Determination of heparin on intraocular lens surfaces by ion chromatography 917(2001)105

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Heptakis(2-N,NN-dimethylcarbamoyl)- β -cyclodextrin

New single-isomer chiral selector for capillary electrophoresis: the highly water-soluble *heptakis*(2-*N*,*N*-dimethylcarbamoyl)-βcyclodextrin 911(2001)249

Heroin

Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Hexaamines

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Hexadecane

Experimental determination and prediction of the gas-liquid *n*-hexadecane partition coefficients 923(2001)153

Hexafluoroisopropanol

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Hexahydro-1,3,5,7-trinitro-1,3,5,7-triazine

Detection of the cyclic nitramine explosives hexahydro-1,3,5trininitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

Hexamethyldisilazane

Gas chromatographic-mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235

Hexane

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Hexanesulfonic acid

Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249

Hexyl

Analysis of polynitrophenols and hexyl by liquid chromatography-mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47

3-Hexylthiopene

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Hippuric acid

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzymecatalyzed reactions 950(2002)125

Hirudin

Competitive immunoassay for recombinant hirudin using capillary electrophoresis with laser-induced fluorescence detection 924(2001)337

Histamine

Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis-laser-induced fluorescence detection 926(2001)309

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95

Histidine

Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23

Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153

Histones

Analysis of histones by on-line capillary zone electrophoresis– electrospray ionisation mass spectrometry 926(2001)57

HMX

Detection of the cyclic nitramine explosives hexahydro-1,3,5trininitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

Homocysteine

Simultaneous determination of several amino acids, including homocysteine, cysteine and glutamic acid, in human plasma by isocratic reversed-phase high-performance liquid chromatography with fluorimetric detection 913(2001)309

Determination of biologically active low-molecular-mass thiols in human blood. III. Highly sensitive narrow-bore isocratic reversed-phase high-performance liquid chromatography with fluorescence detection 913(2001)315

Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141

Hopanes

Study of Croatian non-aromatic naphthalane constituents with skeletons analogous to bioactive compounds 918(2001)127

Hopanoids

Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 921(2001)175

Hormones

see also Plant hormones

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Immunoprecipitation and liquid chromatographic–mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides $\text{GIP}_{1.42}$ and $\text{GIP}_{3.42}$ from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21

Confirmatory analysis of residues of stanozolol and its major metabolite in bovine urine by liquid chromatography-tandem mass spectrometry 926(2001)69

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Steroid analysis for medical diagnosis (Review) 935(2001)267

Humic acids

Discrete spacers for photometric characterization of humic acids separated by capillary isotachophoresis 916(2001)191

Solid-phase extraction of polycyclic aromatic hydrocarbons in surface water. Negative effect of humic acid 921(2001)255

Humic substances

Discrete spacers for photometric characterization of humic acids separated by capillary isotachophoresis 916(2001)191

Characterisation of humic substances using atmospheric pressure chemical ionisation and electrospray ionisation mass spectrometry combined with size-exclusion chromatography 926(2001)151

Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221

Hyaluronic acid

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

Hydrocarbons

see also Volatile organic compounds

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73 High-throughput reactor for simulating the flame photometric detector 905(2001)241

Gas chromatographic study of the volatile products from copyrolysis of coal and polyethylene wastes 918(2001)135

Selectivity of solid-phase extraction phases in the determination of biodegradation products 918(2001)145

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

Hydrocarbons, aromatic

see also Polynuclear aromatic hydrocarbons

Chromatographic behavior of poly(styrene–divinybenzene) encapsulated packing material for capillary electrochromatography 912(2001)335

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane-acetonitrile system 923(2001)127

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Hydrochlorothiazide

Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439

Hydrocortisone

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Hydrogen peroxide

Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α 1-antitrypsin 942(2002)133

Hydroxy acids

Chemically modified chiral monolithic silica column prepared by a sol–gel process for enantiomeric separation by micro highperformance liquid chromatography 942(2002)83

Hydroxyalkaloids

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Hydroxyapatite

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Hydroxycarotenoids

Chromatographic performance on a C_{30} -bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59

Hydroxydehydroepiandrosterone

7-Hydroxydehydroepiandrosterone epimers in human serum and saliva. Comparison of gas chromatography-mass spectrometry and radioimmunoassay 935(2001)297

Hydroxyecdysone

Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309

1-(Hydroxyethyl) cyclopropyl ketone

On the pheromone of the Asparagus fly, *Platyparea* poeciloptera 921(2001)341

Hydroxyfenozide

Effect of liquid chromatography separation of complex matrices on liquid chromatography-tandem mass spectrometry signal suppression 907(2001)337

Hydroxyindoles

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Hydroxymethylfurfural

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Hydroxypropylcellulose

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

Hydroxystanozolol

Determination of 16β-hydroxystanozolol in urine and faeces by liquid chromatography–multiple mass spectrometry 904(2000)203

Hydroxyvinorelbine

New sensitive liquid chromatography method coupled with tandem mass spectrometric detection for the clinical analysis of vinorelbine and its metabolites in blood, plasma, urine and faeces 926(2001)11

45-Hydroxyyessotoxin

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Hyperforin

High-performance liquid chromatography–electrospray ionization mass spectrometry and multiple mass spectrometry studies of hyperforin degradation products 926(2001)187

Ibuprofen

see also Nonsteroidal anti-inflammatory drugs and Profens

Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

Imidazoles

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Imino acids

Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283

Immunoglobulins

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15

Preparative electrophoresis: a general method for the purification of polyclonal antibodies 944(2002)161

Use of a modified zirconia support in the separation of immunoproteins 944(2002)179

Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143

Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

Indole compounds

High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91

Indolocarbazoles

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

Indomethacin

Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Indonolol

High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185

Inorganic anions

see also Anions and Special Issue Index

Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173 Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167

Differential elution of sodium or potassium dihydrogen- and hydrogenphosphate ions from a Sephadex G-15 column with sodium or potassium chloride solution 914(2001)175

Conductivity detection cell for capillary zone electrophoresis with a solution mediated contact of the separated constituents with the detection electrodes 916(2001)31

Isotachophoresis and isotachophoresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155

Determination of organic acids and inorganic anions in wine by isotachophoresis on a planar chip 916(2001)167

Application of capillary isotachophoresis for fruit juice authentication 916(2001)185

Analysis of thiocyanate in biological fluids by capillary zone electrophoresis 916(2001)273

Fast separation of UV absorbing anions using ion-interaction chromatography 917(2001)353

Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography 918(2001)325

Capillary zone electrophoresis for the determination of lightabsorbing anions in environmental samples 918(2001)411

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Effect of temperature on retention and selectivity in ion chromatography of anions 920(2001)3

Optimisation of the separation of anions by ion chromatography-capillary electrophoresis using indirect UV detection 920(2001)31

New block-grafted anion exchanger for environmental water analysis by ion chromatography 920(2001)51

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

Novel stationary phase with regulated anion-exchange capacity 920(2001)87

Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic– zwitterionic micelles as the column coating solution 920(2001)95

Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127

Chemiluminescence nitrogen detection in ion chromatography for the determination of nitrogen-containing anions 920(2001)135

Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143

Continuous melting and ion chromatographic analyses of ice cores 920(2001)193

Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221

Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy 920(2001)231

High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239

Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247

Capillary electrophoresis for measuring major and trace anions in thermal water and condensed-steam samples from hydrothermal springs and fumaroles 920(2001)325

Ion chromatography on-chip 924(2001)233

Effect of a soluble ionic polymer on the separation of anions by capillary electrophoresis 934(2001)87

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2002)289

Erratum to "Ion chromatography on-chip" [J. Chromatogr. A, 924 (2001) 233–238] 943(2002)311

Suppressed ion chromatography for monitoring chemical impurities in steam for geothermal power plants 949(2002)281

Inorganic cations

see also Cations, Metal cations and Special Issue Index

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C_{18} column by mass spectrometry with electrospray ionization 910(2001)187

Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167

Differential elution of sodium or potassium dihydrogen- and hydrogenphosphate ions from a Sephadex G-15 column with sodium or potassium chloride solution 914(2001)175

Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23

High-capacity cation-exchange column for enhanced resolution of adjacent peaks of cations in ion chromatography 920(2001)61

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109

Continuous melting and ion chromatographic analyses of ice cores 920(2001)193

High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239

Ammonium extraction method for ion chromatographic measurements of disc drive components 920(2001)271

Behaviour of inorganic and organic cations in the Debye-Hückel layer of DNA 920(2001)309

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Inositol phosphates

Scale-up potential of ion-pair high-performance liquid chromatography method to produce biologically active inositol phosphates 944(2002)241

Insect repellents

Development and validation of a reversed-phase highperformance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Insulin

Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption ionisation time-of-flight mass spectrometry 907(2001)131

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

Inulobiose

Evaluation of fructans in various fresh and stewed fruits by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)291

Iodate

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Iodide

Determination of iodide in seawater and urine by size exclusion chromatography with iodine-starch complex 918(2001)335

Iodine

Visualization of solute migration in chromatographic columns Influence of the frit porosity 917(2001)1

Capillary electrophoretic determination of sulfite using the zonepassing technique of in-capillary derivatization 934(2001)67

Iodoalkylammonium salts

w-Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Ionenes

Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51

Ionone

Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23

Iprodione

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

IR 3535

Development and validation of a reversed-phase highperformance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Irgarol

Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples 926(2001)221

Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103

Isoconazole

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Isoflavones

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Determination of isoflavone glucoside malonates in *Trifolium* pratense L. (red clover) extracts: quantification and stability studies 932(2001)55

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Isopicramic acid

Analysis of polynitrophenols and hexyl by liquid chromatography-mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47

Isoproturon

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Isoquinoline alkaloids

Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography–electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35

Isosafroles

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Isothiocyanates

Monitoring of isothiocyanates emanating from Arabidopsis thaliana upon paraquat spraying 912(2001)127

Isoxazolinones

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129



Kaempferols

Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297

Direct extraction of specific pharmacophoric flavonoids from gingko leaves using a molecularly imprinted polymer for quercetin 934(2001)1

Kanamycins

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Non-derivatization approach to high-performance liquid chromatography-fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59

Kava pyrones

Computer-assisted optimization in the development of a highperformance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51

Ketoconazole

Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305

Simple high-performance liquid chromatography method for the simultaneous determination of ketoconazole and piperine in rat plasma and hepatocyte culture 949(2002)43

Ketones

see also Carbonyl compounds and Volatile organic compounds

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Ketoprofen

see also Nonsteroidal anti-inflammatory drugs and Profens

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Capillary zone electrophoresis with electrochemical detection a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187



Labetalol

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (-)-2,3:4,6-di-O-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

β-Lactams

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted β -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Lactate

Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis-liquid chromatography 913(2001)341

Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247

Lactate dehydrogenase

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Continuous superporous agarose beds in radial flow columns 925(2001)69

Lactoferrin

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Lactoglobulins

Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (pI). Effects of NaCl concentration, pH value, and temperature 912(2001)281

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Lactones

Comparison of direct and indirect methods of measuring the precursors of β -methyl- γ -octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] 905(2001)183

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Lactylglucosamines

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Lamotrigine

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Lanolin

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213

Lanthanides

see also Rare earth ions

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Lappaconitine

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Preparative separation of lappaconitine, ranaconitine, *N*-deacetyllappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by highspeed counter-current chromatography 943(2002)219

Laudanosine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Lauric acid

Autoxidation products of normal and genetically modified canola oil varieties determined using liquid chromatography with mass spectrometric detection 905(2001)85

Lauryl methacrylamide

Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281

Lectins

Application of reinforced frontal affinity chromatography and advanced processing procedure to the study of the binding property of a *Caenorhabditis elegans* galectin 905(2001)337

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Leucotrienes

Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187

Leuprolide

Liquid chromatography–mass spectrometry and capillary electrophoresis combined approach for separation and characterization of multicomponent peptide mixtures. Application to crude products of leuprolide synthesis 950(2002)99

Levulinic acid

Simultaneous determination of δ -aminolevulinic acid, porphobilinogen, levulinic acid and glycine in culture broth by capillary electrophoresis 938(2001)137

Lewisite oxide

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Lignans

Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis* 916(2001)265

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389

Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

Lignosulfonates

Molecular weight determination of lignosulfonates by sizeexclusion chromatography and multi-angle laser light scattering 942(2002)191

Limonene

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Linalool

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β -cyclodextrin as mobile phase modifier 903(2000)67

Lindane

Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry 919(2001)215

Linoleic acid peroxide

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Lipid hydroperoxides

Capillary zone electrophoresis with electrochemical detection a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Lipids

see also Special Issue Index

Optical resolution of asymmetric triacylglycerols by chiral-phase high-performance liquid chromatography 905(2001)111

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Plasma non-cholesterol sterols (Review) 935(2001)203

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

Analysis of non-saponifiable lipids by super-/subcritical-fluid chromatography (Review) 936(2001)201

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

Fractionation of soybean phospholipids by preparative highperformance liquid chromatography with sorbents of various particle size 949(2002)217

Separation, identification and quantitation of ceramides in human cancer cells by liquid chromatography–electrospray ionization tandem mass spectrometry 949(2002)225

Liposomes

Effect of liposome type and membrane fluidity on drugmembrane partitioning analyzed by immobilized liposome chromatography 913(2001)123

Lithium chloride

Ion chromatographic determination of lithium at trace level concentrations. Application to a tracer experiment in a high-mountain lake 920(2001)201

Study of the stability of cellulose–holocellulose solutions in N,N-dimethylacetamide–lithium chloride by size exclusion chromatography 927(2001)31

Lithium dodecylsulfate

Solute-solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate-lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Lithium perfluorooctanesulfonate

Solute-solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate-lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Loratadine

Sensitive liquid chromatography-tandem mass spectrometry method for the determination of loratadine and its major active metabolite descarboethoxyloratadine in human plasma 914(2001)37

Applications of new liquid chromatography-tandem mass spectrometry technologies for drug development support 926(2001)43

Lorazepam

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Lovastatin

Chromatographic purification of some 3-hydroxy-3methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Loxoprofen

Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303

Luminol

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Lutein

Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151

Lutidines

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Effect of counter-anion concentration on retention in highperformance liquid chromatography of protonated basic analytes 913(2001)189

Lycopenes

Application of analytical and preparative high-speed countercurrent chromatography for separation of lycopene from crude extract of tomato paste 929(2001)169

Chromatographic performance on a C_{30} -bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59

Lysine

Chiral separation of underivatized amino acids by ligandexchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

Lysozyme

Control method for integrity of continuous beds 908(2001)179

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

Nd-Fe-B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

Performance and scale-up of adsorptive membrane chromatography 944(2002)129



Macrocyclic antibiotics

Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73

Macrolides

Separation of spiramycin components using high-speed countercurrent chromatography 903(2000)93

Determination of macrolide antibiotics by liquid chromatography 910(2001)285

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Confirmatory method for macrolide residues in bovine tissues by micro-liquid chromatography-tandem mass spectrometry 926(2001)97

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193

Magnesium

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Malathion

Gas chromatographic-tandem mass spectrometric analytical method for the study of inhalation, potential dermal and actual exposure of agricultural workers to the pesticide malathion 939(2001)79

Maleimides

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

Malic acid

Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139

Malondialdehyde

Comparison of analytical techniques to quantify malondialdehyde in milk powders 921(2001)237

Mandelic acid

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Impact of adsorption isotherm parameters on the performance of enantioseparation using simulated moving bed chromatography 944(2002)249

Melperone

Rapid and sensitive liquid chromatography-tandem mass spectrometry method for the quantitation of domperidone in human plasma 949(2002)65

Menthol

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Mercaptobenzimidazole

Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography-mass spectrometry 912(2001)311

2-Mercaptoethanesulfonic acid

Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29

Mercaptoethylpyridine

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Mercaptopropionic acid

Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*phthaldialdehyde/3-mercaptopropionic acid and *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography-mass spectrometry study 949(2002)99

Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141

Mercury

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Mesna

Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29

Metal cations

see also Cations and Inorganic cations

Ionophoretic studies on mixed metal-nitrilotriacetatepenicillamine complexes 910(2001)181

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Demonstration of simultaneous cation-exchange and reversedphase mechanisms on a strong-acid cation-exchange column 919(2001)21 Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

Effect of organic solvents in the on-line thermal lens spectrometric detection of chromium(III) and chromium(VI) after ion chromatographic separation 920(2001)119

Ion chromatographic determination of lithium at trace level concentrations. Application to a tracer experiment in a high-mountain lake 920(2001)201

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a precolumn complexation agent 927(2001)219

Complex formation analysis of water-soluble calixarenes by capillary zone electrophoresis 934(2001)113

Removal of metal ions from aqueous solution by adsorption on the natural adsorbent CACMM2 938(2001)237

Simultaneous electrophoretic determination of vanadium(V) and vanadium(IV) based on the complex formation with a Mo(VI)-P(V) reagent 939(2001)123

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2002)249

Metal chelates

see also Metal complexes

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and $(\text{His})_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)27

Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachophoresis–particle-indcued X-ray emission 919(2001)417

Functional polymer affinity matrix for purifying hexahistidinetagged recombinant protein 921(2001)197

Metal complexes

see also Metal chelates

Determination of metal complexes of ethylenediaminetetraacetate in the presence of organic matter by high-performance liquid chromatography 905(2001)157

Ionophoretic studies on mixed metal-nitrilotriacetatepenicillamine complexes 910(2001)181

Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Non-derivatization approach to high-performance liquid chromatography-fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59

Simultaneous electrophoretic determination of vanadium(V) and vanadium(IV) based on the complex formation with a Mo(VI)– P(V) reagent 939(2001)123

Migration behavior of metal complexes in capillary zone electrophoresis. Interpretation in terms of quantitative structure– mobility relationships 943(2002)263

Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies (Review) 945(2002)25

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Metallomesogens

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Metalloporphyrins

Determination of porphyrins and metalloporphyrins using liquid chromatography-diode array detection and mass spectrometry 905(2001)141

Metals

see also Heavy metals and Transition metals

Analytical-scale microwave-assisted extraction 902(2000)227

Removal of metallic impurities from mobile phases in reversedphase high-performance liquid chromatography by the use of an in-line chelation column 913(2001)159

Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129

Metamizole

Tune compounds for electrospray ionisation/in-source collisioninduced dissociation with mass spectral library searching 926(2001)199

Methacrylamide

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Methacrylates

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Methacrylate monolithic columns of 320 μ m I.D. for capillary liquid chromatography 946(2002)99

Methacryloyloxyethyl phosphate

Preparation of sterol-imprinted polymers with the use of 2-(methacryloyloxy)ethyl phosphate 938(2001)131

Methamphetamine

Impurity profiling of ephedrines in methamphetamine by high-performance liquid chromatography 947(2002)151

Methanol

Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Methionine

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α 1-antitrypsin 942(2002)133

Methionine enkephalin

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Methionine sulfoximine

Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133

Methoxycinnamaldehyde

Gas chromatography-mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Methoxyfenozide

Effect of liquid chromatography separation of complex matrices on liquid chromatography-tandem mass spectrometry signal suppression 907(2001)337

Methoxytetrahydronaphthalenes

Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101

Methyl anthranilate

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Methylarsonous acid

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Methylbenz[a]anthracenes

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Methyl tert.-butyl ether

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Methylcarbamates

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

2-Methylglycerol-1-benzyl ether

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

2-Methylglycidol-1-benzyl ether

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

Methylhistidine

New configuration in capillary isotachophoresis-capillary zone electrophoresis coupling 916(2001)131

Methyl-p-hydroxybenzoate

High-performance liquid chromatographic method for the assay of dexamethasone and xylometazoline in nasal drops containing methyl *p*-hydroxybenzoate 949(2002)79

Methyl methacrylate

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

Methyloctalactone

Comparison of direct and indirect methods of measuring the precursors of β -methyl- γ -octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] 905(2001)183

Methylpentanes

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Methylphosphonic acids

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

N-Methylpyrrolidinone

Liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry determination of *N*-methylpyrrolidinone in riverine biofilms 917(2001)159

5-Methyltetrahydrofolates

Determination of folates in foods by high-performance liquid chromatography with fluorescence detection after precolumn conversion to 5-methyltetrahydrofolates 928(2001)77

Methylthiotriazines

On-line concentration of *s*-triazine herbicides in micellar electrokinetic chromatography using a cationic surfactant 916(2001)239

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351

Methylthiouracil

Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography-mass spectrometry 912(2001)311

Metoprolol

Influence of the solute hydrophobicity on the enantioselective adsorption of β -blockers on a cellulase protein used as the chiral selector 905(2001)3

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Metronidazole

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Tune compounds for electrospray ionisation/in-source collisioninduced dissociation with mass spectral library searching 926(2001)199

Mevastatin

Chromatographic purification of some 3-hydroxy-3methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Miconazole

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

Microcystins

High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C_{18} and amide C_{16} sorbents 909(2001)225

Purification of microcystins (Review) 912(2001)191

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Rapid separation of microcystins and nodularin using a monolithic silica C_{18} column 947(2002)237

Monoacetylpolyamines

Micellar electrokinetic chromatography of polyamines and monoacetylpolyamines 921(2001)323

Monobromobimane

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2002)201

Monoclonal antibodies

see also Antibodies

Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Affinity of the monoclonal antibody M1 directed against the FLAG peptide 921(2001)25

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143

Monocrotophos

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

Monomers

Preparation of highly selective stationary phases for highperformance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25

Protein adsorption on novel acrylamido-based polymeric ionexchangers. III. Salt concentration effects and elution behavior 930(2001)79

Monosaccharides

Sub-ambient temperature effects on the separation of monosaccharides by high-performance anion-exchange chromatography with pulse amperometric detection. Application to marine chemistry 920(2001)13

Monosulfonic acids

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining countercurrent chromatography 923(2001)87

Monoterpenes

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Monoterpenic and norisoprenoidic glycoconjugates of *Vitis* vinifera L. cv. Melon B. as precursors of odorants in Muscadet wines 936(2001)145

Monoterpenic glycoconjugates

Monoterpenic and norisoprenoidic glycoconjugates of *Vitis* vinifera L. cv. Melon B. as precursors of odorants in Muscadet wines 936(2001)145

Monoterpenoids

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Morphine

Capillary electrophoresis–electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine 916(2001)225

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Mucin

Direct isolation of monoclonal antibodies from tissue culture supernatant using the cation-exchange cellulose Express-Ion S 908(2001)223

Mugineic acids

Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2002)177

Muramic acid

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

Musk compounds

Optimization of solid-phase microextraction for the gas chromatographic-mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203

On-site solid-phase extraction and laboratory analysis of ultratrace synthetic musks in municipal sewage effluent using gas chromatography-mass spectrometry in the full-scan mode 932(2001)107

Mycotoxins

See also Toxins

Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Robotic automated clean-up for detection of fumonisins B_1 and B_2 in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

Fast methods for screening of trichothecenes in fungal cultures using gas chromatography-tandem mass spectrometry 929(2001)75

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Myricetin

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

N

Nadolol

High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185

Nafcillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Nanotiv

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase highperformance liquid chromatography 946(2002)163

Naphthalenes

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Isolation and identification of diisopropylnaphthalene isomers in the alkylation products of naphthalene 946(2002)221

Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121

Naphthalenesulfonate-formaldehyde condensates

Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry 923(2001)97

Naphthalenesulfonic acids

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

Determination of naphthalenesulfonic acid isomers by largevolume on-line derivatization and gas chromatography-mass spectrometry 926(2001)341

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Effects of substituted cyclodextrins on the separation of aromatic sulphonic acids by capillary zone electrophoresis 948(2002)235

Naphthopyranones

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Naphthoquinonesulfonate

Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105

Naphthylethylamines

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Naproxen

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Uniformly sized molecularly imprinted polymer for (*S*)naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141

Isotachophoretic determination of naproxen in the presence of its metabolite in human serum 916(2001)207

Enantiomeric separation of R,S-naproxen by conventional and nano-liquid chromatography with methyl- β -cyclodextrin as a mobile phase additive 924(2001)459

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

Narcotine

Use of β -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499

Nash reagent

Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123

Nebivolol

High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185

Neoamygdalin

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Neoandrographolide

Determination of bioactive diterpenoids from *Andrographis* paniculata by micellar electrokinetic chromatography 930(2001)171

Neomycin

Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59

Non-derivatization approach to high-performance liquid chromatography-fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59

Neptunium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Nervonic acid

Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography 905(2001)251

Neuraminic acids

Determination of sialic acids by liquid chromatography-mass spectrometry 913(2001)365

Neurotransmitters

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255 Application of carboxymethyl-β-cyclodextrin as a chiral selector in capillary electrophoresis for enantiomer separation of selected neurotransmitters 926(2001)327

Nicotinamide

Analysis of 2β -carbomethoxy- 3β -(4-fluorophenyl)-*N*-(3-iodo-*E*-allyl)nortropane in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

NIST 1640

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73

Nitramines

Detection of the cyclic nitramine explosives hexahydro-1,3,5trininitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

Nitric acid

Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127

Nitrilotriacetatic acid

Ionophoretic studies on mixed metal-nitrilotriacetatepenicillamine complexes 910(2001)181

Nitrite

Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205

Nitroaromatic compounds

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Nitrobenzylhydroxylamine

Liquid chromatographic methods for chloral hydrate determination 920(2001)283

Nitro explosives

Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113

Nitrofurantoin

Determination of the metabolites of nitrofuran antibiotics in animal tissue by high-performance liquid chromatography-tandem mass spectrometry 939(2001)49

280

Nitrofurazone

Determination of the metabolites of nitrofuran antibiotics in animal tissue by high-performance liquid chromatographytandem mass spectrometry 939(2001)49

Nitrogen

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Centrifugal concentrator for the substitution of nitrogen blowdown micro-concentration in dioxin/polychlorinated biphenyl sample preparation 943(2002)295

Nitroglutathione

Artifactual-free analysis of *S*-nitrosoglutathione and *S*nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Nitroglycerine

Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives (Review) 902(2000)413

Nitrophenols

Development of an automated on-line solid-phase extractionhigh-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

Analysis of polynitrophenols and hexyl by liquid chromatography-mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47

Nitrophenoxycarbonylphenylalanine methoxyethyl ester

Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283

Indirect high-performance liquid chromatographic separation of stereoisomers of β -alkyl-substituted amino acids by the application of (*S*)-*N*-(4-nitrophenoxycarbonyl)phenylalanine methoxyethyl ester as chiral derivatizing agent 949(2002)125

Nitroquinoline-N-oxide

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

Nitrosamines

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

Nitrosodiethylamine

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Nitrosodimethylamine

Gas chromatographic-mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

Nitrosoglutathione

Artifactual-free analysis of *S*-nitrosoglutathione and *S*nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Nitrotoluenes

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography– atmospheric pressure chemical ionization mass spectrometry 946(2002)125

Nivalenol

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Nodularin

High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C_{18} and amide C_{16} sorbents 909(2001)225

Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237

Nonivamide

Determination of capsaicin, dihydrocapsaicin, and nonivamide in self-defense weapons by liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry 912(2001)259

Nonsteroidal anti-inflammatory drugs

see also Profens

Acrylamide-based monoliths as robust stationary phases for capillary electrochromatography 914(2001)211

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Enantiomeric separation of R,S-naproxen by conventional and nano-liquid chromatography with methyl- β -cyclodextrin as a mobile phase additive 924(2001)459

Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303

Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321

Nonylphenol ethoxylates

Influence of surface carbon coverage of C_1 (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33

Determination of nonylphenol ethoxylate oligomers by liquid chromatography–electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65

Separation of isomers of nonylphenol and select nonylphenol polyethoxylates by high-performance liquid chromatography on a graphitic carbon column 914(2001)161

Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297

Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection-mass spectrometry and liquid chromatography-mass spectrometry and -tandem mass spectrometry 926(2001)127

Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography– electrospray mass spectrometry 927(2001)103

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography-electrospray mass spectrometry 938(2001)79

Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography– electrospray mass spectrometry 950(2002)167

Nonylphenols

Separation of isomers of nonylphenol and select nonylphenol polyethoxylates by high-performance liquid chromatography on a graphitic carbon column 914(2001)161

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography-electrospray mass spectrometry 938(2001)79

Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Noradrenaline

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Norfluoxetine

Sensitive liquid chromatographic-tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45

Norisoprenoidic glycoconjugates

Monoterpenic and norisoprenoidic glycoconjugates of *Vitis* vinifera L. cv. Melon B. as precursors of odorants in Muscadet wines 936(2001)145

Norisoprenoids

Monoterpenic and norisoprenoidic glycoconjugates of *Vitis vinifera* L. cv. Melon B. as precursors of odorants in Muscadet wines 936(2001)145

Nortriptyline

Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Nortropanes

Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291

Noscapine

Characterization of an unknown component in Noscapine using liquid chromatography-mass spectrometry and proton nuclear magnetic resonance spectroscopy 927(2001)97

Nucleic acid dyes

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N*,*N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

Nucleic acids

see also DNA and RNA

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Nucleobases

Analysis of purines and pyrimidines by mixed partitionadsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1

Nucleoside analogues

Diastereomeric resolution of nucleoside analogues, new potential antiviral agents, using high-performance liquid chromatography on polysaccharide-type chiral stationary phases 943(2002)91

Nucleoside HIV-1 reverse transcriptase

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a β -cyclodextrin-bonded silica stationary phase 927(2001)161

Nucleoside phosphates

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

Open-tubular electrochromatography of organic phosphates on a sapphyrin-modified capillary 921(2001)99

Nucleosides

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Nucleotides

see also Oligonucleotides and Special Issue Index

Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155

Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials 913(2001)269

Nylon

see Polyamides



Ochratoxin A

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Octadecylmethylglycerophosphodeoxyinositol

High-performance liquid chromatographic analysis for a nonchromophore-containing phosphatidyl inositol analog, 1-[(1-*O*octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*inositol, using indirect UV detection 913(2001)355

Octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine

Detection of the cyclic nitramine explosives hexahydro-1,3,5trininitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

Octanoyl vanillamide

Determination of capsaicin, dihydrocapsaicin, and nonivamide in self-defense weapons by liquid chromatography-mass spectrometry and liquid chromatography-tandem mass spectrometry 912(2001)259

Octonativ-M

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase highperformance liquid chromatography 946(2002)163

Okadaic acid

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Oleic acid

Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography 905(2001)251

Oligomers

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

Oligonucleotides

see also Nucleotides

High-throughput biopolymer desalting by solid-phase extraction prior to mass spectrometric analysis 921(2001)3

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65

Hydrophobic interaction chromatography of homooligonucleotides on derivatized Sepharose CL-6B. Application of the solvophobic theory 944(2002)119

Oligosaccharides

Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437

Resolution of structural isomers of sialylated oligosaccharides by capillary electrophoresis 921(2001)315

Chromatographic methods for product-profile analysis and isolation of oligosaccharides produced by heparinase-catalyzed depolymerization of heparin 932(2001)65

Oligothiopenes

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on welldefined oligothiophenes 911(2001)13

Omeprazole

Determination of omeprazole and its metabolites in human plasma by liquid chromatography-mass spectrometry 949(2002)1

Determination and pharmacokinetic profile of omeprazole in rat blood, brain and bile by microdialysis and high-performance liquid chromatography 949(2002)35

Opioids

Capillary electrophoresis–electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine 916(2001)225

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Organic acids

see also Carboxylic acids, Fatty acids, Hydroxy acids and Weak acids

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Characterisation of sorbate geometrical isomers 905(2001)359

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223

Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis–liquid chromatography 913(2001)341 Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349

Why robust background electrolytes containing multivalent ionic species can fail in capillary zone electrophoresis 916(2001)41

Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61

Conductivity detection and quantitation of isotachophoretic analytes on a planar chip with on-line coupled separation channels 916(2001)101

New configuration in capillary isotachophoresis-capillary zone electrophoresis coupling 916(2001)131

Determination of organic acids and inorganic anions in wine by isotachophoresis on a planar chip 916(2001)167

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Application of capillary isotachophoresis for fruit juice authentication 916(2001)185

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Optimisation of the separation of anions by ion chromatography-capillary electrophoresis using indirect UV detection 920(2001)31

Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143

Separation of perfluoroalkylsulfinic acids and perfluoroalkylsulfonic acids by ion-exclusion chromatography 920(2001)173

Continuous melting and ion chromatographic analyses of ice cores 920(2001)193

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Effect of a soluble ionic polymer on the separation of anions by capillary electrophoresis 934(2001)87

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35

Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263

Capillary electrophoresis for the determination of new markers of natural latex quality 949(2002)367

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

Organoarsenic compounds

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Fragmentation pathways of organoarsenical compounds by electrospray ion trap multiple mass spectrometry (MS⁶) 926(2001)167

Derivatization of organometal(loid) species by sodium borohydride. Problems and solutions 938(2001)225

Organochlorine compounds

Consequences of variable purity of heptakis(2,3,6-tri-O-methyl)- β -cyclodextrin determined by liquid chromatography-mass spectrometry on the enantioselective separation of polychlorinated compounds 905(2001)59

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213

Organofluorine compounds

Separation of perfluoroalkylsulfinic acids and perfluoroalkylsulfonic acids by ion-exclusion chromatography 920(2001)173

Organometallic compounds

Separation and identification of organic and organometallic compounds by use of a liquid chromatography-particle beam-glow discharge mass spectrometry combination 915(2001)117

Sample treatment in chromatography-based speciation of organometallic pollutants (Review) 938(2001)211

Derivatization of organometal(loid) species by sodium borohydride. Problems and solutions 938(2001)225

Organophosphorus compounds

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135

Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography–electrospray mass spectrometry 912(2001)291

Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection 914(2001)105

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic-mass spectrometric analysis 917(2001)277

Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography-tandem mass spectrometry 918(2001)67

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Improved determination of tributyl phosphate degradation products (mono- and dibutyl phosphates) by ion chromatography 920(2001)275

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257

Retrospective identification of chemical warfare agents by hightemperature automatic thermal desorption–gas chromatography– mass spectrometry 925(2001)241

High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145

Synthesis and evaluation of molecularly imprinted polymers for extracting hydrolysis products of organophosphate flame retardants 938(2001)121

Solid-phase microextraction method for the determination of atrazine and four organophosphorus pesticides in soil samples by gas chromatography 939(2001)13

Determination of phosphonic acid breakdown products by highperformance liquid chromatography after derivatization 942(2002)185

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213

Organosulfur compounds

see also Sulfur compounds

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Analysis of sulfonated compounds by ion-exchange highperformance liquid chromatography-mass spectrometry 912(2001)53

Monitoring of isothiocyanates emanating from Arabidopsis thaliana upon paraquat spraying 912(2001)127

Artifactual-free analysis of *S*-nitrosoglutathione and *S*nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

Separation of perfluoroalkylsulfinic acids and perfluoroalkylsulfonic acids by ion-exclusion chromatography 920(2001)173

Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247 Determination of naphthalenesulfonic acid isomers by largevolume on-line derivatization and gas chromatography-mass spectrometry 926(2001)341

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Complex formation analysis of water-soluble calixarenes by capillary zone electrophoresis 934(2001)113

Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Effects of substituted cyclodextrins on the separation of aromatic sulphonic acids by capillary zone electrophoresis 948(2002)235

Highly specific and sensitive liquid chromatography-tandem mass spectrometry method for the determination of 3-desmethylthiocolchicine in human plasma as analyte for the assessment of bioequivalence after oral administration of thiocolchicoside 949(2002)71

Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141

Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263

Organotin compounds

Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247

Sample treatment in chromatography-based speciation of organometallic pollutants (Review) 938(2001)211

Derivatization of organometal(loid) species by sodium borohydride. Problems and solutions 938(2001)225

Ornitine

Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187

Orotic acid

Capillary zone electrophoresis of orotic acid in urine with online isotachophoresis sample pretreatment and diode array detection 916(2001)143

Ovalbumin

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61

Oxacillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Oxadiazon

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography-mass spectrometry 946(2002)239

Oxalic acid

Retention behavior of transition metals on a bifunctional ionexchange column with oxalic acid as eluent 920(2001)101

β-N-Oxalyl-L-α,β-diaminopropionic acid

Liquid chromatographic determination of total and β -N-oxalyl-L- α , β -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13

Oximes

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

Oxine

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Oxolinic acid

Fast-scanning fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2002)275

Oxprenolol

Quantitative determination of oxprenolol and timolol in urine by capillary zone electrophoresis 949(2002)91

Oxygen

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Oxyhalides

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Oxysterols

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

Ozone

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99



Paclitaxel

Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiformis* by high-performance liquid chromatography 911(2001)55

Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177

7-O-Palmytoyldinophysistoxin-1

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

7-O-Palmytoylokadaic acid

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Pancuronium

Validation of a high-performance liquid chromatography method for the determination of pancuronium in Pavulon injections 949(2002)61

Parabens

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Paracetamol

Tune compounds for electrospray ionisation/in-source collisioninduced dissociation with mass spectral library searching 926(2001)199

Paraquat

Monitoring of isothiocyanates emanating from Arabidopsis thaliana upon paraquat spraying 912(2001)127

Pectenotoxin seco acid

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Pectenotoxins

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Penicillamine

Ionophoretic studies on mixed metal-nitrilotriacetatepenicillamine complexes 910(2001)181

Penicillin G acylase

Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147

Penicillins

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Pentachlorophenol

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

Pentane

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Pentanone

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Penterythritol esters

Characterization of ageing products of ester-based synthetic lubricants by liquid chromatography with electrospray ionization mass spectrometry and by electrospray ionization (tandem) mass spectrometry 926(2001)161

Pepsin

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

Peptide hormones

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Peptide nucleic acids

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Peptides

see also Special Issue Index

Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption ionisation time-of-flight mass spectrometry 907(2001)131

Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Role of helix formation for the retention of peptides in reversed-phase high-performance liquid chromatography 912(2001)1

Isolation and structural characterization of polymyxin B components 912(2001)369

Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421

Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429

Rapid separation of peptides and proteins by isocratic capillary electrochromatography at elevated temperature 914(2001)189

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

High-throughput biopolymer desalting by solid-phase extraction prior to mass spectrometric analysis 921(2001)3

Affinity of the monoclonal antibody M1 directed against the FLAG peptide 921(2001)25

Polypeptide composition of an adenovirus type 5 used in cancer gene therapy 921(2001)39

Electrophoretic behavior of peptides in capillary electrophoresis. Influence of ionic strength and pH in aqueous–organic media 921(2001)69

Evaluation of peptide electropherograms by multivariate mathematical-statistical methods. I. Principal component analysis 921(2001)81

Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Electrochromatographic characterization of etched chemicallymodified capillaries with small synthetic peptides 924(2001)211

Novel monolithic columns with templated porosity 924(2001)223

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Automated signature peptide approach for proteomics 924(2001)359

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Immunoprecipitation and liquid chromatographic–mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides $\text{GIP}_{1.42}$ and $\text{GIP}_{3.42}$ from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45

Development of a peptide mapping procedure to identify and quantify methionine oxidation in recombinant human α 1-antitrypsin 942(2002)133

 pK_a values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145

Set-up of large laboratory-scale chromatographic separations of poly(ethylene glycol) derivatives of the growth hormone-releasing factor 1–29 analogue 944(2002)141

Reversed-phase poly(styrene-divinylbenzene) materials optimised for large scale preparative and process purification of synthetic peptides and recombinant proteins 944(2002)169

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Rapid separation of microcystins and nodularin using a monolithic silica C_{18} column 947(2002)237

Quantitative relationship between the retention of peptides on a reversed-phase alumina support and their physicochemical parameters 948(2002)69

Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization 948(2002)225

Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153

Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163

Global internal standard technology for comparative proteomics 949(2002)173

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

Liquid chromatography–mass spectrometry and capillary electrophoresis combined approach for separation and characterization of multicomponent peptide mixtures. Application to crude products of leuprolide synthesis 950(2002)99

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzymecatalyzed reactions 950(2002)125

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

Perfluoroalkylsulfinic acids

Separation of perfluoroalkylsulfinic acids and perfluoroalkylsulfonic acids by ion-exclusion chromatography 920(2001)173

Perfluoroalkylsulfonic acids

Separation of perfluoroalkylsulfinic acids and perfluoroalkylsulfonic acids by ion-exclusion chromatography 920(2001)173

Perhydrotriphenylene

Semi-preparative gas chromatographic separation of *all-trans*perhydrotriphenylene enantiomers on a chiral cyclodextrin stationary phase 905(2001)175

Perillyl alcohol

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Peroxides

Capillary zone electrophoresis with electrochemical detection a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Peroxyacyl nitrates

Simple cryoconcentration technique for the determination of peroxyacyl- and alkyl nitrates in the atmosphere 902(2000)405

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Peroxynitrite

Artifactual-free analysis of *S*-nitrosoglutathione and *S*nitroglutathione by neutral-pH, anion-pairing, high-performance liquid chromatography. Study on peroxynitrite-mediated *S*nitration of glutathione to *S*-nitroglutathione under physiological conditions 915(2001)107

Pesticides

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Preconcentration of contaminants in water analysis (Review) 902(2000)289

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257

Consequences of variable purity of heptakis(2,3,6-tri-O-methyl)- β -cyclodextrin determined by liquid chromatography-mass spectrometry on the enantioselective separation of polychlorinated compounds 905(2001)59

Multiresidual method for the gas chromatographic analysis of pesticides in honeybees cleaned by gel permeation chromatography 905(2001)223

Separation of the insecticidal pyrethrin esters by capillary electrochromatography 905(2001)319

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Molecularly imprinted polymer membranes for substanceselective solid-phase extraction from water by surface photografting polymerization 907(2001)89

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Application of on-site solid-phase microextraction in aquatic dissipation studies of profoxydim in rice 909(2001)29

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Selective enrichment of 17 pyrethroids from lyophilised agricultural samples 912(2001)83

Monitoring of isothiocyanates emanating from Arabidopsis thaliana upon paraquat spraying 912(2001)127

Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135

New method for rapid solid-phase extraction of large-volume water samples and its application to non-target screening of North Sea water for organic contaminants by gas chromatography-mass spectrometry 912(2001)151

High-performance chiral separation of fourteen triazole fungicides by sulfated β -cyclodextrin-mediated capillary electrophoresis 912(2001)171

Liquid chromatographic-mass spectrometric determination of post-harvest fungicides in citrus fruits 912(2001)301

Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis 912(2001)353

Determination of quaternary ammonium pesticides by liquid chromatography-electrospray tandem mass spectrometry 914(2001)111

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129

Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

On-line concentration of *s*-triazine herbicides in micellar electrokinetic chromatography using a cationic surfactant 916(2001)239

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic-mass spectrometric analysis 917(2001)277

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography-tandem mass spectrometry 918(2001)67

Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoirradiation with fluorescence detection 918(2001)79

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351 Multiresidue analysis of insecticides in soil by gas chromatography with electron-capture detection and confirmation by gas chromatography-mass spectrometry 918(2001)371

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogenphosphorus detection 919(2001)147

Determination of fipronil by solid-phase microextraction and gas chromatography-mass spectrometry 919(2001)215

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection 919(2001)373

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

Simple ion chromatographic method for the determination of chlormequat residues in pears 920(2001)255

Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen-phosphorus detection 921(2001)287

Determination of residues of endosulfan and five pyrethroid insecticides in virgin olive oil using gas chromatography with electron-capture detection 921(2001)297

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

Study of matrix effects on the direct trace analysis of acidic pesticides in water using various liquid chromatographic modes coupled to tandem mass spectrometric detection 926(2001)113

Optimization and evaluation of low-pressure gas chromatography-mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity 926(2001)291

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Photodegradation study of the antifouling booster biocide dichlofluanid in aqueous media by gas chromatographic techniques 930(2001)135

Determination of octanol-water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anionexchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography-tandem mass spectrometry 937(2001)65

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Monitoring of pesticides in drinking and related waters in NE Spain with a multiresidue SPE-GC–MS method including an estimation of the uncertainty of the analytical results 938(2001)3

Determination of the herbicide amitrole in water with precolumn derivatization, liquid chromatography and tandem mass spectrometry 938(2001)15

Microwave assisted solvent extraction and coupled-column reversed-phase liquid chromatography with UV detection. Use of an analytical restricted-access-medium column for the efficient multi-residue analysis of acidic pesticides in soils 938(2001)23 Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35

Rapid direct determination of pesticides and metabolites in environmental water samples at sub-µg/l level by on-line solidphase extraction-liquid chromatography–electrospray tandem mass spectrometry 939(2001)1

Solid-phase microextraction method for the determination of atrazine and four organophosphorus pesticides in soil samples by gas chromatography 939(2001)13

Gas chromatographic-tandem mass spectrometric analytical method for the study of inhalation, potential dermal and actual exposure of agricultural workers to the pesticide malathion 939(2001)79

Solid-phase microextraction-gas chromatographic-mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2002)41

What are we determining using gas chromatographic multiresidue methods: tralomethrin or deltamethrin? 943(2002)101

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography-mass spectrometry 946(2002)239

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Solid-phase extraction and sample stacking-capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography-mass spectrometry 947(2002)119

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Determination of fungicide residues in fruits and vegetables by liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Poly(methyloctadecylsiloxane) immobilized on silica by γ radiation for use in solid-phase extraction 948(2002)171

Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359

Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

Phencyclidine

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Phenethylamines

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Phenolic compounds

Determination of anthocyanins in wine based on flow-injection, liquid-solid extraction, continuous evaporation and highperformance liquid chromatography-photometric detection 910(2001)255

Determination of phenolic acids and flavonoids of apple and pear by high-performance liquid chromatography 910(2001)265

Separation of phenolic compounds by high-performance liquid chromatography with absorbance and fluorimetric detection 912(2001)249

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Stability of phenolic compounds during extraction with superheated solvents 921(2001)169

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Determination of active ingredients of *Rhododendron dauricum* L. by capillary electrophoresis with electrochemical detection 943(2002)153

Ultra-low-temperature non-aqueous capillary electrophoretic separation–77 K fluorescence spectroscopic detection for the on-line identification of photo-converted analytes of *trans*-resveratrol 943(2002)287

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

Determination of phenolic xenoestrogens in water by liquid chromatography with coulometric-array detection 946(2002)291

Phenols

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Preconcentration of contaminants in water analysis (Review) 902(2000)289

Development of an automated on-line solid-phase extractionhigh-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Determination of phenols in soil by supercritical fluid extraction-capillary electrochromatography 907(2001)301

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Fast determination of phenols in contaminated soils 911(2001)135

Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119

On-line flow sample stacking in a flow injection analysis– capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants 912(2001)163

Fractionation and characterization of phenolic resins by highperformance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Reversed-phase and size-exclusion chromatography as useful tools in the resolution of peroxidase-mediated (+)-catechin oxidation products 919(2001)267

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Determination of phenols in water using liquid phase microextraction with back extraction combined with highperformance liquid chromatography 931(2001)95

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121

Phenothiazines

Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155

Phenoxyacetic acids

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75

Phenoxy acids

Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35

Phenoxymethylpenicillin

Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217

Phenoxypropionic acids

Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61

Phenylalanine analogues

Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47

Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53

Phenylalanine anilide

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Phenylenediamine

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Phenylephrine

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Phenylethanoids

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

Phenylethanol

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Phenylethanolamine N-methyltransferase

Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in singleenzyme and coupled-enzyme formats 948(2002)249

Phenylglycine

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Phenylmethylpyrazolone

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5pyrazolone 911(2001)259

Phenyloctane

Behavior of packing materials in axially compressed chromatographic columns 943(2002)15

Phenylpropanol

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Phenylureas

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

On-line packed column supercritical fluid chromatographymicrowave-induced plasma atomic emission 910(2001)127 Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l^{-1} using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

Phenytoin

Determination of phenytoin in plasma by molecularly imprinted solid-phase extraction 930(2001)31

Pheromones

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Phloroglucinols

High-performance liquid chromatography–electrospray ionization mass spectrometry and multiple mass spectrometry studies of hyperforin degradation products 926(2001)187

Phosphates

see also Polyphosphates

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography-mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

Application of capillary isotachophoresis for fruit juice authentication 916(2001)185

Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127

Improved determination of tributyl phosphate degradation products (mono- and dibutyl phosphates) by ion chromatography 920(2001)275

Open-tubular electrochromatography of organic phosphates on a sapphyrin-modified capillary 921(2001)99

Preparation of sterol-imprinted polymers with the use of 2-(methacryloyloxy)ethyl phosphate 938(2001)131

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)– phosphate aqueous two-phase system 943(2002)55

Scale-up potential of ion-pair high-performance liquid chromatography method to produce biologically active inositol phosphates 944(2002)241

Phosphatidylcholine

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Phosphatidylcholine isolation from egg yolk phospholipids by high-performance liquid chromatography 949(2002)209

Phosphatidylethanolamine

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

Phosphatidylcholine isolation from egg yolk phospholipids by high-performance liquid chromatography 949(2002)209

Phosphatidyl inositol

High-performance liquid chromatographic analysis for a nonchromophore-containing phosphatidyl inositol analog, 1-[(1-Ooctadecyl-2-O-methyl-sn-glycero)-phospho]-1D-3-deoxy-myoinositol, using indirect UV detection 913(2001)355

Phosphatidylserine

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Phosphoamino acids

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Phospholipids

High-performance liquid chromatographic analysis for a nonchromophore-containing phosphatidyl inositol analog, 1-[(1-*O*octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*inositol, using indirect UV detection 913(2001)355

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Phosphatidylcholine isolation from egg yolk phospholipids by high-performance liquid chromatography 949(2002)209

Fractionation of soybean phospholipids by preparative highperformance liquid chromatography with sorbents of various particle size 949(2002)217

Phosphonic acids

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

High-sensitivity determination of the degradation products of chemical warfare agents by capillary electrophoresis-indirect UV absorbance detection 920(2001)359

Determination of phosphonic acid breakdown products by highperformance liquid chromatography after derivatization 942(2002)185

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

Phthalates

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Solid-phase microextraction of phthalates from water 938(2001)93

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Phthaldialdehyde

Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*phthaldialdehyde/3-mercaptopropionic acid and *o*phthaldialdehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography-mass spectrometry study 949(2002)99

Phthalic acid

Characterization of ageing products of ester-based synthetic lubricants by liquid chromatography with electrospray ionization mass spectrometry and by electrospray ionization (tandem) mass spectrometry 926(2001)161

Phycobilisome proteins

High-performance liquid chromatography coupled on-line with electrospray ionization mass spectrometry for the simultaneous separation and identification of the Synechocystis PCC 6803 phycobilisome proteins 912(2001)269

Phycoerythrins

Chromatographic purification and characterization of Bphycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Phytic acid

Scale-up potential of ion-pair high-performance liquid chromatography method to produce biologically active inositol phosphates 944(2002)241

Phytoalexins

Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61

Phytoecdysteroids

Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309

Phytoestrogens

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

Phytometallophores

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2002)177

Phytosiderophores

Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171

Phytosteroids

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Phytosterols

Chromatographic analysis of plant sterols in foods and vegetable oils (Review) 935(2001)173

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Piceid

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Picoline

Effect of counter-anion concentration on retention in highperformance liquid chromatography of protonated basic analytes 913(2001)189

Picolinic acid

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Picramic acid

Analysis of polynitrophenols and hexyl by liquid chromatography-mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47

Picric acid

Analysis of polynitrophenols and hexyl by liquid chromatography-mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47

Pigments

Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits 913(2001)415

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

Development and application of a high resolution liquid chromatographic method for the analysis of complex pigment distributions 917(2001)167

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Liquid chromatographic separation of terpenoid pigments in foods and food products (Review) 936(2001)119

Effects of fluorescent light and vacuum packaging on the rate of decomposition of pigments in paprika (*Capsicum annuum*) powder determined by reversed-phase high-performance liquid chromatography 936(2001)139

Effect of reduced glutathione on the stability of pigments in paprika powders studied by multiwavelength spectrometry and high-performance liquid chromatography 949(2002)269

Pinenes

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

Influence of organic solvent on the behaviour of camphor and α -pinene enantiomers in reversed-phase liquid chromatography systems with α -cyclodextrin as chiral additive 931(2001)81

Piperine

Simple high-performance liquid chromatography method for the simultaneous determination of ketoconazole and piperine in rat plasma and hepatocyte culture 949(2002)43

Plant hormones

High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257

Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

Plant-protecting agents

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

Platinum-group elements

Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies (Review) 945(2002)25

Plutonium

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Polyacrylamides

Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Poly(acrylic acid)

Direct capture of product from fermentation broth using a cellrepelling ion exchanger 942(2002)123

Poly(alkylmethylsiloxanes)

Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121

Polyallylamine

Polyallylamine-grafted cellulose gel as high-capacity anionexchanger 946(2002)283

Polyamides

Separation and quantification of the linear and cyclic structures of polyamide-6 at the critical point of adsorption 914(2001)131

Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

Endgroup-based separation and quantitation of polyamide-6,6 by means of critical chromatography 949(2002)337

Poly(amidoamine) dendrimers

Application of capillary zone electrophoresis to the separation and characterization of poly(amidoamine) dendrimers with an ethylenediamine core 949(2002)351

Polyamines

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Micellar electrokinetic chromatography of polyamines and monoacetylpolyamines 921(2001)323

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Polyaniline

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Poly(N-tert.-butyl)acrylamide

Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291

Poly(tert.-butylstyrene)

Capillary electrophoresis of associative diblock copolymers 939(2001)109

Polycaprolactam

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polycarbonate

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polycarboxylic acids

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

Polychlorinated biphenyls

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

Consequences of variable purity of heptakis(2,3,6-tri-*O*-methyl)β-cyclodextrin determined by liquid chromatography–mass spectrometry on the enantioselective separation of polychlorinated compounds 905(2001)59

Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287

Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183

On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingstuffs and food matrices using gas chromatography-mass spectrometry 925(2001)197

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Centrifugal concentrator for the substitution of nitrogen blowdown micro-concentration in dioxin/polychlorinated biphenyl sample preparation 943(2002)295

Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209

Polychlorinated dibenzodioxins

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Polychlorinated dibenzofurans

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Polycyclic aromatic hydrocarbons

see Polynuclear aromatic hydrocarbons

Poly(diallyldimethylammonium chloride)

Optimisation of the separation of anions by ion chromatography-capillary electrophoresis using indirect UV detection 920(2001)31

Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149

Polydimethylacrylamide

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Poly(dimethylsiloxane)

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization 948(2002)225

Polyester

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Polyethylene

Gas chromatographic study of the volatile products from copyrolysis of coal and polyethylene wastes 918(2001)135

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Poly(ethylene glycol)

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and $(\text{His})_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Poly(ethylene glycol) bis-vinylsulfone

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Characterization of polyethylene glycol-modified proteins by semi-aqueous capillary electrophoresis 905(2001)299

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Capillary electrophoresis of methylderivatives of quinolines. I 917(2001)319

Separation of polyethylene glycol oligomers using inverse temperature programming in packed capillary liquid chromatography 918(2001)221

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)– phosphate aqueous two-phase system 943(2002)55

Set-up of large laboratory-scale chromatographic separations of poly(ethylene glycol) derivatives of the growth hormone-releasing factor 1–29 analogue 944(2002)141

Poly(ethylene oxide)

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179

Poly(ethylene propylene)

Capillary electrophoresis of associative diblock copolymers 939(2001)109

Poly(ethylene terephthalate)

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Polyglycerol fatty esters

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Polyglycerol fatty ethers

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Poly(glycidyl methacrylate-divinylbenzenetriallylisocyanurate

Poly(glycidyl methacrylate-divinylbenzene-triallylisocyanurate) continouus-bed protein chromatography 912(2001)31

Polyhydroxyalkaloids

Use of borate complexation for the separation of non-UVabsorbing calystegines by capillary electrophoresis 903(2000)237

Poly-(*N*-β-hydroxyethyl-2,2,6,6-tetramethyl-4hydroxypiperidyl succinate)

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly- $(N-\beta-hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate)$ 902(2000)421

Polyisoprene

Characterization of polystyrene and polyisoprene by normalphase temperature gradient interaction chromatography 910(2001)51

Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography" [J. Chromatog. A 910 (2001) 51–60] 919(2001)229

Polymers

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281

Optically active synthetic polymers as chiral stationary phases in HPLC (Review) 906(2001)205

Quantitative FTIR detection in size-exclusion chromatography 910(2001)19

Characterization of polystyrene and polyisoprene by normalphase temperature gradient interaction chromatography 910(2001)51

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

Analysis of waterborne paints by gas chromatography-mass spectrometry with a temperature-programmable pyrolyzer 912(2001)329

Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123

Fractionation and characterization of phenolic resins by highperformance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Capillary electrochromatography in anion-exchange and normalphase mode using monolithic stationary phases 925(2001)265

Capillary electrophoresis of associative diblock copolymers 939(2001)109

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

Poly(methyl methacrylate)

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Quantitation of functionality of poly(methyl methacrylate) by liquid chromatography under critical conditions followed by evaporative light-scattering detection. Comparison with NMR and titration 949(2002)327

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

Poly(methyloctadecylsiloxane)

Poly(methyloctadecylsiloxane) immobilized on silica by γ radiation for use in solid-phase extraction 948(2002)171

Poly(methyloctylsiloxane)

High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. I. Physical and chemical characterizations 948(2002)97

High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. II. Chromatographic evaluation 948(2002)109

Polymyxins

Isolation and structural characterization of polymyxin B components 912(2001)369

Poly(naphthalenesulfonate)

Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography-electrospray mass spectrometry 923(2001)97

Polynuclear aromatic hydrocarbons

see also Hydrocarbons, aromatic

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Preconcentration of contaminants in water analysis (Review) 902(2000)289

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Characterization and identification of a "mystery" oil spill from Quebec (1999) 909(2001)155

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Application of micro-scale sealed vessel thermal desorption–gas chromatography–mass spectrometry for the organic analysis of airborne particulate matter: linearity, reproducibility and quantification 912(2001)143

Laterally attached liquid-crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. III. Effect of the local anisotropic order on the separation of polycyclic aromatic hydrocarbons 913(2001)147

Hydrophobic interaction electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons using non-aqueous matrices 914(2001)223

Study of the polymerization of anthracene oil with $AlCl_3$ by chromatography and related techniques 919(2001)255

Solid-phase extraction of polycyclic aromatic hydrocarbons in surface water. Negative effect of humic acid 921(2001)255

Polycyclic aromatic hydrocarbon $^{13}C/^{12}C$ ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Detection of DNA adducts of benzo[*a*]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

Optimizing separation conditions for polycyclic aromatic hydrocarbons in micellar electrokinetic chromatography 924(2001)397

Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53 Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Nonsaponifiable lipid components of the pollen of elder (Sambucus nigra L.) 936(2001)173

Quantitative analysis of polycyclic aromatic hydrocarbons in sewage sludge from wastewater treatment plants 938(2001)57

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291

Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography 949(2002)301

Polynuclear aromatic hydrocarbons, monofluorinated

Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27

Polynuclear aromatic hydrocarbons, perchlorinated

Separation and identification of perchlorinated polycyclic aromatic hydrocarbons and fullerenes (C_{60} , C_{70}) by coupling high-performance liquid chromatography with ultraviolet absorption spectroscopy and atmospheric pressure chemical ionization mass spectrometry 932(2001)43

Polynuclear aromatic hydrocarbons, sulfonated

Analysis of sulfonated compounds by ion-exchange highperformance liquid chromatography-mass spectrometry 912(2001)53

Polyoxyethylene-10-lauryl ether

Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291

Polyoxyethylene(10)-*p*-isononylphenyl ether

Selective concentration of gold in water to a polystyreneembedded fiber disk with polyoxyethylene(10)-p-isononylphenyl ether 932(2001)159

Polypeptides

Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73

Isolation and structural characterization of polymyxin B components 912(2001)369

Polypeptide composition of an adenovirus type 5 used in cancer gene therapy 921(2001)39

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Competitive immunoassay for recombinant hirudin using capillary electrophoresis with laser-induced fluorescence detection 924(2001)337

Immunoprecipitation and liquid chromatographic–mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides $\text{GIP}_{1.42}$ and $\text{GIP}_{3.42}$ from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21

Polyphenols

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Separation of radioactive metabolites in cultured tea cells fed with [¹⁴C]phenylalanine using high-speed counter-current chromatography 921(2001)331

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

Rapid determination of caffeine in tea leaves 942(2002)271

Poly(phenylaniline)

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Polyphosphates

see also Phosphates

Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247

Polyphosphazenes

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Polyprenols

High-resolution analysis of polyprenols by supercritical fluid chromatography 911(2001)113

Chromatography of long chain alcohols (polyprenols) from animal and plant sources (Review) 936(2001)95

Polysaccharides

Polysaccharide-based chiral stationary phases for highperformance liquid chromatographic enantioseparation (Review) 906(2001)105

Reversed-phase liquid chromatographic separation of enantiomers on polysaccharide type chiral stationary phases (Review) 906(2001)127

Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155

Regioselectively modified polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)171

High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185

Characterization of starch polysaccharides by flow field-flow fractionation-multi-angle laser light scattering-differential refractometer index 917(2001)179

High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145

On-line direct determination of the second virial coefficient of a natural polysaccharide using size-exclusion chromatography and multi-angle laser light scattering 943(2002)147

Polysiloxanes

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Poly(sodium 10-undecylenic sulfate)

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

Polysodium undecyl sulfate

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

Polystyrene

Characterization of polystyrene and polyisoprene by normalphase temperature gradient interaction chromatography 910(2001)51

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

Size-exclusion electrochromatography with controlled pore flow 914(2001)201

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Erratum to "Characterization of Polystyrene and Polyisoprene by Normal Phase Temperature Gradient Interaction Chromatography" [J. Chromatog. A 910 (2001) 51–60] 919(2001)229

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Selective concentration of gold in water to a polystyreneembedded fiber disk with polyoxyethylene(10)-p-isononylphenyl ether 932(2001)159

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

Poly(styrene-divinylbenzene)

Evaluation of the porous structures of new polymer packing materials by inverse size-exclusion chromatography 903(2000)13

Chromatographic behavior of poly(styrene–divinybenzene) encapsulated packing material for capillary electrochromatography 912(2001)335

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Reversed-phase poly(styrene-divinylbenzene) materials optimised for large scale preparative and process purification of synthetic peptides and recombinant proteins 944(2002)169

Poly(styrene-divinylbenzene), sulfoacylated

Sulfoacylated poly(styrene-divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91

Poly(styrene sulfonate)

Capillary electrophoresis of associative diblock copolymers 939(2001)109

Polysulfone

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2002)53

Polythionates

Ion-pair chromatography of polythionates and thiosulfate with detection based on their catalytic effects on the postcolumn azide–iodine reaction 920(2001)163

Polyurethane

Gas chromatographic-tandem mass spectrometric analytical method for the study of inhalation, potential dermal and actual exposure of agricultural workers to the pesticide malathion 939(2001)79

Poly(vinyl alcohol)

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Poly(vinyl chloride)

Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

Poly(vinylpyrrolidone)

Recalcitrance of poly(vinylpyrrolidone): evidence through matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 938(2001)67

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

Porphobilinogen

Simultaneous determination of δ -aminolevulinic acid, porphobilinogen, levulinic acid and glycine in culture broth by capillary electrophoresis 938(2001)137

Porphyrins

Determination of porphyrin carbon isotopic composition using gas chromatography-isotope ratio monitoring mass spectrometry 903(2000)183

Determination of porphyrins and metalloporphyrins using liquid chromatography-diode array detection and mass spectrometry 905(2001)141

Positional isomers

Resolution of positional isomers by capillary electrochromatography 904(2000)99

Potassium

Potassium concentration differences in the vitreous humour from the two eyes revisited by microanalysis with capillary electrophoresis 924(2001)493

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Potassium phosphate

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)– phosphate aqueous two-phase system 943(2002)55

Pravastatin

Chromatographic purification of some 3-hydroxy-3methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Primaquine

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Procaine

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl-β-cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Prochlorperazine

Setting system suitability criteria for detectability in highperformance liquid chromatography methods using signal-tonoise ratio statistical tolerance intervals 917(2001)23

Procyanidins

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Analysis of procyanidins in chocolate by reversed-phase highperformance liquid chromatography with electrospray ionisation mass spectrometric and tandem mass spectrometric detection 926(2001)211

Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate–co-ethylene dimethacrylate) 926(2001)255

Procymidone

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359

Profens

see also Nonsteroidal anti-inflammatory drugs

Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225

Uniformly sized molecularly imprinted polymer for (S)naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Capillary electrochromatography in anion-exchange and normalphase mode using monolithic stationary phases 925(2001)265

Capillary zone electrophoresis with electrochemical detection a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303

Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321

Profoxydim

Application of on-site solid-phase microextraction in aquatic dissipation studies of profoxydim in rice 909(2001)29

Progestogens

Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145

Proguanil

Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

Prolactin

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Prolycopene

Chromatographic performance on a C_{30} -bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59

Propidium iodide

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

Propionic acids

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

Propiverine

Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187

Propranolol

Influence of the solute hydrophobicity on the enantioselective adsorption of β -blockers on a cellulase protein used as the chiral selector 905(2001)3

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Propylene carbonate

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Propylthiouracil

Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography-mass spectrometry 912(2001)311

Propyphenazone

Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography–electrospray tandem mass spectrometry 938(2001)175

Protease inhibitors

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

Protein A

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Protein G

Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

Proteins

see also Antibodies, Enzyme inhibitors, Enzymes, Immunoglobulins, Monoclonal antibodies and Special Issue Index

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and $(\text{His})_6$ -tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Bi-column method for purification of transcription factors 905(2001)133

Characterization of polyethylene glycol-modified proteins by semi-aqueous capillary electrophoresis 905(2001)299

Application of reinforced frontal affinity chromatography and advanced processing procedure to the study of the binding property of a *Caenorhabditis elegans* galectin 905(2001)337

Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations (Review) 906(2001)253

Chromatographic and electrophoretic studies of protein binding to chiral solutes (Review) 906(2001)459

Thermosensitive copolymers of *N*-vinylimidazole as displacers of proteins in immobilised metal affinity chromatography 907(2001)115

Monitoring of recombinant human insulin production by narrow-bore reversed-phase high-performance liquid chromatography, high-performance capillary electrophoresis and matrix-assisted laser desorption ionisation time-of-flight mass spectrometry 907(2001)131

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Control method for integrity of continuous beds 908(2001)179

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Continuous separation of green fluorescent protein by annular chromatography 908(2001)243

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251 Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111

Shielding of protein-boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137

Characterization of metal affinity of green fluorescent protein and its purification through salt promoted, immobilized metal affinity chromatography 909(2001)183

Effect of buffer concentration on gradient chromatofocusing performance separating proteins on a high-performance DEAE column 909(2001)191

Restricted access chromatographic sample preparation of low mass proteins expressed in human fibroblast cells for proteomics analysis 909(2001)279

Selective glycopeptide mapping of erythropoietin by on-line high-performance liquid chromatography–electrospray ionization mass spectrometry 910(2001)1

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Poly(glycidyl methacrylate-divinylbenzene-triallylisocyanurate) continouus-bed protein chromatography 912(2001)31

High-performance liquid chromatography coupled on-line with electrospray ionization mass spectrometry for the simultaneous separation and identification of the Synechocystis PCC 6803 phycobilisome proteins 912(2001)269

Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (pI). Effects of NaCl concentration, pH value, and temperature 912(2001)281

Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials 913(2001)269

Determination of sialic acids by liquid chromatography-mass spectrometry 913(2001)365

Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography-mass spectrometry 913(2001)397 Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429

Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437

Rapid separation of peptides and proteins by isocratic capillary electrochromatography at elevated temperature 914(2001)189

High-efficiency capillary isoelectric focusing of protein complexes from *Escherichia coli* cytosolic extracts 914(2001)257

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Capillary isoelectric focusing with UV-induced fluorescence detection 916(2001)65

Comparative studies on discrete and concatemeric DNA-Sepharose columns for purification of transcription factors 917(2001)43

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Chromatographic purification and characterization of Bphycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Characterization of phosphorylation of a novel protein kinase in rice cells by capillary electrophoresis 918(2001)401

Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

Characterization of clotting factor IX in plasma-derived preparations by electrophoretic techniques 921(2001)57

Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93

Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109

Functional polymer affinity matrix for purifying hexahistidinetagged recombinant protein 921(2001)197

Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Channel-specific coatings on microfabricated chips 924(2001)165

Novel monolithic columns with templated porosity 924(2001)223

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

Proteomics based on selecting and quantifying cysteine containing peptides by covalent chromatography 924(2001)345

Automated signature peptide approach for proteomics 924(2001)359

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

Analysis of histones by on-line capillary zone electrophoresis– electrospray ionisation mass spectrometry 926(2001)57

Characterisation of modified whey protein in milk ingredients by liquid chromatography coupled to electrospray ionisation mass spectrometry 926(2001)105

Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate–co-ethylene dimethacrylate) 926(2001)255

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63

Protein adsorption on novel acrylamido-based polymeric ionexchangers. III. Salt concentration effects and elution behavior 930(2001)79

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

Determinants of protein retention characteristics on cationexchange adsorbents 933(2001)57

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2002)157

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2002)167

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)– phosphate aqueous two-phase system 943(2002)55

Nd–Fe–B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

Bioanalysis in microfluidic devices (Review) 943(2002)159

Urea-formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209

Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149

Reversed-phase poly(styrene-divinylbenzene) materials optimised for large scale preparative and process purification of synthetic peptides and recombinant proteins 944(2002)169

Use of a modified zirconia support in the separation of immunoproteins 944(2002)179

Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189

Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Rational approach to quantitative sodium dodecyl sulfate capillary gel electrophoresis of monoclonal antibodies 947(2002)143

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene-divinylbenzene 947(2002)307

On-line microdialysis of proteins with high-salt buffers for direct coupling of electrospray ionization mass spectrometry and liquid chromatography 948(2002)139

Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163 Global internal standard technology for comparative proteomics 949(2002)173

Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113

Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzymecatalyzed reactions 950(2002)125

Supercoiled circular DNA and protein retention in nonequilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

Protoporphyrin IX

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Protriptyline

High-performance liquid chromatographic analysis for a nonchromophore-containing phosphatidyl inositol analog, 1-[(1-*O*octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*inositol, using indirect UV detection 913(2001)355

Pseudoephedrine

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Analysis of enantiomers giving partially overlapped peaks by using different treatments of the chromatographic ultraviolet signals: quantification of pseudoephedrine enantiomers 930(2001)95

Puerarin

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

Pulegone

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Pullulanase

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

Purines

Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Application of mixed partition-adsorption systems in highperformance liquid chromatography of purines and pyrimidines 922(2001)187

Analysis of purines and pyrimidines by mixed partitionadsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1

Putrescine

Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis-laser-induced fluorescence detection 926(2001)309

Pyrene

Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Pyrenebutanoic acid succinimidyl ester

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

2-(1-Pyrenyl) ethyldimethylsilylated silica

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Pyrethrins

Separation of the insecticidal pyrethrin esters by capillary electrochromatography 905(2001)319

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Pyrethroids

Selective enrichment of 17 pyrethroids from lyophilised agricultural samples 912(2001)83

Determination of residues of endosulfan and five pyrethroid insecticides in virgin olive oil using gas chromatography with electron-capture detection 921(2001)297

What are we determining using gas chromatographic multiresidue methods: tralomethrin or deltamethrin? 943(2002)101

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213

Pyridinecarboxylic acid

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Pyridinedicarboxylic acid

Ion chromatographic preconcentration of Cu and Cd from ultrahigh-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a precolumn complexation agent 927(2001)219

Pyridines

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4aminopyridine including related substances 907(2001)321

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Effect of the eluent pH and acidic modifiers in highperformance liquid chromatography retention of basic analytes 913(2001)173

Effect of counter-anion concentration on retention in highperformance liquid chromatography of protonated basic analytes 913(2001)189

Liquid chromatography-tandem mass spectrometry method of urine analysis for determining human variation in carcinogen metabolism 914(2001)95

Pyrimidines

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Application of mixed partition-adsorption systems in highperformance liquid chromatography of purines and pyrimidines 922(2001)187

Analysis of purines and pyrimidines by mixed partitionadsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1

Pyromellitic acid

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181

Pyrones

Computer-assisted optimization in the development of a highperformance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51

Pyrrolizidines

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249

Pyruvate

Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis–liquid chromatography 913(2001)341

Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachophoresis 916(2001)247



Quaternary ammonium compounds

Identification of unknown degradation products in a new cholesterol-reducing drug by ion-chromatography coupled to mass spectrometry 912(2001)91

Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis 912(2001)353

Determination of quaternary ammonium pesticides by liquid chromatography-electrospray tandem mass spectrometry 914(2001)111

Simple ion chromatographic method for the determination of chlormequat residues in pears 920(2001)255

Determination of quaternary alkylammonium compounds by capillary zone electrophoresis and indirect UV detection as a real alternative to ion chromatography with suppressed conductivity detection 920(2001)333

Complex formation analysis of water-soluble calixarenes by capillary zone electrophoresis 934(2001)113

Solid-phase extraction and sample stacking-capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

Quercetin

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Direct extraction of specific pharmacophoric flavonoids from gingko leaves using a molecularly imprinted polymer for quercetin 934(2001)1

Determination of active ingredients of *Rhododendron dauricum* L. by capillary electrophoresis with electrochemical detection 943(2002)153

Quinic acid

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)–D-quinic acid as a chiral selector 932(2001)139

Quinidines

Enantiomeric separation of N-protected amino acids by nonaqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Quinines

Enantiomeric separation of N-protected amino acids by nonaqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Quinolines

Capillary electrophoresis of methylderivatives of quinolines. I 917(2001)319

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Quinoline Yellow

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining countercurrent chromatography 923(2001)87

Quinolones

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Prediction of retention behaviour and evaluation of pK_a values of peptides and quinolones in liquid chromatography 933(2001)45

Analysis of quinolone residues in edible animal products (Review) 945(2002)1

R

Ranaconitine

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281 Preparative separation of lappaconitine, ranaconitine, *N*-deacetyllappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by highspeed counter-current chromatography 943(2002)219

Ranitidine hydrochloride

Ranitidine hydrochloride: development of an isocratic stabilityindicating high-performance liquid chromatographic separation 914(2001)13

Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87

Rare earth ions

see also Lanthanides

Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachophoresis–particle-indcued X-ray emission 919(2001)417

RDX

Detection of the cyclic nitramine explosives hexahydro-1,3,5trininitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

Reboxetine

Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247

Determination of reboxetine, a recent antidepressant drug, in human plasma by means of two high-performance liquid chromatography methods 949(2002)23

Reserpine

Liquid chromatographic-tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1

Resorcinarenes

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b*,*e*]oxepin derivatives on calixarene- and resorcinarenebonded high-performance liquid chromatography stationary phases 948(2002)309

Resveratrol

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303 Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Ultra-low-temperature non-aqueous capillary electrophoretic separation–77 K fluorescence spectroscopic detection for the online identification of photo-converted analytes of *trans*-resveratrol 943(2002)287

Retinoic acid

Improved normal-phase and reversed-phase gradient highperformance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71

Retinoids

Determination of retinoids in galenicals by column liquid chromatography with fluorescence and diode-array detection 905(2001)345

Qualitative and quantitative liquid chromatographic determination of natural retinoids in biological samples (Review) 935(2001)13

Improved normal-phase and reversed-phase gradient highperformance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71

Retinol

see also Vitamins

Improved normal-phase and reversed-phase gradient highperformance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Rhodamine B

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Rhodamine-110 chloride

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Ristocetin A

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1 High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91

RNA

see also Nucleic acids

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Rocuronium

Quantitative determination of rocuronium in human plasma by liquid chromatography–electrospray ionization mass spectrometry 910(2001)61

Rofecoxib

Improved procedure for the determination of rofecoxib in human plasma involving 96-well solid-phase extraction and fluorescence detection 949(2002)83

Ronidazole

Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435

Rutin

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

S

Salbutamol

Determination of apparent binding constants of drugs by capillary electrophoresis using β -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Salicylaldehydesulfonate

Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95

Salicylic acid

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Microdialysis of salicylic acid from viscous emulsion samples prior to high-performance liquid chromatographic determination 912(2001)39

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

Salidroside

Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91

Salvianolic acids

Preparative isolation and purification of salvianolic acid B from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 943(2002)235

Santolinatriene

Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

Sapogenins

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Saponins

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Sapphyrin

Open-tubular electrochromatography of organic phosphates on a sapphyrin-modified capillary 921(2001)99

Sarin

Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography–electrospray mass spectrometry 912(2001)291

Packed capillary liquid chromatography-electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

Satratoxin

Fast methods for screening of trichothecenes in fungal cultures using gas chromatography-tandem mass spectrometry 929(2001)75

SB-553261

Application of the "VARICOL" process to the separation of the isomers of the SB-553261 racemate 947(2002)59

Scopolamine

Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187

Scutellarin

Determination of scutellarin in *Erigeron breviscapus* extract by liquid chromatography-tandem mass spectrometry 919(2001)437

Sea-Nine 211

Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103

Secoisolariciresinol diglucoside

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

Selenium

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Multielemental determination of arsenic, selenium and chromium(VI) species in water by high-performance liquid chromatography-inductively coupled plasma mass spectrometry 926(2001)265

Semi-volatile organics

On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189

Seocalcitol

Sensitive analysis of 1α ,25-dihydroxyvitamin D_3 in biological fluids by liquid chromatography-tandem mass spectrometry 935(2001)93

Serine

Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized $_{D,L}$ -serine by γ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99

Sesquiterpenoids

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Combination of chromatographic and spectroscopic methods for the isolation and characterization of polar guaianolides from *Achillea asiatica* 936(2001)193

Shikimic acid

Direct capture of product from fermentation broth using a cellrepelling ion exchanger 942(2002)123

Sialic acids

Determination of sialic acids by liquid chromatography-mass spectrometry 913(2001)365

Sialoglycans

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Sialylated oligosaccharides

Resolution of structural isomers of sialylated oligosaccharides by capillary electrophoresis 921(2001)315

Silphenylene-siloxane copolymers

Characterization of stationary phases for gas chromatography by ²⁹Si NMR spectroscopy. II. Silphenylene–siloxane copolymers 917(2001)219

Silver nitrate

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53

Simvastatin

Chromatographic purification of some 3-hydroxy-3methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Sinigrin

Direct determination of sinigrin in mustard seed without desulfatation by reversed-phase ion-pair liquid chromatography 912(2001)363

Sitosterol

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Sodium borohydride

Derivatization of organometal(loid) species by sodium borohydride. Problems and solutions 938(2001)225

Sodium carbonate

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Sodium cholate

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Sodium deoxycholate

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

Sodium dodecylbenzenesulfonate

Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography 949(2002)301

Sodium dodecylsulfate

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

A capillary electrophoresis study on the influence of β cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Sodium hydroxide

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Sodium nitrate

Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127

Sodium phosphate

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)–phosphate aqueous two-phase system 943(2002)55

Sodium saccharin

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Sodium tetraborate

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Solanidine

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Solanine

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

Solasodine

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Soman

Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography–electrospray mass spectrometry 912(2001)291

Sorbic acid

Characterisation of sorbate geometrical isomers 905(2001)359

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Sphingolipids

Separation, identification and quantitation of ceramides in human cancer cells by liquid chromatography–electrospray ionization tandem mass spectrometry 949(2002)225

Spiramycins

Separation of spiramycin components using high-speed countercurrent chromatography 903(2000)93

Squalene

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

Stanozolol

Determination of 16β-hydroxystanozolol in urine and faeces by liquid chromatography–multiple mass spectrometry 904(2000)203

Confirmatory analysis of residues of stanozolol and its major metabolite in bovine urine by liquid chromatography-tandem mass spectrometry 926(2001)69

Starch

Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183

Characterization of starch polysaccharides by flow field-flow fractionation-multi-angle laser light scattering-differential refractometer index 917(2001)179

Stearic acid

Autoxidation products of normal and genetically modified canola oil varieties determined using liquid chromatography with mass spectrometric detection 905(2001)85

Steranes

Study of Croatian non-aromatic naphthalane constituents with skeletons analogous to bioactive compounds 918(2001)127

Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275

Steroid hormones

Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309

Steroids

Characterization of inclusion complexes of betamethasonerelated steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

Determination of 16β-hydroxystanozolol in urine and faeces by liquid chromatography–multiple mass spectrometry 904(2000)203

Separation of steroid compounds by overloaded preparative chromatography with precipitation in the fluid phase 908(2001)265

Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction—liquid chromatography—diode array detection 911(2001)203

Separation of steroids using temperature-dependent inclusion chromatography 912(2001)45

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Superheated water as eluent in high-temperature highperformance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197

Determination of apparent association constants of steroidcyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Analysis of estrogens in river water and effluents using solidphase extraction and gas chromatography–negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195

Method for confirmation of synthetic corticosteroids in doping urine samples by liquid chromatography–electrospray ionisation mass spectrometry 926(2001)87

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Steroid analysis for medical diagnosis (Review) 935(2001)267

High-performance liquid chromatographic analysis of dehydroepiandrosterone (Review) 935(2001)279

7-Hydroxydehydroepiandrosterone epimers in human serum and saliva. Comparison of gas chromatography-mass spectrometry and radioimmunoassay 935(2001)297

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Capillary gas chromatographic behaviour of *tert.*-hydroxylated steroids by trialkylsilylation 937(2001)97

Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Sterols

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

Gas chromatographic characterization of vegetable oil deodorization distillate 921(2001)277

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Bile acids and sterols in urban sewage treatment plants 927(2001)155

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Chromatographic analysis of plant sterols in foods and vegetable oils (Review) 935(2001)173

Plasma non-cholesterol sterols (Review) 935(2001)203

Analysis of free and esterified sterols in fats and oils by flash chromatography, gas chromatography and electrospray tandem mass spectrometry 935(2001)237

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

Capillary gas chromatographic behaviour of *tert*.-hydroxylated steroids by trialkylsilylation 937(2001)97

Preparation of sterol-imprinted polymers with the use of 2-(methacryloyloxy)ethyl phosphate 938(2001)131

Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

Sterones

Bile acids and sterols in urban sewage treatment plants 927(2001)155

7-Hydroxydehydroepiandrosterone epimers in human serum and saliva. Comparison of gas chromatography-mass spectrometry and radioimmunoassay 935(2001)297

Steryl esters

Analysis of steryl esters in cocoa butter by on-line liquid chromatography–gas chromatography 918(2001)341

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Stigmasterol

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Styrene

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

Sucrose

Separation and identification of enzymatic sucrose hydrolysis products by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)299

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

Sulfa compounds

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Sulfadiazine

Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Sulfaguanidine

Salt effects in capillary zone electrophoresis. V. Adsorption and retention of electrically neutral analytes 929(2001)113

Sulfametoxazole

Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Sulfanilamide

Salt effects in capillary zone electrophoresis. V. Adsorption and retention of electrically neutral analytes 929(2001)113

Sulfanilic acid

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Sulfates

Determination of trace anions in high-nitrate matrices by ion chromatography 920(2001)127

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

Sulfides

Analysis of nonvolatile species in a complex matrix by headspace gas chromatography 909(2001)249

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2002)201

Sulfinate esters

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Sulfite

Capillary electrophoretic determination of sulfite using the zonepassing technique of in-capillary derivatization 934(2001)67

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2002)201

Sulfobutyl ether

Analysis of sulfobutyl ether-β-cyclodextrin mixtures by ionspray mass spectrometry and liquid chromatography–ion-spray mass spectrometry 925(2001)79

Sulfonamides

Joule heating calculations in capillary zone electrophoresis. Reply to "Recalculation of the temperature inside capillaries using high buffer concentrations" by Zhang et al 907(2001)357

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Sulfonates

Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95

Sulfonic acids

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Analysis of sulfonated compounds by ion-exchange highperformance liquid chromatography-mass spectrometry 912(2001)53

On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining countercurrent chromatography 923(2001)87

High performance liquid chromatography-mass spectrometric analysis of sulphonated dyes and intermediates 926(2001)175

Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147

Effects of substituted cyclodextrins on the separation of aromatic sulphonic acids by capillary zone electrophoresis 948(2002)235

Sulfophthalamic acid

Analysis of sulfophthalimide and some of its derivatives by liquid chromatography–electrospray ionization tandem mass spectrometry 919(2001)289

Sulfophthalamide

Analysis of sulfophthalimide and some of its derivatives by liquid chromatography–electrospray ionization tandem mass spectrometry 919(2001)289

Sulfophthalic acid

Analysis of sulfophthalimide and some of its derivatives by liquid chromatography–electrospray ionization tandem mass spectrometry 919(2001)289

Sulfophthalimide

Analysis of sulfophthalimide and some of its derivatives by liquid chromatography–electrospray ionization tandem mass spectrometry 919(2001)289

Sulfosalicylic acid

High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239

Sulfoxides

Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous–organic and normal-phase eluents 922(2001)127

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Sulfur compounds

see also Organosulfur compounds

Application of solid-phase extraction to the analysis of the isomers generated in biodesulfurization against methylated dibenzothiophenes 903(2000)193

Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Determination of biologically active low-molecular-mass thiols in human blood. III. Highly sensitive narrow-bore isocratic reversed-phase high-performance liquid chromatography with fluorescence detection 913(2001)315

Investigation of the storage stability of selected volatile sulfur compounds in different sampling containers 917(2001)367

Ion-pair chromatography of polythionates and thiosulfate with detection based on their catalytic effects on the postcolumn azide–iodine reaction 920(2001)163

Capillary electrophoretic determination of sulfite using the zonepassing technique of in-capillary derivatization 934(2001)67

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Sulfur hexafluoride

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

Sulfur mustard

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Capillary gas chromatography–atomic emission spectroscopy– mass spectrometry analysis of sulphur mustard and transformation products in a block recovered from the Baltic Sea 919(2001)133

Surfactants

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Preconcentration of contaminants in water analysis (Review) 902(2000)289

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Interaction of surfactants with homologous series of peptides studied by reversed-phase thin-layer chromatography 910(2001)137

Liquid exclusion-adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Separation of isomers of nonylphenol and select nonylphenol polyethoxylates by high-performance liquid chromatography on a graphitic carbon column 914(2001)161

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Use of a fluorosurfactant in micellar electrokinetic capillary chromatography 916(2001)73

Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79

On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Selectivity of solid-phase extraction phases in the determination of biodegradation products 918(2001)145

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection-mass spectrometry and liquid chromatography-mass spectrometry and -tandem mass spectrometry 926(2001)127

Determination of naphthalenesulfonic acid isomers by largevolume on-line derivatization and gas chromatography-mass spectrometry 926(2001)341

Analysis of linear alkylbenzenesulfonates by capillary zone electrophoresis with large-volume sample stacking 929(2001)143

Anion selective exhaustive injection-sweep-micellar electrokinetic chromatography 932(2001)129

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography-electrospray mass spectrometry 938(2001)79

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

Characterization of alkyl polyglycosides by both reversed-phase and normal-phase modes of high-performance liquid chromatography 943(2002)241

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase highperformance liquid chromatography 946(2002)163

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291

Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography 949(2002)301

Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography– electrospray mass spectrometry 950(2002)167

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293

SYTO 25

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

SYTO 82

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275

SYTOX Orange

Evaluation of different nucleic acid stains for sensitive doublestranded DNA analysis with capillary electrophoretic separation 943(2002)275 320

Talinolol

Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187

Tamoxifen

Analysis of tamoxifen and its metabolites in synthetic gastric fluid digests and urine samples using high-performance liquid chromatography with electrospray mass spectrometry 914(2001)5

Tannins

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Tanshinones

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Tapazol

Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography-mass spectrometry 912(2001)311

Tartaric acid

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)–D-quinic acid as a chiral selector 932(2001)139

Taxanes

Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densiformis* by high-performance liquid chromatography 911(2001)55

Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177

Taxol

Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177

Teicoplanin

High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19

Temazepam

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Terbumeton

Molecularly imprinted polymer membranes for substanceselective solid-phase extraction from water by surface photografting polymerization 907(2001)89

Terephthalic acid

Preparation and characterization of polyalkene membranes modified with four different ion-exchange groups by radiationinduced graft polymerization 948(2002)129

Terpanes

Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275

Terpenes

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Analysis of terpene compounds in *Cimicifuga foetida* L. by reversed-phase high-performance liquid chromatography with evaporative light scattering detection 936(2001)111

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

Terpenoids

Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 921(2001)175

Development of a simple gradient LC–IR interface for the detection of terpenoids from the α -pinene–ozone reaction 922(2001)99

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Techniques for gas chromatography of volatile terpenoids from a range of matrices (Review) 936(2001)23

Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47

Liquid chromatographic separation of terpenoid pigments in foods and food products (Review) 936(2001)119

α-Terpineol

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β -cyclodextrin as mobile phase modifier 903(2000)67

Testosterone

Superheated water as eluent in high-temperature highperformance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197

Tetraalkylammonium salts

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Tetrabutylammonium bromide

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C_{18} column by mass spectrometry with electrospray ionization 910(2001)187

Tetrachloroethylene

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Tetracyclines

Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177

Tetradentate ligands

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Tetraethylene glycol dimethyl ether

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Tetraethyltin

Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247

Tetrafluorobenzenethiol

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Tetraglyme

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Tetrahydrofuran

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

Tetrahydronaphthylamines

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Tetralins

Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101

Tetramethylammonium hydroxide

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography-mass spectrometry 950(2002)195

Tetramethyltin

Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247

Tetraphenylborate

Trace analysis of γ -cyclodextrin in a sample of β -cyclodextrin by capillary electrophoresis 907(2001)313

Theaflavins

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Theobromine

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163

Theophylline

Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57

Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163

Thiabendazole

Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359

Thiazolylazoresorcinol

Separation of uranium(VI) and transition metal ions with 4-(2thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Thimerosal

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Thiocolchicoside

Highly specific and sensitive liquid chromatography-tandem mass spectrometry method for the determination of 3-desmethylthiocolchicine in human plasma as analyte for the assessment of bioequivalence after oral administration of thiocolchicoside 949(2002)71

Thiocyanate

Analysis of thiocyanate in biological fluids by capillary zone electrophoresis 916(2001)273

2-Thiocyanomethylthiobenzothiazole

Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103

Thiodiglycol

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

Thiodipropanol

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

Thiols

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Determination of biologically active low-molecular-mass thiols in human blood. III. Highly sensitive narrow-bore isocratic reversed-phase high-performance liquid chromatography with fluorescence detection 913(2001)315

Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29

Thiomalic acid

Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29

Thiopental

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2002)115

Thiosulfate

Ion-pair chromatography of polythionates and thiosulfate with detection based on their catalytic effects on the postcolumn azide–iodine reaction 920(2001)163

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2002)201

Thiouracil

Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography-mass spectrometry 912(2001)311

Thiourea

Ion chromatography on-chip 924(2001)233

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129

Behavior of packing materials in axially compressed chromatographic columns 943(2002)15

Erratum to "Ion chromatography on-chip" [J. Chromatogr. A, 924 (2001) 233–238] 943(2002)311

Thioxanthenes

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarenebonded high-performance liquid chromatography stationary phases 948(2002)309

Tholins

Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69

Thorium

Ionophoretic studies on mixed metal-nitrilotriacetatepenicillamine complexes 910(2001)181

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Thymol

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β -cyclodextrin as mobile phase modifier 903(2000)67

Thyroglobulin

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

Timolol

Quantitative determination of oxprenolol and timolol in urine by capillary zone electrophoresis 949(2002)91

Titanium oxide

 ${\rm TiO}_2$ colloidal suspension polydispersity analysed with sedimentation field flow fractionation and electron microscopy 905(2001)163

Size- and shape-dependent separation of TiO_2 colloidal subpopulations with gravitational field flow fractionation 923(2001)119

Tocopherol acetate

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

Tocopherols

see also Vitamins

Capillary electrochromatographic evaluation of vitamin E-active oil constituents: tocopherols and tocotrienols 913(2001)379

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305

Gas chromatographic characterization of vegetable oil deodorization distillate 921(2001)277

Chromatographic analysis of α -tocopherol and related compounds in various matrices (Review) 935(2001)45

Chromatographic separation of tocopherols 935(2001)71

Analysis of vitamin E isomers in seeds and nuts with and without coupled hydrolysis by liquid chromatography and coulometric detection 935(2001)77

Liquid chromatographic method for the analysis of tocopherols in malt sprouts with supercritical fluid extraction 935(2001)87

Analysis of lipophilic antioxidants in human serum and tissues: tocopherols and carotenoids (Review) 936(2001)83

Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

324

Tocotrienols

Determination of RS, E/Z-tocotrienols by HPLC 909(2001)215

Capillary electrochromatographic evaluation of vitamin E-active oil constituents: tocopherols and tocotrienols 913(2001)379

Chromatographic analysis of α -tocopherol and related compounds in various matrices (Review) 935(2001)45

Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

Tolbutamide

Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209

Toluene

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Toluidines

Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey 946(2002)247

Toxins

see also Aflatoxins and Mycotoxins

Effect of pH on the oxidation of paralytic shellfish poisoning toxins for analysis by liquid chromatography 905(2001)351

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C_{18} and amide C_{16} sorbents 909(2001)225

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Determination of paralytic shellfish poisoning toxins by highperformance ion-exchange chromatography 929(2001)43 Determination of domoic acid in shellfish by liquid chromatography with electrospray ionization and multiple tandem mass spectrometry 938(2001)167

Matrix effect and correction by standard addition in quantitative liquid chromatographic-mass spectrometric analysis of diarrhetic shellfish poisoning toxins 943(2002)39

Rapid separation of microcystins and nodularin using a monolithic silica C₁₈ column 947(2002)237

Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspiracids in shellfish 950(2002)139

Tralomethrin

What are we determining using gas chromatographic multiresidue methods: tralomethrin or deltamethrin? 943(2002)101

Tramadol

High-performance liquid chromatographic determination of tramadol and its *O*-desmethylated metabolite in blood plasma. Application to a bioequivalence study in humans 949(2002)11

Separation of uranium(VI) and transition metal ions with 4-(2thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Transition metals

see also Metals

Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427

Retention behavior of transition metals on a bifunctional ionexchange column with oxalic acid as eluent 920(2001)101

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73

Triacylglycerols

Autoxidation products of normal and genetically modified canola oil varieties determined using liquid chromatography with mass spectrometric detection 905(2001)85

Optical resolution of asymmetric triacylglycerols by chiral-phase high-performance liquid chromatography 905(2001)111

Reversed-phase high-performance liquid chromatographic separation of *tert.*-butyl hydroperoxide oxidation products of unsaturated triacylglycerols 905(2001)119

Analysis of triacylglycerol positional isomers in food products as brominated derivatives by high-performance liquid chromatography coupled with a flame ionization detection 912(2001)187 Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography– atmospheric pressure chemical ionisation mass spectrometry 926(2001)239

Triazines

Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61

Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

On-line concentration of *s*-triazine herbicides in micellar electrokinetic chromatography using a cationic surfactant 916(2001)239

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Solid-phase extraction with styrene–divinylbenzene sorbent for high-performance liquid or gas chromatographic determination of urinary chloro- and methylthiotriazines 918(2001)351

Triazoles

High-performance chiral separation of fourteen triazole fungicides by sulfated β-cyclodextrin-mediated capillary electrophoresis 912(2001)171

Tribromide

Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213

Tributylphosphate

Application of gas chromatography-tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphatealkylbenzene inhibitor coupling products 917(2001)261

Tributyltin

Determination of triorganotin species in water samples by liquid chromatography-electrospray-mass spectrometry 946(2002)1

Trichothecenes

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

Fast methods for screening of trichothecenes in fungal cultures using gas chromatography-tandem mass spectrometry 929(2001)75

Tridecyl alcohol diglycolate

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Triethylamine

Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83

Trifluoroacetic acid

Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data 913(2001)205

Analysis of residual trifluoroacetic acid in a phosphate-buffered saline matrix by ion chromatography with suppressed conductivity detection 920(2001)155

2,2,2-Trifluoroethanol

Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73

Triglycerides

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Trihalomethanes

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatographymass spectrometry 927(2001)229

Trimethoprim

Determination of sulfametoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205

Trinitrotoluenes

Characterization and origin identification of 2,4,6-trinitrotoluene through its by-product isomers by liquid chromatography– atmospheric pressure chemical ionization mass spectrometry 946(2002)125

Triphenyltin

Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1

Tripropyltin

Determination of triorganotin species in water samples by liquid chromatography-electrospray-mass spectrometry 946(2002)1

Tris(2,2'-bipyridine)ruthenium(II)

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

326

Compound Index Vols. 902-950

Tris(bipyridyl)ruthenium (III)

Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

Triterpenes

Gas chromatography-mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

Triterpenoids

Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography-atmospheric pressure chemical ionisation mass spectrometry 921(2001)175

Triton X-100

Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase highperformance liquid chromatography 946(2002)163

Tröger's base

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3

Troleandomycin

Liquid chromatography of troleandomycin 914(2001)53

Tryptophan

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2002)115

Cutinase-peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

Tungsten hexafluoride

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride $\ 911(2001)107$

Undecenol

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Uracil

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Uranium

Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

Urea

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Uridine

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119



Vanadium

Simultaneous electrophoretic determination of vanadium(V) and vanadium(IV) based on the complex formation with a Mo(VI)-P(V) reagent 939(2001)123

Vancomycin

High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91 Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Vanillins

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Venlafaxine

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Vinclozolin

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Vinorelbine

New sensitive liquid chromatography method coupled with tandem mass spectrometric detection for the clinical analysis of vinorelbine and its metabolites in blood, plasma, urine and faeces 926(2001)11

Vinorelbine oxide

New sensitive liquid chromatography method coupled with tandem mass spectrometric detection for the clinical analysis of vinorelbine and its metabolites in blood, plasma, urine and faeces 926(2001)11

Vinyl chloride

Study of the mechanism of the interaction of vinyl chloride with water by reversed-flow gas chromatography 919(2001)349

Flux of gases across the air-water interface studied by reversed-flow gas chromatography 934(2001)31

N-Vinylimidazole

Thermosensitive copolymers of *N*-vinylimidazole as displacers of proteins in immobilised metal affinity chromatography 907(2001)115

Vinylpyridine

Uniformly sized molecularly imprinted polymer for (*S*)naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141

Vitamins

see also Carotenes, Retinol and Tocopherols

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151

Determination of retinoids in galenicals by column liquid chromatography with fluorescence and diode-array detection 905(2001)345

Determination of RS, E/Z-tocotrienols by HPLC 909(2001)215

Capillary electrochromatographic evaluation of vitamin E-active oil constituents: tocopherols and tocotrienols 913(2001)379

Demonstration of simultaneous cation-exchange and reversedphase mechanisms on a strong-acid cation-exchange column 919(2001)21

Simple high-performance liquid chromatography method for α -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on α -tocopherol content 919(2001)305

Gas chromatographic characterization of vegetable oil deodorization distillate 921(2001)277

Extraction of fat-soluble vitamins (Review) 935(2001)3

Qualitative and quantitative liquid chromatographic determination of natural retinoids in biological samples (Review) 935(2001)13

Chromatographic analysis of α -tocopherol and related compounds in various matrices (Review) 935(2001)45

Chromatographic separation of tocopherols 935(2001)71

Analysis of vitamin E isomers in seeds and nuts with and without coupled hydrolysis by liquid chromatography and coulometric detection 935(2001)77

Liquid chromatographic method for the analysis of tocopherols in malt sprouts with supercritical fluid extraction 935(2001)87

Sensitive analysis of 1α ,25-dihydroxyvitamin D₃ in biological fluids by liquid chromatography–tandem mass spectrometry 935(2001)93

Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Analysis of lipophilic antioxidants in human serum and tissues: tocopherols and carotenoids (Review) 936(2001)83

Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

Vitronectin

Characterization of clotting factor IX in plasma-derived preparations by electrophoretic techniques 921(2001)57

Volatile organic compounds

see also Alcohols, Carbonyl compounds and Hydrocarbons

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Two-fibre solid-phase microextraction combined with gas chromatography-mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233

Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters 909(2001)3

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Determination of volatile components in peptic powder by gas chromatography-mass spectrometry and chemometric resolution 909(2001)237

Determination of the oxidation products of the reaction between α -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a β -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

Analysis of C_2-C_4 peroxyacyl nitrates and C_1-C_5 alkyl nitrates with a non-polar capillary column 915(2001)271

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Investigation of the storage stability of selected volatile sulfur compounds in different sampling containers 917(2001)367

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography-mass spectrometry 918(2001)189

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Polydimethylsiloxane solid-phase microextraction-gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic–flame ionisation detection analysis of dichloromethane microextracts 923(2001)205

Construction and validation of automated purge-and-trap-gas chromatography for the determination of volatile organic compounds 927(2001)143

Comparison of simultaneous distillation extraction and solidphase microextraction for the determination of volatile flavor components 930(2001)1

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2002)33

Rapid determination of volatile constituents of *Michelia alba* flowers by gas chromatography-mass spectrometry with solid-phase microextraction 942(2002)283

Classification of Nebbiolo-based wines from Piedmont (Italy) by means of solid-phase microextraction-gas chromatography-mass spectrometry of volatile compounds 943(2002)123

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Analysis by gas chromatography-mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

Analysis of free and bound volatiles by gas chromatography and gas chromatography–mass spectrometry in uncased and cased tobaccos 947(2002)267





WAP-8294A

Separation of WAP-8294A components, a novel anti-methicillinresistant *Staphylococcus aureus* antibiotic, using high-speed counter-current chromatography 932(2001)75

Warfarin

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

Wax ester

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

Weak acids

Nonlinear function retention model in weak acid anion chromatography 945(2002)97

Weak bases

Effects of acid treatment on the trace metal content of chromatographic silica: bulk analysis, surface analysis and chromatographic performance of bonded phases 905(2001)69

Whey proteins

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

Characterisation of modified whey protein in milk ingredients by liquid chromatography coupled to electrospray ionisation mass spectrometry 926(2001)105

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Withanolides

Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105

Xanthines

Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163

Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293

Xanthophyll epoxides

Improved normal-phase and reversed-phase gradient highperformance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71

Xanthophyll esters

Improved normal-phase and reversed-phase gradient highperformance liquid chromatography procedures for the analysis of retinoids and carotenoids in human serum, plant and animal tissues 936(2001)71

Xenoestrogens

Determination of the xenoestrogens 4-nonylphenol and bisphenol A by high-performance liquid chromatography and fluorescence detection after derivatisation with dansyl chloride 945(2002)133

Determination of phenolic xenoestrogens in water by liquid chromatography with coulometric-array detection 946(2002)291

XP 280

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

Xylanase

Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217

Xylenes

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Xylometazoline hydrochloride

High-performance liquid chromatographic method for the assay of dexamethasone and xylometazoline in nasal drops containing methyl *p*-hydroxybenzoate 949(2002)79 330

Y

Yessotoxin

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Z

Zeaxanthin

Supercritical fluid extraction for liquid chromatographic determination of carotenoids in Spirulina Pacifica algae: a chemometric approach 912(2001)61

Zinc

High-performance liquid chromatography determination of Zn-bacitracin in animal feed by post-column derivatization and fluorescence detection 943(2002)227

Zinc dithiophosphates

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography-mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

Zinc octoate

Determination of organo-zinc based fungicides in timber treatments employing gas chromatographic analysis with mass selective detection and/or inductively coupled plasma atomic emission spectroscopy 928(2001)209

Zinc pyrithione

Analysis of waterborne paints by gas chromatography-mass spectrometry with a temperature-programmable pyrolyzer 912(2001)329