



ELSEVIER

Journal of Chromatography A, 951 (2002) 85–214

---

---

JOURNAL OF  
CHROMATOGRAPHY A

---

---

www.elsevier.com/locate/chroma

## CUMULATIVE SUBJECT INDEX

### J. CHROMATOGR. A VOLS. 902–950

# A

#### **Absorbance**

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

#### ***Achillea asiatica***

Combination of chromatographic and spectroscopic methods for the isolation and characterization of polar guaianolides from *Achillea asiatica* 936(2001)193

#### **Accelerated solvent extraction**

see Pressurized liquid extraction

#### **Acid treatment**

Effects of acid treatment on the trace metal content of chromatographic silica: bulk analysis, surface analysis and chromatographic performance of bonded phases 905(2001)69

#### ***Aconitum sinomontanum***

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Preparative separation of lappaconitine, ranaconitine, *N*-deacetylappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by high-speed counter-current chromatography 943(2002)219

#### **Activity coefficients**

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

#### **Adenovirus**

Polypeptide composition of an adenovirus type 5 used in cancer gene therapy 921(2001)39

#### **Adhesives**

Ammonium extraction method for ion chromatographic measurements of disc drive components 920(2001)271

#### **Adsorbents**

see also Affinity adsorbents, Sorbents and Stationary phases

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

#### Adsorption

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (*pI*). Effects of NaCl concentration, pH value, and temperature 912(2001)281

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents 920(2001)41

Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

Application of mixed partition-adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Salt effects in capillary zone electrophoresis. V. Adsorption and retention of electrically neutral analytes 929(2001)113

Nd-Fe-B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149

Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography. II. Tests using various simplified models 946(2002)33

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

#### Adsorption isotherms

Influence of the solute hydrophobicity on the enantioselective adsorption of  $\beta$ -blockers on a cellulase protein used as the chiral selector 905(2001)3

Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

Theoretical study of the accuracy of the elution by characteristic points method for bi-Langmuir isotherms 908(2001)111

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

- Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87
- Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13
- Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1
- Fitting adsorption isotherms to the distribution data determined using packed micro-columns for high-performance liquid chromatography 925(2001)19
- Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1
- Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119
- Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107
- Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13
- Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3
- Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23
- Two-step solvent gradients in simulated moving bed chromatography. Numerical study for linear equilibria 944(2002)77
- Separation of binaphthol enantiomers through achiral chromatography 944(2002)225
- Impact of adsorption isotherm parameters on the performance of enantioseparation using simulated moving bed chromatography 944(2002)249
- Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41
- Adulteration**  
Detection of adulterants in olive oil by headspace–mass spectrometry 945(2002)221
- Aerosols**  
Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331
- Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183
- Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69
- Affinity adsorbents**  
see also Immunoabsorbents and Stationary phases
- Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131
- Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and (His)<sub>6</sub>-tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145
- New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29
- Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55
- Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31
- Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109
- Functional polymer affinity matrix for purifying hexahistidine-tagged recombinant protein 921(2001)197
- Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63
- Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275
- Separation of mistletoe lectins based on the degree of glycosylation using boronate affinity chromatography 925(2001)115
- Urea–formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209
- Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163
- Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

#### **Affinity capillary electrophoresis**

Detection of DNA adducts of benzo[*a*]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Nonlinear analysis of dynamic binding in affinity capillary electrophoresis demonstrated for inclusion complexes of  $\beta$ -cyclodextrin 943(2002)139

#### **Affinity chromatography**

see also Immobilized metal affinity chromatography and Immunoaffinity chromatography

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

Cyclodextrin biospecific-like displacement in dye-affinity chromatography 911(2001)47

Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

Affinity-reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

DNA-support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2002)167

#### **Affinity electrochromatography**

Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93

#### **Affinity membrane**

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

#### **Affinity-HEG beads**

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

#### **Agarose gels**

Nd-Fe-B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

#### ***Ageratina adenophora***

Analysis by gas chromatography-mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

#### **Air analysis**

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Determination of low-molecular-mass carboxylic acids in atmospheric aerosol and vehicle emission samples by capillary electrophoresis 910(2001)331

Analysis of C<sub>2</sub>-C<sub>4</sub> peroxyacyl nitrates and C<sub>1</sub>-C<sub>5</sub> alkyl nitrates with a non-polar capillary column 915(2001)271

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Monitoring and statistical evaluation of heavy metals in airborne particulates in Cairo, Egypt 920(2001)261

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Brominated flame retardants in laboratory air 923(2001)299

Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography-mass spectrometry 947(2002)119

#### **Airborne particulate**

Application of micro-scale sealed vessel thermal desorption-gas chromatography-mass spectrometry for the organic analysis of airborne particulate matter: linearity, reproducibility and quantification 912(2001)143

#### **Air/tetraglyme(-water) partition coefficients**

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

**Air–water interface**

Flux of gases across the air–water interface studied by reversed-flow gas chromatography 934(2001)31

**AlCl<sub>3</sub> catalysts**

Study of the polymerization of anthracene oil with AlCl<sub>3</sub> by chromatography and related techniques 919(2001)255

**Aldehyde-silica**

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2002)167

**Alumina, polyethylene-coated**

Quantitative relationship between the retention of peptides on a reversed-phase alumina support and their physicochemical parameters 948(2002)69

**Amaryllidaceae**

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

**Ampholytes**

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

***Andrographis paniculata***

Determination of bioactive diterpenoids from *Andrographis paniculata* by micellar electrokinetic chromatography 930(2001)171

**Anion exchangers**

see also Ion exchangers

Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149

New block-grafted anion exchanger for environmental water analysis by ion chromatography 920(2001)51

Cooperation of solid granule and solvent as porogenic gagents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

**Anion selective exhaustive injection**

Anion selective exhaustive injection–sweep–micellar electrokinetic chromatography 932(2001)129

**Annular chromatography**

Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15

**Anthracene oil**

Study of the polymerization of anthracene oil with AlCl<sub>3</sub> by chromatography and related techniques 919(2001)255

**Apples**

see also Fruits

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

**Aqueous two-phase systems**

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Reversibly soluble macroaffinity ligand in aqueous two-phase separation of enzymes 923(2001)275

Separation of endo-polygalacturonase using aqueous two-phase partitioning 929(2001)23

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)–phosphate aqueous two-phase system 943(2002)55

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

***Arabidopsis thaliana***

Monitoring of isothiocyanates emanating from *Arabidopsis thaliana* upon paraquat spraying 912(2001)127

***Arbacia punctulata***

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

**Argentation**

Chain separation of monounsaturated fatty acid methyl esters by argentation thin-layer chromatography 905(2001)251

***Argyranthemum adauctum***

Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

**Armeniacaee semen**

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

**Art analysis**

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography–mass spectrometry 950(2002)195

#### ***Artemisia capillaris***

Capillary electrophoretic determination of the constituents of *Artemisia capillaris* Herba 911(2001)285

#### **Artifacts**

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

#### **Asparagus fly**

On the pheromone of the Asparagus fly, *Platyparea poeciloptera* 921(2001)341

#### **Assay bias**

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

#### **Association constants**

Determination of apparent association constants of steroid–cyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

#### ***Asteraceae* spp.**

Analysis of the volatile components of *Argyranthemum adauctum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

#### ***Asterias rubens***

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

#### **Atmospheric pressure chemical ionization**

see also Mass spectrometry

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

#### **Atmospheric pressure ionization**

see also Mass spectrometry

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography–tandem mass spectrometry 937(2001)65

#### **Atomic absorption spectrometry**

Ion chromatographic preconcentration of Cu and Cd from ultra-high-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermal atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

#### **Atomic emission detection**

On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127

#### **Autocorrelation function**

Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69

#### **Autocovariance function**

Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69

#### **Automation**

Development of an automated on-line solid-phase extraction–high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171

Automated normal-phase preparative high-performance liquid chromatography as a substitute for flash chromatography in the synthetic research laboratory 908(2001)143

Alkyl diol silica: restricted access pre-column packings for fast liquid chromatography-integrated sample preparation of biological fluids 909(2001)73

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271

Automated signature peptide approach for proteomics 924(2001)359

Robotic automated clean-up for detection of fumonisins B<sub>1</sub> and B<sub>2</sub> in corn and corn-based feed by high-performance liquid chromatography 925(2001)151

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

#### **Autoradiography**

In vivo incorporation of radioactive  $^{36}\text{Cl}$ , a method for monitoring chloro compounds in biological material 903(2000)267

#### **Axial compression**

Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147

Behavior of packing materials in axially compressed chromatographic columns 943(2002)15

#### **Axial dispersion**

see also Dispersion

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

#### **Azaspicid poisoning**

Liquid chromatography with electrospray ion trap mass spectrometry for the determination of five azaspicids in shellfish 950(2002)139

#### **Azeotropy**

Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189

#### **Azide–iodine reaction**

Ion-pair chromatography of polythionates and thiosulfate with detection based on their catalytic effects on the postcolumn azide–iodine reaction 920(2001)163

## **B**

#### ***Bacillus globigii***

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

#### **Background electrolyte composition**

see also Buffer composition, Chiral selectors and Modifiers

Optimization of background electrolytes for capillary electrophoresis. I. Mathematical and computational model 905(2001)269

Sulfur speciation and tetrathionate sulfitolysis monitoring by capillary electrophoresis 907(2001)329

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Separation of monomethyl-benz[*a*]anthracene isomers using cyclodextrin-modified electrokinetic chromatography 910(2001)147

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Why robust background electrolytes containing multivalent ionic species can fail in capillary zone electrophoresis 916(2001)41

Use of a fluorosurfactant in micellar electrokinetic capillary chromatography 916(2001)73

Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3,4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Optimizing separation conditions for polycyclic aromatic hydrocarbons in micellar electrokinetic chromatography 924(2001)397

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Amino acid analysis in five pooled single plant cell samples using capillary electrophoresis coupled to laser-induced fluorescence detection 926(2001)319

Application of carboxymethyl- $\beta$ -cyclodextrin as a chiral selector in capillary electrophoresis for enantiomer separation of selected neurotransmitters 926(2001)327

Migration of (hydroxy)carboxylic acids in coelectroosmotic capillary electrophoresis. Influence of the electrolyte composition 946(2002)255

Enantiomeric separation of N-protected amino acids by non-aqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

### **Bacteria**

High-performance liquid chromatography coupled on-line with electrospray ionization mass spectrometry for the simultaneous separation and identification of the *Synechocystis* PCC 6803 phycobilisome proteins 912(2001)269

Analysis of intact bacteriohopanepolyols from methanotrophic bacteria by reversed-phase high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 921(2001)175

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

### **Ball clay**

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

### **Ballistic gradients**

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic–tandem mass spectrometric analysis 928(2001)41

### **Band broadening**

see also Band profiles and Peak shape

Theory of capillary electrochromatography (Review) 916(2001)3

Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21

Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51

### **Band profiles**

see also Band broadening and Peak shape

Chiral chromatographic separations based on ligand exchange (Review) 906(2001)51

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. V. Results obtained with Vydac 218TP C<sub>18</sub> columns 913(2001)89

Visualization of solute migration in chromatographic columns. Influence of the frit porosity 917(2001)1

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

### **Batch contractor chromatography**

Performance comparison of suspended bed and batch contractor chromatography 908(2001)169

### **Beer**

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

### **Binding constants**

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

A capillary electrophoresis study on the influence of  $\beta$ -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297



Determination of apparent binding constants of drugs by capillary electrophoresis using  $\beta$ -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

Nonlinear analysis of dynamic binding in affinity capillary electrophoresis demonstrated for inclusion complexes of  $\beta$ -cyclodextrin 943(2002)139

#### **Binding mechanism**

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

#### **Binding site model**

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

#### **Bioactivity staining**

Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer chromatography in combination with bioactivity staining 915(2001)217

#### **Biodegradation**

Recalcitrance of poly(vinylpyrrolidone): evidence through matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 938(2001)67

#### **Bioequivalence**

High-performance liquid chromatographic determination of tramadol and its *O*-desmethylated metabolite in blood plasma. Application to a bioequivalence study in humans 949(2002)11

#### **Biogenic emissions**

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

#### **Biomarkers**

Characterization and identification of a “mystery” oil spill from Quebec (1999) 909(2001)155

#### **Biomimetic ligands**

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

#### **Biosensors**

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

#### **Bioskin**

Bioskin as an affinity matrix for the separation of glycoproteins 917(2001)55

#### **Bi-quadratic surface response**

Bi-quadratic surface response for quantitative determination of analytes leading to partially overlapped chromatographic peaks 907(2001)81

#### **Blue-chitin column**

Determination of polycyclic aromatic hydrocarbons by liquid chromatography–electrospray ionization mass spectrometry using silver nitrate as a post-column reagent 928(2001)53

#### **Bonded phase wetting**

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

#### **Boronate columns**

Shielding of protein–boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137

#### ***Brassica napus***

In vivo incorporation of radioactive  $^{36}\text{Cl}$ , a method for monitoring chloro compounds in biological material 903(2000)267

#### **Breakthrough curves**

Control method for integrity of continuous beds 908(2001)179

#### **Breakthrough volumes**

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Evaluation on the adsorption capabilities of new chemically modified polymeric adsorbents with protoporphyrin IX 917(2001)87

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31

#### **Brush-type chiral stationary phases**

High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35

#### **Buffer composition**

see also Background electrolyte composition, Chiral selectors and Modifiers

Use of borate complexation for the separation of non-UV-absorbing calystegines by capillary electrophoresis 903(2000)237

- Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259
- Characterization of polyethylene glycol-modified proteins by semi-aqueous capillary electrophoresis 905(2001)299
- Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257
- Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267
- Recalculation of the temperature inside capillaries using high buffer concentrations 907(2001)353
- Joule heating calculations in capillary zone electrophoresis. Reply to “Recalculation of the temperature inside capillaries using high buffer concentrations” by Zhang et al 907(2001)357
- Effect of buffer concentration on gradient chromatofocusing performance separating proteins on a high-performance DEAE column 909(2001)191
- Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157
- Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165
- Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311
- Separation of uranium(VI) and transition metal ions with 4-(2-thiazolylazo)resorcinol by capillary electrophoresis 911(2001)127
- Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61
- Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113
- Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411
- Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395
- Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427
- Electrophoretic behavior of peptides in capillary electrophoresis. Influence of ionic strength and pH in aqueous–organic media 921(2001)69
- Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293
- Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399
- Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241
- Ionization of dichlorophenols for their analysis by capillary electrophoresis–mass spectrometry 924(2001)415
- Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533
- Effect of glycerol-induced DNA conformational change on the separation of DNA fragments by capillary electrophoresis 931(2001)163
- $pK_a$  values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145
- Effects of substituted cyclodextrins on the separation of aromatic sulphonic acids by capillary zone electrophoresis 948(2002)235
- Separation of polycyclic aromatic hydrocarbons with sodium dodecylbenzenesulfonate in electrokinetic chromatography 949(2002)301
- Bungarus fasciatus***  
Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347
- C**
- Caenorhabditis elegans***  
Application of reinforced frontal affinity chromatography and advanced processing procedure to the study of the binding property of a *Caenorhabditis elegans* galectin 905(2001)337

**Calcination**

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

**Calcium alginate beads**

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

**Calibration curves**

Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143

**Calorimetry**

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (*pI*). Effects of NaCl concentration, pH value, and temperature 912(2001)281

**Capillary array electrophoresis**

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

**Capillary columns**

see also Coated capillaries and Packed capillary columns

Single step on-column frit making for capillary high-performance liquid chromatography using sol-gel technology 910(2001)13

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287

$\omega$ -Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Electrochromatographic characterization of etched chemically-modified capillaries with small synthetic peptides 924(2001)211

Capillary electrochromatographic enantioseparations using a packed capillary with a 3  $\mu$ m OD-type chiral packing 924(2001)251

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

**Capillary electrophoresis**

see also Affinity capillary electrophoresis, Electrokinetic chromatography, Isoelectric focusing, Isotachopheresis, Micellar electrokinetic chromatography, Non-aqueous capillary electrophoresis, Partial-filling capillary electrophoresis and Special Issue Index

Liquid-liquid extraction procedures for sample enrichment in capillary zone electrophoresis (Review) 902(2000)91

Characterization of polyethylene glycol-modified proteins by semi-aqueous capillary electrophoresis 905(2001)299

Software and internet resources for capillary electrophoresis and micellar electrokinetic capillary chromatography (Review) 916(2001)25

Why robust background electrolytes containing multivalent ionic species can fail in capillary zone electrophoresis 916(2001)41

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Simultaneous determination of  $\delta$ -aminolevulinic acid, porphobilinogen, levulinic acid and glycine in culture broth by capillary electrophoresis 938(2001)137

**Capillary electrophoresis, cyclic**

Electrophoretotron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

**Capillary electrophoresis, ultra-low-temperature**

Ultra-low-temperature non-aqueous capillary electrophoretic separation-77 K fluorescence spectroscopic detection for the on-line identification of photo-converted analytes of *trans*-resveratrol 943(2002)287

**Capillary electrophoresis-ion chromatography**

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11

**Capillary electrophoresis–mass spectrometry**

see also Mass spectrometry and Special Issue Index

Pressure-assisted capillary electrophoresis–electrospray ion trap mass spectrometry for the analysis of heparin depolymerised disaccharides 914(2001)277

Capillary electrophoresis–electrospray ionization ion trap mass spectrometry for analysis and confirmation testing of morphine and related compounds in urine 916(2001)225

Capillary electrophoresis using a surfactant-treated capillary coupled with offline matrix-assisted laser desorption ionization mass spectrometry for high efficiency and sensitivity detection of proteins 931(2001)153

***Capsicum annuum***

Effects of fluorescent light and vacuum packaging on the rate of decomposition of pigments in paprika (*Capsicum annuum*) powder determined by reversed-phase high-performance liquid chromatography 936(2001)139

***Capsicum frutescens***

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

**Carbon coverage**

Influence of surface carbon coverage of C<sub>1</sub> (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33

**Carbon fiber felt**

Gas chromatographic–mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75

**Carbon sorbents**

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

**Carbonyl group**

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

**Carrier composition**

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

**Carrier gas**

Ammonia as a carrier gas for acidic–basic chromatography 903(2000)173

Ammonia as carrier gas in capillary gas–liquid chromatography 918(2001)423

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357

**Carrier ionic strength**

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

***Catharanthus roseus***

Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39

**Cation exchangers**

see also Ion exchangers

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Sulfoacylated poly(styrene–divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91

**Cells**

Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429

**Central composite design**

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

**Central composite face-centered design**

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

**Centrifugal concentration**

Centrifugal concentrator for the substitution of nitrogen blow-down micro-concentration in dioxin/polychlorinated biphenyl sample preparation 943(2002)295

**Centrifugal partition chromatography**

Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

Fractionation of low-molecular-mass heparin by centrifugal partition chromatography in the ion-exchange displacement mode 918(2001)47

**Centrifugal precipitation chromatography**

Separation of chondroitin sulfate and hyaluronic acid fragments by centrifugal precipitation chromatography 922(2001)365

**Centrolophus niger**

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

**Ceramics, ancient**

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

**Cereals**

Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99

**Charged adsorbate**

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

**Charge density**

Simultaneous control of electrostatic micellar partition and electroosmotic flow-rate by anion-dominated partition into zwitterionic micelles 920(2001)317

**Charged particles**

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

**Charge exclusion**

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C<sub>18</sub> column by mass spectrometry with electrospray ionization 910(2001)187

**Cheese**

Improved method for the simultaneous determination of whey proteins, caseins and *para*-κ-casein in milk and dairy products by capillary electrophoresis 915(2001)225

**Chelating stationary phases**

Ion chromatography on chelating stationary phases: separation of alkali metals 921(2001)217

**Chelation**

Removal of metallic impurities from mobile phases in reversed-phase high-performance liquid chromatography by the use of an in-line chelation column 913(2001)159

**Chelation ion chromatography**

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

**Chemical bonding**

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

**Chemiluminescence, electrogenerated**

Sensitive determination of metal ions by liquid chromatography with tris(2,2'-bipyridine) ruthenium (II) complex electrogenerated chemiluminescence detection 919(2001)331

**Chemiluminescence detection**

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165

Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

Ultrasensitive chemiluminescence detection of sub-fM level Co(II) in capillary electrophoresis 939(2001)91

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

**Chemiluminescence nitrogen detection**

Chemiluminescence nitrogen detection in ion chromatography for the determination of nitrogen-containing anions 920(2001)135

**Chemometrics**

see also specific methods

Gas chromatography–mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Determination of volatile components in peptic powder by gas chromatography–mass spectrometry and chemometric resolution 909(2001)237

Multivariate calibration methods for quantification in strongly overlapping capillary electrophoretic peaks 909(2001)259

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Detection of adulterants in olive oil by headspace–mass spectrometry 945(2002)221

### Chip technology

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Conductivity detection and quantitation of isotachophoretic analytes on a planar chip with on-line coupled separation channels 916(2001)101

Isotachopheresis and isotachopheresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155

Determination of organic acids and inorganic anions in wine by isotachopheresis on a planar chip 916(2001)167

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

Sample stacking in laboratory-on-a-chip devices 924(2001)155

Channel-specific coatings on microfabricated chips 924(2001)165

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Ion chromatography on-chip 924(2001)233

On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Analysis of dopamine D4 receptor gene polymorphism using microchip electrophoresis 924(2001)285

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Bioanalysis in microfluidic devices (Review) 943(2002)159

Erratum to “Ion chromatography on-chip” [J. Chromatogr. A, 924 (2001) 233–238] 943(2002)311

Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization 948(2002)225

### Chiral ligand-exchange chromatography

Chiral chromatographic separations based on ligand exchange (Review) 906(2001)51

### Chiral recognition

Determination of enantiomer separation factors by nuclear magnetic resonance spectroscopy and by chiral liquid chromatography 921(2001)161

Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119

### Chiral resolution

Separation of enantiomers: needs, challenges, perspectives (Review) 906(2001)3

### Chiral selectors

see also Buffer composition and Mobile phase composition

Separation of enantiomers: needs, challenges, perspectives (Review) 906(2001)3

High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35

Enantioseparations in capillary electromigration techniques: recent developments and future trends (Review) 906(2001)309

Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Chiral supercritical fluid chromatography on porous graphitic carbon using commercial dimethyl  $\beta$ -cyclodextrins as mobile phase additive 929(2001)101

Enantiomeric separation of N-protected amino acids by non-aqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

### Chiral stationary phases

see also Enantiomer separation

Enantioseparations in capillary electromigration techniques: recent developments and future trends (Review) 906(2001)309

**Chiral stationary phases, electrochromatography**

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

Capillary electrochromatographic enantioseparations using a packed capillary with a 3  $\mu\text{m}$  OD-type chiral packing 924(2001)251

**Chiral stationary phases, GC**

Semi-preparative gas chromatographic separation of *all-trans*-perhydrotriphenylene enantiomers on a chiral cyclodextrin stationary phase 905(2001)175

Separation of enantiomers by gas chromatography (Review) 906(2001)275

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

**Chiral stationary phases, LC**

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Influence of the solute hydrophobicity on the enantioselective adsorption of  $\beta$ -blockers on a cellulase protein used as the chiral selector 905(2001)3

High-performance liquid chromatographic enantiomeric separation of an enzyme inhibitor which possesses both a chiral center and tautomeric moieties 905(2001)103

High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35

Polysaccharide-based chiral stationary phases for high-performance liquid chromatographic enantioseparation (Review) 906(2001)105

Reversed-phase liquid chromatographic separation of enantiomers on polysaccharide type chiral stationary phases (Review) 906(2001)127

Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155

Regioselectively modified polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)171

High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases 906(2001)185

Unusual effects of separation conditions on chiral separations (Review) 906(2001)195

Optically active synthetic polymers as chiral stationary phases in HPLC (Review) 906(2001)205

Imprinted chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)227

Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations (Review) 906(2001)253

Enantioselective chromatography as a powerful alternative for the preparation of drug enantiomers (Review) 906(2001)379

Preparative enantioseparation by simulated moving bed chromatography (Review) 906(2001)399

Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database (Review) 906(2001)443

Chiral  $\beta$ -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 907(2001)47

Direct separation of the stereoisomers of methoxytetrahydronaphthalene derivatives, new agonist and antagonist ligands for melatonin receptors, by liquid chromatography on cellulose chiral stationary phases 907(2001)101

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

New chiral crown ether stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 910(2001)359

Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295

Simultaneous analysis of underivatized chiral amino acids by liquid chromatography–ionspray tandem mass spectrometry using a teicoplanin chiral stationary phase 913(2001)331

- Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67
- Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147
- Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119
- Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous–organic and normal-phase eluents 922(2001)127
- Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted  $\beta$ -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27
- Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37
- Preparation of highly selective stationary phases for high-performance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25
- High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145
- Evaluation and application of liquid chromatographic columns coated with ‘intelligent’ ligands: (I) acylcarnitine column 929(2001)1
- Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83
- Chemically modified chiral monolithic silica column prepared by a sol–gel process for enantiomeric separation by micro high-performance liquid chromatography 942(2002)83
- Analytical and semipreparative enantiomeric separation ofazole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2002)107
- Diastereomeric resolution of nucleoside analogues, new potential antiviral agents, using high-performance liquid chromatography on polysaccharide-type chiral stationary phases 943(2002)91
- Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69
- Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301
- Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 950(2002)55
- Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-*O*-phenylcarbamoylated)- $\beta$ -cyclodextrin immobilized onto amino-functionalized silica gel via multiple urea linkages 950(2002)65
- Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89
- Chiral stationary phases, SFC**  
Enantioseparations in super- and subcritical fluid chromatography (Review) 906(2001)301
- Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305
- Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135
- CHIRBASE database**  
Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database (Review) 906(2001)443
- Chiroptical detector**  
High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41
- Chlorella vulgaris***  
Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151
- Chlorobium phaeobacteroides***  
Development and application of a high resolution liquid chromatographic method for the analysis of complex pigment distributions 917(2001)167
- Chlorococcum* sp.**  
Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133
- Chromate waste**  
Removal of metal ions from aqueous solution by adsorption on the natural adsorbent CACMM2 938(2001)237



**Chromatofocusing**

Effect of buffer concentration on gradient chromatofocusing performance separating proteins on a high-performance DEAE column 909(2001)191

**Chromatography modeling software**

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

**Cigarette smoke**

see also Tobacco

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

***Cimicifuga foetida* L**

Analysis of terpene compounds in *Cimicifuga foetida* L. by reversed-phase high-performance liquid chromatography with evaporative light scattering detection 936(2001)111

**Circular dichroism detection**

Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139

Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303

***Cistanches salsa***

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

**Clean-up methods**

see also Extraction methods, Preconcentration, Sample handling, Sample preparation and Special Issue Index

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

**Cloud point extraction**

Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251

Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47

Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291

**Coal**

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

**Coal tar**

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

**Coated capillaries**

see also Capillary columns

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Bonded dimethylacrylamide as a permanent coating for capillary electrophoresis 924(2001)59

Analysis of histones by on-line capillary zone electrophoresis–electrospray ionisation mass spectrometry 926(2001)57

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203

Effect of a soluble ionic polymer on the separation of anions by capillary electrophoresis 934(2001)87

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

**Coated columns**

Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95

**Coating**

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

**Cocoa butter**

Analysis of steryl esters in cocoa butter by on-line liquid chromatography–gas chromatography 918(2001)341

**Collision-induced dissociation**

Evaluation of quadrupole time-of-flight tandem mass spectrometry and ion-trap multiple-stage mass spectrometry for the differentiation of *C*-glycosidic flavonoid isomers 926(2001)29

**Colloids**

TiO<sub>2</sub> colloidal suspension polydispersity analysed with sedimentation field flow fractionation and electron microscopy 905(2001)163

**Column characterization**

Evaluation of the retention dependence on the physicochemical properties of solutes in reversed-phase liquid chromatographic linear gradient elution based on linear solvation energy relationships 905(2001)35

**Column diameter**

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

**Column geometry**

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

**Column length**

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic–tanden mass spectrometric analysis 928(2001)41

**Column packing**

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147

Behavior of packing materials in axially compressed chromatographic columns 943(2002)15

**Column performance**

Characterizing the performance of industrial-scale columns 908(2001)131

Maintenance of column performance at scale 944(2002)69

**Column retentivity**

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

**Column selection**

Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67

**Column switching**

see also Coupled columns

Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209

Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187

**Combinatorial chemistry**

Capillary electrochromatography–laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323

**Comparative molecular field analysis**

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

**Compensation temperatures**

Mechanistic implications of the equality of compensation temperatures in chromatography 946(2002)47

**Competitive interactions**

Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13

**Competitive isotherm**

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

**Complexation**

see also Derivatization

Use of borate complexation for the separation of non-UV-absorbing calystegines by capillary electrophoresis 903(2000)237

Determination of apparent association constants of steroid–cyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

Ion chromatography on chelating stationary phases: separation of alkali metals 921(2001)217

Determination of apparent binding constants of drugs by capillary electrophoresis using  $\beta$ -cyclodextrin as ligand and three different linear plotting methods 924(2001)483

Separation and direct UV detection of lanthanides complexed with pyridine-2-carboxylic acid by capillary electrophoresis 924(2001)541

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Complex formation analysis of water-soluble calixarenes by capillary zone electrophoresis 934(2001)113

Chiral separation of underivatized amino acids by ligand-exchange capillary electrophoresis using a copper(II)–L-lysine complex as selector 945(2002)249

#### **Computational fluid dynamics**

Study of feed temperature control of chromatography using computational fluid dynamics simulation 945(2002)117

Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19

#### **Computer simulation**

Training software for high-performance liquid chromatography 903(2000)41

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

New configuration in capillary isotachopheresis–capillary zone electrophoresis coupling 916(2001)131

Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

Study of feed temperature control of chromatography using computational fluid dynamics simulation 945(2002)117

Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35

Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43

Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51

#### **Concatemers**

Comparative studies on discrete and concatemeric DNA-Sepharose columns for purification of transcription factors 917(2001)43

#### **Conductivity detection**

Conductivity detection cell for capillary zone electrophoresis with a solution mediated contact of the separated constituents with the detection electrodes 916(2001)31

Conductivity detection and quantitation of isotachopheretic analytes on a planar chip with on-line coupled separation channels 916(2001)101

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2002)249

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

#### **Confocal scanning laser microscopy**

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

#### **Conformational effects**

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted  $\beta$ -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

#### **Constitutional isomers**

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

#### **Contactless conductivity detection**

Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147

#### **Contamination factor**

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

**Continuous annular chromatography**

Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15

**Continuous beds**

Control method for integrity of continuous beds 908(2001)179

Poly(glycidyl methacrylate–divinylbenzene–triallylisocyanurate) continuous-bed protein chromatography 912(2001)31

Continuous superporous agarose beds in radial flow columns 925(2001)69

***Coptotermes formosanus***

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

**Cortex cinnamomi**

Gas chromatography–mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

**Counter-current chromatography**

see also Centrifugal partition chromatography

Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323

Separation of spiramycin components using high-speed counter-current chromatography 903(2000)93

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151

Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

Separation of apple procyanidins into different degrees of polymerization by high-speed counter-current chromatography 915(2001)253

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

Separation of radioactive metabolites in cultured tea cells fed with [<sup>14</sup>C]phenylalanine using high-speed counter-current chromatography 921(2001)331

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Preparative isolation and purification of astaxanthin from the microalga *Chlorococcum* sp. by high-speed counter-current chromatography 925(2001)133

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Application of analytical and preparative high-speed counter-current chromatography for separation of lycopene from crude extract of tomato paste 929(2001)169

Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91

Preparative separation of lappaconitine, ranaconitine, *N*-deacetylappaconitine and *N*-deacetylanaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by high-speed counter-current chromatography 943(2002)219

Preparative isolation and purification of salvianolic acid B from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 943(2002)235

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157

#### **Coupled columns**

see also Column switching

Bi-column method for purification of transcription factors 905(2001)133

Conductivity detection and quantitation of isotachophoretic analytes on a planar chip with on-line coupled separation channels 916(2001)101

Isotachopheresis and isotachopheresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155

Determination of organic acids and inorganic anions in wine by isotachopheresis on a planar chip 916(2001)167

#### **Covalent imprinting**

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

#### **Critical chromatography**

Endgroup-based separation and quantitation of polyamide-6,6 by means of critical chromatography 949(2002)337

#### **Critical micellar concentration**

A capillary electrophoresis study on the influence of  $\beta$ -cyclodextrin on the critical micelle concentration of sodium dodecyl sulfate 917(2001)297

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

#### **Croton hemiargyreus**

High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255

#### **Cryoconcentration**

Simple cryoconcentration technique for the determination of peroxyacyl- and alkyl nitrates in the atmosphere 902(2000)405

#### **Cryofocusing**

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229

#### **Crystallization**

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

#### **Curve fitting**

Application of a new mathematical function for describing chromatographic peaks 930(2001)53

## **D**

#### **Data analysis software**

Validation of a chromatography data analysis software 913(2001)221

#### **Data mining**

Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database (Review) 906(2001)443

#### **Deconvolution methods**

On the equations describing chromatographic peaks and the problem of the deconvolution of overlapped peaks 912(2001)13

#### **Degeneracy**

Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421

#### **Densitometry**

Development of a simplified densitometer for the determination of aflatoxins by thin-layer chromatography 904(2000)263

#### **Denuder**

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

#### **Depth of penetration**

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

**Derivatization**

see also Complexation

**Derivatization, electrochromatography**

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

**Derivatization, electrophoresis**

Use of borate complexation for the separation of non-UV-absorbing calyestegines by capillary electrophoresis 903(2000)237

Analysis of sialo-*N*-glycans in glycoproteins as 1-phenyl-3-methyl-5-pyrazolone derivatives by capillary electrophoresis 910(2001)319

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Application of capillary electrophoresis with laser-induced fluorescence detection to the determination of biogenic amines and amino acids in brain microdialysate and homogenate samples 914(2001)293

Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis–laser-induced fluorescence detection 926(2001)309

Capillary electrophoretic determination of sulfite using the zone-passing technique of in-capillary derivatization 934(2001)67

On-line capillary electrophoresis with mass spectrometry detection for the analysis of carbohydrates after derivatization with 8-aminonaphthalene-1,3,6-trisulfonic acid 934(2001)75

Separation and determination of *n*-alkylamines and histamine by capillary zone electrophoresis using salicylaldehyde-5-sulfonate as a derivatizing reagent 934(2001)95

Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

**Derivatization, GC**

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography–mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105

Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119

Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199

On-line, inlet-based trimethylsilyl derivatization for gas chromatography of mono- and dicarboxylic acids 921(2001)265

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids 925(2001)223

Determination of naphthalenesulfonic acid isomers by large-volume on-line derivatization and gas chromatography–mass spectrometry 926(2001)341

Determination of phenylurea herbicides in natural waters at concentrations below 1 ng l<sup>-1</sup> using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9

Capillary gas chromatographic behaviour of *tert*-hydroxylated steroids by trialkylsilylation 937(2001)97

Derivatization of organometal(loid) species by sodium borohydride. Problems and solutions 938(2001)225

Determination of aldehydes in drinking water using pentafluorobenzylhydroxylamine derivatization and solid-phase microextraction 943(2002)1

Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

Novel approach for the simultaneous analysis of glyphosate and its metabolites 947(2002)129

**Derivatization, LC**

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Determination of retinoids in galenicals by column liquid chromatography with fluorescence and diode-array detection 905(2001)345

Regioselectively modified polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)171

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Determination of alcohols by high-performance liquid chromatography with fluorimetric detection after pre-column derivatisation with carbazole-9-*N*-acetic acid and chromatographic behaviour of alcoholic derivatives 909(2001)171

Liquid chromatographic enantioseparation of  $\beta$ -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247

New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367

Fluorimetric determination of magnesium and aluminum via complexation with oxine in high-performance liquid chromatography 910(2001)373

Analysis of triacylglycerol positional isomers in food products as brominated derivatives by high-performance liquid chromatography coupled with a flame ionization detection 912(2001)187

Derivatization and chromatographic behavior of the *o*-phthalaldehyde amino acid derivatives obtained with various SH-group-containing additives (Review) 913(2001)283

Analysis of amino acids in human serum by isocratic reversed-phase high-performance liquid chromatography with electrochemical detection 913(2001)303

Determination by liquid chromatography of free and total cysteine in human urine in the form of its *S*-quinolinium derivative 913(2001)319

Facile and sensitive method for the determination of mesna in plasma by high-performance liquid chromatography with ultraviolet detection 914(2001)29

Improved measurement of formaldehyde in water-soluble polymers by high-performance liquid chromatography coupled with post-column reaction detection 914(2001)123

Determination of the oxidation products of the reaction between  $\alpha$ -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

Chemiluminescence nitrogen detection in ion chromatography for the determination of nitrogen-containing anions 920(2001)135

Ion-pair chromatography of polythionates and thiosulfate with detection based on their catalytic effects on the postcolumn azide-iodine reaction 920(2001)163

Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205

Liquid chromatographic methods for chloral hydrate determination 920(2001)283

Determination of quaternary alkylammonium compounds by capillary zone electrophoresis and indirect UV detection as a real alternative to ion chromatography with suppressed conductivity detection 920(2001)333

Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187

Homogeneous fluorescent derivatization of large proteins 927(2001)77

Determination of the herbicide amitrole in water with pre-column derivatization, liquid chromatography and tandem mass spectrometry 938(2001)15

Reversed-phase liquid chromatographic determination of phytometallophores from Strategy II Fe-uptake species by 9-fluorenylmethyl chloroformate fluorescence 942(2002)177

Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2002)185

Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2002)201

High-performance liquid chromatography determination of Zn-bacitracin in animal feed by post-column derivatization and fluorescence detection 943(2002)227

- Set-up of large laboratory-scale chromatographic separations of poly(ethylene glycol) derivatives of the growth hormone-releasing factor 1–29 analogue 944(2002)141
- Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133
- Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283
- Advances in the evaluation of the stability and characteristics of the amino acid and amine derivatives obtained with the *o*-phthalaldehyde/3-mercaptpropionic acid and *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents. High-performance liquid chromatography–mass spectrometry study 949(2002)99
- Indirect high-performance liquid chromatographic separation of stereoisomers of  $\beta$ -alkyl-substituted amino acids by the application of (*S*)-*N*-(4-nitrophenoxycarbonyl)phenylalanine methoxyethyl ester as chiral derivatizing agent 949(2002)125
- Determination of different species of homocysteine in human plasma by high-performance liquid chromatography with ultraviolet detection 949(2002)141
- Behavior and characteristics of amine derivatives obtained with *o*-phthalaldehyde/3-mercaptpropionic acid and with *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235
- Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1
- Desalting methods**
- Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111
- High-throughput biopolymer desalting by solid-phase extraction prior to mass spectrometric analysis 921(2001)3
- Desulfurization products**
- Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217
- Detection, electrophoresis**
- Applications of a copper microparticle-modified carbon fiber microdisk array electrode for the simultaneous determination of aminoglycoside antibiotics by capillary electrophoresis 905(2001)309
- Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291
- Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297
- UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269
- Conductivity detection cell for capillary zone electrophoresis with a solution mediated contact of the separated constituents with the detection electrodes 916(2001)31
- Capillary isoelectric focusing with UV-induced fluorescence detection 916(2001)65
- Conductivity detection and quantitation of isotachophoretic analytes on a planar chip with on-line coupled separation channels 916(2001)101
- Discrete spacers for photometric characterization of humic acids separated by capillary isotachophoresis 916(2001)191
- Post-capillary reaction detection in capillary electrophoresis based on the streptavidin–biotin interaction. Optimization and application to single cell analysis 918(2001)381
- Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407
- Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachophoresis–particle-induced X-ray emission 919(2001)417
- Extension of the application range of UV-absorbing organic solvents in capillary electrophoresis by the use of a contactless conductivity detector 924(2001)147
- Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237
- Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225
- Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165
- Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59
- Ultrasensitive chemiluminescence detection of sub-fM level Co(II) in capillary electrophoresis 939(2001)91
- Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2002)249



Evaluation of different nucleic acid stains for sensitive double-stranded DNA analysis with capillary electrophoretic separation 943(2002)275

Selective fluorometric detection of polyamines using micellar electrokinetic chromatography with laser-induced fluorescence detection 946(2002)265

Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1

#### Detection, GC

High-throughput reactor for simulating the flame photometric detector 905(2001)241

Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

New halogen-specific detector applied to the analysis of chlorinated fatty acids 912(2001)99

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

Solid-phase microextraction method for gas chromatography with mass spectrometric and pulsed flame photometric detection: studies of organoarsenical speciation 918(2001)169

Mass spectrometry and mass-selective detection in chromatography 921(2001)227

Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247

Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen–phosphorus detection 921(2001)287

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

#### Detection, LC

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Determination of metal complexes of ethylenediaminetetraacetate in the presence of organic matter by high-performance liquid chromatography 905(2001)157

4-(6,7-Dihydro-5,8-dioxothiazolo[4,5-g]phthalazin-2-yl)benzoic acid *N*-hydroxysuccinimide ester as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 907(2001)39

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Chiroptical detection during liquid chromatography 7. The rotation angle/absorbance ratio of chiral molecules. Its possible use for on-line analysis during preparative separations of enantiomers 909(2001)147

Quantitative FTIR detection in size-exclusion chromatography 910(2001)19

Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and <sup>1</sup>H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

Evaluation and comparison of two improved techniques for the on-line detection of antioxidants in liquid chromatography eluates 912(2001)73

Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253

High-performance liquid chromatographic analysis for a non-chromophore-containing phosphatidyl inositol analog, 1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*-inositol, using indirect UV detection 913(2001)355

Fractionation and characterization of phenolic resins by high-performance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147

Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167

- Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15
- Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexamines 915(2001)25
- Separation and identification of organic and organometallic compounds by use of a liquid chromatography-particle beam-glow discharge mass spectrometry combination 915(2001)117
- Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155
- Ion chromatographic preconcentration of Cu and Cd from ultra-high-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167
- Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23
- Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25
- High-performance liquid chromatography-ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277
- Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13
- Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl- $\beta$ -cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321
- Effect of organic solvents in the on-line thermal lens spectrometric detection of chromium(III) and chromium(VI) after ion chromatographic separation 920(2001)119
- Mass spectrometry and mass-selective detection in chromatography 921(2001)227
- Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139
- Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7
- Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187
- Towards functional group-specific detection in high-performance liquid chromatography using mid-infrared quantum cascade lasers 934(2001)123
- High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41
- Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2002)63
- Fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2002)275
- Evaluation of capillary liquid chromatography-electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59
- Molecular mass distribution analysis of ethyl(hydroxyethyl)cellulose by size-exclusion chromatography with dual light-scattering and refractometric detection 946(2002)69
- Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19
- Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257
- Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303
- Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1
- High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

**Detection, SFC**

On-line packed column supercritical fluid chromatography-microwave-induced plasma atomic emission 910(2001)127

**Detection, subcritical water chromatography**

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

**Detection, TLC**

High-performance thin-layer chromatographic determination of potato glycoalkaloids 903(2000)219

**Dextran-coated supports**

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

**Dialysis**

see also Microdialysis

Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111

On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

**Diastereomer separation**

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Atomistic modeling of enantioselection in chromatography (Review) 906(2001)417

Determination of enantiomer separation factors by nuclear magnetic resonance spectroscopy and by chiral liquid chromatography 921(2001)161

Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

Diastereomeric resolution of nucleoside analogues, new potential antiviral agents, using high-performance liquid chromatography on polysaccharide-type chiral stationary phases 943(2002)91

Sulfoacylated poly(styrene–divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

**Diffusion**

Nuclear magnetic resonance studies of solvent flow through chromatographic columns: effect of packing density on flow patterns 905(2001)19

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

**Diffusional mass transfer**

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

**Diffusion coefficients**

Flux of gases across the air–water interface studied by reversed-flow gas chromatography 934(2001)31

**Diffusion denuder**

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

**Dimerisation**

Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261

**Dipolarity**

Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35

**Direct sample introduction device**

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

**Disc drives**

Ammonium extraction method for ion chromatographic measurements of disc drive components 920(2001)271

**Disinfection by-products**

Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205

Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221

**Dispersion**

see also Axial dispersion and Matrix solid-phase dispersion extraction

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Theories of chromatographic efficiency applied to expanded beds 912(2001)235

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Mass transfer in rectangular chromatographic channels 948(2002)3

**Displacement chromatography**

Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319

Purification of an oligonucleotide at high column loading by high affinity, low-molecular-mass displacers 923(2001)65

Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149

**Dissociation constants**

Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Determination of the dissociation constants of sulfonated azo dyes by capillary zone electrophoresis and spectrophotometry methods 917(2001)331

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Electrophoretic behavior of peptides in capillary electrophoresis. Influence of ionic strength and pH in aqueous–organic media 921(2001)69

Prediction of retention behaviour and evaluation of  $pK_a$  values of peptides and quinolones in liquid chromatography 933(2001)45

$pK_a$  values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145

**Distribution coefficients**

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31

**DNA recognition**

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

**Dopamine D4 receptor gene**

Analysis of dopamine D4 receptor gene polymorphism using microchip electrophoresis 924(2001)285

**Doping analysis**

Method for confirmation of synthetic corticosteroids in doping urine samples by liquid chromatography–electrospray ionisation mass spectrometry 926(2001)87

**Dual detection**

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric–concentration detection using the universal calibration method 915(2001)15

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

**Dubinín–Astakhov isotherm**

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

**Duplex columns**

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

**Dust**

Pyrolysis–capillary gas chromatography–mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Analysis of a stable halogenated derivative of muramic acid by gas chromatography–negative ion chemical ionization tandem mass spectrometry 946(2002)229

**Dynamic adsorption**

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

**Dynamic chromatography**

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

**Dynamic coating ion-exchange chromatography**

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

**Dynamic enantioselective chromatography**

High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35

**E*****Echinacea purpurea***

Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239

**Efficiency**

Theories of chromatographic efficiency applied to expanded beds 912(2001)235

Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

**Eggs**

Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239

**Electrical double layer**

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

**Electric field strength**

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

**Electrochemical detection**

see also Pulsed amperometric detection

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

Applications of a copper microparticle-modified carbon fiber microdisk array electrode for the simultaneous determination of aminoglycoside antibiotics by capillary electrophoresis 905(2001)309

Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297

Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexamines 915(2001)25

Liquid chromatographic determination of total and  $\beta$ -*N*-oxalyl-L- $\alpha$ , $\beta$ -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13

**Electrochemiluminescence detection**

Tris(2,2'-bipyridyl)ruthenium(III)-based electrochemiluminescence detector with indium/tin oxide working electrode for capillary electrophoresis 934(2001)59

**Electrochromatography**

Separation using planar chromatography with electroosmotic flow 903(2000)211

Resolution of positional isomers by capillary electrochromatography 904(2000)99

Separation of the insecticidal pyrethrin esters by capillary electrochromatography 905(2001)319

Determination of phenols in soil by supercritical fluid extraction–capillary electrochromatography 907(2001)301

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

- Rapid separation of peptides and proteins by isocratic capillary electrochromatography at elevated temperature 914(2001)189
- Size-exclusion electrochromatography with controlled pore flow 914(2001)201
- Acrylamide-based monoliths as robust stationary phases for capillary electrochromatography 914(2001)211
- Theory of capillary electrochromatography (Review) 916(2001)3
- Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51
- Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis* 916(2001)265
- Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211
- Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157
- Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195
- Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31
- Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367
- Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93
- Open-tubular electrochromatography of organic phosphates on a sapphyrin-modified capillary 921(2001)99
- Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277
- Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215
- Photopolymerized sol–gel frits for packed columns in capillary electrochromatography 924(2001)187
- Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197
- Electrochromatographic characterization of etched chemically-modified capillaries with small synthetic peptides 924(2001)211
- Novel monolithic columns with templated porosity 924(2001)223
- Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239
- Capillary electrochromatographic enantioseparations using a packed capillary with a 3  $\mu\text{m}$  OD-type chiral packing 924(2001)251
- Capillary electrochromatography–laser-induced fluorescence method for separation and detection of dansylated dialkylamine tags in encoded combinatorial libraries 924(2001)323
- Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331
- Profiling of impurities in heroin by capillary electrochromatography and laser-induced fluorescence detection 924(2001)421
- Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251
- Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265
- Characterisation of electroosmotic flow in capillary electrochromatography columns 929(2001)123
- Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11
- On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267
- Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193
- Capillary electrochromatography of peptides on microfabricated poly(dimethylsiloxane) chips modified by cerium(IV)-catalyzed polymerization 948(2002)225
- Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

#### Electrodes

Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol–water mixtures 911(2001)191

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexaamines 915(2001)25

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

#### **Electrokinetic chromatography**

see also Micellar electrokinetic chromatography and Microemulsion electrokinetic chromatography

Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281

Hydrophobic interaction electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons using non-aqueous matrices 914(2001)223

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

#### **Electron microscopy**

TiO<sub>2</sub> colloidal suspension polydispersity analysed with sedimentation field flow fractionation and electron microscopy 905(2001)163

#### **Electron spin resonance detection**

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

#### **Electroosmosis**

Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393

Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93

#### **Electroosmotic flow**

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Chromatographic behavior of poly(styrene–divinylbenzene) encapsulated packing material for capillary electrochromatography 912(2001)335

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Theory of capillary electrochromatography (Review) 916(2001)3

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277

$\omega$ -Iodoalkylammonium salts as permanent capillary silica wall modifiers. Comparative analysis of their structural parameters and substituent effects 924(2001)71

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Characterisation of electroosmotic flow in capillary electrochromatography columns 929(2001)123

#### **Electrophoresis**

see Capillary array electrophoresis, Capillary electrophoresis, Preparative electrophoresis and Two-dimensional gel electrophoresis

#### **Electrophoretic mass transfer**

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

#### **Electrophoretic migration**

Quantitative analysis and synthesis of the electrokinetic mass transport and adsorption mechanisms of a charged adsorbate in capillary electrochromatography systems employing charged adsorbent particles 919(2001)157

**Electrophoretic mobility**

Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

Behaviour of inorganic and organic cations in the Debye–Hückel layer of DNA 920(2001)309

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Regulation of electroosmotic flow and electrophoretic mobility of proteins for concentration without desalting 924(2001)93

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

**Electrophoretic mobility shift assay**

Characterization of the interaction between phospholipid and protein by capillary electrophoresis with laser-induced fluorescence detection 924(2001)369

**Electrophoretotron**

Electrophoretotron: a new method for enhancing resolution in electrokinetic separations 924(2001)53

**Electrospray ionization**

see also Mass spectrometry

Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data 913(2001)205

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Ionization of dichlorophenols for their analysis by capillary electrophoresis–mass spectrometry 924(2001)415

Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43

Studies of signal suppression in liquid chromatography–electrospray ionization mass spectrometry using volatile ion-pairing reagents 937(2001)41

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography–tandem mass spectrometry 937(2001)65

On-line microdialysis of proteins with high-salt buffers for direct coupling of electrospray ionization mass spectrometry and liquid chromatography 948(2002)139

**Electrostatic ion chromatography**

Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95

**Elution by characteristic point method**

Theoretical study of the accuracy of the elution by characteristic points method for bi-Langmuir isotherms 908(2001)111

**Enantiomerization barrier**

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

**Enantiomerization kinetics**

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

**Enantiomer separation**

see also Chiral stationary phases

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

High-performance liquid chromatographic separation of enantiomers of synthetic amino acids on a ristocetin A chiral stationary phase 904(2000)1

Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose tris(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17

Influence of the solute hydrophobicity on the enantioselective adsorption of  $\beta$ -blockers on a cellulase protein used as the chiral selector 905(2001)3



- Consequences of variable purity of heptakis(2,3,6-tri-*O*-methyl)- $\beta$ -cyclodextrin determined by liquid chromatography–mass spectrometry on the enantioselective separation of polychlorinated compounds 905(2001)59
- High-performance liquid chromatographic enantiomeric separation of an enzyme inhibitor which possesses both a chiral center and tautomeric moieties 905(2001)103
- Semi-preparative gas chromatographic separation of *all-trans*-perhydrotriphenylene enantiomers on a chiral cyclodextrin stationary phase 905(2001)175
- Chiral ion-pair chromatography on porous graphitized carbon using *N*-blocked dipeptides as counter ions 905(2001)329
- Separation of enantiomers: needs, challenges, perspectives (Review) 906(2001)3
- High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35
- Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73
- High-performance liquid chromatographic and capillary electrophoretic enantioseparation of plant growth regulators and related indole compounds using macrocyclic antibiotics as chiral selectors 906(2001)91
- Polysaccharide-based chiral stationary phases for high-performance liquid chromatographic enantioseparation (Review) 906(2001)105
- Reversed-phase liquid chromatographic separation of enantiomers on polysaccharide type chiral stationary phases (Review) 906(2001)127
- Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155
- Regioselectively modified polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)171
- High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185
- Unusual effects of separation conditions on chiral separations (Review) 906(2001)195
- Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations (Review) 906(2001)253
- Separation of enantiomers by gas chromatography (Review) 906(2001)275
- Enantioseparations in super- and subcritical fluid chromatography (Review) 906(2001)301
- Enantioseparations in capillary electromigration techniques: recent developments and future trends (Review) 906(2001)309
- Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365
- Enantioselective chromatography as a powerful alternative for the preparation of drug enantiomers (Review) 906(2001)379
- Preparative enantioseparation by simulated moving bed chromatography (Review) 906(2001)399
- Atomistic modeling of enantioselection in chromatography (Review) 906(2001)417
- Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185
- Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201
- Chiroptical detection during liquid chromatography 7. The rotation angle/absorbance ratio of chiral molecules. Its possible use for on-line analysis during preparative separations of enantiomers 909(2001)147
- Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305
- Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives 910(2001)157
- Liquid chromatographic enantioseparation of  $\beta$ -blocking agents with (1*R*,2*R*)-1,3-diacetoxy-1-(4-nitrophenyl)-2-propyl isothiocyanate as chiral derivatizing agent 910(2001)247
- New chiral crown ether stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 910(2001)359
- New single-isomer chiral selector for capillary electrophoresis: the highly water-soluble *heptakis*(2-*N,N*-dimethylcarbamoyl)- $\beta$ -cyclodextrin 911(2001)249
- Simultaneous direct high-performance liquid chromatographic enantioseparation of 2-methylglycidol-1-benzyl ether and 2-methylglycerol-1-benzyl ether using a solvent-switching technique 911(2001)295
- High-performance chiral separation of fourteen triazole fungicides by sulfated  $\beta$ -cyclodextrin-mediated capillary electrophoresis 912(2001)171

- Uniformly sized molecularly imprinted polymer for (*S*)-naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141
- Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275
- Simultaneous analysis of underivatized chiral amino acids by liquid chromatography–ionspray tandem mass spectrometry using a teicoplanin chiral stationary phase 913(2001)331
- Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299
- Study on the chiral recognition of the enantiomers of ephedrine derivatives with neutral and sulfated heptakis(2,3-*O*-diacetyl)- $\beta$ -cyclodextrins using capillary electrophoresis, UV, nuclear magnetic resonance spectroscopy and mass spectrometry 914(2001)315
- Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a  $\beta$ -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185
- Hemispherodextrins, a new class of cyclodextrin derivatives, in capillary electrophoresis 916(2001)61
- Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123
- Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67
- High-performance liquid chromatographic enantioseparation of bicyclic 1,3-amino alcohols 919(2001)79
- Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195
- Chiral separations of transition metal complexes using capillary zone electrophoresis 919(2001)427
- Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147
- Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305
- Note on the use of reciprocity of chiral recognition in designing liquid chromatographic chiral stationary phases 922(2001)119
- Enantioseparation of selected chiral sulfoxides using polysaccharide-type chiral stationary phases and polar organic, polar aqueous–organic and normal-phase eluents 922(2001)127
- Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151
- Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3,4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303
- Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329
- Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted  $\beta$ -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27
- Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37
- Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229
- Photopolymerized sol–gel frits for packed columns in capillary electrochromatography 924(2001)187
- Capillary electrochromatographic enantioseparations using a packed capillary with a 3  $\mu$ m OD-type chiral packing 924(2001)251
- Enantiomeric separation of *R,S*-naproxen by conventional and nano-liquid chromatography with methyl- $\beta$ -cyclodextrin as a mobile phase additive 924(2001)459
- Characterization of highly sulfated cyclodextrins 924(2001)523
- Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89
- Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279
- Efficient applications of capillary electrophoresis–tandem mass spectrometry to the analysis of adrenoreceptor antagonist enantiomers using a partial filling technique 926(2001)3
- High-performance liquid chromatographic enantioseparation of  $\beta$ -amino acids 926(2001)229
- Application of carboxymethyl- $\beta$ -cyclodextrin as a chiral selector in capillary electrophoresis for enantiomer separation of selected neurotransmitters 926(2001)327

- Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1
- Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47
- Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53
- Preparation of highly selective stationary phases for high-performance liquid chromatographic separation of enantiomers by direct copolymerization of monomers with single or twin chiral ligands 928(2001)25
- Enantiomeric purity determination of malic acid in apple juices by multi-beam circular dichroism detection 928(2001)139
- High-performance liquid chromatographic separation of the enantiomers of organophosphorus pesticides on polysaccharide chiral stationary phases 928(2001)145
- Rapid chiral on-chip separation with simplified amperometric detection 928(2001)225
- Evaluation and application of liquid chromatographic columns coated with 'intelligent' ligands: (I) acylcarnitine column 929(2001)1
- Chiral supercritical fluid chromatography on porous graphitic carbon using commercial dimethyl  $\beta$ -cyclodextrins as mobile phase additive 929(2001)101
- Analysis of enantiomers giving partially overlapped peaks by using different treatments of the chromatographic ultraviolet signals: quantification of pseudoephedrine enantiomers 930(2001)95
- Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155
- Influence of organic solvent on the behaviour of camphor and  $\alpha$ -pinene enantiomers in reversed-phase liquid chromatography systems with  $\alpha$ -cyclodextrin as chiral additive 931(2001)81
- Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141
- Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139
- Impact of triethylamine as a mobile phase additive on the resolution of racemic amino acids on an (+)-18-crown-6-tetracarboxylic acid-derived chiral stationary phase 933(2001)83
- Chiral separation of 9-fluorenylmethyl chloroformate- and dansyl chloride-derivatized D,L-serine by  $\gamma$ -cyclodextrin-bonded high-performance liquid chromatography 933(2001)99
- Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135
- High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41
- Chemically modified chiral monolithic silica column prepared by a sol-gel process for enantiomeric separation by micro high-performance liquid chromatography 942(2002)83
- Analytical and semipreparative enantiomeric separation ofazole antifungal agents by high-performance liquid chromatography on polysaccharide-based chiral stationary phases. Application to in vitro biological studies 942(2002)107
- High-resolution chiral separation using microfluidics-based membrane chromatography 942(2002)115
- Diastereomeric resolution of nucleoside analogues, new potential antiviral agents, using high-performance liquid chromatography on polysaccharide-type chiral stationary phases 943(2002)91
- Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3
- Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23
- Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93
- Separation of binaphthol enantiomers through achiral chromatography 944(2002)225
- Impact of adsorption isotherm parameters on the performance of enantioseparation using simulated moving bed chromatography 944(2002)249
- Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139
- Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147
- Chiral separation of underivatized amino acids by ligand-exchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249
- Separation of racemic sulfoxides and sulfinate esters on four derivatized cyclodextrin chiral stationary phases using capillary gas chromatography 946(2002)197

- Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59
- Screening approach for chiral separation of pharmaceuticals. Part I. Normal-phase liquid chromatography 947(2002)69
- Impurity profiling of ephedrine in methamphetamine by high-performance liquid chromatography 947(2002)151
- Simultaneous determination of reboxetine and *O*-desethylreboxetine enantiomers using enantioselective reversed-phase high-performance liquid chromatography 947(2002)247
- Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287
- Enantioselective separation of racemic secondary amines on a chiral crown ether-based liquid chromatography stationary phase 947(2002)301
- Uniformly sized molecularly imprinted polymer for *d*-chlorpheniramine. Evaluation of retention and molecular recognition properties in an aqueous mobile phase 948(2002)77
- Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283
- Enantiomeric separation of N-protected amino acids by non-aqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295
- Stereospecific analysis of loxoprofen in plasma by chiral column liquid chromatography with a circular dichroism-based detector 948(2002)303
- Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321
- Chiral separation of basic drugs by capillary electrophoresis with carboxymethylcyclodextrins 948(2002)331
- Indirect high-performance liquid chromatographic separation of stereoisomers of  $\beta$ -alkyl-substituted amino acids by the application of (*S*)-*N*-(4-nitrophenoxycarbonyl)phenylalanine methoxyethyl ester as chiral derivatizing agent 949(2002)125
- Preparation and application of a new ligand exchange chiral stationary phase for the liquid chromatographic resolution of  $\alpha$ -amino acid enantiomers 950(2002)55
- Synthesis and chromatographic properties of a novel chiral stationary phase derived from heptakis(6-azido-6-deoxy-2,3-di-*O*-phenylcarbamoylated)- $\beta$ -cyclodextrin immobilized onto amino-functionalized silica gel via multiple urea linkages 950(2002)65
- Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89
- Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233
- Simultaneous separation of the enantiomers of cizolirine and its degradation products by capillary electrophoresis 950(2002)257
- Enantioselectivity**  
Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13
- Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287
- End-capping**  
Synthesis and characterization of endcapped C<sub>18</sub> stationary phases using a silica hydride intermediate 947(2002)195
- Endocrine disruptors**  
Determination of floral fragrances of *Rosa hybrida* using solid-phase trapping-solvent extraction and gas chromatography–mass spectrometry 902(2000)389
- Determination of steroid sex hormones and related synthetic compounds considered as endocrine disrupters in water by fully automated on-line solid-phase extraction–liquid chromatography–diode array detection 911(2001)203
- Enhanced-fluidity liquid**  
Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107
- Environmental analysis**  
see also Special Issue Index
- Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65
- Optimization of solid-phase microextraction for the gas chromatographic–mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203
- Development of an automated on-line solid-phase extraction–high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171
- Determination of metal complexes of ethylenediaminetetraacetate in the presence of organic matter by high-performance liquid chromatography 905(2001)157

- Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1
- Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211
- Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229
- Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters 909(2001)3
- Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13
- Detection of the cyclic nitramine explosives hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53
- Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61
- In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95
- Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69
- New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87
- Gas chromatographic–mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75
- Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85
- Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225
- Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119
- Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129
- Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177
- High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277
- Multiresidue analysis of insecticides in soil by gas chromatography with electron–capture detection and confirmation by gas chromatography–mass spectrometry 918(2001)371
- Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411
- Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215
- Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363
- Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381
- New block-grafted anion exchanger for environmental water analysis by ion chromatography 920(2001)51
- Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109
- Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205
- Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy 920(2001)231
- High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239
- Monitoring and statistical evaluation of heavy metals in airborne particulates in Cairo, Egypt 920(2001)261
- Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243
- Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75
- Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography–electrospray mass spectrometry 923(2001)97

- Analysis of estrogens in river water and effluents using solid-phase extraction and gas chromatography–negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195
- Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407
- Optimization and application of high-resolution gas chromatography with ion trap tandem mass spectrometry to the determination of polychlorinated biphenyls in atmospheric aerosols 925(2001)183
- Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection–mass spectrometry and liquid chromatography–mass spectrometry and –tandem mass spectrometry 926(2001)127
- Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples 926(2001)221
- Determination of naphthalenesulfonic acid isomers by large-volume on-line derivatization and gas chromatography–mass spectrometry 926(2001)341
- Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131
- Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143
- Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219
- On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography–mass spectrometry in the full-scan mode 932(2001)107
- Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129
- Determination of the herbicide amitrole in water with pre-column derivatization, liquid chromatography and tandem mass spectrometry 938(2001)15
- Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35
- Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography–electrospray ionization mass spectrometric detection 938(2001)45
- Recalcitrance of poly(vinylpyrrolidone): evidence through matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 938(2001)67
- Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography–electrospray mass spectrometry 938(2001)79
- Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113
- Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145
- Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199
- Analysis of polynitrophenols and hexyl by liquid chromatography–mass spectrometry using atmospheric pressure ionisation methods and a volatile ion-pairing reagent 943(2002)47
- Pressurised hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113
- Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195
- Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209
- Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239
- Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155
- Packed capillary liquid chromatography–electrospray mass spectrometry of snow contaminated with sarin 950(2002)149
- Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157
- Enzymic degradation**  
High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

**Epimer separation**

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

**Equilibrium–dispersive model**

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

**Equilibrium theory**

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

***Erigeron breviscapus***

Determination of scutellarin in *Erigeron breviscapus* extract by liquid chromatography–tandem mass spectrometry 919(2001)437

Identification and determination of glucuronides and their aglycones in *Erigeron breviscapus* by liquid chromatography–tandem mass spectrometry 928(2001)155

***Escherichia coli***

Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429

High-efficiency capillary isoelectric focusing of protein complexes from *Escherichia coli* cytosolic extracts 914(2001)257

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Automated mass analysis of low-molecular-mass bacterial proteome by liquid chromatography–electrospray ionization mass spectrometry 925(2001)123

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153

***Eschscholtzia californica***

Direct characterization of isoquinoline alkaloids in a crude plant extract by ion-pair liquid chromatography–electrospray ionization tandem mass spectrometry: example of *Eschscholtzia californica* 904(2000)35

**Essential oils**

see also Oils

Gas chromatography–mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Analysis of the volatile components of *Argyranthemum adactum* (Link.) Humphries by gas chromatography–mass spectrometry 923(2001)295

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

Gas chromatographic technologies for the analysis of essential oils (Review) 936(2001)1

Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327

**Evaporation**

Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3

**Evaporative light-scattering detection**

Determination of inorganic cations and anions by ion-exchange chromatography with evaporative light-scattering detection 914(2001)167

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

***Evernia prunastri***

Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283

**Evolved gas analysis**

Analysis of waterborne paints by gas chromatography–mass spectrometry with a temperature-programmable pyrolyzer 912(2001)329

**Evolving factor analysis**

Peak purity assessment in liquid chromatography–mass spectrometry 915(2001)43

**Expanded bed chromatography**

Recovery of actinorhodin from fermentation broth 914(2001)67

Theories of chromatographic efficiency applied to expanded beds 912(2001)235

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

Nd–Fe–B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203

Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217

Purification of a bacterial pullulanase on a fluidized bed of calcium alginate beads 950(2002)131

#### **Experimental design**

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

Supercritical fluid extraction for liquid chromatographic determination of carotenoids in *Spirulina Pacifica* algae: a chemometric approach 912(2001)61

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Investigation of pharmaceutical high-performance liquid chromatography assay bias using experimental design 917(2001)63

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di- and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

#### **Exponential-Gaussian hybrid function**

A hybrid of exponential and gaussian functions as a simple model of asymmetric chromatographic peaks 915(2001)1

#### **Exponentially modified Gaussian functions**

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

#### **Extraction methods**

see also Clean-up methods, Preconcentration, Pressurized liquid extraction, Sample handling, Sample preparation, Solid-phase extraction, Solid-phase microextraction, Supercritical fluid extraction and Special Issue Index

Liquid–liquid extraction procedures for sample enrichment in capillary zone electrophoresis (Review) 902(2000)91

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137

Membrane-based techniques for sample enrichment (Review) 902(2000)205

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357

Two-fibre solid-phase microextraction combined with gas chromatography–mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters 909(2001)3

Alkyl diol silica: restricted access pre-column packings for fast liquid chromatography-integrated sample preparation of biological fluids 909(2001)73

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95



- Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277
- Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177
- Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147
- Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215
- Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381
- Stability of phenolic compounds during extraction with superheated solvents 921(2001)169
- Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339
- Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371
- Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187
- Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3
- Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407
- On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedstuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197
- Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131
- Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117
- Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95
- Extraction of fat-soluble vitamins (Review) 935(2001)3
- Analysis of vitamin E isomers in seeds and nuts with and without coupled hydrolysis by liquid chromatography and coulometric detection 935(2001)77
- Liquid chromatographic method for the analysis of tocopherols in malt sprouts with supercritical fluid extraction 935(2001)87
- Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215
- Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49
- Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113
- Clean-up procedures for the analysis of heterocyclic aromatic amines (aminozaarenes) from heat-treated meat samples 938(2001)155
- Sample treatment in chromatography-based speciation of organometallic pollutants (Review) 938(2001)211
- Gas chromatographic–tandem mass spectrometric analytical method for the study of inhalation, potential dermal and actual exposure of agricultural workers to the pesticide malathion 939(2001)79
- Pressurised hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113
- Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177
- Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209
- Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23
- Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291

# F

## Factorial analysis

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

## Factorial design

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

## Fats

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 926(2001)239

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Analysis of free and esterified sterols in fats and oils by flash chromatography, gas chromatography and electrospray tandem mass spectrometry 935(2001)237

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

## Fermentation broth

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2002)123

## Fiber disks

Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159

## Field-amplified sample injection/stacking

see Field-enhanced sample stacking

## Field-enhanced sample stacking

see also Sample stacking

Head-column field-amplified sample stacking in presence of siphoning. Application to capillary electrophoresis–electrospray ionization mass spectrometry of opioids in urine 924(2001)507

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

Ultrasensitive chemiluminescence detection of sub-fM level Co(II) in capillary electrophoresis 939(2001)91

## Field extraction methods

Application of on-site solid-phase microextraction in aquatic dissipation studies of profoxydim in rice 909(2001)29

## Field-flow fractionation

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

TiO<sub>2</sub> colloidal suspension polydispersity analysed with sedimentation field flow fractionation and electron microscopy 905(2001)163

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Size- and shape-dependent separation of TiO<sub>2</sub> colloidal subpopulations with gravitational field flow fractionation 923(2001)119

Flow field-flow fractionation of poly(ethylene oxide): effect of carrier ionic strength and composition 925(2001)159

Retention behaviour of amylopectins in asymmetrical flow field-flow fractionation studied by multi-angle light scattering detection 925(2001)171

Characterisation of core-shell latexes by flow field-flow fractionation with multi-angle light scattering detection 943(2002)251

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

**Field programming**

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

**Filtration**

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

**Flow-rate gradients**

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

**Fish**

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

Determination of linear alkylbenzenes in fish tissue by gel permeation chromatography and gas chromatography–mass spectrometry 942(2002)223

**Fitting procedures**

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2002)93

**Fixed-size moving window**

Peak purity assessment in liquid chromatography–mass spectrometry 915(2001)43

**Flame ionization detection**

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

**Flame photometric detection**

High-throughput reactor for simulating the flame photometric detector 905(2001)241

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187

**Flame retardants**

Brominated flame retardants in laboratory air 923(2001)299

Synthesis and evaluation of molecularly imprinted polymers for extracting hydrolysis products of organophosphate flame retardants 938(2001)121

Pressurised hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113

**Flame thermionic detection**

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

**Flash chromatography**

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Analysis of free and esterified sterols in fats and oils by flash chromatography, gas chromatography and electrospray tandem mass spectrometry 935(2001)237

**Flow injection analysis**

On-line flow sample stacking in a flow injection analysis–capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants 912(2001)163

Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection–mass spectrometry and liquid chromatography–mass spectrometry and –tandem mass spectrometry 926(2001)127

Evaluation of the temporal effect to the peak tailing in flow injection analysis 950(2002)271

**Flow profiles**

Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

Mass transfer in rectangular chromatographic channels  
948(2002)3

#### Flow rate

Nuclear magnetic resonance studies of solvent flow through chromatographic columns: effect of packing density on flow patterns 905(2001)19

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

New micro-flow pumping system for liquid chromatography 913(2001)165

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography–tandem mass spectrometry 937(2001)65

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

#### Flow-rate gradients

Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183

#### Flow velocity

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357

#### FLUENT software

Study of feed temperature control of chromatography using computational fluid dynamics simulation 945(2002)117

#### Fluidised bed

Nd–Fe–B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

#### Fluorescence detection

see also Laser-induced fluorescence detection

Capillary isoelectric focusing with UV-induced fluorescence detection 916(2001)65

Retention behaviour and fluorimetric detection of procaine hydrochloride using carboxymethyl- $\beta$ -cyclodextrin as an additive in reversed-phase liquid chromatography 919(2001)321

Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407

Ultra-low-temperature non-aqueous capillary electrophoretic separation–77 K fluorescence spectroscopic detection for the on-line identification of photo-converted analytes of *trans*-resveratrol 943(2002)287

Determination of reboxetine, a recent antidepressant drug, in human plasma by means of two high-performance liquid chromatography methods 949(2002)23

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

#### Fluorescence detection, fast-scanning

Fluorescence spectroscopy as a detection system in liquid chromatography for confirmatory analysis of flumequine and oxolinic acid 942(2002)275

#### Food analysis

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113

Immunoaffinity column clean-up prior to thin-layer chromatography for the determination of aflatoxins in various food matrices 904(2000)251

Two-fibre solid-phase microextraction combined with gas chromatography–mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233

Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Supercritical fluid extraction and quantitative determination of organophosphorus pesticide residues in wheat and maize using gas chromatography with flame photometric and mass spectrometric detection 907(2001)247

Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255

- Application of ion-exchange cartridge clean-up in food analysis. IV. Confirmatory assay of benzylpenicillin, phenoxymethylpenicillin, oxacillin, cloxacillin, nafcillin and dicloxacillin in bovine tissues by liquid chromatography–electrospray ionization tandem mass spectrometry 911(2001)217
- Selective enrichment of 17 pyrethroids from lyophilised agricultural samples 912(2001)83
- Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135
- Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223
- Separation of phenolic compounds by high-performance liquid chromatography with absorbance and fluorimetric detection 912(2001)249
- Determination of mercaptobenzimidazol and other thyreostat residues in thyroid tissue and meat using high-performance liquid chromatography–mass spectrometry 912(2001)311
- Direct determination of sinigrin in mustard seed without desulfatation by reversed-phase ion-pair liquid chromatography 912(2001)363
- High-performance liquid chromatography for the characterization of carotenoids in the new sweet orange (Earlygold) grown in Florida, USA 913(2001)371
- Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387
- Improved methods for the extraction and analysis of isoflavones from soy-containing foods and nutritional supplements by reversed-phase high-performance liquid chromatography and liquid chromatography–mass spectrometry 913(2001)397
- Sample preparation for residue determination of gentamicin and neomycin by liquid chromatography 914(2001)59
- Effects of the matrix and sample preparation on the determination of fluoroquinolone residues in animal tissues 914(2001)89
- Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53
- Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149
- Improved method for the simultaneous determination of whey proteins, caseins and *para*- $\kappa$ -casein in milk and dairy products by capillary electrophoresis 915(2001)225
- New configuration in capillary isotachopheresis–capillary zone electrophoresis coupling 916(2001)131
- Determination of organic acids and inorganic anions in wine by isotachopheresis on a planar chip 916(2001)167
- Application of capillary isotachopheresis for fruit juice authentication 916(2001)185
- High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95
- Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239
- Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277
- Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59
- Critical study of and improvements in chromatographic methods for the analysis of type B trichothecenes 918(2001)99
- Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267
- Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303
- Determination of three nitroimidazole residues in poultry meat by gas chromatography with nitrogen–phosphorus detection 918(2001)435
- Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147
- Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205
- Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299
- Simple ion chromatographic method for the determination of chlormequat residues in pears 920(2001)255
- Evaluation of fructans in various fresh and stewed fruits by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)291
- Comparison of analytical techniques to quantify malondialdehyde in milk powders 921(2001)237

- Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen–phosphorus detection 921(2001)287
- Determination of residues of endosulfan and five pyrethroid insecticides in virgin olive oil using gas chromatography with electron-capture detection 921(2001)297
- Polydimethylsiloxane solid-phase microextraction–gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267
- Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359
- Protocol for the determination of selected neutral and acidic semi-volatile organic contaminants in fish tissue 923(2001)177
- Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic–flame ionisation detection analysis of dichloromethane microextracts 923(2001)205
- Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387
- Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519
- Robotic automated clean-up for detection of fumonisins B<sub>1</sub> and B<sub>2</sub> in corn and corn-based feed by high-performance liquid chromatography 925(2001)151
- On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedstuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197
- Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279
- Characterisation of modified whey protein in milk ingredients by liquid chromatography coupled to electrospray ionisation mass spectrometry 926(2001)105
- Analysis of procyanidins in chocolate by reversed-phase high-performance liquid chromatography with electrospray ionisation mass spectrometric and tandem mass spectrometric detection 926(2001)211
- Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 926(2001)239
- Optimization and evaluation of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity 926(2001)291
- Derivatization, stabilization and detection of biogenic amines by cyclodextrin-modified capillary electrophoresis–laser-induced fluorescence detection 926(2001)309
- Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63
- Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117
- Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139
- Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105
- Analysis of vitamin E isomers in seeds and nuts with and without coupled hydrolysis by liquid chromatography and coulometric detection 935(2001)77
- Liquid chromatographic method for the analysis of tocopherols in malt sprouts with supercritical fluid extraction 935(2001)87
- Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125
- Chromatographic analysis of plant sterols in foods and vegetable oils (Review) 935(2001)173
- Analysis of free and esterified sterols in fats and oils by flash chromatography, gas chromatography and electrospray tandem mass spectrometry 935(2001)237
- Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249
- Liquid chromatographic separation of terpenoid pigments in foods and food products (Review) 936(2001)119
- Effects of fluorescent light and vacuum packaging on the rate of decomposition of pigments in paprika (*Capsicum annum*) powder determined by reversed-phase high-performance liquid chromatography 936(2001)139
- Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159
- Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

- New reversed-phase liquid chromatographic method to detect aflatoxins in food and feed with cyclodextrins as fluorescence enhancers added to the eluent 937(2001)31
- Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49
- Simultaneous determination of artificial sweeteners, preservatives, caffeine, theobromine and theophylline in food and pharmaceutical preparations by ion chromatography 937(2001)57
- Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107
- Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat-treated meat samples 938(2001)155
- Determination of domoic acid in shellfish by liquid chromatography with electrospray ionization and multiple tandem mass spectrometry 938(2001)167
- Rapid determination of caffeine in tea leaves 942(2002)271
- High-performance liquid chromatography determination of Zn-bacitracin in animal feed by post-column derivatization and fluorescence detection 943(2002)227
- Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41
- Analysis of quinolone residues in edible animal products (Review) 945(2002)1
- Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211
- Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133
- Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239
- Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23
- High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85
- High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97
- Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227
- Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307
- Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313
- Ion-trap tandem mass spectrometry for the determination of heterocyclic amines in food 948(2002)267
- Effect of reduced glutathione on the stability of pigments in paprika powders studied by multiwavelength spectrometry and high-performance liquid chromatography 949(2002)269
- Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359
- Forensic analysis**  
Solid-phase microextraction in biomedical analysis (Review) 902(2000)167
- Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1
- Potassium concentration differences in the vitreous humour from the two eyes revisited by microanalysis with capillary electrophoresis 924(2001)493
- Use of  $\beta$ -cyclodextrin in the capillary zone electrophoretic separation of the components of clandestine heroin preparations 924(2001)499
- Determination of cannabinoids in hair using high-pH\* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2002)259
- Fountain solutions**  
Analysis of fountain solutions for anionic components, including alkylbenzenesulfonates, carboxylates and polyphosphates, by a combination of ion-exchange and ion-exclusion chromatography and inductively coupled plasma atomic emission spectrometry 920(2001)247
- Fourier transform**  
Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177
- Fourier-transform infrared spectroscopy**  
Quantitative FTIR detection in size-exclusion chromatography 910(2001)19
- Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

**Fractionation diagram**

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

**Fragrance components**

Determination of floral fragrances of *Rosa hybrida* using solid-phase trapping-solvent extraction and gas chromatography–mass spectrometry 902(2000)389

***Fritillaria* spp.**

Determination of the major isosteroidal alkaloids in bulbs of *Fritillaria* by high-performance liquid chromatography coupled with evaporative light scattering detection 909(2001)207

Chromatographic analysis of *Fritillaria* isosteroidal alkaloids, the active ingredients of Beimu, the antitussive traditional Chinese medicinal herb (Review) 935(2001)321

**Frits**

Single step on-column frit making for capillary high-performance liquid chromatography using sol–gel technology 910(2001)13

Visualization of solute migration in chromatographic columns  
Influence of the frit porosity 917(2001)1

**Frontal affinity chromatography**

Application of reinforced frontal affinity chromatography and advanced processing procedure to the study of the binding property of a *Caenorhabditis elegans* galectin 905(2001)337

**Frontal analysis**

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

Evaluation of frontal chromatograms 928(2001)1

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

**Frontal velocity analysis method**

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

**Fruit juices**

Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113

High-performance liquid chromatography for the characterization of carotenoids in the new sweet orange (Earlygold) grown in Florida, USA 913(2001)371

Separation and determination of flavonoids and other phenolic compounds in cranberry juice by high-performance liquid chromatography 913(2001)387

New configuration in capillary isotachopheresis–capillary zone electrophoresis coupling 916(2001)131

Application of capillary isotachopheresis for fruit juice authentication 916(2001)185

Chiral separation of six diastereomeric flavanone-7-*O*-glycosides by capillary electrophoresis and analysis of lemon juice 925(2001)279

**Fruits**

see also Apples and Grapes

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Selective enrichment of 17 pyrethroids from lyophilised agricultural samples 912(2001)83

Liquid chromatographic–mass spectrometric determination of post-harvest fungicides in citrus fruits 912(2001)301

Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits 913(2001)415

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Comparison of various liquid chromatographic methods for the analysis of avermectin residues in citrus fruits 918(2001)59

Simple ion chromatographic method for the determination of chlormequat residues in pears 920(2001)255

Evaluation of fructans in various fresh and stewed fruits by high-performance anion-exchange chromatography with pulsed amperometric detection 920(2001)291

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359



**Functional group**

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

**Functional monomers**

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

**G** **$\gamma$ -Irradiation**

Poly(methyloctadecylsiloxane) immobilized on silica by  $\gamma$  radiation for use in solid-phase extraction 948(2002)171

***Ganoderma* spp.**

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

**Gas chromatography**

see also Inverse gas chromatography

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

Considerations on the temperature dependence of the gas–liquid chromatographic retention 942(2002)211

High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255

**Gas chromatography, comprehensive two-dimensional**

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Gas chromatographic technologies for the analysis of essential oils (Review) 936(2001)1

**Gas chromatography, fast**

Optimization and evaluation of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity 926(2001)291

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

Conventional inner diameter short capillary columns: an approach to speeding up gas chromatographic analysis of medium complexity samples 931(2001)129

**Gas chromatography, low-pressure**

Optimization and evaluation of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity 926(2001)291

**Gas chromatography, reversed-flow**

Study of the mechanism of the interaction of vinyl chloride with water by reversed-flow gas chromatography 919(2001)349

**Gas chromatography, solvating**

Solvating gas chromatography with chemiluminescence detection of nitroglycerine and other explosives 902(2000)413

**Gas chromatography–mass spectrometry**

see also Mass spectrometry

Determination of floral fragrances of *Rosa hybrida* using solid-phase trapping–solvent extraction and gas chromatography–mass spectrometry 902(2000)389

Flux of gases across the air–water interface studied by reversed-flow gas chromatography 934(2001)31

**Gaseous plant emissions**

Trace level determination of enantiomeric monoterpenes in terrestrial plant emission and in the atmosphere using a  $\beta$ -cyclodextrin capillary column coupled with thermal desorption and mass spectrometry 915(2001)185

**Gaseous standard mixtures**

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

**Gasoline**

Method for determination of methyl *tert*-butyl ether in gasoline by gas chromatography 910(2001)377

Gas chromatographic–mass spectrometric characterization of all acyclic C<sub>5</sub>–C<sub>7</sub> alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

#### Gas sampling

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

#### Gel network

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

#### General rate model

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

#### Genes

Analysis of dopamine D4 receptor gene polymorphism using microchip electrophoresis 924(2001)285

#### Genetic algorithms

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2002)93

#### Genotoxicity

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

#### Geochemistry

Capillary electrophoresis for measuring major and trace anions in thermal water and condensed-steam samples from hydrothermal springs and fumaroles 920(2001)325

#### Geological samples

Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219

#### Geometrical isomers

Characterisation of sorbate geometrical isomers 905(2001)359

Chromatographic performance on a C<sub>30</sub>-bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309

#### Geothermal fluids

Suppressed ion chromatography for monitoring chemical impurities in steam for geothermal power plants 949(2002)281

#### *Ginkgo biloba*

Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

#### Global internal standard technology

Global internal standard technology for comparative proteomics 949(2002)173

#### Glycidyl methacrylate-modified membrane

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

#### Glycosylation

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

#### Gradient elution

Evaluation of the retention dependence on the physicochemical properties of solutes in reversed-phase liquid chromatographic linear gradient elution based on linear solvation energy relationships 905(2001)35

Advances in process chromatography gradient elution using binary linear gradients 908(2001)163

Effect of buffer concentration on gradient chromatofocusing performance separating proteins on a high-performance DEAE column 909(2001)191

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233

Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection 914(2001)105

Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

Development of a simple gradient LC–IR interface for the detection of terpenoids from the  $\alpha$ -pinene–ozone reaction 922(2001)99

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

Migration of neutral solutes by double stepwise gradient elution in capillary electrochromatography 922(2001)277

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic–tandem mass spectrometric analysis 928(2001)41

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Two-step solvent gradients in simulated moving bed chromatography. Numerical study for linear equilibria 944(2002)77

Simultaneous reversed-phase high-performance liquid chromatographic separation of mono-, di- and trichloroanilines through a gradient elution optimised by experimental design 945(2002)287

Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

Endgroup-based separation and quantitation of polyamide-6,6 by means of critical chromatography 949(2002)337

#### Gradient time

Erratum to “Selectivity differences for C18 and C8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A. 897 (2000) 37–50] 910(2001)385

#### Gradiflow

Preparative electrophoresis: a general method for the purification of polyclonal antibodies 944(2002)161

#### Grafting

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

#### Grapes

see also Fruits

Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53

Stability of phenolic compounds during extraction with superheated solvents 921(2001)169

#### Graphitized carbon black

see Porous graphitized carbon

#### Gravitational field-flow fractionation

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Size- and shape-dependent separation of TiO<sub>2</sub> colloidal sub-populations with gravitational field flow fractionation 923(2001)119

#### Group retention factors

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

## H

#### Halogen-specific detection

New halogen-specific detector applied to the analysis of chlorinated fatty acids 912(2001)99

#### Headspace analysis

Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials (Review) 902(2000)267

Analysis of nonvolatile species in a complex matrix by headspace gas chromatography 909(2001)249

Monitoring of isothiocyanates emanating from *Arabidopsis thaliana* upon paraquat spraying 912(2001)127

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2002)33

Determination of aldehydes in drinking water using pentafluorobenzylhydroxylamine derivatization and solid-phase microextraction 943(2002)1

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Detection of adulterants in olive oil by headspace–mass spectrometry 945(2002)221

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

#### **Heat capacity**

Role of helix formation for the retention of peptides in reversed-phase high-performance liquid chromatography 912(2001)1

Considerations on the temperature dependence of the gas–liquid chromatographic retention 942(2002)211

#### **Heat of adsorption**

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61

#### **Height equivalent to a theoretical plate**

Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15

#### **Helium pulsed-discharge photoionization detection**

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

#### **Helix formation**

Role of helix formation for the retention of peptides in reversed-phase high-performance liquid chromatography 912(2001)1

#### **Henry constants**

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

#### **Heterogeneity**

Effects of bovine serum albumin heterogeneity on frontal analysis with anion-exchange media 937(2001)13

#### **Hollow-fiber flow field-flow fractionation**

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

#### **Hollow-fiber membranes**

Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

#### **Honey**

Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223

High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey 917(2001)95

Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21

#### **Honeybees**

Multiresidual method for the gas chromatographic analysis of pesticides in honeybees cleaned by gel permeation chromatography 905(2001)223

#### **Hop**

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

#### **Huber, J.F.K**

Obituary, Josef Franz Karl Huber 911(2001)143

#### **Human immunodeficiency virus**

Determination of serum levels of thirteen human immunodeficiency virus-suppressing drugs by high-performance liquid chromatography 913(2001)447

Liquid chromatographic–tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1

Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313

#### **Hummel–Dreyer method**

Determination of apparent association constants of steroid–cyclodextrin inclusion complexes using a modification of the Hummel–Dreyer method 913(2001)261

#### ***Humulus lupulus***

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

#### **Hybrid packings**

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

#### **Hydrodynamic lift forces**

Different elution modes and field programming in gravitational field-flow fractionation. III. Field programming by flow-rate gradient generated by a programmable pump 918(2001)361

#### **Hydrogen bond acceptor basicity**

Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35

#### **Hydrogen bond donor acidity**

Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35

#### **Hydrophilic interaction chromatography**

Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113

#### **Hydrophilic selectors**

Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291

#### **Hydrophobic charge induction chromatography**

Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251

#### **Hydrophobic interaction chromatography**

Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235

Hydrophobic interaction chromatography of homo-oligonucleotides on derivatized Sepharose CL-6B. Application of the solvophobic theory 944(2002)119

Comparative study on the fractionation of cellulases on some hydrophobic interaction chromatography adsorbents 944(2002)211

#### **Hydrophobic interaction electrokinetic chromatography**

Hydrophobic interaction electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons using non-aqueous matrices 914(2001)223

#### **Hydrophobic interaction membrane chromatography**

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

#### **Hydrophobic surfaces**

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

#### **Hydrophobicity**

see also Lipophilicity

Influence of the solute hydrophobicity on the enantioselective adsorption of  $\beta$ -blockers on a cellulase protein used as the chiral selector 905(2001)3

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35

Depth of penetration of binaphthyl derivatives into the micellar core of sodium undecenoyl leucyl-leucinate surfactants 950(2002)233

#### **Hydroxyl group**

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

#### ***Hypericum perforatum***

High-performance liquid chromatography–electrospray ionization mass spectrometry and multiple mass spectrometry studies of hyperforin degradation products 926(2001)187

#### **Hyperlayer separation**

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

#### **Hyphenated techniques**

Observation of exchangeable protons by high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and <sup>1</sup>H-nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

## I

### Ice cores

Suppressed ion chromatography methods for the routine determination of ultra low level anions and cations in ice cores 919(2001)107

Continuous melting and ion chromatographic analyses of ice cores 920(2001)193

### Ideal adsorbed solution theory

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

### Iminodiacetic acid bonded monolithic rods

Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate–co-ethylene dimethacrylate) 926(2001)255

### Iminodiacetic acid bonded silica

Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73

### Immobilization

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. I. Physical and chemical characterizations 948(2002)97

High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. II. Chromatographic evaluation 948(2002)109

### Immobilized amino acids

Affinity chromatography of porcine pepsin on different types of immobilized 3,5-diiodo-L-tyrosine 911(2001)211

### Immobilized artificial membrane column

Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107

### Immobilized dyes

Affinity chromatography of proteins on non-porous copolymerized particles of styrene, methyl methacrylate and glycidyl methacrylate 921(2001)31

### Immobilized enzymes

Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Biosynthesis in an on-line immobilized-enzyme reactor containing phenylethanolamine *N*-methyltransferase in single-enzyme and coupled-enzyme formats 948(2002)249

### Immobilized liposomes

Effect of liposome type and membrane fluidity on drug–membrane partitioning analyzed by immobilized liposome chromatography 913(2001)123

### Immobilized metal affinity chromatography

Chelated mercury as a ligand in immobilized metal ion affinity chromatography of proteins 904(2000)131

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and (His)<sub>6</sub>-tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Thermosensitive copolymers of *N*-vinylimidazole as displacers of proteins in immobilised metal affinity chromatography 907(2001)115

Characterization of metal affinity of green fluorescent protein and its purification through salt promoted, immobilized metal affinity chromatography 909(2001)183

Affinity chromatography of polyhistidine tagged enzymes. New dextran-coated immobilized metal ion affinity chromatography matrices for prevention of undesired multipoint adsorptions 915(2001)97

Ni(II)-based immobilized metal ion affinity chromatography of recombinant human prolactin from periplasmic *Escherichia coli* extracts 922(2001)165

Automated signature peptide approach for proteomics 924(2001)359

Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate-co-ethylene dimethacrylate) 926(2001)255

Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153

#### **Immobilized metal affinity partitioning**

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and (His)<sub>6</sub>-tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

#### **Immobilized peptides**

Study on the degeneracy of antisense peptides using affinity chromatography 913(2001)421

#### **Immobilized proteins**

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

Influence of the solute hydrophobicity on the enantioselective adsorption of  $\beta$ -blockers on a cellulase protein used as the chiral selector 905(2001)3

Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133

Proteolysis of whole cell extracts with immobilized enzyme columns as part of multidimensional chromatography 913(2001)429

Channel-specific coatings on microfabricated chips 924(2001)165

Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89

#### **Immunoabsorbents**

see also Affinity adsorbents

On-line coupling of sol-gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Determination of microcystins in blue-green algae, fish and water using liquid chromatography with ultraviolet detection after sample clean-up employing immunoaffinity chromatography 922(2001)111

Efficient enantioselective separation of drug enantiomers by immobilised antibody fragments 925(2001)89

#### **Immunoaffinity chromatography**

see also Affinity chromatography

Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61

Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177

Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163

#### **Immunoassays**

Competitive immunoassay for recombinant hirudin using capillary electrophoresis with laser-induced fluorescence detection 924(2001)337

Detection of DNA adducts of benzo[*a*]pyrene using immunoelectrophoresis with laser-induced fluorescence. Analysis of A549 cells 924(2001)377

#### **Immunoprecipitation**

Immunoprecipitation and liquid chromatographic-mass spectrometric determination of the peptide glucose-dependent insulinotropic polypeptides GIP<sub>1-42</sub> and GIP<sub>3-42</sub> from human plasma samples. New sensitive method to analyze physiological concentrations of peptide hormones 926(2001)21

#### ***Impatiens balsamina***

Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297

#### **Inclusion complexes**

Characterization of inclusion complexes of betamethasone-related steroids with cyclodextrins using high-performance liquid chromatography 903(2000)49

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

Separation of steroids using temperature-dependent inclusion chromatography 912(2001)45

**Indirect detection**

High-performance liquid chromatographic analysis for a non-chromophore-containing phosphatidyl inositol analog, 1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*-inositol, using indirect UV detection 913(2001)355

Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31

Determination of quaternary alkylammonium compounds by capillary zone electrophoresis and indirect UV detection as a real alternative to ion chromatography with suppressed conductivity detection 920(2001)333

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

**Induced competition model**

Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273

**Inductively coupled plasma mass spectrometry**

see also Mass spectrometry

Determination of strong binding chelators and their metal complexes by anion-exchange chromatography and inductively coupled plasma mass spectrometry 947(2002)205

**Infant formulas**

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

High-performance liquid chromatographic determination of tocopherols in infant formulas 947(2002)97

**Infrared detection**

Development of a simple gradient LC–IR interface for the detection of terpenoids from the  $\alpha$ -pinene–ozone reaction 922(2001)99

Towards functional group-specific detection in high-performance liquid chromatography using mid-infrared quantum cascade lasers 934(2001)123

Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257

**Injection methods**

see also Large-volume injections, Sample introduction and Sample stacking

New strategies for the determination of phenylurea pesticides by gas chromatography with hot splitless inlet systems 910(2001)79

Analysis of proganil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Effect of efficiency improvement by injecting a sample at a lower carrier gas velocity in isothermal gas–liquid chromatography 919(2001)357

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Mass spectrometric detection in narrow-bore (0.10 mm I.D.) capillary chromatography. Fast, sensitive and selective analysis of polychlorinated biphenyls 923(2001)287

On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259

Separation of antithrombin III variants by micellar electrokinetic chromatography 924(2001)307

Anion selective exhaustive injection-sweep–micellar electrokinetic chromatography 932(2001)129

Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

**Injection volume**

Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233



**Inner radial humps**

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

**Instrumentation**

Miniaturized solid-phase extraction with resin disks 909(2001)79

New micro-flow pumping system for liquid chromatography 913(2001)165

Conductivity detection cell for capillary zone electrophoresis with a solution mediated contact of the separated constituents with the detection electrodes 916(2001)31

Isotachopheresis and isotachopheresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155

Influence of solvents and gas chromatographic injector conditions on the detectability of nitroaromatic compounds 918(2001)121

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

Experimental demonstration of the possibility to perform shear-driven chromatographic separations in micro-channels 924(2001)111

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

Ion chromatography on-chip 924(2001)233

On-chip definition of picolitre sample injection plugs for miniaturised liquid chromatography 924(2001)259

Microfabricated capillary array electrophoresis DNA analysis systems 924(2001)265

Capillary-based fully integrated and automated system for nanoliter polymerase chain reaction analysis directly from cheek cells 924(2001)271

Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115

Capillary zone electrophoresis with electrochemical detection — a simple and effective method to analyze oxygen-consuming and peroxide-forming processes 937(2001)127

Contactless conductivity detection for capillary electrophoresis. Hardware improvements and optimization of the input-signal amplitude and frequency 942(2002)249

Bioanalysis in microfluidic devices (Review) 943(2002)159

Erratum to “Ion chromatography on-chip” [J. Chromatogr. A, 924 (2001) 233–238] 943(2002)311

Preparative electrophoresis: a general method for the purification of polyclonal antibodies 944(2002)161

Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19

**Integrated pulsed amperometry**

Integrated pulsed amperometric detection of glufosinate, bialaphos and glyphosate at gold electrodes in anion-exchange chromatography 919(2001)313

**Interdetector volume**

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric–concentration detection using the universal calibration method 915(2001)15

**Interfaces**

see also Mass spectrometry

**Interfaces, GC×GC**

Simple, non-moving modulation interface for comprehensive two-dimensional gas chromatography 919(2001)127

**Interfaces, LC–IR**

Development of a simple gradient LC–IR interface for the detection of terpenoids from the  $\alpha$ -pinene–ozone reaction 922(2001)99

Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257

**Interfaces, LC–MS**

Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data 913(2001)205

Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43

Fragmentation pathways of organoarsenical compounds by electrospray ion trap multiple mass spectrometry (MS<sup>6</sup>) 926(2001)167

Studies of signal suppression in liquid chromatography–electrospray ionization mass spectrometry using volatile ion-pairing reagents 937(2001)41

On-line microdialysis of proteins with high-salt buffers for direct coupling of electrospray ionization mass spectrometry and liquid chromatography 948(2002)139

Determination of omeprazole and its metabolites in human plasma by liquid chromatography–mass spectrometry 949(2002)1

**Interfaces, SFE–HPLC**

Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53

**Interlaboratory studies**

Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221

**Internal standards**

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Global internal standard technology for comparative proteomics 949(2002)173

**Internet resources**

Software and internet resources for capillary electrophoresis and micellar electrokinetic capillary chromatography (Review) 916(2001)25

**Inverse gas chromatography**

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

**Inverse temperature programming**

Separation of polyethylene glycol oligomers using inverse temperature programming in packed capillary liquid chromatography 918(2001)221

**Inversion barrier**

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

**In-capillary derivatization**

Capillary electrophoretic analysis of carbohydrates derivatized by in-capillary condensation with 1-phenyl-3-methyl-5-pyrazolone 911(2001)259

Capillary electrophoretic determination of sulfite using the zone-passing technique of in-capillary derivatization 934(2001)67

Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105

**Ion chromatography**

see also Special Issue Index

Ion chromatography detector based on solid-state ion-selective electrode array 902(2000)337

Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301

Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95

**Ion chromatography–capillary electrophoresis**

Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11

**Ion-exchange chromatography**

Novel stationary phase with regulated anion-exchange capacity 920(2001)87

Determination of paralytic shellfish poisoning toxins by high-performance ion-exchange chromatography 929(2001)43

Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2002)157

Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61

Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169

#### **Ion exchangers**

see also Anion exchangers, Cation exchangers and Stationary phases

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Determinants of protein retention characteristics on cation-exchange adsorbents 933(2001)57

Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2002)123

#### **Ion-exchange site structures**

Effect of ion-exchange site and eluent modifiers on the anion-exchange of carboxylic acids 925(2001)99

#### **Ion exclusion**

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

#### **Ion mobility spectrometry**

Separation of amino acids by ion mobility spectrometry 902(2000)433

Evaluation of capillary liquid chromatography–electrospray ionization ion mobility spectrometry with mass spectrometry detection 946(2002)59

#### **Ionene-modified stationary phases**

Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51

#### **Ion-exclusion chromatography**

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents 920(2001)41

#### **Ionic strength**

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73

Effect of ionic strength on perfusive flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231

#### **Ionic strength gradient**

Recognition and strand displacement of DNA oligonucleotides by peptide nucleic acids (PNAs). High-performance ion-exchange chromatographic analysis 922(2001)177

#### **Ion-interaction chromatography, fast**

Fast separation of UV absorbing anions using ion-interaction chromatography 917(2001)353

#### **Ion–ion interactions**

Differential elution of sodium or potassium dihydrogen- and hydrogenphosphate ions from a Sephadex G-15 column with sodium or potassium chloride solution 914(2001)175

#### **Ionization constant**

Capillary zone electrophoresis of basic analytes in methanol as non-aqueous solvent. Mobility and ionisation constant 905(2001)259

#### **Ion-pair chromatography**

Chiral ion-pair chromatography on porous graphitized carbon using *N*-blocked dipeptides as counter ions 905(2001)329

Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249

#### **Ion-pairing reagents**

High-performance liquid chromatographic analysis for a non-chromophore-containing phosphatidyl inositol analog, 1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*-inositol, using indirect UV detection 913(2001)355

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Studies of signal suppression in liquid chromatography–electrospray ionization mass spectrometry using volatile ion-pairing reagents 937(2001)41

#### **Isoelectric focusing**

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

High-efficiency capillary isoelectric focusing of protein complexes from *Escherichia coli* cytosolic extracts 914(2001)257

Capillary isoelectric focusing with UV-induced fluorescence detection 916(2001)65

Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

Routine *o*-glycan characterization in nutritional supplements — a comparison of analytical methods for the monitoring of the bovine kappa-casein macropeptide glycosylation 929(2001)151

#### **IsoPak columns**

Characterizing the performance of industrial-scale columns 908(2001)131

#### **Isotachopheresis**

Conductivity detection and quantitation of isotachopheretic analytes on a planar chip with on-line coupled separation channels 916(2001)101

Determination of organic acids and inorganic anions in wine by isotachopheresis on a planar chip 916(2001)167

Application of capillary isotachopheresis for fruit juice authentication 916(2001)185

Discrete spacers for photometric characterization of humic acids separated by capillary isotachopheresis 916(2001)191

Isotachopheretic determination of naproxen in the presence of its metabolite in human serum 916(2001)207

Analysis of metabolites of glucose pathways in human erythrocytes by analytical isotachopheresis 916(2001)247

Isotachopheretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis–particle-induced X-ray emission 919(2001)417

Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3

#### **Isotachopheresis–capillary zone electrophoresis**

New configuration in capillary isotachopheresis–capillary zone electrophoresis coupling 916(2001)131

Capillary zone electrophoresis of orotic acid in urine with on-line isotachopheresis sample pretreatment and diode array detection 916(2001)143

Isotachopheresis and isotachopheresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155

Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195

#### **Isothermal retention indices**

Improving the accuracy of Kováts' retention indices in isothermal gas chromatography 945(2002)185

#### **Isothermal titration calorimetry**

Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (*pI*). Effects of NaCl concentration, pH value, and temperature 912(2001)281

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

#### **Isotope analysis**

Quantitative proteomics strategy involving the selection of peptides containing both cysteine and histidine from tryptic digests of cell lysates 949(2002)153

#### **Isotope ratio mass spectrometry**

Determination of porphyrin carbon isotopic composition using gas chromatography–isotope ratio monitoring mass spectrometry 903(2000)183

Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials 913(2001)269

Polycyclic aromatic hydrocarbon <sup>13</sup>C/<sup>12</sup>C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

#### **Isotopic dilution**

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

# J

## Job plots

Study on the chiral recognition of the enantiomers of ephedrine derivatives with neutral and sulfated heptakis(2,3-*O*-diacetyl)- $\beta$ -cyclodextrins using capillary electrophoresis, UV, nuclear magnetic resonance spectroscopy and mass spectrometry 914(2001)315

## Joule heating

Recalculation of the temperature inside capillaries using high buffer concentrations 907(2001)353

Joule heating calculations in capillary zone electrophoresis. Reply to "Recalculation of the temperature inside capillaries using high buffer concentrations" by Zhang et al 907(2001)357

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

# K

## Kava

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

## Keishi-bukuryo-gan

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

## Kinetic studies

Sensitive liquid chromatographic–tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45

Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77

On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Affinity of the monoclonal antibody M1 directed against the FLAG peptide 921(2001)25

Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109

Analysis of 2 $\beta$ -carbomethoxy-3 $\beta$ -(4-fluorophenyl)-*N*-(3-iodo-*E*-allyl)nortropine in rat plasma. II. Pharmacokinetic profile in male and female Sprague–Dawley rats evaluated by capillary electrophoresis 924(2001)471

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

## Kraft black liquors

Analysis of nonvolatile species in a complex matrix by headspace gas chromatography 909(2001)249

## Kraft pulp

Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

# L

## Laminar flow

Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51

## Langmuir isotherm

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

## Large-volume injections

see also Injection methods

Determination of nonylphenol ethoxylate oligomers by liquid chromatography–electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

#### **Large-volume sample stacking**

Analysis of linear alkylbenzenesulfonates by capillary zone electrophoresis with large-volume sample stacking 929(2001)143

#### **Laser-enhanced ionization detection**

Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247

#### **Laser-induced atomic fluorescence detection**

Laser-enhanced ionization and laser-induced atomic fluorescence as element-specific detection methods for gas chromatography. Application to organotin analysis 921(2001)247

#### **Laser-induced fluorescence detection**

Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota 907(2001)291

UV- and visible-excited fluorescence of nucleic acids separated by capillary electrophoresis 911(2001)269

Some applications of near-ultraviolet laser-induced fluorescence detection in nanomolar- and subnanomolar-range high-performance liquid chromatography or micro-high-performance liquid chromatography 913(2001)253

#### **Latex**

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201

Ion chromatography on-chip 924(2001)233

Characterisation of core-shell latexes by flow field-flow fractionation with multi-angle light scattering detection 943(2002)251

Erratum to "Ion chromatography on-chip" [J. Chromatogr. A, 924 (2001) 233–238] 943(2002)311

Capillary electrophoresis for the determination of new markers of natural latex quality 949(2002)367

#### ***Lathyrus sativus***

Liquid chromatographic determination of total and  $\beta$ -*N*-oxalyl-L- $\alpha$ , $\beta$ -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13

#### ***Lathyrus* spp.**

Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129

#### ***Lavandula angustifolia***

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

#### **Leaching**

Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3

#### **Lens, intraocular**

Determination of heparin on intraocular lens surfaces by ion chromatography 917(2001)105

#### ***Lepidocybium flavobrunneum***

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

#### **Libraries, MS**

Tune compounds for electrospray ionisation/in-source collision-induced dissociation with mass spectral library searching 926(2001)199

#### **Ligand exchange**

Chiral chromatographic separations based on ligand exchange (Review) 906(2001)51

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Evaluation and application of liquid chromatographic columns coated with 'intelligent' ligands: (I) acylcarnitine column 929(2001)1

#### **Ligand-exchange capillary electrophoresis**

Direct chiral resolution of tartaric acid in food products by ligand exchange capillary electrophoresis using copper(II)-D-quinic acid as a chiral selector 932(2001)139

Chiral separation of underivatized amino acids by ligand-exchange capillary electrophoresis using a copper(II)-L-lysine complex as selector 945(2002)249

#### **Ligand synthesis, on column**

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

#### **Light-scattering detection**

Fractionation and characterization of phenolic resins by high-performance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric-concentration detection using the universal calibration method 915(2001)15

Polymer characterization by size-exclusion chromatography with multiple detection 919(2001)13

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Retention behaviour of amylopectins in asymmetrical flow field-flow fractionation studied by multi-angle light scattering detection 925(2001)171

Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2002)191

#### **Limit of detection**

Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2002)191

Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121

#### **Limit of quantitation**

Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121

#### **Linear discriminant analysis**

Detection of adulterants in olive oil by headspace-mass spectrometry 945(2002)221

#### **Linear free energy relationships**

Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79

#### **Linearity**

Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121

#### **Linear solvation energy relationships**

Evaluation of the retention dependence on the physicochemical properties of solutes in reversed-phase liquid chromatographic linear gradient elution based on linear solvation energy relationships 905(2001)35

Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35

Study of retention in micellar liquid chromatography on a  $C_8$  column by the use of linear solvation energy relationships 918(2001)1

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Solute-solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

#### **Linear solvent strength theory**

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

#### ***Linum usitatissimum***

Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299

#### **Lipid peroxidation**

Comparison of analytical techniques to quantify malondialdehyde in milk powders 921(2001)237

#### **Lipophilicity**

see also Hydrophobicity

Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361

#### **Liposomes**

Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245

#### **Liquid chromatography**

Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3

Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15

Analysis of purines and pyrimidines by mixed partition–adsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1

Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43

#### **Liquid chromatography, high-temperature**

Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197

#### **Liquid chromatography–mass spectrometry**

see also Mass spectrometry and Special Issue Index

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

Preliminary investigation of the application of on-line membrane extraction of trifluoroacetic acid as an aid to improvement of negative ion electrospray mass spectrometry data 913(2001)205

Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43

Determination of paralytic shellfish poisoning toxins by high-performance ion-exchange chromatography 929(2001)43

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

#### **Liquid chromatography under critical conditions**

Separation and quantification of the linear and cyclic structures of polyamide-6 at the critical point of adsorption 914(2001)131

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

Quantitation of functionality of poly(methyl methacrylate) by liquid chromatography under critical conditions followed by evaporative light-scattering detection. Comparison with NMR and titration 949(2002)327

#### **Liquid-core waveguide**

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

#### **Liquid crystalline stationary phases**

Laterally attached liquid-crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. III. Effect of the local anisotropic order on the separation of polycyclic aromatic hydrocarbons 913(2001)147

Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

#### **Liquid exclusion–adsorption chromatography**

Liquid exclusion–adsorption chromatography: new technique for isocratic separation of nonionic surfactants. I. Retention behaviour of fatty alcohol ethoxylates 910(2001)207

Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. II. Quantitation in the analysis of fatty alcohol ethoxylates 915(2001)155

Liquid exclusion adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. III. Two-dimensional separation of fatty alcohol ethoxylates 922(2001)193

#### **Liquid–liquid extraction**

Liquid–liquid extraction procedures for sample enrichment in capillary zone electrophoresis (Review) 902(2000)91

#### **Liquid–liquid–liquid microextraction**

Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

#### **Liquid-phase microextraction**

Liquid-phase microextraction and capillary electrophoresis of citalopram, an antidepressant drug 909(2001)87

Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381

#### **Liquid phase microextraction with back extraction**

Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95

#### **Loading capacity**

Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233

#### **Longitudinal diffusion**

Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21



**Low solvent consumption point**

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

**Lubricants**

Characterization of ageing products of ester-based synthetic lubricants by liquid chromatography with electrospray ionization mass spectrometry and by electrospray ionization (tandem) mass spectrometry 926(2001)161

**Luminol luminescence**

Evaluation and comparison of two improved techniques for the on-line detection of antioxidants in liquid chromatography eluates 912(2001)73

**Lumped pore diffusion model**

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

**M****Macromolecular probes**

Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75

**Macroporous copolymer beads**

Macroporous copolymer matrix. IV. Expanded bed adsorption application 922(2001)63

**Magnetic beads**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

**Magnetic resonance**

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

**Magnetic separation**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

Particle magnetic susceptibility determination using analytical split-flow thin fractionation 923(2001)263

**Magnetic sorbents**

Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109

Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185

**Mao-to**

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

**Marfey's method, advanced**

Abnormal elution behavior of ornitine derivatized with 1-fluoro-2,4-dinitrophenyl-5-leucinamide in advanced Marfey's method 921(2001)187

**Marine particles**

Sub-ambient temperature effects on the separation of monosaccharides by high-performance anion-exchange chromatography with pulse amperometric detection. Application to marine chemistry 920(2001)13

**Marine sediments**

see also Sediments

Polycyclic aromatic hydrocarbon  $^{13}\text{C}/^{12}\text{C}$  ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129

**Martian samples**

Chemical derivatization of amino acids for in situ analysis of Martian samples by gas chromatography 915(2001)199

**Mass load**

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

**Mass spectrometry**

see also Capillary electrophoresis-mass spectrometry, Gas chromatography-mass spectrometry, Inductively coupled plasma mass spectrometry, Interfaces, Liquid chromatography-mass spectrometry, Matrix-assisted laser desorption ionization mass spectrometry, Special Issue Index and specific ionization techniques

Negative atmospheric pressure chemical ionisation low-energy collision activation mass spectrometry for the characterisation of flavonoids in extracts of fresh herbs 902(2000)369

Determination of porphyrin carbon isotopic composition using gas chromatography-isotope ratio monitoring mass spectrometry 903(2000)183

Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111

- Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209
- Application of high-performance liquid chromatography with isotope-ratio mass spectrometry for measuring low levels of enrichment of underivatized materials 913(2001)269
- Rapid method for monitoring galactosylation levels during recombinant antibody production by electrospray mass spectrometry with selective-ion monitoring 913(2001)437
- Mass spectrometry and mass-selective detection in chromatography 921(2001)227
- Polycyclic aromatic hydrocarbon  $^{13}\text{C}/^{12}\text{C}$  ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165
- Analysis of sulfobutyl ether- $\beta$ -cyclodextrin mixtures by ion-spray mass spectrometry and liquid chromatography–ion-spray mass spectrometry 925(2001)79
- Efficient applications of capillary electrophoresis–tandem mass spectrometry to the analysis of adrenoreceptor antagonist enantiomers using a partial filling technique 926(2001)3
- Evaluation of quadrupole time-of-flight tandem mass spectrometry and ion-trap multiple-stage mass spectrometry for the differentiation of *C*-glycosidic flavonoid isomers 926(2001)29
- Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection–mass spectrometry and liquid chromatography–mass spectrometry and –tandem mass spectrometry 926(2001)127
- Characterisation of humic substances using atmospheric pressure chemical ionisation and electrospray ionisation mass spectrometry combined with size-exclusion chromatography 926(2001)151
- Fragmentation pathways of organoarsenical compounds by electrospray ion trap multiple mass spectrometry ( $\text{MS}^6$ ) 926(2001)167
- Tune compounds for electrospray ionisation/in-source collision-induced dissociation with mass spectral library searching 926(2001)199
- Screening and identification of unknown contaminants in water with liquid chromatography and quadrupole-orthogonal acceleration-time-of-flight tandem mass spectrometry 929(2001)63
- On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography–tandem mass spectrometry 937(2001)65
- Determination of the metabolites of nitrofuran antibiotics in animal tissue by high-performance liquid chromatography–tandem mass spectrometry 939(2001)49
- Mass transfer**  
Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1
- Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273
- Size-exclusion electrochromatography with controlled pore flow 914(2001)201
- Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231
- Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1
- Flux of gases across the air–water interface studied by reversed-flow gas chromatography 934(2001)31
- Mass transfer in rectangular chromatographic channels 948(2002)3
- Mass transport**  
Mass transport characteristics and chromatographic behavior of preparative electrochromatography on hydroxyapatite 918(2001)393
- Mass transport models**  
Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13
- Mathematical functions**  
Mathematical functions for the representation of chromatographic peaks (Review) 931(2001)1
- Mathematical modelling**  
Spatial and temporal progressions of spatial statistical moments in linear chromatography 905(2001)47
- Optimization of background electrolytes for capillary electrophoresis. I. Mathematical and computational model 905(2001)269
- Purification of adipoyl-7-amino-3-deacetoxycephalosporanic acid from fermentation broth using stepwise elution with a synergistically adsorbed modulator 908(2001)273
- Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119
- Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3

Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15

Effect of counter-anion concentration on retention in high-performance liquid chromatography of protonated basic analytes 913(2001)189

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23

Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents 920(2001)41

Capillary electrophoretic separation of uncharged polymers using polyelectrolyte engines. Theoretical model 924(2001)43

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2002)93

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3

Two-step solvent gradients in simulated moving bed chromatography. Numerical study for linear equilibria 944(2002)77

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

Separation of binaphthol enantiomers through achiral chromatography 944(2002)225

Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321

### **Matrix-assisted laser desorption ionization mass spectrometry**

see also Mass spectrometry

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Artifact-free matrix-assisted laser desorption ionization time-of-flight mass spectra of *tert*-butyldimethylsilyl ether derivatives of cyclodextrins used for the synthesis of single-isomer, chiral resolving agents for capillary electrophoresis 914(2001)325

Recalcitrance of poly(vinylpyrrolidone): evidence through matrix-assisted laser desorption–ionization time-of-flight mass spectrometry 938(2001)67

### **Matrix effects**

Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147

Study of matrix effects on the direct trace analysis of acidic pesticides in water using various liquid chromatographic modes coupled to tandem mass spectrometric detection 926(2001)113

Optimization and evaluation of low-pressure gas chromatography–mass spectrometry for the fast analysis of multiple pesticide residues in a food commodity 926(2001)291

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

### **Matrix solid-phase dispersion extraction**

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Miniaturized automated matrix solid-phase dispersion extraction of pesticides in fruit followed by gas chromatographic–mass spectrometric analysis 917(2001)277

Application of matrix solid-phase dispersion in the determination of dibenzo[*a,l*]pyrene content of experimental animal diets used in a large-scale tumor study 932(2001)33

Matrix solid-phase dispersion extraction and high-performance liquid chromatographic determination of residual sulfonamides in chicken 937(2001)49

**Meat**

Two-fibre solid-phase microextraction combined with gas chromatography–mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233

Clean-up procedures for the analysis of heterocyclic aromatic amines (aminoazaarenes) from heat-treated meat samples 938(2001)155

**Membrane chromatography**

On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2002)115

Performance and scale-up of adsorptive membrane chromatography 944(2002)129

**Membrane extraction**

Analytical applications of membrane extraction in chromatography and electrophoresis (Review) 902(2000)195

Membrane-based techniques for sample enrichment (Review) 902(2000)205

On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189

Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters 909(2001)3

Analysis of vitamin E isomers in seeds and nuts with and without coupled hydrolysis by liquid chromatography and coulometric detection 935(2001)77

**Membranes**

see also Hollow-fiber membranes

Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145

Miniaturized solid-phase extraction with resin disks 909(2001)79

Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111

Effect of liposome type and membrane fluidity on drug–membrane partitioning analyzed by immobilized liposome chromatography 913(2001)123

Potentiometric detection of organic acids in liquid chromatography using polymeric liquid membrane electrodes incorporating macrocyclic hexamines 915(2001)25

Separation of proteins using hydrophobic interaction membrane chromatography 923(2001)59

Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3

Preparation and characterization of polyalkene membranes modified with four different ion-exchange groups by radiation-induced graft polymerization 948(2002)129

**Membranes, enantioselective**

Separation of enantiomers: needs, challenges, perspectives (Review) 906(2001)3

**Memory effect**

Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139

**Metabolic disorders**

Potential of capillary electrophoresis, tandem mass spectrometry and coupled capillary electrophoresis–tandem mass spectrometry as diagnostic tools 914(2001)265

**Metathesis polymerization**

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

**Method development**

Ranitidine hydrochloride: development of an isocratic stability-indicating high-performance liquid chromatographic separation 914(2001)13

Prediction of internal standards in reversed-phase liquid chromatography. 1. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

Method development and validation for the chiral separation of peptides in the presence of cyclodextrins using capillary electrophoresis and experimental design 931(2001)141

Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35

Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43

Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51

Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151

**Methyl orange–polystyrene stationary phase**

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

**Micellar electrokinetic chromatography**

see also Electrokinetic chromatography

Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography 903(2000)271

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Software and internet resources for capillary electrophoresis and micellar electrokinetic capillary chromatography (Review) 916(2001)25

Use of a fluorosurfactant in micellar electrokinetic capillary chromatography 916(2001)73

Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79

Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Micellar electrokinetic chromatography of polyamines and monoacetylpolyamines 921(2001)323

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Anion selective exhaustive injection-sweep–micellar electrokinetic chromatography 932(2001)129

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

**Micellar liquid chromatography**

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Study of retention in micellar liquid chromatography on a  $C_8$  column by the use of linear solvation energy relationships 918(2001)1

Nonionic micellar liquid chromatography coupled to immobilized enzyme reactors 923(2001)7

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

**Micelles**

Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95

Simultaneous control of electrostatic micellar partition and electroosmotic flow-rate by anion-dominated partition into zwitterionic micelles 920(2001)317

Capillary electrophoresis study on the micellization and critical micelle concentration of sodium dodecyl sulfate. Influence of solubilized solutes 924(2001)83

Capillary electrophoresis of associative diblock copolymers 939(2001)109

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

**Micelles, mixed**

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Optimization of separation and migration behavior of chloropyridines in micellar electrokinetic chromatography 910(2001)165

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Separation and selectivity of benzophenones in micellar electrokinetic chromatography using sodium dodecyl sulfate micelles or sodium cholate modified mixed micelles 923(2001)241

#### **Micelle-mediated extraction**

Micelle-mediated extraction and preconcentration of ginsenosides from Chinese herbal medicine 904(2000)47

#### ***Michelia alba***

Rapid determination of volatile constituents of *Michelia alba* flowers by gas chromatography–mass spectrometry with solid-phase microextraction 942(2002)283

#### **Microcalorimetry**

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

#### **Microchannels**

Fabrication of polyester microchannels and their applications to capillary electrophoresis 907(2001)279

Chromatographic explanation for the side-wall induced band broadening in pressure-driven and shear-driven flows through channels with a high aspect-ratio rectangular cross-section 946(2002)51

#### **Microchips**

see Chip technology

#### **Microdialysis**

see also Dialysis

Microdialysis of salicylic acid from viscous emulsion samples prior to high-performance liquid chromatographic determination 912(2001)39

Determination of pyruvate and lactate in primary liver cell culture medium during hypoxia by on-line microdialysis–liquid chromatography 913(2001)341

Simultaneous monitoring of extracellular glucose, pyruvate, lactate and glutamate in gerbil cortex during focal cerebral ischemia by dual probe microdialysis 913(2001)349

Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77

On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83

On-line microdialysis of proteins with high-salt buffers for direct coupling of electrospray ionization mass spectrometry and liquid chromatography 948(2002)139

Determination and pharmacokinetic profile of omeprazole in rat blood, brain and bile by microdialysis and high-performance liquid chromatography 949(2002)35

#### **Microemulsion electrokinetic chromatography**

Separation of hydrophobic polymer additives by microemulsion electrokinetic chromatography 922(2001)293

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Comparison of micellar and microemulsion electrokinetic chromatography for the analysis of water- and fat-soluble vitamins 950(2002)241

#### **Microfabrication**

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

#### **Microfluidics**

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Microfabrication of polydimethylsiloxane electrospray ionization emitters 924(2001)137

High-resolution chiral separation using microfluidics-based membrane chromatography 942(2002)115

Protein separation and surfactant control of electroosmotic flow in poly(dimethylsiloxane)-coated capillaries and microchips 947(2002)277

#### **Micro liquid chromatography**

New micro-flow pumping system for liquid chromatography 913(2001)165

#### **Micro-scale sealed vessel thermal desorption**

Application of micro-scale sealed vessel thermal desorption–gas chromatography–mass spectrometry for the organic analysis of airborne particulate matter: linearity, reproducibility and quantification 912(2001)143

#### **Microwave-assisted derivatization**

Fast microwave-assisted dansylation of *N*-nitrosamines. Analysis by high-performance liquid chromatography with fluorescence detection 946(2002)133

**Microwave-assisted extraction**

Analytical-scale microwave-assisted extraction (Review)  
902(2000)227

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Microwave assisted solvent extraction and coupled-column reversed-phase liquid chromatography with UV detection. Use of an analytical restricted-access-medium column for the efficient multi-residue analysis of acidic pesticides in soils 938(2001)23

**Microwave-induced plasma**

On-line packed column supercritical fluid chromatography–microwave-induced plasma atomic emission 910(2001)127

**Migration models**

Migration behavior of metal complexes in capillary zone electrophoresis. Interpretation in terms of quantitative structure–mobility relationships 943(2002)263

**Migration prediction**

Electrophoretic behavior of peptides in capillary electrophoresis. Influence of ionic strength and pH in aqueous–organic media 921(2001)69

**Migration time**

How to increase precision in capillary electrophoresis (Review)  
907(2001)21

**Migration velocity**

Separation using planar chromatography with electroosmotic flow 903(2000)211

**Milk**

Improved method for the simultaneous determination of whey proteins, caseins and *para*- $\kappa$ -casein in milk and dairy products by capillary electrophoresis 915(2001)225

Resolution of structural isomers of sialylated oligosaccharides by capillary electrophoresis 921(2001)315

Characterisation of modified whey protein in milk ingredients by liquid chromatography coupled to electrospray ionisation mass spectrometry 926(2001)105

Elucidation of the composition of bovine milk fat triacylglycerols using high-performance liquid chromatography–atmospheric pressure chemical ionisation mass spectrometry 926(2001)239

Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63

Recovery of antithrombin III from milk by expanded bed chromatography 944(2002)203

High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage 947(2002)85

Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307

Determination of liposoluble vitamins in cooked meals, milk and milk products by liquid chromatography 947(2002)313

**Mitsunobu reaction**

Efficient reversed-phase purification of a hydrophobic reaction product following Mitsunobu-mediated glycosylation 944(2002)263

**Mixed-mode chromatography**

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113

High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

Analysis of purines and pyrimidines by mixed partition–adsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1

DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2002)167

**Mobile phase composition**

see also Chiral selectors and Modifiers

Training software for high-performance liquid chromatography 903(2000)41

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

- Fast enantioseparations of basic analytes by high-performance liquid chromatography using cellulose *tris*(3,5-dimethylphenylcarbamate)-coated zirconia stationary phases 904(2000)17
- Evaluation of the retention dependence on the physicochemical properties of solutes in reversed-phase liquid chromatographic linear gradient elution based on linear solvation energy relationships 905(2001)35
- Separation of the insecticidal pyrethrin esters by capillary electrochromatography 905(2001)319
- Chiral ion-pair chromatography on porous graphitized carbon using *N*-blocked dipeptides as counter ions 905(2001)329
- Unusual effects of separation conditions on chiral separations (Review) 906(2001)195
- Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database (Review) 906(2001)443
- Description of adsorption equilibria in liquid chromatography systems with binary mobile phases 908(2001)3
- High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C<sub>18</sub> and amide C<sub>16</sub> sorbents 909(2001)225
- Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173
- Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a C<sub>18</sub> column by mass spectrometry with electrospray ionization 910(2001)187
- Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol–water mixtures 911(2001)191
- Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15
- Removal of metallic impurities from mobile phases in reversed-phase high-performance liquid chromatography by the use of an in-line chelation column 913(2001)159
- Effect of the eluent pH and acidic modifiers in high-performance liquid chromatography retention of basic analytes 913(2001)173
- Effect of counter-anion concentration on retention in high-performance liquid chromatography of protonated basic analytes 913(2001)189
- Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197
- High-performance liquid chromatographic analysis for a non-chromophore-containing phosphatidyl inositol analog, 1-[(1-*O*-octadecyl-2-*O*-methyl-*sn*-glycero)-phospho]-1*D*-3-deoxy-*myo*-inositol, using indirect UV detection 913(2001)355
- Capillary electrochromatographic evaluation of vitamin E-active oil constituents: tocopherols and tocotrienols 913(2001)379
- Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85
- Theory of capillary electrochromatography (Review) 916(2001)3
- Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123
- Study of retention in micellar liquid chromatography on a C<sub>8</sub> column by the use of linear solvation energy relationships 918(2001)1
- Normal-phase high-performance liquid chromatographic separations using ethoxynonafluorobutane as hexane alternative. I. Analytical and chiral applications 918(2001)293
- Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21
- Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231
- Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23
- Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69
- Retention behavior of transition metals on a bifunctional ion-exchange column with oxalic acid as eluent 920(2001)101
- Separation of perfluoroalkylsulfonic acids and perfluoroalkylsulfonic acids by ion-exclusion chromatography 920(2001)173



- Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181
- High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239
- Determination of the UV filters worldwide authorised in sunscreens by high-performance liquid chromatography. Use of cyclodextrins as mobile phase modifier 921(2001)207
- Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187
- Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37
- Reversed-phase separation of basic tricyclic antidepressants using buffered and fluoroform-enhanced fluidity liquid mobile phases 923(2001)107
- Effect of mobile phase acidic additives on enantioselectivity for phenylalanine analogs 927(2001)47
- Effect of mobile phase amine additives on enantioselectivity for phenylalanine analogs 927(2001)53
- Chromatography of substituted benzoic acids with methanol–water–carbon dioxide mixtures 931(2001)41
- Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67
- Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73
- Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21
- Temperature-dependent refractive index issues using a UV–visible detector in high-performance liquid chromatography 942(2002)63
- Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73
- $pK_a$  values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145
- Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23
- Memory effect of mobile phase additives in chiral separations on a Chiralpak AD column 945(2002)139
- Enantioseparation of amino acids on a polysaccharide-based chiral stationary phase 945(2002)147
- Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9
- Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83
- Dynamic coating ion-exchange chromatography of cations on an octadecyl-bonded silica stationary phase 946(2002)169
- Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31
- Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile–water mobile phases 947(2002)47
- Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51
- Application of a new chiral derivatizing agent to the enantioseparation of secondary amino acids 948(2002)283
- Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309
- Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195
- Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217
- Effect of particle size in preparative reversed-phase high-performance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275
- Mobility factor**  
Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

**Modifiers**

see also Background electrolyte composition, Buffer composition, Chiral selectors and Mobile phase composition

Effect of ion-exchange site and eluent modifiers on the anion-exchange of carboxylic acids 925(2001)99

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2002)63

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

**Molecular descriptors**

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

**Molecular dynamics**

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

**Molecular imprinting**

Imprinted chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)227

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

Uniformly sized molecularly imprinted polymer for (*S*)-naproxen. Retention and molecular recognition properties in aqueous mobile phase 913(2001)141

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Molecular recognition in imprinted polymers: thermodynamic investigation of analyte binding using microcalorimetry 923(2001)1

Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1

Determination of phenytoin in plasma by molecularly imprinted solid-phase extraction 930(2001)31

Direct extraction of specific pharmacophoric flavonoids from ginkgo leaves using a molecularly imprinted polymer for quercetin 934(2001)1

Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35

Synthesis and evaluation of molecularly imprinted polymers for extracting hydrolysis products of organophosphate flame retardants 938(2001)121

Preparation of sterol-imprinted polymers with the use of 2-(methacryloyloxy)ethyl phosphate 938(2001)131

Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45

Uniformly sized molecularly imprinted polymer for *d*-chlorpheniramine. Evaluation of retention and molecular recognition properties in an aqueous mobile phase 948(2002)77

Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163

Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89

**Molecular interactions**

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

**Molecular mass**

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Molecular weight determination of lignosulfonates by size-exclusion chromatography and multi-angle laser light scattering 942(2002)191

**Molecular modelling**

Atomistic modeling of enantioselection in chromatography (Review) 906(2001)417

New family of glutathionyl-biomimetic ligands for affinity chromatography of glutathione-recognising enzymes 917(2001)29

**Molecular recognition**

Molecular recognition through the exact placement of functional groups on non-covalent molecularly imprinted polymers 950(2002)89

**Molecular shielding**

Shielding of protein–boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137

**Molecular sieves**

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107

**Molecular simulation**

Atomistic modeling of enantioselection in chromatography (Review) 906(2001)417

**Molecular volumes**

Geometry of chemically modified silica 913(2001)49

**Monodisperse microspheres**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

**Monolithic columns**

see also Sol-gel

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

Control method for integrity of continuous beds 908(2001)179

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

Rapid separation of peptides and proteins by isocratic capillary electrochromatography at elevated temperature 914(2001)189

Acrylamide-based monoliths as robust stationary phases for capillary electrochromatography 914(2001)211

Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17

Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215

Novel monolithic columns with templated porosity 924(2001)223

Continuous superporous agarose beds in radial flow columns 925(2001)69

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Chemically modified chiral monolithic silica column prepared by a sol–gel process for enantiomeric separation by micro high-performance liquid chromatography 942(2002)83

Urea–formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209

Methacrylate monolithic columns of 320  $\mu\text{m}$  I.D. for capillary liquid chromatography 946(2002)99

Rapid separation of microcystins and nodularin using a monolithic silica  $\text{C}_{18}$  column 947(2002)237

Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

**Monolithic disks**

Multifunctional fractionation of polyclonal antibodies by immunoaffinity high-performance monolithic disk chromatography 949(2002)163

Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185

**Monolithic rods**

Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylate–co-ethylene dimethacrylate) 926(2001)255

***Morchella esculenta***

Counter-current chromatographic separation of glycoprotein components from *Morchella esculenta* (L.) with a polymer phase system by a cross-axis coil planet centrifuge 917(2001)347

**Moving chemical reaction boundary**

Corrections to moving chemical reaction boundary equation for weak reactive electrolytes under the existence of background electrolyte KCl in large concentrations 907(2001)347

Experimental investigation on moving chemical reaction boundary theory for weak-acid–strong-base system with background electrolyte KCl in large concentration 922(2001)283

**Mucus**

Sub-ambient temperature effects on the separation of monosaccharides by high-performance anion-exchange chromatography with pulse amperometric detection. Application to marine chemistry 920(2001)13

**Multi-capillary columns**

Dependence of the efficiency of a multicapillary column on the liquid phase loading method 928(2001)201

**Multi-column system**

Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59

**Multicomponent adsorption isotherms**

Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13

**Multidimensional separation**

Gas chromatographic technologies for the analysis of essential oils (Review) 936(2001)1

**Multifunctional column**

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

**Multiple headspace extraction**

Multiple headspace extraction–gas chromatographic method for the study of process kinetics 946(2002)177

**Multiple reaction monitoring**

Potential of capillary electrophoresis, tandem mass spectrometry and coupled capillary electrophoresis–tandem mass spectrometry as diagnostic tools 914(2001)265

**Multiplexed electrospray ionization**

Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43

**Multiresidue methods**

Multiclass/multiresidue method for monitoring widely applied plant protecting agents in air during field dispersion work 931(2001)107

**Multivariate methods**

Multivariate calibration methods for quantification in strongly overlapping capillary electrophoretic peaks 909(2001)259

**Mustard paste**

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

**Mustard seed**

Direct determination of sinigrin in mustard seed without desulfatation by reversed-phase ion-pair liquid chromatography 912(2001)363

**N****Naphthalene preparations**

Study of Croatian non-aromatic naphthalene constituents with skeletons analogous to bioactive compounds 918(2001)127

**Nd–Fe–B alloys**

Nd–Fe–B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63

**Network model**

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

**Neural networks**

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

**Neural networks, artificial**

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

Artificial neural networks in liquid chromatography: efficient and improved quantitative structure–retention relationship models 904(2000)119

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

**Neural networks, artificial, self-training**

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

**Nitrogen sorption**

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

**Nonlinear function**

Nonlinear function retention model in weak acid anion chromatography 945(2002)97

**Non-aqueous capillary electrophoresis**

Polyacrylamides as hydrophilic selectors in non-aqueous capillary electrophoresis 905(2001)291

Hydrophobic interaction electrokinetic chromatography for the separation of polycyclic aromatic hydrocarbons using non-aqueous matrices 914(2001)223

Non-aqueous capillary electrophoresis using non-dissociating solvents. Application to the separation of highly hydrophobic oligomers 915(2001)241

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Non-aqueous capillary electrophoretic separation of enantiomeric amines with (–)-2,3:4,6-di-*O*-isopropylidene-2-keto-L-gulonic acid as chiral counter ion 922(2001)303

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339

Electrophoretic mobilities of cationic analytes in non-aqueous methanol, acetonitrile and their mixtures. Influence of ionic strength and ion-pair formation 924(2001)31

Determination of cannabinoids in hair using high-pH\* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2002)259

Ultra-low-temperature non-aqueous capillary electrophoretic separation–77 K fluorescence spectroscopic detection for the on-line identification of photo-converted analytes of *trans*-resveratrol 943(2002)287

Enantiomeric separation of N-protected amino acids by non-aqueous capillary electrophoresis with dimeric forms of quinine and quinidine derivatives serving as chiral selectors 948(2002)295

Analysis of dimeric cyanine–nucleic acid dyes by capillary zone electrophoresis in *N,N*-dimethylacetamide as non-aqueous organic solvent 950(2002)249

**Non-equilibrium chromatography**

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

**Non-linear chromatography**

Preparative enantioseparation by simulated moving bed chromatography (Review) 906(2001)399

Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13

**Non-uniform field electrophoresis**

Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13

**Normal-phase liquid chromatography**

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

**Nuclear industry**

Improved determination of tributyl phosphate degradation products (mono- and dibutyl phosphates) by ion chromatography 920(2001)275

**Nuclear magnetic resonance spectroscopy**

Observation of exchangeable protons by high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

Nuclear magnetic resonance studies of solvent flow through chromatographic columns: effect of packing density on flow patterns 905(2001)19

Separation and characterization of oligomers by reversed-phase high-performance liquid chromatography; a study on well-defined oligothiophenes 911(2001)13

Study on the chiral recognition of the enantiomers of ephedrine derivatives with neutral and sulfated heptakis(2,3-*O*-diacetyl)- $\beta$ -cyclodextrins using capillary electrophoresis, UV, nuclear magnetic resonance spectroscopy and mass spectrometry 914(2001)315

Combination of matrix solid-phase dispersion extraction and direct on-line liquid chromatography–nuclear magnetic resonance spectroscopy–tandem mass spectrometry as a new efficient approach for the rapid screening of natural products: Application to the total asterosaponin fraction of the starfish *Asterias rubens* 917(2001)75

Determination of enantiomer separation factors by nuclear magnetic resonance spectroscopy and by chiral liquid chromatography 921(2001)161

Union of capillary high-performance liquid chromatography and microcoil nuclear magnetic resonance spectroscopy applied to the separation and identification of terpenoids 922(2001)139

Mechanistic study of enantiomeric recognition of primary amino compounds using an achiral crown ether with cyclodextrin by capillary electrophoresis and nuclear magnetic resonance 923(2001)229

Characterization of an unknown component in Noscapine using liquid chromatography–mass spectrometry and proton nuclear magnetic resonance spectroscopy 927(2001)97

## O

### Obituary

Obituary, Josef Franz Karl Huber 911(2001)143

### Octanol–water partition coefficients

see also Partition coefficients

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

### Oils

see also Essential oils, Olive oil, Petroleum and Vegetable oils

Autoxidation products of normal and genetically modified canola oil varieties determined using liquid chromatography with mass spectrometric detection 905(2001)85

Gas chromatography–mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Structural determination of zinc dithiophosphates in lubricating oils by gas chromatography–mass spectrometry with electron impact and electron-capture negative ion chemical ionization 905(2001)207

Characterization and identification of a “mystery” oil spill from Quebec (1999) 909(2001)155

Determination of volatile components in peptic powder by gas chromatography–mass spectrometry and chemometric resolution 909(2001)237

Characterisation of fatty acids in biological oil samples using comprehensive multidimensional gas chromatography 910(2001)95

Chlorotrimethylsilane as a reagent for gas chromatographic analysis of fats and oils 918(2001)227

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Identification of lipid binders in paintings by gas chromatography. Influence of the pigments 922(2001)385

Automated determination of fatty acid methyl ester and *cis/trans* methyl ester composition of fats and oils 922(2001)391

Polycyclic aromatic hydrocarbon <sup>13</sup>C/<sup>12</sup>C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Factorial design of electrolyte systems for the separation of fatty acids by capillary electrophoresis 924(2001)533

Characterization of ageing products of ester-based synthetic lubricants by liquid chromatography with electrospray ionization mass spectrometry and by electrospray ionization (tandem) mass spectrometry 926(2001)161

Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275

Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125

Analysis of free and esterified sterols in fats and oils by flash chromatography, gas chromatography and electrospray tandem mass spectrometry 935(2001)237

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Chemical characterisation of the different types of volatile oil constituents by various solute retention ratios with the use of conventional and novel commercial gas chromatographic stationary phases (Review) 936(2001)33

Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography–mass spectrometry 950(2002)195

#### Ointment

Simultaneous determination of ingredients in an ointment by hydrophobic interaction electrokinetic chromatography 929(2001)133

#### Oligosaccharide mapping

Routine *o*-glycan characterization in nutritional supplements — a comparison of analytical methods for the monitoring of the bovine kappa-casein macropeptide glycosylation 929(2001)151

#### Olive mill wastewater

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

#### Olive oil

Low-temperature clean-up method for the determination of organophosphorus insecticides in olive oil 912(2001)135

Determination of residues of endosulfan and five pyrethroid insecticides in virgin olive oil using gas chromatography with electron-capture detection 921(2001)297

Analysis of oil used in late Roman oil lamps with different mass spectrometric techniques revealed the presence of predominantly olive oil together with traces of animal fat 937(2001)87

Detection of adulterants in olive oil by headspace–mass spectrometry 945(2002)221

#### On-column distribution

Computer simulation of ion chromatography separation: an algorithm enabling continuous monitoring of anion distribution on an ion-exchange chromatography column 922(2001)1

#### On-column injection

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

#### On-line hydrolysis

Immobilized penicillin G acylase as reactor and chiral selector in liquid chromatography 921(2001)147

#### Optical rotation

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

#### Optimization

Optimization of background electrolytes for capillary electrophoresis. I. Mathematical and computational model 905(2001)269

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Erratum to “Selectivity differences for C18 and C8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A. 897 (2000) 37–50] 910(2001)385

Supercritical fluid extraction for liquid chromatographic determination of carotenoids in *Spirulina Pacifica* algae: a chemometric approach 912(2001)61

Optimization of experimental conditions for the separation of small and large starch granules by gravitational field-flow fractionation 914(2001)183

Chemometric modeling of neurotransmitter amino acid separation in normal and reversed migration micellar electrokinetic chromatography 916(2001)255

Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography 918(2001)325

Optimisation of the separation of anions by ion chromatography–capillary electrophoresis using indirect UV detection 920(2001)31

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2002)33

$pK_a$  values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145

Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93

Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189

Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35

Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43

Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

#### ***Opuntia ficus-indica***

Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits 913(2001)415

#### ***Origanum vulgare***

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189

#### **Ovomucoid stationary phases**

Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275

#### **Oxidation**

Reversed-phase high-performance liquid chromatographic separation of *tert*.-butyl hydroperoxide oxidation products of unsaturated triacylglycerols 905(2001)119

Effect of pH on the oxidation of paralytic shellfish poisoning toxins for analysis by liquid chromatography 905(2001)351

Determination of the oxidation products of the reaction between  $\alpha$ -pinene and hydroxyl radicals by high-performance liquid chromatography 915(2001)75

Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29

Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283

#### **Oxidative stress**

Monitoring of isothiocyanates emanating from *Arabidopsis thaliana* upon paraquat spraying 912(2001)127

#### **Ozone reaction**

Ozone reaction with *n*-aldehydes ( $n=4-10$ ), benzaldehyde, ethanol, isopropanol, and *n*-propanol adsorbed on a dual-bed graphitized carbon–carbon molecular sieve adsorbent cartridge 929(2001)89

## P

#### **Packed capillary columns**

see also Capillary columns

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*- $\beta$ -hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

Separation of polyethylene glycol oligomers using inverse temperature programming in packed capillary liquid chromatography 918(2001)221

#### **Packed columns**

Streaming potential in open and packed fused-silica capillaries 948(2002)203

#### **Packing density**

Nuclear magnetic resonance studies of solvent flow through chromatographic columns: effect of packing density on flow patterns 905(2001)19

#### **Packing methods**

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

#### ***Paepalanthus microphyllus***

Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259

#### **Paints**

Analysis of waterborne paints by gas chromatography–mass spectrometry with a temperature-programmable pyrolyzer 912(2001)329

Identification of non-cross-linked compounds in methanolic extracts of cured and aged linseed oil-based paint films using gas chromatography–mass spectrometry 950(2002)195

#### ***Panax ginseng***

Liquid chromatographic determination of less polar ginsenosides in processed ginseng 921(2001)335

#### **Paper**

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389

Study of the degradation of gelatin in paper upon aging using aqueous size-exclusion chromatography 950(2002)113

#### **Paper ionophoresis**

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181



**Parameter estimation**

Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13

**Partial-filling capillary electrophoresis**

Efficient applications of capillary electrophoresis–tandem mass spectrometry to the analysis of adrenoreceptor antagonist enantiomers using a partial filling technique 926(2001)3

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

**Partial-filling micellar electrokinetic chromatography**

Influence of buffer zone concentrations on efficiency in partial filling micellar electrokinetic chromatography 916(2001)113

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

**Partial least squares**

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

**Particle beam glow discharge mass spectrometry**

Separation and identification of organic and organometallic compounds by use of a liquid chromatography–particle beam-glow discharge mass spectrometry combination 915(2001)117

**Particle-induced X-ray emission**

Isotachophoretic separation behavior of rare-earth EDTA chelates and analysis of minor rare-earth elements in an iron ore by bidirectional isotachopheresis–particle-induced X-ray emission 919(2001)417

**Particle size**

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217

Effect of particle size in preparative reversed-phase high-performance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275

**Partition–adsorption systems**

Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187

Analysis of purines and pyrimidines by mixed partition–adsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1

**Partition coefficients**

see also Octanol–water partition coefficients

Comparative studies of recombinant human granulocyte-colony stimulating factor, its Ser-17 and (His)<sub>6</sub>-tagged forms interaction with metal ions by means of immobilized metal ion affinity partitioning. Effect of chelated nickel and mercuric ions on extraction and refolding of proteins from inclusion bodies 904(2000)145

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Quantitative structure–retention and retention–activity relationships of  $\beta$ -blocking agents by micellar liquid chromatography 912(2001)211

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane–acetonitrile system 923(2001)127

Experimental determination and prediction of the gas–liquid *n*-hexadecane partition coefficients 923(2001)153

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Determination of octanol–water partition coefficients of pesticides by microemulsion electrokinetic chromatography 930(2001)145

Flux of gases across the air–water interface studied by reversed-flow gas chromatography 934(2001)31

Considerations on the temperature dependence of the gas–liquid chromatographic retention 942(2002)211

Relationship between chromatographic properties of aromatic carboxylic acids and their structure 948(2002)65

**Partition efficiency**

Evaluation of different tubing geometries for high-speed counter-current chromatography 922(2001)355

**Partitioning**

Linear solvation energy relationships of mixed micelles of sodium dodecyl sulfate and decanol: towards a better model of octanol/water partitioning 919(2001)181

Determination of C<sub>4</sub>–C<sub>14</sub> carboxylic acids by capillary zone electrophoresis. Application to the identification of diamide degradation products and partitioning studies 920(2001)345

Separation of endo-polygalacturonase using aqueous two-phase partitioning 929(2001)23

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography II. Tests using various simplified models 946(2002)33

Cutinase–peptide fusions in thermoseparating aqueous two-phase systems. Prediction of partitioning and enhanced tag efficiency by detergent addition 946(2002)141

#### **Peak area**

How to increase precision in capillary electrophoresis (Review) 907(2001)21

#### **Peak asymmetry**

Application of a new mathematical function for describing chromatographic peaks 930(2001)53

#### **Peak broadening**

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric–concentration detection using the universal calibration method 915(2001)15

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

#### **Peak capacity**

Metrics of separation in chromatography 933(2001)1

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

#### **Peak function**

On the equations describing chromatographic peaks and the problem of the deconvolution of overlapped peaks 912(2001)13

#### **Peak overlap**

Bi-quadratic surface response for quantitative determination of analytes leading to partially overlapped chromatographic peaks 907(2001)81

Procedure for the quantification of rider peaks 929(2001)165

#### **Peak purity detection**

Peak purity assessment in liquid chromatography–mass spectrometry 915(2001)43

#### **Peak resolution**

On the equations describing chromatographic peaks and the problem of the deconvolution of overlapped peaks 912(2001)13

#### **Peaks**

Mathematical functions for the representation of chromatographic peaks (Review) 931(2001)1

#### **Peak shape**

see also Band broadening and Band profiles

A hybrid of exponential and gaussian functions as a simple model of asymmetric chromatographic peaks 915(2001)1

Why robust background electrolytes containing multivalent ionic species can fail in capillary zone electrophoresis 916(2001)41

Affinity screening by packed capillary high performance liquid chromatography using molecular imprinted sorbents. II. Covalent imprinted polymers 922(2001)87

Relationship between carbon number and peak width in gas chromatography 926(2001)337

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

Consideration on peak shape in a batch-type chemiluminescence detection cell for capillary electrophoresis 930(2001)165

Evaluation of the temporal effect to the peak tailing in flow injection analysis 950(2002)271

#### **Peak trapping**

Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209

#### **Peat**

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

#### ***Pecten maximus***

Determination of domoic acid in shellfish by liquid chromatography with electrospray ionization and multiple tandem mass spectrometry 938(2001)167

#### **Pepper spray**

Determination of capsaicin, dihydrocapsaicin, and nonivamide in self-defense weapons by liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry 912(2001)259

#### **Peptic powder**

Determination of volatile components in peptic powder by gas chromatography–mass spectrometry and chemometric resolution 909(2001)237

#### **Peptide mapping**

Peptide mapping by capillary zone electrophoresis: How close is theoretical simulation to experimental determination 924(2001)291

**Performance characteristics**

Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121

**Perfusion chromatography**

Contribution of axial dispersion to band spreading in perfusion chromatography 918(2001)37

**Perfusible flow**

Effect of ionic strength on perfusible flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231

**Persicae semen**

Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249

**Petroleum**

see also Oils

Study of Croatian non-aromatic naphthalene constituents with skeletons analogous to bioactive compounds 918(2001)127

Polycyclic aromatic hydrocarbon <sup>13</sup>C/<sup>12</sup>C ratio measurement in petroleum and marine sediments. Application to standard reference materials and a sediment suspected of contamination from the Erika oil spill 923(2001)165

Long-term fate and persistence of the spilled Metula oil in a marine salt marsh environment. Degradation of petroleum biomarkers 926(2001)275

**Pharmaceutical analysis**

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

Enantiomeric separation of some pharmaceutical intermediates and reversal of elution orders by high-performance liquid chromatography using cellulose and amylose tris(3,5-dimethylphenylcarbamate) derivatives as stationary phases 902(2000)345

Application of monoliths for downstream processing of clotting factor IX 903(2000)21

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Gas chromatography–mass spectrometry and chemometric resolution applied to the determination of essential oils in *Cortex Cinnamomi* 905(2001)193

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

Determination of volatile components in peptic powder by gas chromatography–mass spectrometry and chemometric resolution 909(2001)237

Sensitive gas chromatographic–mass spectrometric screening of acetylated benzodiazepines 910(2001)105

New method for high-performance liquid chromatographic separation and fluorescence detection of ginsenosides 910(2001)367

Identification and quantification of base and nucleoside markers in extracts of *Ganoderma lucidum*, *Ganoderma japonicum* and *Ganoderma* capsules by micellar electrokinetic chromatography 911(2001)119

Capillary electrophoretic determination of the constituents of *Artemisia Capillaris* Herba 911(2001)285

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113

Isolation of the components of a complex mixture by means of column switching for their enhanced detection by mass spectrometry 913(2001)209

Appropriate column configurations for the rapid analysis and semipreparative purification of the radiolabeled drug flutamide by high-performance liquid chromatography 914(2001)23

Sensitive liquid chromatographic–tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45

Determination and pharmacokinetic study of unbound cefepime in rat bile by liquid chromatography with on-line microdialysis 914(2001)77

On-line microdialysis coupled with microbore liquid chromatography with ultraviolet detection for continuous monitoring of free cefsulodin in rat blood 914(2001)83

Improving gas chromatographic determination of residual solvents in pharmaceuticals by the combined use of headspace solid-phase microextraction and isotopic dilution 915(2001)209

- Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175
- Capillary zone electrophoresis applied to the determination of the angiotensin-converting enzyme inhibitor cilazapril and its active metabolite in pharmaceuticals and urine 916(2001)279
- Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147
- Optimization of the separation of a group of antifungals by capillary zone electrophoresis 917(2001)337
- Determination of sulfamethoxazole, sulfadiazine and associated compounds in pharmaceutical preparations by capillary zone electrophoresis 918(2001)205
- Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319
- Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87
- Analysis of residual trifluoroacetic acid in a phosphate-buffered saline matrix by ion chromatography with suppressed conductivity detection 920(2001)155
- Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305
- Capillary electrophoretic separation of protease inhibitors used in human immunodeficiency virus therapy 922(2001)313
- Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371
- Quantitative determination of amygdalin epimers by cyclodextrin-modified micellar electrokinetic chromatography 923(2001)249
- Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255
- pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281
- Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429
- Simultaneous determination of hydrochlorothiazide and several inhibitors of angiotensin-converting enzyme by capillary electrophoresis 924(2001)439
- Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451
- Determination of apparent binding constants of drugs by capillary electrophoresis using  $\beta$ -cyclodextrin as ligand and three different linear plotting methods 924(2001)483
- Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109
- Differentiation between dexamethasone and betamethasone in a mixture using multiple mass spectrometry 926(2001)79
- Application of carboxymethyl- $\beta$ -cyclodextrin as a chiral selector in capillary electrophoresis for enantiomer separation of selected neurotransmitters 926(2001)327
- Affinity-reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61
- Versatile two-phase solvent system for alkaloid separation by high-speed counter-current chromatography 927(2001)91
- Enantioseparation of phenothiazines in capillary zone electrophoresis using cyclodextrins as chiral selectors 930(2001)155
- Chromatographic analysis of *Fritillaria* isosteroidal alkaloids, the active ingredients of Beimu, the antitussive traditional Chinese medicinal herb (Review) 935(2001)321
- Analysis of terpene compounds in *Cimicifuga foetida* L. by reversed-phase high-performance liquid chromatography with evaporative light scattering detection 936(2001)111
- Non-derivatization approach to high-performance liquid chromatography–fluorescence detection for aminoglycoside antibiotics based on a ligand displacement reaction 939(2001)59
- Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies (Review) 945(2002)25
- Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239
- Determination of Triton X-100 in plasma-derived coagulation factor VIII and factor IX products by reversed-phase high-performance liquid chromatography 946(2002)163
- Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

- Determination of the release of hydrolyzed demethylcantharidin from novel traditional Chinese medicine–platinum compounds with anticancer activity by gas chromatography 947(2002)319
- Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51
- Increasing sample throughput in pharmacological studies by using dual-column liquid chromatography with tandem mass spectrometry 948(2002)187
- Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309
- Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321
- Chiral separation of basic drugs by capillary electrophoresis with carboxymethylcyclodextrins 948(2002)331
- Determination of reboxetine, a recent antidepressant drug, in human plasma by means of two high-performance liquid chromatography methods 949(2002)23
- Validation of a high-performance liquid chromatography method for the determination of pancuronium in Pavulon injections 949(2002)61
- High-performance liquid chromatographic method for the assay of dexamethasone and xylometazoline in nasal drops containing methyl *p*-hydroxybenzoate 949(2002)79
- Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257
- Electrophoretic behaviour of pharmacologically active alkylxanthines 950(2002)293
- pH effects**  
Effect of pH on the oxidation of paralytic shellfish poisoning toxins for analysis by liquid chromatography 905(2001)351
- Effect of the eluent pH and acidic modifiers in high-performance liquid chromatography retention of basic analytes 913(2001)173
- Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85
- Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29
- Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395
- Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37
- Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197
- Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49
- Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1
- Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73
- $pK_a$  values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145
- Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile–water mobile phases 947(2002)47
- Quantitative relationship between the retention of peptides on a reversed-phase alumina support and their physicochemical parameters 948(2002)69
- Phenolic resins**  
Fractionation and characterization of phenolic resins by high-performance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147
- Phenylaminopropylsilica stationary phases**  
Novel stationary phase with regulated anion-exchange capacity 920(2001)87
- Pheromones**  
On the pheromone of the Asparagus fly, *Platyparea poeciloptera* 921(2001)341
- pH gradients**  
Effect of buffer concentration on gradient chromatofocusing performance separating proteins on a high-performance DEAE column 909(2001)191
- pH measurements**  
Retention of ionizable compounds on HPLC. 6. pH measurements with the glass electrode in methanol–water mixtures 911(2001)191

**Phosphate-buffered saline**

Analysis of residual trifluoroacetic acid in a phosphate-buffered saline matrix by ion chromatography with suppressed conductivity detection 920(2001)155

**Phosphorus-containing stationary phases**

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

**Photochemically induced fluorescence detection**

Determination of benzoylureas in tomato by high-performance liquid chromatography using continuous on-line post-elution photoirradiation with fluorescence detection 918(2001)79

High-performance liquid chromatographic determination of phenylureas by photochemically-induced fluorescence detection 950(2002)287

**Photodegradation**

Photodegradation study of the antifouling booster biocide dichlofluamid in aqueous media by gas chromatographic techniques 930(2001)135

**Photo-initiated graft copolymerization**

Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89

**Photoionization detection**

Determination of percent composition of a mixture analyzed by gas chromatography. Comparison of a helium pulsed-discharge photoionization detector with a flame ionization detector 917(2001)187

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

**Photometric detection**

Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217

Discrete spacers for photometric characterization of humic acids separated by capillary isotachopheresis 916(2001)191

Practical method for evaluation of linearity and effective pathlength of on-capillary photometric detectors in capillary electrophoresis 927(2001)237

**Phytoplankton pigments**

Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31

**PicoGreen analyses**

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

***Piper methysticum***

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51

**Planar electrochromatography**

Separation using planar chromatography with electroosmotic flow 903(2000)211

**Plant materials**

Use of borate complexation for the separation of non-UV-absorbing calystegines by capillary electrophoresis 903(2000)237

In vivo incorporation of radioactive  $^{36}\text{Cl}$ , a method for monitoring chloro compounds in biological material 903(2000)267

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Separation of kaempferols in *Impatiens balsamina* flowers by capillary electrophoresis with electrochemical detection 909(2001)297

Spectroscopic characterisation and identification of ecdysteroids using high-performance liquid chromatography combined with on-line UV–diode array, FT-infrared and  $^1\text{H}$ -nuclear magnetic resonance spectroscopy and time of flight mass spectrometry 910(2001)237

Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181

Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61

Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis* 916(2001)265

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311

- Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189
- Improvement of the analysis of dansylated derivatives of polyamines and their conjugates by high-performance liquid chromatography 919(2001)283
- Simple high-performance liquid chromatography method for  $\alpha$ -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on  $\alpha$ -tocopherol content 919(2001)305
- Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443
- Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321
- Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347
- Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371
- Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187
- Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109
- Pulsed amperometric detection of calystegines separated by capillary electrophoresis 925(2001)291
- Amino acid analysis in five pooled single plant cell samples using capillary electrophoresis coupled to laser-induced fluorescence detection 926(2001)319
- Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high-performance liquid chromatography 927(2001)39
- Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109
- Identification and quantification of natural isoxazolinone compounds by capillary zone electrophoresis 933(2001)129
- Direct extraction of specific pharmacophoric flavonoids from ginkgo leaves using a molecularly imprinted polymer for quercetin 934(2001)1
- Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309
- Combination of chromatographic and spectroscopic methods for the isolation and characterization of polar guaianolides from *Achillea asiatica* 936(2001)193
- Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2002)289
- Determination of active ingredients of *Rhododendron dauricum* L. by capillary electrophoresis with electrochemical detection 943(2002)153
- Preparative isolation and purification of salvianolic acid B from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 943(2002)235
- Isolation of the lignan secoisolariciresinol diglucoside from flaxseed (*Linum usitatissimum* L.) by high-speed counter-current chromatography 943(2002)299
- Analysis of phenolic acids by micellar electrokinetic chromatography: application to *Echinacea purpurea* plant extracts 945(2002)239
- Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281
- Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119
- High-temperature gas chromatography–mass spectrometry with glass capillary columns for the screening of natural products 947(2002)255
- Analysis by gas chromatography–mass spectrometry of the volatile components of *Ageratina adenophora* Spreng., growing in the Canary Islands 947(2002)327
- Computer-assisted optimization in the development of a high-performance liquid chromatographic method for the analysis of kava pyrones in *Piper methysticum* preparations 948(2002)51
- Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177
- Simultaneous determination of *N*-oxides and free bases of pyrrolizidine alkaloids by cation-exchange solid-phase extraction and ion-pair high-performance liquid chromatography 949(2002)249
- Plate height**  
Mass transfer in rectangular chromatographic channels 948(2002)3

***Platyparea poeciloptera***

On the pheromone of the Asparagus fly, *Platyparea poeciloptera* 921(2001)341

***Podophyllum* spp.**

Separation and determination of podophyllum lignans by micellar electrokinetic chromatography 928(2001)109

**Polarimetric detection**

Chiroptical detection during liquid chromatography 7. The rotation angle/absorbance ratio of chiral molecules. Its possible use for on-line analysis during preparative separations of enantiomers 909(2001)147

**Polarizability**

Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35

**Polarized photometric detection**

Multi-beam polarized photometric detector for high-performance liquid chromatography 910(2001)217

**Pollen**

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

**Polyacrylamide gels**

Enantiomeric separations of primary amino compounds by capillary electrochromatography with monolithic chiral stationary phases of chiral crown ether-bonded negatively charged polyacrylamide gels 909(2001)305

**Polyacrylic acid sorbents**

Functional polymer affinity matrix for purifying hexahistidine-tagged recombinant protein 921(2001)197

**Polyaniline sorbents**

New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87

**Polybrene/chondroitin sulfate C double coated capillaries**

Effect of structure modification of chondroitin sulfate C on its enantioselectivity to basic drugs in capillary electrophoresis 947(2002)287

**Poly(carboxylic acid)-coated silica**

Fast analysis of flavonoids in plant extracts by liquid chromatography–ultraviolet absorbance detection on poly(carboxylic acid)-coated silica and electrospray ionization tandem mass spectrometric detection 943(2002)33

**Polydispersity**

TiO<sub>2</sub> colloidal suspension polydispersity analysed with sedimentation field flow fractionation and electron microscopy 905(2001)163

Estimation of width of narrow molecular-weight distributions by size-exclusion chromatography with concentration and light scattering detection 922(2001)25

**Poly(glycidyl methacrylate–divinylbenzene) stationary phases**

Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193

***Polygonum cuspidatum***

High-speed counter-current chromatography separation and purification of resveratrol and piceid from *Polygonum cuspidatum* 907(2001)343

Large-scale separation of resveratrol, anthraglycoside A and anthraglycoside B from *Polygonum cuspidatum* Sieb. et Zucc by high-speed counter-current chromatography 919(2001)443

**Polymer beads**

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

**Polymer brush**

Comparison of L-tryptophan binding capacity of BSA captured by a polymer brush with that of BSA adsorbed onto a gel network 925(2001)41

**Polymer separation media**

Mixed triblock copolymers used as DNA separation medium in capillary electrophoresis 909(2001)271

**Polymer stationary phases**

Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193

**Polymeric gels**

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

**Polymerization**

Preparation and characterization of polyalkene membranes modified with four different ion-exchange groups by radiation-induced graft polymerization 948(2002)129

**Poly(methyloctylsiloxane)-silica stationary phases**

High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. I. Physical and chemical characterizations 948(2002)97

High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. II. Chromatographic evaluation 948(2002)109

**Poly(oxyethylene) stationary phases**

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

**Polyphenylpyrrole films**

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37



**Polypyrrole films**

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

**Polysilicone fullerene coating**

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

**Poly(styrene–divinylbenzene) resins**

Chemically modified polymeric sorbents for sample preconcentration (Review) 902(2000)3

**Polystyrene–divinylbenzene stationary phases**

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

**Polystyrene–methyl orange stationary phase**

Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79

**Poly(vinyl alcohol) sorbent**

Protein adsorption equilibria and kinetics to a poly(vinyl alcohol)-based magnetic affinity support 921(2001)109

***Populus tremuloides***

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

**Pore connectivity**

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

**Pore diffusion**

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

**Pore flow**

Size-exclusion electrochromatography with controlled pore flow 914(2001)201

**Pore network model**

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

**Pore size**

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

**Pore size distribution**

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

Determinants of protein retention characteristics on cation-exchange adsorbents 933(2001)57

Stochastic theory of size exclusion chromatography by the characteristic function approach 943(2002)185

**Pore spatial distribution**

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

**Pore structure**

Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35

**Porosity**

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49

Visualization of solute migration in chromatographic columns  
Influence of the frit porosity 917(2001)1

Preparation and characterization of monolithic polymer columns for capillary electrochromatography 923(2001)215

Novel monolithic columns with templated porosity 924(2001)223

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3

**Porosity, temperature dependent**

Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73

**Porous adsorbent particles**

Modeling and analysis of the dynamic behavior of mechanisms that result in the development of inner radial humps in the concentration of a single adsorbate in the adsorbed phase of porous adsorbent particles observed in confocal scanning laser microscopy experiments: diffusional mass transfer and adsorption in the presence of an electrical double layer 921(2001)135

**Porous glass**

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

**Porous graphitized carbon**

Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with  $\beta$ -cyclodextrin as mobile phase modifier 903(2000)67

Chiral ion-pair chromatography on porous graphitized carbon using *N*-blocked dipeptides as counter ions 905(2001)329

Liquid chromatography of polyglycerol fatty esters and fatty ethers on porous graphitic carbon and octadecyl silica by using evaporative light scattering detection and mass spectrometry 919(2001)95

Chiral supercritical fluid chromatography on porous graphitic carbon using commercial dimethyl  $\beta$ -cyclodextrins as mobile phase additive 929(2001)101

Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21

**Porous media**

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

***Porphyridium cruentum***

Chromatographic purification and characterization of B-phycoerythrin from *Porphyridium cruentum*. Semipreparative high-performance liquid chromatographic separation and characterization of its subunits 917(2001)135

**Positional effect**

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

**Positional isomers**

Determination of *cis* and *trans* isomers of monocrotophos in technical products by reversed-phase column liquid chromatography 903(2000)255

Analysis of triacylglycerol positional isomers in food products as brominated derivatives by high-performance liquid chromatography coupled with a flame ionization detection 912(2001)187

Cationic diazacrown ether for the separation of positional isomers by capillary electrophoresis 922(2001)399

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

Preparative separation of isomeric 2-(2-quinolinyl)-1H-indene-1,3(2H)-dione monosulfonic acids of the color additive D&C Yellow No. 10 (Quinoline Yellow) by pH-zone-refining counter-current chromatography 923(2001)87

Ionization of dichlorophenols for their analysis by capillary electrophoresis–mass spectrometry 924(2001)415

Chromatographic performance on a C<sub>30</sub>-bonded stationary phase of monohydroxycarotenoids with variable chain length or degree of desaturation and of lycopene isomers synthesized by various carotene desaturases 936(2001)59

Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309

**Post-treatment procedures**

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

**Potential**

Extremely high electric field strengths in non-aqueous capillary electrophoresis 916(2001)89

**Potential energy surfaces**

Atomistic modeling of enantioselection in chromatography (Review) 906(2001)417

**Precision**

How to increase precision in capillary electrophoresis (Review) 907(2001)21

**Preconcentration**

see also Clean-up methods, Extraction methods, Sample handling, Sample preparation and Special Issue Index

Microextraction of drugs (Review) 902(2000)17

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Analytical applications of membrane extraction in chromatography and electrophoresis (Review) 902(2000)195

- Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251
- Preconcentration of contaminants in water analysis (Review) 902(2000)289
- Ion-exchange-based eluent-free preconcentration of some anions 909(2001)289
- Pre-concentration of non-uniform field electrophoresis for sample introduction of capillary electrophoresis 932(2001)13
- Preparative chromatography**  
see also Special Issue Index
- Application of monoliths for downstream processing of clotting factor IX 903(2000)21
- Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107
- Preparative isolation and purification of lutein from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography 905(2001)151
- Preparative enantioseparation by simulated moving bed chromatography (Review) 906(2001)399
- Membrane ion-exchange chromatography for process-scale antibody purification 907(2001)145
- Frontal analysis method to determine competitive adsorption isotherms 908(2001)19
- Pore network modelling: determination of the dynamic profiles of the pore diffusivity and its effect on column performance as the loading of the solute in the adsorbed phase varies with time 908(2001)35
- Characterizing the performance of industrial-scale columns 908(2001)131
- Automated normal-phase preparative high-performance liquid chromatography as a substitute for flash chromatography in the synthetic research laboratory 908(2001)143
- Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149
- Advances in process chromatography gradient elution using binary linear gradients 908(2001)163
- Performance comparison of suspended bed and batch contactor chromatography 908(2001)169
- Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185
- Use of ion-exchange chromatography and hydrophobic interaction chromatography in the preparation and recovery of polyethylene glycol-linked proteins 908(2001)235
- Comparison of hydrophobic charge induction chromatography with affinity chromatography on protein A for harvest and purification of antibodies 908(2001)251
- Separation of steroid compounds by overloaded preparative chromatography with precipitation in the fluid phase 908(2001)265
- Chiroptical detection during liquid chromatography 7. The rotation angle/absorbance ratio of chiral molecules. Its possible use for on-line analysis during preparative separations of enantiomers 909(2001)147
- Preparative isolation and purification of acteoside and 2'-acetyl acteoside from *Cistanches salsa* (C.A. Mey.) G. Beck by high-speed counter-current chromatography 912(2001)181
- Isolation and structural characterization of polymyxin B components 912(2001)369
- Appropriate column configurations for the rapid analysis and semipreparative purification of the radiolabeled drug flutamide by high-performance liquid chromatography 914(2001)23
- Preparative separation of the naphthopyranone glycosides by high-speed counter-current chromatography 915(2001)259
- Chromatographic purification of some 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors 918(2001)319
- Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15
- Oscillatory electroosmosis-enhanced intra/inter-particle liquid transport and its primary applications in the preparative electrochromatography of proteins 921(2001)93
- Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271
- pH-Zone-refining counter-current chromatography of lappaconitine from *Aconitum sinomontanum* Nakai. I. Separation of prepurified extract 923(2001)281
- Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139
- Preparative isolation and dual column high-performance liquid chromatography of ginkgolic acids from *Ginkgo biloba* 930(2001)109

- Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13
- Separation of ternary mixtures by pseudo-simulated moving bed chromatography 939(2001)23
- Preparative separation of lappaconitine, ranaconitine, *N*-deacetylappaconitine and *N*-deacetylranaconitine from crude alkaloids of sample *Aconitum sinomontanum* Nakai by high-speed counter-current chromatography 943(2002)219
- Preparative isolation and purification of salvianolic acid B from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 943(2002)235
- Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23
- Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41
- Maintenance of column performance at scale 944(2002)69
- Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93
- Set-up of large laboratory-scale chromatographic separations of poly(ethylene glycol) derivatives of the growth hormone-releasing factor 1–29 analogue 944(2002)141
- Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149
- Reversed-phase poly(styrene–divinylbenzene) materials optimised for large scale preparative and process purification of synthetic peptides and recombinant proteins 944(2002)169
- Preparative chromatography of xylanase using expanded bed adsorption 944(2002)217
- Scale-up potential of ion-pair high-performance liquid chromatography method to produce biologically active inositol phosphates 944(2002)241
- Impact of adsorption isotherm parameters on the performance of enantioseparation using simulated moving bed chromatography 944(2002)249
- Study of feed temperature control of chromatography using computational fluid dynamics simulation 945(2002)117
- Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281
- Purification of Food Color Red No. 106 (acid red) using pH-zone-refining counter-current chromatography 946(2002)157
- Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59
- Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217
- Effect of particle size in preparative reversed-phase high-performance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275
- Preparative electrophoresis**  
Preparative electrophoresis: a general method for the purification of polyclonal antibodies 944(2002)161
- Pressure effects**  
Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41
- Pressure programming**  
Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265
- Pressurized hot water extraction**  
Pressurized hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113
- Pressurized electrochromatography**  
Effect of various modes of pressurization on the separation in capillary electrochromatography 924(2001)331
- Pressurized liquid extraction**  
Pressurized liquid extraction of berberine and aristolochic acids in medicinal plants 904(2000)57
- Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221
- In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95
- Pressurized liquid extraction of lipids for the determination of oxysterols in egg-containing food 917(2001)239
- Pressurised fluid extraction of bupirimate and ethirimol from aged soils 918(2001)429
- Stability of phenolic compounds during extraction with superheated solvents 921(2001)169
- On-line clean-up of pressurized liquid extracts for the determination of polychlorinated biphenyls in feedingstuffs and food matrices using gas chromatography–mass spectrometry 925(2001)197

Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207

Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction 925(2001)297

Pressurized liquid extraction for the determination of polyphenols in apple 933(2001)37

Determination of polychlorinated biphenyls in biota samples using simultaneous pressurized liquid extraction and purification 946(2002)209

#### **Principal component analysis**

Identification of the factors that influence the reproducibility of chromatographic retention data 913(2001)23

Peak purity assessment in liquid chromatography–mass spectrometry 915(2001)43

Profiling of colour pigments of chili powders of different origin by high-performance liquid chromatography 915(2001)149

Evaluation of the lipophilicity of bile acids and their derivatives by thin-layer chromatography and principal component analysis 917(2001)361

Solid-phase microextraction of hop volatiles. Potential use for determination and verification of hop varieties 918(2001)159

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography–mass spectrometry 918(2001)189

Evaluation of peptide electropherograms by multivariate mathematical–statistical methods. I. Principal component analysis 921(2001)81

Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

Quantitative relationship between the retention of peptides on a reversed-phase alumina support and their physicochemical parameters 948(2002)69

Effect of reduced glutathione on the stability of pigments in paprika powders studied by multiwavelength spectrometry and high-performance liquid chromatography 949(2002)269

Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221

#### **Process control**

Suppressed ion chromatography for monitoring chemical impurities in steam for geothermal power plants 949(2002)281

#### **Process monitoring**

Monitoring of azo dye degradation processes in a bioreactor by on-line high-performance liquid chromatography 949(2002)263

#### **Product yield**

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

#### **Programmed-temperature . . .**

see also Temperature programming

#### **Programmed-temperature split/splitless injection**

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

#### **Programmed-temperature vaporiser**

Application of programmed-temperature split/splitless injection to the trace analysis of aliphatic hydrocarbons by gas chromatography 919(2001)363

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

#### **Protein binding**

Chromatographic and electrophoretic studies of protein binding to chiral solutes (Review) 906(2001)459

#### **Protein–boronate interaction**

Shielding of protein–boronate interactions during boronate chromatography of neoglycoproteins 909(2001)137

#### **Protein folding**

Dual effect of high electric field in capillary electrophoresis study of the conformational stability of *Bungarus fasciatus* acetylcholinesterase 910(2001)347

#### **Protein refolding**

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

#### **Proteomics**

Restricted access chromatographic sample preparation of low mass proteins expressed in human fibroblast cells for proteomics analysis 909(2001)279

#### **Proton exchange**

Observation of exchangeable protons by high-performance liquid chromatography–nuclear magnetic resonance spectroscopy and high-performance liquid chromatography–electrospray ionization mass spectrometry: a useful tool for the hyphenated analysis of natural products 904(2000)243

**Pseudoaffinity separations**

Use of a modified zirconia support in the separation of immunoproteins 944(2002)179

**Pseudo-simulated moving bed**

Separation of ternary mixtures by pseudo-simulated moving bed chromatography 939(2001)23

**Pseudo-stationary phases**

Micellar electrokinetic chromatography of polychlorinated biphenyl congeners using a polymeric surfactant as the pseudostationary phase 903(2000)227

Sulfonated acrylamide copolymers as pseudo-stationary phases in electrokinetic chromatography 905(2001)281

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79

Comparison of monomeric and polymeric amino acid based surfactants for chiral separations 922(2001)329

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

Effect of pendant chain lengths and backbone functionalities on the chemical selectivity of sulfonated amphiphilic copolymers as pseudo-stationary phases in electrokinetic chromatography 924(2001)123

***Pueraria lobata***

Determination of puerarin, daidzein and rutin in *Pueraria lobata* (Wild.) Ohwi by capillary electrophoresis with electrochemical detection 923(2001)255

**Pulsed amperometric detection**

see also Electrochemical detection

Determination of phytosiderophores by anion-exchange chromatography with pulsed amperometric detection 928(2001)171

**Pulsed discharge helium ionisation detection**

Gas chromatographic analysis of trace gas impurities in tungsten hexafluoride 911(2001)107

**Pulsed gradient spin echo**

Nuclear magnetic resonance studies of solvent flow through chromatographic columns: effect of packing density on flow patterns 905(2001)19

**Pulsed splitless injection**

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

**Pulse-injection**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

**Pumps**

New micro-flow pumping system for liquid chromatography 913(2001)165

**Purge-and-trap methods**

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143

On-line monitoring of trihalomethanes in drinking water using continuous-flow purge and cryofocusing gas chromatography–mass spectrometry 927(2001)229

**Purification factor**

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

**Purity**

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

**Pyrolysis**

Pyrolysis–capillary gas chromatography–mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

Analysis of waterborne paints by gas chromatography–mass spectrometry with a temperature-programmable pyrolyzer 912(2001)329

Gas chromatographic study of the volatile products from co-pyrolysis of coal and polyethylene wastes 918(2001)135

Gas chromatographic–mass spectrometric analysis of products arising from pyrolysis of amino acids in the presence of hexamethyldisilazane 922(2001)235

**Q****Quadrupole field**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

**Quality control**

Therapeutic drug monitoring of antiepileptics by capillary electrophoresis. Characterization of assays via analysis of quality control sera containing 14 analytes 924(2001)429

Applications of new liquid chromatography–tandem mass spectrometry technologies for drug development support 926(2001)43

**Quantitative structure–retention relationships**

see Structure–retention relationships

**Quantum cascade laser IR detection**

Towards functional group-specific detection in high-performance liquid chromatography using mid-infrared quantum cascade lasers 934(2001)123

***Quercus petraea***

Comparison of direct and indirect methods of measuring the precursors of  $\beta$ -methyl- $\gamma$ -octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] 905(2001)183

**R****Radial flow columns**

Continuous superporous agarose beds in radial flow columns 925(2001)69

**Radical scavengers**

Evaluation and comparison of two improved techniques for the on-line detection of antioxidants in liquid chromatography eluates 912(2001)73

**Radio-frequency ion mobility spectrometry**

Miniature radio-frequency mobility analyzer as a gas chromatographic detector for oxygen-containing volatile organic compounds, pheromones and other insect attractants 917(2001)205

**Radiolysis**

Application of gas chromatography–tandem mass spectrometry to the analysis of inhibition of dimerisation of tributylphosphate under radiolysis. Identification of isomeric tributylphosphate-alkylbenzene inhibitor coupling products 917(2001)261

**Radiosterilization**

Radiosterilization of cefotaxime: investigation of potential degradation compounds by liquid chromatography–electrospray mass spectrometry 929(2001)51

**Raman spectrometry**

Raman spectroscopy of octadecylsilane stationary phase conformational order. Effect of solvent 913(2001)243

Liquid-core waveguide technology for coupling column liquid chromatography and Raman spectroscopy 918(2001)25

**Rate constants**

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Affinity of the monoclonal antibody M1 directed against the FLAG peptide 921(2001)25

**Reaction kinetics**

On-line characterization of the activity and reaction kinetics of immobilized enzyme by high-performance frontal analysis 903(2000)77

**Real adsorbed solution theory**

Frontal analysis method to determine competitive adsorption isotherms 908(2001)19

**Rear analysis**

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

**Receptor-like chiral stationary phases**

High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35

**Recovery**

Graphical method for the calculation of chromatographic performance in representing the trade-off between purity and recovery 937(2001)1

**Rectangular channels**

Mass transfer in rectangular chromatographic channels 948(2002)3

**Rectangular pulse method**

Determination and comparison of competitive isotherms by rectangular pulse method and frontal velocity analysis method 918(2001)13

**Red clover**

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

**Refractive index detection**

Identification and quantification of molecular species of diacyl glyceryl ether by reversed-phase high-performance liquid chromatography with refractive index detection and mass spectrometry 911(2001)39

Fractionation and characterization of phenolic resins by high-performance liquid chromatography and gel-permeation chromatography combined with ultraviolet, refractive index, mass spectrometry and light-scattering detection 914(2001)147

Liquid chromatographic determination of total and  $\beta$ -*N*-oxalyl-L- $\alpha$ , $\beta$ -diaminopropionic acid in *Lathyrus sativus* seeds using both refractive index and bioelectrochemical detection 929(2001)13

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2002)63

#### Regression analysis

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

Development and evaluation of a linear regression method for the prediction of maximal chiral separation of basic drug racemates by cyclodextrin-mediated capillary zone electrophoresis 903(2000)245

Multivariate calibration methods for quantification in strongly overlapping capillary electrophoretic peaks 909(2001)259

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

Mixtures of nonionic and anionic surfactants: interactions with low-molecular-mass homopeptides 917(2001)287

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

#### Regression models

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

#### Rehydroxylation

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

#### Repeatability

Initial evaluation of quantitative performance of chromatographic methods using replicates at multiple concentrations 921(2001)121

#### Reproducibility

How to increase precision in capillary electrophoresis (Review) 907(2001)21

Identification of the factors that influence the reproducibility of chromatographic retention data 913(2001)23

#### Resolution

Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323

Optimisation of resolution in micellar electrokinetic chromatography by multivariate evaluation of electrolytes 907(2001)267

Electrophoretic behavior of peptides in capillary electrophoresis. Influence of ionic strength and pH in aqueous–organic media 921(2001)69

Electrophoretion: a new method for enhancing resolution in electrokinetic separations 924(2001)53

Application of coil centrifugal counter-current chromatography to the separation of macrolide antibiotic analogues. III. Effects of flow-rate, mass load and rotation speed on the peak resolution 925(2001)139

Metrics of separation in chromatography 933(2001)1

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

Micellar liquid chromatography: suitable technique for screening analysis 947(2002)31

Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds 948(2002)35

Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43



Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

#### **Resolution prediction**

Prediction of electrophoretic behaviour of a series of quinolones in aqueous methanol 919(2001)395

#### **Response factors**

Prediction of relative response factors for flame ionization and photoionization detection using self-training artificial neural networks 950(2002)183

#### **Response stability**

Performance of programmed temperature vaporizer, pulsed splitless and on-column injection techniques in analysis of pesticide residues in plant matrices 937(2001)73

#### **Response surface fitting**

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

#### **Response surface modeling**

Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31

On the use of genetic algorithms for response surface modeling in high-performance liquid chromatography and their combination with the Microsoft Solver 942(2002)93

#### **Restricted access media**

Alkyl diol silica: restricted access pre-column packings for fast liquid chromatography-integrated sample preparation of biological fluids 909(2001)73

Restricted access chromatographic sample preparation of low mass proteins expressed in human fibroblast cells for proteomics analysis 909(2001)279

Microwave assisted solvent extraction and coupled-column reversed-phase liquid chromatography with UV detection. Use of an analytical restricted-access-medium column for the efficient multi-residue analysis of acidic pesticides in soils 938(2001)23

#### **Retention**

Test to evaluate countercurrent chromatographs. Liquid stationary phase retention and chromatographic resolution 902(2000)323

#### **Retention–activity relationship**

Quantitative structure–retention and retention–activity relationships of  $\beta$ -blocking agents by micellar liquid chromatography 912(2001)211

#### **Retention behaviour**

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145

Retention of ionizable compounds on high-performance liquid chromatography. VII. Characterization of the retention of ionic solutes in a  $C_{18}$  column by mass spectrometry with electrospray ionization 910(2001)187

Interpretation of the excess adsorption isotherms of organic eluent components on the surface of reversed-phase adsorbents. Effect on the analyte retention 913(2001)75

Effect of the eluent pH and acidic modifiers in high-performance liquid chromatography retention of basic analytes 913(2001)173

Effect of the mobile phase on the retention behaviour of optical isomers of carboxylic acids and amino acids in liquid chromatography on bonded Teicoplanin columns 917(2001)123

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Retention and mass transfer characteristics in reversed-phase liquid chromatography using a tetrahydrofuran–water solution as the mobile phase 919(2001)231

Effect of temperature on retention and selectivity in ion chromatography of anions 920(2001)3

Retention behavior of transition metals on a bifunctional ion-exchange column with oxalic acid as eluent 920(2001)101

Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

Chromatography of substituted benzoic acids with methanol–water–carbon dioxide mixtures 931(2001)41

Prediction of retention behaviour and evaluation of  $pK_a$  values of peptides and quinolones in liquid chromatography 933(2001)45

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

**Retention characteristics**

Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107

**Retention data**

Identification of the factors that influence the reproducibility of chromatographic retention data 913(2001)23

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. V. Results obtained with Vydac 218TP C<sub>18</sub> columns 913(2001)89

**Retention factors**

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49

Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Analysis of complex formation between crown ethers and potassium ion by determining retention factors in reversed-phase high-performance liquid chromatography 932(2001)165

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography II. Tests using various simplified models 946(2002)33

Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217

**Retention gap**

Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection 919(2001)373

**Retention indices**

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Characterisation of retention in micellar high-performance liquid chromatography, in micellar electrokinetic chromatography and in micellar electrokinetic chromatography with reduced flow 914(2001)233

Artificial neural network modeling of Kováts retention indices for noncyclic and monocyclic terpenes 915(2001)177

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Improving the accuracy of Kováts' retention indices in isothermal gas chromatography 945(2002)185

Gas chromatographic–mass spectrometric characterization of all acyclic C<sub>5</sub>–C<sub>7</sub> alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

**Retention mechanisms**

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21

Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

Stochastic theory of size exclusion chromatography by the characteristic function approach 943(2002)185

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

**Retention models**

Prediction of retention indices. V. Influence of electronic effects and column polarity on retention index 903(2000)117

Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3

Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15

Retention behaviour of peptides, quinolones, diuretics and peptide hormones in liquid chromatography. Influence of ionic strength and pH on chromatographic retention 915(2001)85

Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23

Retention modelling of electrostatic and adsorption effects of aliphatic and aromatic carboxylic acids in ion-exclusion chromatography. II. Calculations of adsorption coefficients in unbuffered eluents 920(2001)41

Retention of ionizable compounds on high-performance liquid chromatography XI. Global linear solvation energy relationships for neutral and ionizable compounds 945(2002)83

Nonlinear function retention model in weak acid anion chromatography 945(2002)97

Retention of ionizable compounds in high-performance liquid chromatography. IX. Modelling retention in reversed-phase liquid chromatography as a function of pH and solvent composition with acetonitrile–water mobile phases 947(2002)47

#### **Retention prediction**

Evaluation of the retention dependence on the physicochemical properties of solutes in reversed-phase liquid chromatographic linear gradient elution based on linear solvation energy relationships 905(2001)35

Prediction of retention times for anions in linear gradient elution ion chromatography with hydroxide eluents using artificial neural networks 910(2001)173

Linear programming of inlet pressure or flow-rate in isothermal gas chromatography with near-vacuum outlet pressure 915(2001)265

Histidine as a dipolar eluent component in cation chromatography. II. Prediction of retention data for alkaline and alkaline-earth ions 920(2001)23

Prediction of internal standards in reversed-phase liquid chromatography. I. Initial study on predicting internal standards for use with neutral samples based on linear solvation energy relationships 927(2001)19

$pK_a$  values of peptides in aqueous and aqueous–organic media. Prediction of chromatographic and electrophoretic behaviour 942(2002)145

#### **Retention ratios**

Chemical characterisation of the different types of volatile oil constituents by various solute retention ratios with the use of conventional and novel commercial gas chromatographic stationary phases (Review) 936(2001)33

#### **Retention times**

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

#### **Retention times, relative**

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

#### **Reversed-phase liquid chromatography**

Comparison of selected retention models in reversed-phase liquid chromatography 913(2001)3

Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15

Affinity–reversed-phase liquid chromatography assay to quantitate recombinant antibodies and antibody fragments in fermentation broth 927(2001)61

#### **Reverse migrating micelles**

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

#### **Reviews**

Chemically modified polymeric sorbents for sample preconcentration (Review) 902(2000)3

Microextraction of drugs (Review) 902(2000)17

Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65

Liquid–liquid extraction procedures for sample enrichment in capillary zone electrophoresis (Review) 902(2000)91

Stacking in capillary zone electrophoresis (Review) 902(2000)107

Sample stacking of cationic and anionic analytes in capillary electrophoresis (Review) 902(2000)119

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Analytical applications of membrane extraction in chromatography and electrophoresis (Review) 902(2000)195

Membrane-based techniques for sample enrichment (Review) 902(2000)205

Analytical-scale microwave-assisted extraction (Review) 902(2000)227

- Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis (Review) 902(2000)251
- Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials (Review) 902(2000)267
- Preconcentration of contaminants in water analysis (Review) 902(2000)289
- Separation of enantiomers: needs, challenges, perspectives (Review) 906(2001)3
- High-performance liquid chromatography chiral stationary phases based on low-molecular-mass selectors (Review) 906(2001)35
- Chiral chromatographic separations based on ligand exchange (Review) 906(2001)51
- Chiral separations using the macrocyclic antibiotics: a review (Review) 906(2001)73
- Polysaccharide-based chiral stationary phases for high-performance liquid chromatographic enantioseparation (Review) 906(2001)105
- Reversed-phase liquid chromatographic separation of enantiomers on polysaccharide type chiral stationary phases (Review) 906(2001)127
- Covalently bonded polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)155
- Regioselectively modified polysaccharide derivatives as chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)171
- High-performance liquid chromatographic enantioseparation of drugs containing multiple chiral centers on polysaccharide-type chiral stationary phases (Review) 906(2001)185
- Unusual effects of separation conditions on chiral separations (Review) 906(2001)195
- Optically active synthetic polymers as chiral stationary phases in HPLC (Review) 906(2001)205
- Imprinted chiral stationary phases in high-performance liquid chromatography (Review) 906(2001)227
- Protein-based chiral stationary phases for high-performance liquid chromatography enantioseparations (Review) 906(2001)253
- Separation of enantiomers by gas chromatography (Review) 906(2001)275
- Enantioseparations in super- and subcritical fluid chromatography (Review) 906(2001)301
- Enantioseparations in capillary electromigration techniques: recent developments and future trends (Review) 906(2001)309
- Enantioseparations in counter-current chromatography and centrifugal partition chromatography (Review) 906(2001)365
- Enantioselective chromatography as a powerful alternative for the preparation of drug enantiomers (Review) 906(2001)379
- Preparative enantioseparation by simulated moving bed chromatography (Review) 906(2001)399
- Atomistic modeling of enantioselection in chromatography (Review) 906(2001)417
- Reviewing mobile phases used on Chiralcel OD through an application of data mining tools to CHIRBASE database (Review) 906(2001)443
- Chromatographic and electrophoretic studies of protein binding to chiral solutes (Review) 906(2001)459
- Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1
- How to increase precision in capillary electrophoresis (Review) 907(2001)21
- Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111
- Purification of microcystins (Review) 912(2001)191
- Derivatization and chromatographic behavior of the *o*-phthaldialdehyde amino acid derivatives obtained with various SH-group-containing additives (Review) 913(2001)283
- Theory of capillary electrochromatography (Review) 916(2001)3
- Software and internet resources for capillary electrophoresis and micellar electrokinetic capillary chromatography (Review) 916(2001)25
- New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233
- Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3
- Mathematical functions for the representation of chromatographic peaks (Review) 931(2001)1
- Extraction of fat-soluble vitamins (Review) 935(2001)3

- Qualitative and quantitative liquid chromatographic determination of natural retinoids in biological samples (Review) 935(2001)13
- Chromatographic analysis of  $\alpha$ -tocopherol and related compounds in various matrices (Review) 935(2001)45
- Chromatographic procedures for the isolation of plant steroids (Review) 935(2001)105
- Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125
- Gas chromatography and high-performance liquid chromatography of natural steroids (Review) 935(2001)141
- Chromatographic analysis of plant sterols in foods and vegetable oils (Review) 935(2001)173
- Plasma non-cholesterol sterols (Review) 935(2001)203
- Steroid analysis for medical diagnosis (Review) 935(2001)267
- High-performance liquid chromatographic analysis of dehydroepiandrosterone (Review) 935(2001)279
- Chromatographic analysis of *Fritillaria* isosteroidal alkaloids, the active ingredients of Beimu, the antitussive traditional Chinese medicinal herb (Review) 935(2001)321
- Gas chromatographic technologies for the analysis of essential oils (Review) 936(2001)1
- Techniques for gas chromatography of volatile terpenoids from a range of matrices (Review) 936(2001)23
- Chemical characterisation of the different types of volatile oil constituents by various solute retention ratios with the use of conventional and novel commercial gas chromatographic stationary phases (Review) 936(2001)33
- Quantitation of monoterpenoid compounds with potential medicinal use in biological fluids (Review) 936(2001)47
- Analysis of lipophilic antioxidants in human serum and tissues: tocopherols and carotenoids (Review) 936(2001)83
- Chromatography of long chain alcohols (polyprenols) from animal and plant sources (Review) 936(2001)95
- Liquid chromatographic separation of terpenoid pigments in foods and food products (Review) 936(2001)119
- Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159
- Analysis of non-saponifiable lipids by super-/subcritical-fluid chromatography (Review) 936(2001)201
- Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215
- Sample treatment in chromatography-based speciation of organometallic pollutants (Review) 938(2001)211
- Analysis of purines and pyrimidines by mixed partition–adsorption normal-phase high-performance liquid chromatography (Review) 942(2002)1
- Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11
- Bioanalysis in microfluidic devices (Review) 943(2002)159
- Analysis of quinolone residues in edible animal products (Review) 945(2002)1
- Capillary electrophoresis of platinum-group elements. Analytical, speciation and biochemical studies (Review) 945(2002)25
- Collection in analytical-scale supercritical fluid extraction (Review) 947(2002)1
- Behavior and characteristics of amine derivatives obtained with *o*-phthalaldehyde/3-mercaptopropionic acid and with *o*-phthalaldehyde/*N*-acetyl-L-cysteine reagents (Review) 949(2002)235
- Luminol-type chemiluminescence derivatization reagents for liquid chromatography and capillary electrophoresis (Review) 950(2002)1
- Rhodiola sachalinensis***  
Preparative isolation and purification of salidroside from the Chinese medicinal plant *Rhodiola sachalinensis* by high-speed counter-current chromatography 932(2001)91
- Rhododendron dauricum* L**  
Determination of active ingredients of *Rhododendron dauricum* L. by capillary electrophoresis with electrochemical detection 943(2002)153
- Rider peaks**  
Procedure for the quantification of rider peaks 929(2001)165
- Ring-opening metathesis polymerization**  
Chiral  $\beta$ -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 907(2001)47
- Riverine biofilms**  
Liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry determination of *N*-methylpyrrolidinone in riverine biofilms 917(2001)159
- Robustness testing**  
Advanced high-performance liquid chromatography method development. Discovering unexpected choices in chromatography 948(2002)43

**Rosa hybrida**

Determination of floral fragrances of *Rosa hybrida* using solid-phase trapping-solvent extraction and gas chromatography–mass spectrometry 902(2000)389

**Rosmarinus officinalis**

Simple high-performance liquid chromatography method for  $\alpha$ -tocopherol measurement in *Rosmarinus officinalis* leaves. New data on  $\alpha$ -tocopherol content 919(2001)305

**Ruvettus pretiosus**

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

# S

**Saccharomyces cerevisiae**

Characterisation of sorbate geometrical isomers 905(2001)359

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

**Salt effects**

Characterization of metal affinity of green fluorescent protein and its purification through salt promoted, immobilized metal affinity chromatography 909(2001)183

Salt effects in capillary zone electrophoresis. V. Adsorption and retention of electrically neutral analytes 929(2001)113

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. III. Salt concentration effects and elution behavior 930(2001)79

**Salt gradients**

Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189

**Salvia miltiorrhiza**

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by high-speed counter-current chromatography using stepwise elution 904(2000)107

Microwave-assisted extraction of tanshinones from *Salvia miltiorrhiza bunge* with analysis by high-performance liquid chromatography 922(2001)371

Preparative isolation and purification of six diterpenoids from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 925(2001)109

Preparative isolation and purification of salvianolic acid B from the Chinese medicinal plant *Salvia miltiorrhiza* by high-speed counter-current chromatography 943(2002)235

Separation of tanshinones from *Salvia miltiorrhiza* Bunge by multidimensional counter-current chromatography 945(2002)281

**Sambucus nigra**

Nonsaponifiable lipid components of the pollen of elder (*Sambucus nigra* L.) 936(2001)173

**Sample handling**

see also Clean-up methods, Extraction methods, Preconcentration, Sample preparation, Sample stacking, Sweeping and Special Issue Index

Stacking in capillary zone electrophoresis (Review) 902(2000)107

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

On-line flow sample stacking in a flow injection analysis–capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants 912(2001)163

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis 912(2001)353

Ion chromatographic preconcentration of Cu and Cd from ultra-high-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167

On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

Wet effluent diffusion denuder technique and determination of volatile organic compounds in air. I. Oxo compounds (alcohols and ketones) 918(2001)153

Evaluation of tetraglyme for the enrichment and analysis of volatile organic compounds in air 922(2001)207

- Dialysis–solid-phase extraction combined on-line with non-aqueous capillary electrophoresis for improved detectability of tricyclic antidepressants in biological samples 922(2001)339
- Coupling continuous separation techniques to capillary electrophoresis (Review) 924(2001)3
- Analysis of steroidal lipids by gas and liquid chromatography (Review) 935(2001)125
- Flow-through sampling for electrophoresis-based microfluidic chips using hydrodynamic pumping 937(2001)115
- On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267
- Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177
- Sample introduction**  
see also Injection methods
- Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1
- Gas chromatographic technologies for the analysis of essential oils (Review) 936(2001)1
- Sample preparation**  
see also Clean-up methods, Extraction methods, Preconcentration, Sample handling and Special Issue Index
- Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials (Review) 902(2000)267
- Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1
- Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111
- Restricted access chromatographic sample preparation of low mass proteins expressed in human fibroblast cells for proteomics analysis 909(2001)279
- Analytical aspects of carrier ampholyte-free isoelectric focusing 918(2001)195
- Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303
- On-line coupling of sol–gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51
- On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59
- High-throughput biopolymer desalting by solid-phase extraction prior to mass spectrometric analysis 921(2001)3
- Fast clean-up for polychlorinated dibenzo-*p*-dioxins, dibenzofurans and coplanar polychlorinated biphenyls analysis of high-fat-content biological samples 925(2001)207
- Prevention of water vapour adsorption by carbon molecular sieves in sampling humid gases 933(2001)107
- Qualitative and quantitative liquid chromatographic determination of natural retinoids in biological samples (Review) 935(2001)13
- Centrifugal concentrator for the substitution of nitrogen blow-down micro-concentration in dioxin/polychlorinated biphenyl sample preparation 943(2002)295
- Strategy for the development of automated methods involving dialysis and trace enrichment as on-line sample preparation for the determination of basic drugs in plasma by liquid chromatography 948(2002)151
- Sample solvent strength**  
Volume-load capacity in fast-gradient liquid chromatography. Effect of sample solvent composition and injection volume on chromatographic performance 913(2001)233
- Sample stacking**  
see also Field-enhanced sample stacking and Injection methods
- Stacking in capillary zone electrophoresis (Review) 902(2000)107
- Sample stacking of cationic and anionic analytes in capillary electrophoresis (Review) 902(2000)119
- On-line flow sample stacking in a flow injection analysis–capillary electrophoresis system: 2000-fold enhancement of detection sensitivity for priority phenol pollutants 912(2001)163
- On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343
- Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis 912(2001)353
- On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

On-line concentration of *s*-triazine herbicides in micellar electrokinetic chromatography using a cationic surfactant 916(2001)239

Sample stacking in laboratory-on-a-chip devices 924(2001)155

Analysis of large-volume DNA markers and polymerase chain reaction products by capillary electrophoresis in the presence of electroosmotic flow 927(2001)179

Use of a partial filling technique and reverse migrating micelles in the study of *N*-methylcarbamate pesticides by micellar electrokinetic chromatography–electrospray ionization mass spectrometry 927(2001)191

Analysis of linear alkylbenzenesulfonates by capillary zone electrophoresis with large-volume sample stacking 929(2001)143

Anion selective exhaustive injection–sweep–micellar electrokinetic chromatography 932(2001)129

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257

Solid-phase extraction and sample stacking–capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275

#### **Sampling artefacts**

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

#### **Sandwich injection**

Strategies for in-capillary derivatization of amino acids in capillary electrophoresis using 1,2-naphthoquinone-4-sulfonate as a labeling reagent 934(2001)105

Analysis of linear and cyclic oligomers in polyamide-6 without sample preparation by liquid chromatography using the sandwich injection method. III. Separation mechanism and gradient optimization 949(2002)307

#### **Scattering**

High-performance liquid chromatography applications of optical rotation detection with compensation for scattering and absorbance at the laser wavelength 939(2001)41

#### **Schisandra chinensis**

Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis* 916(2001)265

#### **Secondary equilibria**

Chiral chromatographic separations based on ligand exchange (Review) 906(2001)51

#### **Second virial coefficient**

On-line direct determination of the second virial coefficient of a natural polysaccharide using size-exclusion chromatography and multi-angle laser light scattering 943(2002)147

#### **Sector-field inductively coupled plasma mass spectrometry**

Determination of actinides in environmental and biological samples using high-performance chelation ion chromatography coupled to sector-field inductively coupled plasma mass spectrometry 928(2001)91

#### **Sediments**

see also Marine sediments

Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography–electrospray mass spectrometry 938(2001)79

Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145

Pressurised hot water extraction coupled on-line with liquid chromatography–gas chromatography for the determination of brominated flame retardants in sediment samples 943(2002)113

#### **Selectivity**

Study of a novel cationic calix[4]arene used as selectivity modifier in capillary electrophoresis with electrochemical detection 910(2001)311

Erratum to “Selectivity differences for C18 and C8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A. 897 (2000) 37–50] 910(2001)385

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Selectivity assessment of popular stationary phases for open-tubular column gas chromatography 912(2001)107

Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39

Effect of temperature on retention and selectivity in ion chromatography of anions 920(2001)3

Novel stationary phase with regulated anion-exchange capacity 920(2001)87



Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

Determination of cannabinoids in hair using high-pH\* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2002)259

Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

Prediction of selectivity for enantiomeric separations of uncharged compounds by capillary electrophoresis involving dual cyclodextrin systems 948(2002)321

Hyperlayer separation in hollow fiber flow field-flow fractionation: effect of membrane materials on resolution and selectivity 950(2002)175

#### **Self-organizing maps**

Application of self-organizing maps for the classification of chromatographic systems and prediction of values of chromatographic quantities 925(2001)31

#### **Semi-aqueous capillary electrophoresis**

Characterization of polyethylene glycol-modified proteins by semi-aqueous capillary electrophoresis 905(2001)299

#### **Sensitivity**

Determination of cannabinoids in hair using high-pH\* non-aqueous electrolytes and electrochemical detection. Some aspects of sensitivity and selectivity 942(2002)259

On-column trace enrichment by sequential frontal and elution electrochromatography II. Enhancement of sensitivity by segmented capillaries with z-cell configuration—application to the detection of dilute samples of moderately polar and nonpolar pesticides 945(2002)267

#### **Separability**

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

#### **Separation capacity**

Metrics of separation in chromatography 933(2001)1

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

#### **Separation measure**

Metrics of separation in chromatography 933(2001)1

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

#### **Separation number**

Metrics of separation in chromatography 933(2001)1

#### **Separation power**

Quantitative comparison of performance of isothermal and temperature-programmed gas chromatography 933(2001)13

#### **Separation rate**

Metrics of separation in chromatography 933(2001)1

#### **Sequencing methods**

On-line nanoliter cycle sequencing reaction with capillary zone electrophoresis purification for DNA sequencing 914(2001)245

DNA sequencing by capillary electrophoresis using mixtures of polyacrylamide and poly(N,N-dimethylacrylamide) 915(2001)231

#### **Sewage sludge**

Quantitative analysis of polycyclic aromatic hydrocarbons in sewage sludge from wastewater treatment plants 938(2001)57

#### **Shah convolution differentiation Fourier transform**

Shah convolution differentiation Fourier transform for rear analysis in microchip capillary electrophoresis 924(2001)177

#### **Shape selectivity**

Comparison of retention of aromatic hydrocarbons with polar groups in binary reversed-phase high-performance liquid chromatography systems 947(2002)167

#### **Shear-driven chromatography**

Experimental demonstration of the possibility to perform shear-driven chromatographic separations in micro-channels 924(2001)111

Shear-flow-based chromatographic separations as an alternative to pressure-driven liquid chromatography 948(2002)19

#### **Shear stress**

Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147

Behavior of packing materials in axially compressed chromatographic columns 943(2002)15

#### **Shellfish poisoning**

Effect of pH on the oxidation of paralytic shellfish poisoning toxins for analysis by liquid chromatography 905(2001)351

Quantitative determination of marine toxins associated with diarrhetic shellfish poisoning by liquid chromatography coupled with mass spectrometry 907(2001)181

Determination of paralytic shellfish poisoning toxins by high-performance ion-exchange chromatography 929(2001)43

Determination of domoic acid in shellfish by liquid chromatography with electrospray ionization and multiple tandem mass spectrometry 938(2001)167

Matrix effect and correction by standard addition in quantitative liquid chromatographic–mass spectrometric analysis of diarrhetic shellfish poisoning toxins 943(2002)39

#### Short-end injection

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a  $\beta$ -cyclodextrin-bonded silica stationary phase 927(2001)161

#### Signal processing

Application of a new mathematical function for describing chromatographic peaks 930(2001)53

#### Signal response

On the signal response of various pesticides in electrospray and atmospheric pressure chemical ionization depending on the flow-rate of eluent applied in liquid chromatography–tandem mass spectrometry 937(2001)65

#### Signal suppression

Effect of liquid chromatography separation of complex matrices on liquid chromatography–tandem mass spectrometry signal suppression 907(2001)337

#### Signal-to-noise ratio

Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23

#### Signature peptide approach

Automated signature peptide approach for proteomics 924(2001)359

#### Silanization

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

#### Silanol activity

Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49

#### Silanols

Effects of acid treatment on the trace metal content of chromatographic silica: bulk analysis, surface analysis and chromatographic performance of bonded phases 905(2001)69

#### *Silene* spp.

Identification and quantitative analysis of the phytoecdysteroids in *Silene* species (Caryophyllaceae) by high-performance liquid chromatography. Novel ecdysteroids from *S. pseudotites* 935(2001)309

#### Silica

Effects of acid treatment on the trace metal content of chromatographic silica: bulk analysis, surface analysis and chromatographic performance of bonded phases 905(2001)69

Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73

Geometry of chemically modified silica 913(2001)49

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

#### Silica, alkyl diol

Alkyl diol silica: restricted access pre-column packings for fast liquid chromatography-integrated sample preparation of biological fluids 909(2001)73

#### Silica, ionene-modified

Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51

#### Silica, *n*-octadecyl bonded

Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223

#### Silica, phenylaminopropyl

Novel stationary phase with regulated anion-exchange capacity 920(2001)87

#### Silica, urea-modified

Development of new urea-functionalized silica stationary phases. Characterization and chromatographic performance 913(2001)65

Preparation of a new C<sub>18</sub> stationary phase containing embedded urea groups for use in high-performance liquid chromatography 948(2002)85

#### Silica, zirconium-modified

Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181

#### **Silica gel**

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

#### **Silica hydride**

Synthesis and characterization of endcapped C<sub>18</sub> stationary phases using a silica hydride intermediate 947(2002)195

#### **Silica particles**

Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57

#### **Siloxane pseudo-stationary phases**

Alkyl modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. I. Synthesis and characterization 924(2001)103

#### **Silver ion chromatography**

Separation of glyceride positional isomers by silver ion chromatography 923(2001)53

#### **Simulated moving bed chromatography**

Preparative enantioseparation by simulated moving bed chromatography (Review) 906(2001)399

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. I. Theory 908(2001)49

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Modification of a commercial chiral stationary phase. Influences on enantiomer separations using simulated moving bed chromatography 908(2001)185

Coupling of simulated moving bed chromatography and fractional crystallisation for efficient enantioseparation 908(2001)201

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

Monolithic silica sorbents for the separation of diastereomers by means of simulated moving bed chromatography 923(2001)17

Separation of ternary mixtures by pseudo-simulated moving bed chromatography 939(2001)23

Effect of the homogeneity of the column set on the performance of a simulated moving bed unit. II. Experimental study 944(2002)3

Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23

Two-step solvent gradients in simulated moving bed chromatography. Numerical study for linear equilibria 944(2002)77

Optimal design of batch and simulated moving bed chromatographic separation processes 944(2002)93

Optimization of azeotropic protein separations in gradient and isocratic ion-exchange simulated moving bed chromatography 944(2002)189

Impact of adsorption isotherm parameters on the performance of enantioseparation using simulated moving bed chromatography 944(2002)249

Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59

#### **Simultaneous distillation and extraction**

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

#### **Single-drop microextraction**

Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113

#### **Size-exclusion chromatography**

Improved performance of protein separation by continuous annular chromatography in the size-exclusion mode 921(2001)15

#### **Size-exclusion electrochromatography**

Size-exclusion electrochromatography with controlled pore flow 914(2001)201

Determination of the molecular mass distribution of synthetic polymers by size-exclusion electrochromatography 924(2001)239

Stochastic theory of size exclusion chromatography by the characteristic function approach 943(2002)185

Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257

### Sludge

Pyrolysis–capillary gas chromatography–mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

### SniffProbe

SniffProbe: new method and device for vapor and gas sampling 903(2000)155

### Snow

Packed capillary liquid chromatography–electrospray mass spectrometry of snow contaminated with sarin 950(2002)149

### Software resources

Software and internet resources for capillary electrophoresis and micellar electrokinetic capillary chromatography (Review) 916(2001)25

### Soil

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357

Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Determination of phenols in soil by supercritical fluid extraction–capillary electrochromatography 907(2001)301

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Detection of the cyclic nitramine explosives hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX) and octahydro-1,3,5,7-tetranitro-1,3,5,7-tetrazine (HMX) and their degradation products in soil environments 909(2001)53

In situ derivatisation using pressurized liquid extraction to determine phenols, sterols and carboxylic acids in environmental samples and microbial biomasses 909(2001)95

Fast determination of phenols in contaminated soils 911(2001)135

Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography–electrospray mass spectrometry 912(2001)291

Determination of organochlorine pesticides and their metabolites in soil samples using headspace solid-phase microextraction 918(2001)177

Multiresidue analysis of insecticides in soil by gas chromatography with electron–capture detection and confirmation by gas chromatography–mass spectrometry 918(2001)371

Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75

Effect of moisture on the extraction efficiency of polycyclic aromatic hydrocarbons from soils under atmospheric pressure by focused microwave-assisted extraction 927(2001)131

Separation of chromium (III) and chromium (VI) by capillary electrophoresis using 2,6-pyridinedicarboxylic acid as a pre-column complexation agent 927(2001)219

Simultaneous determination of inorganic anions, carboxylic and aromatic carboxylic acids by capillary zone electrophoresis with direct UV detection 942(2002)289

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

### *Solanum* spp.

Non-aqueous capillary electrophoresis with diode array and electrospray mass spectrometric detection for the analysis of selected steroidal alkaloids in plant extracts 922(2001)321

### Sol–gel

see also Monolithic columns

Single step on-column frit making for capillary high-performance liquid chromatography using sol–gel technology 910(2001)13

On-line coupling of sol–gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51

Photopolymerized sol–gel frits for packed columns in capillary electrochromatography 924(2001)187

### Solid-phase extraction

see also Extraction methods

Chemically modified polymeric sorbents for sample preconcentration (Review) 902(2000)3

- Monitoring of pesticides in drinking and related waters in NE Spain with a multiresidue SPE-GC–MS method including an estimation of the uncertainty of the analytical results 938(2001)3
- Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35
- Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography–electrospray ionization mass spectrometric detection 938(2001)45
- Synthesis and evaluation of molecularly imprinted polymers for extracting hydrolysis products of organophosphate flame retardants 938(2001)121
- Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145
- Solid-phase extraction coupling to capillary electrophoresis with emphasis on environmental analysis (Review) 902(2000)65
- Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137
- Development of an automated on-line solid-phase extraction–high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171
- Molecularly imprinted polymer membranes for substance-selective solid-phase extraction from water by surface photo-grafting polymerization 907(2001)89
- Miniaturized solid-phase extraction with resin disks 909(2001)79
- Advances in sample preparation in electromigration, chromatographic and mass spectrometric separation methods (Review) 909(2001)111
- New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87
- Gas chromatographic–mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75
- Determination of steroid sex hormones and related synthetic compounds considered as endocrine disruptors in water by fully automated on-line solid-phase extraction–liquid chromatography–diode array detection 911(2001)203
- Effects of the matrix and sample preparation on the determination of fluoroquinolone residues in animal tissues 914(2001)89
- Unique set of solid-phase extraction phases in the determination of biodegradation products 918(2001)145
- Solid-phase extraction of polycyclic aromatic hydrocarbons in surface water. Negative effect of humic acid 921(2001)255
- Separation of plant membrane lipids by multiple solid-phase extraction 922(2001)347
- Study of semi-automated solid-phase extraction for the determination of acaricide residues in honey by liquid chromatography 930(2001)21
- Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxy-pyrazines and beta-damascenone from wine 931(2001)31
- On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography–mass spectrometry in the full-scan mode 932(2001)107
- Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27
- Direct extraction of specific pharmacophoric flavonoids from ginkgo leaves using a molecularly imprinted polymer for quercetin 934(2001)1
- Rapid direct determination of pesticides and metabolites in environmental water samples at sub- $\mu\text{g}/\text{l}$  level by on-line solid-phase extraction–liquid chromatography–electrospray tandem mass spectrometry 939(2001)1
- Towards ochratoxin A selective molecularly imprinted polymers for solid-phase extraction 945(2002)45
- Determination of triorganotin species in water samples by liquid chromatography–electrospray–mass spectrometry 946(2002)1
- Selective solid-phase extraction sorbent for caffeine made by molecular imprinting 948(2002)163
- Poly(methyloctadecylsiloxane) immobilized on silica by  $\gamma$  radiation for use in solid-phase extraction 948(2002)171
- Improved procedure for the determination of rofecoxib in human plasma involving 96-well solid-phase extraction and fluorescence detection 949(2002)83
- Fast and efficient separation of cytokinins from auxin and abscisic acid and their purification using mixed-mode solid-phase extraction 950(2002)21

**Solid-phase microextraction**

see also Extraction methods

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137

Solid-phase microextraction in biomedical analysis (Review) 902(2000)167

Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials (Review) 902(2000)267

Optimization of solid-phase microextraction for the gas chromatographic–mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203

Two-fibre solid-phase microextraction combined with gas chromatography–mass spectrometry for the analysis of volatile aroma compounds in cooked pork 905(2001)233

Application of on-site solid-phase microextraction in aquatic dissipation studies of profoxydim in rice 909(2001)29

Preparation and applications of polypyrrole films in solid-phase microextraction 909(2001)37

Fast determination of phenols in contaminated soils 911(2001)135

On-site field sampling and analysis of fragrance from living Lavender (*Lavandula angustifolia* L.) flowers by solid-phase microextraction coupled to gas chromatography and ion-trap mass spectrometry 917(2001)245

Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243

Determination of organophosphorus pesticides in honeybees after solid-phase microextraction 922(2001)257

Polydimethylsiloxane solid-phase microextraction–gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377

Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45

Application of the polysilicone fullerene coating for solid-phase microextraction in the determination of semi-volatile compounds 927(2001)121

Comparison of simultaneous distillation extraction and solid-phase microextraction for the determination of volatile flavor components 930(2001)1

Solid-phase microextraction for the detection of termite cuticular hydrocarbons 932(2001)119

Solid-phase microextraction of monocyclic aromatic amines using novel fibers coated with crown ether 934(2001)51

Mechanisms effecting analysis of volatile flavour components by solid-phase microextraction and gas chromatography 937(2001)107

Solid-phase microextraction of phthalates from water 938(2001)93

Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113

Solid-phase microextraction method for the determination of atrazine and four organophosphorus pesticides in soil samples by gas chromatography 939(2001)13

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2002)33

Solid-phase microextraction–gas chromatographic–mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2002)41

Determination of aldehydes in drinking water using pentafluorobenzylhydroxylamine derivatization and solid-phase microextraction 943(2002)1

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

**Solid-phase trapping extraction**Determination of floral fragrances of *Rosa hybrida* using solid-phase trapping–solvent extraction and gas chromatography–mass spectrometry 902(2000)389**Solid samples**

Pyrolysis–capillary gas chromatography–mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples 911(2001)235

**Solid-state cation-selective electrodes**

Ion chromatography detector based on solid-state ion-selective electrode array 902(2000)337

**Solubility**

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

**Solubility–structure relationships**

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane–acetonitrile system 923(2001)127

**Solute behaviour**

Pore network modelling of the behaviour of a solute in chromatography media: transient and steady-state diffusion properties 945(2002)103

**Solute descriptors**

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Electrokinetic chromatography with micelles, polymeric and monomeric additives with similar chemical functionality as pseudo-stationary phases 916(2001)79

Experimental determination and prediction of the gas–liquid *n*-hexadecane partition coefficients 923(2001)153

Solute–solvent interactions in micellar electrokinetic chromatography III. Characterization of the selectivity of micellar electrokinetic chromatography systems 942(2002)237

**Solute–solvent interactions**

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

**Solvation**

Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15

**Solvation parameter model**

Solute–solvent interactions in micellar electrokinetic chromatography. Selectivity of lithium dodecyl sulfate–lithium perfluorooctanesulfonate mixed-micellar buffers 907(2001)257

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

**Solvation parameters**

Preferential solvation of a dicyanate ester monomer and poly(sulfone) in different organic solvents by size-exclusion chromatography 942(2002)53

**Solvent effects**

Raman spectroscopy of octadecylsilane stationary phase conformational order. Effect of solvent 913(2001)243

**Solvent elimination interfaces**

Fourier transform infrared spectroscopy with a sample deposition interface as a quantitative detector in size-exclusion chromatography 948(2002)257

**Solvent–evaporation interface**

Quantitative interpretation of Fourier-transform infrared spectroscopic data from a size-exclusion chromatography solvent–evaporation interface 911(2001)27

**Solvent gradients**

Solvent gradient operation of simulated moving beds. I. Linear isotherms 944(2002)23

**Solvent microextraction**

Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211

Development of a screening method for cocaine and cocaine metabolites in urine using solvent microextraction in conjunction with gas chromatography 911(2001)97

**Sonic spray ionization**

Determination of omeprazole and its metabolites in human plasma by liquid chromatography–mass spectrometry 949(2002)1

**Sorbents**

see also Adsorbents

Chemically modified polymeric sorbents for sample preconcentration (Review) 902(2000)3

Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis (Review) 902(2000)137

Alkyl diol silica: restricted access pre-column packings for fast liquid chromatography-integrated sample preparation of biological fluids 909(2001)73

Suitability of several carbon sorbents for the fractionation of various sub-groups of toxic polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans 917(2001)227

Direct extraction of specific pharmacophoric flavonoids from ginkgo leaves using a molecularly imprinted polymer for quercetin 934(2001)1

Poly(methyloctadecylsiloxane) immobilized on silica by  $\gamma$  radiation for use in solid-phase extraction 948(2002)171

**Sorptive enrichment**

Automated dynamic sampling system for the on-line monitoring of biogenic emissions from living organisms 930(2001)39

**Sorptive losses**

Observation of sorptive losses of volatile sulfur compounds during natural gas sampling 946(2002)301

**Soybean**

Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny 915(2001)61

Preparative separation of isoflavone components in soybeans using high-speed counter-current chromatography 923(2001)271

Separation and purification of isoflavones from a crude soybean extract by high-speed counter-current chromatography 928(2001)163

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217

#### **Spatial accessibility**

Positional effect of solute functional group among positional isomers in hydroxyl group–solvent and carbonyl group–solvent specific interactions in methanol–water mixed solvents monitored by high-performance liquid chromatography 910(2001)195

#### **Spatial statistical moments**

Spatial and temporal progressions of spatial statistical moments in linear chromatography 905(2001)47

#### **Speciation**

Speciation of arsenic and selenium compounds by ion-pair reversed-phase chromatography with electrothermic atomic absorption spectrometry. Application of experimental design for chromatographic optimisation 918(2001)87

#### **Spices**

Determination of aflatoxins B1, B2, G1 and G2 in spices using a multifunctional column clean-up 932(2001)153

#### **Spin trapping**

High-performance liquid chromatographic determination of linoleic acid peroxide-derived radicals using electrochemical detection 904(2000)197

#### **Split-flow thin fractionation**

Study of magnetic particles pulse-injected into an annular SPLITT-like channel inside a quadrupole magnetic field 903(2000)99

Particle magnetic susceptibility determination using analytical split-flow thin fractionation 923(2001)263

#### **Stability complexes**

Separation ability and stoichiometry of cyclodextrin complexes 902(2000)381

#### **Stability constants**

Ionophoretic studies on mixed metal–nitrilotriacetate–penicillamine complexes 910(2001)181

Chiral separation of amino acids by copper(II) complexes of tetradentate diaminodiamido-type ligands added to the eluent in reversed-phase high-performance liquid chromatography: a ligand exchange mechanism 922(2001)151

Influence of organic solvent on the behaviour of camphor and  $\alpha$ -pinene enantiomers in reversed-phase liquid chromatography systems with  $\alpha$ -cyclodextrin as chiral additive 931(2001)81

#### **Stability studies**

Reversed-phase high-performance liquid chromatography versus spectrophotometric assay for thimerosal in Cuban recombinant hepatitis B vaccine 907(2001)173

Ranitidine hydrochloride: development of an isocratic stability-indicating high-performance liquid chromatographic separation 914(2001)13

Stability of phenolic compounds during extraction with superheated solvents 921(2001)169

Stability studies of carbamate pesticides and analysis by gas chromatography with flame ionization and nitrogen–phosphorus detection 921(2001)287

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

Sensitive analysis of  $1\alpha,25$ -dihydroxyvitamin  $D_3$  in biological fluids by liquid chromatography–tandem mass spectrometry 935(2001)93

Simultaneous separation of the enantiomers of cizolirtine and its degradation products by capillary electrophoresis 950(2002)257

#### **Stabilizers**

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*- $\beta$ -hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

#### **Standard addition**

Matrix effect and correction by standard addition in quantitative liquid chromatographic–mass spectrometric analysis of diarrhetic shellfish poisoning toxins 943(2002)39

#### **Stationary phases**

see also Adsorbents, Affinity adsorbents, Chiral stationary phases, Ion exchangers and Sorbents



**Stationary phases, electrochromatography**

Fast separation of pyrimidine derivatives by capillary electrochromatography on ion-exchange/reversed-phase mixed-mode stationary phases 911(2001)277

Chromatographic behavior of poly(styrene–divinylbenzene) encapsulated packing material for capillary electrochromatography 912(2001)335

Acrylamide-based monoliths as robust stationary phases for capillary electrochromatography 914(2001)211

Ionene-coated sulfonated silica as a packing material in the packed-capillary mode of electrochromatography 916(2001)51

Application of capillary electrochromatography using macroporous polyacrylamide columns for the analysis of lignans from seeds of *Schisandra chinensis* 916(2001)265

Capillary electrochromatography of tricyclic antidepressants on strong cation exchangers with different pore sizes 918(2001)211

Use of vancomycin silica stationary phase in packed capillary electrochromatography. II. Enantiomer separation of venlafaxine and *O*-desmethylvenlafaxine in human plasma 919(2001)195

Capillary-electrochromatographic separations with copolymeric reversed-stationary phase and ion-exchanger-packed columns 920(2001)367

Application of hydrophobic anion-exchange phases in capillary electrochromatography 924(2001)197

Novel monolithic columns with templated porosity 924(2001)223

Reversed-phase electrochromatography of amino acids and peptides using porous polymer monoliths 925(2001)251

Capillary electrochromatography in anion-exchange and normal-phase mode using monolithic stationary phases 925(2001)265

Simultaneous quantitation of nucleoside HIV-1 reverse transcriptase inhibitors by short-end injection capillary electrochromatography on a  $\beta$ -cyclodextrin-bonded silica stationary phase 927(2001)161

Influence of the unpacked section on the chromatographic performance of duplex strong anion-exchange columns in capillary electrochromatography 927(2001)169

Use of ionic polymers as stationary and pseudo-stationary phases in the separation of ions by capillary electrophoresis and capillary electrochromatography (Review) 942(2002)11

Effect of ionic strength on perfusive flow in capillary electrochromatography columns packed with wide-pore stationary phases 945(2002)231

Preparation of a new C<sub>18</sub> stationary phase containing embedded urea groups for use in high-performance liquid chromatography 948(2002)85

Preparation of monodisperse porous polymethacrylate microspheres and their application in the capillary electrochromatography of macrolide antibiotics 948(2002)193

Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

**Stationary phases, GC**

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Selectivity assessment of popular stationary phases for open-tubular column gas chromatography 912(2001)107

Characterization of stationary phases for gas chromatography by <sup>29</sup>Si NMR spectroscopy. II. Silphenylene–siloxane copolymers 917(2001)219

Behavior of *n*-alkanes on poly(oxyethylene) capillary columns. Evaluation of interfacial effects 927(2001)111

Liquid crystalline polysiloxane polymer as stationary phase in gas chromatography capillary column for the separation of dioxin/furan compounds 932(2001)97

Selectivity assessment of DB-200 and DB-VRX open-tubular capillary columns 932(2001)171

Comparison and evaluation of copper complex-containing siloxane polymers as stationary phases for capillary gas chromatography 933(2001)117

Chemical characterisation of the different types of volatile oil constituents by various solute retention ratios with the use of conventional and novel commercial gas chromatographic stationary phases (Review) 936(2001)33

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

Gas chromatographic–mass spectrometric characterization of all acyclic C<sub>5</sub>–C<sub>7</sub> alkenes from fluid catalytic cracked gasoline using polydimethylsiloxane and squalane stationary phases 947(2002)103

**Stationary phases, LC**

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

- Evaluation of the porous structures of new polymer packing materials by inverse size-exclusion chromatography 903(2000)13
- Application of monoliths for downstream processing of clotting factor IX 903(2000)21
- Influence of surface carbon coverage of C<sub>1</sub> (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33
- Chromatographic study of terpene derivatives on porous graphitic carbon stationary phase with β-cyclodextrin as mobile phase modifier 903(2000)67
- Development of comprehensive descriptors for multiple linear regression and artificial neural network modeling of retention behaviors of a variety of compounds on different stationary phases 903(2000)145
- Effects of acid treatment on the trace metal content of chromatographic silica: bulk analysis, surface analysis and chromatographic performance of bonded phases 905(2001)69
- Determination of the pore connectivity and pore size distribution and pore spatial distribution of porous chromatographic particles from nitrogen sorption measurements and pore network modelling theory 907(2001)57
- Influences of surface chemistry on the separation behavior of stationary phases for reversed-phase and ion-exchange chromatography: a comparison of coated and grafted supports prepared by ring-opening metathesis polymerization 907(2001)73
- Determination of trace alkaline earth metals in brines using chelation ion chromatography with an iminodiacetic acid bonded silica column 907(2001)191
- Characterizing the performance of industrial-scale columns 908(2001)131
- Comparison of chromatographic ion-exchange resins. II. More strong anion-exchange resins 908(2001)149
- Control method for integrity of continuous beds 908(2001)179
- High-performance liquid chromatographic separation of microcystins and nodularin, cyanobacterial peptide toxins, on C<sub>18</sub> and amide C<sub>16</sub> sorbents 909(2001)225
- Computer-assisted high-performance liquid chromatography method development with applications to the isolation and analysis of phytoplankton pigments 910(2001)31
- Impact of the post-treatment conditions of parent silica on the silanization of *n*-octadecyl bonded silica packings in reversed-phase high-performance liquid chromatography 910(2001)223
- Erratum to “Selectivity differences for C18 and C8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution” [J. Chromatogr. A. 897 (2000) 37–50] 910(2001)385
- Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147
- Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177
- Poly(glycidyl methacrylate–divinylbenzene–triallylisocyanurate) continuous-bed protein chromatography 912(2001)31
- Identification of the factors that influence the reproducibility of chromatographic retention data 913(2001)23
- Geometry of chemically modified silica 913(2001)49
- Development of new urea-functionalized silica stationary phases. Characterization and chromatographic performance 913(2001)65
- Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. V. Results obtained with Vydac 218TP C<sub>18</sub> columns 913(2001)89
- Hydrophilic interaction chromatography using amino and silica columns for the determination of polar pharmaceuticals and impurities 913(2001)113
- Development of an immobilized brain glutamine synthetase liquid chromatographic stationary phase for on-line biochemical studies 913(2001)133
- Laterally attached liquid-crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. III. Effect of the local anisotropic order on the separation of polycyclic aromatic hydrocarbons 913(2001)147
- Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197
- Raman spectroscopy of octadecylsilane stationary phase conformational order. Effect of solvent 913(2001)243
- Bupropion hydrochloride: the development of a chiral separation using an ovomucoid column 913(2001)275
- Selectivity of amino-, cyano- and diol-bonded silica in reversed-phase liquid chromatography 915(2001)35
- Comparative studies on discrete and concatemeric DNA-Sepharose columns for purification of transcription factors 917(2001)43
- New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

- Demonstration of simultaneous cation-exchange and reversed-phase mechanisms on a strong-acid cation-exchange column 919(2001)21
- Ion-exchange chromatography by dicarboxyl cellulose gel 919(2001)29
- Comparison of chromatographic properties of cyanopropyl-, diol- and aminopropyl- polar-bonded stationary phases by the retention of model compounds in normal-phase liquid chromatography systems 919(2001)39
- Characterization of dynamically prepared phospholipid-modified reversed-phase columns 919(2001)245
- New block-grafted anion exchanger for environmental water analysis by ion chromatography 920(2001)51
- High-capacity cation-exchange column for enhanced resolution of adjacent peaks of cations in ion chromatography 920(2001)61
- Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69
- Ion-exchange properties of hypercrosslinked polystyrene impregnated with methyl orange 920(2001)79
- Novel stationary phase with regulated anion-exchange capacity 920(2001)87
- Manipulation of separation selectivity of inorganic anions in electrostatic ion chromatography by the use of mixed cationic–zwitterionic micelles as the column coating solution 920(2001)95
- Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109
- Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181
- Ion chromatography on chelating stationary phases: separation of alkali metals 921(2001)217
- Liquid crystalline polymers as stationary phases. IV. Chemical bonding and immobilization of the polymer on silica characterization by solid-state nuclear magnetic resonance spectroscopy 922(2001)37
- Laterally attached liquid crystalline polymers as stationary phases in reversed-phase high-performance liquid chromatography. V. Study of retention mechanism using linear solvation energy relationships 922(2001)51
- Cooperation of solid granule and solvent as porogenic agents. Novel porogenic mode of biporous media for protein chromatography 922(2001)77
- Application of mixed partition–adsorption systems in high-performance liquid chromatography of purines and pyrimidines 922(2001)187
- Novel monolithic columns with templated porosity 924(2001)223
- On-line coupling of micro-enzyme reactor with micro-membrane chromatography for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 924(2001)315
- Dependence of reversed-phase retention of ionizable analytes on pH, concentration of organic solvent and silanol activity 925(2001)49
- Influence of the pH on the behavior of an imprinted polymeric stationary phase — supporting evidence for a binding site model 927(2001)1
- Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13
- Assessment of the retention properties of poly(vinyl alcohol) stationary phase for lipid class profiling in liquid chromatography 928(2001)127
- Size exclusion behavior of hydroxypropylcellulose beads with temperature-dependent porosity 930(2001)73
- Characterisation of reversed-phase liquid chromatography stationary phases for the analysis of basic pharmaceuticals: eluent properties and comparison of empirical test methods 931(2001)67
- Determinants of protein retention characteristics on cation-exchange adsorbents 933(2001)57
- Unique selectivity of perfluorinated stationary phases with 2,2,2-trifluoroethanol as organic mobile phase modifier 933(2001)73
- Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73
- Direct capture of product from fermentation broth using a cell-repelling ion exchanger 942(2002)123

- DNA–support coupling for transcription factor purification. Comparison of aldehyde, cyanogen bromide and *N*-hydroxysuccinimide chemistries 942(2002)167
- Nd–Fe–B alloy-densified agarose gel for expanded bed adsorption of proteins 943(2002)63
- Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77
- Urea–formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209
- Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41
- Reversed-phase poly(styrene–divinylbenzene) materials optimised for large scale preparative and process purification of synthetic peptides and recombinant proteins 944(2002)169
- Use of a modified zirconia support in the separation of immunoproteins 944(2002)179
- Comparative study on the fractionation of cellulases on some hydrophobic interaction chromatography adsorbents 944(2002)211
- Enhancement of selectivity in reversed-phase liquid chromatography 946(2002)83
- Sulfoacylated poly(styrene–divinylbenzene) copolymers as resins for cation chromatography. Comparison with sulfonated, dynamically coated and silica gel cation exchangers 946(2002)91
- Methacrylate monolithic columns of 320  $\mu\text{m}$  I.D. for capillary liquid chromatography 946(2002)99
- Retention characteristics of an immobilized artificial membrane column in reversed-phase liquid chromatography 946(2002)107
- Polyallylamine-grafted cellulose gel as high-capacity anion-exchanger 946(2002)283
- Fabrication and characterization of a rigid magnetic matrix for protein adsorption 947(2002)185
- Synthesis and characterization of endcapped  $\text{C}_{18}$  stationary phases using a silica hydride intermediate 947(2002)195
- Rapid separation of microcystins and nodularin using a monolithic silica  $\text{C}_{18}$  column 947(2002)237
- Uniformly sized molecularly imprinted polymer for *d*-chlorpheniramine. Evaluation of retention and molecular recognition properties in an aqueous mobile phase 948(2002)77
- High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. I. Physical and chemical characterizations 948(2002)97
- High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. II. Chromatographic evaluation 948(2002)109
- Poly(alkylmethylsiloxanes) thermally immobilized on silica as stationary phases for high-performance liquid chromatography 948(2002)121
- Separation of *cis*- and *trans*-isomers of thioxanthene and dibenz[*b,e*]oxepin derivatives on calixarene- and resorcinarene-bonded high-performance liquid chromatography stationary phases 948(2002)309
- Quantitative investigation of the affinity properties of different recombinant forms of protein G by means of high-performance monolithic chromatography 949(2002)185
- Fractionation of soybean phospholipids by preparative high-performance liquid chromatography with sorbents of various particle size 949(2002)217
- Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes I 950(2002)75
- Statistical analysis**  
Spatial and temporal progressions of spatial statistical moments in linear chromatography 905(2001)47
- Ion-chromatographic analysis of common anions, acetate, and formate in 30% hydrogen peroxide. Statistical evaluation of two automated microbore systems 920(2001)143
- Monitoring and statistical evaluation of heavy metals in airborne particulates in Cairo, Egypt 920(2001)261
- Evaluation of peptide electropherograms by multivariate mathematical–statistical methods. I. Principal component analysis 921(2001)81
- Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137
- Identification and quantification of major bovine milk proteins by liquid chromatography 928(2001)63
- 7-Hydroxydehydroepiandrosterone epimers in human serum and saliva. Comparison of gas chromatography–mass spectrometry and radioimmunoassay 935(2001)297
- Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69

Classification of Nebbiolo-based wines from Piedmont (Italy) by means of solid-phase microextraction–gas chromatography–mass spectrometry of volatile compounds 943(2002)123

#### **Statistical estimation of error**

Numerical estimation of multicomponent adsorption isotherms in preparative chromatography: implications of experimental error 934(2001)13

#### **Stereoisomer separation**

Analysis of procyanidins in chocolate by reversed-phase high-performance liquid chromatography with electrospray ionisation mass spectrometric and tandem mass spectrometric detection 926(2001)211

#### **Steric mass action**

Characterization and modeling of monolithic stationary phases: application to preparative chromatography 928(2001)13

Mass influences in the performance of oligomeric poly(diallyldimethylammonium chloride) as displacer for cation-exchange displacement chromatography of proteins 944(2002)149

#### **Stir bar sorptive extraction**

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

#### **Stochastic model**

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

Analysis of the band profiles of the enantiomers of phenylglycine in liquid chromatography on bonded teicoplanin columns using the stochastic theory of chromatography 919(2001)67

Stochastic theory of size exclusion chromatography by the characteristic function approach 943(2002)185

#### **Stop-flow size-exclusion chromatography**

Longitudinal diffusion in size-exclusion chromatography: a stop-flow size-exclusion chromatography study 932(2001)21

#### **Stopped-flow technique**

On-line dialysis as a sample preparation technique for ion chromatography 919(2001)59

#### **Streaming potential**

Streaming potential in open and packed fused-silica capillaries 948(2002)203

#### **Streamline adsorbents**

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

#### ***Streptomyces coelicolor* A3(2)**

Recovery of actinorhodin from fermentation broth 914(2001)67

#### ***Streptomyces orientalis***

On-column ligand synthesis coupled to partial-filling affinity capillary electrophoresis to estimate binding constants of ligands to a receptor 928(2001)233

#### ***Streptomyces* spp.**

Analysis of alkali-lignin in a paper mill effluent decolourised with two *Streptomyces* strains by gas chromatography–mass spectrometry after cupric oxide degradation 919(2001)389

#### **Stromatolite**

Chromatographic method for diaminopimelic acid detection in calcareous rocks. Presence of a bacterial biomarker in stromatolites 922(2001)219

#### **Structural elucidation**

Identification of unknown degradation products in a new cholesterol-reducing drug by ion-chromatography coupled to mass spectrometry 912(2001)91

#### **Structural isomer separation**

Resolution of structural isomers of sialylated oligosaccharides by capillary electrophoresis 921(2001)315

#### **Structure–activity relationships**

Prediction of electrophoretic mobilities of sulfonamides in capillary zone electrophoresis using artificial neural networks 927(2001)211

Use of self-training artificial neural networks in modeling of gas chromatographic relative retention times of a variety of organic compounds 945(2002)173

#### **Structure–enantioselectivity relationships**

Approaches to quantitative structure–enantioselectivity relationship modeling of chiral separations using capillary electrophoresis 914(2001)299

#### **Structure–mobility relationships**

Migration behavior of metal complexes in capillary zone electrophoresis. Interpretation in terms of quantitative structure–mobility relationships 943(2002)263

#### **Structure–retention relationships**

Artificial neural networks in liquid chromatography: efficient and improved quantitative structure–retention relationship models 904(2000)119

Selectivity of stationary phases in reversed-phase liquid chromatography based on the dispersion interactions 911(2001)177

Quantitative structure–retention and retention–activity relationships of  $\beta$ -blocking agents by micellar liquid chromatography 912(2001)211

Quantitative structure–enantioselective retention relationships for chromatographic separation of arylalkylcarbinols on Pirkle type chiral stationary phases 922(2001)13

Relationship between chromatographic properties of aromatic carboxylic acids and their structure 948(2002)65

#### **Structure–solubility relationships**

Partition coefficients of alkyl aromatic hydrocarbons and esters in a hexane–acetonitrile system 923(2001)127

#### **Subcritical fluid chromatography**

Enantioseparations in super- and subcritical fluid chromatography (Review) 906(2001)301

Analysis of non-saponifiable lipids by super-/subcritical-fluid chromatography (Review) 936(2001)201

#### **Subcritical water chromatography**

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

#### **Subcritical water extraction**

Micelle formation for improvement of continuous subcritical water extraction of polycyclic aromatic hydrocarbons in soil prior to high-performance liquid chromatography–fluorescence detection 902(2000)357

Comparison of subcritical water and organic solvents for extracting kava lactones from kava root 923(2001)187

#### **Substituent distribution**

High-performance anion-exchange chromatography–electrospray mass spectrometry for investigation of the substituent distribution in hydroxypropylated potato amylopectin starch 917(2001)111

#### **Sunscreens**

Determination of the UV filters worldwide authorised in sunscreens by high-performance liquid chromatography. Use of cyclodextrins as mobile phase modifier 921(2001)207

#### **Supercritical fluid chromatography**

Enantioseparations in super- and subcritical fluid chromatography (Review) 906(2001)301

Supercritical fluid simulated moving bed chromatography. II. Langmuir isotherm 919(2001)1

Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography 921(2001)305

Chiral supercritical fluid chromatography on porous graphitic carbon using commercial dimethyl  $\beta$ -cyclodextrins as mobile phase additive 929(2001)101

Analysis of non-saponifiable lipids by super-/subcritical-fluid chromatography (Review) 936(2001)201

Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215

Separation of enantiomers of ibuprofen on chiral stationary phases by packed column supercritical fluid chromatography 937(2001)135

#### **Supercritical fluid extraction**

see also Extraction methods

Potential artifact formation of dioxins in ball clay during supercritical fluid extraction 902(2000)427

Determination of phenols in soil by supercritical fluid extraction–capillary electrochromatography 907(2001)301

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

Quantitative coupling of supercritical fluid extraction and high-performance liquid chromatography by means of a coated open-tubular interface 931(2001)53

Liquid chromatographic method for the analysis of tocopherols in malt sprouts with supercritical fluid extraction 935(2001)87

Supercritical fluid extraction and chromatography for fat-soluble vitamin analysis (Review) 936(2001)215

Collection in analytical-scale supercritical fluid extraction (Review) 947(2002)1

Supercritical carbon dioxide extraction of volatiles from spices. Comparison with simultaneous distillation–extraction 947(2002)23

Analysis of citrates and benzoates used in poly(vinyl chloride) by supercritical fluid extraction and gas chromatography 950(2002)31

#### **Superheated solvents**

Stability of phenolic compounds during extraction with superheated solvents 921(2001)169

#### **Superheated water**

Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197

Flame ionization detection after splitting the water effluent in subcritical water chromatography 942(2002)231

#### **Supported liquid membrane**

Membrane-based techniques for sample enrichment (Review) 902(2000)205

**Support medium**

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

**Surface characterization**

Streaming potential in open and packed fused-silica capillaries 948(2002)203

**Surface compounds**

Use of porous glass and silica gel as support media of a surface compound for generation of analytes in gaseous standard mixtures. New method for the determination of the amount of analyte generated 928(2001)99

**Surface diffusion**

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

**Surface grafting**

Chiral  $\beta$ -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 907(2001)47

**Surface plasmon resonance detection**

Comparison of the properties of phospholipid surfaces formed on HPA and L1 biosensor chips for the binding of the coagulation factor VIII 921(2001)49

**Surfactants**

see Compound Index

**Surrogate standard**

Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography–electrospray tandem mass spectrometry 938(2001)175

**Suspended bed chromatography**

Performance comparison of suspended bed and batch contactor chromatography 908(2001)169

**Sweeping**

On-line sample concentration in micellar electrokinetic chromatography with cationic micelles in a coated capillary 912(2001)343

On-line sample concentration in micellar electrokinetic chromatography using cationic surfactants 916(2001)123

Analysis of proguanil and its metabolites by application of the sweeping technique in micellar electrokinetic chromatography 916(2001)201

On-line concentration of *s*-triazine herbicides in micellar electrokinetic chromatography using a cationic surfactant 916(2001)239

Anion selective exhaustive injection-sweep–micellar electrokinetic chromatography 932(2001)129

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

**Synechocystis PCC 6803**

High-performance liquid chromatography coupled on-line with electrospray ionization mass spectrometry for the simultaneous separation and identification of the *Synechocystis* PCC 6803 phycobilisome proteins 912(2001)269

**System peaks**

Why robust background electrolytes containing multivalent ionic species can fail in capillary zone electrophoresis 916(2001)41

Effect of temperature on the separation of long DNA fragments in polymer solution 916(2001)305

**System suitability criteria**

Setting system suitability criteria for detectability in high-performance liquid chromatography methods using signal-to-noise ratio statistical tolerance intervals 917(2001)23

**T****Tars**

Study of the composition of tars produced from blends of coal and polyethylene wastes using high-performance liquid chromatography 945(2002)161

***Taxus cuspidata***

Studies on factors influencing stability and recovery of paclitaxel from suspension media and cultures of *Taxus cuspidata* cv *Densifomis* by high-performance liquid chromatography 911(2001)55

***Taxus* spp.**

Immunoaffinity chromatography for the sample pretreatment of *Taxus* plant and cell extracts prior to analysis of taxanes by high-performance liquid chromatography 948(2002)177

**Tea**

Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223

Analysis of black tea theaflavins by non-aqueous capillary electrophoresis 919(2001)205

Separation of radioactive metabolites in cultured tea cells fed with [<sup>14</sup>C]phenylalanine using high-speed counter-current chromatography 921(2001)331

Decrease in concentration of free catechins in tea over time determined by micellar electrokinetic chromatography 924(2001)519

Rapid determination of caffeine in tea leaves 942(2002)271

Characterization of synthetic adsorbents with fine particle sizes for preparative-scale chromatographic separation 944(2002)41

Effect of particle size in preparative reversed-phase high-performance liquid chromatography on the isolation of epigallocatechin gallate from Korean green tea 949(2002)275

#### Temperature control

Study of feed temperature control of chromatography using computational fluid dynamics simulation 945(2002)117

Experimental studies of pressure/temperature dependence of protein adsorption equilibrium in reversed-phase high-performance liquid chromatography 950(2002)41

Supercoiled circular DNA and protein retention in non-equilibrium chromatography. Temperature and velocity dependence: testimony of a transition 950(2002)281

#### Temperature effects

Erratum to ‘‘Selectivity differences for C18 and C8 reversed-phase columns as a function of temperature and gradient steepness. I. Optimizing selectivity and resolution’’ [J. Chromatogr. A. 897 (2000) 37–50] 910(2001)385

Separation of steroids using temperature-dependent inclusion chromatography 912(2001)45

Selectivity assessment of popular stationary phases for open-tubular column gas chromatography 912(2001)107

Effect of temperature on retention and selectivity in ion chromatography of anions 920(2001)3

Sub-ambient temperature effects on the separation of monosaccharides by high-performance anion-exchange chromatography with pulse amperometric detection. Application to marine chemistry 920(2001)13

Conformational and temperature effects on separation of stereoisomers of a C3,C4-substituted  $\beta$ -lactamic cholesterol absorption inhibitor on amylose-based chiral stationary phases 923(2001)27

Temperature-dependent refractive index issues using a UV-visible detector in high-performance liquid chromatography 942(2002)63

Ionic strength, pH and temperature effects upon selectivity for transition and heavy metal ions when using chelation ion chromatography with an iminodiacetic acid bonded silica gel column and simple inorganic eluents 942(2002)73

Considerations on the temperature dependence of the gas-liquid chromatographic retention 942(2002)211

#### Temperature gradient interaction chromatography

Characterization of polystyrene and polyisoprene by normal-phase temperature gradient interaction chromatography 910(2001)51

Investigation and interpretation of band broadening in size exclusion chromatography 930(2001)61

#### Temperature programming

Hindered amine stabilizers investigated by the use of packed capillary temperature programmed liquid chromatography. II: Poly-(*N*- $\beta$ -hydroxyethyl-2,2,6,6-tetramethyl-4-hydroxypiperidyl succinate) 902(2000)421

Fast temperature programming in routine analysis of multiple pesticide residues in food matrices 907(2001)235

Elution parameters in constant-pressure, single-ramp temperature-programmed gas chromatography 918(2001)113

#### Ternary mixtures

Separation of ternary mixtures by pseudo-simulated moving bed chromatography 939(2001)23

#### Ternary moving bed

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

#### Theoretical plate model

Approximation function for the direct calculation of rate constants and Gibbs activation energies of enantiomerization of racemic mixtures from chromatographic parameters in dynamic chromatography 911(2001)167

#### Thermal desorption

Application of micro-scale sealed vessel thermal desorption-gas chromatography-mass spectrometry for the organic analysis of airborne particulate matter: linearity, reproducibility and quantification 912(2001)143

Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography-mass spectrometry 918(2001)189

Retrospective identification of chemical warfare agents by high-temperature automatic thermal desorption-gas chromatography-mass spectrometry 925(2001)241

#### Thermal field-flow fractionation

Influence of the carrier composition on thermal field-flow fractionation for the characterisation of sub-micron polystyrene latex particles 907(2001)201



**Thermal interconversion**

Time-resolved cryogenic modulation reveals isomer interconversion profiles in dynamic chromatography 919(2001)115

**Thermal lens spectrometry**

Effect of organic solvents in the on-line thermal lens spectrometric detection of chromium(III) and chromium(VI) after ion chromatographic separation 920(2001)119

**Thermionic detection**

Studies on the response mechanism of thermionic detection to organophosphorus compounds 911(2001)63

**Thermodynamic parameters**

Influence of the modification conditions of alkyl bonded ligands on the characteristics of reversed-phase liquid chromatography 903(2000)1

Gas chromatography for in situ analysis of a cometary nucleus. II. Analysis of permanent gases and light hydrocarbons with a carbon molecular sieve porous layer open tubular column 904(2000)73

Pair-wise interactions by gas chromatography. VII. Interaction free enthalpies of solutes with secondary alcohol groups 904(2000)211

Calculation of partition coefficient and hydrophobic moment of the secondary structure of lysozyme 908(2001)215

Flow microcalorimetric measurements for bovine serum albumin on reversed-phase and anion-exchange supports under overloaded conditions 908(2001)293

Modified mass action law-based model to correlate the solubility of solids and liquids in entrained supercritical carbon dioxide 910(2001)119

Role of helix formation for the retention of peptides in reversed-phase high-performance liquid chromatography 912(2001)1

Microcalorimetric studies of the interaction mechanisms between proteins and Q-Sepharose at pH near the isoelectric point (pI). Effects of NaCl concentration, pH value, and temperature 912(2001)281

Modeling the effect of solvation on solute retention in reversed-phase liquid chromatography 913(2001)15

Dansyl amino acid enantiomer separation on a teicoplanin chiral stationary phase: effect of eluent pH 923(2001)37

Adsorption study of alkyl-silicas and methylsiloxy-silicas 931(2001)119

Considerations on the temperature dependence of the gas–liquid chromatographic retention 942(2002)211

Characterization of enthalpic events in overloaded ion-exchange chromatography 944(2002)61

Effect of the organic modifier concentration on the retention in reversed-phase liquid chromatography I. General semi-thermodynamic treatment for adsorption and partition mechanisms 946(2002)9

Characterization of phosphorus-containing gas chromatographic stationary phases by linear solvation energy relationships 946(2002)185

**Thermo-oxidation**

Headspace solid-phase microextraction — a tool for new insights into the long-term thermo-oxidation mechanism of polyamide 6.6 932(2001)1

**Thevetia peruviana**

Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223

**Thyroid tissue**

Determination of mercaptobenzimidazol and other thyrostatic residues in thyroid tissue and meat using high-performance liquid chromatography–mass spectrometry 912(2001)311

**Titania**

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

**Titan's atmosphere**

Analysis of complex mixtures recovered from space missions. Statistical approach to the study of Titan atmosphere analogues (tholins) 939(2001)69

**Tobacco**

see also Cigarette smoke

Analysis of thiocyanate in biological fluids by capillary zone electrophoresis 916(2001)273

Determination of tobacco alkaloids in single plant cells by capillary electrophoresis 917(2001)311

Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco 942(2002)33

Analysis of plant hormones in tobacco flowers by micellar electrokinetic capillary chromatography coupled with on-line large volume sample stacking 945(2002)257

Analysis of free and bound volatiles by gas chromatography and gas chromatography–mass spectrometry in uncased and cased tobaccos 947(2002)267

Development and optimization of organic acid analysis in tobacco with ion chromatography and suppressed conductivity detection 950(2002)81

**Tomato paste**

Application of analytical and preparative high-speed counter-current chromatography for separation of lycopene from crude extract of tomato paste 929(2001)169

**Topological indices**

Chromatographic separation of tocopherols 935(2001)71

**Tortuosity**

Characterisation of electroosmotic flow in capillary electrochromatography columns 929(2001)123

**Toxicity**

Determination of drugs in surface water and wastewater samples by liquid chromatography–mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

**Toxicological analysis**

Dynamically coated capillaries improve the identification power of capillary zone electrophoresis for basic drugs in toxicological analysis 927(2001)203

**Training software, LC**

Training software for high-performance liquid chromatography 903(2000)41

**Transcription factors**

Comparative studies on discrete and concatemeric DNA–Sephacryl columns for purification of transcription factors 917(2001)43

**Transport–dispersive model**

Comparative modeling of breakthrough curves of bovine serum albumin in anion-exchange chromatography 925(2001)1

**Trapping**

Collection in analytical-scale supercritical fluid extraction (Review) 947(2002)1

***Trichoderma reesei***

Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems. Effect of fusion localization on endoglucanase I of *Trichoderma reesei* 910(2001)275

Extraction of endoglucanase I (Cel7B) fusion proteins from *Trichoderma reesei* culture filtrate in a poly(ethylene glycol)–phosphate aqueous two-phase system 943(2002)55

Comparative study on the fractionation of cellulases on some hydrophobic interaction chromatography adsorbents 944(2002)211

***Trifolium pratense* L.**

Determination of isoflavone glucoside malonates in *Trifolium pratense* L. (red clover) extracts: quantification and stability studies 932(2001)55

**True moving beds**

Application of equilibrium theory to ternary moving bed configurations (four+four, five+four, eight and nine zones). I. Linear case 908(2001)71

Application of the equilibrium theory to ternary moving bed configurations (4+4, 5+4, 8 and 9 zones). II. Langmuir case 908(2001)87

Two-step solvent gradients in simulated moving bed chromatography. Numerical study for linear equilibria 944(2002)77

***Tubbia* spp.**

Unusually high levels of non-saponifiable lipids in the fishes escolar and rudderfish. Identification by gas and thin-layer chromatography 936(2001)183

**Two-dimensional gel electrophoresis**

Restricted access chromatographic sample preparation of low mass proteins expressed in human fibroblast cells for proteomics analysis 909(2001)279

# U

**Ultrahigh pressure**

Practical aspects of ultrahigh pressure capillary liquid chromatography 911(2001)1

**Ultra-short columns**

Ultra-short columns and ballistic gradients: considerations for ultra-fast chromatographic liquid chromatographic–tandem mass spectrometric analysis 928(2001)41

**Umu test**

High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277

**Uncertainty analysis**

Experimental studies of uncertainties associated with chromatographic techniques 918(2001)267

Monitoring of pesticides in drinking and related waters in NE Spain with a multiresidue SPE–GC–MS method including an estimation of the uncertainty of the analytical results 938(2001)3

**Urea–formaldehyde resin monolithic column**

Urea–formaldehyde resin monolith as a new packing material for affinity chromatography 943(2002)209

**Urea gradient**

Urea gradient size-exclusion chromatography enhanced the yield of lysozyme refolding 918(2001)311

**UV detection**

Determination of reboxetine, a recent antidepressant drug, in human plasma by means of two high-performance liquid chromatography methods 949(2002)23

**UV filters**

Determination of the UV filters worldwide authorised in sunscreens by high-performance liquid chromatography. Use of cyclodextrins as mobile phase modifier 921(2001)207

**V****Validation**

Simultaneous analysis of clivorine and its four microsomal metabolites by high-performance liquid chromatography 903(2000)85

Development and validation of a capillary electrophoresis assay for the determination of 3,4-diaminopyridine and 4-aminopyridine including related substances 907(2001)321

Validation of a chromatography data analysis software 913(2001)221

Liquid chromatographic–tandem mass spectrometric determination of amprenavir (agenerase) in serum/plasma of human immunodeficiency virus type-1 infected patients receiving combination antiretroviral therapy 914(2001)1

Sensitive liquid chromatography–tandem mass spectrometry method for the determination of loratadine and its major active metabolite descarboethoxyloratadine in human plasma 914(2001)37

Sensitive liquid chromatographic–tandem mass spectrometric method for the determination of fluoxetine and its primary active metabolite norfluoxetine in human plasma 914(2001)45

Determination of 5-aminosalicylic acid related impurities by micellar electrokinetic chromatography with an ion-pair reagent 916(2001)175

Validatibility of a capillary isoelectric focusing method for impurity quantitation 917(2001)147

Validation of a liquid chromatographic method for the determination of ranitidine hydrochloride residues on surfaces in the manufacture of pharmaceuticals 919(2001)87

Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221

Development and validation of a simple capillary zone electrophoresis method for the analysis of kanamycin sulfate with UV detection after pre-capillary derivatization 924(2001)451

Selective and quantitative analysis of 4-hydroxybenzoate preservatives by microemulsion electrokinetic chromatography 924(2001)465

New sensitive liquid chromatography method coupled with tandem mass spectrometric detection for the clinical analysis of vinorelbine and its metabolites in blood, plasma, urine and faeces 926(2001)11

Sensitive analysis of 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> in biological fluids by liquid chromatography–tandem mass spectrometry 935(2001)93

Liquid chromatography–UV determination and liquid chromatography–atmospheric pressure chemical ionization mass spectrometric characterization of sitosterol and stigmasterol in soybean oil 935(2001)249

Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199

Development and validation of a reversed-phase high-performance liquid chromatographic method for the determination of ethyl-3-(*N*-*n*-butyl-*N*-acetyl)aminopropionate in an insect repellent semi-solid formulation 946(2002)295

Validation of a high-performance liquid chromatography method for the determination of pancuronium in Pavulon injections 949(2002)61

**Vapour pressure**

Comparison of methods employing gas chromatography retention data to determine vapour pressures at 298 K 923(2001)137

**Vapour sampling**

SnifProbe: new method and device for vapor and gas sampling 903(2000)155

**VARICOL process**

Application of the “VARICOL” process to the separation of the isomers of the SB-553261 racemate 947(2002)59

**Vegetable oils**

see also Oils

Gas chromatographic characterization of vegetable oil deodorization distillate 921(2001)277

Chromatographic analysis of plant sterols in foods and vegetable oils (Review) 935(2001)173

Gas and liquid chromatography of hydrocarbons in edible vegetable oils (Review) 936(2001)159

Elution behavior of unsaponifiable lipids with various capillary electrochromatographic stationary phases 949(2002)195

**Vegetables**

Selective enrichment of 17 pyrethroids from lyophilised agricultural samples 912(2001)83

Analysis of glucosinolates from broccoli and other cruciferous vegetables by hydrophilic interaction liquid chromatography 919(2001)299

Analysis of post-harvest fungicides by micellar electrokinetic chromatography 924(2001)387

Analysis of endosulfan isomers and endosulfan sulfate in air and tomato leaves by gas chromatography with electron-capture detection and confirmation by gas chromatography–mass spectrometry 947(2002)119

Determination of fungicide residues in fruits and vegetables by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 947(2002)227

Analysis of thiabendazole and procymidone in fruits and vegetables by capillary electrophoresis–electrospray mass spectrometry 949(2002)359

***Vibrio fischeri***

Determination of drugs in surface water and wastewater samples by liquid chromatography–mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187

**Vinegar**

Determination of electroactive organic acids by anion-exchange chromatography using a copper modified electrode 912(2001)223

**Viscometry**

Influence of peak-broadening and interdetector volume error on size-exclusive chromatographic analysis with dual viscometric–concentration detection using the universal calibration method 915(2001)15

**Viscosity**

Capillary electrophoresis of methyl derivatives of quinolines. I 917(2001)319

Separation and on-line preconcentration by sweeping of charged analytes in electrokinetic chromatography with nonionic micelles 939(2001)99

**Visualization of flow inhomogeneity**

Axial development and radial non-uniformity of flow in packed columns 945(2002)65

**Visualization of solute migration**

Visualization of solute migration in chromatographic columns  
Influence of the frit porosity 917(2001)1

***Vitis vinifera***

Monoterpenic and norisoprenoid glycoconjugates of *Vitis vinifera* L. cv. Melon B. as precursors of odorants in Muscadet wines 936(2001)145

**Vydac 218TP C<sub>18</sub> columns**

Repeatability and reproducibility of retention data and band profiles on reversed-phase liquid chromatography columns. V. Results obtained with Vydac 218TP C<sub>18</sub> columns 913(2001)89

# W

**Wall effects**

Phenomenological study of the bed–wall friction in axially compressed packed chromatographic columns 911(2001)147

Evaluation of frontal chromatograms 928(2001)1

Behavior of packing materials in axially compressed chromatographic columns 943(2002)15

**Warfare agents**

Determination of alkylphosphonic acids by microcolumn liquid chromatography with gradient elution coupled on-line with flame photometric detection 907(2001)165

Extraction of thiodiglycol from soil using pressurised liquid extraction 907(2001)221

Simple time weighted average level air-monitoring method for sulfur mustard in work places 907(2001)229

Determination of Lewisite oxide in soil using solid-phase microextraction followed by gas chromatography with flame photometric or mass spectrometric detection 909(2001)13

Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85

- Determination of sarin, soman and their hydrolysis products in soil by packed capillary liquid chromatography–electrospray mass spectrometry 912(2001)291
- Capillary gas chromatography–atomic emission spectroscopy–mass spectrometry analysis of sulphur mustard and transformation products in a block recovered from the Baltic Sea 919(2001)133
- High-sensitivity determination of the degradation products of chemical warfare agents by capillary electrophoresis–indirect UV absorbance detection 920(2001)359
- Retrospective identification of chemical warfare agents by high-temperature automatic thermal desorption–gas chromatography–mass spectrometry 925(2001)241
- Application of microcolumn liquid chromatography and capillary electrophoresis with flame photometric detection for the screening of degradation products of chemical warfare agents in water and soil 928(2001)187
- Packed capillary liquid chromatography–electrospray mass spectrometry of snow contaminated with sarin 950(2002)149
- Water analysis**
- Preconcentration of contaminants in water analysis (Review) 902(2000)289
- Optimization of solid-phase microextraction for the gas chromatographic–mass spectrometric determination of synthetic musk fragrances in water samples 903(2000)203
- Determination of nonylphenol ethoxylate oligomers by liquid chromatography–electrospray mass spectrometry in river water and non-ionic surfactants 904(2000)65
- Development of an automated on-line solid-phase extraction–high-performance liquid chromatographic method for the analysis of aniline, phenol, caffeine and various selected substituted aniline and phenol compounds in aqueous matrices 904(2000)171
- On-line membrane extraction liquid chromatography for monitoring semi-volatile organics in aqueous matrices 904(2000)189
- Development and validation of a high-performance liquid chromatographic method for the determination of clomazone residues in surface water 904(2000)257
- Determination of metal complexes of ethylenediaminetetraacetate in the presence of organic matter by high-performance liquid chromatography 905(2001)157
- Analytical methods to determine phosphonic and amino acid group-containing pesticides (Review) 907(2001)1
- Application of solvent microextraction to the analysis of nitroaromatic explosives in water samples 907(2001)211
- Combining membrane extraction with mobile gas chromatography for the field analysis of volatile organic compounds in contaminated waters 909(2001)3
- Development and application of immunoaffinity chromatography for the determination of the triazinic biocides in seawater 909(2001)61
- Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry 910(2001)69
- New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography–electron-capture detection 910(2001)87
- Mass spectrometric confirmation criterion for product-ion spectra generated in flow-injection analysis. Environmental application 910(2001)291
- Sensitive and selective ion chromatographic method for the determination of trace beryllium in water samples 910(2001)301
- Gas chromatographic–mass spectrometric determination of hydrophilic compounds in environmental water by solid-phase extraction with activated carbon fiber felt 911(2001)75
- Determination of thiodiglycol in groundwater using solid-phase extraction followed by gas chromatography with mass spectrometric detection in the selected-ion mode 911(2001)85
- Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low-ng/l level in surface and waste water 911(2001)225
- Sensitive determination of bisphenol A in environmental water by gas chromatography with nitrogen–phosphorus detection after cyanomethylation 912(2001)119
- New method for rapid solid-phase extraction of large-volume water samples and its application to non-target screening of North Sea water for organic contaminants by gas chromatography–mass spectrometry 912(2001)151
- Sample stacking with matrix removal for the determination of paraquat, diquat and difenzoquat in water by capillary electrophoresis 912(2001)353
- Determination of quaternary ammonium pesticides by liquid chromatography–electrospray tandem mass spectrometry 914(2001)111
- Screening for transformation products of pesticides using tandem mass spectrometric scan modes 915(2001)129
- Monitoring of antifouling agents in water samples by on-line solid-phase extraction–liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 915(2001)139

- Ion chromatographic preconcentration of Cu and Cd from ultra-high-purity water and determination by electrothermal atomic absorption spectrometry 915(2001)167
- Isotachopheresis and isotachopheresis — zone electrophoresis separations of inorganic anions present in water samples on a planar chip with column-coupling separation channels and conductivity detection 916(2001)155
- Determination of polar organophosphorus pesticides in aqueous samples by direct injection using liquid chromatography–tandem mass spectrometry 918(2001)67
- High-performance liquid chromatography–ToxPrint: chromatographic analysis with a novel (geno)toxicity detection 918(2001)277
- Simultaneous determination of six inorganic anions in drinking water by non-suppressed ion chromatography 918(2001)325
- Determination of iodide in seawater and urine by size exclusion chromatography with iodine–starch complex 918(2001)335
- Capillary zone electrophoresis for the determination of light-absorbing anions in environmental samples 918(2001)411
- On-line coupling of sol–gel-generated immunoaffinity columns with high-performance liquid chromatography 919(2001)51
- Determination of fipronil by solid-phase microextraction and gas chromatography–mass spectrometry 919(2001)215
- Qualitative detection of selenium in fortified soil and water samples by a paper chromatographic–carboxyl esterase enzyme inhibition technique 919(2001)223
- Determination of estrogens in river water by gas chromatography–negative-ion chemical-ionization mass spectrometry 919(2001)275
- Application of static liquid-phase microextraction to the analysis of organochlorine pesticides in water 919(2001)381
- Use of eosin as a fluorophore in capillary electrophoresis with laser detection 919(2001)407
- New block-grafted anion exchanger for environmental water analysis by ion chromatography 920(2001)51
- Simultaneous separation of common mono- and divalent cations on a zirconium-modified silica gel column by ion chromatography with non-suppressed conductimetric detection and tartaric acid–15-crown-5 as eluent 920(2001)109
- Continuous melting and ion chromatographic analyses of ice cores 920(2001)193
- Ion chromatographic determination of lithium at trace level concentrations. Application to a tracer experiment in a high-mountain lake 920(2001)201
- Comparison of three post-column reaction methods for the analysis of bromate and nitrite in drinking water 920(2001)205
- Use of ion chromatography with post-column reaction for the measurement of tribromide to evaluate bromate levels in drinking water 920(2001)213
- Review of the methods of the US Environmental Protection Agency for bromate determination and validation of Method 317.0 for disinfection by-product anions and low-level bromate 920(2001)221
- Ion-chromatographic screening method for monitoring arsenate and other anionic pollutants in ground waters of Northern Italy 920(2001)231
- High-performance ion-exclusion/cation-exchange chromatography of anions and cations in acid rain waters on a weakly acidic cation-exchange resin 920(2001)239
- Liquid chromatographic methods for chloral hydrate determination 920(2001)283
- Capillary electrophoresis for measuring major and trace anions in thermal water and condensed-steam samples from hydrothermal springs and fumaroles 920(2001)325
- Solid-phase extraction of polycyclic aromatic hydrocarbons in surface water. Negative effect of humic acid 921(2001)255
- Optimization of headspace solid-phase microextraction conditions for the determination of organophosphorus insecticides in natural waters 922(2001)243
- Comparison of different fibers for the solid-phase microextraction of phthalate esters from water 922(2001)377
- Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water 923(2001)45
- Determination of the herbicide 4-chloro-2-methylphenoxyacetic acid and its main metabolite, 4-chloro-2-methylphenol in water and soil by liquid chromatography–electrospray tandem mass spectrometry 923(2001)75
- Method development for trace determination of poly(naphthalenesulfonate)-type pollutants in water by liquid chromatography–electrospray mass spectrometry 923(2001)97
- Analysis of estrogens in river water and effluents using solid-phase extraction and gas chromatography–negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives 923(2001)195
- Liquid–liquid–liquid microextraction of nitrophenols with a hollow fiber membrane prior to capillary liquid chromatography 924(2001)407

- Study of matrix effects on the direct trace analysis of acidic pesticides in water using various liquid chromatographic modes coupled to tandem mass spectrometric detection 926(2001)113
- Tracing of surfactants in the biological wastewater treatment process and the identification of their metabolites by flow injection–mass spectrometry and liquid chromatography–mass spectrometry and –tandem mass spectrometry 926(2001)127
- Identification of a new degradation product of the antifouling agent Irgarol 1051 in natural samples 926(2001)221
- Multielemental determination of arsenic, selenium and chromium(VI) species in water by high-performance liquid chromatography–inductively coupled plasma mass spectrometry 926(2001)265
- Determination of naphthalenesulfonic acid isomers by large-volume on-line derivatization and gas chromatography–mass spectrometry 926(2001)341
- Routine analysis of alcohol and nonylphenol polyethoxylates in wastewater and sludge using liquid chromatography–electrospray mass spectrometry 927(2001)103
- Construction and validation of automated purge-and-trap–gas chromatography for the determination of volatile organic compounds 927(2001)143
- Bile acids and sterols in urban sewage treatment plants 927(2001)155
- Analysis of oxytetracycline, tetracycline, and chlortetracycline in water using solid-phase extraction and liquid chromatography–tandem mass spectrometry 928(2001)177
- Screening and identification of unknown contaminants in water with liquid chromatography and quadrupole-orthogonal acceleration-time-of-flight tandem mass spectrometry 929(2001)63
- Determination of phenylurea herbicides in natural waters at concentrations below  $1 \text{ ng l}^{-1}$  using solid-phase extraction, derivatization, and solid-phase microextraction–gas chromatography–mass spectrometry 930(2001)9
- On-line microdialysis–high-performance liquid chromatographic determination of aniline and 2-chloroaniline in polymer industrial wastewater 930(2001)119
- Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127
- Determination of phenols in water using liquid phase microextraction with back extraction combined with high-performance liquid chromatography 931(2001)95
- Automated trace level determination of glyphosate and aminomethyl phosphonic acid in water by on-line anion-exchange solid-phase extraction followed by cation-exchange liquid chromatography and post-column derivatization 932(2001)83
- On-site solid-phase extraction and laboratory analysis of ultra-trace synthetic musks in municipal sewage effluent using gas chromatography–mass spectrometry in the full-scan mode 932(2001)107
- Selective concentration of gold in water to a polystyrene-embedded fiber disk with polyoxyethylene(10)-*p*-isononylphenyl ether 932(2001)159
- Monofluorinated polycyclic aromatic hydrocarbons as internal standards to monitor trace enrichment and desorption of their parent compounds during solid-phase extraction 933(2001)27
- Determination of low thiourea concentrations in industrial process water and natural samples using reversed-phase high-performance liquid chromatography 934(2001)129
- Use of porous graphitic carbon coupled with mass detection for the analysis of polar phenolic compounds by liquid chromatography 937(2001)21
- Monitoring of pesticides in drinking and related waters in NE Spain with a multiresidue SPE-GC–MS method including an estimation of the uncertainty of the analytical results 938(2001)3
- Determination of the herbicide amitrole in water with pre-column derivatization, liquid chromatography and tandem mass spectrometry 938(2001)15
- Molecularly imprinted solid-phase extraction sorbent for the clean-up of chlorinated phenoxyacids from aqueous samples 938(2001)35
- Determination of haloacetic acids in aqueous environments by solid-phase extraction followed by ion-pair liquid chromatography–electrospray ionization mass spectrometric detection 938(2001)45
- Analysis of nonylphenol and nonylphenol ethoxylates in environmental samples by mixed-mode high-performance liquid chromatography–electrospray mass spectrometry 938(2001)79
- Solid-phase microextraction of phthalates from water 938(2001)93
- Determination of traces of five antifouling agents in water by gas chromatography with positive/negative chemical ionisation and tandem mass spectrometric detection 938(2001)103
- Solid-phase microextraction versus single-drop microextraction for the analysis of nitroaromatic explosives in water samples 938(2001)113

- Use of solid-phase extraction in various of its modalities for sample preparation in the determination of estrogens and progestogens in sediment and water 938(2001)145
- Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography–electrospray tandem mass spectrometry 938(2001)175
- Determination of drugs in surface water and wastewater samples by liquid chromatography–mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri* 938(2001)187
- Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden-Württemberg, Germany 938(2001)199
- Removal of metal ions from aqueous solution by adsorption on the natural adsorbent CACMM2 938(2001)237
- Rapid direct determination of pesticides and metabolites in environmental water samples at sub- $\mu\text{g}/\text{l}$  level by on-line solid-phase extraction-liquid chromatography–electrospray tandem mass spectrometry 939(2001)1
- Determination of phosphonic acid breakdown products by high-performance liquid chromatography after derivatization 942(2002)185
- Quantification of sulfur and sulfur-containing compounds in wastewaters by means of a combination of liquid chromatographic methods 942(2002)201
- Determination of aldehydes in drinking water using pentafluorobenzylhydroxylamine derivatization and solid-phase microextraction 943(2002)1
- Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195
- Determination of triorganotin species in water samples by liquid chromatography–electrospray-mass spectrometry 946(2002)1
- Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239
- Solid-phase extraction and sample stacking–capillary electrophoresis for the determination of quaternary ammonium herbicides in drinking water 946(2002)275
- Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155
- Determination of the amount of wash amines and ammonium ion in desulfurization products of process gases and results of related studies 947(2002)217
- Determination of polycyclic aromatic hydrocarbons in seawater by high-performance liquid chromatography with fluorescence detection following micelle-mediated preconcentration 949(2002)291
- Determination of herbicides and metabolites by solid-phase extraction and liquid chromatography. Evaluation of pollution due to herbicides in surface and groundwaters 950(2002)157
- Determination of nonylphenol ethoxylates in the aquatic environment by normal phase liquid chromatography–electrospray mass spectrometry 950(2002)167
- Fingerprinting of natural organic matter by capillary zone electrophoresis using organic modifiers and pattern recognition analysis 950(2002)221
- Waxes**  
Trace level determination of organochlorine, organophosphorus and pyrethroid pesticides in lanolin using gel permeation chromatography followed by dual gas chromatography and gas chromatography–negative chemical ionization mass spectrometric confirmation 950(2002)213
- Weighted least-squares analysis**  
Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters 945(2002)195
- Whey**  
Detection and quantitation of lactoferrin in bovine whey samples by reversed-phase high-performance liquid chromatography on polystyrene–divinylbenzene 947(2002)307
- Wine**  
Analysis of carbohydrates in drinks by high-performance liquid chromatography with a dynamically modified amino column and evaporative light scattering detection 904(2000)113
- Purification method for the isolation of monophosphate nucleotides from Champagne wine and their identification by mass spectrometry 907(2001)155
- Determination of anthocyanins in wine based on flow-injection, liquid–solid extraction, continuous evaporation and high-performance liquid chromatography–photometric detection 910(2001)255
- Separation of phenolic compounds by high-performance liquid chromatography with absorbance and fluorimetric detection 912(2001)249
- Value of high-performance liquid chromatographic analysis of anthocyanins in the differentiation of red grape cultivars and red wines made from them 915(2001)53
- Determination of organic acids and inorganic anions in wine by isotachopheresis on a planar chip 916(2001)167



Automated solid-phase extraction for sample preparation followed by high-performance liquid chromatography with diode array and mass spectrometric detection for the analysis of resveratrol derivatives in wine 918(2001)303

Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection 919(2001)147

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

Polydimethylsiloxane solid-phase microextraction–gas chromatography method for the analysis of volatile compounds in wines. Its application to the characterization of varietal wines 922(2001)267

Analysis of phenolic constituents of biological interest in red wines by high-performance liquid chromatography 922(2001)359

Fast analysis of important wine volatile compounds. Development and validation of a new method based on gas chromatographic–flame ionisation detection analysis of dichloromethane microextracts 923(2001)205

Stir bar sorptive extraction applied to the determination of dicarboximide fungicides in wine 928(2001)117

Use of solid–liquid distribution coefficients to determine retention properties of Porapak-Q resins. Determination of optimal conditions to isolate alkyl-methoxypyrazines and beta-damascenone from wine 931(2001)31

Solid-phase microextraction–gas chromatographic–mass spectrometric method for the determination of the fungicides cyprodinil and fludioxonil in white wines 942(2002)41

Classification of Nebbiolo-based wines from Piedmont (Italy) by means of solid-phase microextraction–gas chromatography–mass spectrometry of volatile compounds 943(2002)123

Application of headspace solid-phase microextraction to the determination of sulphur compounds with low volatility in wines 945(2002)211

Determination of oxadiazon residues by headspace solid-phase microextraction and gas chromatography–mass spectrometry 946(2002)239

### Wood

Comparison of direct and indirect methods of measuring the precursors of  $\beta$ -methyl- $\gamma$ -octalactone and their application to the analysis of Sessile oak wood [*Quercus petraea* (Matt.) Liebl.] 905(2001)183

Gas chromatography–mass spectrometry method for the simultaneous determination of wood extractive compounds in quaking aspen 922(2001)225

Determination of chlorophenols by solid-phase microextraction and liquid chromatography with electrochemical detection 947(2002)155

## X

### X-Ray contrast media

Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography–electrospray tandem mass spectrometry 930(2001)127

### X-Ray photoelectron spectroscopy

Influence of surface carbon coverage of C<sub>1</sub> (TMS) stationary phases on the separation of nonylphenol ethoxylate ethoxymers 903(2000)33

## Y

### Yeast

Gravitational field-flow fractionation for the characterisation of active dry wine yeast 919(2001)339

## Z

### Z<sub>basic</sub> protein domain

Strategy for highly selective ion-exchange capture using a charge-polarizing fusion partner 942(2002)157

### Zeta potential

Simultaneous control of electrostatic micellar partition and electroosmotic flow-rate by anion-dominated partition into zwitterionic micelles 920(2001)317

Characterisation of electroosmotic flow in capillary electrochromatography columns 929(2001)123

Streaming potential in open and packed fused-silica capillaries 948(2002)203

#### **Zimm plots**

On-line direct determination of the second virial coefficient of a natural polysaccharide using size-exclusion chromatography and multi-angle laser light scattering 943(2002)147

#### **Zirblast Agarose adsorbent**

Impact of the physical and topographical characteristics of adsorbent solid-phases upon the fluidised bed recovery of plasmid DNA from *Escherichia coli* lysates 943(2002)77

#### **Zirconia**

New synthetic ways for the preparation of high-performance liquid chromatography supports (Review) 918(2001)233

Use of a modified zirconia support in the separation of immunoproteins 944(2002)179

#### **Zirconia–polybutadiene stationary phases**

Superheated water as eluent in high-temperature high-performance liquid chromatographic separations of steroids on a polymer-coated zirconia column 913(2001)197

#### **Zirconized silica**

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. I. Separation of benzenecarboxylic acids with tartaric acid as eluent and with UV-photometric detection 920(2001)69

Application of zirconium-modified silica gel as a stationary phase in the ion-exclusion chromatography of carboxylic acids. II. Separation of aliphatic carboxylic acids with pyromellitic acid as eluent and with suppressed conductimetric detection 920(2001)181