



ELSEVIER

Journal of Chromatography A, 952 (2002) 303–305

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 952

- Albanis, T.A., see Lambropoulou, D.A. 952(2002)215
- Alder, A.C., see Haller, M.Y. 952(2002)111
- Bayona, J.M., see Moldovan, Z. 952(2002)193
- Billiet, H.A.H., see Houwing, J. 952(2002)85
- Biron, J.Ph., see Plasson, R. 952(2002)239
- Bordin, G., see van Vyncht, G. 952(2002)121
- Bouvier, A., see Weatherly, G.T. 952(2002)99
- Cao, C.-X., He, Y.-Z., Li, M., Qian, Y.-T., Yang, L., Qu, Q.-S., Zhou, S.-L. and Chen, W.-K.
Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39
- Cao, C.-X., Zhou, S.-L., Qian, Y.-T., He, Y.-Z., Wang, C.-R., Zheng, X.-Y. and Chen, W.-K.
Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29
- Chapline, J., see Weatherly, G.T. 952(2002)99
- Chau, L.-K., see Hsieh, Y.-Y. 952(2002)255
- Chen, E.C.M., see Chen, E.S. 952(2002)173
- Chen, E.S. and Chen, E.C.M.
Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173
- Chen, W.-K., see Cao, C.-X. 952(2002)29
- Chen, W.-K., see Cao, C.-X. 952(2002)39
- Cheng, S.-c., see Chung, W.-c. 952(2002)185
- Chung, W.-c., Hui, K.-y. and Cheng, S.-c.
Sensitive method for the determination of 1,3-dichloropropan-2-ol and 3-chloropropane-1,2-diol in soy sauce by capillary gas chromatography with mass spectrometric detection 952(2002)185
- Commeyras, A., see Plasson, R. 952(2002)239
- Cottet, H., see Plasson, R. 952(2002)239
- Demperio, V.L.
Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283
- De Pauw, E., see van Vyncht, G. 952(2002)121
- Donovan, S.F. and Pescatore, M.C.
Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47
- Escarpa, A., see Wang, J. 952(2002)249
- Feldman, J., see Wang, J. 952(2002)249
- Ford, M.J., Tetler, L.W., White, J. and Rimmer, D.
Determination of alkyl benzyl and dialkyl dimethyl quaternary ammonium biocides in occupational hygiene and environmental media by liquid chromatography with electrospray ionisation mass spectrometry and tandem mass spectrometry 952(2002)165
- Ghosh, R.
Protein separation using membrane chromatography: opportunities and challenges 952(2002)13
- Gillies, J.A., see McMartin, D.W. 952(2002)289
- Guo, M., see Wang, Y. 952(2002)79
- Guo, X., see Qiao, M. 952(2002)131
- Haller, M.Y., Müller, S.R., McArdell, C.S., Alder, A.C. and Suter, M.J.-F.
Quantification of veterinary antibiotics (sulfonamides and trimethoprim) in animal manure by liquid chromatography–mass spectrometry 952(2002)111
- He, B., see Liu, G. 952(2002)71
- He, Y.-Z., see Cao, C.-X. 952(2002)29
- He, Y.-Z., see Cao, C.-X. 952(2002)39
- Headley, J.V., see McMartin, D.W. 952(2002)289
- Henderson, I., see Weatherly, G.T. 952(2002)99
- Houwing, J., van Hateren, S.H., Billiet, H.A.H. and van der Wielen, L.A.M.
Effect of salt gradients on the separation of dilute mixtures of proteins by ion-exchange in simulated moving beds 952(2002)85
- Hsieh, Y.-Y., Lin, Ya.-H., Yang, J.-S., Wei, G.-T., Tien, P. and Chau, L.-K.
Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255
- Hui, K.-y., see Chung, W.-c. 952(2002)185
- János, A., see van Vyncht, G. 952(2002)121
- Jiang, Y., see Wang, Y. 952(2002)79
- Jover, E., see Moldovan, Z. 952(2002)193
- Kaulich, M., see Qurishi, R. 952(2002)275
- Kluchinsky Jr., T.A., Sheely, M.V., Savage, P.B. and Smith, P.A.
Formation of 2-chlorobenzylidenemalononitrile (CS riot control agent) thermal degradation products at elevated temperatures 952(2002)205

- Koenig, B.G., see Miao, X.-S. 952(2002)139
- Kowalski, C., see Slawik, T. 952(2002)295
- Lambropoulou, D.A., Sakkas, V.A. and Albanis, T.A.
Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215
- Lee, M.L., see Shah, R.S. 952(2002)267
- Li, F., see Qiao, M. 952(2002)131
- Li, J.
Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63
- Li, M., see Cao, C.-X. 952(2002)39
- Lin, Ya.-H., see Hsieh, Y.-Y. 952(2002)255
- Liu, G., Yu, H., Yan, H., Shi, Z. and He, B.
Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71
- Lydiard, D.D., see Weatherly, G.T. 952(2002)99
- Maghuin-Rogister, G., see van Vyncht, G. 952(2002)121
- Matyska, M.T., see Pesek, J.J. 952(2002)1
- McArdell, C.S., see Haller, M.Y. 952(2002)111
- McMartin, D.W., Peru, K.M., Headley, J.V., Winkler, M. and Gillies, J.A.
Evaluation of liquid chromatography–negative ion electrospray mass spectrometry for the determination of selected resin acids in river water 952(2002)289
- Metcalfe, C.D., see Miao, X.-S. 952(2002)139
- Miao, X.-S., Koenig, B.G. and Metcalfe, C.D.
Analysis of acidic drugs in the effluents of sewage treatment plants using liquid chromatography–electrospray ionization tandem mass spectrometry 952(2002)139
- Moldovan, Z., Jover, E. and Bayona, J.M.
Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography–electron impact ionisation mass spectrometry 952(2002)193
- Müller, C.E., see Qurishi, R. 952(2002)275
- Müller, S.R., see Haller, M.Y. 952(2002)111
- Peru, K.M., see McMartin, D.W. 952(2002)289
- Pescatore, M.C., see Donovan, S.F. 952(2002)47
- Pesek, J.J. and Matyska, M.T.
Modified aluminas as chromatographic supports for high-performance liquid chromatography 952(2002)1
- Pinto, N.G., see Thrash, M.E. 952(2002)301
- Plasson, R., Biron, J.Ph., Cottet, H., Commeyras, A. and Taillades, J.
Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239
- Pumera, M., see Wang, J. 952(2002)249
- Qian, Y.-T., see Cao, C.-X. 952(2002)29
- Qian, Y.-T., see Cao, C.-X. 952(2002)39
- Qiao, M., Guo, X. and Li, F.
Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131
- Qu, Q.-S., see Cao, C.-X. 952(2002)39
- Qurishi, R., Kaulich, M. and Müller, C.E.
Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275
- Rappel, C., see Trathnigg, B. 952(2002)149
- Rimmer, D., see Ford, M.J. 952(2002)165
- Rodriguez, A.R., see van Vyncht, G. 952(2002)121
- Roels, J., Van Langenhove, H. and Verstraete, W.
Determination of phosphine in biogas and sludge at ppt-levels with gas chromatography–thermionic specific detection 952(2002)229
- Sakkas, V.A., see Lambropoulou, D.A. 952(2002)215
- Savage, P.B., see Kluchinsky Jr., T.A. 952(2002)205
- Schrimsher, J.L., see Weatherly, G.T. 952(2002)99
- Shah, R.S., Wang, Q. and Lee, M.L.
Cycloaliphatic epoxy resin coating for capillary electrophoresis 952(2002)267
- Sheely, M.V., see Kluchinsky Jr., T.A. 952(2002)205
- Shepard, S.R., see Weatherly, G.T. 952(2002)99
- Shi, Z., see Liu, G. 952(2002)71
- Slawik, T. and Kowalski, C.
Lipophilicity of a series of 1,2-benzisothiazol-3(2H)-ones determined by reversed-phase thin-layer chromatography 952(2002)295
- Smith, P.A., see Kluchinsky Jr., T.A. 952(2002)205
- Suter, M.J.-F., see Haller, M.Y. 952(2002)111
- Taillades, J., see Plasson, R. 952(2002)239
- Tetler, L.W., see Ford, M.J. 952(2002)165
- Thrash, M.E. and Pinto, N.G.
Erratum to “Characterization of enthalpic events in overloaded ion-exchange chromatography”. [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301
- Tien, P., see Hsieh, Y.-Y. 952(2002)255
- Toussaint, B., see van Vyncht, G. 952(2002)121
- Trathnigg, B. and Rappel, C.
Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149
- Van der Wielen, L.A.M., see Houwing, J. 952(2002)85
- Van Hateren, S.H., see Houwing, J. 952(2002)85
- Van Langenhove, H., see Roels, J. 952(2002)229
- Van Vyncht, G., János, A., Bordin, G., Toussaint, B., Maghuin-Rogister, G., De Pauw, E. and Rodriguez, A.R.
Multiresidue determination of (fluoro)quinolone antibiotics in swine kidney using liquid chromatography–tandem mass spectrometry 952(2002)121
- Verstraete, W., see Roels, J. 952(2002)229
- Wang, C.-R., see Cao, C.-X. 952(2002)29
- Wang, J., Escarpa, A., Pumera, M. and Feldman, J.
Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249
- Wang, Q., see Shah, R.S. 952(2002)267
- Wang, Y., Guo, M. and Jiang, Y.
Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79
- Weatherly, G.T., Bouvier, A., Lydiard, D.D., Chapline, J., Henderson, I., Schrimsher, J.L. and Shepard, S.R.
Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99
- Wei, G.-T., see Hsieh, Y.-Y. 952(2002)255

White, J., see Ford, M.J. 952(2002)165
Winkler, M., see McMartin, D.W. 952(2002)289
Yan, H., see Liu, G. 952(2002)71
Yang, J.-S., see Hsieh, Y.-Y. 952(2002)255
Yang, L., see Cao, C.-X. 952(2002)39

Yu, H., see Liu, G. 952(2002)71
Zheng, X.-Y., see Cao, C.-X. 952(2002)29
Zhou, S.-L., see Cao, C.-X. 952(2002)29
Zhou, S.-L., see Cao, C.-X. 952(2002)39