



ELSEVIER

Journal of Chromatography A, 952 (2002) 307–313

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 952

Activation energy

Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239

Acidic drugs

Analysis of acidic drugs in the effluents of sewage treatment plants using liquid chromatography–electrospray ionization tandem mass spectrometry 952(2002)139

Albumin

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Erratum to “Characterization of enthalpic events in overloaded ion-exchange chromatography”. [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301

Alcohol ethoxylates

Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149

Alkyl benzyl quaternary ammonium compounds

Determination of alkyl benzyl and dialkyl dimethyl quaternary ammonium biocides in occupational hygiene and environmental media by liquid chromatography with electrospray ionisation mass spectrometry and tandem mass spectrometry 952(2002)165

Alumina

Modified aluminas as chromatographic supports for high-performance liquid chromatography (Review) 952(2002)1

α -Amino acid *N*-carboxyanhydrides

Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239

Amino acids

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239

Amylase

Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79

Antibiotics

Quantification of veterinary antibiotics (sulfonamides and trimethoprim) in animal manure by liquid chromatography–mass spectrometry 952(2002)111

Multiresidue determination of (fluoro)quinolone antibiotics in swine kidney using liquid chromatography–tandem mass spectrometry 952(2002)121

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Antifouling compounds

Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215

Basic drugs

Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255

1,2-Benzisothiazol-3(2H)-ones

Lipophilicity of a series of 1,2-benzisothiazol-3(2H)-ones determined by reversed-phase thin-layer chromatography 952(2002)295

Biogas

Determination of phosphine in biogas and sludge at ppt-levels with gas chromatography–thermionic specific detection 952(2002)229

Carbohydrates

Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283

Chemiluminescence detection

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Chip technology

Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249

Chitosan stationary phases

Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79

Chlorobenzylidenemalononitrile

Formation of 2-chlorobenzylidenemalononitrile (CS riot control agent) thermal degradation products at elevated temperatures 952(2002)205

3-Chloropropane-1,2-diol

Sensitive method for the determination of 1,3-dichloropropan-2-ol and 3-chloropropane-1,2-diol in soy sauce by capillary gas chromatography with mass spectrometric detection 952(2002)185

Chloropropanols

Sensitive method for the determination of 1,3-dichloropropan-2-ol and 3-chloropropane-1,2-diol in soy sauce by capillary gas chromatography with mass spectrometric detection 952(2002)185

Coated capillaries

Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255

Cycloaliphatic epoxy resin coating for capillary electrophoresis 952(2002)267

CS

Formation of 2-chlorobenzylidenemalononitrile (CS riot control agent) thermal degradation products at elevated temperatures 952(2002)205

Cuprammonium hydroxide

Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283

Current intensity

Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29

Curve fitting

Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63

Deconvolution

Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63

Derivatization, LC

Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283

Detection, electrophoresis

Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249

Detection, GC

Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173

Detection, LC

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Dialkyl dimethyl quaternary ammonium compounds

Determination of alkyl benzyl and dialkyl dimethyl quaternary ammonium biocides in occupational hygiene and environmental media by liquid chromatography with electrospray ionisation mass spectrometry and tandem mass spectrometry 952(2002)165

1,3-Dichloropropan-2-ol

Sensitive method for the determination of 1,3-dichloropropan-2-ol and 3-chloropropane-1,2-diol in soy sauce by capillary gas chromatography with mass spectrometric detection 952(2002)185

Drug–protein binding

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Efficiency

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Electrochemical detection

Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249

Electrokinetic injection

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Electron affinities

Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173

Electron-capture detection

Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173

Electroosmotic flow

Electroosmotic flow controllable coating on a capillary surface by a sol-gel process for capillary electrophoresis 952(2002)255

Electrospray ionization

Analysis of acidic drugs in the effluents of sewage treatment plants using liquid chromatography-electrospray ionization tandem mass spectrometry 952(2002)139

Environmental analysis

Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215

Enzymes

Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Epoxy resin coating

Cycloaliphatic epoxy resin coating for capillary electrophoresis 952(2002)267

Esters

Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography-electron impact ionisation mass spectrometry 952(2002)193

Ethoxylates

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149

Etoposide phosphate

Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283

Fatty acids

Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography-electron impact ionisation mass spectrometry 952(2002)193

Fatty alcohol ethoxylates

Liquid exclusion-adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149

Fatty alcohols

Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography-electron impact ionisation mass spectrometry 952(2002)193

Flow selection

Effect of salt gradients on the separation of dilute mixtures of proteins by ion-exchange in simulated moving beds 952(2002)85

Fluoroquinolones

Multiresidue determination of (fluoro)quinolone antibiotics in swine kidney using liquid chromatography-tandem mass spectrometry 952(2002)121

Frontal analysis

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Glucopteranosides

Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283

Heat of adsorption

Erratum to "Characterization of enthalpic events in overloaded ion-exchange chromatography". [J. Chromatogr. A, 944 (2002) 61-68] 952(2002)301

Hexokinase

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Hydrocarbons, aromatic

Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173

Hydrogen bonding

Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71

Hydrophobic charge induction chromatography

Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99

Hydrophobic interaction

Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71

Hydrophobic interaction chromatography

Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79

Hydrophobicity

Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47

Inorganic anions

Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255

Instrumentation

Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249

Irgarol

Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215

Ion-exchange chromatography

Erratum to “Characterization of enthalpic events in overloaded ion-exchange chromatography”. [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301

Isoelectric focusing

Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29

Kinetic studies

Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239

Lanolin

Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography–electron impact ionisation mass spectrometry 952(2002)193

Lipophilicity

Lipophilicity of a series of 1,2-benzisothiazol-3(2H)-ones determined by reversed-phase thin-layer chromatography 952(2002)295

Liquid chromatography under critical conditions

Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149

Liquid exclusion–adsorption chromatography

Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149

Manure

Quantification of veterinary antibiotics (sulfonamides and trimethoprim) in animal manure by liquid chromatography–mass spectrometry 952(2002)111

Mass spectrometry

Determination of alkyl benzyl and dialkyl dimethyl quaternary ammonium biocides in occupational hygiene and environmental media by liquid chromatography with electrospray ionisation mass spectrometry and tandem mass spectrometry 952(2002)165

Evaluation of liquid chromatography–negative ion electrospray mass spectrometry for the determination of selected resin acids in river water 952(2002)289

Membrane chromatography

Protein separation using membrane chromatography: opportunities and challenges (Review) 952(2002)13

Molecular recognition

Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71

Moment analysis

Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63

Moving boundary system

Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Moving chemical reaction boundary

Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Neurotoxins

Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99

Nucleotide metabolism

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Nucleotide phosphates

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Nucleotides

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Octadecyl–poly(vinyl alcohol) columns

Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47

Octanol–water partition coefficients

Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47

Organic acids

Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255

Ovalbumin

Erratum to “Characterization of enthalpic events in overloaded ion-exchange chromatography”. [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301

Oxacillin

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Peak functions

Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63

Peak modeling

Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63

Peptides

Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239

Cycloaliphatic epoxy resin coating for capillary electrophoresis 952(2002)267

Peroxides

Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249

pH effects

Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47

Pharmaceutical analysis

Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99

Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283

Phenylalanine

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Phosphates

Fast, efficient capillary electrophoresis method for measuring nucleotide degradation and metabolism 952(2002)275

Phosphine

Determination of phosphine in biogas and sludge at ppt-levels with gas chromatography–thermionic specific detection 952(2002)229

Pichia pastoris

Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99

Polymeric sorbents

Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71

Polynuclear aromatic hydrocarbons

Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173

Proteins

Protein separation using membrane chromatography: opportunities and challenges (Review) 952(2002)13

Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79

Effect of salt gradients on the separation of dilute mixtures of proteins by ion-exchange in simulated moving beds 952(2002)85

Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99

Chemiluminescence detection coupled to high-performance frontal analysis for the determination of unbound concentrations of drugs in protein binding equilibrium 952(2002)131

Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255

Cycloaliphatic epoxy resin coating for capillary electrophoresis 952(2002)267

Erratum to "Characterization of enthalpic events in overloaded ion-exchange chromatography". [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301

Quaternary ammonium compounds

Determination of alkyl benzyl and dialkyl dimethyl quaternary ammonium biocides in occupational hygiene and environmental media by liquid chromatography with electrospray ionisation mass spectrometry and tandem mass spectrometry 952(2002)165

Quinolones

Multiresidue determination of (fluoro)quinolone antibiotics in swine kidney using liquid chromatography–tandem mass spectrometry 952(2002)121

R_M values

Lipophilicity of a series of 1,2-benzisothiazol-3(2H)-ones determined by reversed-phase thin-layer chromatography 952(2002)295

Recombinant proteins

Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99

Resin acids

Evaluation of liquid chromatography–negative ion electrospray mass spectrometry for the determination of selected resin acids in river water 952(2002)289

Retention behaviour

Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography–electron impact ionisation mass spectrometry 952(2002)193

Reviews

Modified aluminas as chromatographic supports for high-performance liquid chromatography (Review) 952(2002)1

Protein separation using membrane chromatography: opportunities and challenges (Review) 952(2002)13

Salt gradient

Effect of salt gradients on the separation of dilute mixtures of proteins by ion-exchange in simulated moving beds 952(2002)85

Sample handling

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Sea Nine

Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215

Simulated moving beds

Effect of salt gradients on the separation of dilute mixtures of proteins by ion-exchange in simulated moving beds 952(2002)85

Solid-phase microextraction

Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215

Sol–gel

Electroosmotic flow controllable coating on a capillary surface by a sol–gel process for capillary electrophoresis 952(2002)255

Soy sauce

Sensitive method for the determination of 1,3-dichloropropan-2-ol and 3-chloropropane-1,2-diol in soy sauce by capillary gas chromatography with mass spectrometric detection 952(2002)185

Stationary phases, LC

Modified aluminas as chromatographic supports for high-performance liquid chromatography (Review) 952(2002)1

Protein separation using membrane chromatography: opportunities and challenges (Review) 952(2002)13

Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47

Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79

Sulfonamides

Quantification of veterinary antibiotics (sulfonamides and trimethoprim) in animal manure by liquid chromatography–mass spectrometry 952(2002)111

Supports

Modified aluminas as chromatographic supports for high-performance liquid chromatography (Review) 952(2002)1

Surface modification

Modified aluminas as chromatographic supports for high-performance liquid chromatography (Review) 952(2002)1

Surfactants

Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149

Synergetic effect

Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71

Tandem mass spectrometry

Analysis of acidic drugs in the effluents of sewage treatment plants using liquid chromatography–electrospray ionization tandem mass spectrometry 952(2002)139

Temperature effects

Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29

Thermodynamic parameters

Erratum to “Characterization of enthalpic events in overloaded ion-exchange chromatography”. [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301

Trimethoprim

Quantification of veterinary antibiotics (sulfonamides and trimethoprim) in animal manure by liquid chromatography–mass spectrometry 952(2002)111

Tryptophan

Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39

Valine

Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239

Water analysis

Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215

Evaluation of liquid chromatography–negative ion electrospray mass spectrometry for the determination of selected resin acids in river water 952(2002)289

Waxes

Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography–electron impact ionisation mass spectrometry 952(2002)193