

Journal of Chromatography A, 953 (2002) 307-313

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 953

Adsorption

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Adsorption equilibria

Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55

Adsorption isotherms

Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55

Adsorption kinetics

Adsorption kinetics of β-lactoglobulin on a polyclonal immunochromatographic support 953(2002)17

Air analysis

C₂-C₈ Hydrocarbon measurement and quality control procedures at the Global Atmosphere Watch Observatory Hohenpeissenberg 953(2002)175

Albumin

Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101

Alcohols

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Aldehydes

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Alkanes

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Alkylmethoxypyrazines

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Aminopyrimidine

Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227

Antibiotics

Analysis of spectinomycin by liquid chromatography with pulsed electrochemical detection 953(2002)123

Antioxidants

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Aroma compounds

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Background electrolyte composition

Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227

Benzylsuccinic acid

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Bis(2-ethylhexyl) sodium sulfosuccinate

Separation and simultaneous determination of water-soluble and fat-soluble vitamins by electrokinetic capillary chromatography 953(2002)257

Buffer composition

Separation and simultaneous determination of water-soluble and fat-soluble vitamins by electrokinetic capillary chromatography 953(2002)257

Carbamates

Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved

PII: S0021-9673(02)00250-9

Carnosic acid

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Carnosol

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Cellulose tribenzoate

Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55

Chelation

Dynamic chelation ion chromatography of transition and heavy metal ions using a mobile phase containing 4-chlorodipicolinic acid 953(2002)141

Chemometrics

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Analysis of peak asymmetry in chromatography 953(2002)31

Chiral stationary phases, LC

Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55

4-Chlorodipicolinic acid

Dynamic chelation ion chromatography of transition and heavy metal ions using a mobile phase containing 4-chlorodipicolinic acid 953(2002)141

Chlorophenols

Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79

Cork

Evaluation of an extraction method in the determination of the 2,4,6-trichloroanisole content of tainted cork 953(2002)207

Creatinine

Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227

Curve fitting

Analysis of peak asymmetry in chromatography 953(2002)31

Cyclodextrins

Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263

N-Cyclohexyl diazeniumdioxide

Analyses of the wood preservative component *N*-cyclohexyl-diazeniumdioxide in impregnated pine sapwood by direct thermal desorption—gas chromatography—mass spectrometry 953(2002)199

Density

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Detection, LC

Analysis of spectinomycin by liquid chromatography with pulsed electrochemical detection 953(2002)123

Didodecyldimethylammonium bromide

Fast ion chromatography of common inorganic anions on a short ODS column permanently coated with didodecyldimethylammonium bromide 953(2002)299

Direct thermal desorption

Analyses of the wood preservative component *N*-cyclohexyl-diazeniumdioxide in impregnated pine sapwood by direct thermal desorption—gas chromatography—mass spectrometry 953(2002)199

Diterpenes

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Drug-membrane interactions

Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39

Electrochemical detection

Analysis of spectinomycin by liquid chromatography with pulsed electrochemical detection 953(2002)123

Electrochromatography

Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles 953(2002)239

Electrokinetic capillary chromatography

Separation and simultaneous determination of water-soluble and fat-soluble vitamins by electrokinetic capillary chromatography 953(2002)257

Enantiomer separation

Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55

Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263

Environmental analysis

Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Escherichia coli

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Ethylbenzene

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Expanded bed adsorption

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Extraction methods

Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133

Evaluation of an extraction method in the determination of the 2,4,6-trichloroanisole content of tainted cork 953(2002)207

Factorial design

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Fatty acid polygycol ethers

Liquid exclusion—adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89

Flavonoids

Use of on-line liquid chromatography-nuclear magnetic resonance spectroscopy for the rapid investigation of flavonoids from *Sorocea bomplandii* 953(2002)287

Focused microwave-assisted Soxhlet extraction

Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133

Food analysis

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Gas chromatography

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Gasoline

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Global atmosphere watch

C₂-C₈ Hydrocarbon measurement and quality control procedures at the Global Atmosphere Watch Observatory Hohenpeissenberg 953(2002)175

Graft polymerization

Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101

Headspace analysis

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Histidine

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Hydrocarbons

C₂-C₈ Hydrocarbon measurement and quality control procedures at the Global Atmosphere Watch Observatory Hohenpeissenberg 953(2002)175

Imidazole

Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227

Immobilized artificial membranes

Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39

Immobilized metal affinity chromatography

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Immuno adsorbents

Adsorption kinetics of β -lactoglobulin on a polyclonal immunochromatographic support 953(2002)17

Inclusion bodies

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Inorganic anions

Fast ion chromatography of common inorganic anions on a short ODS column permanently coated with didodecyldimethylammonium bromide 953(2002)299

Instrumentation

Gas chromatography for in situ analysis of a cometary nucleus. III. Multi-capillary column system for the cometary sampling and composition experiment of the Rosetta lander probe 953(2002)165

Kinetic studies

Adsorption kinetics of β-lactoglobulin on a polyclonal immunochromatographic support 953(2002)17

Lactoglobulins

Adsorption kinetics of β -lactoglobulin on a polyclonal immunochromatographic support 953(2002)17

Linoleic acid

Analysis of conjugated linoleic acid-enriched triacylglycerol mixtures by isocratic silver-ion high-performance liquid chromatography 953(2002)293

Liquid chromatography under critical conditions

Liquid exclusion-adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89

Liquid exclusion-adsorption chromatography

Liquid exclusion-adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89

Lysozyme

Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101

Metal complexes

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Metals

Dynamic chelation ion chromatography of transition and heavy metal ions using a mobile phase containing 4-chlorodipicolinic acid 953(2002)141

Methylcarbamates

Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133

Mobile phase composition

Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39

Dynamic chelation ion chromatography of transition and heavy metal ions using a mobile phase containing 4-chlorodipicolinic acid 953(2002)141

Nitrophenols

Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79

Nuclear magnetic resonance spectroscopy

Use of on-line liquid chromatography—nuclear magnetic resonance spectroscopy for the rapid investigation of flavonoids from *Sorocea bomplandii* 953(2002)287

Organic acids

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Partition coefficients

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Peak asymmetry

Analysis of peak asymmetry in chromatography 953(2002)31

Peak shape

Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227

Peptides

Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles 953(2002)239

Pesticides

Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133

Pharmaceutical analysis

Analysis of spectinomycin by liquid chromatography with pulsed electrochemical detection 953(2002)123

Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263

Phenolic compounds

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Phenols

Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79

1-Phenyl-1-propanol

Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55

pH measurements

Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39

Pine sapwood

Analyses of the wood preservative component *N*-cyclohexyl-diazeniumdioxide in impregnated pine sapwood by direct thermal desorption—gas chromatography—mass spectrometry 953(2002)199

Piperoxan

Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263

Plant materials

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Poly(ethylene glycol)

Liquid exclusion-adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Polymer brush

Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101

Preparative electrophoresis

Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263

Protein binding

Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101

Proteins

Adsorption kinetics of β -lactoglobulin on a polyclonal immunochromatographic support 953(2002)17

Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101

Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111

Pyrazines

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Quality control

C₂-C₈ Hydrocarbon measurement and quality control procedures at the Global Atmosphere Watch Observatory Hohenpeissenberg 953(2002)175

Retention factors

Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39

Retention mechanisms

Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles 953(2002)239

Rosemary

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Sample stacking

Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography 953(2002)279

Sensitivity

Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227

Signal processing

Analysis of peak asymmetry in chromatography 953(2002)31

Sildenafil citrate

Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography 953(2002)279

Silver

Analysis of conjugated linoleic acid-enriched triacylglycerol mixtures by isocratic silver-ion high-performance liquid chromatography 953(2002)293

Simulated moving bed chromatography

Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263

Soil

Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133

Solid-phase extraction

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Solid-phase microextraction

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79

Sorocea bomplandii

Use of on-line liquid chromatography-nuclear magnetic resonance spectroscopy for the rapid investigation of flavonoids from *Sorocea bomplandii* 953(2002)287

Spectinomycin

Analysis of spectinomycin by liquid chromatography with pulsed electrochemical detection 953(2002)123

Stationary phases, CEC

Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles 953(2002)239

Stationary phases, GC

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Gas chromatography for in situ analysis of a cometary nucleus. III. Multi-capillary column system for the cometary sampling and composition experiment of the Rosetta lander probe 953(2002)165

Stationary phases, LC

Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39

Evaluation of the stability and selectivity for various adjustable stationary phases using zirconium oxide supports in high-performance liquid chromatography 953(2002)67

Fast ion chromatography of common inorganic anions on a short ODS column permanently coated with didodecyldimethylammonium bromide 953(2002)299

Surfactants

Liquid exclusion-adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89

Separation and simultaneous determination of water-soluble and fat-soluble vitamins by electrokinetic capillary chromatography 953(2002)257

Terpenes

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Thermodynamic parameters

Effects of solvent density on retention in gas-liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151

Toluene

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Two-dimensional liquid chromatography

Liquid exclusion-adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89

Triacylglycerol

Analysis of conjugated linoleic acid-enriched triacylglycerol mixtures by isocratic silver-ion high-performance liquid chromatography 953(2002)293

Trichloroanisole

Evaluation of an extraction method in the determination of the 2,4,6-trichloroanisole content of tainted cork 953(2002)207

UK-103,320

Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography 953(2002)279

Viagra

Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography 953(2002)279

Vinegar

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Vitamins

Separation and simultaneous determination of water-soluble and fat-soluble vitamins by electrokinetic capillary chromatography 953(2002)257

Volatile organic compounds

Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7

Gas chromatography for in situ analysis of a cometary nucleus. III. Multi-capillary column system for the cometary sampling and composition experiment of the Rosetta lander probe 953(2002)165

Water analysis

Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Fast ion chromatography of common inorganic anions on a short ODS column permanently coated with didodecyldimethylammonium bromide 953(2002)299

Weak cation-exchanger

Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles 953(2002)239

Wine

Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1

Evaluation of an extraction method in the determination of the 2,4,6-trichloroanisole content of tainted cork 953(2002)207

Wood preservative

Analyses of the wood preservative component *N*-cyclohexyl-diazeniumdioxide in impregnated pine sapwood by direct thermal desorption—gas chromatography—mass spectrometry 953(2002)199

Xylenes

Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography-mass spectrometry 953(2002)215

Zirconium oxide

Evaluation of the stability and selectivity for various adjustable stationary phases using zirconium oxide supports in high-performance liquid chromatography 953(2002)67