



ELSEVIER

Journal of Chromatography A, 954 (2002) 297–303

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 954

Acetyneuraminic acid

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Acetyneuraminylactose

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Adenine

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Adsorbents

Confocal Raman and fluorescence spectroscopy applied to polymeric chromatographic adsorbent particles 954(2002)151

Affinity adsorbents

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Affinity sorbents

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Agarose

Confocal Raman and fluorescence spectroscopy applied to polymeric chromatographic adsorbent particles 954(2002)151

Air analysis

Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191

Selective stationary phase for solid-phase microextraction analysis of sarin (GB) 954(2002)217

Aldehydes

Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191

Alkanes

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

N-Alkylpyridinium chloride

Binding of ionic surfactants to charged polymer brushes grafted onto porous substrates 954(2002)89

Amitraz

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Ammi visnaga

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

Antibiotics

Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33

Aroma compounds

Headspace solid-phase microextraction of higher fatty acid ethyl esters in white rum aroma 954(2002)51

Artifacts

Artifact formation due to ethyl thio-incorporation into silylated steroid structures as determined in doping analysis 954(2002)199

Aspartic acid

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Avoparcin

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Benzene

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Benzodiazepines

Sensitive method for the detection of 22 benzodiazepines by gas chromatography–ion trap tandem mass spectrometry 954(2002)235

Biomimetic ligands

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Bromopropylate

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Camphor

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Capillary columns

Metal complex-substituted polysiloxanes as novel coatings for capillary electrophoresis and capillary electrochromatography 954(2002)247

Carbohydrates

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Cationic exchangers

Stationary phase effects on the dynamic affinity of low-molecular-mass displacers 954(2002)127

Cephadrine

Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33

Charged polymer brushes

Binding of ionic surfactants to charged polymer brushes grafted onto porous substrates 954(2002)89

Chelating Sepharose Fast Flow

Confocal Raman and fluorescence spectroscopy applied to polymeric chromatographic adsorbent particles 954(2002)151

Chemometrics

Minimal number of chromatographic test parameters for the characterisation of reversed-phase liquid chromatographic stationary phases 954(2002)99

Chlorine pesticides

Gas chromatographic–mass spectrometric separation and identification of combustion products of organo-phosphorus and chlorine pesticides and evaluation of their impact on the environment 954(2002)227

Coating

Metal complex-substituted polysiloxanes as novel coatings for capillary electrophoresis and capillary electrochromatography 954(2002)247

Column testing

Minimal number of chromatographic test parameters for the characterisation of reversed-phase liquid chromatographic stationary phases 954(2002)99

Combustion products

Gas chromatographic–mass spectrometric separation and identification of combustion products of organo-phosphorus and chlorine pesticides and evaluation of their impact on the environment 954(2002)227

Computer simulation

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Confocal Raman spectroscopy

Confocal Raman and fluorescence spectroscopy applied to polymeric chromatographic adsorbent particles 954(2002)151

Copper ions

Convection-aided collection of metal ions using chelating porous flat-sheet membranes 954(2002)277

Coumaphos

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Coumarin

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

Cytosine

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Dactylium dendroides

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Deconvolution

Parabolic-Lorentzian modified Gaussian model for describing and deconvolving chromatographic peaks 954(2002)59

Detection, electrochromatography

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Doping analysis

Artifact formation due to ethyl thio-incorporation into silylated steroid structures as determined in doping analysis 954(2002)199

DNA

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Dynamic affinity

Stationary phase effects on the dynamic affinity of low-molecular-mass displacers 954(2002)127

Dyes

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Electrochemical detection

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Electrochromatography

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Enzymes

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Estradiol

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

Essential oils

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Ethylenediaminetriacetic acid

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Ethyl thio-incorporation

Artifact formation due to ethyl thio-incorporation into silylated steroid structures as determined in doping analysis 954(2002)199

Eucalyptol

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Extraction methods

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Fatty acid ethyl esters

Headspace solid-phase microextraction of higher fatty acid ethyl esters in white rum aroma 954(2002)51

Fetuin

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Flat sheet membranes

Convection-aided collection of metal ions using chelating porous flat-sheet membranes 954(2002)277

Food analysis

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Fluvalinate

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Furanochromones

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

Galactose oxidase

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Glycopeptides

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Glycoproteins

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Gradient elution

Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77

Gradient retention time

Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77

Graft polymerization

Binding of ionic surfactants to charged polymer brushes grafted onto porous substrates 954(2002)89

Guanine

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Headspace analysis

Headspace solid-phase microextraction of higher fatty acid ethyl esters in white rum aroma 954(2002)51

Helium

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Honey

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Hydrophilic interaction chromatography

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Hydrophobicity index

Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77

Iminodiacetic acid

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Convection-aided collection of metal ions using chelating porous flat-sheet membranes 954(2002)277

Immobilized metal affinity chromatography

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Immunoglobulins

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Instrumentation

Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Internal standards

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

In-capillary digestion

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Ionic surfactants

Binding of ionic surfactants to charged polymer brushes grafted onto porous substrates 954(2002)89

Khellin

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

Laminar fluid diffusion interface

Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33

Levonorgestrel

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

Linear solvation energy relationships

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

Low-molecular-mass displacers

Stationary phase effects on the dynamic affinity of low-molecular-mass displacers 954(2002)127

Mass spectrometry

Sensitive method for the detection of 22 benzodiazepines by gas chromatography–ion trap tandem mass spectrometry 954(2002)235

Mathematical modelling

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Menthol

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Metal cations

Convection-aided collection of metal ions using chelating porous flat-sheet membranes 954(2002)277

Metal chelates

Convection-aided collection of metal ions using chelating porous flat-sheet membranes 954(2002)277

Metal complexes

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Metal complex-substituted polysiloxanes as novel coatings for capillary electrophoresis and capillary electrochromatography 954(2002)247

Methylcytosine

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Microfluidics

Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33

Mobile phase composition

Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77

Modified Gaussian model

Parabolic-Lorentzian modified Gaussian model for describing and deconvolving chromatographic peaks 954(2002)59

Molecular modelling

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Monolithic columns

Monolithic stationary phases for liquid chromatography and capillary electrochromatography (Review) 954(2002)5

Organic acids

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Organophosphorus compounds

Selective stationary phase for solid-phase microextraction analysis of sarin (GB) 954(2002)217

Organophosphorus pesticides

Gas chromatographic–mass spectrometric separation and identification of combustion products of organo-phosphorus and chlorine pesticides and evaluation of their impact on the environment 954(2002)227

Peak modelling

Parabolic-Lorentzian modified Gaussian model for describing and deconvolving chromatographic peaks 954(2002)59

Pentaerythritol

Stationary phase effects on the dynamic affinity of low-molecular-mass displacers 954(2002)127

Pentafluorobenzylhydroxylamine

Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191

Pesticides

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Pharmaceutical analysis

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

pH effect

Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77

Plant materials

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

Polysiloxanes

Metal complex-substituted polysiloxanes as novel coatings for capillary electrophoresis and capillary electrochromatography 954(2002)247

Pressurized liquid extraction

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Principal component analysis

Minimal number of chromatographic test parameters for the characterisation of reversed-phase liquid chromatographic stationary phases 954(2002)99

Proteins

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Purines

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Pyrimidines

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Quinolinol

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Response surface

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

Retention indices

Temperature effects on the retention of *n*-alkanes and arenes in helium-squalane gas-liquid chromatography. Experiment and molecular simulation 954(2002)181

Reviews

Monolithic stationary phases for liquid chromatography and capillary electrochromatography (Review) 954(2002)5

Rotenone

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Sample preparation

Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Sarin

Selective stationary phase for solid-phase microextraction analysis of sarin (GB) 954(2002)217

Selectivity optimization

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

Sialic acid

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Sialidase

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Sialoglycans

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Sialoglycoproteins

Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259

Silver-ion chromatography

Utilisation of reversed-phase high-performance liquid chromatography as an alternative to silver-ion chromatography for the separation of *cis*- and *trans*-C18:1 fatty acid isomers 954(2002)285

Skewed peaks

Parabolic-Lorentzian modified Gaussian model for describing and deconvolving chromatographic peaks 954(2002)59

Solid-phase microextraction

Headspace solid-phase microextraction of higher fatty acid ethyl esters in white rum aroma 954(2002)51

Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191

Selective stationary phase for solid-phase microextraction analysis of sarin (GB) 954(2002)217

Stationary phases, electrochromatography

Monolithic stationary phases for liquid chromatography and capillary electrochromatography (Review) 954(2002)5

Squalane

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Stationary phases, LC

Monolithic stationary phases for liquid chromatography and capillary electrochromatography (Review) 954(2002)5

Minimal number of chromatographic test parameters for the characterisation of reversed-phase liquid chromatographic stationary phases 954(2002)99

Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115

Stationary phase effects on the dynamic affinity of low-molecular-mass displacers 954(2002)127

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

Steroids

Artifact formation due to ethyl thio-incorporation into silylated steroid structures as determined in doping analysis 954(2002)199

Subcritical water

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Temperature effects

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Test parameters

Minimal number of chromatographic test parameters for the characterisation of reversed-phase liquid chromatographic stationary phases 954(2002)99

Thermodynamic parameters

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Thymine

Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267

Thymol

Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Time-weighted average sampling

Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191

Toluene

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181

Transdermal drug delivery

Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159

Trans fatty acid methyl esters

Utilisation of reversed-phase high-performance liquid chromatography as an alternative to silver-ion chromatography for the separation of *cis*- and *trans*-C18:1 fatty acid isomers 954(2002)285

Triazines

Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137

2,2,2-Trifluoroethanol

Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77

Valeraldehyde

Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191

Visnagin

Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291

Warfare agents

Selective stationary phase for solid-phase microextraction analysis of sarin (GB) 954(2002)217

Waxes

Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207

Xylenes

Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181