



ELSEVIER

Journal of Chromatography A, 956 (2002) 287–289

JOURNAL OF  
CHROMATOGRAPHY A[www.elsevier.com/locate/chroma](http://www.elsevier.com/locate/chroma)

## Author Index Vol. 956

- Anderson Jr., J.M., see Bose, R. 956(2002)71  
Anderson Jr., J.M., see Douglas, D.R. 956(2002)47  
Anderson, J.M., see Saari-Nordhaus, R. 956(2002)15  
Avdalovic, N., see Lu, Z. 956(2002)129  
Avdalovic, N., see Roehl, R. 956(2002)245  
Avdalovic, N., see Woodruff, A. 956(2002)35  
Barreto, V., see Lu, Z. 956(2002)129  
Baryla, N.E. and Lucy, C.A.  
    Semi-permanent surfactant coatings for inorganic anion analysis in capillary electrophoresis 956(2002)271  
Bordunov, A., see Woodruff, A. 956(2002)35  
Bose, R., Saari-Nordhaus, R. and Anderson Jr., J.M.  
    Solving complex anion separation problems with a carbonate–hydrogencarbonate gradient 956(2002)71  
Coleman, D.E., see Vanatta, L.E. 956(2002)23  
Despres, P., see Douglas, D.R. 956(2002)47  
Dicinoski, G.W., see Haddad, P.R. 956(2002)59  
Dicinoski, G.W., see Vachirapatama, N. 956(2002)221  
Ding, M.-Y., see Tanaka, K. 956(2002)209  
Ding, Y. and Mou, S.  
    Effects of common metal ions on the determination of anions by suppressed ion chromatography 956(2002)65  
Douglas, D.R., Saari-Nordhaus, R., Despres, P. and Anderson Jr., J.M.  
    New suppressor technology improves trace level anion analysis with carbonate–hydrogencarbonate mobile phases 956(2002)47  
Du, H., see Zhu, Y. 956(2002)215  
Egwu, I.N., see Fernando, P.N. 956(2002)261  
Eitel, M., see Wang, K. 956(2002)109  
Fernando, P.N., Egwu, I.N. and Hussain, M.S.  
    Ion chromatographic determination of trace hydroxylamine in waste streams generated by a pharmaceutical reaction process 956(2002)261  
Fritz, J.S., see Hu, W. 956(2002)139  
Fritz, J.S., see Tanaka, K. 956(2002)209  
García, R., see Santoyo, E. 956(2002)279  
Haddad, P.R., see Helaleh, M.I.H. 956(2002)201  
Haddad, P.R., see Hu, W. 956(2002)103  
Haddad, P.R., see Miura, Y. 956(2002)77  
Haddad, P.R., Shaw, M.J. and Dicinoski, G.W.  
    New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59  
Haddad, P.R., see Tanaka, K. 956(2002)209  
Haddad, P.R., see Vachirapatama, N. 956(2002)221  
Haddad, P.R., see Zhu, Y. 956(2002)215  
Harrison, C.R. and Lucy, C.A.  
    Determination of zwitterionic and cationic surfactants by high-performance liquid chromatography with chemiluminescent nitrogen detection 956(2002)237  
Hasebe, K., see Helaleh, M.I.H. 956(2002)201  
Hasebe, K., see Hu, W. 956(2002)103  
Hasebe, K., see Hu, W. 956(2002)139  
Hasebe, K., see Tanaka, K. 956(2002)209  
Hatakeyama, M., see Miura, Y. 956(2002)77  
Hautman, D.P., see Wagner, H.P. 956(2002)93  
Heberling, S., see Liu, Y. 956(2002)85  
Helaleh, M.I.H., Tanaka, K., Taoda, H., Hu, W., Hasebe, K. and Haddad, P.R.  
    Qualitative analysis of some carboxylic acids by ion-exclusion chromatography with atmospheric pressure chemical ionization mass spectrometric detection 956(2002)201  
Helaleh, M.I.H., see Tanaka, K. 956(2002)209  
Hosino, T., see Miura, Y. 956(2002)77  
Hu, W., Hasebe, K., Tanaka, K. and Fritz, J.S.  
    Determination of total acidity and of divalent cations by ion chromatography with *n*-hexadecylphosphocholine as the stationary phase 956(2002)139  
Hu, W., see Helaleh, M.I.H. 956(2002)201  
Hu, W., see Tanaka, K. 956(2002)209  
Hu, W., Yang, P.-J., Hasebe, K., Haddad, P.R. and Tanaka, K.  
    Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103  
Hussain, M.S., see Fernando, P.N. 956(2002)261  
Jackson, P.E., see Roehl, R. 956(2002)245  
Jackson, P.E., see Thomas, D.H. 956(2002)181  
Jackson, P.E., see Thomas, D.H. 956(2002)255  
Joyce, R., see Lu, Z. 956(2002)129  
Karmarkar, S.V.  
    Anion-exchange chromatography of metal cyanide complexes with gradient separation and direct UV detection 956(2002)229  
Kawakami, S., see Ohta, K. 956(2002)147  
Kawakami, S., see Ohta, K. 956(2002)159  
Kusumoto, K., see Ohta, K. 956(2002)147  
Kusumoto, K., see Ohta, K. 956(2002)159

- Kusumoto, K., see Ohta, K. 956(2002)173
- Lei, Y., see Wang, K. 956(2002)109
- Liu, Y., see Lu, Z. 956(2002)129
- Liu, Y., Mou, S. and Heberling, S.  
Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85
- López-Vera, F., see Santoyo, E. 956(2002)279
- Lu, Z., Liu, Y., Barreto, V., Pohl, C., Avdalovic, N., Joyce, R. and Newton, B.  
Determination of anions at trace levels in power plant water samples by ion chromatography with electrolytic eluent generation and suppression 956(2002)129
- Lucy, C.A., see Barylka, N.E. 956(2002)271
- Lucy, C.A., see Harrison, C.R. 956(2002)237
- Martínez-Frías, J., see Santoyo, E. 956(2002)279
- Miura, Y., Hatakeyama, M., Hosino, T. and Haddad, P.R.  
Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77
- Miyanaga, A., see Sato, S. 956(2002)53
- Morikawa, H., see Ohta, K. 956(2002)173
- Moriyama, H., see Sato, S. 956(2002)53
- Mou, S., see Ding, Y. 956(2002)65
- Mou, S., see Liu, Y. 956(2002)85
- Mou, S., see Zhu, Y. 956(2002)215
- Munch, D.J., see Wagner, H.P. 956(2002)93
- Murase, Y., see Ohta, K. 956(2002)147
- Murase, Y., see Ohta, K. 956(2002)159
- Newton, B., see Lu, Z. 956(2002)129
- Ogura, Y., see Sato, S. 956(2002)53
- Ohashi, M., see Ohta, K. 956(2002)147
- Ohashi, M., see Ohta, K. 956(2002)159
- Ohashi, M., see Ohta, K. 956(2002)173
- Ohta, K., Kusumoto, K., Takao, Y., Towata, A., Kawakami, S., Murase, Y. and Ohashi, M.  
Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines–oxalic acid, containing crown ethers, used as eluent 956(2002)147
- Ohta, K., Kusumoto, K., Takao, Y., Towata, A., Kawakami, S., Murase, Y. and Ohashi, M.  
Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159
- Ohta, K., Kusumoto, K., Takao, Y., Towata, A., Morikawa, H. and Ohashi, M.  
Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine–oxalic acid, containing 18-crown-6 as eluent 956(2002)173
- Pak, T., see Thomas, D.H. 956(2002)255
- Pepich, B.V., see Wagner, H.P. 956(2002)93
- Pohl, C., see Lu, Z. 956(2002)129
- Pohl, C.A., see Woodruff, A. 956(2002)35
- Rey, M., see Thomas, D.H. 956(2002)181
- Roehl, R., Slingsby, R., Avdalovic, N. and Jackson, P.E.  
Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245
- Rohrer, J.S., see Thomas, D.H. 956(2002)255
- Saari-Nordhaus, R. and Anderson Jr., J.M.  
Recent advances in ion chromatography suppressor improve anion separation and detection 956(2002)15
- Saari-Nordhaus, R., see Bose, R. 956(2002)71
- Saari-Nordhaus, R., see Douglas, D.R. 956(2002)47
- Santoyo, E., García, R., Martínez-Frías, J., López-Vera, F. and Verma, S.P.  
Capillary electrophoretic analysis of inorganic anions in atmospheric hailstone samples 956(2002)279
- Sarzanini, C.  
Recent developments in ion chromatography (Review) 956(2002)3
- Sarzanini, C., see Tanaka, K. 956(2002)209
- Sato, S., Ogura, Y., Miyanaga, A., Sugimoto, T., Tanaka, K. and Moriyama, H.  
Ion chromatographic system with a novel switching suppression device 956(2002)53
- Scott, J.N., see Thomas, D.H. 956(2002)255
- Shaw, M.J., see Haddad, P.R. 956(2002)59
- Slingsby, R., see Roehl, R. 956(2002)245
- Stevens, T.S.  
The membrane suppressor: a historical perspective (Review) 956(2002)43
- Stover, F.S.  
Automated trace anion determinations in concentrated electronic grade phosphoric acid by ion chromatography 956(2002)121
- Sugimoto, T., see Sato, S. 956(2002)53
- Takahashi, H., see Tanaka, K. 956(2002)209
- Takao, Y., see Ohta, K. 956(2002)147
- Takao, Y., see Ohta, K. 956(2002)159
- Takao, Y., see Ohta, K. 956(2002)173
- Tan, S., see Wang, K. 956(2002)109
- Tanaka, K., Ding, M.-Y., Helaleh, M.I.H., Taoda, H., Takahashi, H., Hu, W., Hasebe, K., Haddad, P.R., Fritz, J.S. and Sarzanini, C.  
Vacancy ion-exclusion chromatography of carboxylic acids on a weakly acidic cation-exchange resin 956(2002)209
- Tanaka, K., see Helaleh, M.I.H. 956(2002)201
- Tanaka, K., see Hu, W. 956(2002)103
- Tanaka, K., see Hu, W. 956(2002)139
- Tanaka, K., see Sato, S. 956(2002)53
- Taoda, H., see Helaleh, M.I.H. 956(2002)201
- Taoda, H., see Tanaka, K. 956(2002)209
- Thomas, D.H., Rey, M. and Jackson, P.E.  
Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181
- Thomas, D.H., Rohrer, J.S., Jackson, P.E., Pak, T. and Scott, J.N.  
Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255
- Towata, A., see Ohta, K. 956(2002)147
- Towata, A., see Ohta, K. 956(2002)159

- Towata, A., see Ohta, K. 956(2002)173
- Townsend, A.T., see Vachirapatama, N. 956(2002)221
- Vachirapatama, N., Dicinoski, G.W., Townsend, A.T. and Haddad, P.R.  
Determination of vanadium as 4-(2-pyridylazo)resorcinol–hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221
- Vanatta, L.E.  
Foreword 956(2002)1
- Vanatta, L.E. and Coleman, D.E.  
Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23
- Verma, S.P., see Santoyo, E. 956(2002)279
- Wagner, H.P., Pepich, B.V., Hautman, D.P. and Munch, D.J.  
US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93
- Walford, S.N.  
Applications of ion chromatography in cane sugar research and process problems 956(2002)187
- Wang, F., see Zhu, Y. 956(2002)215
- Wang, K., Lei, Y., Eitel, M. and Tan, S.  
Ion chromatographic analysis of anions in ammonium hydroxide, hydrofluoric acid, and slurries, used in semiconductor processing 956(2002)109
- Wang, M., see Zhu, Y. 956(2002)215
- Woodruff, A., Pohl, C.A., Bordunov, A. and Avdalovic, N.  
Adjustable-capacity anion-exchange separator 956(2002)35
- Yang, P.-J., see Hu, W. 956(2002)103
- Zhu, Y., Wang, M., Du, H., Wang, F., Mou, S. and Haddad, P.R.  
Organic analysis by ion chromatography. 1. Determination of aromatic amines and aromatic diisocyanates by cation-exchange chromatography with amperometric detection 956(2002)215