

Journal of Chromatography A, 956 (2002) 291-297

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 956

Acidity

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139

Alkali cations

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Alkali-earth cations

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Amines

Organic analysis by ion chromatography. 1. Determination of aromatic amines and aromatic diisocyanates by cation-exchange chromatography with amperometric detection 956(2002)215

Amines, aromatic

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines—oxalic acid, containing crown ethers, used as eluent 956(2002)147

Ammonium

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Ammonium hydroxide

Ion chromatographic analysis of anions in ammonium hydroxide, hydrofluoric acid, and slurries, used in semiconductor processing 956(2002)109

Aniline

Organic analysis by ion chromatography. 1. Determination of aromatic amines and aromatic diisocyanates by cation-exchange chromatography with amperometric detection 956(2002)215

Anion-exchangers

Adjustable-capacity anion-exchange separator 956(2002)35

Ascorbic acid

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Benzenetricarboxylic acid

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Benzoic acid

New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59

Bromate

Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85

US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Calcination

Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159

Calibration curves

Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23

Capacity gradients

Adjustable-capacity anion-exchange separator 956(2002)35

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved

PII: S0021-9673(02)00499-5

Carboxylic acids

Qualitative analysis of some carboxylic acids by ion-exclusion chromatography with atmospheric pressure chemical ionization mass spectrometric detection 956(2002)201

Vacancy ion-exclusion chromatography of carboxylic acids on a weakly acidic cation-exchange resin 956(2002)209

Cerium

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Chemiluminescent nitrogen specific detection

Determination of zwitterionic and cationic surfactants by highperformance liquid chromatography with chemiluminescenscent nitrogen detection 956(2002)237

Chip technology

Recent developments in ion chromatography (Review) 956(2002)3

Chromate

Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255

Chromium

Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255

Coated capillaries

Semi-permanent surfactant coatings for inorganic anion analysis in capillary electrophoresis 956(2002)271

Complexation

Determination of vanadium as 4-(2-pyridylazo)resorcinol—hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221

Conductivity detection

New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59

Crown ethers

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines—oxalic acid, containing crown ethers, used as eluent 956(2002)147

Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159

Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine-oxalic acid, containing 18-crown-6 as eluent 956(2002)173

Cryptands

Adjustable-capacity anion-exchange separator 956(2002)35

Cvanides

Anion-exchange chromatography of metal cyanide complexes with gradient separation and direct UV detection 956(2002)229

Derivatization, LC

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93

Detection, LC

New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Determination of zwitterionic and cationic surfactants by highperformance liquid chromatography with chemiluminescenscent nitrogen detection 956(2002)237

Detection limit

Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23

Diisocyanates

Organic analysis by ion chromatography. 1. Determination of aromatic amines and aromatic diisocyanates by cation-exchange chromatography with amperometric detection 956(2002)215

Disinfection by-products

US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93

DS-Plus suppressor

Recent advances in ion chromatography suppressor improve anion separation and detection 956(2002)15

Electrostatic ion chromatography

Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103

Environmental analysis

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Fertilisers

Determination of vanadium as 4-(2-pyridylazo)resorcinol—hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221

Gradient elution

Solving complex anion separation problems with a carbonate-hydrogenearbonate gradient 956(2002)71

Hailstones

Capillary electrophoretic analysis of inorganic anions in atmospheric hailstone samples 956(2002)279

Haloacetic acids

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Hexadecylphosphocholine

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139

Hydrochloric acid

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139

Hydrofluoric acid

Ion chromatographic analysis of anions in ammonium hydroxide, hydrofluoric acid, and slurries, used in semiconductor processing 956(2002)109

Hydrogen peroxide

Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23

Determination of vanadium as 4-(2-pyridylazo)resorcinol—hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221

Hydroxylamine

Ion chromatographic determination of trace hydroxylamine in waste streams generated by a pharmaceutical reaction process 956(2002)261

Indirect detection

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines—oxalic acid, containing crown ethers, used as eluent 956(2002)147

Inorganic anions

Recent advances in ion chromatography suppressor improve anion separation and detection 956(2002)15

Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23

Adjustable-capacity anion-exchange separator 956(2002)35

New suppressor technology improves trace level anion analysis with carbonate-hydrogenearbonate mobile phases 956(2002)47

Ion chromatographic system with a novel switching suppression device 956(2002)53

New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59

Effects of common metal ions on the determination of anions by suppressed ion chromatography 956(2002)65

Solving complex anion separation problems with a carbonate-hydrogenearbonate gradient 956(2002)71

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85

US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93

Ion chromatographic analysis of anions in ammonium hydroxide, hydrofluoric acid, and slurries, used in semiconductor processing 956(2002)109

Automated trace anion determinations in concentrated electronic grade phosphoric acid by ion chromatography 956(2002)121

Determination of anions at trace levels in power plant water samples by ion chromatography with electrolytic eluent generation and suppression 956(2002)129

Applications of ion chromatography in cane sugar research and process problems 956(2002)187

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255

Semi-permanent surfactant coatings for inorganic anion analysis in capillary electrophoresis 956(2002)271

Capillary electrophoretic analysis of inorganic anions in atmospheric hailstone samples 956(2002)279

Inorganic cations

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines—oxalic acid, containing crown ethers, used as eluent 956(2002)147

Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159

Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine—oxalic acid, containing 18-crown-6 as eluent 956(2002)173

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Applications of ion chromatography in cane sugar research and process problems 956(2002)187

Inorganic ions

Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103

Instrumentation

Ion chromatographic system with a novel switching suppression device 956(2002)53

Iodide

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103

Ion chromatography

Recent advances in ion chromatography suppressor improve anion separation and detection 956(2002)15

The membrane suppressor: a historical perspective (Review) 956(2002)43

New suppressor technology improves trace level anion analysis with carbonate-hydrogenearbonate mobile phases 956(2002)47

Ion chromatographic system with a novel switching suppression device 956(2002)53

New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59

Determination of total acidity and of divalent cations by ion chromatography with *n*-hexadecylphosphocholine as the stationary phase 956(2002)139

Ion-exclusion chromatography

Vacancy ion-exclusion chromatography of carboxylic acids on a weakly acidic cation-exchange resin 956(2002)209

Isocyanates

Organic analysis by ion chromatography. 1. Determination of aromatic amines and aromatic diisocyanates by cation-exchange chromatography with amperometric detection 956(2002)215

Membrane suppressor

The membrane suppressor: a historical perspective (Review) 956(2002)43

Metal cations

Effects of common metal ions on the determination of anions by suppressed ion chromatography 956(2002)65

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139

Determination of vanadium as 4-(2-pyridylazo)resorcinol-hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221

Metal complexes

Anion-exchange chromatography of metal cyanide complexes with gradient separation and direct UV detection 956(2002)229

Metals

Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255

Miniaturization

Recent developments in ion chromatography (Review) 956(2002)3

Mobile phase composition

New suppressor technology improves trace level anion analysis with carbonate-hydrogenearbonate mobile phases 956(2002)47

Solving complex anion separation problems with a carbonate-hydrogenearbonate gradient 956(2002)71

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines-oxalic acid, containing crown ethers, used as eluent 956(2002)147

Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159

Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine—oxalic acid, containing 18-crown-6 as eluent 956(2002)173

Nitric acid

Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159

Nitrite

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Optimization

Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255

Organic acids

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Determination of anions at trace levels in power plant water samples by ion chromatography with electrolytic eluent generation and suppression 956(2002)129

Determination of total acidity and of divalent cations by ion chromatography with *n*-hexadecylphosphocholine as the stationary phase 956(2002)139

Applications of ion chromatography in cane sugar research and process problems 956(2002)187

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Oxalate

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Oxalic acid

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines-oxalic acid, containing crown ethers, used as eluent 956(2002)147

Oxyhalides

US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93

Perchlorate

Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Pharmaceutical application

Ion chromatographic determination of trace hydroxylamine in waste streams generated by a pharmaceutical reaction process 956(2002)261

Phosphoric acid

Automated trace anion determinations in concentrated electronic grade phosphoric acid by ion chromatography 956(2002)121

Platinum digestion

Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23

Process monitoring

Applications of ion chromatography in cane sugar research and process problems 956(2002)187

Pyridylazoresorcinol

Determination of vanadium as 4-(2-pyridylazo)resorcinol—hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221

Retention behaviour

Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159

Reviews

Recent developments in ion chromatography (Review) 956(2002)3

The membrane suppressor: a historical perspective (Review) 956(2002)43

Rewoteric AM CAS U

Determination of zwitterionic and cationic surfactants by highperformance liquid chromatography with chemiluminescenscent nitrogen detection 956(2002)237

Saccharum officinarum

Applications of ion chromatography in cane sugar research and process problems 956(2002)187

Sample handling

Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85

Selenium

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Semiconductors

Automated trace anion determinations in concentrated electronic grade phosphoric acid by ion chromatography 956(2002)121

Sodium iodide

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139

Soil

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Stationary phases, LC

Recent developments in ion chromatography (Review) 956(2002)3

Adjustable-capacity anion-exchange separator 956(2002)35

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139

Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines—oxalic acid, containing crown ethers, used as eluent 956(2002)147

Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine—oxalic acid, containing 18-crown-6 as eluent 956(2002)173

Statistical analysis

Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23

Sugar cane

Applications of ion chromatography in cane sugar research and process problems 956(2002)187

Sulfite

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Suppressors

Recent advances in ion chromatography suppressor improve anion separation and detection 956(2002)15

Ion chromatographic system with a novel switching suppression device 956(2002)53

Surfactants

Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103

Determination of zwitterionic and cationic surfactants by highperformance liquid chromatography with chemiluminescenscent nitrogen detection 956(2002)237

Semi-permanent surfactant coatings for inorganic anion analysis in capillary electrophoresis 956(2002)271

Switching valve

Ion chromatographic system with a novel switching suppression device 956(2002)53

Thiosulfate

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Tyramine

Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine-oxalic acid, containing 18-crown-6 as eluent 956(2002)173

Vacancy chromatography

Vacancy ion-exclusion chromatography of carboxylic acids on a weakly acidic cation-exchange resin 956(2002)209

Validation

Ion chromatographic determination of trace hydroxylamine in waste streams generated by a pharmaceutical reaction process 956(2002)261

Vanadium

Determination of vanadium as 4-(2-pyridylazo)resorcinol—hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221

Water analysis

Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77

Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85

US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93

Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103

Determination of anions at trace levels in power plant water samples by ion chromatography with electrolytic eluent generation and suppression 956(2002)129

Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181

Anion-exchange chromatography of metal cyanide complexes with gradient separation and direct UV detection 956(2002)229

Applications of ion chromatography with electrospray mass spectrometric detection to the determination of environmental contaminants in water 956(2002)245

Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255

Ion chromatographic determination of trace hydroxylamine in waste streams generated by a pharmaceutical reaction process 956(2002)261

Zwittergent

Determination of zwitterionic and cationic surfactants by highperformance liquid chromatography with chemiluminescenscent nitrogen detection 956(2002)237

Zwitterion chromatography

Determination of total acidity and of divalent cations by ion chromatography with n-hexadecylphosphocholine as the stationary phase 956(2002)139