



ELSEVIER

Journal of Chromatography A, 960 (2002) 247–248

JOURNAL OF
CHROMATOGRAPHY Awww.elsevier.com/locate/chroma

Author Index Vol. 960

- Asperger, A., Efer, J., Koal, T. and Engewald, W.
Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109
- Berendsen, B.J.A., see Van Rhijn, J.A. 960(2002)121
- Berezkin, V.G., Korolev, A.A., Malyukova, I.V., Popova, T.P., Shiryaeva, V.E. and Khotimskii, V.S.
Poly[1-(trimethylsilyl)-1-propyne] as chromatographic adsorbent and prospects of its application in packed and capillary columns 960(2002)151
- Brinkman, U.A.Th., see Van Rhijn, J.A. 960(2002)121
- Brown, P.R., see Treubig, J.M. 960(2002)135
- Dolan, J.W., Snyder, L.R., Jupille, T.H. and Wilson, N.S.
Variability of column selectivity for reversed-phase high-performance liquid chromatography. Compensation by adjustment of separation conditions 960(2002)51
- Efer, J., see Asperger, A. 960(2002)109
- Engewald, W., see Asperger, A. 960(2002)109
- Garcia-Martin, S., see Martin, M. 960(2002)165
- Gaš, B., see Muzikar, J. 960(2002)199
- Gaš, B., see Štědrý, M. 960(2002)187
- Guiochon, G., see Kele, M. 960(2002)19
- Hirao, K., see Ishizuka, N. 960(2002)85
- Hjertén, S., see Végvári, Á. 960(2002)221
- Hosoya, K., see Ishizuka, N. 960(2002)85
- Hoyos, M., see Martin, M. 960(2002)165
- Ikegami, T., see Ishizuka, N. 960(2002)85
- Ishizuka, N., Kobayashi, H., Minakuchi, H., Nakanishi, K., Hirao, K., Hosoya, K., Ikegami, T. and Tanaka, N.
Monolithic silica columns for high-efficiency separations by high-performance liquid chromatography 960(2002)85
- Jaroš, M., see Štědrý, M. 960(2002)187
- Jupille, T.H., see Dolan, J.W. 960(2002)51
- Kele, M. and Guiochon, G.
Repeatability and reproducibility of retention data and band profiles on six batches of monolithic columns 960(2002)19
- Kenndler, E., see Poppe, H. 960(2002)1
- Kenndler, E., see Muzikar, J. 960(2002)199
- Khotimskii, V.S., see Berezkin, V.G. 960(2002)151
- Knox, J.H.
Band dispersion in chromatography—a universal expression

- for the contribution from the mobile zone 960(2002)7
- Koal, T., see Asperger, A. 960(2002)109
- Kobayashi, H., see Ishizuka, N. 960(2002)85
- Korolev, A.A., see Berezkin, V.G. 960(2002)151
- Lasaroms, J.J.P., see Van Rhijn, J.A. 960(2002)121
- Lim, P., see Spanik, I. 960(2002)241
- Lindner, W., see Poppe, H. 960(2002)1
- Lindner, W., see Oberleitner, W.R. 960(2002)97
- Maier, N.M., see Oberleitner, W.R. 960(2002)97
- Malyukova, I.V., see Berezkin, V.G. 960(2002)151
- Martin, M., Garcia-Martin, S. and Hoyos, M.
On void time determination in thermal field-flow fractionation 960(2002)165
- Matisová, E., Medved'ová, M., Vraniaková, J. and Šimon, P.
Optimisation of solid-phase microextraction of volatiles 960(2002)159
- Medved'ová, M., see Matisová, E. 960(2002)159
- Michalke, D. and Welsch, T.
Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209
- Minakuchi, H., see Ishizuka, N. 960(2002)85
- Muzikar, J., van de Goor, T., Gaš, B. and Kenndler, E.
Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199
- Nakanishi, K., see Ishizuka, N. 960(2002)85
- Oberleitner, W.R., Maier, N.M. and Lindner, W.
Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97
- Pomazal, K., Prohaska, C. and Steffan, I.
Hydrophobic interaction chromatographic separation of proteins in human blood fractions hyphenated to atomic spectrometry as detector of essential elements 960(2002)143
- Popova, T.P., see Berezkin, V.G. 960(2002)151
- Poppe, H., Kenndler, E. and Lindner, W.
Foreword 960(2002)1
- Poppe, H., see Sellmeyer, H. 960(2002)175

- Prohaska, C., see Pomazal, K. 960(2002)143
- Sellmeyer, H. and Poppe, H.
Position and intensity of system (eigen) peaks in capillary zone electrophoresis 960(2002)175
- Shiryeva, V.E., see Berezkin, V.G. 960(2002)151
- Šimon, P., see Matisová, E. 960(2002)159
- Smolková-Keulemansová, E.
Reminiscence of Prof. J.F.K. Huber 960(2002)3
- Snyder, L.R., see Dolan, J.W. 960(2002)51
- Spaník, I., Lim, P. and Vigh, G.
Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241
- Štědrý, M., Jaroš, M. and Gaš, B.
Eigenmobilities in background electrolytes for capillary zone electrophoresis. I. System eigenpeaks and resonance in systems with strong electrolytes 960(2002)187
- Steffan, I., see Pomazal, K. 960(2002)143
- Szepesy, L.
Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69
- Tanaka, N., see Ishizuka, N. 960(2002)85
- Treubig, J.M. and Brown, P.R.
Analysis of C₆₀ and C₇₀ fullerenes using high-performance liquid chromatography–Fourier transform infrared spectroscopy 960(2002)135
- van de Goor, T., see Muzikar, J. 960(2002)199
- van Rhijn, J.A., Lasaroms, J.J.P., Berendsen, B.J.A. and Brinkman, U.A.Th.
Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121
- Végvári, Á. and Hjertén, S.
Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis 960(2002)221
- Vigh, G., see Spaník, I. 960(2002)241
- Vraniaková, J., see Matisová, E. 960(2002)159
- Welsch, T., see Michalke, D. 960(2002)209
- Wilson, N.S., see Dolan, J.W. 960(2002)51
- Yeung, E.S., see Zhong, W. 960(2002)229
- Zhong, W. and Yeung, E.S.
Multiplexed capillary electrophoresis for DNA sequencing with ultra violet absorption detection 960(2002)229