



ELSEVIER

Journal of Chromatography A, 960 (2002) 249–252

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 960

Acetonitrile

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Allyl- β -cyclodextrin

Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis 960(2002)221

Amino acids

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Apparent enantioselectivity

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Apparent thermodynamics

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Background electrolytes

Eigenmobilities in background electrolytes for capillary zone electrophoresis. I. System eigenpeaks and resonance in systems with strong electrolytes 960(2002)187

Band dispersion

Band dispersion in chromatography—a universal expression for the contribution from the mobile zone 960(2002)7

Band profiles

Repeatability and reproducibility of retention data and band profiles on six batches of monolithic columns 960(2002)19

Benzimidazoles

Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121

Blood fractions

Hydrophobic interaction chromatographic separation of proteins in human blood fractions hyphenated to atomic spectrometry as detector of essential elements 960(2002)143

Capillary array electrophoresis

Multiplexed capillary electrophoresis for DNA sequencing with ultra violet absorption detection 960(2002)229

Capillary electrophoresis

Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis 960(2002)221

Chiral stationary phases, LC

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Cinchona alkaloids

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Column selectivity

Variability of column selectivity for reversed-phase high-performance liquid chromatography. Compensation by adjustment of separation conditions 960(2002)51

Columns

Monolithic silica columns for high-efficiency separations by high-performance liquid chromatography 960(2002)85

Conductivity detection

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Continuous free-flow isoelectric focusing

Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241

Counter pressure

Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209

Dansyl tryptophan

Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241

Dapsone

Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121

***N,N*-Dimethylacetamide**

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

***N,N*-Dimethylformamide**

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Dispersion

Band dispersion in chromatography—a universal expression for the contribution from the mobile zone 960(2002)7

DNA

Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis 960(2002)221

Multiplexed capillary electrophoresis for DNA sequencing with ultra violet absorption detection 960(2002)229

DNA sequencing

Multiplexed capillary electrophoresis for DNA sequencing with ultra violet absorption detection 960(2002)229

Efficiency

Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209

Eigen peaks

Position and intensity of system (eigen) peaks in capillary zone electrophoresis 960(2002)175

Eigenmobilities

Eigenmobilities in background electrolytes for capillary zone electrophoresis. I. System eigenpeaks and resonance in systems with strong electrolytes 960(2002)187

Electroosmotic flow

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Enantiomer separation

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241

Field-flow fractionation

On void time determination in thermal field-flow fractionation 960(2002)165

Flow profile superposition

Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209

Fourier transform infrared spectroscopy

Analysis of C₆₀ and C₇₀ fullerenes using high-performance liquid chromatography–Fourier transform infrared spectroscopy 960(2002)135

Full-column imaging capillary isoelectric focusing

Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241

Fullerenes

Analysis of C₆₀ and C₇₀ fullerenes using high-performance liquid chromatography–Fourier transform infrared spectroscopy 960(2002)135

Ghost peaks

Position and intensity of system (eigen) peaks in capillary zone electrophoresis 960(2002)175

Graphite furnace atomic absorption spectrometry

Hydrophobic interaction chromatographic separation of proteins in human blood fractions hyphenated to atomic spectrometry as detector of essential elements 960(2002)143

Hydrocarbon gases

Poly[1-(trimethylsilyl)-1-propyne] as chromatographic adsorbent and prospects of its application in packed and capillary columns 960(2002)151

Indirect detection

Position and intensity of system (eigen) peaks in capillary zone electrophoresis 960(2002)175

Isoelectric focusing

Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241

Linear solvation energy relationships

Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69

Metals

Hydrophobic interaction chromatographic separation of proteins in human blood fractions hyphenated to atomic spectrometry as detector of essential elements 960(2002)143

Methanol

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Micellar electrokinetic chromatography

Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209

Milk

Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121

Mobile phase composition

Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69

Mobile zone

Band dispersion in chromatography—a universal expression for the contribution from the mobile zone 960(2002)7

Molecular interactions

Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69

Monolithic column

Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109

Monolithic columns

Repeatability and reproducibility of retention data and band profiles on six batches of monolithic columns 960(2002)19

Monolithic silica columns

Monolithic silica columns for high-efficiency separations by high-performance liquid chromatography 960(2002)85

On-line solid-phase extraction

Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109

Open-cap vials

Optimisation of solid-phase microextraction of volatiles 960(2002)159

Organic solvents

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Partial filling micellar electrokinetic chromatography

Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209

Pesticides

Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109

Polyacrylamide

Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis 960(2002)221

Poly[1-(trimethylsilyl)-1-propine]

Poly[1-(trimethylsilyl)-1-propine] as chromatographic adsorbent and prospects of its application in packed and capillary columns 960(2002)151

Pressurised mobilisation

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Propylene carbonate

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Proteins

Hydrophobic interaction chromatographic separation of proteins in human blood fractions hyphenated to atomic spectrometry as detector of essential elements 960(2002)143

Relative buffer zone length

Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209

Retention

Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69

Retention data

Repeatability and reproducibility of retention data and band profiles on six batches of monolithic columns 960(2002)19

Retention values

Poly[1-(trimethylsilyl)-1-propyne] as chromatographic adsorbent and prospects of its application in packed and capillary columns 960(2002)151

Selectivity

Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69

Separation conditions

Variability of column selectivity for reversed-phase high-performance liquid chromatography. Compensation by adjustment of separation conditions 960(2002)51

Septum-closed vials

Optimisation of solid-phase microextraction of volatiles 960(2002)159

Solid-phase microextraction

Optimisation of solid-phase microextraction of volatiles 960(2002)159

Stationary phases, LC

Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69

Monolithic silica columns for high-efficiency separations by high-performance liquid chromatography 960(2002)85

Sulphonamides

Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121

System eigenpeaks

Position and intensity of system (eigen) peaks in capillary zone electrophoresis 960(2002)175

Eigenmobilities in background electrolytes for capillary zone electrophoresis. I. System eigenpeaks and resonance in systems with strong electrolytes 960(2002)187

Tandem mass spectrometry

Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121

Temperature effects

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Tetraphenylborate

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Tetraphenylphosphonium

Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199

Thermal field-flow fractionation

On void time determination in thermal field-flow fractionation 960(2002)165

Turbulent-flow chromatography

Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109

Ultrafiltration

Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121

Van't Hoff plots

Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97

Void time

On void time determination in thermal field-flow fractionation 960(2002)165

Volatile compounds

Optimisation of solid-phase microextraction of volatiles 960(2002)159

Water analysis

Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109

Optimisation of solid-phase microextraction of volatiles 960(2002)159