



ELSEVIER

Journal of Chromatography A, 961 (2002) 295–297

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 961

- Aikawa, Y., see Masuda, T. 961(2002)89
- Arai, S., see Masuda, T. 961(2002)89
- Baeuml, F. and Welsch, T.
Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35
- Bennett, B.D., see Kato, M. 961(2002)45
- Berryman, D., see Houde, F. 961(2002)245
- Bylund, D., Danielsson, R., Malmquist, G. and Markides, K.E.
Chromatographic alignment by warping and dynamic programming as a pre-processing tool for PARAFAC modelling of liquid chromatography–mass spectrometry data 961(2002)237
- Carr, PW., see Wilson, N.S. 961(2002)171
- Carr, PW., see Wilson, N.S. 961(2002)195
- Carr, PW., see Wilson, N.S. 961(2002)217
- Chang, Y.L., Chou, M.H., Lin, M.F., Chen, C.F. and Tsai, T.H.
Determination and pharmacokinetic study of meropenem in rat bile using on-line microdialysis and liquid chromatography 961(2002)119
- Chen, C.F., see Chang, Y.L. 961(2002)119
- Chen, C.-F., see Tsai, T.-R. 961(2002)83
- Chen, Y.F., see Cheng, F.C. 961(2002)131
- Cheng, F.C., Tsai, T.R., Chen, Y.F., Hung, L.C. and Tsai, T.H.
Pharmacokinetic study of levofloxacin in rat blood and bile by microdialysis and high-performance liquid chromatography 961(2002)131
- Chetiyankornkul, T., Toriba, A., Kizu, R., Makino, T., Nakazawa, H. and Hayakawa, K.
Determination of 1-hydroxypyrene in human urine by high-performance liquid chromatography with fluorescence detection using a deuterated internal standard 961(2002)107
- Chou, M.H., see Chang, Y.L. 961(2002)119
- Danielsson, R., see Bylund, D. 961(2002)237
- DeBlois, C., see Houde, F. 961(2002)245
- Dolan, J.W., see Wilson, N.S. 961(2002)171
- Dolan, J.W., see Wilson, N.S. 961(2002)195
- Dolan, J.W., see Wilson, N.S. 961(2002)217
- Dreux, M., see Petritis, K. 961(2002)9
- Dulay, M.T., see Kato, M. 961(2002)45
- Elfakir, C., see Petritis, K. 961(2002)9
- Galceran, M.T., see Núñez, O. 961(2002)65
- Guiochon, G., see Miyabe, K. 961(2002)23
- Hayakawa, K., see Chetiyankornkul, T. 961(2002)107
- Hiraoka, A., Tominaga, I. and Hori, K.
One-step capillary isoelectric focusing of the proteins in cerebrospinal fluid and serum of patients with neurological disorders 961(2002)147
- Honma, S., see Mitamura, K. 961(2002)97
- Hori, K., see Hiraoka, A. 961(2002)147
- Hosoya, K., see Motokawa, M. 961(2002)53
- Houde, F., DeBlois, C. and Berryman, D.
Liquid chromatographic–tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245
- Hu, G.X., see Song, M.S. 961(2002)155
- Hung, L.C., see Cheng, F.C. 961(2002)131
- Ikegami, T., see Motokawa, M. 961(2002)53
- Ishizuka, N., see Motokawa, M. 961(2002)53
- Jinnai, H., see Motokawa, M. 961(2002)53
- Kakita, H., Kamishima, H., Komiya, K. and Kato, Y.
Simultaneous analysis of monosaccharides and oligosaccharides by high-performance liquid chromatography with postcolumn fluorescence derivatization 961(2002)77
- Kamishima, H., see Kakita, H. 961(2002)77
- Kamo, N., see Liu, X.-Y. 961(2002)113
- Kato, M., Sakai-Kato, K., Toyo'oka, T., Dulay, M.T., Quirino, J.P., Bennett, B.D. and Zare, R.N.
Effect of preparatory conditions on the performance of photopolymerized sol–gel monoliths for capillary electrochromatography 961(2002)45
- Kato, Y., see Kakita, H. 961(2002)77
- Kim, J.-B., see Núñez, O. 961(2002)65
- Kitahara, K.-i., see Masuda, T. 961(2002)89
- Kizu, R., see Chetiyankornkul, T. 961(2002)107
- Kobayashi, H., see Motokawa, M. 961(2002)53
- Koh, E., see Mitamura, K. 961(2002)97
- Komiya, K., see Kakita, H. 961(2002)77
- Li, X.Y., see Song, M.S. 961(2002)155
- Lin, M.F., see Chang, Y.L. 961(2002)119
- Liu, X.-Y., Nakamura, C., Yang, Q., Kamo, N. and Miyake, J.
Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113
- Liu, Z., Otsuka, K. and Terabe, S.
Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

- Makino, T., see Chetiyankornkul, T. 961(2002)107
- Malmquist, G., see Bylund, D. 961(2002)237
- Markides, K.E., see Bylund, D. 961(2002)237
- Masuda, T., Kitahara, K.-i., Aikawa, Y. and Arai, S. High-performance liquid chromatographic separation of carbohydrates on a stationary phase prepared from polystyrene-based resin and novel amines 961(2002)89
- Minakuchi, H., see Motokawa, M. 961(2002)53
- Mitamura, K., Nakagawa, T., Shimada, K., Namiki, M., Koh, E., Mizokami, A. and Honma, S. Identification of dehydroepiandrosterone metabolites formed from human prostate homogenate using liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry 961(2002)97
- Miyabe, K. and Guiochon, G. New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23
- Miyake, J., see Liu, X.-Y. 961(2002)113
- Mizokami, A., see Mitamura, K. 961(2002)97
- Motokawa, M., Kobayashi, H., Ishizuka, N., Minakuchi, H., Nakanishi, K., Jinnai, H., Hosoya, K., Ikegami, T. and Tanaka, N. Monolithic silica columns with various skeleton sizes and through-pore sizes for capillary liquid chromatography 961(2002)53
- Moyano, E., see Núñez, O. 961(2002)65
- Nakagawa, T., see Mitamura, K. 961(2002)97
- Nakamura, C., see Liu, X.-Y. 961(2002)113
- Nakanishi, K., see Motokawa, M. 961(2002)53
- Nakazawa, H., see Chetiyankornkul, T. 961(2002)107
- Namba, M., see Watarai, H. 961(2002)3
- Namiki, M., see Mitamura, K. 961(2002)97
- Nelson, M.D., see Wilson, N.S. 961(2002)171
- Nelson, M.D., see Wilson, N.S. 961(2002)195
- Núñez, O., Kim, J.-B., Moyano, E., Galceran, M.T. and Terabe, S. Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65
- Otsuka, K., see Liu, Z. 961(2002)285
- Petrakis, K., Elfakir, C. and Dreux, M. A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9
- Quirino, J.P., see Kato, M. 961(2002)45
- Sakai-Kato, K., see Kato, M. 961(2002)45
- Sander, L.C., see Wilson, N.S. 961(2002)217
- Schieffer, G.W. Comments on "Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection" [J. Chromatogr. A 914 (2001) 105-110] 961(2002)293
- Shimada, K., see Mitamura, K. 961(2002)97
- Snyder, L.R., see Wilson, N.S. 961(2002)171
- Snyder, L.R., see Wilson, N.S. 961(2002)195
- Snyder, L.R., see Wilson, N.S. 961(2002)217
- Soczewiński, E., see Tuzimski, T. 961(2002)277
- Song, M.S., Hu, G.X., Li, X.Yu. and Zhao, B. Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155
- Tanaka, N., see Motokawa, M. 961(2002)53
- Tárkányi, G. Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257
- Terabe, S., see Liu, Z. 961(2002)285
- Terabe, S., see Núñez, O. 961(2002)65
- Tominaga, I., see Hiraoka, A. 961(2002)147
- Toriba, A., see Chetiyankornkul, T. 961(2002)107
- Toyo'oka, T., see Kato, M. 961(2002)45
- Tsai, P.-L. and Tsai, T.-H. Simultaneous determination of berberine in rat blood, liver and bile using microdialysis coupled to high-performance liquid chromatography 961(2002)125
- Tsai, T.H., see Chang, Y.L. 961(2002)119
- Tsai, T.H., see Cheng, F.C. 961(2002)131
- Tsai, T.-H., see Tsai, P.-L. 961(2002)125
- Tsai, T.-H., see Tsai, T.-R. 961(2002)83
- Tsai, T.R., see Cheng, F.C. 961(2002)131
- Tsai, T.-R., Tseng, T.-Yu., Chen, C.-F. and Tsai, T.-H. Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83
- Tseng, T.-Yu., see Tsai, T.-R. 961(2002)83
- Tuzimski, T. and Soczewiński, E. Correlation of retention parameters of pesticides in normal- and reversed-phase systems and their utilization for the separation of a mixture of 14 triazines and urea herbicides by means of two-dimensional thin-layer chromatography 961(2002)277
- Watanabe, Y. Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137
- Watarai, H. and Namba, M. Capillary magnetophoresis of human blood cells and their magnetophoretic trapping in a flow system 961(2002)3
- Welsch, T., see Baeuml, F. 961(2002)35
- Wilson, N.S., Dolan, J.W., Snyder, L.R., Carr, P.W. and Sander, L.C. Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217
- Wilson, N.S., Nelson, M.D., Dolan, J.W., Snyder, L.R., Wolcott, R.G. and Carr, P.W. Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171

- Wilson, N.S., Nelson, M.D., Dolan, J.W., Snyder, L.R. and Carr,
P.W.
Column selectivity in reversed-phase liquid
chromatography. II. Effect of a change in conditions
961(2002)195
- Wolcott, R.G., see Wilson, N.S. 961(2002)171
Yang, Q., see Liu, X.-Y. 961(2002)113
Zare, R.N., see Kato, M. 961(2002)45
Zhao, B., see Song, M.S. 961(2002)155