



ELSEVIER

Journal of Chromatography A, 961 (2002) 299–304

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 961

Alkaloids

Simultaneous determination of berberine in rat blood, liver and bile using microdialysis coupled to high-performance liquid chromatography 961(2002)125

Alkylbenzenes

Effect of preparatory conditions on the performance of photopolymerized sol–gel monoliths for capillary electrochromatography 961(2002)45

Monolithic silica columns with various skeleton sizes and through-pore sizes for capillary liquid chromatography 961(2002)53

Alkyl-silica columns

Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171

Amino acids

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Androsterones

Identification of dehydroepiandrosterone metabolites formed from human prostate homogenate using liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry 961(2002)97

Anion exchangers

High-performance liquid chromatographic separation of carbohydrates on a stationary phase prepared from polystyrene-based resin and novel amines 961(2002)89

Antibiotics

Determination and pharmacokinetic study of meropenem in rat bile using on-line microdialysis and liquid chromatography 961(2002)119

Association constants

Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257

Berberine

Simultaneous determination of berberine in rat blood, liver and bile using microdialysis coupled to high-performance liquid chromatography 961(2002)125

Bisphosphonates

Comments on “Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection” [J. Chromatogr. A 914 (2001) 105–110] 961(2002)293

Buffer composition

Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35

Capillary column

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Capillary electrochromatography

Effect of preparatory conditions on the performance of photopolymerized sol–gel monoliths for capillary electrochromatography 961(2002)45

Carbapem antibiotics

Determination and pharmacokinetic study of meropenem in rat bile using on-line microdialysis and liquid chromatography 961(2002)119

Carbohydrates

High-performance liquid chromatographic separation of carbohydrates on a stationary phase prepared from polystyrene-based resin and novel amines 961(2002)89

Cation-selective exhaustive injection

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Chemiluminescent nitrogen detection

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Coated capillaries

Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35

Column selectivity

Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171

Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)171

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Concentration effects

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

Conductivity detection

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Cyclodextrins

Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257

Dehydroepiandrosterone

Identification of dehydroepiandrosterone metabolites formed from human prostate homogenate using liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry 961(2002)97

Detection, LC

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Difenzoquat

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Diffusion

New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23

Diquat

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Drug–membrane interactions

Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113

Drugs

Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113

Electrochromatography

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Enantiomer separation

Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257

Enantiomer separations

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Etched capillary

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Evaporative light scattering detection

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Extended light path capillary

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Flow fractionation

Capillary magnetophoresis of human blood cells and their magnetophoretic trapping in a flow system 961(2002)3

Fluoroquinones

Pharmacokinetic study of levofloxacin in rat blood and bile by microdialysis and high-performance liquid chromatography 961(2002)131

Gardenia fruit

Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83

Gardenia jasminoides

Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83

Geniposide

Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83

Glycosides

Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83

Gradient elution

Comments on "Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection" [J. Chromatogr. A 914 (2001) 105–110] 961(2002)293

Hydrodynamic volume

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

Hydrogen bonding

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Hydrophobic interaction

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Hydroxypyrene

Determination of 1-hydroxypyrene in human urine by high-performance liquid chromatography with fluorescence detection using a deuterated internal standard 961(2002)107

Immobilized liposome chromatography

Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113

Injection methods

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Ion-exchange interaction

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Ion-pairing reagents

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Iridoid glycosides

Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83

Isoelectric focusing

One-step capillary isoelectric focusing of the proteins in cerebrospinal fluid and serum of patients with neurological disorders 961(2002)147

Levofloxacin

Pharmacokinetic study of levofloxacin in rat blood and bile by microdialysis and high-performance liquid chromatography 961(2002)131

Light scattering

Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137

Liposomes

Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113

Liquid chromatography, reversed-phase

New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23

Magnetophoresis

Capillary magnetophoresis of human blood cells and their magnetophoretic trapping in a flow system 961(2002)3

Mass spectrometry

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Membrane protein

Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137

Meropenem

Determination and pharmacokinetic study of meropenem in rat bile using on-line microdialysis and liquid chromatography 961(2002)119

Microdialysis

Simultaneous determination of berberine in rat blood, liver and bile using microdialysis coupled to high-performance liquid chromatography 961(2002)125

Pharmacokinetic study of levofloxacin in rat blood and bile by microdialysis and high-performance liquid chromatography 961(2002)131

Mobile phase composition

New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23

Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)195

Molar mass determination

Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137

Molecular mass dependence

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

Monolithic columns

Effect of preparatory conditions on the performance of photopolymerized sol-gel monoliths for capillary electrochromatography 961(2002)45

Monolithic silica columns with various skeleton sizes and through-pore sizes for capillary liquid chromatography 961(2002)53

Monosaccharides

Simultaneous analysis of monosaccharides and oligosaccharides by high-performance liquid chromatography with postcolumn fluorescence derivatization 961(2002)77

Non-linear fitting

Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257

Nonylphenol carboxylic acids

Liquid chromatographic-tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245

Nonylphenol polyethoxylates

Liquid chromatographic-tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245

Norgestrel

Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257

Nuclear magnetic resonance

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Nuclear magnetic resonance spectrometry

Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257

Ofloxacin

Pharmacokinetic study of levofloxacin in rat blood and bile by microdialysis and high-performance liquid chromatography 961(2002)131

Oligosaccharides

Simultaneous analysis of monosaccharides and oligosaccharides by high-performance liquid chromatography with postcolumn fluorescence derivatization 961(2002)77

OmpF porin

Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137

Open tubular capillary electrochromatography

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Organophosphorus compounds

Comments on "Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection" [J. Chromatogr. A 914 (2001) 105-110] 961(2002)293

PARAFAC modelling

Chromatographic alignment by warping and dynamic programming as a pre-processing tool for PARAFAC modelling of liquid chromatography-mass spectrometry data 961(2002)237

Parallel factor analysis

Chromatographic alignment by warping and dynamic programming as a pre-processing tool for PARAFAC modelling of liquid chromatography-mass spectrometry data 961(2002)237

Paraquat

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Pesticides

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Correlation of retention parameters of pesticides in normal- and reversed-phase systems and their utilization for the separation of a mixture of 14 triazines and urea herbicides by means of two-dimensional thin-layer chromatography 961(2002)277

Pharmaceutical analysis

Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83

Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113

Phase ratio

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Physical adsorption

Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285

Polydisperse polymers

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

Polyimide coating

Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35

Polymers

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

Polynuclear aromatic hydrocarbons

Effect of preparatory conditions on the performance of photopolymerized sol–gel monoliths for capillary electrochromatography 961(2002)45

Determination of 1-hydroxypyrene in human urine by high-performance liquid chromatography with fluorescence detection using a deuterated internal standard 961(2002)107

Proteins

Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137

One-step capillary isoelectric focusing of the proteins in cerebrospinal fluid and serum of patients with neurological disorders 961(2002)147

Quaternary ammonium compounds

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Refolding

Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137

Refractive index detection

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Retention prediction

Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171

Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)195

Retention–mobile phase composition relationships

Correlation of retention parameters of pesticides in normal- and reversed-phase systems and their utilization for the separation of a mixture of 14 triazines and urea herbicides by means of two-dimensional thin-layer chromatography 961(2002)277

Saccharides

Simultaneous analysis of monosaccharides and oligosaccharides by high-performance liquid chromatography with postcolumn fluorescence derivatization 961(2002)77

Sample stacking

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Second virial coefficients

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

Selectivity

Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171

Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)195

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Shape selectivity

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Soluble parameters

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Sol-gel

Effect of preparatory conditions on the performance of photopolymerized sol-gel monoliths for capillary electrochromatography 961(2002)45

Stability studies

Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35

Stationary phase, LC

Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)195

Stationary phases, electrochromatography

Effect of preparatory conditions on the performance of photopolymerized sol-gel monoliths for capillary electrochromatography 961(2002)45

Stationary phases, LC

Monolithic silica columns with various skeleton sizes and through-pore sizes for capillary liquid chromatography 961(2002)53

High-performance liquid chromatographic separation of carbohydrates on a stationary phase prepared from polystyrene-based resin and novel amines 961(2002)89

Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Steric selectivity

Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217

Steroids

Identification of dehydroepiandrosterone metabolites formed from human prostate homogenate using liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry 961(2002)97

Surfactants

Liquid chromatographic-tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245

Surface diffusion

New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23

Sweeping

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Tandem mass spectrometry

Liquid chromatographic-tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245

Temperature effects

Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)195

Testosterones

Identification of dehydroepiandrosterone metabolites formed from human prostate homogenate using liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry 961(2002)97

Thermodynamic parameters

New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23

Thin-layer chromatography

Correlation of retention parameters of pesticides in normal- and reversed-phase systems and their utilization for the separation of a mixture of 14 triazines and urea herbicides by means of two-dimensional thin-layer chromatography 961(2002)277

Thiourea

Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35

Time warping algorithm

Chromatographic alignment by warping and dynamic programming as a pre-processing tool for PARAFAC modelling of liquid chromatography-mass spectrometry data 961(2002)237

Universal calibration

Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155

UV detection

A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9

Water analysis

Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65

Liquid chromatographic-tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245