



ELSEVIER

Journal of Chromatography A, 964 (2002) 257–262

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 964

Acetic acid

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Acidity

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base pK values in acetonitrile–water mobile phases 964(2002)55

Adsorbents

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Fluidisation and dispersion behaviour of small high density pellicular expanded bed adsorbents 964(2002)77

Adsorption

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Adsorption isotherms

Energetic heterogeneity of the surface of a molecularly imprinted polymer studied by high-performance liquid chromatography 964(2002)99

Air analysis

Continuous permeation of analytes through a thin poly(dimethylsiloxane) membrane followed by sorbent trapping for their gas chromatographic monitoring 964(2002)1

Albumin

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Alcohols

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Alkali metals

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Alkaline earth metals

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Alkanes

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Amines

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base pK values in acetonitrile–water mobile phases 964(2002)55

Amino acids

Use of capillary electrophoresis and laser-induced fluorescence for attomole detection of amino acids 964(2002)243

Atromentic acid

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Bacteria

Use of capillary electrophoresis and laser-induced fluorescence for attomole detection of amino acids 964(2002)243

Basic drugs

Characterisation of reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals by thermodynamic data 964(2002)67

Benzene

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Beta-blockers

Effect of the counter-anion type and concentration on the liquid chromatography retention of β -blockers 964(2002)179

Boletus permagnificus

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Buffer composition

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Calibration

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Capillary electrophoresis

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Carboxybenzoylquinolinecarboxaldehyde

Use of capillary electrophoresis and laser-induced fluorescence for attomole detection of amino acids 964(2002)243

Carboxylic acids

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base p*K* values in acetonitrile–water mobile phases 964(2002)55

Cellulose

Enthalpic interactions in size exclusion chromatography of pullulan and cellulose in LiCl–*N,N*-dimethylacetamide 964(2002)47

Centrifugal partition chromatography

Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123

Cheese

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Chiral stationary phases, LC

Energetic heterogeneity of the surface of a molecularly imprinted polymer studied by high-performance liquid chromatography 964(2002)99

Conductivity detection

Application of a contactless conductometric detector for the simultaneous determination of small anions and cations by capillary electrophoresis with dual-opposite end injection 964(2002)227

Contactless conductivity detection

Application of a contactless conductometric detector for the simultaneous determination of small anions and cations by capillary electrophoresis with dual-opposite end injection 964(2002)227

Dehydroepiandrosterone

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Derivatization, electrophoresis

Use of capillary electrophoresis and laser-induced fluorescence for attomole detection of amino acids 964(2002)243

Detection, electrophoresis

Application of a contactless conductometric detector for the simultaneous determination of small anions and cations by capillary electrophoresis with dual-opposite end injection 964(2002)227

Dielectric friction

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

***N,N*-Dimethyloctylamine**

Characterisation of reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals by thermodynamic data 964(2002)67

Dispersion

Fluidisation and dispersion behaviour of small high density pellicular expanded bed adsorbents 964(2002)77

Dissociation constants

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base p*K* values in acetonitrile–water mobile phases 964(2002)55

Electrostatic interactions

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Enantiomer separation

Determination of chiral sulfoxides in plasma by normal-phase liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 964(2002)161

Endocrine disruptors

Method based on solid-phase microextraction–high-performance liquid chromatography with UV and electrochemical detection to determine estrogenic compounds in water samples 964(2002)153

Enthalpic interactions

Enthalpic interactions in size exclusion chromatography of pullulan and cellulose in LiCl–*N,N*-dimethylacetamide 964(2002)47

Environmental analysis

Method based on solid-phase microextraction–high-performance liquid chromatography with UV and electrochemical detection to determine estrogenic compounds in water samples 964(2002)153

Ergosteroids

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Estrogenic compounds

Method based on solid-phase microextraction–high-performance liquid chromatography with UV and electrochemical detection to determine estrogenic compounds in water samples 964(2002)153

Ethanol

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Ethylbenzene

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Expanded bed adsorption

Fluidisation and dispersion behaviour of small high density pellicular expanded bed adsorbents 964(2002)77

Extraction methods

Continuous permeation of analytes through a thin poly(dimethylsiloxane) membrane followed by sorbent trapping for their gas chromatographic monitoring 964(2002)1

Flavonoids

Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123

Fluidized bed chromatography

Fluidisation and dispersion behaviour of small high density pellicular expanded bed adsorbents 964(2002)77

Food analysis

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Formic acid

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Fruits

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Hemoglobin

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Heptanes

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Hexafluoroisopropanol

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Hubbard–Onsager model

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Hydroxypulvinic acids

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Inorganic anions

Application of a contactless conductometric detector for the simultaneous determination of small anions and cations by capillary electrophoresis with dual-opposite end injection 964(2002)227

Inorganic cations

Application of a contactless conductometric detector for the simultaneous determination of small anions and cations by capillary electrophoresis with dual-opposite end injection 964(2002)227

Inverse gas chromatography

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Ionic strength

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Itaconic acid

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Kinetic studies

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Liquid crystalline polymers

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Liquid–solid fluidization

Fluidisation and dispersion behaviour of small high density pellicular expanded bed adsorbents 964(2002)77

Mathematical modelling

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Meat

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Membranes

Continuous permeation of analytes through a thin poly(dimethylsiloxane) membrane followed by sorbent trapping for their gas chromatographic monitoring 964(2002)1

Metal cations

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Microwave-assisted extraction

Dynamic microwave-assisted extraction coupled on-line with solid-phase extraction: determination of polycyclic aromatic hydrocarbons in sediment and soil 964(2002)11

Mobile phase composition

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base pK values in acetonitrile–water mobile phases 964(2002)55

Organic modifiers for the separation of organic acids and bases by liquid chromatography 964(2002)91

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Molecularly imprinted polymers

Energetic heterogeneity of the surface of a molecularly imprinted polymer studied by high-performance liquid chromatography 964(2002)99

Mycotoxins

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Nylon

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Organic acids

Organic modifiers for the separation of organic acids and bases by liquid chromatography 964(2002)91

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Organic bases

Organic modifiers for the separation of organic acids and bases by liquid chromatography 964(2002)91

Organochlorine pesticides

Determination of organochlorine pesticides in ground water using solid-phase microextraction followed by dual-column gas chromatography with electron-capture detection 964(2002)21

Organosulfur compounds

Determination of chiral sulfoxides in plasma by normal-phase liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 964(2002)161

Penicillium

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Pesticides

Determination of organochlorine pesticides in ground water using solid-phase microextraction followed by dual-column gas chromatography with electron-capture detection 964(2002)21

pH effects

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Pharmaceutical analysis

Effect of the counter-anion type and concentration on the liquid chromatography retention of β -blockers 964(2002)179

Phenols

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base pK values in acetonitrile–water mobile phases 964(2002)55

Pigments

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

PK_a

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base pK values in acetonitrile–water mobile phases 964(2002)55

Poly(ethylene oxide)

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Poly(ethylene terephthalate)

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Poly(methyl methacrylate)

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Polynuclear aromatic hydrocarbons

Dynamic microwave-assisted extraction coupled on-line with solid-phase extraction: determination of polycyclic aromatic hydrocarbons in sediment and soil 964(2002)11

Polyphenols

Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123

Poly(2-vinyl pyridine)

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Pore diffusivity

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Preparative chromatography

Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123

Propanol

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Proteins

Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35

Pullulan

Enthalpic interactions in size exclusion chromatography of pullulan and cellulose in LiCl–*N,N*-dimethylacetamide 964(2002)47

Pulvinic acids

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Pyrethroids

Determination of pyrethroid residues in tobacco and cigarette smoke by capillary gas chromatography 964(2002)205

Pyridines

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base p*K* values in acetonitrile–water mobile phases 964(2002)55

Retention behaviour

Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base p*K* values in acetonitrile–water mobile phases 964(2002)55

Selectivity

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Silver ions

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Size-exclusion chromatography

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Solid-phase extraction

Dynamic microwave-assisted extraction coupled on-line with solid-phase extraction: determination of polycyclic aromatic hydrocarbons in sediment and soil 964(2002)11

Solid-phase microextraction

Determination of organochlorine pesticides in ground water using solid-phase microextraction followed by dual-column gas chromatography with electron-capture detection 964(2002)21

Solubility

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Solvation

Effect of the counter-anion type and concentration on the liquid chromatography retention of β -blockers 964(2002)179

Stationary phases, LC

Characterisation of reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals by thermodynamic data 964(2002)67

Organic modifiers for the separation of organic acids and bases by liquid chromatography 964(2002)91

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Steroids

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Stilbenoids

Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123

Sulfonates

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Sulfoxides

Determination of chiral sulfoxides in plasma by normal-phase liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 964(2002)161

Surface homogeneity

Energetic heterogeneity of the surface of a molecularly imprinted polymer studied by high-performance liquid chromatography 964(2002)99

Temperature effects

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Tetraethyl-ammonium nitrate

Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169

Thermodynamic parameters

Characterisation of reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals by thermodynamic data 964(2002)67

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Tobacco smoke

Determination of pyrethroid residues in tobacco and cigarette smoke by capillary gas chromatography 964(2002)205

Toluene

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199

Transition metals

Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113

Trifluoroacetic acid

Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137

Variagatic acid

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Variagatorubin

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Vegetables

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Vitis vinifera

Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123

Volatile organic compounds

Continuous permeation of analytes through a thin poly(dimethylsiloxane) membrane followed by sorbent trapping for their gas chromatographic monitoring 964(2002)1

Water analysis

Determination of organochlorine pesticides in ground water using solid-phase microextraction followed by dual-column gas chromatography with electron-capture detection 964(2002)21

Method based on solid-phase microextraction–high-performance liquid chromatography with UV and electrochemical detection to determine estrogenic compounds in water samples 964(2002)153

Xerocomic acid

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Xerocomus parasiticus

Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129

Xylenes

Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199