



ELSEVIER

Journal of Chromatography A, 966 (2002) 255–259

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 966

Affinity electrophoresis

Capillary electrophoretic enzyme immunoassay with electrochemical detection for cortisol 966(2002)187

Affinity sorbents

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Alkanes

Contribution to the time balance in gas–liquid chromatography. New definition equations of the retention times and retention volumes 966(2002)145

Alkylphosphonic acids

Determination of alkylphosphonic acids using micellar electrokinetic chromatography with laser-induced fluorescence detection and high-salt stacking 966(2002)239

Amino acids

Simultaneous determination of amino acids and carbohydrates by anion-exchange chromatography with integrated pulsed amperometric detection 966(2002)89

Anthocyanins

Rapid characterization of anthocyanins in red raspberry fruit by high-performance liquid chromatography coupled to single quadrupole mass spectrometry 966(2002)63

Anthriscus sylvestris

Volatile components from *Anthriscus sylvestris* (L.) Hoffm 966(2002)233

Aroma compounds

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Arsenic

Simultaneous capillary electrophoretic separation and detection of P(V) and As(V) as heteropoly-blue complexes 966(2002)213

Binding constants

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Carbohydrates

Simultaneous determination of amino acids and carbohydrates by anion-exchange chromatography with integrated pulsed amperometric detection 966(2002)89

Chemical composition distribution

Gradient separation of polymers at critical point of adsorption 966(2002)25

Chiral stationary phase, LC

Chiral liquid chromatography separation and chiroptical properties of the enantiomers of dimethyl α -hydroxyfarnesylphosphonate, a precursor of a farnesyl protein transferase inhibitor 966(2002)221

Chiral stationary phases, LC

Screening approach for chiral separation of pharmaceuticals. Part II. Reversed-phase liquid chromatography 966(2002)119

Chlormequat

Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography–electrospray ionization tandem mass spectrometry 966(2002)15

Cinnamic esters

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Circular dichroism spectra

Chiral liquid chromatography separation and chiroptical properties of the enantiomers of dimethyl α -hydroxyfarnesylphosphonate, a precursor of a farnesyl protein transferase inhibitor 966(2002)221

Complexation

Simultaneous capillary electrophoretic separation and detection of P(V) and As(V) as heteropoly-blue complexes 966(2002)213

On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245

Copolymers

Gradient separation of polymers at critical point of adsorption 966(2002)25

Cortisol

Capillary electrophoretic enzyme immunoassay with electrochemical detection for cortisol 966(2002)187

Counter-current chromatography

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Critical point of adsorption

Gradient separation of polymers at critical point of adsorption 966(2002)25

D&C Yellow No. 10

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Derivatization, electrophoresis

Determination of alkylphosphonic acids using micellar electrokinetic chromatography with laser-induced fluorescence detection and high-salt stacking 966(2002)239

On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245

Diblock copolymer

Composition analysis of poly(ethylene glycol)-poly(L-lactide) diblock copolymer studied by two-dimensional column chromatography 966(2002)41

Dimethyl α -hydroxyfarnesylphosphonate

Chiral liquid chromatography separation and chiroptical properties of the enantiomers of dimethyl α -hydroxyfarnesylphosphonate, a precursor of a farnesyl protein transferase inhibitor 966(2002)221

DNA

Copolymer solutions as separation media for DNA capillary electrophoresis (Review) 966(2002)1

Effects of metal ions on concentration of DNA in high-conductivity media by capillary electrophoresis 966(2002)195

Dyes

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Electroosmotic flow

Effects of metal ions on concentration of DNA in high-conductivity media by capillary electrophoresis 966(2002)195

Enantiomer separation

Screening approach for chiral separation of pharmaceuticals. Part II. Reversed-phase liquid chromatography 966(2002)119

Enantiomeric separations using poly(L-valine) and poly(L-leucine) surfactants. Investigation of steric factors near the chiral center 966(2002)179

Chiral liquid chromatography separation and chiroptical properties of the enantiomers of dimethyl α -hydroxyfarnesylphosphonate, a precursor of a farnesyl protein transferase inhibitor 966(2002)221

Endocrine disrupters

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Estrogens

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Environmental analysis

Determination of nitrate in seawater by capillary zone electrophoresis with chloride-induced sample self-stacking 966(2002)205

On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245

Essential oils

Volatile components from *Anthriscus sylvestris* (L.) Hoffm 966(2002)233

Field-flow fractionation

Improved performance of gravitational field-flow fractionation for screening wine-making yeast varieties 966(2002)135

Flavours

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Fluorescence detection

High-performance liquid chromatographic separation of polycyclic aromatic hydrocarbons using pyridinium chloride as a selective fluorescence quencher to aid detection 966(2002)53

Food analysis

Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography-electrospray ionization tandem mass spectrometry 966(2002)15

Matrix-effects of vegetable commodities in electron-capture detection applied to pesticide multiresidue analysis 966(2002)155

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Single column approach for the liquid chromatographic separation of polar and non-polar glucosinolates from broccoli sprouts and seeds 966(2002)227

Fruits

Rapid characterization of anthocyanins in red raspberry fruit by high-performance liquid chromatography coupled to single quadrupole mass spectrometry 966(2002)63

Gas chromatography

Contribution to the time balance in gas-liquid chromatography. New definition equations of the retention times and retention volumes 966(2002)145

Glucosinolates

Single column approach for the liquid chromatographic separation of polar and non-polar glucosinolates from broccoli sprouts and seeds 966(2002)227

Gradient elution

Gradient separation of polymers at critical point of adsorption 966(2002)25

Gravitational field-flow fractionation

Improved performance of gravitational field-flow fractionation for screening wine-making yeast varieties 966(2002)135

Hydroxyphosphonates

Chiral liquid chromatography separation and chiroptical properties of the enantiomers of dimethyl α -hydroxyfarnesylphosphonate, a precursor of a farnesyl protein transferase inhibitor 966(2002)221

Immunoaffinity electrophoresis

Capillary electrophoretic enzyme immunoassay with electrochemical detection for cortisol 966(2002)187

Interfaces, LC-MS

Immobilized artificial membrane chromatography coupled with atmospheric pressure ionization mass spectrometry 966(2002)81

Inorganic anions

Determination of nitrate in seawater by capillary zone electrophoresis with chloride-induced sample self-stacking 966(2002)205

Simultaneous capillary electrophoretic separation and detection of P(V) and As(V) as heteropoly-blue complexes 966(2002)213

Membrane chromatography

Immobilized artificial membrane chromatography coupled with atmospheric pressure ionization mass spectrometry 966(2002)81

Mepiquat

Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography-electrospray ionization tandem mass spectrometry 966(2002)15

Metal cations

Effects of metal ions on concentration of DNA in high-conductivity media by capillary electrophoresis 966(2002)195

On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245

Monoterpenes

Volatile components from *Anthriscus sylvestris* (L.) Hoffm 966(2002)233

Nitrate

Determination of nitrate in seawater by capillary zone electrophoresis with chloride-induced sample self-stacking 966(2002)205

Nor-isoprenoid

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Oligonucleotides

Oligonucleotide trapping method for purification of transcription factors 966(2002)99

Organophosphorus compounds

Determination of alkylphosphonic acids using micellar electrokinetic chromatography with laser-induced fluorescence detection and high-salt stacking 966(2002)239

Organosulfur compounds

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Panacyl bromide

Determination of alkylphosphonic acids using micellar electrokinetic chromatography with laser-induced fluorescence detection and high-salt stacking 966(2002)239

Peptides

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Immobilized artificial membrane chromatography coupled with atmospheric pressure ionization mass spectrometry 966(2002)81

Pesticides

Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography–electrospray ionization tandem mass spectrometry 966(2002)15

Matrix-effects of vegetable commodities in electron-capture detection applied to pesticide multiresidue analysis 966(2002)155

Phase fluctuation chromatography

Composition analysis of poly(ethylene glycol)–poly(L-lactide) diblock copolymer studied by two-dimensional column chromatography 966(2002)41

Phenols

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Phosphorus

Simultaneous capillary electrophoretic separation and detection of P(V) and As(V) as heteropoly-blue complexes 966(2002)213

Phthalic acids

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Plant materials

Volatile components from *Anthriscus sylvestris* (L.) Hoffm 966(2002)233

Poly(ethylene glycol)

Composition analysis of poly(ethylene glycol)–poly(L-lactide) diblock copolymer studied by two-dimensional column chromatography 966(2002)41

Poly(ethylene oxide)

Effects of metal ions on concentration of DNA in high-conductivity media by capillary electrophoresis 966(2002)195

Polymeric separation media

Copolymer solutions as separation media for DNA capillary electrophoresis (Review) 966(2002)1

Polymers

Copolymer solutions as separation media for DNA capillary electrophoresis (Review) 966(2002)1

Gradient separation of polymers at critical point of adsorption 966(2002)25

Polynuclear aromatic hydrocarbons

High-performance liquid chromatographic separation of polycyclic aromatic hydrocarbons using pyridinium chloride as a selective fluorescence quencher to aid detection 966(2002)53

Poly(L-lactide)

Composition analysis of poly(ethylene glycol)–poly(L-lactide) diblock copolymer studied by two-dimensional column chromatography 966(2002)41

Poly(L-leucine)

Enantiomeric separations using poly(L-valine) and poly(L-leucine) surfactants. Investigation of steric factors near the chiral center 966(2002)179

Poly(L-valine)

Enantiomeric separations using poly(L-valine) and poly(L-leucine) surfactants. Investigation of steric factors near the chiral center 966(2002)179

Polysaccharide stationary phases

Screening approach for chiral separation of pharmaceuticals. Part II. Reversed-phase liquid chromatography 966(2002)119

Preparative chromatography

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Pyridinedicarboxylic acid

On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245

Pyridinium chloride

High-performance liquid chromatographic separation of polycyclic aromatic hydrocarbons using pyridinium chloride as a selective fluorescence quencher to aid detection 966(2002)53

Retention times

Contribution to the time balance in gas–liquid chromatography. New definition equations of the retention times and retention volumes 966(2002)145

Retention volumes

Contribution to the time balance in gas–liquid chromatography. New definition equations of the retention times and retention volumes 966(2002)145

Reviews

Copolymer solutions as separation media for DNA capillary electrophoresis (Review) 966(2002)1

Saccharomyces cerevisiae

Improved performance of gravitational field-flow fractionation for screening wine-making yeast varieties 966(2002)135

Sample stacking

Determination of nitrate in seawater by capillary zone electrophoresis with chloride-induced sample self-stacking 966(2002)205

Determination of alkylphosphonic acids using micellar electrokinetic chromatography with laser-induced fluorescence detection and high-salt stacking 966(2002)239

Screening

Screening approach for chiral separation of pharmaceuticals. Part II. Reversed-phase liquid chromatography 966(2002)119

Size distribution analysis

Improved performance of gravitational field-flow fractionation for screening wine-making yeast varieties 966(2002)135

Solid-phase extraction

Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography–electrospray ionization tandem mass spectrometry 966(2002)15

Steric factors

Enantiomeric separations using poly(L-valine) and poly(L-leucine) surfactants. Investigation of steric factors near the chiral center 966(2002)179

Steroids

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Capillary electrophoretic enzyme immunoassay with electrochemical detection for cortisol 966(2002)187

Sulfophthalic acids

Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111

Surfactants

Enantiomeric separations using poly(L-valine) and poly(L-leucine) surfactants. Investigation of steric factors near the chiral center 966(2002)179

Terpenes

Volatile components from *Anthriscus sylvestris* (L.) Hoffm 966(2002)233

Terpenol

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Vanillin

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167

Vegetables

Matrix-effects of vegetable commodities in electron-capture detection applied to pesticide multiresidue analysis 966(2002)155

Volatile organic compounds

Volatile components from *Anthriscus sylvestris* (L.) Hoffm 966(2002)233

Water analysis

Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71

Determination of nitrate in seawater by capillary zone electrophoresis with chloride-induced sample self-stacking 966(2002)205

On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245

Wine

Improved performance of gravitational field-flow fractionation for screening wine-making yeast varieties 966(2002)135

Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167