



ELSEVIER

Journal of Chromatography A, 969 (2002) 331–337

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 969

Acid–base equilibria

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Acid–base interactions

Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Characterisation of the chromatographic properties of a silica–polypyrrole composite stationary phase by inverse liquid chromatography 969(2002)167

Acid–base properties

Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59

Activity coefficients

Applications of inverse gas chromatography in the study of liquid crystalline stationary phases 969(2002)193

Adsorption

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

Acid–base and surface energy characterization of grafted polyethylene using inverse gas chromatography 969(2002)73

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Surface energy characteristics of toner particles by automated inverse gas chromatography 969(2002)215

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273

Determination of surface heterogeneity profiles on graphite by finite concentration inverse gas chromatography 969(2002)323

Adsorption isotherms

Use of inverse gas chromatography to determine thermodynamic parameters of aroma–starch interactions 969(2002)9

Experimental adsorption isotherms based on inverse gas chromatography 969(2002)81

Determination of dependencies between the specific retention volumes and the parameters characterising adsorbent properties 969(2002)87

Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103

Adsorption, water

Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59

Alumina

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Alkanes

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Aroma compounds

Use of inverse gas chromatography to determine thermodynamic parameters of aroma–starch interactions 969(2002)9

Asphaltenes

Characterization of crude oils by inverse gas chromatography 969(2002)207

Automation

Surface energy characteristics of toner particles by automated inverse gas chromatography 969(2002)215

Benzene

Experimental adsorption isotherms based on inverse gas chromatography 969(2002)81

Bisphenol A polycarbonate

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Calcium oxide

Physicochemical measurements by the reversed-flow version of inverse gas chromatography 969(2002)3

Carbon fibres

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Carbon tetrachloride

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Cellulose

Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103

Cement paste

Characterisation of cement pastes by inverse gas chromatography 969(2002)261

Chloroform

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Cobalt aluminate

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Dichloroethane

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Diffusion

Physicochemical measurements by the reversed-flow version of inverse gas chromatography 969(2002)3

Dubinin–Radushkevich equation

Determination of dependencies between the specific retention volumes and the parameters characterising adsorbent properties 969(2002)87

Dynamic contact angle

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17

Energy heterogeneity

Determination of surface heterogeneity profiles on graphite by finite concentration inverse gas chromatography 969(2002)323

Epoxy resin

Characterisation of cement pastes by inverse gas chromatography 969(2002)261

Ethane

Physicochemical measurements by the reversed-flow version of inverse gas chromatography 969(2002)3

Flory–Huggins parameter

Polymer–solvent interaction parameters in polymer solutions at high polymer concentrations 969(2002)245

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Fragrances

Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103

Glass fibers

Surface heterogeneity and surface area from linear inverse gas chromatography. Application to glass fibers 969(2002)153

Graphite

Determination of surface heterogeneity profiles on graphite by finite concentration inverse gas chromatography 969(2002)323

Halogenated compounds

Ketoimino groups as silica surface modifiers 969(2002)133

Hydrocarbons

Ketoimino groups as silica surface modifiers 969(2002)133

Inks

Monitoring and characterization of ink vehicle autoxidation by inverse gas chromatography 969(2002)313

Inverse gas chromatography

Use of inverse gas chromatography to determine thermodynamic parameters of aroma–starch interactions 969(2002)9

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

The application of molecular modelling to the interpretation of inverse gas chromatography data 969(2002)49

Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59

Acid–base and surface energy characterization of grafted polyethylene using inverse gas chromatography 969(2002)73

Experimental adsorption isotherms based on inverse gas chromatography 969(2002)81

Coupling of inverse gas chromatography at infinite dilution (IGC-ID) with a controlled modification of a solid surface 969(2002)93

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103

Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Influence of poly(methyl methacrylate) impregnation ratio on the surface properties of fumed silica and on the glassy temperature of poly(methyl methacrylate) using inverse gas chromatographic analysis 969(2002)143

Surface heterogeneity and surface area from linear inverse gas chromatography. Application to glass fibers 969(2002)153

Inverse gas chromatography and other chromatographic techniques in the examination of engine oils 969(2002)181

Characterization of crude oils by inverse gas chromatography 969(2002)207

Surface energy characteristics of toner particles by automated inverse gas chromatography 969(2002)215

Surface and thermodynamic characterization of conducting polymers by inverse gas chromatography. I. Polyaniline 969(2002)229

Polymer–solvent interaction parameters in polymer solutions at high polymer concentrations 969(2002)245

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273

Study of the miscibility of poly(styrene–co-4-vinylbenzoic acid) with poly(ethyl methacrylate) or with poly[ethyl methacrylate–co-(2-*N,N*-dimethylaminoethyl) methacrylate] by inverse gas chromatography 969(2002)287

Inverse gas chromatography study on partially esterified paper fiber 969(2002)301

Monitoring and characterization of ink vehicle autoxidation by inverse gas chromatography 969(2002)313

Determination of surface heterogeneity profiles on graphite by finite concentration inverse gas chromatography 969(2002)323

Inverse gas chromatography (IGC)

Characterisation of cement pastes by inverse gas chromatography 969(2002)261

Ketoimines

Ketoimino groups as silica surface modifiers 969(2002)133

Linear solvation energy relationship

Characterization of crude oils by inverse gas chromatography 969(2002)207

Lipids

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Lipophilicity

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Liquid crystalline polymers

Applications of inverse gas chromatography in the study of liquid crystalline stationary phases 969(2002)193

Liquid crystalline stationary phases

Applications of inverse gas chromatography in the study of liquid crystalline stationary phases 969(2002)193

Mass spectrometry

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273

Mathematical modelling

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Characterisation of the chromatographic properties of a silica–polypyrrole composite stationary phase by inverse liquid chromatography 969(2002)167

Metal complexes

Ketoimino groups as silica surface modifiers 969(2002)133

Metal oxides

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Experimental adsorption isotherms based on inverse gas chromatography 969(2002)81

Molecular descriptors

Characterization of crude oils by inverse gas chromatography 969(2002)207

Molecular modelling

The application of molecular modelling to the interpretation of inverse gas chromatography data 969(2002)49

Nonlinear chromatography

Determination of dependencies between the specific retention volumes and the parameters characterising adsorbent properties 969(2002)87

Oils

Inverse gas chromatography and other chromatographic techniques in the examination of engine oils 969(2002)181

Characterization of crude oils by inverse gas chromatography 969(2002)207

Oxidation

Monitoring and characterization of ink vehicle autoxidation by inverse gas chromatography 969(2002)313

Oxides

Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59

Paper fibre

Inverse gas chromatography study on partially esterified paper fiber 969(2002)301

Paper recycling

Monitoring and characterization of ink vehicle autoxidation by inverse gas chromatography 969(2002)313

Phospholipids

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Pigments

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Polyaniline

Surface and thermodynamic characterization of conducting polymers by inverse gas chromatography. I. Polyaniline 969(2002)229

Poly(butylene terephthalate)

Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Polyethylene

Acid–base and surface energy characterization of grafted polyethylene using inverse gas chromatography 969(2002)73

Polyglycerol polyricinoleate

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Polymer

Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119

Polymers

Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111

Surface and thermodynamic characterization of conducting polymers by inverse gas chromatography. I. Polyaniline 969(2002)229

Polymer–solvent interaction parameters in polymer solutions at high polymer concentrations 969(2002)245

Study of the miscibility of poly(styrene–co-4-vinylbenzoic acid) with poly(ethyl methacrylate) or with poly[ethyl methacrylate–co-(2-*N,N*-dimethylaminoethyl) methacrylate] by inverse gas chromatography 969(2002)287

Polymer–filler interactions

Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255

Poly(methyl methacrylate)

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Influence of poly(methyl methacrylate) impregnation ratio on the surface properties of fumed silica and on the glassy temperature of poly(methyl methacrylate) using inverse gas chromatographic analysis 969(2002)143

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273

Polymer–solvent interactions

Polymer–solvent interaction parameters in polymer solutions at high polymer concentrations 969(2002)245

Polynuclear aromatic hydrocarbons

Characterisation of the chromatographic properties of a silica–polypyrrole composite stationary phase by inverse liquid chromatography 969(2002)167

Polypyrrole

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273

Poly(vinyl chloride)

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273

Propanol

Physicochemical measurements by the reversed-flow version of inverse gas chromatography 969(2002)3

Relative humidity

The application of molecular modelling to the interpretation of inverse gas chromatography data 969(2002)49

Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103

Retention volumes

Determination of dependencies between the specific retention volumes and the parameters characterising adsorbent properties 969(2002)87

Reversed-flow gas chromatography

Physicochemical measurements by the reversed-flow version of inverse gas chromatography 969(2002)3

Silica

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Influence of poly(methyl methacrylate) impregnation ratio on the surface properties of fumed silica and on the glassy temperature of poly(methyl methacrylate) using inverse gas chromatographic analysis 969(2002)143

Silica–polypyrrole stationary phase

Characterisation of the chromatographic properties of a silica–polypyrrole composite stationary phase by inverse liquid chromatography 969(2002)167

Solubility parameter

Characterization of crude oils by inverse gas chromatography 969(2002)207

Starch

Use of inverse gas chromatography to determine thermodynamic parameters of aroma–starch interactions 969(2002)9

Stationary phases, GC

Ketoimino groups as silica surface modifiers 969(2002)133

Applications of inverse gas chromatography in the study of liquid crystalline stationary phases 969(2002)193

Stationary phases, LC

Characterisation of the chromatographic properties of a silica–polypyrrole composite stationary phase by inverse liquid chromatography 969(2002)167

Steric hindrance

Coupling of inverse gas chromatography at infinite dilution (IGC-ID) with a controlled modification of a solid surface 969(2002)93

Sucrose

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Surface area

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17

Surface characteristics

Acid–base and surface energy characterization of grafted polyethylene using inverse gas chromatography 969(2002)73

Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111

Influence of poly(methyl methacrylate) impregnation ratio on the surface properties of fumed silica and on the glassy temperature of poly(methyl methacrylate) using inverse gas chromatographic analysis 969(2002)143

Surface heterogeneity and surface area from linear inverse gas chromatography. Application to glass fibers 969(2002)153

Surface and thermodynamic characterization of conducting polymers by inverse gas chromatography. I. Polyaniline 969(2002)229

Determination of surface heterogeneity profiles on graphite by finite concentration inverse gas chromatography 969(2002)323

Surface energy

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17

Surface energy characteristics of toner particles by automated inverse gas chromatography 969(2002)215

Surface free energy

The application of molecular modelling to the interpretation of inverse gas chromatography data 969(2002)49

Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59

Surface properties

Coupling of inverse gas chromatography at infinite dilution (IGC-ID) with a controlled modification of a solid surface 969(2002)93

Tacticity

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

Talc

Coupling of inverse gas chromatography at infinite dilution (IGC-ID) with a controlled modification of a solid surface 969(2002)93

Thermodynamic parameters

Use of inverse gas chromatography to determine thermodynamic parameters of aroma–starch interactions 969(2002)9

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37

Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59

Acid–base and surface energy characterization of grafted polyethylene using inverse gas chromatography 969(2002)73

Determination of dependencies between the specific retention volumes and the parameters characterising adsorbent properties 969(2002)87

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103

Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111

Influence of poly(methyl methacrylate) impregnation ratio on the surface properties of fumed silica and on the glassy temperature of poly(methyl methacrylate) using inverse gas chromatographic analysis 969(2002)143

Surface heterogeneity and surface area from linear inverse gas chromatography. Application to glass fibers 969(2002)153

Surface and thermodynamic characterization of conducting polymers by inverse gas chromatography. I. Polyaniline 969(2002)229

Study of the miscibility of poly(styrene-co-4-vinylbenzoic acid) with poly(ethyl methacrylate) or with poly[ethyl methacrylate-co-(2-*N,N*-dimethylaminoethyl) methacrylate] by inverse gas chromatography 969(2002)287

Toluene

Experimental adsorption isotherms based on inverse gas chromatography 969(2002)81

Toner particles

Surface energy characteristics of toner particles by automated inverse gas chromatography 969(2002)215

Transition temperatures

New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27

Triethylene tetramine hardener

Characterisation of cement pastes by inverse gas chromatography 969(2002)261

Vegetable oils

Monitoring and characterization of ink vehicle autoxidation by inverse gas chromatography 969(2002)313

X-ray photoelectron spectroscopy

Characterisation of cement pastes by inverse gas chromatography 969(2002)261

Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273