



ELSEVIER

Journal of Chromatography A, 971 (2002) 269–274

JOURNAL OF  
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

## Subject Index Vol. 971

### Adsorption

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

### Affinity partitioning

Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117

### Affinity sorbents

Cyanogen bromide activation and coupling of ligands to diol-containing silica for high-performance affinity chromatography. Optimization of conditions 971(2002)95

### Alkenylpyridines

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

### Alkylphenolic compounds

Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37

### Alkylpyridines

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

### Amino acids, Dns derivatives

Miniaturization of batch- and flow-type chemiluminescence detectors in capillary electrophoresis 971(2002)255

### Aminosalicyclic acid

Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159

### Anion-exchangers

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

### Antihistaminic compounds

Control of electroosmotic flow in zirconia-coated capillaries 971(2002)199

### Aqueous two-phase systems

Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117

### Ascorbic acid

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

### Avidin

Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117

### Azimilide

Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159

### Benzene

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173

### Biotin

Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117

### Bis(2-chloroethyl) sulfide

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185

### Chelation

Determination of transition metal ions in tobacco as their 2-(2-quinolinyloxy)-5-dimethylaminophenol derivatives using reversed-phase liquid chromatography with UV–VIS detection 971(2002)243

**Chemiluminescence detection**

Miniaturization of batch- and flow-type chemiluminescence detectors in capillary electrophoresis 971(2002)255

**Coated capillaries**

Control of electroosmotic flow in zirconia-coated capillaries 971(2002)199

**Column-switching**

Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37

**Continuous bed**

Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography 971(2002)225

**Counter-current chromatography**

Separation of salidroside from *Rhodiola crenulata* by high-speed counter-current chromatography 971(2002)237

**Cyanogen bromide**

Cyanogen bromide activation and coupling of ligands to diol-containing silica for high-performance affinity chromatography. Optimization of conditions 971(2002)95

**Cyclodextrins**

Enantioseparation of phenothiazines in cyclodextrin-modified micellar electrokinetic chromatography 971(2002)261

**Cysteine**

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

**Detection, CE**

Laser-based non-fluorescence detection techniques for liquid separation systems (Review) 971(2002)1

**Detection, electrophoresis**

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

Miniaturization of batch- and flow-type chemiluminescence detectors in capillary electrophoresis 971(2002)255

**Detection, LC**

Laser-based non-fluorescence detection techniques for liquid separation systems (Review) 971(2002)1

**Digitoxin**

Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159

**Digoxin**

Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159

**DNA**

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

**Electrochemical detection**

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

**Electrochromatography**

Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography 971(2002)225

**Electrodes**

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

**Electroosmotic flow**

Control of electroosmotic flow in zirconia-coated capillaries 971(2002)199

Characterizing electroosmotic flow in microfluidic devices 971(2002)249

**Electrophoretic mobility**

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

**Enantiomer separation**

Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography 971(2002)225

Enantioseparation of phenothiazines in cyclodextrin-modified micellar electrokinetic chromatography 971(2002)261

**Endocrine disruptors**

Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37

**Estrogens**

Simple chamber for temperature-controlled planar chromatography 971(2002)193

**Ethylbenzene**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173

**Environmental analysis**

Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37

**Evaporative light scattering detection**

Determining the vinyl alcohol distribution in poly(vinyl butyral) using normal-phase gradient polymer elution chromatography 971(2002)151

**Expanded bed adsorption**

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

**Fluidised bed chromatography**

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

**Glutathione**

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

**Gradient polymer elution chromatography**

Determining the vinyl alcohol distribution in poly(vinyl butyral) using normal-phase gradient polymer elution chromatography 971(2002)151

**Headspace analysis**

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185

**Hydrocarbons**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173

**Hydrophobic interaction chromatography**

Separation of proteins by hydrophobic interaction chromatography at low salt concentration 971(2002)143

**Instrumentation**

Simple chamber for temperature-controlled planar chromatography 971(2002)193

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

Miniaturization of batch- and flow-type chemiluminescence detectors in capillary electrophoresis 971(2002)255

**Interleukins**

Isolation and characterization of modified species of a mutated (Cys<sup>125</sup>–Ala) recombinant human interleukin-2 971(2002)129

**Laser-based non-fluorescence detection**

Laser-based non-fluorescence detection techniques for liquid separation systems (Review) 971(2002)1

**Liposomes**

Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117

**Liquid chromatography**

New equations describing the combined effect of pH and organic modifier concentration on the retention in reversed-phase liquid chromatography 971(2002)47

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Liquid crystals**

Synthesis, characterization and liquid chromatographic behaviours of a new chemically bonded liquid crystal 971(2002)87

**Mass transfer**

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. IV. Effects of protein size on adsorption capacity and rate 971(2002)105

**Membranes**

Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117

**Metal chelates**

Determination of transition metal ions in tobacco as their 2-(2-quinolinyloxy)-5-dimethylaminophenol derivatives using reversed-phase liquid chromatography with UV–VIS detection 971(2002)243

**Microfluidics**

Characterizing electroosmotic flow in microfluidic devices 971(2002)249

**Mobile phase composition**

New equations describing the combined effect of pH and organic modifier concentration on the retention in reversed-phase liquid chromatography 971(2002)47

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Molecular descriptors**

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

**Neural networks, artificial**

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

**Oils**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173

**Organosulfur compounds**

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185

**Peak purity**

Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159

**Peptides**

Isolation and characterization of modified species of a mutated (Cys<sup>125</sup>–Ala) recombinant human interleukin-2 971(2002)129

**pH effects**

New equations describing the combined effect of pH and organic modifier concentration on the retention in reversed-phase liquid chromatography 971(2002)47

**Pharmaceutical analysis**

Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159

Enantioseparation of phenothiazines in cyclodextrin-modified micellar electrokinetic chromatography 971(2002)261

**Phenothiazines**

Enantioseparation of phenothiazines in cyclodextrin-modified micellar electrokinetic chromatography 971(2002)261

**Planarity selectivity**

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Polyaromatic hydrocarbons**

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Polymeric gels**

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. IV. Effects of protein size on adsorption capacity and rate 971(2002)105

**Polynuclear aromatic hydrocarbons**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173

**Poly(vinyl butyral)**

Determining the vinyl alcohol distribution in poly(vinyl butyral) using normal-phase gradient polymer elution chromatography 971(2002)151

**Proteins**

Cyanogen bromide activation and coupling of ligands to diol-containing silica for high-performance affinity chromatography. Optimization of conditions 971(2002)95

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. IV. Effects of protein size on adsorption capacity and rate 971(2002)105

Separation of proteins by hydrophobic interaction chromatography at low salt concentration 971(2002)143

**Pyridines**

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

**Quinolinylazodimethylaminophenol**

Determination of transition metal ions in tobacco as their 2-(2-quinolinylazo)-5-dimethylaminophenol derivatives using reversed-phase liquid chromatography with UV–VIS detection 971(2002)243

**Regression analysis**

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

**Response surface modelling**

New equations describing the combined effect of pH and organic modifier concentration on the retention in reversed-phase liquid chromatography 971(2002)47

**Restricted access material**

Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37

**Retention factor**

New equations describing the combined effect of pH and organic modifier concentration on the retention in reversed-phase liquid chromatography 971(2002)47

**Reviews**

Laser-based non-fluorescence detection techniques for liquid separation systems (Review) 971(2002)1

***Rhodiola crenulata***

Separation of salidroside from *Rhodiola crenulata* by high-speed counter-current chromatography 971(2002)237

**Rotaxanes**

Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography 971(2002)225

**Salidroside**

Separation of salidroside from *Rhodiola crenulata* by high-speed counter-current chromatography 971(2002)237

**Selectivity**

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Shape selectivity**

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Silica, diol-**

Cyanogen bromide activation and coupling of ligands to diol-containing silica for high-performance affinity chromatography. Optimization of conditions 971(2002)95

**Soil**

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185

**Solid phase microextraction**

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185

**Sol–gel**

Control of electroosmotic flow in zirconia-coated capillaries 971(2002)199

**Stationary phases, electrochromatography**

Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography 971(2002)225

**Stationary phases, LC**

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

Synthesis, characterization and liquid chromatographic behaviours of a new chemically bonded liquid crystal 971(2002)87

Protein adsorption on novel acrylamido-based polymeric ion-exchangers. IV. Effects of protein size on adsorption capacity and rate 971(2002)105

**Steroids**

Simple chamber for temperature-controlled planar chromatography 971(2002)193

**Steroid sex hormones**

Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37

**Structure–activity relationships**

Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207

**Sulfur mustard**

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185

**Supercritical fluid chromatography**

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

**Support design**

DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73

**Temperature effects**

Simple chamber for temperature-controlled planar chromatography 971(2002)193

**Tobacco**

Determination of transition metal ions in tobacco as their 2-(2-quinolinylazo)-5-dimethylaminophenol derivatives using reversed-phase liquid chromatography with UV–VIS detection 971(2002)243

**Toluene**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173

**Transition temperatures**

Synthesis, characterization and liquid chromatographic behaviours of a new chemically bonded liquid crystal 971(2002)87

**Transition metals**

Determination of transition metal ions in tobacco as their 2-(2-quinolinylazo)-5-dimethylaminophenol derivatives using reversed-phase liquid chromatography with UV–VIS detection 971(2002)243

**Uric acid**

Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217

**Vinyl alcohol distribution**

Determining the vinyl alcohol distribution in poly(vinyl butyral) using normal-phase gradient polymer elution chromatography 971(2002)151

**Warfare agents**

Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil  
971(2002)185

**Water analysis**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques  
971(2002)173

**Xylenes**

Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques  
971(2002)173

**Zirconia**

Control of electroosmotic flow in zirconia-coated capillaries  
971(2002)199