



ELSEVIER

Journal of Chromatography A, 973 (2002) 251–255

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 973

Aconitine

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

β -Adrenergic agonists

Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography 973(2002)85

β -Adrenergic blockers

Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography 973(2002)85

Aldehydes

Temperature dependence of Kováts indices in gas chromatography revisited 973(2002)135

Alkaloids

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

Aminofluorescein

Analysis of aminofluorescein–fatty acid derivatives by capillary electrophoresis with laser-induced fluorescence detection at the attomole level: application to mycobacterial fatty acids 973(2002)203

Ampelopsis grossedentata

Purification of (+)-dihydromyricetin from leaves extract of *Ampelopsis grossedentata* using high-speed countercurrent chromatography with scale-up triple columns 973(2002)217

Antioxidants

Cation-exchange micropreparative separation of galloylated and non-galloylated sulphur conjugated catechins 973(2002)229

Atropisomerism

Chromatographic enrichment and enantiomer separation of axially chiral polybrominated biphenyls in a technical mixture 973(2002)123

Bacillus thuringiensis

Determination of poly- β -hydroxybutyric acid in *Bacillus thuringiensis* by capillary zone electrophoresis with indirect ultraviolet absorbance detection 973(2002)197

Bromide

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Brucine

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

Calibration approaches

Alternative calibration approaches to compensate the effect of co-extracted matrix components in liquid chromatography–electrospray ionisation tandem mass spectrometry analysis of pesticide residues in plant materials 973(2002)13

Carbamates

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Catechins

Cation-exchange micropreparative separation of galloylated and non-galloylated sulphur conjugated catechins 973(2002)229

Cation exchange, off-line

Zwitterionic ion chromatography using a dynamically coated column and mobile phase recycling 973(2002)103

Ceramides

Structure–retention diagrams of ceramides established for their identification 973(2002)69

Cetyltrimethylammonium bromide

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Chiral stationary phases, LC

Separation of planar chiral ferrocene derivatives on β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 973(2002)115

Chloride

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Cholesterol

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Coal

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Counter-current chromatography

Modelling counter-current chromatography: a chemical engineering perspective 973(2002)39

Purification of (+)-dihydromyricetin from leaves extract of *Ampelopsis grossedentata* using high-speed countercurrent chromatograph with scale-up triple columns 973(2002)217

Cyclodextrins

Chromatographic enrichment and enantiomer separation of axially chiral polybrominated biphenyls in a technical mixture 973(2002)123

Comparing cyclodextrin derivatives as chiral selectors for enantiomeric separation in capillary electrophoresis 973(2002)187

Derivatization, CE

Analysis of aminofluorescein–fatty acid derivatives by capillary electrophoresis with laser-induced fluorescence detection at the attomole level: application to mycobacterial fatty acids 973(2002)203

Detection, TLC

Flame photometric detector for thin-layer chromatography 973(2002)151

Dibenzothiophene

Flame photometric detector for thin-layer chromatography 973(2002)151

Dihydromyricetin

Purification of (+)-dihydromyricetin from leaves extract of *Ampelopsis grossedentata* using high-speed countercurrent chromatograph with scale-up triple columns 973(2002)217

Doxorubicin

Investigations into the chromatographic behavior of a doxorubicin–peptide conjugate 973(2002)27

Echo-peak calibration technique

Alternative calibration approaches to compensate the effect of co-extracted matrix components in liquid chromatography–electrospray ionisation tandem mass spectrometry analysis of pesticide residues in plant materials 973(2002)13

Electrochromatography

Ability of porous graphitic carbon to support electroosmotic flow in capillary electrochromatography 973(2002)177

Electrokinetic chromatography

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Electroosmotic flow

Ability of porous graphitic carbon to support electroosmotic flow in capillary electrochromatography 973(2002)177

Eluotropic strength

Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon 973(2002)61

Enantiomer separation

Chromatographic enrichment and enantiomer separation of axially chiral polybrominated biphenyls in a technical mixture 973(2002)123

Comparing cyclodextrin derivatives as chiral selectors for enantiomeric separation in capillary electrophoresis 973(2002)187

Enthalpy of interaction

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Enthalpy of solution

Temperature dependence of Kováts indices in gas chromatography revisited 973(2002)135

Environmental analysis

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Fatty acids, mycobacterial

Analysis of aminofluorescein–fatty acid derivatives by capillary electrophoresis with laser-induced fluorescence detection at the attomole level: application to mycobacterial fatty acids 973(2002)203

Firemaster BP-6

Chromatographic enrichment and enantiomer separation of axially chiral polybrominated biphenyls in a technical mixture 973(2002)123

Flame ionization detection

Flame photometric detector for thin-layer chromatography 973(2002)151

Flame photometric detection

Flame photometric detector for thin-layer chromatography 973(2002)151

Flavan-3-ols

Cation-exchange micropreparative separation of galloylated and non-galloylated sulphur conjugated catechins 973(2002)229

Fluoride

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Forensic analysis

Detection of multiple anions by thin-layer chromatography 973(2002)159

Herbal medicines

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

Hydrocarbons

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Hypaconitine

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

Inorganic anions

Zwitterionic ion chromatography using a dynamically coated column and mobile phase recycling 973(2002)103

Detection of multiple anions by thin-layer chromatography 973(2002)159

Ketones

Temperature dependence of Kováts indices in gas chromatography revisited 973(2002)135

Laponite

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Linear solvation energy relationships

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Lipid bilayer

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Lipids

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Liposome electrokinetic chromatography

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Liposomes

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Liquid membrane electrodes

Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography 973(2002)85

Longitudinal dispersion

Modelling counter-current chromatography: a chemical engineering perspective 973(2002)39

Low-molecular-mass polymers

Size-exclusion chromatography of low-molecular-mass polymers using mesoporous silica 973(2002)97

Mathematical modelling

Modelling counter-current chromatography: a chemical engineering perspective 973(2002)39

Matrix effects

Alternative calibration approaches to compensate the effect of co-extracted matrix components in liquid chromatography–electrospray ionisation tandem mass spectrometry analysis of pesticide residues in plant materials 973(2002)13

Membranes

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Mesaconitine

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

Mesoporous silica

Size-exclusion chromatography of low-molecular-mass polymers using mesoporous silica 973(2002)97

Metal chelates

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Metalloenes, planar chiral

Separation of planar chiral ferrocene derivatives on β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 973(2002)115

Methylene selectivity

Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon 973(2002)61

Mobile phase composition

Detection of multiple anions by thin-layer chromatography 973(2002)159

Mobile phase recycling

Zwitterionic ion chromatography using a dynamically coated column and mobile phase recycling 973(2002)103

Molecular imprinting

Effect of solvents on the selectivity of terbutylazine imprinted polymer sorbents used in solid-phase extraction 973(2002)1

Monolithic columns

Analysis of wine phenolics by high-performance liquid chromatography using a monolithic type column 973(2002)221

Monoterpenes

Wet effluent diffusion denuder technique and the determination of volatile organic compounds in air. II. Monoterpenes 973(2002)211

Mycobacteria

Analysis of aminofluorescein–fatty acid derivatives by capillary electrophoresis with laser-induced fluorescence detection at the attomole level: application to mycobacterial fatty acids 973(2002)203

Neural networks, artificial

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Nitrate

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Nitrite

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Optimization

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Organo–clay complex

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Organophosphorus compounds

Flame photometric detector for thin-layer chromatography 973(2002)151

Organosulfur compounds

Flame photometric detector for thin-layer chromatography 973(2002)151

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Pentamethylene dithiocarbamate

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Peptides

Investigations into the chromatographic behavior of a doxorubicin–peptide conjugate 973(2002)27

Pesticides

Effect of solvents on the selectivity of terbutylazine imprinted polymer sorbents used in solid-phase extraction 973(2002)1

Alternative calibration approaches to compensate the effect of co-extracted matrix components in liquid chromatography–electrospray ionisation tandem mass spectrometry analysis of pesticide residues in plant materials 973(2002)13

Phenolic compounds

Analysis of wine phenolics by high-performance liquid chromatography using a monolithic type column 973(2002)221

Phosphate

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Phosphatidylcholine

Flame photometric detector for thin-layer chromatography 973(2002)151

Phospholipids

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Polybrominated biphenyls

Chromatographic enrichment and enantiomer separation of axially chiral polybrominated biphenyls in a technical mixture 973(2002)123

Poly- β -hydroxybutyric acid

Determination of poly- β -hydroxybutyric acid in *Bacillus thuringiensis* by capillary zone electrophoresis with indirect ultraviolet absorbance detection 973(2002)197

Polyphenols

Cation-exchange micropreparative separation of galloylated and non-galloylated sulphur conjugated catechins 973(2002)229

Polystyrene

Size-exclusion chromatography of low-molecular-mass polymers using mesoporous silica 973(2002)97

Porous graphitic carbon

Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon 973(2002)61

Structure–retention diagrams of ceramides established for their identification 973(2002)69

Ability of porous graphitic carbon to support electroosmotic flow in capillary electrochromatography 973(2002)177

Potentiometric detection

Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography 973(2002)85

Preparative chromatography

Purification of (+)-dihydromyricetin from leaves extract of *Ampelopsis grossedentata* using high-speed countercurrent chromatograph with scale-up triple columns 973(2002)217

Quantitative structure–activity relationships

Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography 973(2002)85

Response stability

Alternative calibration approaches to compensate the effect of co-extracted matrix components in liquid chromatography–electrospray ionisation tandem mass spectrometry analysis of pesticide residues in plant materials 973(2002)13

Retention behaviour

Structure–retention diagrams of ceramides established for their identification 973(2002)69

Retention indices

Temperature dependence of Kováts indices in gas chromatography revisited 973(2002)135

Retention modelling

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Ring-opening metathesis polymerization

Separation of planar chiral ferrocene derivatives on β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 973(2002)115

Solid-phase extraction

Effect of solvents on the selectivity of terbutylazine imprinted polymer sorbents used in solid-phase extraction 973(2002)1

Solvation

Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167

Stationary phases, GC

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Stationary phases, LC

Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon 973(2002)61

Size-exclusion chromatography of low-molecular-mass polymers using mesoporous silica 973(2002)97

Structure–retention relationships

Structure–retention diagrams of ceramides established for their identification 973(2002)69

Strychnine

Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243

Sulfate

Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47

Temperature dependence

Temperature dependence of Kováts indices in gas chromatography revisited 973(2002)135

Temperature effects

Investigations into the chromatographic behavior of a doxorubicin–peptide conjugate 973(2002)27

Terbutylazine

Effect of solvents on the selectivity of terbutylazine imprinted polymer sorbents used in solid-phase extraction 973(2002)1

Thermodynamic parameters

Investigations into the chromatographic behavior of a doxorubicin–peptide conjugate 973(2002)27

Volatile organic compounds

Wet effluent diffusion denuder technique and the determination of volatile organic compounds in air. II. Monoterpenes 973(2002)211

Wall-coated open-tubular columns

Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143

Water analysis

Effect of solvents on the selectivity of terbutylazine imprinted polymer sorbents used in solid-phase extraction 973(2002)1

Zwitterionic ion chromatography using a dynamically coated column and mobile phase recycling 973(2002)103

Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235

Wet effluent diffusion denuder technique

Wet effluent diffusion denuder technique and the determination of volatile organic compounds in air. II. Monoterpenes 973(2002)211

Wine

Analysis of wine phenolics by high-performance liquid chromatography using a monolithic type column 973(2002)221

Zwitterionic ion chromatography

Zwitterionic ion chromatography using a dynamically coated column and mobile phase recycling 973(2002)103