



ELSEVIER

Journal of Chromatography A, 975 (2002) 363–369

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 975

Alkylphenones

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Alkyltrimethylammonium compounds

Solid phase extraction sorbent consisting of alkyltrimethylammonium surfactants immobilized onto strong cation-exchange polystyrene resin 975(2002)135

Atrazine

Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219

Atropine

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Beta-agonists

Extraction of clenbuterol from calf urine using a molecularly imprinted polymer followed by quantitation by high-performance liquid chromatography with UV detection 975(2002)157

Biophenols

Sample handling strategies for the determination of biophenols in food and plants (Review) 975(2002)71

BTEX

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Capillary electrophoresis

Capillary electrophoresis–inductively coupled plasma–mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245

Carbon clad zirconia

Two dimensional reversed-phase–reversed-phase separations. Isomeric separations incorporating C₁₈ and carbon clad zirconia stationary phases 975(2002)285

Carbon dioxide

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175

Carbon sorbents

Retention characteristics and practical applications of carbon sorbents (Review) 975(2002)229

Cation-exchange restricted-access material

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Censored data

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Chemometrics

Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Chlorophenols

Direct determination of chlorophenols in landfill leachates by solid-phase micro-extraction–gas chromatography–mass spectrometry 975(2002)267

Ciprofloxacin

Optimisation of a dialytic set-up for liquid chromatography: automated separation and preconcentration of ciprofloxacin 975(2002)199

Clay

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Clean-up methods

Optimisation of a dialytic set-up for liquid chromatography: automated separation and preconcentration of ciprofloxacin 975(2002)199

Clenbuterol

Extraction of clenbuterol from calf urine using a molecularly imprinted polymer followed by quantitation by high-performance liquid chromatography with UV detection 975(2002)157

Column-switching

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Decision limit

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Desirability function

Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Detection limit

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Dissociation constants

Prediction of chromatographic retention, pK_a values and optimization of the separation of polyphenolic acids in strawberries 975(2002)299

Elemental speciation analysis

Capillary electrophoresis–inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245

Enthalpy

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Environmental analysis

Current use of pressurised liquid extraction and subcritical water extraction in environmental analysis (Review) 975(2002)3

Extractions with superheated water (Review) 975(2002)31

Essential oils

Extractions with superheated water (Review) 975(2002)31

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO_2 975(2002)175

4-Ethylguaiaicol

Determination of 4-ethylguaiaicol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography 975(2002)349

4-Ethylphenol

Determination of 4-ethylguaiaicol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography 975(2002)349

Evaporation rate

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Experimental design

Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Extraction

Extractions with superheated water (Review) 975(2002)31

Extraction capillary

Polymer-coated synthetic fibers designed for miniaturized sample preparation process 975(2002)105

Extraction method

Current use of pressurised liquid extraction and subcritical water extraction in environmental analysis (Review) 975(2002)3

Extraction methods

Comparison of various extraction techniques for the determination of polycyclic aromatic hydrocarbons in worms 975(2002)165

Fenoterol

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Food

Sample handling strategies for the determination of biophenols in food and plants (Review) 975(2002)71

Food analysis

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Determination of pyrimethanil and kresoxim-methyl in green groceries by headspace solid-phase microextraction and gas chromatography–mass spectrometry 975(2002)355

Fruit juice

Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219

Fungicides

On-line automated sample preparation for liquid chromatography using parallel supported liquid membrane extraction and microporous membrane liquid-liquid extraction 975(2002)211

Headspace analysis

Determination of 4-ethylguaiacol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography 975(2002)349

Hot water extraction

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175

Hydrophobic analytes

Solid phase extraction sorbent consisting of alkyltrimethylammonium surfactants immobilized onto strong cation-exchange polystyrene resin 975(2002)135

Inductively coupled plasma mass spectrometry

Capillary electrophoresis-inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245

Interfaces

Capillary electrophoresis-inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245

Interquartile range

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Inverse size-exclusion chromatography

Determination of the porosities of monolithic columns by inverse size-exclusion chromatography 975(2002)275

Ipratropium

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Kresoxim-methyl

Determination of pyrimethanil and kresoxim-methyl in green groceries by headspace solid-phase microextraction and gas chromatography-mass spectrometry 975(2002)355

Laponite

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Landfill leachates

Direct determination of chlorophenols in landfill leachates by solid-phase micro-extraction-gas chromatography-mass spectrometry 975(2002)267

Large-volume injections

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Linear solvation energy relationships

Prediction of chromatographic retention, pK_a values and optimization of the separation of polyphenolic acids in strawberries 975(2002)299

Lipids

Comparison of various extraction techniques for the determination of polycyclic aromatic hydrocarbons in worms 975(2002)165

Maximum likelihood estimation

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Mean

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Median

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Membrane separation

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Mercaptan

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Methyl *tert.*-butyl ether

Use of experimental design for the purge-and-trap-gas chromatography-mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Methylene selectivity

Interaction mechanisms on octadecyl packed columns in subcritical fluid chromatography with CO₂-modifier mobile phases 975(2002)335

Microporous membranes

On-line automated sample preparation for liquid chromatography using parallel supported liquid membrane extraction and microporous membrane liquid-liquid extraction 975(2002)211

Miniaturization

Polymer-coated synthetic fibers designed for miniaturized sample preparation process 975(2002)105

Mobile phase composition

Interaction mechanisms on octadecyl packed columns in subcritical fluid chromatography with CO₂-modifier mobile phases 975(2002)335

Molecular imprinting

Extraction of clenbuterol from calf urine using a molecularly imprinted polymer followed by quantitation by high-performance liquid chromatography with UV detection 975(2002)157

Monolithic columns

Determination of the porosities of monolithic columns by inverse size-exclusion chromatography 975(2002)275

Natural gas

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Nebulizers

Capillary electrophoresis-inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245

On-column injector

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

On-line dialysis

Optimisation of a dialytic set-up for liquid chromatography: automated separation and preconcentration of ciprofloxacin 975(2002)199

Optimization

Use of experimental design for the purge-and-trap-gas chromatography-mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Organotin compounds

Gas chromatography-high-resolution mass spectrometry based method for the simultaneous determination of nine organotin compounds in water, sediment and tissue 975(2002)319

Pesticides

Extractions with superheated water (Review) 975(2002)31

Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219

Determination of pyrimethanil and kresoxim-methyl in green groceries by headspace solid-phase microextraction and gas chromatography-mass spectrometry 975(2002)355

Plants

Sample handling strategies for the determination of biophenols in food and plants (Review) 975(2002)71

Polychlorinated dibenzo-*p*-dioxins

Development of supercritical fluid extraction with a solid-phase trapping for fast estimation of toxic load of polychlorinated dibenzo-*p*-dioxins-dibenzofurans in sawmill soil 975(2002)189

Polychlorinated dibenzofurans

Development of supercritical fluid extraction with a solid-phase trapping for fast estimation of toxic load of polychlorinated dibenzo-*p*-dioxins-dibenzofurans in sawmill soil 975(2002)189

Polycyclic aromatic hydrocarbons

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175

Polymer-coated synthetic fibres

Polymer-coated synthetic fibers designed for miniaturized sample preparation process 975(2002)105

Polynuclear aromatic hydrocarbons

Comparison of various extraction techniques for the determination of polycyclic aromatic hydrocarbons in worms 975(2002)165

Polyphenolic acids

Prediction of chromatographic retention, p*K*_a values and optimization of the separation of polyphenolic acids in strawberries 975(2002)299

Polystyrene standards

Determination of the porosities of monolithic columns by inverse size-exclusion chromatography 975(2002)275

Porous graphitized carbon

Retention characteristics and practical applications of carbon sorbents (Review) 975(2002)229

Porosity

Determination of the porosities of monolithic columns by inverse size-exclusion chromatography 975(2002)275

Pressurised liquid extraction

Current use of pressurised liquid extraction and subcritical water extraction in environmental analysis (Review) 975(2002)3

Principle component analysis

Comparison of various extraction techniques for the determination of polycyclic aromatic hydrocarbons in worms 975(2002)165

Probability-plot regression

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Procaine

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Purge-and-trap

Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Pyrene

Solid phase extraction sorbent consisting of alkyltrimethylammonium surfactants immobilized onto strong cation-exchange polystyrene resin 975(2002)135

Pyrimethanil

Determination of pyrimethanil and kresoxim-methyl in green groceries by headspace solid-phase microextraction and gas chromatography–mass spectrometry 975(2002)355

Retaining precolumn

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Retention characteristics

Retention characteristics and practical applications of carbon sorbents (Review) 975(2002)229

Retention mechanisms

Interaction mechanisms on octadecyl packed columns in subcritical fluid chromatography with CO₂–modifier mobile phases 975(2002)335

Retention prediction

Prediction of chromatographic retention, pK_a values and optimization of the separation of polyphenolic acids in strawberries 975(2002)299

Reviews

Current use of pressurised liquid extraction and subcritical water extraction in environmental analysis (Review) 975(2002)3

Extractions with superheated water (Review) 975(2002)31

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Sample handling strategies for the determination of biophenols in food and plants (Review) 975(2002)71

Retention characteristics and practical applications of carbon sorbents (Review) 975(2002)229

Capillary electrophoresis–inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245

Robust imputation

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Sample handling

Sample handling strategies for the determination of biophenols in food and plants (Review) 975(2002)71

Sample preparation

Extractions with superheated water (Review) 975(2002)31

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

On-line automated sample preparation for liquid chromatography using parallel supported liquid membrane extraction and microporous membrane liquid–liquid extraction 975(2002)211

Savory

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175

Sawmill soil

Development of supercritical fluid extraction with a solid-phase trapping for fast estimation of toxic load of polychlorinated dibenzo-*p*-dioxins-dibenzofurans in sawmill soil 975(2002)189

Silica C₁₈

Determination of the porosities of monolithic columns by inverse size-exclusion chromatography 975(2002)275

Silica, octadecyl bonded

Two dimensional reversed-phase–reversed-phase separations. Isomeric separations incorporating C₁₈ and carbon clad zirconia stationary phases 975(2002)285

Solid-phase extraction

Solid phase extraction sorbent consisting of alkyltrimethylammonium surfactants immobilized onto strong cation-exchange polystyrene resin 975(2002)135

Extraction of clenbuterol from calf urine using a molecularly imprinted polymer followed by quantitation by high-performance liquid chromatography with UV detection 975(2002)157

Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219

Solid-phase microextraction

Direct determination of chlorophenols in landfill leachates by solid-phase micro-extraction–gas chromatography–mass spectrometry 975(2002)267

Determination of 4-ethylguaiacol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography 975(2002)349

Determination of pyrimethanil and kresoxim-methyl in green groceries by headspace solid-phase microextraction and gas chromatography-mass spectrometry 975(2002)355

Solid-phase trapping

Development of supercritical fluid extraction with a solid-phase trapping for fast estimation of toxic load of polychlorinated dibenzo-*p*-dioxins-dibenzofurans in sawmill soil 975(2002)189

Solvent extraction

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Sorbent extraction

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Sotalol

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Standard deviation

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Stationary phases, LC

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Retention characteristics and practical applications of carbon sorbents (Review) 975(2002)229

Two dimensional reversed-phase-reversed-phase separations. Isomeric separations incorporating C₁₈ and carbon clad zirconia stationary phases 975(2002)285

Stationary phases, SFC

Interaction mechanisms on octadecyl packed columns in subcritical fluid chromatography with CO₂-modifier mobile phases 975(2002)335

Strawberry

Prediction of chromatographic retention, pK_a values and optimization of the separation of polyphenolic acids in strawberries 975(2002)299

Subcritical fluid chromatography

Interaction mechanisms on octadecyl packed columns in subcritical fluid chromatography with CO₂-modifier mobile phases 975(2002)335

Subcritical water extraction

Current use of pressurised liquid extraction and subcritical water extraction in environmental analysis (Review) 975(2002)3

Sulfide

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Supercritical fluid extraction

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175

Development of supercritical fluid extraction with a solid-phase trapping for fast estimation of toxic load of polychlorinated dibenzo-*p*-dioxins-dibenzofurans in sawmill soil 975(2002)189

Superheated water

Extractions with superheated water (Review) 975(2002)31

Supported liquid membranes

On-line automated sample preparation for liquid chromatography using parallel supported liquid membrane extraction and microporous membrane liquid-liquid extraction 975(2002)211

Supporter liquid membrane extraction

Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219

Terbutaline

Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145

Thiol

Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311

Trace enantiomer

Optimisation of a dialytic set-up for liquid chromatography: automated separation and preconcentration of ciprofloxacin 975(2002)199

Triazines

Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219

Two-dimensional reversed-phase chromatography

Two dimensional reversed-phase-reversed-phase separations. Isomeric separations incorporating C₁₈ and carbon clad zirconia stationary phases 975(2002)285

UV photolysis

Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47

Validation

Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert.*-butyl ether, *tert.*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113

Volatile organic compounds

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Volatiles

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Water

Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175

Water analysis

Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95

Polymer-coated synthetic fibers designed for miniaturized sample preparation process 975(2002)105

How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123

Wine

Determination of 4-ethylguaiacol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography 975(2002)349

Worms

Comparison of various extraction techniques for the determination of polycyclic aromatic hydrocarbons in worms 975(2002)165