



ELSEVIER

Journal of Chromatography A, 977 (2002) 285–291

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 977

Acid gases

Potential of electrophilic epoxide reactions for the monitoring of acid gases in the environment 977(2002)251

Acoustic demixing

Acoustic field assisted demixing of aqueous two-phase systems 977(2002)163

Activated carbon

Micropore-free surface-activated carbon for the analysis of polychlorinated dibenzo-*p*-dioxins–dibenzofurans and non-*ortho*-substituted polychlorinated biphenyls in environmental samples 977(2002)155

Adsorption isotherms

Heterogeneous catalysis on solids of gases diffusing through a liquid layer, studied by inverse gas chromatography 977(2002)107

Adsorption/desorption rate constant

Heterogeneous catalysis on solids of gases diffusing through a liquid layer, studied by inverse gas chromatography 977(2002)107

Agarose-coated steel beads

Particle size and density distributions of two dense matrices in an expanded bed system 977(2002)173

Air pollutants

Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115

Amines

Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69

Amines, heterocyclic

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Aminodimethylfluoro[3,2-*e*]imidazo[4,5-*b*]pyridine

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Amphiphilic solute

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Anaesthetics

The determination of bromide in a local anaesthetic hydrochloride by capillary electrophoresis using direct UV detection 977(2002)265

Antibiotics

Application of liquid chromatography–electrospray ionization tandem mass spectrometry to the detection of 10 sulfonamides in honey 977(2002)77

Aqueous two-phase systems

Acoustic field assisted demixing of aqueous two-phase systems 977(2002)163

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Atmospheric monitoring

Potential of electrophilic epoxide reactions for the monitoring of acid gases in the environment 977(2002)251

Axial compression

Visualization of bed compression in an axial compression liquid chromatography column 977(2002)213

Background electrolyte composition

The determination of bromide in a local anaesthetic hydrochloride by capillary electrophoresis using direct UV detection 977(2002)265

Bacteria

Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27

Bed compression

Visualization of bed compression in an axial compression liquid chromatography column 977(2002)213

Benzene

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

Benzophenones

Determination of water-soluble UV-filters in sunscreen sprays by liquid chromatography 977(2002)277

1,1'-Bi-2-naphthol

Comparative study on the enantiomer separation of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate and 1,1'-bi-2-naphthol by liquid chromatography and capillary electrophoresis using single and combined chiral selector systems 977(2002)225

1'-Binaphthyl-2,2'-diyl hydrogenphosphate

Comparative study on the enantiomer separation of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate and 1,1'-bi-2-naphthol by liquid chromatography and capillary electrophoresis using single and combined chiral selector systems 977(2002)225

Blue Chitin columns

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Blue Rayon columns

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Bromides

The determination of bromide in a local anaesthetic hydrochloride by capillary electrophoresis using direct UV detection 977(2002)265

Carbohydrates

Simultaneous determination of carbohydrates and simmondsins in jojoba seed meal (*Simmondsia chinensis*) by gas chromatography 977(2002)257

Cells

Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27

Cellulose esters

Determination of acid substituents and unesterified hydroxyl groups in cellulose esters 977(2002)247

Chiral selectors

Comparative study on the enantiomer separation of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate and 1,1'-bi-2-naphthol by liquid chromatography and capillary electrophoresis using single and combined chiral selector systems 977(2002)225

Chiral stationary phases

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Chiralcel OD

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Chiralpak AD

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Chromatographic test

Characterisation of reversed-phase liquid chromatographic columns by chromatographic tests. Evaluation of 36 test parameters: repeatability, reproducibility and correlation 977(2002)39

Clean-up methods

Micropore-free surface-activated carbon for the analysis of polychlorinated dibenzo-*p*-dioxins–dibenzofurans and non-*ortho*-substituted polychlorinated biphenyls in environmental samples 977(2002)155

Column characterization

Characterisation of reversed-phase liquid chromatographic columns by chromatographic tests. Evaluation of 36 test parameters: repeatability, reproducibility and correlation 977(2002)39

Consolidation

Visualization of bed compression in an axial compression liquid chromatography column 977(2002)213

Cosmetics

Determination of water-soluble UV-filters in sunscreen sprays by liquid chromatography 977(2002)277

Cyclodextrins

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Degrees of substitution

Determination of acid substituents and unesterified hydroxyl groups in cellulose esters 977(2002)247

Demixing

Acoustic field assisted demixing of aqueous two-phase systems 977(2002)163

Density distribution

Particle size and density distributions of two dense matrices in an expanded bed system 977(2002)173

Denudation

Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115

Derivatization

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Derivatization, electrophoresis

Development of capillary electrophoresis for the determination of metal ions using mixed partial and complete complexation techniques 977(2002)135

Derivatization, LC

Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69

Dibenzofurans

Micropore-free surface-activated carbon for the analysis of polychlorinated dibenzo-*p*-dioxins–dibenzofurans and non-*ortho*-substituted polychlorinated biphenyls in environmental samples 977(2002)155

Diffusion coefficients

Heterogeneous catalysis on solids of gases diffusing through a liquid layer, studied by inverse gas chromatography 977(2002)107

Dinitrogen peroxide

Potential of electrophilic epoxide reactions for the monitoring of acid gases in the environment 977(2002)251

Dioxins

Micropore-free surface-activated carbon for the analysis of polychlorinated dibenzo-*p*-dioxins–dibenzofurans and non-*ortho*-substituted polychlorinated biphenyls in environmental samples 977(2002)155

Droplets

Acoustic field assisted demixing of aqueous two-phase systems 977(2002)163

Enantiomer separation

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Comparative study on the enantiomer separation of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate and 1,1'-bi-2-naphthol by liquid chromatography and capillary electrophoresis using single and combined chiral selector systems 977(2002)225

Enantiomeric ratio

Fast and precise determination of phenothoate and its enantiomeric ratio in soil by the matrix solid-phase dispersion method and liquid chromatography 977(2002)17

Epoxides, electrophilic

Potential of electrophilic epoxide reactions for the monitoring of acid gases in the environment 977(2002)251

Equilibrium sorption

Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115

Ethylbenzene

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

Ethylene glycol dinitrate

Identification of nitrate ester explosives by liquid chromatography–electrospray ionization and atmospheric pressure chemical ionization mass spectrometry 977(2002)59

Expanded bed chromatography

Particle size and density distributions of two dense matrices in an expanded bed system 977(2002)173

Explosives

Identification of nitrate ester explosives by liquid chromatography–electrospray ionization and atmospheric pressure chemical ionization mass spectrometry 977(2002)59

Extraction methods

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Food analysis

Application of liquid chromatography–electrospray ionization tandem mass spectrometry to the detection of 10 sulfonamides in honey 977(2002)77

Separation and determination of organic acids and phenolic compounds in fruit juices and drinks by high-performance liquid chromatography 977(2002)89

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Simultaneous determination of carbohydrates and simmondsins in jojoba seed meal (*Simmondsia chinensis*) by gas chromatography 977(2002)257

Fruit juices

Separation and determination of organic acids and phenolic compounds in fruit juices and drinks by high-performance liquid chromatography 977(2002)89

Fruits

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Furans

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Gardenia fruit

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Geniposide

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Glycol ethers

Optimization of the headspace solid-phase microextraction for determination of glycol ethers by orthogonal array designs 977(2002)9

Glycosides

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Headspace analysis

Determination of 2,4,6-trichloroanisole in wines by headspace solid-phase microextraction and gas chromatography–electron-capture detection 977(2002)1

Optimization of the headspace solid-phase microextraction for determination of glycol ethers by orthogonal array designs 977(2002)9

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

Heterogeneous catalysis

Heterogeneous catalysis on solids of gases diffusing through a liquid layer, studied by inverse gas chromatography 977(2002)107

Honey

Application of liquid chromatography–electrospray ionization tandem mass spectrometry to the detection of 10 sulfonamides in honey 977(2002)77

Hydrocortisone

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Immobilized artificial membranes

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Immobilized metal affinity chromatography

Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27

Ion-exchange chromatography

Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27

Iridoids

Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239

Jojoba seed meal

Simultaneous determination of carbohydrates and simmondsins in jojoba seed meal (*Simmondsia chinensis*) by gas chromatography 977(2002)257

Kinetic studies

Acoustic field assisted demixing of aqueous two-phase systems 977(2002)163

Linear solvation energy relationship

Quantitative structure–retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions 977(2002)193

Liquid–liquid extraction

Application of liquid chromatography–electrospray ionization tandem mass spectrometry to the detection of 10 sulfonamides in honey 977(2002)77

Matrix solid-phase dispersion

Fast and precise determination of phenthoate and its enantiomeric ratio in soil by the matrix solid-phase dispersion method and liquid chromatography 977(2002)17

Meat

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Metal cations

Development of capillary electrophoresis for the determination of metal ions using mixed partial and complete complexation techniques 977(2002)135

Membranes

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Molecular mass determination

Molecular mass determination of polyamic acid ionic salt by size-exclusion chromatography 977(2002)207

Naphthalene-2,3-dicarboxaldehyde

Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69

Nitrate esters

Identification of nitrate ester explosives by liquid chromatography–electrospray ionization and atmospheric pressure chemical ionization mass spectrometry 977(2002)59

Nitric acid

Potential of electrophilic epoxide reactions for the monitoring of acid gases in the environment 977(2002)251

Nitroglycerin

Identification of nitrate ester explosives by liquid chromatography–electrospray ionization and atmospheric pressure chemical ionization mass spectrometry 977(2002)59

Organic acids

Separation and determination of organic acids and phenolic compounds in fruit juices and drinks by high-performance liquid chromatography 977(2002)89

Orthogonal array designs

Optimization of the headspace solid-phase microextraction for determination of glycol ethers by orthogonal array designs 977(2002)9

Partition coefficients

Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115

Pentaerythritol tetranitrate

Identification of nitrate ester explosives by liquid chromatography–electrospray ionization and atmospheric pressure chemical ionization mass spectrometry 977(2002)59

Pesticides

Fast and precise determination of phenthoate and its enantiomeric ratio in soil by the matrix solid-phase dispersion method and liquid chromatography 977(2002)17

Phenanthroline

Development of capillary electrophoresis for the determination of metal ions using mixed partial and complete complexation techniques 977(2002)135

Phenolic compounds

Separation and determination of organic acids and phenolic compounds in fruit juices and drinks by high-performance liquid chromatography 977(2002)89

Phenthoate

Fast and precise determination of phenthoate and its enantiomeric ratio in soil by the matrix solid-phase dispersion method and liquid chromatography 977(2002)17

Phenylbenzimidazole sulphonic acid

Determination of water-soluble UV-filters in sunscreen sprays by liquid chromatography 977(2002)277

Phosphatidylcholine

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Polyamic acid ionic salt

Molecular mass determination of polyamic acid ionic salt by size-exclusion chromatography 977(2002)207

Polychlorinated biphenyls

Micropore-free surface-activated carbon for the analysis of polychlorinated dibenzo-*p*-dioxins–dibenzofurans and non-*ortho*-substituted polychlorinated biphenyls in environmental samples 977(2002)155

Potassium bromide

The determination of bromide in a local anaesthetic hydrochloride by capillary electrophoresis using direct UV detection 977(2002)265

Proteins

Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27

Quantitative structure–retention relationship

Quantitative structure–retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions 977(2002)193

Retention mechanisms

Quantitative structure–retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions 977(2002)193

Retention models

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Reversed-flow gas chromatography

Heterogeneous catalysis on solids of gases diffusing through a liquid layer, studied by inverse gas chromatography 977(2002)107

Salt effects

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Simmondsia chinensis

Simultaneous determination of carbohydrates and simmondsins in jojoba seed meal (*Simmondsia chinensis*) by gas chromatography 977(2002)257

Simmondsins

Simultaneous determination of carbohydrates and simmondsins in jojoba seed meal (*Simmondsia chinensis*) by gas chromatography 977(2002)257

Size distribution

Particle size and density distributions of two dense matrices in an expanded bed system 977(2002)173

Snow

Development of capillary electrophoresis for the determination of metal ions using mixed partial and complete complexation techniques 977(2002)135

Solid-phase microextraction

Determination of 2,4,6-trichloroanisole in wines by headspace solid-phase microextraction and gas chromatography–electron-capture detection 977(2002)1

Optimization of the headspace solid-phase microextraction for determination of glycol ethers by orthogonal array designs 977(2002)9

Solvent extraction

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

Sorption properties

Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115

Sphinganine

Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69

Sphingoid bases

Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69

Sphingosine

Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69

Stationary phases, CEC

Quantitative structure–retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions 977(2002)193

Stationary phases, LC

Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27

Characterisation of reversed-phase liquid chromatographic columns by chromatographic tests. Evaluation of 36 test parameters: repeatability, reproducibility and correlation 977(2002)39

Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97

Quantitative structure–retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions 977(2002)193

Visualization of bed compression in an axial compression liquid chromatography column 977(2002)213

Stereoisomers

Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125

Streamline particles

Particle size and density distributions of two dense matrices in an expanded bed system 977(2002)173

Sulfonamides

Application of liquid chromatography–electrospray ionization tandem mass spectrometry to the detection of 10 sulfonamides in honey 977(2002)77

Sunscreens

Determination of water-soluble UV-filters in sunscreen sprays by liquid chromatography 977(2002)277

Terephthalylidene dicamphor sulfonic acid

Determination of water-soluble UV-filters in sunscreen sprays by liquid chromatography 977(2002)277

Test parameters

Characterisation of reversed-phase liquid chromatographic columns by chromatographic tests. Evaluation of 36 test parameters: repeatability, reproducibility and correlation 977(2002)39

Thermodynamic parameters

Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185

Toluene

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

2,4,6-Trichloroanisole

Determination of 2,4,6-trichloroanisole in wines by headspace solid-phase microextraction and gas chromatography–electron-capture detection 977(2002)1

Volatile organic compounds

Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115

Water analysis

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143

Wine

Determination of 2,4,6-trichloroanisole in wines by headspace solid-phase microextraction and gas chromatography–electron-capture detection 977(2002)1

Xylenes

Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143