



ELSEVIER

Journal of Chromatography A, 979 (2002) 467–470

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Author Index Vol. 979

- Ananieva, I.A., see Shpigun, O.A. 979(2002)191
- Andersen, J.S., see Ishihama, Y. 979(2002)233
- Andersen, R.A., see Wilhelmsen, T.W. 979(2002)249
- Andersson, E.K.M. and Hägglund, I.
Sample matrix influence on the choice of background electrolyte for the analysis of bases with capillary zone electrophoresis 979(2002)11
- Andersson, M.E., see Enlund, A.M. 979(2002)335
- Andreev, V., see D'Acunto, M.R. 979(2002)285
- Ariese, F., see Clicq, D. 979(2002)33
- Baron, G.V., see Clicq, D. 979(2002)33
- Baur, L., Sänger-van de Griend, C. and Wätzig, H.
Electroosmotic flow variations caused by the volatility of buffer components: diagnosis and therapy 979(2002)97
- Bayle, C., Issac, C., Salvayre, R., Couderc, F. and Caussé, E.
Assay of total homocysteine and other thiols by capillary electrophoresis and laser-induced fluorescence detection. II. Pre-analytical and analytical conditions 979(2002)255
- Bayle, C., see Massip, C. 979(2002)209
- Bayle, C., see Yang, C. 979(2002)307
- Blaschke, G., see Griese, N. 979(2002)379
- Bocaz, G., see Polášková, P. 979(2002)59
- Boos, J., see Griese, N. 979(2002)379
- Bortolotti, F., see Lanz, C. 979(2002)43
- Brazel, D., see Dönges, R. 979(2002)217
- Buijs, J., see Clicq, D. 979(2002)33
- Carrilho, E., see Pereira, E.A. 979(2002)409
- Caussé, E., see Bayle, C. 979(2002)255
- Caussé, E., see Massip, C. 979(2002)209
- Chan, K.C., see He, Y. 979(2002)81
- Chang, H.-T., see Chiu, T.-C. 979(2002)299
- Chang, H.-T., see Wang, S.-J. 979(2002)261
- Chayama, K., see Takeda, S. 979(2002)425
- Chen, H.-J., see Wang, S.-P. 979(2002)439
- Chen, K.-H., Lin, C.-E., Liao, W.-S., Lin, W.-Y. and Hsiao, Y.-Y.
Separation and migration behavior of structurally related phenothiazines in cyclodextrin-modified capillary zone electrophoresis 979(2002)399
- Cherkaoui, S., see Geiser, L. 979(2002)389
- Chiu, T.-C. and Chang, H.-T.
Comparison of the separation of large DNA fragments in the presence and absence of electroosmotic flow at high pH 979(2002)299
- Ciambrone, G., see Wainright, A. 979(2002)69
- Clicq, D., Vervoort, N., Vounckx, R., Ottevaere, H., Buijs, J., Gooijer, C., Ariese, F., Baron, G.V. and Desmet, G.
Sub-second liquid chromatographic separations by means of shear-driven chromatography 979(2002)33
- Cooper, J.W., see Li, Y. 979(2002)241
- Couderc, F., see Bayle, C. 979(2002)255
- Couderc, F., see Massip, C. 979(2002)209
- Couderc, F., see Yang, C. 979(2002)307
- Cucinotta, V., Giuffrida, A., Grasso, G., Maccarrone, G. and Messina, M.
Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137
- D'Acunto, M.R., Gelfi, C., Stoyanov, A., Andreev, V. and Righetti, P.G.
Potential binding of borate ions to mono- and oligonucleotides: a capillary electrophoresis investigation 979(2002)285
- de Mello, A.J., see Leung, S.-A. 979(2002)171
- Deng, Y., see Fan, X. 979(2002)417
- Desmet, G., see Clicq, D. 979(2002)33
- Dönges, R. and Brazel, D.
Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217
- Dżygiel, P., see Rudzińska, E. 979(2002)115
- Enlund, A.M., Andersson, M.E. and Hagman, G.
Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335
- Esaka, Y., Okumura, N., Uno, B. and Goto, M.
Analysis of active chemical species generated by electrolysis using non-aqueous capillary electrophoresis. Detection of the anion radical and the divalent anion of tetracyanoquinodimethane 979(2002)91
- Fan, X. and Deng, Y.
Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417
- Fukushi, K., see Takeda, S. 979(2002)425

- Geiser, L., Cherkaoui, S. and Veuthey, J.-L.
Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389
- Gelfi, C., see D'Acunto, M.R. 979(2002)285
- Gibson, T., see Ogle, D. 979(2002)155
- Giese, R.W., see Yang, C. 979(2002)307
- Giuffrida, A., see Cucinotta, V. 979(2002)137
- Gonda, E., see Kustos, T. 979(2002)277
- Gooijer, C., see Clicq, D. 979(2002)33
- Goto, M., see Esaka, Y. 979(2002)91
- Grasso, G., see Cucinotta, V. 979(2002)137
- Griese, N., Blaschke, G., Boos, J. and Hempel, G.
Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379
- Grimes, B.A., Lüdtke, S., Unger, K.K. and Liapis, A.I.
Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447
- Guttman, A., see Khandurina, J. 979(2002)105
- Hägglund, I., see Andersson, E.K.M. 979(2002)11
- Hagman, G., see Enlund, A.M. 979(2002)335
- Hansen, B.H., see Wilhelmsen, T.W. 979(2002)249
- Harris, D., see Wainright, A. 979(2002)69
- Hasselbrink, E.F. Jr., see Kirby, B.J. 979(2002)147
- Havel, J., see Polášková, P. 979(2002)59
- He, Y., Yeung, E.S., Chan, K.C. and Issaq, H.J.
Two dimensional mapping of cancer cell extracts by liquid chromatography–capillary electrophoresis with ultraviolet absorbance detection 979(2002)81
- Hempel, G., see Griese, N. 979(2002)379
- Hillaert, S. and Van den Bossche, W.
Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists 979(2002)323
- Ho, A., see Ogle, D. 979(2002)155
- Holmén, A., see Wan, H. 979(2002)369
- Hosoya, K., Kubo, T., Takahashi, K., Ikegami, T. and Tanaka, N.
Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3
- Hou, L., Wen, X., Tu, C. and Lee, H.K.
Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163
- Hsiao, Y.-Y., see Chen, K.-H. 979(2002)399
- Hsieh, Y.-Z., see Wang, C.-Y. 979(2002)431
- Huang, Z., see Shen, Z. 979(2002)227
- Ikegami, T., see Hosoya, K. 979(2002)3
- Ishihama, Y., Rappaport, J., Andersen, J.S. and Mann, M.
Microcolumns with self-assembled particle frits for proteomics 979(2002)233
- Issac, C., see Bayle, C. 979(2002)255
- Issaq, H.J., see He, Y. 979(2002)81
- Kafarski, P., see Rudzińska, E. 979(2002)115
- Kaljurand, M., see Vaher, M. 979(2002)27
- Karppinen, P., see Sirén, H. 979(2002)201
- Khandurina, J. and Guttman, A.
Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105
- Kilár, F., see Kustos, T. 979(2002)277
- Kim, J.-B., Otsuka, K. and Terabe, S.
On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131
- Kirby, B.J., Sheppard, T.J. and Hasselbrink, E.F., Jr.
Voltage-addressable on/off microvalves for high-pressure microchip separations 979(2002)147
- Kocsis, B., see Kustos, T. 979(2002)277
- Koel, M., see Vaher, M. 979(2002)27
- Kostiainen, R., see Vuorensoola, K. 979(2002)179
- Kotiaho, T., see Vuorensoola, K. 979(2002)179
- Kubo, T., see Hosoya, K. 979(2002)3
- Kuhn, M., see Lanz, C. 979(2002)43
- Kuhn, M., see Theurillat, R. 979(2002)353
- Kustos, I., see Kustos, T. 979(2002)277
- Kustos, T., Kustos, I., Gonda, E., Kocsis, B., Szabó, G. and Kilár, F.
Capillary electrophoresis study of outer membrane proteins of *Pseudomonas* strains upon antibiotic treatment 979(2002)277
- Laitinen, P., see Sirén, H. 979(2002)201
- Lanz, C., Kuhn, M., Bortolotti, F., Tagliaro, F. and Thormann, W.
Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum 979(2002)43
- Lee, C.S., see Li, Y. 979(2002)241
- Lee, C.S., see Mohan, D. 979(2002)271
- Lee, H., see Yang, C. 979(2002)307
- Lee, H.K., see Hou, L. 979(2002)163
- Leung, S.-A. and de Mello, A.J.
Electrophoretic analysis of amines using reversed-phase, reversed-polarity, head-column field-amplified sample stacking and laser-induced fluorescence detection 979(2002)171
- Li, G., see Yang, C. 979(2002)307
- Li, H., see Polášková, P. 979(2002)59
- Li, Y., Cooper, J.W. and Lee, C.S.
Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241
- Liao, W.-S., see Chen, K.-H. 979(2002)399
- Liapis, A.I., see Grimes, B.A. 979(2002)447
- Lim, P., see Ogle, D. 979(2002)155
- Lin, C.-E., see Chen, K.-H. 979(2002)399
- Lin, W.-Y., see Chen, K.-H. 979(2002)399
- Lin, Y.-W., see Wang, S.-J. 979(2002)261
- Lindberg, W., see Wan, H. 979(2002)369
- Lüdtke, S., see Grimes, B.A. 979(2002)447
- Maccarrone, G., see Cucinotta, V. 979(2002)137
- Mann, M., see Ishihama, Y. 979(2002)233
- Massip, C., Riolut, P., Quernener, E., Bayle, C., Salvayre, R., Couderc, F. and Caussé, E.
Choice of different dyes to label tyrosine and nitrotyrosine 979(2002)209
- Messina, M., see Cucinotta, V. 979(2002)137

- Mohan, D. and Lee, C.S.
Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules
979(2002)271
- Någård, M., see Wan, H. 979(2002)369
- Nertz, M., see Yang, C. 979(2002)307
- Ogle, D., Ho, A., Gibson, T., Rylatt, D., Shave, E., Lim, P. and Vigh, G.
Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155
- Okumura, N., see Esaka, Y. 979(2002)91
- Olsvik, P.A., see Wilhelmsen, T.W. 979(2002)249
- Omura, A., see Takeda, S. 979(2002)425
- Otsuka, K., see Kim, J.-B. 979(2002)131
- Ottevaere, H., see Clicq, D. 979(2002)33
- Pajchel, G. and Tyski, S.
Application of micellar electrokinetic chromatography to the determination of sultamicillin in oral pharmaceutical preparations 979(2002)315
- Parmentier, F., see Piette, V. 979(2002)345
- Patonay, G., see Yang, C. 979(2002)307
- Pereira, E.A., Carrilho, E. and Tavares, M.F.M.
Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409
- Piette, V. and Parmentier, F.
Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345
- Pirogov, A.V., see Shpigu, O.A. 979(2002)191
- Polášková, P., Bocaz, G., Li, H. and Havel, J.
Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59
- Quemener, E., see Massip, C. 979(2002)209
- Rappaport, J., see Ishihama, Y. 979(2002)233
- Righetti, P.G., see D'Acunto, M.R. 979(2002)285
- Riollet, P., see Massip, C. 979(2002)209
- Rudzińska, E., Dzygiel, P., Wieczorek, P. and Kafarski, P.
Separation of aromatic aminophosphonic acid enantiomers by capillary electrophoresis with the application of cyclodextrins 979(2002)115
- Rylatt, D., see Ogle, D. 979(2002)155
- Salvaryre, R., see Bayle, C. 979(2002)255
- Salvaryre, R., see Massip, C. 979(2002)209
- Sänger-van de Griend, C., see Baur, L. 979(2002)97
- Shapovalova, E.N., see Shpigu, O.A. 979(2002)191
- Shave, E., see Ogle, D. 979(2002)155
- Shen, Z., Sun, Z., Wu, L., Wu, K., Sun, S. and Huang, Z.
Rapid method for the determination of amino acids in serum by capillary electrophoresis 979(2002)227
- Sheppard, T.J., see Kirby, B.J. 979(2002)147
- Shimelis, O., see Yang, C. 979(2002)307
- Shpigu, O.A., Shapovalova, E.N., Ananieva, I.A. and Pirogov, A.V.
Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191
- Sirén, H., Laitinen, P., Turpeinen, U. and Karppinen, P.
Direct monitoring of glycohemoglobin A_{1c} in the blood samples of diabetic patients by capillary electrophoresis. Comparison with an immunoassay method 979(2002)201
- Sirén, H., see Vuorensola, K. 979(2002)179
- Spanik, I. and Vigh, G.
Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123
- Stoyanov, A., see D'Acunto, M.R. 979(2002)285
- Strekowski, L., see Yang, C. 979(2002)307
- Sun, S., see Shen, Z. 979(2002)227
- Sun, Z., see Shen, Z. 979(2002)227
- Szabó, G., see Kustos, T. 979(2002)277
- Tagliaro, F., see Lanz, C. 979(2002)43
- Takahashi, K., see Hosoya, K. 979(2002)3
- Takeda, S., Omura, A., Chayama, K., Tsuji, H., Fukushi, K., Yamane, M., Wakida, S.-i., Tsubota, S. and Terabe, S.
Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425
- Tanaka, N., see Hosoya, K. 979(2002)3
- Tavares, M.F.M., see Pereira, E.A. 979(2002)409
- Terabe, S., see Kim, J.-B. 979(2002)131
- Terabe, S., see Takeda, S. 979(2002)425
- Theurillat, R., Kuhn, M. and Thormann, W.
Therapeutic drug monitoring of lamotrigine using capillary electrophoresis. Evaluation of assay performance and quality assurance over a 4-year period in the routine arena 979(2002)353
- Thormann, W., see Lanz, C. 979(2002)43
- Thormann, W., see Theurillat, R. 979(2002)353
- Tseng, W.-L., see Wang, S.-J. 979(2002)261
- Tsubota, S., see Takeda, S. 979(2002)425
- Tsuji, H., see Takeda, S. 979(2002)425
- Tu, C., see Hou, L. 979(2002)163
- Turpeinen, U., see Sirén, H. 979(2002)201
- Tyski, S., see Pajchel, G. 979(2002)315
- Unger, K.K., see Grimes, B.A. 979(2002)447
- Uno, B., see Esaka, Y. 979(2002)91
- Vaher, M., Koel, M. and Kaljurand, M.
Application of 1-alkyl-3-methylimidazolium-based ionic liquids in non-aqueous capillary electrophoresis 979(2002)27
- Van den Bossche, W., see Hillaert, S. 979(2002)323
- Vervoort, N., see Clicq, D. 979(2002)33
- Veuthey, J.-L., see Geiser, L. 979(2002)389
- Vigh, G., see Ogle, D. 979(2002)155
- Vigh, G., see Spanik, I. 979(2002)123
- Vounckx, R., see Clicq, D. 979(2002)33
- Vuorensola, K., Sirén, H., Kostainen, R. and Kotiaho, T.
Analysis of catecholamines by capillary electrophoresis and capillary electrophoresis–nanospray mass spectrometry. Use of aqueous and non-aqueous solutions compared with physical parameters 979(2002)179
- Wainright, A., Williams, S.J., Ciambrone, G., Xue, Q., Wei, J. and Harris, D.
Sample pre-concentration by isotachophoresis in microfluidic devices 979(2002)69
- Wakida, S.-i., see Takeda, S. 979(2002)425

- Wan, H., Holmén, A., Någård, M. and Lindberg, W.
Rapid screening of pK_a values of pharmaceuticals by pressure-assisted capillary electrophoresis combined with short-end injection 979(2002)369
- Wang, C.-Y. and Hsieh, Y.-Z.
Analysis of chitin oligosaccharides by capillary electrophoresis with laser-induced fluorescence 979(2002)431
- Wang, S.-J., Tseng, W.-L., Lin, Y.-W. and Chang, H.-T.
On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection 979(2002)261
- Wang, S.-P. and Chen, H.-J.
Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439
- Wätzig, H., see Baur, L. 979(2002)97
- Wei, J., see Wainright, A. 979(2002)69
- Wen, X., see Hou, L. 979(2002)163
- Westerlund, D.
Foreword 979(2002)1
- Wieczorek, P., see Rudzińska, E. 979(2002)115
- Wilhelmsen, T.W., Olsvik, P.A., Hansen, B.H. and Andersen, R.A.
Evidence for oligomerization of metallothioneins in their functional state 979(2002)249
- Williams, S.J., see Wainright, A. 979(2002)69
- Wu, K., see Shen, Z. 979(2002)227
- Wu, L., see Shen, Z. 979(2002)227
- Xue, Q., see Wainright, A. 979(2002)69
- Yamane, M., see Takeda, S. 979(2002)425
- Yang, C., Shimelis, O., Zhou, X., Li, G., Bayle, C., Nertz, M., Lee, H., Strekowski, L., Patonay, G., Couderc, F. and Giese, R.W.
Handling and detection of 0.8 amol of a near-infrared cyanine dye by capillary electrophoresis with laser-induced fluorescence detection 979(2002)307
- Yeung, E.S., see He, Y. 979(2002)81
- Zhou, X., see Yang, C. 979(2002)307