

Journal of Chromatography A, 979 (2002) 471-479

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 979

Air analysis

Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409

Aldehydes

Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409

1-Alkvl-3-methylimidazolium

Application of 1-alkyl-3-methylimidazolium-based ionic liquids in non-aqueous capillary electrophoresis 979(2002)27

Alkylphenols

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425

Amines

Electrophoretic analysis of amines using reversed-phase, reversed-polarity, head-column field-amplified sample stacking and laser-induced fluorescence detection 979(2002)171

Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191

Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439

Amino acids

Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123

Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191

Rapid method for the determination of amino acids in serum by capillary electrophoresis 979(2002)227

Amino alcohols

Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163

Aminophosphonic acids

Separation of aromatic aminophosphonic acid enantiomers by capillary electrophoresis with the application of cyclodextrins 979(2002)115

Aminopyrenetrisulfonate

Analysis of chitin oligosaccharides by capillary electrophoresis with laser-induced fluorescence 979(2002)431

Amphetamines

Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345

Ampholytes

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Angiotensin II receptor antagonists

Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists 979(2002)323

Anthracyclines

Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379

Antibiotics

Capillary electrophoresis study of outer membrane proteins of Pseudomonas strains upon antibiotic treatment 979(2002)277

Application of micellar electrokinetic chromatography to the determination of sultamicillin in oral pharmaceutical preparations 979(2002)315

Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379

0021-9673/02/\$ - see front matter © 2002 Elsevier Science B.V. All right reserved PII: S0021-9673(02)01723-5

Background electrolyte composition

Sample matrix influence on the choice of background electrolyte for the analysis of bases with capillary zone electrophoresis 979(2002)11

Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137

Analysis of catecholamines by capillary electrophoresis and capillary electrophoresis—nanospray mass spectrometry. Use of aqueous and non-aqueous solutions compared with physical parameters 979(2002)179

Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389

Basic drugs

Sample matrix influence on the choice of background electrolyte for the analysis of bases with capillary zone electrophoresis 979(2002)11

Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335

Benzoic acids

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Beta-Blockers

Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163

Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389

Bisphenol A

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425

Borate

Potential binding of borate ions to mono- and oligonucleotides: a capillary electrophoresis investigation 979(2002)285

Bradykinin

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Buffer composition

Electroosmotic flow variations caused by the volatility of buffer components: diagnosis and therapy 979(2002)97

Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217

Comparison of the separation of large DNA fragments in the presence and absence of electroosmotic flow at high pH 979(2002)299

Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425

Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439

Calibration

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Cancer cell extracts

Two dimensional mapping of cancer cell extracts by liquid chromatography-capillary electrophoresis with ultraviolet absorbance detection 979(2002)81

Capillary columns

Microcolumns with self-assembled particle frits for proteomics 979(2002)233

Capillary electrophoresis

Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum 979(2002)43

Rapid screening of pK_a values of pharmaceuticals by pressure-assisted capillary electrophoresis combined with short-end injection 979(2002)369

Carboxylic acids

On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131

Catecholamines

Analysis of catecholamines by capillary electrophoresis and capillary electrophoresis–nanospray mass spectrometry. Use of aqueous and non-aqueous solutions compared with physical parameters 979(2002)179

Cation-exchangers

Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335

Chip technology

Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105

Voltage-addressable on/off microvalves for high-pressure microchip separations 979(2002)147

Chitin

Analysis of chitin oligosaccharides by capillary electrophoresis with laser-induced fluorescence 979(2002)431

Coated capillaries

Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum 979(2002)43

On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection 979(2002)261

Coumarins

Sub-second liquid chromatographic separations by means of shear-driven chromatography $\;\;979(2002)33$

Cyanine dyes

Handling and detection of 0.8 amol of a near-infrared cyanine dye by capillary electrophoresis with laser-induced fluorescence detection 979(2002)307

Cyclodextrins

Separation of aromatic aminophosphonic acid enantiomers by capillary electrophoresis with the application of cyclodextrins 979(2002)115

Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137

Separation and migration behavior of structurally related phenothiazines in cyclodextrin-modified capillary zone electrophoresis 979(2002)399

Cytochromes

Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Dansvlhvdrazine

Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409

Daunorubicin

Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379

Daunorubicinol

Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379

DaunoXome

Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379

Derivatization, electrophoresis

Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409

Analysis of chitin oligosaccharides by capillary electrophoresis with laser-induced fluorescence 979(2002)431

Detection, electrophoresis

Handling and detection of 0.8 amol of a near-infrared cyanine dye by capillary electrophoresis with laser-induced fluorescence detection 979(2002)307

Diffusion

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Dinitrofluorobenzene

Rapid method for the determination of amino acids in serum by capillary electrophoresis 979(2002)227

Dissociation constants

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

DNA

Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105

Potential binding of borate ions to mono- and oligonucleotides: a capillary electrophoresis investigation 979(2002)285

Comparison of the separation of large DNA fragments in the presence and absence of electroosmotic flow at high pH 979(2002)299

Handling and detection of 0.8 amol of a near-infrared cyanine dye by capillary electrophoresis with laser-induced fluorescence detection 979(2002)307

Drugs

Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345

Dyes

Sub-second liquid chromatographic separations by means of shear-driven chromatography 979(2002)33

Choice of different dyes to label tyrosine and nitrotyrosine 979(2002)209

Handling and detection of 0.8 amol of a near-infrared cyanine dye by capillary electrophoresis with laser-induced fluorescence detection 979(2002)307

Ecstasy

Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345

Electrochromatography

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Electrolysis

Analysis of active chemical species generated by electrolysis using non-aqueous capillary electrophoresis. Detection of the anion radical and the divalent anion of tetracyanoquinodimethane 979(2002)91

Electroosmotic flow

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Electroosmotic flow variations caused by the volatility of buffer components: diagnosis and therapy 979(2002)97

Comparison of the separation of large DNA fragments in the presence and absence of electroosmotic flow at high pH 979(2002)299

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Enantiomer separation

Separation of aromatic aminophosphonic acid enantiomers by capillary electrophoresis with the application of cyclodextrins 979(2002)115

Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123

Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137

Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191

Endocrine disruptors

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425

Environmental analysis

Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417

Ephedrine

Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345

Experimental design

Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists 979(2002)323

Extraction methods

Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163

Field-enhanced sample stacking

Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163

Electrophoretic analysis of amines using reversed-phase, reversed-polarity, head-column field-amplified sample stacking and laser-induced fluorescence detection 979(2002)171

Forensic analysis

Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345

Formamide

Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389

Fraction collection

Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105

Frits

Microcolumns with self-assembled particle frits for proteomics 979(2002)233

Glycohemoglobin

Direct monitoring of glycohemoglobin A_{1c} in the blood samples of diabetic patients by capillary electrophoresis. Comparison with an immunoassay method 979(2002)201

Gradiflow

Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155

Height equivalent to a theoretical plate

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Hemispherodextrins

Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137

Hemoglobins

Direct monitoring of glycohemoglobin A_{1c} in the blood samples of diabetic patients by capillary electrophoresis. Comparison with an immunoassay method 979(2002)201

Hirudin

Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217

Homocysteine

Assay of total homocysteine and other thiols by capillary electrophoresis and laser-induced fluorescence detection. II. Preanalytical and analytical conditions 979(2002)255

Ibuprofen

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Injection bands

Sub-second liquid chromatographic separations by means of shear-driven chromatography 979(2002)33

Injection methods

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Instrumentation

Sub-second liquid chromatographic separations by means of shear-driven chromatography 979(2002)33

Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105

Voltage-addressable on/off microvalves for high-pressure microchip separations 979(2002)147

Microcolumns with self-assembled particle frits for proteomics 979(2002)233

Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241

Intraparticle convection

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Intraparticle diffusion

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Iodoacetamidofluoresceine

Assay of total homocysteine and other thiols by capillary electrophoresis and laser-induced fluorescence detection. II. Preanalytical and analytical conditions 979(2002)255

Ionic liquids

Application of 1-alkyl-3-methylimidazolium-based ionic liquids in non-aqueous capillary electrophoresis 979(2002)27

Ion-pair reagents

On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131

Isoelectric focusing

Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123

Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Isoelectric point

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Isoelectric trapping

Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155

Isotachophoresis-zone electrophoresis

Sample pre-concentration by isotachophoresis in microfluidic devices 979(2002)69

Ketones

Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409

Lactams

Application of micellar electrokinetic chromatography to the determination of sultamicillin in oral pharmaceutical preparations 979(2002)315

Lactones

Application of micellar electrokinetic chromatography to the determination of sultamicillin in oral pharmaceutical preparations 979(2002)315

Lamotrigine

Therapeutic drug monitoring of lamotrigine using capillary electrophoresis. Evaluation of assay performance and quality assurance over a 4-year period in the routine arena 979(2002)353

Least-squares analysis

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Therapeutic drug monitoring of lamotrigine using capillary electrophoresis. Evaluation of assay performance and quality assurance over a 4-year period in the routine arena 979(2002)353

Lidocaine

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Liquid chromatography

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Liquid-phase microextraction

Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163

Mathematical modelling

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Matrix effects

Sample matrix influence on the choice of background electrolyte for the analysis of bases with capillary zone electrophoresis 979(2002)11

Memantine

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Membranes

Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155

Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241

Metallothioneins

Evidence for oligomerization of metallothioneins in their functional state 979(2002)249

Methacrylic acid

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Methylformamide

Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389

Microfluidics

Sample pre-concentration by isotachophoresis in microfluidic devices 979(2002)69

Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105

Migration behaviour

Separation and migration behavior of structurally related phenothiazines in cyclodextrin-modified capillary zone electrophoresis 979(2002)399

Mobile phase composition

Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191

Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439

Mononucleotides

Potential binding of borate ions to mono- and oligonucleotides: a capillary electrophoresis investigation 979(2002)285

Naphthalenesulfonic acids

On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131

Neural networks, artificial

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Nitrobenzenes

Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439

Nitrophenols

Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439

Nitrotyrosine

Choice of different dyes to label tyrosine and nitrotyrosine 979(2002)209

Non-aqueous capillary electrophoresis

Analysis of active chemical species generated by electrolysis using non-aqueous capillary electrophoresis. Detection of the anion radical and the divalent anion of tetracyanoquinodimethane 979(2002)91

Analysis of catecholamines by capillary electrophoresis and capillary electrophoresis—nanospray mass spectrometry. Use of aqueous and non-aqueous solutions compared with physical parameters 979(2002)179

Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389

Non-aqueous electrophoresis

Application of 1-alkyl-3-methylimidazolium-based ionic liquids in non-aqueous capillary electrophoresis 979(2002)27

Octanol-water partition coefficients

Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191

Oligonucleotides

Potential binding of borate ions to mono- and oligonucleotides: a capillary electrophoresis investigation 979(2002)285

Oligosaccharides

Analysis of chitin oligosaccharides by capillary electrophoresis with laser-induced fluorescence 979(2002)431

Organic acids

Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417

Organophosphorus compounds

Separation of aromatic aminophosphonic acid enantiomers by capillary electrophoresis with the application of cyclodextrins 979(2002)115

Organosulfur compounds

Evidence for oligomerization of metallothioneins in their functional state 979(2002)249

Peak compression

Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335

Peak shape

Sample matrix influence on the choice of background electrolyte for the analysis of bases with capillary zone electrophoresis 979(2002)11

Peptides

Sample pre-concentration by isotachophoresis in microfluidic devices 979(2002)69

Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Pharmaceutical analysis

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Application of micellar electrokinetic chromatography to the determination of sultamicillin in oral pharmaceutical preparations 979(2002)315

Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists 979(2002)323

Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Pharmalytes

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Phenols

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425

Phenothiazines

Separation and migration behavior of structurally related phenothiazines in cyclodextrin-modified capillary zone electrophoresis 979(2002)399

Plate height

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Poly(ethylene oxide)

On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection 979(2002)261

Pore size distribution

Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447

Precision

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217

Preparative electrophoresis

Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123

Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155

Pressure-assisted capillary electrophoresis

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Profens

Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137

Rapid screening of pK_a values of pharmaceuticals by pressureassisted capillary electrophoresis combined with short-end injection 979(2002)369

Proteins

Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum 979(2002)43

Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155

Direct monitoring of glycohemoglobin A_{1c} in the blood samples of diabetic patients by capillary electrophoresis. Comparison with an immunoassay method 979(2002)201

Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217

Microcolumns with self-assembled particle frits for proteomics 979(2002)233

Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241

Evidence for oligomerization of metallothioneins in their functional state 979(2002)249

On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection 979(2002)261

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Capillary electrophoresis study of outer membrane proteins of *Pseudomonas* strains upon antibiotic treatment 979(2002)277

Proteomics

Microcolumns with self-assembled particle frits for proteomics 979(2002)233

Pseudomonas aeruginosa

Capillary electrophoresis study of outer membrane proteins of *Pseudomonas* strains upon antibiotic treatment 979(2002)277

Quality control

Therapeutic drug monitoring of lamotrigine using capillary electrophoresis. Evaluation of assay performance and quality assurance over a 4-year period in the routine arena 979(2002)353

Rimantadine

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Rutin

Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59

Sample handling

Sample pre-concentration by isotachophoresis in microfluidic devices 979(2002)69

On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131

Sample stacking

On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection 979(2002)261

Sediment

Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417

Selectivity

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Self-assembled particles

Microcolumns with self-assembled particle frits for proteomics 979(2002)233

Shear-driven chromatography

Sub-second liquid chromatographic separations by means of shear-driven chromatography 979(2002)33

Soil

Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417

Solid-phase microextraction

Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417

Stability studies

Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217

Stationary phases, electrochromatography

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Stationary phases, LC

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Sultamicillin

Application of micellar electrokinetic chromatography to the determination of sultamicillin in oral pharmaceutical preparations 979(2002)315

Surface modification

Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3

Sweeping

On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425

Tetracyanoquinodimethane

Analysis of active chemical species generated by electrolysis using non-aqueous capillary electrophoresis. Detection of the anion radical and the divalent anion of tetracyanoquinodimethane 979(2002)91

Tetramethylenediamine

Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271

Thiols

Assay of total homocysteine and other thiols by capillary electrophoresis and laser-induced fluorescence detection. II. Preanalytical and analytical conditions 979(2002)255

Transferrin

Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum 979(2002)43

Tryptophan

Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123

Tyrosine

Choice of different dyes to label tyrosine and nitrotyrosine 979(2002)209

Two-dimensional mapping

Two dimensional mapping of cancer cell extracts by liquid chromatography-capillary electrophoresis with ultraviolet absorbance detection 979(2002)81

Validation

Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists 979(2002)323

Volatile organic compounds

Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409