



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Chromatography A, 1001 (2003) 1–85

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

CUMULATIVE AUTHOR INDEX

J. CHROMATOGR. A VOLS. 952–1000

A

- Abad, C., see García-Lopera, R. 996(2003)33
- Abakerli, R.B., see Brito, N.M. 957(2002)201
- Ábalos, M., Prieto, X. and Bayona, J.M.
Determination of volatile alkyl sulfides in wastewater by headspace solid-phase microextraction followed by gas chromatography–mass spectrometry 963(2002)249
- Abel, M.-L., Chehimi, M.M., Fricker, F., Delamar, M., Brown, A.M. and Watts, J.F.
Adsorption of poly(methyl methacrylate) and poly(vinyl chloride) blends onto polypyrrole. Study by X-ray photoelectron spectroscopy, time-of-flight static secondary ion mass spectroscopy, and inverse gas chromatography 969(2002)273
- Abian, J., see Descroix, S. 987(2003)467
- Abuín, M., see Rodil, R. 963(2002)313
- Accorsi, A., Valenti, S., Barbieri, A., Raffi, G.B. and Violante, F.S.
Enflurane as an internal standard in monitoring halogenated volatile anaesthetics by headspace gas chromatography–mass spectrometry 985(2003)259
- Adachi, T. and Isobe, E.
Use of synthetic adsorbents in preparative normal-phase liquid chromatography 989(2003)19
- Adams, E., see Debremaeker, D. 953(2002)123
- Adamson, J.T., see White Jr., D.R. 997(2003)79
- Adapa, S.R., see Nageswara Rao, R. 972(2002)277
- Addová, G., see Kubinec, R. 993(2003)47
- Adler, H., Sirén, H., Kulmala, M. and Riekkola, M.-L.
Capillary electrophoretic separation of dicarboxylic acids in atmospheric aerosol particles 990(2003)133
- Adlof, R.O., Menzel, A. and Dorovska-Taran, V.
Analysis of conjugated linoleic acid-enriched triacylglycerol mixtures by isocratic silver-ion high-performance liquid chromatography 953(2002)293
- Afanas'eva, G.V., see Cavani, L. 983(2003)263
- Agarwal, G.P., see Gupta, V. 998(2003)93
- Agbodjan, A.A., see Burns, S.T. 973(2002)167
- Aggarwal, S.K., see Raut, N.M. 959(2002)163
- Agrofoglio, L.A., see Mesplet, N. 983(2003)115
- Agüera, A., see Mezcuca, M. 999(2003)81
- Aguerre, S., Lespes, G. and Potin-Gautier, M.
Physico-chemical approach to study organotin sorption–desorption during solid-phase microextraction 999(2003)61
- Aguete, E.C., see Gago-Martínez, A. 992(2003)159
- Aguinaga, N., see Viñas, P. 978(2002)249
- Ahrens, D.P., see Xiang, H. 978(2002)153
- Aida, M., see Zhang, Y.-H. 989(2003)175
- Aigotti, R., see Calza, P. 984(2003)59
- Aikawa, Y., see Masuda, T. 961(2002)89
- Airoidi, C., see Silva, C.R. 987(2003)127
- Airoidi, C., see Silva, C.R. 987(2003)139
- Akaida, T., see Kobayashi, H. 990(2003)169
- Akesolo, U., González, L., María Jiménez, R. and María Alonso, R.
Multivariate optimisation of a cyclodextrin-assisted-capillary zone electrophoretic method for the separation of torasemide and its metabolites 990(2003)271
- Åkesson-Nilsson, G.
Isolation of chlorinated fatty acid methyl esters derived from cell-culture medium and from fish lipids by using an aminopropyl solid-phase extraction column 996(2003)173
- Akopov, S.B., see Trubetskoy, D.O. 976(2002)95
- Akoto, L., see Blokker, P. 959(2002)191
- Albanis, T.A., see Lambropoulou, D.A. 952(2002)215
- Albanis, T.A., see Lambropoulou, D.A. 967(2002)243
- Al-Bokari, M., Cherrak, D. and Guiochon, G.
Determination of the porosities of monolithic columns by inverse size-exclusion chromatography 975(2002)275

- Alden, P., see Brun, Y. 966(2002)25
- Al Rifafī, R., Demesmay, C. and Rocca, J.L.
Ability of porous graphitic carbon to support electroosmotic flow in capillary electrochromatography 973(2002)177
- Alam, M.M., see Nageswara Rao, R. 972(2002)277
- Albanis, T.A., see Lambropoulou, D.A. 963(2002)107
- Albanis, T.A., see Lambropoulou, D.A. 993(2003)197
- Albanis, T.A., see Sakkas, V.A. 959(2002)215
- Albert, K., see Andrade, F.D.P. 953(2002)287
- Al-Bokari, M., see Cavazzini, A. 957(2002)111
- Alcaraz, M.C., see Peña, R. 967(2002)303
- Alder, A.C., see Haller, M.Y. 952(2002)111
- Al-Ghamdi, A. and Al-Saigh, Z.Y.
Surface and thermodynamic characterization of conducting polymers by inverse gas chromatography. I. Polyaniline 969(2002)229
- Alonso, R.M., see Akesolo, U. 990(2003)271
- Alonso-Salces, R.M., see Barranco, A. 988(2003)33
- Almansa López, E., see Egea González, F.J. 966(2002)155
- Almeida, M.F., see Ribeiro, A. 975(2002)267
- Almeida, P.J., see Santos, J.R. 985(2003)395
- Alpendurada, M.F., see Gonçalves, C. 963(2002)19
- Alpendurada, M.F., see Gonçalves, C. 968(2002)177
- Al-Saigh, Z.Y., see Al-Ghamdi, A. 969(2002)229
- Álvarez, B., see León, V.M. 999(2003)91
- Altelaar, A.F.M., see Gimeno, R.A. 958(2002)141
- Alves, A., see Ribeiro, A. 975(2002)267
- Alves, G.L. and Franco, M.R.B.
Headspace gas chromatography–mass spectrometry of volatile compounds in murici (*Byrsonima crassifolia* L. Rich) 985(2003)297
- Alzaga, R., Peña, A., Ortiz, L. and Bayona, J.M.
Determination of linear alkylbenzenesulfonates in aqueous matrices by ion-pair solid-phase microextraction–in-port derivatization–gas chromatography–mass spectrometry 999(2003)51
- Amati, A., see Castellari, M. 973(2002)221
- Amici, M., see Mecozzi, M. 963(2002)363
- Amirav, A., see Fialkov, A.B. 991(2003)217
- Amirav, A., see Kochman, M. 974(2002)185
- Ampleman, G., see Halasz, A. 963(2002)411
- Amrani, F., see Ourdani, S. 969(2002)287
- Ananieva, I.A., see Shpigun, O.A. 979(2002)191
- Anastasi, G., see Cinquina, A.L. 987(2003)227
- Andaluz, B., see Gómez-Gomar, A. 990(2003)91
- Andersen, J.S., see Ishihama, Y. 979(2002)233
- Andersen, R.A., see Wilhelmsen, T.W. 979(2002)249
- Andersen, S., Halvorsen, T.G., Pedersen-Bjergaard, S. and Rasmussen, K.E.
Liquid-phase microextraction combined with capillary electrophoresis, a promising tool for the determination of chiral drugs in biological matrices 963(2002)303
- Andersen, T., see Greibrokk, T. 1000(2003)743
- Anderson Jr., J.M., see Bose, R. 956(2002)71
- Anderson, J.M., see Saari-Nordhaus, R. 956(2002)15
- Anderson Jr., J.M., see Douglas, D.R. 956(2002)47
- Andersson, E.K.M. and Häggglund, I.
Increase of sample load without peak deterioration by careful selection of electrolyte in capillary zone electrophoresis 953(2002)227
- Andersson, E.K.M. and Häggglund, I.
Sample matrix influence on the choice of background electrolyte for the analysis of bases with capillary zone electrophoresis 979(2002)11
- Andersson, M.E., see Enlund, A.M. 979(2002)335
- Ando, M., see Uchiyama, S. 996(2003)95
- Andrade, F.D.P., Santos, L.C., Datchler, M., Albert, K. and Vilegas, W.
Use of on-line liquid chromatography–nuclear magnetic resonance spectroscopy for the rapid investigation of flavonoids from *Sorocea bomplandii* 953(2002)287
- Andreev, V., see D'Acunto, M.R. 979(2002)285
- Andrenšek, S., see Vovk, I. 991(2003)267
- Andrés, A.I., Cava, R. and Ruiz, J.
Monitoring volatile compounds during dry-cured ham ripening by solid-phase microextraction coupled to a new direct-extraction device 963(2002)83
- Andrews, A.R.J., see King, S. 982(2002)201
- Andrijewski, G., see Kudzin, Z.H. 998(2003)183
- Andrisano, V., see Bartolini, M. 958(2002)59
- Andrisano, V., see Bartolini, M. 987(2003)331
- Angfossi, L., see Tozzi, C. 966(2002)71
- Angioi, S., see Gennaro, M.C. 993(2003)111
- Angoelal, R., see Fritsche, J. 972(2002)195
- Anticó, E., see Juanola, R. 953(2002)207
- Antonucci, V., see Buote, A. 978(2002)177
- Antonucci, V., Hicks, M.B., Lin, Z. and Reamer, R.A.
Determination of minor conformational changes of a doxorubicin–peptide conjugate under chromatographic conditions 983(2003)73
- Antonucci, V.L., see Hicks, M.B. 973(2002)27
- Antonovich, R.S. and Keller, P.R.
Applicability of mass spectrometry to detect coeluting impurities in high-performance liquid chromatography 971(2002)159
- Antos, D., see Piątkowski, W. 988(2003)219
- Aoyagi, S., see Uchiyama, S. 996(2003)95
- Aplada-Sarlis, P., see Liapis, K.S. 996(2003)181
- Appelblad, P. and Irgum, K.
Separation and detection of neuroactive steroids from biological matrices (Review) 955(2002)151
- Apostolidis, A., Lehmann, H., Schwotzer, G., Willsch, R., Prior, A., Wolfgang, J., Klimant, I. and Wolfbeis, O.S.
Fiber optic multi-channel protein detector for use in preparative continuous annular chromatography 967(2002)183
- Arakawa, R., see Moriwaki, H. 995(2003)239
- Arai, A., see Xu, Z.Q. 990(2003)53
- Arai, S., see Masuda, T. 961(2002)89
- Arain, M.A., Khuhawar, M.Y. and Bhangar, M.I.
Gas and liquid chromatography of metal chelates of pentamethylene dithiocarbamate 973(2002)235
- Araña, M., see Moya, G. 971(2002)129
- Arao, S., see Ogasawara, M. 973(2002)151
- Araujo, L., see Navalón, A. 975(2002)355
- Arce, L., see Peña, R. 967(2002)303

- Arena, M.P., see Fritz, J.S. 997(2003)41
- Aresta, A., see Monaci, L. 955(2002)79
- Arfelli, G., see Castellari, M. 973(2002)221
- Ariese, F., see Clicq, D. 979(2002)33
- Ariese, F., see de Rijke, E. 984(2003)45
- Arikawa, A., see Kemmochi, Y. 977(2002)155
- Ariza, A., see Capitan-Vallvey, L.F. 978(2002)243
- Armataefio, J., see Okatch, H. 992(2003)67
- Armstrong, D.E., see Tang, D. 998(2003)31
- Armstrong, D.W., see Berthod, A. 955(2002)53
- Armstrong, D.W., see Krupcik, J. 1000(2003)779
- Armstrong, D.W., see Liu, Y. 978(2002)185
- Armstrong, D.W., see Péter, A. 958(2002)89
- Arnault, I., Christidès, J.P., Mandon, N., Haffner, T., Kahane, R. and Auger, J.
High-performance ion-pair chromatography method for simultaneous analysis of alliin, deoxyalliin, allicin and dipeptide precursors in garlic products using multiple mass spectrometry and UV detection 991(2003)69
- Arnault, I., see Mondy, N. 963(2002)89
- Arrebola, F.J., see Martínez Vidal, J.L. 959(2002)203
- Arrizabalaga, P., see Espejo, R. 976(2002)335
- Artemiadi, Th., see Kalogirou, E. 969(2002)81
- Artico, M., see Cirilli, R. 993(2003)17
- Arvidsson, P., Plieva, F.M., Savina, I.N., Lozinsky, V.I., Fexby, S., Bülow, L., Galaev, I.Yu. and Mattiasson, B.
Chromatography of microbial cells using continuous supermacroporous affinity and ion-exchange columns 977(2002)27
- Arvidsson, P., Plieva, F.M., Lozinsky, V.I., Galaev, I.Yu. and Mattiasson, B.
Direct chromatographic capture of enzyme from crude homogenate using immobilized metal affinity chromatography on a continuous supermacroporous adsorbent 986(2003)275
- Asan, A. and Isildak, I.
Determination of major phenolic compounds in water by reversed-phase liquid chromatography after pre-column derivatization with benzoyl chloride 988(2003)145
- Asenjo, J.A., see Lienqueo, M.E. 978(2002)71
- Ashraf-Khorassani, M., Nazem, N. and Taylor, L.T.
Feasibility of supercritical fluid extraction with on-line coupling of reversed-phase liquid chromatography for quantitative analysis of polymer additives 995(2003)227
- Ask Reitzel, L. and Ledin, A.
Determination of phenols in landfill leachate-contaminated groundwaters by solid-phase extraction 972(2002)175
- Asman, W.A.H., see Bossi, R. 957(2002)27
- Asperger, A., Efer, J., Koal, T. and Engewald, W.
Trace determination of priority pesticides in water by means of high-speed on-line solid-phase extraction–liquid chromatography–tandem mass spectrometry using turbulent-flow chromatography columns for enrichment and a short monolithic column for fast liquid chromatographic separation 960(2002)109
- Atindehou, K.K., see Queiroz, E.F. 974(2002)123
- Auger, J., see Arnault, I. 991(2003)69
- Auger, J., see Mondy, N. 963(2002)89
- Aupiais, J., Delorme, A. and Baglan, N.
Determination of the absolute mobility and the equivalent ionic conductivity of NpO_2^+ at 25 °C and at infinite dilution by capillary electrophoresis–inductively coupled plasma-mass spectrometry 994(2003)199
- Auriola, S., see Niiranen, H. 962(2002)95
- Auriola, S., see Palmgrén, J.J. 976(2002)165
- Avdalovic, N., see Jandik, P. 954(2002)33
- Avdalovic, N., see Cheng, J. 997(2003)73
- Avdalovic, N., see Lu, Z. 956(2002)129
- Avdalovic, N., see Novič, M. 957(2002)165
- Avdalovic, N., see Roehl, R. 956(2002)245
- Avdalovic, N., see Woodruff, A. 956(2002)35
- Avdalovic, N., see Woodruff, A. 997(2003)33
- Awadallah, B., Schmidt, P.C. and Wahl, M.A.
Quantitation of the enantiomers of ofloxacin by capillary electrophoresis in the parts per billion concentration range for in vitro drug absorption studies 988(2003)135
- Awofolu, R.O., see Fatoki, O.S. 983(2003)225
- Axel Clausen, P., Lindeberg Bille, R.L., Nilsson, T., Hansen, V., Svensmark, B. and Bøwadt, S.
Simultaneous extraction of di(2-ethylhexyl) phthalate and nonionic surfactants from house dust. Concentrations in floor dust from 15 Danish schools 986(2003)179
- Axford, I.P., see Earls, A.O. 983(2003)237
- Aznar, M., see López, R. 966(2002)167

B

- Baco, F., see Bouyssiere, B. 976(2002)431
- Bączek, T. and Kaliszan, R.
Combination of linear solvent strength model and quantitative structure–retention relationships as a comprehensive procedure of approximate prediction of retention in gradient liquid chromatography 962(2002)41
- Bączek, T., see Kaliszan, R. 965(2002)117
- Bączek, T. and Kaliszan, R.
Predictive approaches to gradient retention based on analyte structural descriptors from calculation chemistry 987(2003)29
- Bae, S.S., see Tugcu, N. 954(2002)127
- Bae, Y.C., see Jung, H.J. 967(2002)279
- Baek, K., see Cho, H.-J. 988(2003)177
- Baeta Neves, M.I., see Oliva, V. 969(2002)261
- Baeuml, F. and Welsch, T.
Improvement of the long-term stability of polyimide-coated fused-silica capillaries used in capillary electrophoresis and capillary electrochromatography 961(2002)35
- Baeza-Baeza, J.J., see Caballero, R.D. 954(2002)59

- Bafeltowska, J., Buszman, E., Mandat, K. and Hawranek, J.
Determination of cefotaxime and desacetylcefotaxime in cerebrospinal fluid by solid-phase extraction and high-performance liquid chromatography 976(2002)249
- Baggiani, C., see Tozzi, C. 966(2002)71
- Bagheri, H. and Saraji, M.
Conductive polymers as new media for solid-phase extraction: Isolation of chlorophenols from water sample 986(2003)111
- Baglan, N., see Aupiais, J. 994(2003)199
- Baillet, A., see Gaudin, K. 973(2002)61
- Baillet, A., see Gaudin, K. 973(2002)69
- Baiocchi, C., see Calza, P. 984(2003)59
- Bakaev, V.A., Bakaeva, T.I. and Pantano, C.G.
Surface heterogeneity and surface area from linear inverse gas chromatography. Application to glass fibers 969(2002)153
- Bakaeva, T.I., see Bakaev, V.A. 969(2002)153
- Bakkali, A., see Barranco, A. 988(2003)33
- Bal, K., see Skapska, S. 992(2003)199
- Balard, H., see Comard, M.-P. 969(2002)93
- Balard, H., see Hamdi, S. 969(2002)143
- Balasubramaniam, D., Wilkinson, C., Van Cott, K. and Zhang, C.
Tobacco protein separation by aqueous two-phase extraction 989(2003)119
- Baldacci, A., Theurillat, R., Caslavská, J., Pardubská, H., Brenneisen, R. and Thormann, W.
Determination of γ -hydroxybutyric acid in human urine by capillary electrophoresis with indirect UV detection and confirmation with electrospray ionization ion-trap mass spectrometry 990(2003)99
- Baldissarelli, V.Z., see Schneider, R.C.S. 985(2003)313
- Baldock, S.J., Fielden, P.R., Goddard, N.J., Prest, J.E. and Treves Brown, B.J.
Integrated moulded polymer electrodes for performing conductivity detection on isotachopheresis microdevices 990(2003)11
- Baldock, S.J., see Prest, J.E. 990(2003)325
- Bamba, T., Fukusaki, E., Nakazawa, Y., Sato, H., Ute, K., Kitayama, T. and Kobayashi, A.
Analysis of long-chain polyprenols using supercritical fluid chromatography and matrix-assisted laser desorption ionization time-of-flight mass spectrometry 995(2003)203
- Ban, E., see Nam, H.-S. 976(2002)79
- Ban, E., see Yoon, S. 976(2002)87
- Baran, N., see Dagnac, T. 957(2002)69
- Barbarin, N., Henion, J.D. and Wu, Y.
Comparison between liquid chromatography–UV detection and liquid chromatography–mass spectrometry for the characterization of impurities and/or degradants present in trimethoprim tablets 970(2002)141
- Beens, J., see Dallüge, J. 965(2002)207
- Barbieri, A., see Accorsi, A. 985(2003)259
- Barnard, A.R., see Tomkins, B.A. 964(2002)21
- Barbosa, J., see Sanli, N. 975(2002)299
- Barbosa, J., see Sanz-Nebot, V. 985(2003)411
- Barceló, D., see Latorre, A. 991(2003)205
- Barceló, D., see Lopez de Alda, M.J. 1000(2003)503
- Barceló, D., see Martínez, E. 959(2002)181
- Barceló, D., see Petrovic, M. 959(2002)15
- Barceló, D., see Petrovic, M. 974(2002)23
- Barcelo, D., see Petrovic, M. 971(2002)37
- Barceló, D., see Rigol, A. 963(2002)265
- Barceló, D., see Rosell, M. 995(2003)171
- Barciszewski, J., see Mucha, P. 968(2002)211
- Barco, M., Rivera, J. and Caixach, J.
Analysis of cyanobacterial hepatotoxins in water samples by microbore reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 959(2002)103
- Bardin, G., see Cavazzini, A. 957(2002)111
- Barinaga-Rementeria Ramírez, I., Mebrahtu, S. and Jergil, B.
Affinity partitioning for membrane purification exploiting the biotin–NeutrAvidin interaction. Model study of mixed liposomes and membranes 971(2002)117
- Baron, G.V., see Clicq, D. 979(2002)33
- Baron, G.V., see Gzil, P. 991(2003)169
- Baron, G.V., see Vervoort, N. 987(2003)39
- Barranco, A., Alonso-Salces, R.M., Bakkali, A., Berrueta, L.A., Gallo, B., Vicente, F. and Sarobe, M.
Solid-phase clean-up in the liquid chromatographic determination of polycyclic aromatic hydrocarbons in edible oils 988(2003)33
- Barreiro, E.J., see da Conceição K.V. Ramos, M. 985(2003)321
- Barreto, V., see Lu, Z. 956(2002)129
- Barrio, R.J., see Millán, S. 995(2003)135
- Barrón, D., see Sanli, N. 975(2002)299
- Barros, A.A., see Santos, J.R. 985(2003)395
- Barroso, C.G., see Palma, M. 968(2002)1
- Barthe, L., Ribet, J.-P., Péliou, M., Degude, M.-J., Fahy, J. and Duflos, A.
Optimization of the separation of *Vinca* alkaloids by nonaqueous capillary electrophoresis 968(2002)241
- Barthel, H., see Hamdi, S. 969(2002)143
- Bartolini, M., Andrisano, V. and Wainer, I.W.
Development and characterization of an immobilized enzyme reactor based on glyceraldehyde-3-phosphate dehydrogenase for on-line enzymatic studies 987(2003)331
- Bartolini, M., Bertucci, C., Gotti, R., Tumiatti, V., Cavalli, A., Recanatini, M. and Andrisano, V.
Determination of the dissociation constants (pK_a) of basic acetylcholinesterase inhibitors by reversed-phase liquid chromatography 958(2002)59
- Bartolini, P., see Soares, C.R.J. 955(2002)229
- Bartolucci, G., see Pieraccini, G. 955(2002)117
- Baryla, N.E. and Lucy, C.A.
Semi-permanent surfactant coatings for inorganic anion analysis in capillary electrophoresis 956(2002)271
- Basheer, C., Lee, H.K. and Obbard, J.P.
Determination of organochlorine pesticides in seawater using liquid-phase hollow fibre membrane microextraction and gas chromatography–mass spectrometry 968(2002)191
- Bashir, W., Tyrrell, E., Feeney, O. and Paull, B.
Retention of alkali, alkaline earth and transition metals on an itaconic acid cation-exchange column. Eluent pH, ionic strength and temperature effects upon selectivity 964(2002)113
- Bassiotti, I., see Kalogirou, E. 969(2002)81
- Bastos Caramão, E., see Sanches Filho, P.J. 985(2003)503
- Baten, P., see Iványi, T. 954(2002)99

- Baten, P., see Visky, D. 977(2002)39
- Batigalia, F., see Cass, Q.B. 987(2003)445
- Battle, R., Carlsson, H., Holmgren, E., Colmsjö, A. and Crescenzi, C.
On-line coupling of supercritical fluid extraction with high-performance liquid chromatography for the determination of explosives in vapour phases 963(2002)73
- Battu, S., see Clarot, I. 958(2002)79
- Baudino, S., see Calza, P. 984(2003)59
- Baur, L., Sanger-van de Griend, C. and Watzig, H.
Electroosmotic flow variations caused by the volatility of buffer components: diagnosis and therapy 979(2002)97
- Bayer, E., see von Brocke, A. 991(2003)129
- Bayle, C., Issac, C., Salvayre, R., Couderc, F. and Causse, E.
Assay of total homocysteine and other thiols by capillary electrophoresis and laser-induced fluorescence detection. II. Pre-analytical and analytical conditions 979(2002)255
- Bayle, C., see Massip, C. 979(2002)209
- Bayle, C., see Yang, C. 979(2002)307
- Bayle, J.P., see Ferroukhi, O. 971(2002)87
- Bayona, J.M.
Foreword 963(2002)1
- Bayona, J.M., see abalos, M. 963(2002)249
- Bayona, J.M., see Alzaga, R. 999(2003)51
- Bayona, J.M., see Diez, S. 963(2002)345
- Bayona, J.M., see Jover, E. 970(2002)249
- Bayona, J.M., see Moldovan, Z. 952(2002)193
- Bazylak, G. and Nagels, L.J.
Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography 973(2002)85
- Bang, J., Nukaya, H. and Skog, K.
Blue Chitin columns for the extraction of heterocyclic amines from cooked meat 977(2002)97
- Beaulieu, C., see Halasz, A. 963(2002)411
- Beens, J., see Dalluge, J. 974(2002)169
- Beens, J., see Dalluge, J. 1000(2003)69
- Begany, P., see Zrostlıkova, J. 973(2002)13
- Behrend, P., see Stepnowski, P. 993(2003)173
- Beiner, K., Popp, P. and Wennrich, R.
Selective enrichment of sulfides, thiols and methylthiophosphates from water samples on metal-loaded cation-exchange materials for gas chromatographic analysis 968(2002)171
- Beisler, A.T., Schaefer, K.E. and Weber, S.G.
Simple method for the quantitative examination of extra column band broadening in microchromatographic systems 986(2003)247
- Beltscheva, D., Hugo, P. and Seidel-Morgenstern, A.
Linear two-step gradient counter-current chromatography. Analysis based on a recursive solution of an equilibrium stage model 989(2003)31
- Benavente, F., see Sanz-Nebot, V. 985(2003)411
- Benczedi, D., see Cantergiani, E. 969(2002)103
- Bendini, A., Bonoli, M., Cerretani, L., Biguzzi, B., Lercker, G. and Gallina Toschi, T.
Liquid-liquid and solid-phase extractions of phenols from virgin olive oil and their separation by chromatographic and electrophoretic methods 985(2003)425
- Beni, F., see Bramanti, E. 994(2003)59
- Benincasa, M.-A., Cartoni, G. and Delle Fratte, C.
Flow field-flow fractionation and characterization of ionic and neutral polysaccharides of vegetable and microbial origin 967(2002)219
- Bennett, B.D., see Kato, M. 961(2002)45
- Benzarti, K., see Oliva, V. 969(2002)261
- Berbee, R., see Bobeldijk, I. 970(2002)167
- Berdague, P., see Ferroukhi, O. 971(2002)87
- Berdeaux, O., see Velasco, J. 982(2002)145
- Berek, D. and Tarbajovska, J.
Evaluation of high-performance liquid chromatography column retentivity using macromolecular probes. II. Silanophilic interactivity traced by highly polar polymers 976(2002)27
- Berendsen, B.J.A., see Van Rhijn, J.A. 960(2002)121
- Berezkin, V.G., Korolev, A.A., Malyukova, I.V., Popova, T.P., Shiryaeva, V.E. and Khotimskii, V.S.
Poly[1-(trimethylsilyl)-1-propine] as chromatographic adsorbent and prospects of its application in packed and capillary columns 960(2002)151
- Berezkin, V.G., Makarov, E.D. and Stolyarov, B.V.
Needle-type concentrator and its application to the determination of pollutants 985(2003)63
- Berezkin, V.G. and Viktorova, E.N.
Changes in the basic experimental parameters of capillary gas chromatography in the 20th century (Review) 985(2003)3
- Berezkin, V.G., Zagainov, V.F. and Ivanov, P.B.
Carrier gas as a new factor influencing the selectivity of the gas-stationary liquid phase chromatographic system 985(2003)57
- Bereznitski, Y., see LoBrutto, R. 995(2003)67
- Berg, J.C., see Sun, C. 969(2002)59
- Berger, U., Vetter, W., Gottsch, A. and Kallenborn, R.
Chromatographic enrichment and enantiomer separation of axially chiral polybrominated biphenyls in a technical mixture 973(2002)123
- Berger-Preiss, E., see Elflein, L. 985(2003)147
- Berggren, C., see Blomgren, A. 975(2002)157
- Bergman, R., see Karlsson, G. 986(2003)67
- Bergstrom, E.T., see Erny, G.L. 959(2002)229
- Berkhoff, C.J., see Mooibroek, D. 975(2002)165
- Berloni, A., see Mangani, G. 988(2003)167
- Bermond, A., see Flotron, V. 999(2003)175
- Bernabei, M., Reda, R., Galiero, R. and Bocchinfuso, G.
Determination of total and polycyclic aromatic hydrocarbons in aviation jet fuel 985(2003)197
- Bernal, J.L., see del Nozal, M.J. 986(2003)135
- Bernal, J.L., see Nozal, M.. -J. 954(2002)207
- Berresheim, H., see Plass-Dulmer, C. 953(2002)175
- Berrueta, L.A., see Barranco, A. 988(2003)33
- Berryman, D., see Houde, F. 961(2002)245
- Berthod, A., see Carda-Broch, S. 995(2003)55
- Berthod, A., see Liu, Y. 978(2002)185
- Berthod, A., Xiao, T.L., Liu, Y., Jenks, W.S. and Armstrong, D.W.
Separation of chiral sulfoxides by liquid chromatography using macrocyclic glycopeptide chiral stationary phases 955(2002)53
- Bertucci, C., see Bartolini, M. 958(2002)59

- Berzas Nevado, J.J., Rodríguez Flores, J., Castañeda Peñalvo, G. and Rodríguez Fariñas, N.
Determination of sildenafil citrate and its main metabolite by sample stacking with polarity switching using micellar electrokinetic chromatography 953(2002)279
- Beuzenberg, V., see Suzuki, T. 992(2003)141
- Bhanger, M.I., see Arain, M.A. 973(2002)235
- B'Hymer, C., see Kannamkumarath, S.S. 975(2002)245
- Bi, S.-P., see Lian, H.-Z. 993(2003)179
- Bianchi, F., see Careri, M. 970(2002)3
- Bianchi, F., Careri, M., Marengo, E. and Musci, M.
Use of experimental design for the purge-and-trap-gas chromatography–mass spectrometry determination of methyl *tert*-butyl ether, *tert*-butyl alcohol and BTEX in groundwater at trace level 975(2002)113
- Bíba, B., see Kvasnička, F. 990(2003)239
- Bicchi, C., see Zuin, V.G. 985(2003)159
- Bicker, G., see Wang, F. 958(2002)69
- Bielejewska, A., Duszczyc, K., Kwaterczak, A. and Sybilska, D.
Comparative study on the enantiomer separation of 1,1'-binaphthyl-2,2'-diyl hydrogenphosphate and 1,1'-bi-2-naphthol by liquid chromatography and capillary electrophoresis using single and combined chiral selector systems 977(2002)225
- Biguzzi, B., see Bendini, A. 985(2003)425
- Bijnens, L., see Gelders, G.G. 992(2003)75
- Billiet, H.A.H., see Houwing, J. 952(2002)85
- Billiot, E., see Thibodeaux, S.J. 966(2002)179
- Biressi, G., Mazzotti, M. and Morbidelli, M.
Experimental investigation of the behavior of gas phase simulated moving beds 957(2002)211
- Birkemeyer, C., Kolasa, A. and Kopka, J.
Comprehensive chemical derivatization for gas chromatography–mass spectrometry-based multi-targeted profiling of the major phytohormones 993(2003)89
- Birks, J.W., see Karbiwnyk, C.M. 958(2002)219
- Biron, J.Ph., see Plasson, R. 952(2002)239
- Biswas, K.M., DeVido, D.R. and Dorsey, J.G.
Evaluation of methods for measuring amino acid hydrophobicities and interactions (Review) 1000(2003)637
- Biziuk, M., see Dąbrowski, L. 957(2002)59
- Björklund, J., see Tollbäck, P. 991(2003)241
- Black, R.M. and Muir, B.
Derivatisation reactions in the chromatographic analysis of chemical warfare agents and their degradation products (Review) 1000(2003)253
- Blackwell, J.A., see Xiang, D. 953(2002)67
- Blagodatskikh, I.V., Sutkevich, M.V., Sitnikova, N.L., Churochkina, N.A., Pryakhina, T.A., Philippova, O.E. and Khokhlov, A.R.
Molecular mass characterization of polymers with strongly interacting groups using gel permeation chromatography–light scattering detection 976(2002)155
- Blahová, E., see Žiaková, A. 983(2003)271
- Blanco-Cid, S., see López-Blanco, M.C. 984(2003)245
- Blaschke, G., see Griese, N. 979(2002)379
- Blasco, C., Font, G. and Picó, Y.
Comparison of microextraction procedures to determine pesticides in oranges by liquid chromatography–mass spectrometry 970(2002)201
- Blechtová, L., see Urbánek, M. 958(2002)261
- Bleha, M., see Tishchenko, G. 954(2002)115
- Bleha, M., see Tishchenko, G. 983(2003)125
- Blokker, P., Pel, R., Akoto, L., Brinkman, U.A.Th. and Vreuls, R.J.J.
At-line gas chromatographic–mass spectrometric analysis of fatty acid profiles of green microalgae using a direct thermal desorption interface 959(2002)191
- Blomberg, J., Schoenmakers, P.J. and Brinkman, U.A.Th.
Gas chromatographic methods for oil analysis (Review) 972(2002)137
- Blomberg, J., Schoenmakers, P.J. and Brinkman, U.A.Th.
Reply to “Comments to the early history of gas chromatographic methods for oil analysis” by L.S. Ettre 993(2003)221
- Blomberg, L.G., see Bohlin, M.E. 985(2003)471
- Blomgren, A., Berggren, C., Holmberg, A., Larsson, F., Sellergren, B. and Ensing, K.
Extraction of clenbuterol from calf urine using a molecularly imprinted polymer followed by quantitation by high-performance liquid chromatography with UV detection 975(2002)157
- Blumberg, L.M.
Comprehensive two-dimensional gas chromatography: metrics, potentials, limits 985(2003)29
- Bobeldijk, I., Stoks, P.G.M., Vissers, J.P.C., Emke, E., van Leerdam, J.A., Muilwijk, B., Berbee, R. and Noij, Th.H.M.
Surface and wastewater quality monitoring: combination of liquid chromatography with (geno)toxicity detection, diode array detection and tandem mass spectrometry for identification of pollutants 970(2002)167
- Bocaz, G., see Polášková, P. 979(2002)59
- Boccalon, P., see Pieraccini, G. 955(2002)117
- Bocchinfuso, G., see Bernabei, M. 985(2003)197
- Boers, W., see Janssen, H.-G. 1000(2003)385
- Bohlin, M.E., Öhman, M., Hamberg, M. and Blomberg, L.G.
Separation of conjugated trienoic fatty acid isomers by capillary electrophoresis 985(2003)471
- Böhm, J., see Razzazi-Fazeli, E. 968(2002)129
- Bolanča, T., see Srečnik, G. 973(2002)47
- Bondesson, U., see Hedeland, Y. 984(2003)261
- Bondesson, U., see Lodén, H. 986(2003)143
- Bondoux, G.C., see Niessen, W.M.A. 970(2002)131
- Bonoli, M., see Bendini, A. 985(2003)425
- Bonoli, M., see Lercker, G. 985(2003)333
- Bonte, J.-P., see Lipka-Belloli, E. 972(2002)211
- Boos, J., see Griese, N. 979(2002)379
- Boos, K.-S., see Chiap, P. 975(2002)145
- Bordin, G., see Chassaingne, H. 976(2002)409
- Bordin, G., see McCourt, J. 990(2003)259
- Bordin, G., see Toussaint, B. 976(2002)195
- Bordin, G., see Van Vyncht, G. 952(2002)121
- Bordunov, A., see Woodruff, A. 956(2002)35
- Bordunov, A., see Woodruff, A. 997(2003)33
- Borén, H., see Jonsson, S. 963(2002)393
- Borlak, J., see Walles, M. 970(2002)117
- Borrull, F., see Brossa, L. 963(2002)287
- Borrull, F., see Brossa, L. 998(2003)41
- Borrull, F., see Caro, E. 963(2002)169
- Borrull, F., see Caro, E. 995(2003)233

- Borrull, F., see Comas, E. 988(2003)277
- Borrull, F., see Gimeno, R.A. 958(2002)141
- Borrull, F., see Peñalver, A. 953(2002)79
- Borrull, F., see Peñalver, A. 964(2002)153
- Bortolotti, F., see Lanz, C. 979(2002)43
- Bos, M., see Segeren, L.H.G.J. 969(2002)215
- Bos, R., Koulman, A., Woerdenbag, H.J., Quax, W.J. and Pras, N.
Volatile components from *Anthriscus sylvestris* (L.) Hoffm
966(2002)233
- Bos, R., Woerdenbag, H.J. and Pras, N.
Determination of valepotriates (Review) 967(2002)131
- Bosc, J.J., see Matoga, M. 984(2003)253
- Bosch, E., see Espinosa, S. 954(2002)77
- Bosch, E., see Espinosa, S. 964(2002)55
- Bosch, E., see Méndez, A. 986(2003)33
- Bosch, E., see Rosés, M. 982(2002)1
- Bosch, E., see Torres-Lapasíó, J.R. 955(2002)19
- Bose, R., Saari-Nordhaus, R. and Anderson Jr., J.M.
Solving complex anion separation problems with a
carbonate–hydrogencarbonate gradient 956(2002)71
- Bosio, A., see Flotron, V. 999(2003)175
- Bossi, R., Vejrup, K.V., Mogensen, B.B. and Asman, W.A.H.
Analysis of polar pesticides in rainwater in Denmark by
liquid chromatography–tandem mass spectrometry
957(2002)27
- Bottoli, C.B.G., Collins, K.E. and Collins, C.H.
Chromatographic evaluation of self-immobilized stationary
phases for reversed-phase liquid chromatography
987(2003)87
- Bouchonnet, S., see Pirnay, S. 954(2002)235
- Boué, S.M., Carter-Wientjes, C.H., Shih, B.Y. and Cleveland,
T.E.
Identification of flavone aglycones and glycosides in
soybean pods by liquid chromatography–tandem mass
spectrometry 991(2003)61
- Boutboul, A., Lenfant, F., Giampaoli, P., Feigenbaum, A. and
Ducruet, V.
Use of inverse gas chromatography to determine
thermodynamic parameters of aroma–starch interactions
969(2002)9
- Bouvier, A., see Weatherly, G.T. 952(2002)99
- Bouyssié, B., Baco, F., Savary, L. and Lobiński, R.
Speciation analysis for mercury in gas condensates by
capillary gas chromatography with inductively coupled
plasma mass spectrometric detection 976(2002)431
- Bover-Cid, S., see Vidal-Carou, M.C. 998(2003)235
- Bøwadt, S., see Axel Clausen, P. 986(2003)179
- Bøwadt, S., see Hartonen, K. 958(2002)239
- Bowerbank, C.R., see Peterson, Z.D. 992(2003)169
- Boyd, B.W., see Tindall, G.W. 977(2002)247
- Brachetti, A., see Ciccio, P. 985(2003)283
- Brack, W., Kind, T., Hollert, H., Schrader, S. and Möder, M.
Sequential fractionation procedure for the identification of
potentially cytochrome P4501A-inducing compounds
986(2003)55
- Brack, W., Kind, T., Hollert, H., Schrader, S. and Möder, M.
Erratum to “Sequential fractionation procedure for the
identification of potentially cytochrome P4501A-inducing
compounds”. [J. Chromatogr. A, 986 (2003) 55–66]
993(2003)223
- Braddy, A.C., Janáky, T. and Prokai, L.
Immobilized artificial membrane chromatography coupled
with atmospheric pressure ionization mass spectrometry
966(2002)81
- Bradshaw, J.S., see Juvancz, Z. 982(2002)119
- Bramanti, E., Sortino, C. and Raspi, G.
New chromatographic method for separation and
determination of denatured α_{s1} -, α_{s2} -, β - and κ -caseins by
hydrophobic interaction chromatography 958(2002)157
- Bramanti, E., Sortino, C., Onor, M., Beni, F. and Raspi, G.
Separation and determination of denatured α_{s1} -, α_{s2} -, β -
and κ -caseins by hydrophobic interaction chromatography
in cows', ewes' and goats' milk, milk mixtures and
cheeses 994(2003)59
- Braña-Magdalena, A., see Moroney, C. 963(2002)353
- Brancaleoni, E., see Ciccio, P. 985(2003)283
- Brando, T., Pardin, C., Prandi, J. and Puzo, G.
Analysis of aminofluorescein–fatty acid derivatives by
capillary electrophoresis with laser-induced fluorescence
detection at the attomole level: application to mycobacterial
fatty acids 973(2002)203
- Brandšteterová, E., see Žiaková, A. 983(2003)271
- Braun, G., see Plum, A. 987(2003)395
- Braun, P., Moeder, M., Schrader, S., Popp, P., Kusch, P. and
Engewald, W.
Trace analysis of technical nonylphenol, bisphenol A and
17 α -ethinylestradiol in wastewater using solid-phase
microextraction and gas chromatography–mass
spectrometry 988(2003)41
- Bravo-Díaz, C. and González-Romero, E.
Monitoring dediazoniation product formation by high-
performance liquid chromatography after derivatization
989(2003)221
- Braybrook, J.H., see Earls, A.O. 983(2003)237
- Brazel, D., see Dönges, R. 979(2002)217
- Brede, C., Skjevrak, I. and Herikstad, H.
Determination of primary aromatic amines in water food
simulant using solid-phase analytical derivatization
followed by gas chromatography coupled with mass
spectrometry 983(2003)35
- Breña, F., see Moya, G. 971(2002)129
- Brenneisen, R., see Baldacci, A. 990(2003)99
- Brent Busby, M., Maldonado, O. and Vigh, G.
Electrophoretic enantiomer separations at high pH using the
new, single-isomer octakis(2,3-dimethyl-6-O-sulfo)- γ -
cyclodextrin as chiral resolving agent 990(2003)63
- Brent Dawson, G., see Pesek, J.J. 986(2003)253
- Brinkman, U.A.Th., see Blokker, P. 959(2002)191
- Brinkman, U.A.Th., see Blomberg, J. 972(2002)137
- Brinkman, U.A.Th., see Blomberg, J. 993(2003)221
- Brinkman, U.A.Th., see Dallüge, J. 965(2002)207
- Brinkman, U.A.Th., see Dallüge, J. 970(2002)213
- Brinkman, U.A.Th., see Dallüge, J. 974(2002)169
- Brinkman, U.A.Th., see de Beer, T. 971(2002)1
- Brinkman, U.A.Th., see de Rijke, E. 984(2003)45

- Brinkman, U.A.Th., see Geerdink, R.B. 970(2002)65
- Brinkman, U.A.Th., see Hooijschuur, E.W.J. 982(2002)177
- Brinkman, U.A.Th., see Jüngel, P. 953(2002)199
- Brinkman, U.A.Th., see Korytár, P. 958(2002)203
- Brinkman, U.A.Th., see Korytár, P. 994(2003)179
- Brinkman, U.A.Th., see Kristenson, E.M. 975(2002)95
- Brinkman, U.A.Th., see Niessen, W.M.A. (Foreword) 970(2002)1
- Brinkman, U.A.Th., see Ramos, L. 975(2002)3
- Brinkman, U.A.Th., see Smith, R.M. 975(2002)1
- Brinkman, U.A.Th., see Van Rhijn, J.A. 960(2002)121
- Brinkman, U.A.Th.
A Century of Chromatography and Volume 1000 of the Journal of Chromatography (Preface) 1000(2003)1
- Brinkman, U.A.Th., see Dallüge, J. 1000(2003)69
- Brinkman, U.A.Th., see Wilson, I.D. 1000(2003)325
- Brinkmann, T., Specht, C.H. and Frimmel, F.H.
Non-linear calibration functions in ion chromatography with suppressed conductivity detection using hydroxide eluents 957(2002)99
- Brito, N.M., Navickiene, S., Polese, L., Jardim, E.F.G., Abakerli, R.B. and Ribeiro, M.L.
Determination of pesticide residues in coconut water by liquid–liquid extraction and gas chromatography with electron-capture plus thermionic specific detection and solid-phase extraction and high-performance liquid chromatography with ultraviolet detection 957(2002)201
- Britz-McKibbin, P., see Markuszewski, M.J. 989(2003)293
- Britz-McKibbin, P. and Terabe, S.
On-line preconcentration strategies for trace analysis of metabolites by capillary electrophoresis (Review) 1000(2003)917
- Brizioli, N.R., see Cinquina, A.L. 987(2003)221
- Brorson, K., Brown, J., Hamilton, E. and Stein, K.E.
Identification of protein A media performance attributes that can be monitored as surrogates for retrovirus clearance during extended re-use 989(2003)155
- Broškovičová, A., see Sklenská, J. 973(2002)211
- Brossa, L., Marcé, R.M., Borrull, F. and Pocurull, E.
Application of on-line solid-phase extraction–gas chromatography–mass spectrometry to the determination of endocrine disruptors in water samples 963(2002)287
- Brossa, L., Marcé, R.M., Borrull, F. and Pocurull, E.
Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction–programmed-temperature vaporisation–gas chromatography–mass spectrometry 998(2003)41
- Brown, A.M., see Abel, M.-L. 969(2002)273
- Brown, J., see Brorson, K. 989(2003)155
- Brown, P.R., Robb, C.S. and Geldart, S.E.
Perspectives on analyses of nucleic acid constituents: the basis of genomics (Review) 965(2002)163
- Brown, P.R., see Treubig, J.M. 960(2002)135
- Broyles, B.S., see Shalliker, R.A. 977(2002)213
- Brubaker, K.L., see O'Neill, H.J. 962(2002)183
- Bruchet, A., see Malleret, L. 999(2003)135
- Brückner, H. and Wachsmann, M.
Design of chiral monochloro-*s*-triazine reagents for the liquid chromatographic separation of amino acid enantiomers 998(2003)73
- Brun, J.-F., see Szopa, C. 982(2002)303
- Brun, Y. and Alden, P.
Gradient separation of polymers at critical point of adsorption 966(2002)25
- Bruno, T.J., Lewandowska, A., Tsvetkov, F., Miller, K.E. and Hanley, H.J.M.
Wall-coated open-tubular column chromatography on an organo–clay stationary phase 973(2002)143
- Bruno, T.J., see Miller, K.E. 975(2002)311
- Brussaux, S., see Petritis, K. 957(2002)173
- Bruzzoniti, M.C., Cavalli, S., Mangia, A., Mucchino, C., Sarzanini, C. and Tarasco, E.
Ion chromatography with inductively coupled plasma mass spectrometry, a powerful analytical tool for complex matrices. Estimation of Pt and Pd in environmental samples 997(2003)51
- Bryan, T.G., see Mourey, T.H. 964(2002)169
- Buch, A., Sternberg, R., Meunier, D., Rodier, C., Laurent, C., Raulin, F. and Vidal-Madjar, C.
Solvent extraction of organic molecules of exobiological interest for in situ analysis of the Martian soil 999(2003)165
- Buchacher, A., see Iberer, G. 972(2002)115
- Buchbauer, G., see Jirovetz, L. 976(2002)265
- Buchmeiser, M.R., see Lubbad, S. 959(2002)121
- Buchmeiser, M.R., see Mayr, B. 973(2002)115
- Budakowski, W.R., see Dahlmann, J. 994(2003)45
- Budman, Y., see Gilar, M. 958(2002)167
- Budnik, B.A., see Niiranen, H. 962(2002)95
- Bueno, M. and Potin-Gautier, M.
Solid-phase extraction for the simultaneous preconcentration of organic (selenocystine) and inorganic [Se(IV), Se(VI)] selenium in natural waters 963(2002)185
- Bufo, S.A., see Cataldi, T.R.I. 968(2002)229
- Buijs, J., see Clicq, D. 979(2002)33
- Buldini, P.L., Ricci, L. and Sharma, J.L.
Recent applications of sample preparation techniques in food analysis (Review) 975(2002)47
- Bulmer, M.A., see Smith, M.P. 968(2002)121
- Bülöw, L., see Arvidsson, P. 977(2002)27
- Buote, A., Kelly, J., Hsiao, Y., Yasuda, N. and Antonucci, V.
Gas chromatographic analysis of the thermally unstable dimethyl methylphosphonate carbanion via trimethylsilyl derivatization 978(2002)177
- Burleson, J., see Wang, I.-H. 983(2003)145
- Burns, S.T., Agbodjan, A.A. and Khaledi, M.G.
Characterization of solvation properties of lipid bilayer membranes in liposome electrokinetic chromatography 973(2002)167
- Burri, B.J., Dopler-Nelson, M. and Neidlinger, T.R.
Measurements of the major isoforms of vitamins A and E and carotenoids in the blood of people with spinal-cord injuries 987(2003)359
- Burry, W.M. and Keller, D.S.
Effects of dehydration on the apolar surface energetics of inorganic paper fillers 972(2002)241
- Burton, K., see de la Puente, M.L. 983(2003)101
- Busto, O., see Martorell, N. 975(2002)349
- Busto, O., see Pino, J. 954(2002)51
- Busto, O., see Riu, M. 977(2002)1

- Busto, O., see Sala, C. 953(2002)1
- Buszman, E., see Bafeltowska, J. 976(2002)249
- Buxaderas, S., see Vichi, S. 983(2003)19
- Bylund, D., Danielsson, R., Malmquist, G. and Markides, K.E.
Chromatographic alignment by warping and dynamic programming as a pre-processing tool for PARAFAC modelling of liquid chromatography–mass spectrometry data 961(2002)237
- Bylund, D., see Samskog, J. 998(2003)83
- C**
- Caballero, R.D., García-Alvarez-Coque, M.C. and Baeza-Baeza, J.J.
Parabolic-Lorentzian modified Gaussian model for describing and deconvolving chromatographic peaks 954(2002)59
- Caballero, R.D., see Vivó-Truyols, G. 958(2002)35
- Caballo-López, A. and Luque de Castro, M.D.
Continuous ultrasound-assisted extraction coupled to on line filtration–solid-phase extraction–column liquid chromatography–post column derivatisation–fluorescence detection for the determination of *N*-methylcarbamates in soil and food 998(2003)51
- Cabane, M., see Szopa, C. 982(2002)303
- Caccamese, S., Scivoli, G., Du, Y. and Wiemer, D.F.
Chiral liquid chromatography separation and chiroptical properties of the enantiomers of dimethyl α -hydroxyfarnesylphosphonate, a precursor of a farnesyl protein transferase inhibitor 966(2002)221
- Caccialanza, G., see Calleri, E. 958(2002)131
- Cacho, J., see López, R. 966(2002)167
- Cai, J., Liu, B., Zhu, X. and Su, Q.
Determination of pyrethroid residues in tobacco and cigarette smoke by capillary gas chromatography 964(2002)205
- Cai, W., see Du, Q. 973(2002)217
- Cai, Ya.-q., see Chao, J.-b. 955(2002)183
- Cai, Y.-q., see Liu, J.-f. 995(2003)21
- Cai, Z., Song, F. and Yang, M.S.
Capillary liquid chromatographic–high-resolution mass spectrometric analysis of ribonucleotides 976(2002)135
- Caixach, J., see Barco, M. 959(2002)103
- Cajthaml, T., Möder, M., Kačer, P., Šašek, V. and Popp, P.
Study of fungal degradation products of polycyclic aromatic hydrocarbons using gas chromatography with ion trap mass spectrometry detection 974(2002)213
- Calafatti, S.A., see Cass, Q.B. 987(2003)235
- Calderón, K., see Richter, P. 994(2003)169
- Caldwell, K., see Lindholm, J. 992(2003)85
- Calleri, E., Massolini, G., Loiodice, F., Fracchiolla, G., Temporini, C., Félix, G., Tortorella, P. and Caccialanza, G.
Evaluation of a penicillin G acylase-based chiral stationary phase towards a series of 2-aryloxyalkanoic acids, isosteric analogs and 2-arylpropionic acids 958(2002)131
- Calvet, C., see Gómez-Gomar, A. 990(2003)91
- Calvet, R., see Comard, M.-P. 969(2002)93
- Calvo, E., Pelejero, C. and Logan, G.A.
Pressurized liquid extraction of selected molecular biomarkers in deep sea sediments used as proxies in paleoceanography 989(2003)197
- Calza, P., Baudino, S., Aigotti, R., Baiocchi, C. and Pelizzetti, E.
Ion trap tandem mass spectrometric identification of thiabendazole phototransformation products on titanium dioxide 984(2003)59
- Camargo, I.M.C., see Soares, C.R.J. 955(2002)229
- Cambré, I., see Detroyer, A. 986(2003)227
- Camel, V., see Flotron, V. 999(2003)175
- Campaña, E., see Garrido, J.L. 994(2003)85
- Campbell, F., see Kaiser, E. 997(2003)259
- Campillo, N., see Viñas, P. 978(2002)249
- Campins Falco, P., see Meseguer Lloret, S. 978(2002)59
- Campos, A., see García-Lopera, R. 996(2003)33
- Cancho Grande, B., see Rial Otero, R. 992(2003)121
- Cancho-Grande, B., see López-Blanco, M.C. 963(2002)117
- Cancho-Grande, B., see López-Blanco, M.C. 976(2002)293
- Cancho-Grande, B., see López-Blanco, M.C. 984(2003)245
- Cano, J.M., Marín, M.L., Sánchez, A. and Hernandis, V.
Determination of adipate plasticizers in poly(vinyl chloride) by microwave-assisted extraction 963(2002)401
- Cantergiani, E. and Benczedi, D.
Use of inverse gas chromatography to characterize cotton fabrics and their interactions with fragrance molecules at controlled relative humidity 969(2002)103
- Cantergiani, E., see Niederer, B. 996(2003)189
- Cantó, A., see Reche, F. 963(2002)419
- Cao, C.-X., He, Y.-Z., Li, M., Qian, Y.-T., Yang, L., Qu, Q.-S., Zhou, S.-L. and Chen, W.-K.
Improving separation efficiency of capillary zone electrophoresis of tryptophan and phenylalanine with the transient moving chemical reaction boundary method 952(2002)39
- Cao, C.-X., Zhou, S.-L., Qian, Y.-T., He, Y.-Z., Wang, C.-R., Zheng, X.-Y. and Chen, W.-K.
Investigations on factors that influence the moving neutralization reaction boundary method for capillary electrophoresis and isoelectric focusing 952(2002)29
- Cao, L., see He, J. 994(2003)207
- Cao, W., see Sun, X. 962(2002)117
- Cao, X., see Han, X. 971(2002)237
- Capella-Peiró, M.E., see Monferrer-Pons, L. 984(2003)223
- Capitan-Vallvey, L.F., Ariza, A., Checa, R. and Navas, N.
Determination of five nitroimidazoles in water by liquid chromatography–mass spectrometry 978(2002)243
- Caprita, A., see Ciucanu, I. 964(2002)1

- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Revilla-Ruiz, P. and Domínguez-Álvarez, J.
Solid-phase extraction and sample stacking–micellar electrokinetic capillary chromatography for the determination of multiresidues of herbicides and metabolites 990(2003)291
- Carabias-Martínez, R., see Delgado-Zamarreño, M.M. 953(2002)257
- Caramão, E.B., see Schneider, R.C.S. 985(2003)313
- Caramão, E.B., see Vilar, R.B.C. 985(2003)367
- Carda-Broch, S. and Berthod, A.
pH dependence of the hydrophobicity of β -blocker amine compounds measured by counter-current chromatography 995(2003)55
- Cardot, P.J.P., see Clarot, I. 958(2002)79
- Careri, M., see Bianchi, F. 975(2002)113
- Careri, M., Bianchi, F. and Corradini, C.
Recent advances in the application of mass spectrometry in food-related analysis (Review) 970(2002)3
- Careri, M. and Mangia, A.
Analysis of food proteins and peptides by chromatography and mass spectrometry (Review) 1000(2003)609
- Carey, J., see Zhuang, W. 994(2003)137
- Carlsson, H., see Batlle, R. 963(2002)73
- Carlsson, H., see Sanchez, C. 957(2002)227
- Carlsson, H., see Sanchez, C. 993(2003)103
- Carmichael, I., see Ling, T.C. 989(2003)109
- Carmichael, M.A., see Nurok, D. 983(2003)247
- Carmignani, A., see Colombini, M.P. 968(2002)79
- Carneiro, J.R., see Santos, J.R. 985(2003)395
- Caro, E., Marcé, R.M., Cormack, P.A.G., Sherrington, D.C. and Borrull, F.
On-line solid-phase extraction with molecularly imprinted polymers to selectively extract substituted 4-chlorophenols and 4-nitrophenol from water 995(2003)233
- Caro, E., Masqué, N., Marcé, R.M., Borrull, F., Cormack, P.A.G. and Sherrington, D.C.
Non-covalent and semi-covalent molecularly imprinted polymers for selective on-line solid-phase extraction of 4-nitrophenol from water samples 963(2002)169
- Carpinteiro, J., see Rodríguez, I. 985(2003)265
- Carpinterio Botana, J., Rodríguez Pereiro, I. and Cela Torrijos, R.
Rapid determination of butyltin species in water samples by multicapillary gas chromatography with atomic emission detection following headspace solid-phase microextraction 963(2002)195
- Carr, P.W., see Hu, Y. 968(2002)17
- Carr, P.W., see Jackson, P.T. 958(2002)121
- Carr, P.W., see Wang, A. 965(2002)3
- Carr, P.W., see Wilson, N.S. 961(2002)171
- Carr, P.W., see Wilson, N.S. 961(2002)195
- Carr, P.W., see Wilson, N.S. 961(2002)217
- Carr, P.W., see Xiang, Y. 983(2003)83
- Carr, P.W., see Yang, X. 996(2003)13
- Carrascal, M., see Descroix, S. 987(2003)467
- Carrilho, E., see Pereira, E.A. 979(2002)409
- Carro, A.M., see Rodil, R. 963(2002)313
- Carro, A.M., see Rodríguez, I. 985(2003)265
- Carrupt, P.-A., see Taillardat-Bertschinger, A. 953(2002)39
- Carta, G., see Hunter, A.K. 971(2002)105
- Carter, G.T., see Liu, H. 955(2002)237
- Carter-Wientjes, C.H., see Boué, S.M. 991(2003)61
- Cartoni, G., see Benincasa, M.-A. 967(2002)219
- Caruso, J.A., see Kannamkumarath, S.S. 975(2002)245
- Caruso, J.A., see Ponce de León, C.A. 974(2002)1
- Caruso, J.A., see Montes-Bayón, M. 1000(2003)457
- Carvalho, L.R.F., see Rezemini, A.L. 972(2002)259
- Casais, M.C., see González-Barreiro, C. 993(2003)29
- Casal, S., Fernandes, J.O., Oliveira, M.B.P.P. and Ferreira, M.A.
Gas chromatographic–mass spectrometric quantification of 4-(5-)-methylimidazole in roasted coffee after ion-pair extraction 976(2002)285
- Cascales, J.M., see Gabaldón, J.A. 963(2002)125
- Cascante, M., see Lozano, C. 973(2002)229
- Caslavska, J., see Baldacci, A. 990(2003)99
- Cass, Q.B. and Batigalhia, F.
Enantiomeric resolution of a series of chiral sulfoxides by high-performance liquid chromatography on polysaccharide-based columns with multimodal elution 987(2003)445
- Cass, Q.B., Gomes, R.F., Calafatti, S.A. and Pedrazzoli Jr., J.
Determination of amoxicillin in human plasma by direct injection and coupled-column high-performance liquid chromatography 987(2003)235
- Castagnino, C., see Delaunay, J.-C. 964(2002)123
- Castañeda Peñalvo, G., see Berzas Nevado, J.J. 953(2002)279
- Castaño, N., see del Nozal, M.J. 986(2003)135
- Castellari, M., Sartini, E., Fabiani, A., Arfelli, G. and Amati, A.
Analysis of wine phenolics by high-performance liquid chromatography using a monolithic type column 973(2002)221
- Castello, G., see Vezzani, S. 994(2003)103
- Castellote, A.I., see Vichi, S. 983(2003)19
- Castells, P., Santos, F.J. and Galceran, M.T.
Solid-phase microextraction for the analysis of short-chain chlorinated paraffins in water samples 984(2003)1
- Castillo, E., Granados, M. and Cortina, J.L.
Chemically facilitated chromium(VI) transport throughout an anion-exchange membrane. Application to an optical sensor for chromium(VI) monitoring 963(2002)205
- Castle, L., see Nerín, C. 963(2002)375
- Castro, C., Dorris, G.M. and Daneault, C.
Monitoring and characterization of ink vehicle autoxidation by inverse gas chromatography 969(2002)313
- Castro Mejías, R., Natera Marín, R., de Valme García Moreno, M^a. and García Barroso, C.
Optimisation of headspace solid-phase microextraction for analysis of aromatic compounds in vinegar 953(2002)7
- Castro Mejías, R., see Natera Marín, R. 967(2002)261
- Castro Mejías, R., Natera Marín, R., de Valme García Moreno, M^a. and García Barroso, C.
Optimisation of headspace solid-phase microextraction for the analysis of volatile phenols in wine 995(2003)11
- Cataldi, T.R.I., Nardiello, D., De Benedetto, G.E. and Bufo, S.A.
Optimizing separation conditions for riboflavin, flavin mononucleotide and flavin adenine dinucleotide in capillary zone electrophoresis with laser-induced fluorescence detection 968(2002)229
- Catalina, M.I., see Kristensen, E.M. 975(2002)95

- Cataluña Veses, R., see Vilar, R.B.C. 985(2003)367
- Catarcini, P., see Fanali, S. 990(2003)143
- Catarcini, P., see Fanali, S. 994(2003)227
- Caussé, E., see Bayle, C. 979(2002)255
- Caussé, E., see Massip, C. 979(2002)209
- Cava, R., see Andrés, A.I. 963(2002)83
- Cavalli, A., see Bartolini, M. 958(2002)59
- Cavalli, S., see Bruzzoniti, M.C. 997(2003)51
- Cavani, L., Ciavatta, C., Trubetskaya, O.E., Reznikova, O.I., Afanas'eva, G.V. and Trubetskoj, O.A.
Capillary zone electrophoresis of soil humic acid fractions obtained by coupling size-exclusion chromatography and polyacrylamide gel electrophoresis 983(2003)263
- Cavani, L., Ciavatta, C. and Gessa, C.
Determination of free L- and D-alanine in hydrolysed protein fertilisers by capillary electrophoresis 985(2003)463
- Cavazini, A., Bardin, G., Kaczmariski, K., Szabelski, P., Al-Bokari, M. and Guiochon, G.
Adsorption equilibria of butyl- and amylbenzene on monolithic silica-based columns 957(2002)111
- Cavazzini, A., Felinger, A., Kaczmariski, K., Szabelski, P. and Guiochon, G.
Study of the adsorption equilibria of the enantiomers of 1-phenyl-1-propanol on cellulose tribenzoate using a microbore column 953(2002)55
- Cavazzini, A., see Felinger, A. 986(2003)207
- Cavazzini, A., see Kaczmariski, K. 962(2002)57
- Cavazzini, A., see Szabelski, P. 964(2002)99
- Cavrini, V., see Pomponio, R. 990(2003)215
- Ceccarini, A., see Colombini, M.P. 968(2002)79
- Cecchi, T.
Extended thermodynamic approach to ion interaction chromatography: a thorough comparison with the electrostatic approach, and further quantitative validation 958(2002)51
- Cecon, B., see Razzazi-Fazeli, E. 968(2002)129
- Cela, R., see García-Jares, C. 963(2002)277
- Cela, R., see González-Barreiro, C. 993(2003)29
- Cela, R., see Llompert, M. 963(2002)137
- Cela, R., see Llompert, M. 985(2003)175
- Cela, R., see Llompert, M. 999(2003)185
- Cela, R., see Lores, M. 963(2002)37
- Cela, R., see Rodil, R. 963(2002)313
- Cela, R., see Rodríguez, I. 985(2003)265
- Cela Torrijos, R., see Carpinterio Botana, J. 963(2002)195
- Cela Torrijos, R., see Ramil Criado, M. 963(2002)65
- Cela Torrijos, R., see Ramil Criado, M. 985(2003)137
- Cenacchi, V., see Frigerio, E. 987(2003)249
- Cercaci, L., Rodríguez-Estrada, M.T. and Lercker, G.
Solid-phase extraction–thin-layer chromatography–gas chromatography method for the detection of hazelnut oil in olive oils by determination of esterified sterols 985(2003)211
- Cerjan-Stefanović, Š., see Srečnik, G. 973(2002)47
- Cerretani, L., see Bendini, A. 985(2003)425
- Cert, A., see Pérez-Camino, M.C. 983(2003)283
- Chai, X.S. and Zhu, J.Y.
Determination of the solubility of inorganic salts by headspace gas chromatography 996(2003)157
- Chaidedgumjorn, A., Suzuki, A., Toyoda, H., Toida, T., Imanari, T. and Linhardt, R.J.
Conductivity detection for molecular mass estimation of per-O-sulfonated glycosaminoglycans separated by high-performance size-exclusion chromatography 959(2002)95
- Chalányová, M., see Hutta, M. 959(2002)143
- Chaminade, P., see Gaudin, K. 973(2002)61
- Chaminade, P., see Gaudin, K. 973(2002)69
- Chan, H.K., see Jouyban, A. 994(2003)191
- Chan, K.C., see He, Y. 979(2002)81
- Chan, K.K.C., see Choi, M.P.K. 983(2003)153
- Chandrasekar, R., see Ganeshjeevan, R. 988(2003)151
- Chang, H.-T., see Chiu, T.-C. 979(2002)299
- Chang, H.-T., see Huang, C.-C. 966(2002)195
- Chang, H.-T., see Wang, S.-J. 979(2002)261
- Chang, S.Y. and Liao, C.-H.
Analysis of glyphosate, glufosinate and aminomethylphosphonic acid by capillary electrophoresis with indirect fluorescence detection 959(2002)309
- Chang, T., see Cho, D. 986(2003)191
- Chang, T., see Cho, D. 986(2003)199
- Chang, T., see Park, S. 958(2002)183
- Chang, T.-A., see Tsai, S.-W. 954(2002)191
- Chang, Y.L., Chou, M.H., Lin, M.F., Chen, C.F. and Tsai, T.H.
Determination and pharmacokinetic study of meropenem in rat bile using on-line microdialysis and liquid chromatography 961(2002)119
- Chao, J.-b., see Liu, J.-f. 995(2003)21
- Chao, J.-b., Liu, J.-f., Wen, M.-j., Liu, J.-m., Cai, Ya.-q. and Jiang, G.-b.
Determination of sulfonylurea herbicides by continuous-flow liquid membrane extraction on-line coupled with high-performance liquid chromatography 955(2002)183
- Chapline, J., see Weatherly, G.T. 952(2002)99
- Chapuis, F., Pichon, V., Lanza, F., Sellergren, S. and Hennion, M.-C.
Optimization of the class-selective extraction of triazines from aqueous samples using a molecularly imprinted polymer by a comprehensive approach of the retention mechanism 999(2003)23
- Chartogne, A., Reeuwijk, B., Hofte, B., van der Heijden, R., Tjaden, U.R. and van der Greef, J.
Capillary electrophoretic separations of proteins using carrier ampholytes 959(2002)289
- Charvátová, J., Deyl, Z., Kašička, V. and Král, V.
Open tubular capillary electrochromatography of underivatized amino acids using Rh(III) tetrakis(phenoxyphenyl)porphyrinate as wall modifier 990(2003)159
- Charvátová, J., Kašička, V., Deyl, Z. and Král, V.
Influencing electroosmotic flow and selectivity in open tubular electrochromatography by tetrakis(pentafluorophenyl)porphyrin as capillary wall modifier 990(2003)111
- Chase, H.A., see Choe, W.-S. 953(2002)111
- Chassaigne, H., Chéry, C.C., Bordin, G. and Rodriguez, A.R.
Development of new analytical methods for selenium speciation in selenium-enriched yeast material 976(2002)409

- Chatterjee, A., Tao, H., Shibata, Y. and Morita, M.
Determination of selenium compounds in urine by high-performance liquid chromatography–inductively coupled plasma mass spectrometry 997(2003)249
- Chau, L.-K., see Hsieh, Y.-Y. 952(2002)255
- Chayama, K., see Takeda, S. 979(2002)425
- Checa, R., see Capitan-Vallvey, L.F. 978(2002)243
- Cehimi, M.M., see Abel, M.-L. 969(2002)273
- Cehimi, M.M., see Oliva, V. 969(2002)261
- Cehimi, M.M., see Perruchot, C. 969(2002)167
- Chen, B., see Luo, X.-B. 986(2003)73
- Chen, C.-C., see Lin, C.-E. 971(2002)261
- Chen, C.F., see Chang, Y.L. 961(2002)119
- Chen, C.-F., see Tsai, T.-R. 961(2002)83
- Chen, E.C.M., see Chen, E.S. 952(2002)173
- Chen, E.S. and Chen, E.C.M.
Electron-capture detector and multiple negative ions of aromatic hydrocarbons 952(2002)173
- Chen, F., see Lu, H.-T. 994(2003)37
- Chen, G., Han, X., Zhang, L. and Ye, J.
Determination of purine and pyrimidine bases in DNA by micellar electrokinetic capillary chromatography with electrochemical detection 954(2002)267
- Chen, G., see Zhang, M. 984(2003)173
- Chen, H.-C. and Ding, W.-H.
Analysis of naphthalenesulfonate compounds by cyclodextrin-mediated capillary electrophoresis with sample stacking 996(2003)205
- Chen, H.-J., see Wang, S.-P. 979(2002)439
- Chen, J. and Sun, Y.
Modeling of the salt effects on hydrophobic adsorption equilibrium of protein 992(2003)29
- Chen, K.-H., see Lin, C.-E. 971(2002)261
- Chen, K.-H., Lin, C.-E., Liao, W.-S., Lin, W.-Y. and Hsiao, Y.-Y.
Separation and migration behavior of structurally related phenothiazines in cyclodextrin-modified capillary zone electrophoresis 979(2002)399
- Chen, L., see Chen, L. 986(2003)297
- Chen, L., Chen, L., Yan, X. and Wan, Q.-H.
Packing structure and self-heating in capillary electrochromatography 986(2003)297
- Chen, L.-J., Games, D.E. and Jones, J.
Isolation and identification of four flavonoid constituents from the seeds of *Oroxylum indicum* by high-speed counter-current chromatography 988(2003)95
- Chen, M., see Iuliano, S. 972(2002)77
- Chen, P., Wang, H., Du, Q. and Ito, Y.
Purification of long-chain fatty acid ester of epigallocatechin-3-*O*-gallate by high-speed counter-current chromatography 982(2002)163
- Chen, S., see He, J. 973(2002)197
- Chen, S., see He, J. 994(2003)207
- Chen, S.-C., see Wu, C.-Y. 996(2003)53
- Chen, T.-Y., Li, M.-J. and Wang, J.-L.
Sub-second thermal desorption of a micro-sorbent trap for the analysis of ambient volatile organic compounds 976(2002)39
- Chen, W.-D., Dong, X.-Y. and Sun, Y.
Analysis of diffusion models for protein adsorption to porous anion-exchange adsorbent 962(2002)29
- Chen, W.-K., see Cao, C.-X. 952(2002)29
- Chen, W.-K., see Cao, C.-X. 952(2002)39
- Chen, X., see Huang, X. 984(2003)273
- Chen, X., see Liu, S. 959(2002)263
- Chen, Y., see Guo, L. 998(2003)221
- Chen, Y., see Lu, X. 955(2002)133
- Chen, Y., see Ma, X. 962(2002)243
- Chen, Y., see Ma, X. 992(2003)193
- Chen, Y., see Wang, X. 992(2003)181
- Chen, Y., see Xiong, G. 999(2003)43
- Chen, Y.-B., see Szabelski, P. 964(2002)99
- Chen, Y.-C., see Huang, H.-Y. 959(2002)317
- Chen, Y.F., see Cheng, F.C. 961(2002)131
- Chen, Y.-F., see Tsai, T.-H. 987(2003)277
- Chen, Y.-I., Su, Y.-S. and Jen, J.-F.
Determination of dichlorvos by on-line microwave-assisted extraction coupled to headspace solid-phase microextraction and gas chromatography–electron-capture detection 976(2002)349
- Chen, Y.-J., see Lian, H.-Z. 993(2003)179
- Chen, Z. and Naidu, R.
On-column complexation of metal ions using 2,6-pyridinedicarboxylic acid and separation of their anionic complexes by capillary electrophoresis with direct UV detection 966(2002)245
- Chen, Z., Niitsuma, M., Uchiyama, K. and Hobo, T.
Comparison of enantioseparations using Cu(II) complexes with L-amino acid amides as chiral selectors or chiral stationary phases by capillary electrophoresis, capillary electrochromatography and micro liquid chromatography 990(2003)75
- Cheng, C.-F., see Huang, H.-Y. 995(2003)29
- Cheng, C.-L., see Lee, M.-S. 985(2003)387
- Cheng, C.-Y. and Ding, W.-H.
Determination of nonylphenol polyethoxylates in household detergents by high-performance liquid chromatography 968(2002)143
- Cheng, F.-C., see Lee, M.-S. 985(2003)387
- Cheng, F.C., Tsai, T.R., Chen, Y.F., Hung, L.C. and Tsai, T.H.
Pharmacokinetic study of levofloxacin in rat blood and bile by microdialysis and high-performance liquid chromatography 961(2002)131
- Cheng, J., see Jandik, P. 954(2002)33
- Cheng, J., Jandik, P. and Avdalovic, N.
Use of disposable gold working electrodes for cation chromatography–integrated pulsed amperometric detection of sulfur-containing amino acids 997(2003)73
- Cheng, J., see Yu, H. 966(2002)89
- Cheng, J.-K., see Liu, Y.-M. 959(2002)1
- Cheng, S.-c., see Chung, W.-c. 952(2002)185
- Cherkaoui, S., see Geiser, L. 979(2002)389
- Cherrak, D., see Al-Bokari, M. 975(2002)275
- Chéry, C.C., see Chassaing, H. 976(2002)409
- Chetianukornkul, T., Toriba, A., Kizu, R., Makino, T., Nakazawa, H. and Hayakawa, K.
Determination of 1-hydroxypyrene in human urine by high-performance liquid chromatography with fluorescence detection using a deuterated internal standard 961(2002)107

- Cheung, H.Y., Lai, W.P., Cheung, M.S., Leung, F.M., Hood, D.J. and Fong, W.F.
Rapid and simultaneous analysis of some bioactive components in *Eucommia ulmoides* by capillary electrophoresis 989(2003)303
- Cheung, M.S., see Cheung, H.Y. 989(2003)303
- Chevalier, S., see Noubhani, A.M. 968(2002)113
- Chèze, C., see Delaunay, J.-C. 964(2002)123
- Chiap, P., Rbeida, O., Christiaens, B., Hubert, P., Lubda, D., Boos, K.-S. and Crommen, J.
Use of a novel cation-exchange restricted-access material for automated sample clean-up prior to the determination of basic drugs in plasma by liquid chromatography 975(2002)145
- Ching, C.-B., see Ng, S.-C. 968(2002)31
- Chiriac, A., see Ciucanu, I. 964(2002)1
- Chisvert, A. and Salvador, A.
Determination of water-soluble UV-filters in sunscreen sprays by liquid chromatography 977(2002)277
- Chiu, C.-W., see Huang, H.-Y. 993(2003)153
- Chiu, C.-W., see Huang, H.-Y. 995(2003)29
- Chiu, H.-H., see Pan, I.-H. 977(2002)239
- Chiu, T.-C. and Chang, H.-T.
Comparison of the separation of large DNA fragments in the presence and absence of electroosmotic flow at high pH 979(2002)299
- Chiu, T.-C., see Huang, C.-C. 966(2002)195
- Chmelík, J., see Plocková, J. 955(2002)95
- Cho, D., Hong, J., Park, S. and Chang, T.
Retention mechanism of fatty alcohol ethoxylates in reversed-phase liquid chromatography 986(2003)199
- Cho, D., see Park, S. 958(2002)183
- Cho, D., Park, S., Hong, J. and Chang, T.
Retention mechanism of poly(ethylene oxide) in reversed-phase and normal-phase liquid chromatography 986(2003)191
- Cho, H.-J., Baek, K., Lee, H.-H., Lee, S.-H. and Yang, J.-W.
Competitive extraction of multi-component contaminants in water by Carboxen–polydimethylsiloxane fiber during solid-phase microextraction 988(2003)177
- Cho, Y.-H., Yoo, H.-S., Min, J.-K., Lee, E.-Y., Hong, S.-P., Chung, Y.-B. and Lee, Y.-M.
Comparative study of naphthalene-2,3-dicarboxaldehyde and *o*-phthalaldehyde fluorogenic reagents for chromatographic detection of sphingoid bases 977(2002)69
- Cho, Y.J., see Hyun, M.H. 984(2003)163
- Cho, Y.J., see Hyun, M.H. 996(2003)233
- Choe, W.-S., Clemmitt, R.H., Chase, H.A. and Middelberg, A.P.J.
Comparison of histidine-tag capture chemistries for purification following chemical extraction 953(2002)111
- Choi, M.P.K., Chan, K.K.C., Leung, H.W. and Huie, C.W.
Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153
- Choi, S.-H., Hwang, Y.-M. and Lee, K.-P.
Separation of proteins on polymeric stationary phases grafted with various amine groups 987(2003)323
- Choi, S.-H., see Lee, K.-P. 987(2003)111
- Choi, S.-H., see Ohta, K. 997(2003)117
- Choi, S.-H., see Ryoo, J.J. 987(2003)429
- Chong, J., Hatsis, P. and Lucy, C.A.
High-speed ion chromatographic separation of cations at elevated temperature 997(2003)161
- Chou, F.E., see Fahey, J.W. 996(2003)85
- Chou, M.H., see Chang, Y.L. 961(2002)119
- Chou, T.-Y., see Lua, A.C. 967(2002)191
- Christiaens, B., see Chiap, P. 975(2002)145
- Christidès, J.P., see Arnault, I. 991(2003)69
- Christides, J.P., see Mondy, N. 963(2002)89
- Chu, B. and Liang, D.
Copolymer solutions as separation media for DNA capillary electrophoresis (Review) 966(2002)1
- Chung, T.-S., see Krishnan, P.S.G. 977(2002)207
- Chung, W.-c., Hui, K.-y. and Cheng, S.-c.
Sensitive method for the determination of 1,3-dichloropropan-2-ol and 3-chloropropane-1,2-diol in soy sauce by capillary gas chromatography with mass spectrometric detection 952(2002)185
- Chung, Y.-B., see Cho, Y.-H. 977(2002)69
- Churochkina, N.A., see Blagodatskikh, I.V. 976(2002)155
- Ciambrone, G., see Wainright, A. 979(2002)69
- Ciavatta, C., see Cavani, L. 983(2003)263
- Ciavatta, C., see Cavani, L. 985(2003)463
- Ciccioi, P., Brancaleoni, E., Frattoni, M., Marta, S., Brachetti, A., Vitullo, M., Tirone, G. and Valentini, R.
Relaxed eddy accumulation, a new technique for measuring emission and deposition fluxes of volatile organic compounds by capillary gas chromatography and mass spectrometry 985(2003)283
- Cifuentes, A., see Lopez-Soto-Yarritu, P. 968(2002)221
- Cilenti, A., see Zambonin, C.G. 967(2002)255
- Ciminiello, P., Dell'Aversano, C., Fattorusso, E., Forino, M., Magno, S. and Poletti, R.
Direct detection of yessotoxin and its analogues by liquid chromatography coupled with electrospray ion trap mass spectrometry 968(2002)61
- Cinque, L., see Reschiglian, P. 985(2003)519
- Cinquina, A.L., Longo, F., Anastasi, G., Giannetti, L. and Cozzani, R.
Validation of a high-performance liquid chromatography method for the determination of oxytetracycline, tetracycline, chlortetracycline and doxycycline in bovine milk and muscle 987(2003)227
- Cinquina, A.L., Roberti, P., Giannetti, L., Longo, F., Draisci, R., Fagiolo, A. and Brizioli, N.R.
Determination of enrofloxacin and its metabolite ciprofloxacin in goat milk by high-performance liquid chromatography with diode-array detection. Optimization and validation 987(2003)221
- Cioni, P.L., see Flamini, G. 998(2003)229
- Cirilli, R., Costi, R., Di Santo, R., Artico, M., Roux, A., Gallinella, B., Zanitti, L. and La Torre, F.
Enantioselective liquid chromatography of C₃-chiral 2,3-dihydro-1,2,5-benzothiadiazepin-4(5*H*)-one and thione 1,1-dioxides on polyacrylamide- and polysaccharide-based chiral stationary phases 993(2003)17

- Ciucanu, I., Chiriac, A. and Caprita, A.
Continuous permeation of analytes through a thin poly(dimethylsiloxane) membrane followed by sorbent trapping for their gas chromatographic monitoring 964(2002)1
- Claes, V., see Smets, R. 993(2003)79
- Claessens, H.A., see Jiskra, J. 977(2002)193
- Claessens, H.A., see Vervoort, R.J.M. 964(2002)67
- Clark, B.J., see Jouyban, A. 994(2003)191
- Clarot, I., Dreyfuss, M.F., Domelier, R., Battu, S. and Cardot, P.J.P.
Deferred standards, an on-line qualification, validation and system stability probe for chromatographic assay 958(2002)79
- Clausnitzer, C., see Lederer, A. 976(2002)171
- Clemmitt, R.H., see Choe, W.-S. 953(2002)111
- Clench, M.R., see Crecelius, A. 958(2002)249
- Cléroux, C., see Lau, B.P.-Y. 998(2003)119
- Cleveland, T.E., see Boué, S.M. 991(2003)61
- Clicq, D., see Vervoort, N. 987(2003)39
- Clicq, D., Vervoort, N., Vounckx, R., Ottevaere, H., Buijs, J., Gooijer, C., Ariele, F., Baron, G.V. and Desmet, G.
Sub-second liquid chromatographic separations by means of shear-driven chromatography 979(2002)33
- Clonis, Y.D., see Mazitsos, C.F. 954(2002)137
- Cobollo, M.A., see León, V.M. 999(2003)91
- Coca, J., see Vega, A. 962(2002)153
- Codony, R., Compañó, R., Granados, M., García-Regueiro, J.A. and Prat, M.D.
Residue analysis of macrolides in poultry muscle by liquid chromatography–electrospray mass spectrometry 959(2002)131
- Cokelaere, M., see Lein, S. 977(2002)257
- Coldwell, M.R., Pengelly, I. and Rimmer, D.A.
Determination of dithiocarbamate pesticides in occupational hygiene sampling devices using the isooctane method and comparison with an automatic thermal desorption (ATD) method 984(2003)81
- Colegate, S.M., see Molyneux, R.J. 967(2002)57
- Coleman, D.E., see Vanatta, L.E. 956(2002)23
- Coleman, D.E., see Vanatta, L.E. 997(2003)269
- Coleman, M.W., see Jouyban, A. 994(2003)191
- Collins, C.H., see Bottoli, C.B.G. 987(2003)87
- Collins, C.H., see Tonhi, E. 987(2003)93
- Collins, D.C., see Peterson, Z.D. 992(2003)169
- Collins, G.E., see Deng, G. 989(2003)311
- Collins, G.E., see Smith, M. 991(2003)159
- Collins, K.E., see Bottoli, C.B.G. 987(2003)87
- Collins, K.E., see Lopes, N.P. 987(2003)77
- Collins, K.E., see Tonhi, E. 987(2003)93
- Colmsjö, A., see Batlle, R. 963(2002)73
- Colmsjö, A., see Ericsson, M. 964(2002)11
- Colmsjö, A., see Sanchez, C. 957(2002)227
- Colmsjö, A., see Sanchez, C. 993(2003)103
- Colombini, M.P., Ceccarini, A. and Carmignani, A.
Ion chromatography characterization of polysaccharides in ancient wall paintings 968(2002)79
- Colyer, C.L., see Viskari, P.J. 972(2002)269
- Comard, M.-P., Calvet, R., Dodds, J.A. and Balard, H.
Coupling of inverse gas chromatography at infinite dilution (IGC-ID) with a controlled modification of a solid surface 969(2002)93
- Comas, E., Gimeno, R.A., Ferré, J., Marcé, R.M., Borrull, F. and Rius, F.X.
Using second-order calibration to identify and quantify aromatic sulfonates in water by high-performance liquid chromatography in the presence of coeluting interferences 988(2003)277
- Commeyras, A., see Plasson, R. 952(2002)239
- Compañó, R., see Codony, R. 959(2002)131
- Concha-Graña, E., Turnes-Carou, M.I., Muniategui-Lorenzo, S., López-Mahía, P., Fernández-Fernández, E. and Prada-Rodríguez, D.
Optimisation of a programmed split–splitless injector in the gas chromatographic–mass spectrometric determination of organochlorine pesticides 958(2002)17
- Conde, J.E., see Pérez-Trujillo, J.P. 963(2002)95
- Conde, J.E., see Rodríguez-Bencomo, J.J. 963(2002)213
- Conde, J.E., see Rodríguez-Bencomo, J.J. 991(2003)13
- Connolly, D. and Paull, B.
Fast ion chromatography of common inorganic anions on a short ODS column permanently coated with didodecyldimethylammonium bromide 953(2002)299
- Conrardy, S.E., see Teeters, M.A. 989(2003)165
- Contarini, G., see Povoletto, M. 985(2003)117
- Conte, E.D., see Reid, K.R. 975(2002)135
- Conte, L.S., see Vichi, S. 983(2003)19
- Cook, H.A., Dicoski, G.W. and Haddad, P.R.
Mechanistic studies on the separation of cations in zwitterionic ion chromatography 997(2003)13
- Coomans, D., see Put, R. 988(2003)261
- Cooper, J.W., see Li, Y. 979(2002)241
- Copeta, G., see Gennaro, M.C. 993(2003)111
- Cormack, P.A.G., see Caro, E. 963(2002)169
- Cormack, P.A.G., see Caro, E. 995(2003)233
- Cornelis, M., see Impens, S. 970(2002)235
- Corradini, C., see Careri, M. 970(2002)3
- Corriveau, A., see Halasz, A. 963(2002)411
- Cortazar, E., Zuloaga, O., Sanz, J., Raposo, J.C., Etxebarria, N. and Fernández, L.A.
MultiSimplex optimisation of the solid-phase microextraction–gas chromatographic–mass spectrometric determination of polycyclic aromatic hydrocarbons, polychlorinated biphenyls and phthalates from water samples 978(2002)165
- Cortina, J.L., see Castillo, E. 963(2002)205
- Coscia, D., see Szopa, C. 953(2002)165
- Coscia, D., see Szopa, C. 982(2002)303
- Costa Freitas, A.M., see Fernandes, L. 995(2003)161
- Costi, R., see Cirilli, R. 993(2003)17
- Cottet, H., see Plasson, R. 952(2002)239
- Couderc, F., see Bayle, C. 979(2002)255
- Couderc, F., see Massip, C. 979(2002)209
- Couderc, F., see Yang, C. 979(2002)307
- Coufal, P., see Lopez-Avila, V. 993(2003)143
- Couve, C., see Debrauwer, L. 976(2002)123

Coym, J.W. and Dorsey, J.G.

Chromatographic shape selectivity with carbon dioxide–acetonitrile mobile phases. Effect of mobile phase composition and density 971(2002)61

Cozzani, R., see Cinquina, A.L. 987(2003)227

Craighead, H.G., see Gaudioso, J. 971(2002)249

Cramer, S.M., see Tugcu, N. 954(2002)127

Cramer, S.M., see Xia, F. 989(2003)47

Cramers, C.A., see Jiskra, J. 977(2002)193

Cramers, C.A., see Vervoort, R.J.M. 964(2002)67

Crecelius, A., Clench, M.R., Richards, D.S. and Parr, V.

Thin-layer chromatography–matrix-assisted laser desorption ionisation–time-of-flight mass spectrometry using particle suspension matrices 958(2002)249

Crescenzi, C., see Batlle, R. 963(2002)73

Crick, E.W., see Reid, K.R. 975(2002)135

Croft, M., see Johnston, L. 982(2002)97

Crommen, J., see Chiap, P. 975(2002)145

Crommen, J., see Piette, V. 987(2003)421

Crosnier de Bellaistre, M., Mathieu, O., Randon, J. and Rocca, J.L.

Control of electroosmotic flow in zirconia-coated capillaries 971(2002)199

Crozier, A., see Mullen, W. 966(2002)63

Cruz Ortiz, M., see García, I. 992(2003)11

Cserhádi, T., Forgács, E., Deyl, Z., Miksik, I. and Eckhardt, A.

Binding of environmental pollutants to the corn protein zein studied by high-performance liquid chromatography 987(2003)403

Cuadros-Rodríguez, L., see Egea González, F.J. 966(2002)155

Cucinotta, V., Giuffrida, A., Grasso, G., Maccarrone, G. and Messina, M.

Simultaneous separation of different enantiomeric pairs in capillary electrophoresis by mixing different hemispherodextrins, a very versatile class of receptors 979(2002)137

Cuerrier, D., see Hoang, T.H. 991(2003)281

Cullon, D., see Ikonomou, M.G. 975(2002)319

Curren, M.S.S. and King, J.W.

New sample preparation technique for the determination of avoparcin in pressurized hot water extracts from kidney samples 954(2002)41

Curylo, J., see Wardencki, W. 984(2003)89

Czaplicka, M. and Klejnowski, K.

Determination of volatile organic compounds in ambient air. Comparison of methods 976(2002)369

Czok, M., see Dugay, A. 958(2002)1

D

da Silva, R., see Vilar, R.B.C. 985(2003)367

Dabek-Zlotorzynska, E., see Gago-Martínez, A. 992(2003)159

Dąbrowski, L., Giergielewicz-Możajska, H., Biziuk, M., Gaca, J. and Namieśnik, J.

Some aspects of the analysis of environmental pollutants in sediments using pressurized liquid extraction and gas chromatography–mass spectrometry 957(2002)59

Dachtler, M., see Fritsche, J. 972(2002)195

da Conceição K.V. Ramos, M., Teixeira, L.H.P., de Aquino Neto, F.R., Barreiro, E.J., Rodrigues, C.R. and Fraga, C.A.M.

Chiral separation of γ -butyrolactone derivatives by gas chromatography on 2,3-di-*O*-methyl-6-*O*-*tert*-butyldimethylsilyl- β -cyclodextrin 985(2003)321

D'Acunto, M.R., Gelfi, C., Stoyanov, A., Andreev, V. and Righetti, P.G.

Potential binding of borate ions to mono- and oligonucleotides: a capillary electrophoresis investigation 979(2002)285

Daeseleire, E., see De Ruycck, H. 976(2002)181

Dagher, C., see Demyttenaere, J.C.R. 985(2003)233

Dagnac, T., see Jeannot, R. 974(2002)143

Dagnac, T., Jeannot, R., Mouvet, C. and Baran, N.

Determination of oxanilic and sulfonic acid metabolites of acetochlor in soils by liquid chromatography–electrospray ionisation mass spectrometry 957(2002)69

Dahlmann, J., Budakowski, W.R. and Luckas, B.

Liquid chromatography–electrospray ionisation-mass spectrometry based method for the simultaneous determination of algal and cyanobacterial toxins in phytoplankton from marine waters and lakes followed by tentative structural elucidation of microcystins 994(2003)45

Dai, J., see Yang, X. 996(2003)13

Dai, L.-M., see Lian, H.-Z. 993(2003)179

Daishima, S., see Ochiai, N. 986(2003)101

Dallet, P., see Matoga, M. 984(2003)253

Dallüge, J., Roose, P. and Brinkman, U.A.Th.

Evaluation of a high-resolution time-of-flight mass spectrometer for the gas chromatographic determination of selected environmental contaminants 970(2002)213

Dallüge, J., Van Rijn, M., Beens, J., Vreuls, R.J.J. and Brinkman, U.A.Th.

Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection applied to the determination of pesticides in food extracts 965(2002)207

Dallüge, J., van Stee, L.L.P., Xu, X., Williams, J., Beens, J., Vreuls, R.J.J. and Brinkman, U.A.Th.

Unravelling the composition of very complex samples by comprehensive gas chromatography coupled to time-of-flight mass spectrometry. Cigarette smoke 974(2002)169

- Dallüge, J., Beens, J. and Brinkman, U.A.Th.
Comprehensive two-dimensional gas chromatography: a powerful and versatile analytical tool (Review) 1000(2003)69
- Daneault, C., see Castro, C. 969(2002)313
- Daniel, R., see Descroix, S. 987(2003)467
- Danielsson, C., see Haglund, P. 962(2002)127
- Danielsson, R., see Bylund, D. 961(2002)237
- Danková, M., see Strašák, S. 990(2003)23
- Danková, M., Strašák, S. and Kaniansky, D.
Determination of orotic acid in urine by capillary zone electrophoresis in tandem-coupled columns with diode array detection 990(2003)121
- Daoud, P., see Rousset, Ph. 969(2002)97
- Dardoize, F., see Perruchot, C. 969(2002)167
- Daszykowski, M., see Van Gysegem, E. 988(2003)77
- Datchler, M., see Andrade, F.D.P. 953(2002)287
- Davankov, V., Tsyurupa, M., Ilyin, M. and Pavlova, L.
Hypercross-linked polystyrene and its potentials for liquid chromatography: a mini-review (Review) 965(2002)65
- Davankov, V.A., Sychov, C.S., Ilyin, M.M. and Sochilina, K.O.
Hypercrosslinked polystyrene as a novel type of high-performance liquid chromatography column packing material. Mechanisms of retention 987(2003)67
- Davankov, V.A.
Enantioselective ligand exchange in modern separation techniques (Review) 1000(2003)891
- David, F., see Sandra, P. 974(2002)231
- David, F., see Sandra, P. 1000(2003)299
- Davidsson, R., see Sparr Eskilsson, C. 955(2002)215
- Davis, W.C., see Marcus, R.K. 986(2003)17
- Davoli, P. and Weber, R.W.S.
Simple method for reversed-phase high-performance liquid chromatographic analysis of fungal pigments in fruit-bodies of Boletales (Fungi) 964(2002)129
- D’Cruz, P., see Groom, C.A. 999(2003)17
- de Aquino Neto, F.R., see da Conceição K.V. Ramos, M. 985(2003)321
- De Beer, J., see Iványi, T. 954(2002)99
- De Beer, J., see Visky, D. 977(2002)39
- De Beer, J.O., see Hillaert, S. 984(2003)135
- de Beer, T., Velthorst, N.H., Brinkman, U.A.Th. and Gooijer, C.
Laser-based non-fluorescence detection techniques for liquid separation systems (Review) 971(2002)1
- De Beer, T.R.M., see Hillaert, S. 984(2003)135
- Debeljak, Ž., see Srečnik, G. 973(2002)47
- De Benedetto, G.E., see Cataldi, T.R.I. 968(2002)229
- Debets, A.J.J., see Vervoort, R.J.M. 964(2002)67
- DeBlois, C., see Houde, F. 961(2002)245
- De Bo, I., see Defoer, N. 970(2002)259
- De Boeck, G., see Guetens, G. 976(2002)229
- De Boeck, G., see Guetens, G. 976(2002)239
- de Boer, D., see Van de Kerkhof, D.H. 954(2002)199
- de Boer, J., see Korytár, P. 958(2002)203
- de Boer, J., see Korytár, P. 994(2003)179
- de Boer, J. and Law, R.J.
Developments in the use of chromatographic techniques in marine laboratories for the determination of halogenated contaminants and polycyclic aromatic hydrocarbons (Review) 1000(2003)223
- De Borba, B.M., Laikhtman, M. and Rohrer, J.S.
Determination of sodium at low ng/l concentrations in simulated power plant waters by ion chromatography 995(2003)143
- De Brabander, H.F., see Impens, S. 970(2002)235
- Debrauwer, L., see Quémener, B. 984(2003)185
- Debrauwer, L., Rathahao, E., Couve, C., Poulain, S., Pouyet, C., Jouanin, I. and Paris, A.
Oligonucleotide covalent modifications by estrogen quinones evidenced by use of liquid chromatography coupled to negative electrospray ionization tandem mass spectrometry 976(2002)123
- Debremaeker, D., Adams, E., Nadal, E., Van Hove, B., Roets, E. and Hoogmartens, J.
Analysis of spectinomycin by liquid chromatography with pulsed electrochemical detection 953(2002)123
- de Bruijn, E.A., see Guetens, G. 976(2002)229
- de Bruijn, E.A., see Guetens, G. 976(2002)239
- Decuypere, E., see Lein, S. 977(2002)257
- Defoer, N., De Bo, I., Van Langenhove, H., Dewulf, J. and Van Elst, T.
Gas chromatography–mass spectrometry as a tool for estimating odour concentrations of biofilter effluents at aerobic composting and rendering plants 970(2002)259
- de Frutos, M., see Lopez-Soto-Yarritu, P. 968(2002)221
- de Frutos, M., see Puerta, Á. 953(2002)17
- Degude, M.-J., see Barthe, L. 968(2002)241
- de Haseth, J.A., see Jarman, J.L. 976(2002)19
- Deinhofer, K., see Machold, C. 972(2002)3
- de Jong, A.L., see van Baar, B.L.M. 970(2002)95
- de Jong, G.J., see Vervoort, R.J.M. 964(2002)67
- de Jong, G.J., see Somsen, G.W. 1000(2003)953
- De Jong, R., see Joos, P.E. 985(2003)191
- De Kimpe, N., see Demyttenaere, J.C.R. 985(2003)221
- De Kimpe, N., see Demyttenaere, J.C.R. 985(2003)233
- de Kok, A., see Hiemstra, M. 972(2002)231
- De Koning, S., see Jüngel, P. 953(2002)199
- del Nozal, M.J., Toribio, L., Bernal, J.L. and Castaño, N.
Separation of triadimefon and triadimenol enantiomers and diastereoisomers by supercritical fluid chromatography 986(2003)135
- de la Puente, M.L., White, C.T., Rivera-Sagredo, A., Reilly, J., Burton, K. and Harvey, G.
Impact of normal-phase gradient elution in chiral chromatography: a novel, robust, efficient and rapid chiral screening procedure 983(2003)101
- Delamar, M., see Abel, M.-L. 969(2002)273
- Delamar, M., see Perruchot, C. 969(2002)167
- Delaunay, J.-C., Castagnino, C., Chèze, C. and Vercauteren, J.
Preparative isolation of polyphenolic compounds from *Vitis vinifera* by centrifugal partition chromatography 964(2002)123
- Delaunay-Bertoncini, N., Pichon, V. and Hennion, M.-C.
Experimental comparison of three monoclonal antibodies for the class-selective immunoextraction of triazines. Correlation with molecular modeling and principal component analysis studies 999(2003)3
- Delcour, J.A., see Gelders, G.G. 992(2003)75
- De Leenheer, A., see Praislser, M. 962(2002)161

- Delgado-Zamarreño, M.M., González-Maza, I., Sánchez-Pérez, A. and Carabias-Martínez, R.
Separation and simultaneous determination of water-soluble and fat-soluble vitamins by electrokinetic capillary chromatography 953(2002)257
- Dell'Aversano, C., see Ciminiello, P. 968(2002)61
- Delle Fratte, C., see Benincasa, M.-A. 967(2002)219
- Delorme, A., see Aupiais, J. 994(2003)199
- Delteil, C., see Flotron, V. 999(2003)175
- Deluca, A., see Mecozzi, M. 963(2002)363
- De Marco, A., see Guidotti, M. 985(2003)185
- Demarest, C.W., see Sedo, K.R. 988(2003)297
- Dembitsky, V.M., see Řezanka, T. 995(2003)109
- de Mello, A.J., see Leung, S.-A. 979(2002)171
- Demesmay, C., see Al Rifafi, R. 973(2002)177
- Demianová, Z., see Žuborová, M. 990(2003)179
- Demperio, V.L.
Determination of etoposide phosphate intermediates by gradient liquid chromatography using postcolumn derivatization with cuprammonium hydroxide 952(2002)283
- Demyttenaere, J.C.R., Dagher, C., Sandra, P., Kallithraka, S., Verhé, R. and De Kimpe, N.
Flavour analysis of Greek white wine by solid-phase microextraction–capillary gas chromatography–mass spectrometry 985(2003)233
- Demyttenaere, J.C.R., Moriña, R.M. and Sandra, P.
Monitoring and fast detection of mycotoxin-producing fungi based on headspace solid-phase microextraction and headspace sorptive extraction of the volatile metabolites 985(2003)127
- Demyttenaere, J.C.R., Sánchez Martínez, J.I., Verhé, R., Sandra, P. and De Kimpe, N.
Analysis of volatiles of malt whisky by solid-phase microextraction and stir bar sorptive extraction 985(2003)221
- Deng, F. and Zito, S.W.
Development and validation of a gas chromatographic–mass spectrometric method for simultaneous identification and quantification of marker compounds including bilobalide, ginkgolides and flavonoids in *Ginkgo biloba* L. extract and pharmaceutical preparations 986(2003)121
- Deng, G. and Collins, G.E.
Nonaqueous-based microchip separation of toxic metal ions using 2-(5-bromo-2-pyridylazo)-5-(*N*-propyl-*N*-sulfopropylamino)phenol 989(2003)311
- Deng, N., see Qu, Q.-s. 983(2003)255
- Deng, Y., see Fan, X. 979(2002)417
- DeNicola, K., see Montes-Bayón, M. 1000(2003)457
- Dennis, G.R., see Gray, M. 975(2002)285
- Dennis, G.R., see Kayillo, S. 967(2002)173
- De Pauw, E., see Pirard, C. 998(2003)169
- De Pauw, E., see Van Vyncht, G. 952(2002)121
- De Ridder, H., see De Ruyck, H. 976(2002)181
- de Rijke, E., Zappey, H., Ariese, F., Gooijer, C. and Brinkman, U.A.Th.
Liquid chromatography with atmospheric pressure chemical ionization and electrospray ionization mass spectrometry of flavonoids with triple-quadrupole and ion-trap instruments 984(2003)45
- Derksen, G.C.H., Niederländer, H.A.G. and van Beek, T.A.
Analysis of anthraquinones in *Rubia tinctorum* L. by liquid chromatography coupled with diode-array UV and mass spectrometric detection 978(2002)119
- De Rossi, A. and Desiderio, C.
Separation of negatively charged nonsteroidal anti-inflammatory drugs by reversed-phase capillary electrochromatography 984(2003)283
- De Ruyck, H., Daeseleire, E., De Ridder, H. and Van Renterghem, R.
Development and validation of a liquid chromatographic–electrospray tandem mass spectrometric multiresidue method for anthelmintics in milk 976(2002)181
- De Saeger, S., see Sibanda, L. 959(2002)327
- Desauziers, V., see Lestremou, F. 999(2003)71
- Desauziers, V., see Tuduri, L. 963(2002)49
- Deschamps, S., see Halasz, A. 963(2002)411
- Descroix, S., Varenne, A., Goasdoué, N., Abian, J., Carrascal, M., Daniel, R. and Gareil, P.
Non-aqueous capillary electrophoresis of the positional isomers of a sulfated monosaccharide 987(2003)467
- Desiderio, C., see De Rossi, A. 984(2003)283
- De Simone, C., see Guidotti, M. 985(2003)185
- Désiré, C., see Quémener, B. 984(2003)185
- Desmet, G., see Clicq, D. 979(2002)33
- Desmet, G., see Gzil, P. 991(2003)169
- Desmet, G., see Vervoort, N. 987(2003)39
- Despres, P., see Douglas, D.R. 956(2002)47
- DeStefano, J.J.
Foreword 972(2002)1
- Detaevnier, M.R., see Van Eeckhaut, A. 958(2002)291
- Detaevnier, M.R., see Vander Heyden, Y. 958(2002)191
- Detroyer, A., Vander Heyden, Y., Cambré, I. and Massart, D.L.
Chemometric comparison of recent chromatographic and electrophoretic methods in a quantitative structure–retention and retention–activity relationship context 986(2003)227
- De Valme García Moreno, M^a, see Castro Mejías, R. 953(2002)7
- De Valme García Moreno, M^a, see Natera Marín, R. 967(2002)261
- De Valme García Moreno, M^a, see Castro Mejías, R. 995(2003)11
- DeVido, D.R., see Biswas, K.M. 1000(2003)637
- Devreese, B., Janssen, K.P.C., Vanrobaeys, F., Van Herp, F., Martens, G.J.M. and Van Beeumen, J.
Automated nanoflow liquid chromatography–tandem mass spectrometry for a differential display proteomic study on *Xenopus laevis* neuroendocrine cells 976(2002)113
- De Wasch, K., see Impens, S. 970(2002)235
- Dewulf, J., see Defoer, N. 970(2002)259
- Dewulf, J., see Huybrechts, T. 975(2002)123
- Dewulf, J., see Wittmann, G. 993(2003)71
- Dewulf, J., see Huybrechts, T. 1000(2003)283
- Deyashiki, Y., see Inagaki, S. 987(2003)341
- Deyl, Z., see Charvátová, J. 990(2003)111
- Deyl, Z., see Charvátová, J. 990(2003)159
- Deyl, Z., see Cserhádi, T. 987(2003)403
- Deyl, Z., see Manetto, G. 990(2003)205
- Deyl, Z., see Manetto, G. 990(2003)281

- Deyl, Z., Mikšík, I. and Eckhardt, A.
Comparison of standard capillary and chip separations of sodium dodecylsulfate–protein complexes 990(2003)153
- de Zeeuw, J., see Joos, P.E. 985(2003)191
- Di Corcia, A. and Nazzari, M.
Liquid chromatographic–mass spectrometric methods for analyzing antibiotic and antibacterial agents in animal food products (Review) 974(2002)53
- Di Maso, M., see Hoang, T.H. 968(2002)257
- Di Maso, M., see Hoang, T.H. 991(2003)281
- Di Santo, R., see Cirilli, R. 993(2003)17
- Diana, J., Visky, D., Roets, E. and Hoogmartens, J.
Development and validation of an improved method for the analysis of vancomycin by liquid chromatography. Selectivity of reversed-phase columns towards vancomycin components 996(2003)115
- Díaz, A., Ventura, F. and Galceran, M.T.
Development of a solid-phase microextraction method for the determination of short-ethoxy-chain nonylphenols and their brominated analogs in raw and treated water 963(2002)159
- Díaz-Cruz, S., see Lopez de Alda, M.J. 1000(2003)503
- Dicinoski, G.W., see Cook, H.A. 997(2003)13
- Dicinoski, G.W., see Haddad, P.R. 956(2002)59
- Dicinoski, G.W., see Shaw, M.J. 997(2003)3
- Dicinoski, G.W., see Vachirapatama, N. 956(2002)221
- Diehl, G. and Karst, U.
Fast liquid chromatography–electrochemistry–mass spectrometry of ferrocenecarboxylic acid esters 974(2002)103
- Dierich, M.P., see Gutleben, W. 982(2002)153
- Dieryck, W., see Noubhani, A.M. 968(2002)113
- Díez, F.V., see Vega, A. 962(2002)153
- Díez, S. and Bayona, J.M.
Determination of methylmercury in human hair by ethylation followed by headspace solid-phase microextraction–gas chromatography–cold-vapour atomic fluorescence spectrometry 963(2002)345
- Díez-Masa, J.C., see Lopez-Soto-Yarritu, P. 968(2002)221
- Diez-Masa, J.C., see Puerta, Á. 953(2002)17
- Dijkman, E., see Mooibroek, D. 975(2002)165
- DiMichele, L., see LoBrutto, R. 995(2003)67
- Ding, B., see Hook, G.L. 992(2003)1
- Ding, M.-Y., see Helaleh, M.I.H. 997(2003)133
- Ding, M.-Y., see Helaleh, M.I.H. 997(2003)139
- Ding, M.-Y., see Tanaka, K. 956(2002)209
- Ding, W.-H., see Chen, H.-C. 996(2003)205
- Ding, W.-H., see Cheng, C.-Y. 968(2002)143
- Ding, W.-H., see Hou, Ya.-H. 976(2002)207
- Ding, Y. and Mou, S.
Effects of common metal ions on the determination of anions by suppressed ion chromatography 956(2002)65
- Ding, Y., Yu, H. and Mou, S.
Direct determination of free amino acids and sugars in green tea by anion-exchange chromatography with integrated pulsed amperometric detection 982(2002)237
- Ding, Y.-S., see Yu, H. 966(2002)89
- Ding, Y.-S., see Yu, H. 997(2003)145
- Ding, Yu., Y. H. and Mou, S.
Off-line elimination of carbohydrates for amino acid analysis of samples with high carbohydrate content by ion-exchange chromatography 997(2003)155
- Diogo, M.M., Queiroz, J.A. and Prazeres, D.M.F.
Assessment of purity and quantification of plasmid DNA in process solutions using high-performance hydrophobic interaction chromatography 998(2003)109
- Dobarganes, M.C., see Velasco, J. 982(2002)145
- Dodds, J.A., see Comard, M.-P. 969(2002)93
- Dohrendorf, K., see Jeannot, R. 974(2002)143
- Dolan, J.W.
Temperature selectivity in reversed-phase high performance liquid chromatography (Review) 965(2002)195
- Dolan, J.W., Snyder, L.R., Jupille, T.H. and Wilson, N.S.
Variability of column selectivity for reversed-phase high-performance liquid chromatography. Compensation by adjustment of separation conditions 960(2002)51
- Dolan, J.W., see Wilson, N.S. 961(2002)171
- Dolan, J.W., see Wilson, N.S. 961(2002)195
- Dolan, J.W., see Wilson, N.S. 961(2002)217
- Dolan, J.W., see Gilroy, J.J. 1000(2003)757
- Domelier, R., see Clarot, I. 958(2002)79
- Domínguez-Álvarez, J., see Carabias-Martínez, R. 990(2003)291
- Dong, L., see Yu, J. 978(2002)37
- Dömötöróvá, M., see Matisová, E. 1000(2003)199
- Dong, M.W., Miller, G.D. and Paul, R.K.
Mass spectrometry-compatible ICH (International Conference on Harmonization) impurity analysis with a high-pH mobile phase. Advantages and pitfalls 987(2003)283
- Dong, Q., Wang, X., Zhu, L. and Jin, W.
Method of intracellular naphthalene-2,3-dicarboxaldehyde derivatization for analysis of amino acids in a single erythrocyte by capillary zone electrophoresis with electrochemical detection 959(2002)269
- Dong, X.-Y., see Chen, W.-D. 962(2002)29
- Dönges, R. and Brazel, D.
Determination of recombinant hirudin structural deviants by capillary zone electrophoresis augmented with buffer additives 979(2002)217
- Donnet, J.B., see Hamdi, S. 969(2002)143
- Donovan, S.F. and Pescatore, M.C.
Method for measuring the logarithm of the octanol–water partition coefficient by using short octadecyl–poly(vinyl alcohol) high-performance liquid chromatography columns 952(2002)47
- Dooley, G.L., see Smith, C.J. 991(2003)99
- Dopler-Nelson, M., see Burri, B.J. 987(2003)359
- Dorovska-Taran, V., see Adlof, R.O. 953(2002)293
- Dorris, G.M., see Castro, C. 969(2002)313
- Dorsey, J.G., see Coym, J.W. 971(2002)61
- Dorsey, J.G., see Rimmer, C.A. 965(2002)219
- Dorsey, J.G., see Biswas, K.M. 1000(2003)637
- dos Santos Pereira, A., see Huenerbein, A. 985(2003)375
- Dott, W., see Hollender, J. 962(2002)175
- Doughty, S.W., see Grimsey, I.M. 969(2002)49

- Douglas, D.R., Saari-Nordhaus, R., Despres, P. and Anderson Jr., J.M.
New suppressor technology improves trace level anion analysis with carbonate–hydrogencarbonate mobile phases 956(2002)47
- Dowling, T., see Wang, F. 958(2002)69
- Drabowicz, J., see Kudzin, Z.H. 998(2003)183
- Dräger, B.
Analysis of tropane and related alkaloids (Review) 978(2002)1
- Draisci, R., see Cinquina, A.L. 987(2003)221
- Dreux, M., see Petritis, K. 957(2002)173
- Dreux, M., see Petritis, K. 961(2002)9
- Dreyfuss, M.F., see Clarot, I. 958(2002)79
- Dron, J., Garcia, R. and Millán, E.
Optimization of headspace solid-phase microextraction by means of an experimental design for the determination of methyl *tert*-butyl ether in water by gas chromatography–flame ionization detection 963(2002)259
- Du, H., see Zhu, Y. 956(2002)215
- Du, Q., Cai, W., Xia, M. and Ito, Y.
Purification of (+)-dihydromyricetin from leaves extract of *Ampelopsis grossedentata* using high-speed countercurrent chromatography with scale-up triple columns 973(2002)217
- Du, Q., see Chen, P. 982(2002)163
- Du, Q., Jerz, G. and Winterhalter, P.
Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed counter-current chromatography 984(2003)147
- Du, Q., Xia, M. and Ito, Y.
Purification of icariin from the extract of *Epimedium segittatum* using high-speed counter-current chromatography 962(2002)239
- Du, Y., see Caccamese, S. 966(2002)221
- Du, Y., Taga, A., Suzuki, S., Liu, W. and Honda, S.
Colominic acid: a novel chiral selector for capillary electrophoresis of basic drugs 962(2002)221
- Dubois, C., see Halasz, A. 963(2002)411
- Dubost, J.P., see Matoga, M. 984(2003)253
- Ducruet, V., see Boutboul, A. 969(2002)9
- Dudek, M., Kloskowski, A., Wolska, L., Pilarczyk, M. and Namieśnik, J.
Using different types of capillary chromatographic columns as denudation traps: a comparison of sorption properties 977(2002)115
- Duflos, A., see Barthe, L. 968(2002)241
- Dufresne, C., see Haroun, M. 977(2002)185
- Dufresne, C., see Loukili, B. 986(2003)45
- Dugay, A., Herrenknecht, C., Czok, M., Guyon, F. and Pages, N.
New procedure for selective extraction of polycyclic aromatic hydrocarbons in plants for gas chromatographic–mass spectrometric analysis 958(2002)1
- Dugay, J., see Legrand, S. 999(2003)195
- Dugay, J., see Malleret, L. 999(2003)135
- Dugay, J., see Miège, C. 995(2003)87
- Dugheri, S., see Pieraccini, G. 955(2002)117
- Dugo, G., see Shellie, R. 970(2002)225
- Duh, T.-H., Wu, H.-L., Kou, H.-S. and Lu, C.-Y.
(2-Naphthoxy)acetyl chloride, a simple fluorescent reagent 987(2003)205
- Dulay, M.T., see Kato, M. 961(2002)45
- Duplat, D., see Mondy, N. 963(2002)89
- Dusek, B., Hajslova, J. and Kocourek, V.
Determination of nitrated polycyclic aromatic hydrocarbons and their precursors in biotic matrices 982(2002)127
- Duszczyk, K., see Bielejewska, A. 977(2002)225
- Dybal, J., see Tishchenko, G. 954(2002)115
- Dybdahl, H.P., see Hartonen, K. 958(2002)239
- Dyremark, E., see Sanchez, C. 957(2002)227
- Dzierzgowska, M., Pyrzyńska, K. and Poboży, E.
Capillary electrophoretic determination of inorganic selenium species 984(2003)291
- Dżygiel, P., see Khrolenko, M. 975(2002)219
- Dżygiel, P., see Rudzińska, E. 979(2002)115
- ## E
- Earls, A.O., Axford, I.P. and Braybrook, J.H.
Gas chromatography–mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles 983(2003)237
- Eckhardt, A., see Cserháti, T. 987(2003)403
- Eckhardt, A., see Deyl, Z. 990(2003)153
- Edam, R., see Fitzpatrick, F. 988(2003)53
- Ee, K.H., see Zhu, L. 963(2002)335
- Efer, J., see Asperger, A. 960(2002)109
- Egea González, F.J., Hernández Torres, M.E., Almansa López, E., Cuadros-Rodríguez, L. and Martínez Vidal, J.L.
Matrix-effects of vegetable commodities in electron-capture detection applied to pesticide multiresidue analysis 966(2002)155
- Eggermont, A.A.M., see Guetens, G. 976(2002)229
- Eggermont, A.A.M., see Guetens, G. 976(2002)239
- Egwu, I.N., see Fernando, P.N. 956(2002)261
- Ehmann, T., Fabry, L., Rüfer, H., Kotz, L., Pahlke, S. and Mantler, C.
Modification and validation of the pyromellitic acid electrolyte for the capillary electrophoretic determination of anions 995(2003)217
- Eitel, M., see Wang, K. 956(2002)109
- Eklund, A.G., see Nassivera, T. 973(2002)97
- Ekulu, G., see Mutelet, F. 969(2002)207
- Elfakir, C., see Petritis, K. 957(2002)173
- Elfakir, C., see Petritis, K. 961(2002)9
- Elflein, L., Berger-Preiss, E., Levsen, K. and Wünsch, G.
Development of a gas chromatography–mass spectrometry method for the determination of household insecticides in indoor air 985(2003)147

- Eljarrat, E., see Petrovic, M. 974(2002)23
- Ellison, D., see Song, S. 959(2002)299
- Ellison, D.K., see Zhou, L. 987(2003)409
- Elsner, H.D., see Theodosiou, I. 964(2002)77
- Elsner, O., see Mayr, B. 973(2002)115
- Emke, E., see Bobeldijk, I. 970(2002)167
- Emmett, M.R., see Lam, T.T. 982(2002)85
- Engel, K.-H., see Miller, A. 985(2003)403
- Engewald, W., see Asperger, A. 960(2002)109
- Engewald, W., see Braun, P. 988(2003)41
- Enlund, A.M., Andersson, M.E. and Hagman, G.
Peak compression effects in capillary electrochromatography of basic drug substances using a strong cation-exchanger 979(2002)335
- Ensing, K., see Blomgren, A. 975(2002)157
- Epema, O.J., see Staeb, J.A. 974(2002)223
- Erhardt, P., see Faghihi, J. 989(2003)317
- Ericsson, M. and Colmsjö, A.
Dynamic microwave-assisted extraction coupled on-line with solid-phase extraction: determination of polycyclic aromatic hydrocarbons in sediment and soil 964(2002)11
- Ericsson, M., see Sanchez, C. 957(2002)227
- Ericsson, M., see Sanchez, C. 993(2003)103
- Erim, F.B., see Günaydin, K. 954(2002)291
- Erny, G.L., Bergström, E.T. and Goodall, D.M.
Electromigration dispersion in capillary zone electrophoresis. Experimental validation of use of the Haarhoff–Van der Linde function 959(2002)229
- Esaka, Y., see Inagaki, S. 987(2003)341
- Esaka, Y., Okumura, N., Uno, B. and Goto, M.
Analysis of active chemical species generated by electrolysis using non-aqueous capillary electrophoresis. Detection of the anion radical and the divalent anion of tetracyanoquinodimethane 979(2002)91
- Escarpa, A., see Wang, J. 952(2002)249
- Eshwari, A.N.S., see Gupta, V. 998(2003)93
- Espada, A. and Rivera-Sagredo, A.
Ammonium hydrogencarbonate, an excellent buffer for the analysis of basic drugs by liquid chromatography–mass spectrometry at high pH 987(2003)211
- Espejo, R., Valter, K., Simona, M., Janin, Y. and Arrizabalaga, P.
Determination of nineteen 4-alkylphenol endocrine disrupters in Geneva municipal sewage wastewater 976(2002)335
- Espiga, C., see Kristenson, E.M. 975(2002)95
- Espinosa, S., Bosch, E., Rosés, M. and Valkó, K.
Change of mobile phase pH during gradient reversed-phase chromatography with 2,2,2-trifluoroethanol–water as mobile phase and its effect on the chromatographic hydrophobicity index determination 954(2002)77
- Espinosa, S., Bosch, E. and Rosés, M.
Retention of ionizable compounds in high-performance liquid chromatography. 14. Acid–base pK values in acetonitrile–water mobile phases 964(2002)55
- Esteve-Romero, J., see Monferrer-Pons, L. 984(2003)223
- Ettre, L.S.
A.J.P. Martin (1910–2002) (Obituary) 972(2002)131
- Ettre, L.S.
Comments on the early history of gas chromatographic methods for oil analysis 993(2003)217
- Etxabarren, C., Iriarte, M., Uriarte, C., Etxeberria, A. and Iruiñ, J.J.
Polymer–solvent interaction parameters in polymer solutions at high polymer concentrations 969(2002)245
- Etxebarria, N., see Cortazar, E. 978(2002)165
- Etxeberria, A., see Etxabarren, C. 969(2002)245
- Euerby, M.R. and Petersson, P.
Chromatographic classification and comparison of commercially available reversed-phase liquid chromatographic columns using principal component analysis 994(2003)13
- Evans III, L.
Separation and quantitation of components in FD&C Red No. 3 using capillary electrophoresis 991(2003)275
- Ewing, D., see Lipka-Belloli, E. 972(2002)211
- Ezequiel de Oliveira, J., see Soares, C.R.J. 955(2002)229
- Ezquerro, Ó., Pons, B. and Tena, M.T.
Development of a headspace solid-phase microextraction–gas chromatography–mass spectrometry method for the identification of odour-causing volatile compounds in packaging materials 963(2002)381
- Ezquerro, Ó., Pons, B. and Tena, M.T.
Direct quantitation of volatile organic compounds in packaging materials by headspace solid-phase microextraction–gas chromatography–mass spectrometry 985(2003)247
- Ezquerro, Ó., Pons, B. and Tena, M.T.
Multiple headspace solid-phase microextraction for the quantitative determination of volatile organic compounds in multilayer packagings 999(2003)155

F

- Fabbri, D., Vassura, I. and Snape, C.E.
Simple off-line flash pyrolysis procedure with in situ silylation for the analysis of hydroxybenzenes in humic acids and coals 967(2002)235
- Fabian, W.M.F., see Uray, G. 992(2003)151
- Fabiani, A., see Castellari, M. 973(2002)221
- Fabry, L., see Ehmann, T. 995(2003)217
- Fadeev, A.Y., see Macko, T. 988(2003)69
- Fadlallah, M.-B., see Hamieh, T. 969(2002)37
- Fagelman, K., see Santos, J.M.R.C.A. 969(2002)111
- Fagelman, K., see Santos, J.M.R.C.A. 969(2002)119

- Faghihi, J., Jiang, X., Vierling, R., Goldman, S., Sharfstein, S., Sarver, J. and Erhardt, P.
Erratum to "Reproducibility of the high-performance liquid chromatographic fingerprints obtained from two soybean cultivars and a selected progeny". [J. Chromatogr. A, 915 (2001) 61–74] 989(2003)317
- Fagiolo, A., see Cinquina, A.L. 987(2003)221
- Fahey, J.W., Wade, K.L., Stephenson, K.K. and Chou, F.E.
Separation and purification of glucosinolates from crude plant homogenates by high-speed counter-current chromatography 996(2003)85
- Fahy, J., see Barthe, L. 968(2002)241
- Fall, J. and Voelkel, A.
Inverse gas chromatography and other chromatographic techniques in the examination of engine oils 969(2002)181
- Fall, J., see Voelkel, A. 982(2002)245
- Fan, X. and Deng, Y.
Separation and identification of aromatic acids in soil and the Everglades sediment samples using solid-phase microextraction followed by capillary zone electrophoresis 979(2002)417
- Fanali, S., Catarcini, P., Presutti, C., Stancanelli, R. and Quaglia, M.G.
Use of short-end injection capillary packed with a glycopeptide antibiotic stationary phase in electrochromatography and capillary liquid chromatography for the enantiomeric separation of hydroxy acids 990(2003)143
- Fanali, S., Catarcini, P. and Presutti, C.
Enantiomeric separation of acidic compounds of pharmaceutical interest by capillary electrochromatography employing glycopeptide antibiotic stationary phases 994(2003)227
- Fang, K.-T., see Xu, Q.-S. 998(2003)155
- Fanlo, J.-L., see Lestremou, F. 999(2003)71
- Fanlo, J.L., see Tuduri, L. 963(2002)49
- Farkas, R., see Hoang, T.H. 968(2002)257
- Farnan, D., Frey, D.D. and Horváth, Cs.
Surface and pore diffusion in macroporous and gel-filled gigaporous stationary phases for protein chromatography 959(2002)65
- Fatemi, M.H.
Simultaneous modeling of the Kovats retention indices on OV-1 and SE-54 stationary phases using artificial neural networks 955(2002)273
- Fatoki, O.S. and Awofolu, R.O.
Methods for selective determination of persistent organochlorine pesticide residues in water and sediments by capillary gas chromatography and electron-capture detection 983(2003)225
- Fattorusso, E., see Ciminiello, P. 968(2002)61
- Feeney, O., see Bashir, W. 964(2002)113
- Feigenbaum, A., see Boutboul, A. 969(2002)9
- Feldman, J., see Wang, J. 952(2002)249
- Felinger, A., see Cavazzini, A. 953(2002)55
- Felinger, A., Cavazzini, A. and Guiochon, G.
Numerical determination of the competitive isotherm of enantiomers 986(2003)207
- Félix, G., see Calleri, E. 958(2002)131
- Feng, C.-T., see Wu, C.-H. 996(2003)225
- Feng, H., see Wang, T. 987(2003)485
- Feng, H.-T. and Li, S.F.Y.
Determination of five toxic alkaloids in two common herbal medicines with capillary electrophoresis 973(2002)243
- Feng, Y., see Zhang, Y. 982(2002)255
- Fermier, A.M., see Vescina, M.C. 973(2002)187
- Fernandes, J.O., see Casal, S. 976(2002)285
- Fernandes, L., Relva, A.M., Gomes da Silva, M.D.R. and Costa Freitas, A.M.
Different multidimensional chromatographic approaches applied to the study of wine malolactic fermentation 995(2003)161
- Fernández Amandi, M., Furey, A., Lehane, M., Ramstad, H. and James, K.J.
Liquid chromatography with electrospray ion-trap mass spectrometry for the determination of yessotoxins in shellfish 976(2002)329
- Fernández, L.A., see Cortazar, E. 978(2002)165
- Fernandez, M.P., see Ikonou, M.G. 975(2002)319
- Fernández-Alba, A.R., see Mezcua, M. 999(2003)81
- Fernández-Fernández, E., see Concha-Graña, E. 958(2002)17
- Fernandez-Metzler, C., see Miller-Stein, C. 964(2002)161
- Fernández-Zurbano, P., see Sáenz-López, R. 953(2002)251
- Fernández-Zurbano, P., see Sáenz-López, R. 990(2003)247
- Fernando, P.N., Egbu, I.N. and Hussain, M.S.
Ion chromatographic determination of trace hydroxylamine in waste streams generated by a pharmaceutical reaction process 956(2002)261
- Ferrara, P., see Soares, C.R.J. 955(2002)229
- Ferré, J., see Comas, E. 988(2003)277
- Ferreira, I.M.P.L.V.O., see Veloso, A.C.A. 967(2002)209
- Ferreira, M.A., see Casal, S. 976(2002)285
- Ferreira, V., see López, R. 966(2002)167
- Ferrer, I., see Thurman, E.M. 957(2002)3
- Ferroukhi, O., Guermouche, S., Sebih, S., Guermouche, M.H., Berdagué, P. and Bayle, J.P.
Synthesis, characterization and liquid chromatographic behaviours of a new chemically bonded liquid crystal 971(2002)87
- Fexby, S., see Arvidsson, P. 977(2002)27
- Fialkov, A.B., Gordin, A. and Amirav, A.
Extending the range of compounds amenable for gas chromatography–mass spectrometric analysis 991(2003)217
- Fiamegos, Y.C., Nanos, C.G., Pilidis, G.A. and Stalikas, C.D.
Phase-transfer catalytic determination of phenols as methylated derivatives by gas chromatography with flame ionization and mass-selective detection 983(2003)215
- Field, J.A., see Reusser, D.E. 953(2002)215
- Fielden, P.R., see Baldock, S.J. 990(2003)11
- Fielden, P.R., see Prest, J.E. 990(2003)325
- Fingas, M., see Wang, Z. 971(2002)173
- Fisher, J.R., see Iuliano, S. 972(2002)77
- Fitzpatrick, F., Edam, R. and Schoenmakers, P.
Application of the reversed-phase liquid chromatographic model to describe the retention behaviour of polydisperse macromolecules in gradient and isocratic liquid chromatography 988(2003)53
- Fitzpatrick, F., see Schoenmakers, P. 965(2002)93

- Flamini, G., Cioni, P.L. and Morelli, I.
Use of solid-phase micro-extraction as a sampling technique in the determination of volatiles emitted by flowers, isolated flower parts and pollen 998(2003)229
- Flo, G., see Lein, S. 977(2002)257
- Flöter, E., see Janssen, H.-G. 1000(2003)385
- Flotron, V., Houessou, J., Bosio, A., Delteil, C., Bermond, A. and Camel, V.
Rapid determination of polycyclic aromatic hydrocarbons in sewage sludges using microwave-assisted solvent extraction. Comparison with other extraction methods 999(2003)175
- Focant, J.-F., see Pirard, C. 998(2003)169
- Focardi, L., see Pieraccini, G. 955(2002)117
- Fokkens, R.H., see van de Kerkhof, D.H. 954(2002)199
- Foley, J.P., see Klotz, W.L. 962(2002)207
- Fong, W.F., see Cheung, H.Y. 989(2003)303
- Fonrodona, G., see Sanli, N. 975(2002)299
- Font, G., see Blasco, C. 970(2002)201
- Ford, M.J., Tetler, L.W., White, J. and Rimmer, D.
Determination of alkyl benzyl and dialkyl dimethyl quaternary ammonium biocides in occupational hygiene and environmental media by liquid chromatography with electrospray ionisation mass spectrometry and tandem mass spectrometry 952(2002)165
- Forgács, E.
Retention characteristics and practical applications of carbon sorbents (Review) 975(2002)229
- Forgács, E., see Cserhádi, T. 987(2003)403
- Forgács, E., see Jakab, A. 976(2002)255
- Forino, M., see Ciminiello, P. 968(2002)61
- Fornstedt, T., see Forssén, P. 991(2003)31
- Fornstedt, T., see Lindholm, J. 992(2003)85
- Forssén, P., Lindholm, J. and Fornstedt, T.
Theoretical and experimental study of binary perturbation peaks with focus on peculiar retention behaviour and vanishing peaks in chiral liquid chromatography 991(2003)31
- Fountain, K.J., see Gilar, M. 958(2002)167
- Fox, G.E., see Murphy, J.C. 984(2003)215
- Fracchiolla, G., see Calleri, E. 958(2002)131
- Fraga, C.A.M., see da Conceição K.V. Ramos, M. 985(2003)321
- Fraga, C.G., see Sinha, A.E. 983(2003)195
- Franco, M.R.B., see Alves, G.L. 985(2003)297
- Frattoni, M., see Ciccioli, P. 985(2003)283
- Freije, H., see Tombesi, N.B. 963(2002)179
- Frenzel, T., see Miller, A. 985(2003)403
- Freriks, I.L., see Staeb, J.A. 974(2002)223
- Freudemann, T., see von Brocke, A. 991(2003)129
- Frey, D.D., see Farnan, D. 959(2002)65
- Frey, D.D., see Kang, X. 991(2003)117
- Friás, S., see Pérez-Trujillo, J.P. 963(2002)95
- Fricker, F., see Abel, M.-L. 969(2002)273
- Frigerio, E., Cenacchi, V. and James, C.A.
Determination of PNU-248686A, a novel matrix metalloproteinase inhibitor, in human plasma by liquid chromatography–tandem mass spectrometry, following protein precipitation in the 96-well plate format 987(2003)249
- Frigola, J., see Gómez-Gomar, A. 990(2003)91
- Frimmel, F.H., see Brinkmann, T. 957(2002)99
- Frimmel, F.H., see Ohlenbusch, G. 967(2002)201
- Fritsche, E., see Lee, H.G. 994(2003)213
- Fritsche, J., Angoelal, R. and Dachtler, M.
On-line liquid-chromatography–nuclear magnetic resonance spectroscopy–mass spectrometry coupling for the separation and characterization of secoisolariciresinol diglucoside isomers in flaxseed 972(2002)195
- Fritz, J.S., Arena, M.P., Steiner, S.A. and Porter, M.D.
Rapid determination of ions by combined solid-phase extraction–diffuse reflectance spectroscopy 997(2003)41
- Fritz, J.S., see Hu, W. 956(2002)139
- Fritz, J.S., see Li, S. 964(2002)91
- Fritz, J.S., see Tanaka, K. 956(2002)209
- Fritz, J.S., see Tanaka, K. 997(2003)127
- Fritz, J.S., see Yan, Z. 985(2003)359
- Fritz, J.S., Yan, Z. and Haddad, P.R.
Modification of ion chromatographic separations by ionic and nonionic surfactants 997(2003)21
- Fu, P., see Ng, S.-C. 968(2002)31
- Fujii, K., see Oka, H. 989(2003)249
- Fujii, Y., see Zhang, Y.-H. 989(2003)175
- Fujimoto, C., see Lee, K.-P. 987(2003)111
- Fujimoto, C., see Ohta, K. 997(2003)117
- Fujiwara, T., see Lee, D. 966(2002)41
- Fukusaki, E., see Bamba, T. 995(2003)203
- Fukusaki, E.-I., see Kim, J.K. 986(2003)313
- Fukushi, K., see Takeda, S. 979(2002)425
- Funazaki, J., see Kobayashi, H. 990(2003)169
- Furey, A., see Fernández Amandi, M. 976(2002)329
- Furey, A., see Moroney, C. 963(2002)353
- Furuno, M., see Shintani, Y. 985(2003)351

G

- Gabaldón, J.A., Cascales, J.M., Maquieira, A. and Puchades, R.
Rapid trace analysis of alachlor in water and vegetable samples 963(2002)125
- Gaca, J., see Dąbrowski, L. 957(2002)59
- Gadgil, H. and Jarrett, H.W.
Oligonucleotide trapping method for purification of transcription factors 966(2002)99
- Gago-Martínez, A., Piñeiro, N., Aguete, E.C., Vaquero, E., Nogueiras, M., Leão, J.M., Rodríguez-Vázquez, J.A. and Dabek-Zlotorzynska, E.
Further improvements in the application of high-performance liquid chromatography, capillary electrophoresis and capillary electrochromatography to the analysis of algal toxins in the aquatic environment 992(2003)159

- Galaev, I.Yu., see Arvidsson, P. 977(2002)27
 Galaev, I.Yu., see Arvidsson, P. 986(2003)275
 Galceran, M.T., see Castells, P. 984(2003)1
 Galceran, M.T., see Díaz, A. 963(2002)159
 Galceran, M.T., see Núñez, O. 961(2002)65
 Galceran, M.T., see Núñez, O. 974(2002)243
 Galceran, M.T., see Sanz, R. 966(2002)135
 Galceran, M.T., see Sentellas, S. 976(2002)221
 Galceran, M.T., see Santos, F.J. 1000(2003)125
 Galensa, R., see Papagiannopoulos, M. 958(2002)9
 Galiero, R., see Bernabei, M. 985(2003)197
 Galland, A., see Taillardat-Bertschinger, A. 953(2002)39
 Gallina Toschi, T., see Bendini, A. 985(2003)425
 Gallinella, B., see Cirilli, R. 993(2003)17
 Gallo, B., see Barranco, A. 988(2003)33
 Games, D.E., see Chen, L.-J. 988(2003)95
 Gan, W.-e., see Qu, Q.-s. 983(2003)255
 Ganeshjeevan, R., Chandrasekar, R., Yuvaraj, S. and Radhakrishnan, G.
 Determination of hexavalent chromium by on-line dialysis ion chromatography in a matrix of strong colourants and trivalent chromium 988(2003)151
 Gangl, E., Utkin, I., Gerber, N. and Vouros, P.
 Structural elucidation of metabolites of ritonavir and indinavir by liquid chromatography–mass spectrometry 974(2002)91
 Gao, C., see Sun, X. 962(2002)117
 Gao, R., see Kong, Yu. 987(2003)477
 Gao, R., see Zhang, K. 987(2003)453
 Gao, R.-Y., see Li, Z.-Y. 977(2002)17
 García, A.D., see Lurie, I.S. 984(2003)109
 García Barroso, C., see Castro Mejías, R. 953(2002)7
 García Barroso, C., see Natera Marín, R. 967(2002)261
 García Barroso, C., see Castro Mejías, R. 995(2003)11
 García, I., Cruz Ortiz, M., Sarabia, L., Vilches, C. and Gredilla, E.
 Advances in methodology for the validation of methods according to the International Organization for Standardization. Application to the determination of benzoic and sorbic acids in soft drinks by high-performance liquid chromatography 992(2003)11
 García, M.C., Hogenboom, A.C., Zappey, H. and Irth, H.
 Effect of the mobile phase composition on the separation and detection of intact proteins by reversed-phase liquid chromatography–electrospray mass spectrometry 957(2002)187
 García, R., see Dron, J. 963(2002)259
 García, R., see Santoyo, E. 956(2002)279
 García Regueiro, J.A., see Juanola, R. 953(2002)207
 García Rowe, F., see Natera Marín, R. 967(2002)261
 García, Y., see Moya, G. 971(2002)129
 García-Alvarez-Coque, M.C., see Caballero, R.D. 954(2002)59
 García-Alvarez-Coque, M.C., see Torres-Lapasió, J.R. 955(2002)19
 García-Alvarez-Coque, M.C., see Vivó-Truyols, G. 958(2002)35
 García-Alvarez-Coque, M.C., see Vivó-Truyols, G. 991(2003)47
 García-Domínguez, J.A., see González, F.R. 953(2002)151
 García-Jares, C., see Llompart, M. 963(2002)137
 García-Jares, C., Llompart, M., Polo, M., Salgado, C., Macías, S. and Cela, R.
 Optimisation of a solid-phase microextraction method for synthetic musk compounds in water 963(2002)277
 García-Jares, C., see Llompart, M. 999(2003)185
 García-Lopera, R., Irurzun, I., Abad, C. and Campos, A.
 Fractal calibration in size-exclusion chromatography. I. An introduction 996(2003)33
 Garcia-Martin, S., see Martin, M. 960(2002)165
 García-Montelongo, F., see Rodríguez-Bencomo, J.J. 963(2002)213
 García-Montelongo, F., see Rodríguez-Bencomo, J.J. 991(2003)13
 García-Regueiro, J.A., see Codony, R. 959(2002)131
 Gardner, D.R., see Molyneux, R.J. 967(2002)57
 Gareil, P., see Descroix, S. 987(2003)467
 Garkani-Nejad, Z., see Jalali-Heravi, M. 971(2002)207
 Garrido, J.L., Rodríguez, F., Campaña, E. and Zapata, M.
 Rapid separation of chlorophylls *a* and *b* and their demetallated and dephytylated derivatives using a monolithic silica C₁₈ column and a pyridine-containing mobile phase 994(2003)85
 Garrigós, M.C., see Reche, F. 963(2002)419
 Garrigós, M.C., Reche, F., Marín, M.L., Pernías, K. and Jiménez, A.
 Optimization of the extraction of azo colorants used in toy products 963(2002)427
 Garrigós, M.C., see Reche, F. 976(2002)301
 Garrigós, M.C., Reche, F., Marín, M.L. and Jiménez, A.
 Determination of aromatic amines formed from azo colorants in toy products 976(2002)309
 Gaš, B., see Lopez-Avila, V. 993(2003)143
 Gaš, B., see Muzikar, J. 960(2002)199
 Gaš, B., see Štědrý, M. 960(2002)187
 Gaudin, K., Chaminade, P. and Baillet, A.
 Eluotropic strength in non-aqueous liquid chromatography with porous graphitic carbon 973(2002)61
 Gaudin, K., Chaminade, P. and Baillet, A.
 Structure–retention diagrams of ceramides established for their identification 973(2002)69
 Gaudio, J. and Craighead, H.G.
 Characterizing electroosmotic flow in microfluidic devices 971(2002)249
 Gavril, D., see Katsanos, N.A. 983(2003)177
 Gebler, J.C., see Gilar, M. 958(2002)167
 Geer, B.L., see Lurie, I.S. 984(2003)109
 Geerdink, R.B., see Kienhuis, P.G.M. 974(2002)161
 Geerdink, R.B., Niessen, W.M.A. and Brinkman, U.A.Th.
 Trace-level determination of pesticides in water by means of liquid and gas chromatography (Review) 970(2002)65
 Geiser, L., Cherkaoui, S. and Veuthey, J.-L.
 Potential of formamide and *N*-methylformamide in nonaqueous capillary electrophoresis coupled to electrospray ionization mass spectrometry. Application to the analysis of β -blockers 979(2002)389
 Geissler, M., see Jirovetz, L. 976(2002)265
 Geldart, S.E., see Brown, P.R. 965(2002)163

- Gelders, G.G., Bijmens, L., Loosveld, A.-M., Vidts, A. and Delcour, J.A.
 Fractionation of starch hydrolysates into dextrans with narrow molecular mass distribution and their detection by high-performance anion-exchange chromatography with pulsed amperometric detection 992(2003)75
- Gelfi, C., see D'Acunto, M.R. 979(2002)285
- Gelpí, E.
 Contributions of liquid chromatography–mass spectrometry to “highlights” of biomedical research (Review) 1000(2003)567
- Gennaro, M.C., Marengo, E., Gianotti, V., Angioi, S. and Copeta, G.
 Intercalibration of chromatographic methods for auxino phytochemicals in *Solanaceae* 993(2003)111
- Gera, L., see Mehok, A.R. 972(2002)87
- Gerasimenko, I., see Stöckigt, J. 967(2002)85
- Gerber, N., see Gangl, E. 974(2002)91
- German, I., see McKenzie, J.A.M. 962(2002)105
- Gessa, C., see Cavani, L. 985(2003)463
- Ghosh, R.
 Protein separation using membrane chromatography: opportunities and challenges (Review) 952(2002)13
- Giacometti, J., Milošević, A. and Milin, Č.
 Gas chromatographic determination of fatty acids contained in different lipid classes after their separation by solid-phase extraction 976(2002)47
- Giampaoli, P., see Boutboul, A. 969(2002)9
- Giannetti, L., see Cinquina, A.L. 987(2003)221
- Giannetti, L., see Cinquina, A.L. 987(2003)227
- Gianotti, V., see Gennaro, M.C. 993(2003)111
- Gibson, T., see Ogle, D. 979(2002)155
- Gibson, T., see Ogle, D. 989(2003)65
- Giergielewska-Możajska, H., see Dąbrowski, L. 957(2002)59
- Giese, R.W., see Shao, G. 965(2002)233
- Giese, R.W., see Yang, C. 979(2002)307
- Giese, R.W.
 Measurement of endogenous estrogens: analytical challenges and recent advances (Review) 1000(2003)401
- Gil-Agustí, M., see Monferrer-Pons, L. 984(2003)223
- Gilar, M., Fountain, K.J., Budman, Y., Neue, U.D., Yardley, K.R., Rainville, P.D., Russell II, R.J. and Gebler, J.C.
 Ion-pair reversed-phase high-performance liquid chromatography analysis of oligonucleotides. Retention prediction 958(2002)167
- Gillies, J.A., see McMartin, D.W. 952(2002)289
- Gilroy, J.J., Dolan, J.W. and Snyder, L.R.
 Column selectivity in reversed-phase liquid chromatography. IV. Type-B alkyl-silica columns 1000(2003)757
- Gimbo, E., see Soares, C.R.J. 955(2002)229
- Gimeno, R.A., Altelaar, A.F.M., Marcé, R.M. and Borrull, F.
 Determination of polycyclic aromatic hydrocarbons and polycyclic aromatic sulfur heterocycles by high-performance liquid chromatography with fluorescence and atmospheric pressure chemical ionization mass spectrometry detection in seawater and sediment samples 958(2002)141
- Gimeno, R.A., see Comas, E. 988(2003)277
- Ginebreda, A., see Rosell, M. 995(2003)171
- Giokas, D.L., see Lambropoulou, D.A. 967(2002)243
- Giovannoli, C., see Tozzi, C. 966(2002)71
- Giraudi, G., see Tozzi, C. 966(2002)71
- Giuffrida, A., see Cucinotta, V. 979(2002)137
- Glaçon, V., see Lipka-Belloli, E. 972(2002)211
- Glatz, Z., see Nováková, S. 990(2003)189
- Glatz, Z., see Ševčíková, P. 990(2003)197
- Goasdoue, N., see Descroix, S. 987(2003)467
- Goddard, N.J., see Baldock, S.J. 990(2003)111
- Goddard, N.J., see Prest, J.E. 990(2003)325
- Godoi, A.F.L., see Joos, P.E. 985(2003)191
- Godoi, A.F.L., Montone, R.C. and Santiago-Silva, M.
 Determination of butyltin compounds in surface sediments from the São Paulo State coast (Brazil) by gas chromatography–pulsed flame photometric detection 985(2003)205
- Goesmann, F., see Szopa, C. 982(2002)303
- Goicolea, M.A., see Millán, S. 995(2003)135
- Goldman, S., see Faghihi, J. 989(2003)317
- Goldshlag, P., see Kochman, M. 974(2002)185
- Gomes da Silva, M.D.R., see Fernandes, L. 995(2003)161
- Gomes, R.F., see Cass, Q.B. 987(2003)235
- Gómez-Gomar, A., Ortega, E., Calvet, C., Andaluz, B., Mercé, R. and Frigola, J.
 Enantioseparation of basic pharmaceutical compounds by capillary electrophoresis using sulfated cyclodextrins. Application to E-6006, a novel antidepressant 990(2003)91
- Gonçalves, C. and Alpendurada, M.F.
 Comparison of three different poly(dimethylsiloxane)–divinylbenzene fibres for the analysis of pesticide multiresidues in water samples: structure and efficiency 963(2002)19
- Gonçalves, C. and Alpendurada, M.F.
 Multiresidue method for the simultaneous determination of four groups of pesticides in ground and drinking waters, using solid-phase microextraction–gas chromatography with electron-capture and thermionic specific detection 968(2002)177
- Gonda, E., see Kustos, T. 979(2002)277
- González, F.R., Pérez-Parajón, J. and García-Domínguez, J.A.
 Effects of solvent density on retention in gas–liquid chromatography. I. Alkanes solutes in polyethylene glycol stationary phases 953(2002)151
- González, F.R. and Pérez-Parajón, J.
 Effects of solvent density on retention in gas–liquid chromatography. II. Polar solutes in poly(ethylene glycol) stationary phases 989(2003)265
- González, L., see Akesolo, U. 990(2003)271
- González, L.J., see Moya, G. 971(2002)129
- González, M^a.J., see Nozal, M^a.-J. 954(2002)207
- González-Barreiro, C., see Lores, M. 963(2002)37
- González-Barreiro, C., Lores, M., Casais, M.C. and Cela, R.
 Simultaneous determination of neutral and acidic pharmaceuticals in wastewater by high-performance liquid chromatography–post-column photochemically induced fluorimetry 993(2003)29
- González-García, R., see Lores, M. 963(2002)37
- González-Maza, I., see Delgado-Zamarreño, M.M. 953(2002)257
- González-Romero, E., see Bravo-Díaz, C. 989(2003)221

- Goodall, D.M., see Erny, G.L. 959(2002)229
- Gooijer, C., see Clicq, D. 979(2002)33
- Gooijer, C., see de Beer, T. 971(2002)1
- Gooijer, C., see de Rijke, E. 984(2003)45
- Gorbunov, A., see Rappel, C. 984(2003)29
- Gorbunov, A., see Trathnigg, B. 953(2002)89
- Gorbunov, A. and Trathnigg, B.
Theory of liquid chromatography of mono- and difunctional macromolecules. I. Studies in the critical interaction mode 955(2002)9
- Gordin, A., see Fialkov, A.B. 991(2003)217
- Gordin, A., see Kochman, M. 974(2002)185
- Górecki, T., see Kamiński, M. 991(2003)255
- Görgényi, M., see Héberger, K. 973(2002)135
- Görgényi, M. and Héberger, K.
Minimum in the temperature dependence of the Kováts retention indices of nitroalkanes and alkanenitriles on an apolar phase 985(2003)11
- Górová, R., see Kubinec, R. 993(2003)47
- Gotmar, G., see Gritti, F. 988(2003)185
- Goto, M., see Esaka, Y. 979(2002)91
- Goto, M., see Inagaki, S. 987(2003)341
- Goto, T., see Oka, H. 989(2003)249
- Götsch, A., see Berger, U. 973(2002)123
- Gotti, R., see Bartolini, M. 958(2002)59
- Gotti, R., see Pomponio, R. 990(2003)215
- Gout, P.W., see Ueda, E.K.M. 988(2003)1
- Govaerts, C., Orwa, J., Van Schepdael, A., Roets, E. and Hoogmartens, J.
Liquid chromatography–ion trap tandem mass spectrometry for the characterization of polypeptide antibiotics of the colistin series in commercial samples 976(2002)65
- Govers, H.A.J., see Van Roon, A. 955(2002)105
- Grajek, H.
Comparison of the differential isosteric adsorption enthalpies and entropies calculated from chromatographic data 986(2003)89
- Grajek, H. and Witkiewicz, Z.
Determination of dependencies between the specific retention volumes and the parameters characterising adsorbent properties 969(2002)87
- Gralak, D.K., see Kudzin, Z.H. 998(2003)183
- Granados, M., see Castillo, E. 963(2002)205
- Granados, M., see Codony, R. 959(2002)131
- Granier-Loyaux, C., see Perrin, C. 966(2002)119
- Grasso, G., see Cucinotta, V. 979(2002)137
- Grate, J.W., see Harvey, S.D. 954(2002)217
- Graves, S.W., see Peterson, Z.D. 992(2003)169
- Gray, M., Dennis, G.R., Wormell, P., Shalliker, R.A. and Slonecker, P.
Two dimensional reversed-phase–reversed-phase separations. Isomeric separations incorporating C₁₈ and carbon clad zirconia stationary phases 975(2002)285
- Gredilla, E., see García, I. 992(2003)11
- Greibrokk, T. and Andersen, T.
High-temperature liquid chromatography (Review) 1000(2003)743
- Greibrokk, T., see Holm, A. 983(2003)43
- Gremaud, E., see Mottier, P. 994(2003)75
- Grey, L., Nguyen, B. and Yang, P.
Liquid chromatography–electrospray ionization isotope dilution mass spectrometry analysis of paraquat and diquat using conventional and multilayer solid-phase extraction cartridges 958(2002)25
- Griese, N., Blaschke, G., Boos, J. and Hempel, G.
Determination of free and liposome-associated daunorubicin and daunorubicinol in plasma by capillary electrophoresis 979(2002)379
- Grimes, B.A., Lüdtkke, S., Unger, K.K. and Liapis, A.I.
Novel general expressions that describe the behavior of the height equivalent to a theoretical plate in chromatographic systems involving electrically-driven and pressure-driven flows 979(2002)447
- Grimsey, I.M., Osborn, J.C., Doughty, S.W., York, P. and Rowe, R.C.
The application of molecular modelling to the interpretation of inverse gas chromatography data 969(2002)49
- Grinberg, N., see LoBrutto, R. 995(2003)67
- Gritti, F., Gotmar, G., Stanley, B.J. and Guiochon, G.
Determination of single component isotherms and affinity energy distribution by chromatography 988(2003)185
- Gritti, F. and Guiochon, G.
Effect of the mobile phase composition on the isotherm parameters and the high concentration band profiles in reversed-phase liquid chromatography 995(2003)37
- Gritti, F., see Piatkowski, W. 989(2003)207
- Gritti, F., Piatkowski, W. and Guiochon, G.
Comparison of the adsorption equilibrium of a few low-molecular mass compounds on a monolithic and a packed column in reversed-phase liquid chromatography 978(2002)81
- Gritti, F., Piatkowski, W. and Guiochon, G.
Study of the mass transfer kinetics in a monolithic column 983(2003)51
- Grobusek, N., see Schmid, M.G. 990(2003)83
- Groom, C., see Halasz, A. 963(2002)411
- Groom, C.A., Halasz, A., Paquet, L., D’Cruz, P. and Hawari, J.
Cyclodextrin-assisted capillary electrophoresis for determination of the cyclic nitramine explosives RDX, HMX and CL-20. Comparison with high-performance liquid chromatography 999(2003)17
- Grosse, S.C., see Jouyban, A. 994(2003)191
- Grosset, C., see Haroun, M. 977(2002)185
- Grosset, C., see Loukili, B. 986(2003)45
- Grothey, R., see Schoenmakers, P. 965(2002)93
- Grüner, B., see Slavíček, V. 984(2003)121
- Gu, Y.-S. and Whang, C.-W.
Capillary electrophoresis of baclofen with argon-ion laser-induced fluorescence detection 972(2002)289
- Guan, H.-S., see Liu, Y. 968(2002)71
- Guan, Y., see Wang, H. 972(2002)253
- Guasch, J., see Martorell, N. 975(2002)349
- Guasch, J., see Pino, J. 954(2002)51
- Guasch, J., see Riu, M. 977(2002)1
- Guasch, J., see Sala, C. 953(2002)1
- Gübitz, G., see Schmid, M.G. 990(2003)83
- Gudebska, J., see Kamiński, M. 991(2003)255
- Guenu, S., see Petritis, K. 957(2002)173
- Guermouche, M.H., see Ferroukhi, O. 971(2002)87

- Guermouche, S., see Ferroukhi, O. 971(2002)87
- Guetens, G., De Boeck, G., Wood, M., Maes, R.A.A., Eggermont, A.A.M., Highley, M.S., van Oosterom, A.T., de Bruijn, E.A. and Tjaden, U.R.
Hyphenated techniques in anticancer drug monitoring. I. Capillary gas chromatography–mass spectrometry (Review) 976(2002)229
- Guetens, G., De Boeck, G., Highley, M.S., Wood, M., Maes, R.A.A., Eggermont, A.A.M., Hanauske, A., de Bruijn, E.A. and Tjaden, U.R.
Hyphenated techniques in anticancer drug monitoring. II. Liquid chromatography–mass spectrometry and capillary electrophoresis–mass spectrometry (Review) 976(2002)239
- Guhan, S., see Smith, I. T.-P. 972(2002)27
- Guido, L.F., see Santos, J.R. 985(2003)395
- Guidotti, M., Stella, D., Owczarek, M., De Marco, A. and De Simone, C.
Lichens as polycyclic aromatic hydrocarbon bioaccumulators used in atmospheric pollution studies 985(2003)185
- Guillaume, Y.C., Truong, T.T., Millet, J., Nicod, L., Rouland, J.C. and Thomassin, M.
Role of the Na⁺ ion on phenol derivatives/hydroxypropyl- β -cyclodextrin complex formation on porous graphitic carbon phase 955(2002)197
- Guiochon, G.
Obituary of Prof. Ernst Bayer (1927–2002) 954(2002)1
- Guiochon, G.
Preparative liquid chromatography (Review) 965(2002)129
- Guiochon, G.
Foreword 989(2003)1
- Guiochon, G., see Al-Bokari, M. 975(2002)275
- Guiochon, G., see Cavazzini, A. 953(2002)55
- Guiochon, G., see Cavazzini, A. 957(2002)111
- Guiochon, G., see Felinger, A. 986(2003)207
- Guiochon, G., see Gritti, F. 978(2002)81
- Guiochon, G., see Gritti, F. 983(2003)51
- Guiochon, G., see Gritti, F. 988(2003)185
- Guiochon, G., see Gritti, F. 995(2003)37
- Guiochon, G., see Kaczmarek, K. 962(2002)57
- Guiochon, G., see Kele, M. 960(2002)19
- Guiochon, G., see Liu, X. 988(2003)205
- Guiochon, G., see Mihlbachler, K. 955(2002)35
- Guiochon, G., see Miyabe, K. 961(2002)23
- Guiochon, G., see Piątkowski, W. 989(2003)207
- Guiochon, G., see Shalliker, R.A. 977(2002)213
- Guiochon, G., see Shalliker, R.A. 994(2003)1
- Guiochon, G., see Szabelski, P. 964(2002)99
- Günaydin, K. and Erim, F.B.
Determination of khellin and visnagin in *Ammi visnaga* fruits by capillary electrophoresis 954(2002)291
- Guo, L., Lin, S.J., Yang, Y.F., Qi, L., Wang, M.X. and Chen, Y.
Fast enantioseparation of arylglycine amides by capillary electrophoresis with highly sulfated- β -cyclodextrin as a chiral selector 998(2003)221
- Guo, M., see Wang, Y. 952(2002)79
- Guo, X., see Qiao, M. 952(2002)131
- Guo, Y., see Vescina, M.C. 973(2002)187
- Gupta, M.N., see Roy, I. 998(2003)103
- Gupta, M.N., see Sharma, A. 995(2003)127
- Gupta, V., Eshwari, A.N.S., Panda, A.K. and Agarwal, G.P.
Optimization of immobilized metal ion affinity chromatography for single-step purification of recombinant ovine growth hormone expressed in *Escherichia coli* 998(2003)93
- Gurdale, K., see Lesellier, E. 975(2002)335
- Gustafsson, Ö., see Mandalakis, M. 996(2003)163
- Guthrie, J.T., see Santos, J.M.R.C.A. 969(2002)111
- Guthrie, J.T., see Santos, J.M.R.C.A. 969(2002)119
- Gutleben, W., Scherer, K., Tuan, N.D., Stoiber, H., Dierich, M.P. and Zemann, A.
Simultaneous separation of 11 protease and reverse transcriptase inhibitors for human immunodeficiency virus therapy by co-electroosmotic capillary zone electrophoresis 982(2002)153
- Guttman, A., see Khandurina, J. 979(2002)105
- Guy, P.A., see Mottier, P. 994(2003)75
- Guyon, F., see Dugay, A. 958(2002)1
- Gzil, P., Baron, G.V. and Desmet, G.
Computational fluid dynamics simulations yielding guidelines for the ideal internal structure of monolithic liquid chromatography columns 991(2003)169
- ## H
- Haas, G., see West, L. 966(2002)227
- Haber, P., see Kaliszczan, R. 965(2002)117
- Haddad, P.R., see Cook, H.A. 997(2003)13
- Haddad, P.R., see Fritz, J.S. 997(2003)21
- Haddad, P.R., see Helaleh, M.I.H. 956(2002)201
- Haddad, P.R., see Helaleh, M.I.H. 997(2003)133
- Haddad, P.R., see Helaleh, M.I.H. 997(2003)139
- Haddad, P.R., see Hu, W. 956(2002)103
- Haddad, P.R., see Hu, W. 997(2003)237
- Haddad, P.R., see Johns, C. 997(2003)87
- Haddad, P.R., see Miura, Y. 956(2002)77
- Haddad, P.R., see Mori, M. 997(2003)219
- Haddad, P.R., see Nesterenko, P.N. 986(2003)263
- Haddad, P.R., see Shaw, M.J. 997(2003)3
- Haddad, P.R., Shaw, M.J. and Dicoski, G.W.
New conductivity detection response equation for anions eluted with fully and partially ionised eluents in non-suppressed ion chromatography 956(2002)59
- Haddad, P.R., see Tanaka, K. 956(2002)209
- Haddad, P.R., see Tanaka, K. 997(2003)127
- Haddad, P.R., see Vachirapatama, N. 956(2002)221
- Haddad, P.R., see Yan, Z. 985(2003)359
- Haddad, P.R., see Zakaria, P. 985(2003)493
- Haddad, P.R., see Zakaria, P. 997(2003)207
- Haddad, P.R., see Zhu, Y. 956(2002)215

- Haddad, P.R., Jackson, P.E. and Shaw, M.J.
Developments in suppressor technology for inorganic ion analysis by ion chromatography using conductivity detection (Review) 1000(2003)725
- Haffner, T., see Arnault, I. 991(2003)69
- Hagberg, J.
Analysis of low-molecular-mass organic acids using capillary zone electrophoresis–electrospray ionization mass spectrometry 988(2003)127
- Hägglund, I., see Andersson, E.K.M. 953(2002)227
- Hägglund, I., see Andersson, E.K.M. 979(2002)11
- Haglund, P., Harju, M., Danielsson, C. and Marriott, P.
Effects of temperature and flow-regulated carbon dioxide cooling in longitudinally modulated cryogenic systems for comprehensive two-dimensional gas chromatography 962(2002)127
- Haglund, P., see Ong, R. 962(2002)135
- Hagman, G., see Enlund, A.M. 979(2002)335
- Hagman, G., see Laniewski, K. 985(2003)275
- Hahn, R., see Machold, C. 972(2002)3
- Haidukowski, M., see Pascale, M. 989(2003)257
- Hajós, P.
Ethylenediamine as eluent component in cation chromatography. Predictive and comparative study for analysis of alkaline earth ions 955(2002)1
- Hajšlova, J., see Dusek, B. 982(2002)127
- Hajšlová, J., see Zrostlíková, J. 973(2002)13
- Hajšlová, J. and Zrostlíková, J.
Matrix effects in (ultra)trace analysis of pesticide residues in food and biotic matrices (Review) 1000(2003)181
- Halasz, A., see Groom, C.A. 999(2003)17
- Halasz, A., Groom, C., Zhou, E., Paquet, L., Beaulieu, C., Deschamps, S., Corriveau, A., Thiboutot, S., Ampleman, G., Dubois, C. and Hawari, J.
Detection of explosives and their degradation products in soil environments 963(2002)411
- Haller, M.Y., Müller, S.R., McArdell, C.S., Alder, A.C. and Suter, M.J.-F.
Quantification of veterinary antibiotics (sulfonamides and trimethoprim) in animal manure by liquid chromatography–mass spectrometry 952(2002)111
- Halling-Sørensen, B., see Krogh, K.A. 957(2002)45
- Halvorsen, T.G., see Andersen, S. 963(2002)303
- Halvorsen, T.G., see Ho, T.S. 998(2003)61
- Hamberg, M., see Bohlin, M.E. 985(2003)471
- Hamdi, B., see Hamdi, S. 969(2002)143
- Hamdi, S., Hamdi, B., Kessaissia, Z., Barthel, H., Balard, H. and Donnet, J.B.
Influence of poly(methyl methacrylate) impregnation ratio on the surface properties of fumed silica and on the glassy temperature of poly(methyl methacrylate) using inverse gas chromatographic analysis 969(2002)143
- Hämälä, M., see Pfäffli, P. 982(2002)261
- Hamieh, T., Fadlallah, M.-B. and Schultz, J.
New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. III. Determination of the acid–base properties of some solid substrates (polymers, oxides and carbon fibres): a new model 969(2002)37
- Hamieh, T. and Schultz, J.
New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. I. Some new methods to determine the surface areas of some molecules adsorbed on solid surfaces 969(2002)17
- Hamieh, T. and Schultz, J.
New approach to characterise physicochemical properties of solid substrates by inverse gas chromatography at infinite dilution. II. Study of the transition temperatures of poly(methyl methacrylate) at various tacticities and of poly(methyl methacrylate) adsorbed on alumina and silica 969(2002)27
- Hamilton, E., see Brorson, K. 989(2003)155
- Han, H., see Wang, X. 992(2003)181
- Han, S.C., see Hyun, M.H. 959(2002)75
- Han, S.C., see Hyun, M.H. 992(2003)47
- Han, X., see Chen, G. 954(2002)267
- Han, X., Zhang, T., Wei, Y., Cao, X. and Ito, Y.
Separation of salidroside from *Rhodiola crenulata* by high-speed counter-current chromatography 971(2002)237
- Han, Y.-S., Sabbioni, C., van der Heijden, R. and Verpoorte, R.
High-performance liquid chromatography assay for 1-deoxy-D-xylulose 5-phosphate synthase activity using fluorescence detection 986(2003)291
- Hanai, T.
Quantitative structure–retention relationships of phenolic compounds without Hammett's equations 985(2003)343
- Hanai, T.
Separation of polar compounds using carbon columns (Review) 989(2003)183
- Hanauske, A., see Guetens, G. 976(2002)239
- Hanley, H.J.M., see Bruno, T.J. 973(2002)143
- Hansen, B.H., see Wilhelmsen, T.W. 979(2002)249
- Hansen, V., see Axel Clausen, P. 986(2003)179
- Harada, K.-I., see Oka, H. 989(2003)249
- Harangi, J.
Retention index calculation without *n*-alkanes—the virtual carbon number 993(2003)187
- Hardie, K.R., see Kaur, M. 957(2002)139
- Hardman, A., see Kaur, M. 957(2002)139
- Harino, H., see Moriwaki, H. 995(2003)239
- Harino, H., see Tsunoi, S. 962(2002)197
- Harju, M., see Haglund, P. 962(2002)127
- Haroun, M., Dufresne, C., Jourdan, E., Ravel, A., Grosset, C., Villet, A. and Peyrin, E.
Salt effects on the interaction of an amphiphilic model molecule with immobilized phosphatidylcholine monolayers 977(2002)185
- Harris, D., see Wainright, A. 979(2002)69
- Harrison, C.R. and Lucy, C.A.
Determination of zwitterionic and cationic surfactants by high-performance liquid chromatography with chemiluminescent nitrogen detection 956(2002)237
- Harrison, R.G., see Wu, Q. 954(2002)247
- Harrison, R.G., see Wu, Q. 967(2002)289

- Hartonen, K., Bøwadt, S., Dybdahl, H.P., Nylund, K., Sporning, S., Lund, H. and Orelid, F.
Nordic laboratory intercomparison of supercritical fluid extraction for the determination of total petroleum hydrocarbon, polychlorinated biphenyls and polycyclic aromatic hydrocarbons in soil 958(2002)239
- Harvey, G., see de la Puente, M.L. 983(2003)101
- Harvey, S.D., Nelson, D.A., Wright, B.W. and Grate, J.W.
Selective stationary phase for solid-phase microextraction analysis of sarin (GB) 954(2002)217
- Hasebe, K., see Helaleh, M.I.H. 956(2002)201
- Hasebe, K., see Helaleh, M.I.H. 997(2003)133
- Hasebe, K., see Helaleh, M.I.H. 997(2003)139
- Hasebe, K., see Hu, W. 956(2002)103
- Hasebe, K., see Hu, W. 956(2002)139
- Hasebe, K., see Hu, W. 997(2003)237
- Hasebe, K., see Mori, M. 997(2003)191
- Hasebe, K., see Mori, M. 997(2003)219
- Hasebe, K., see Tanaka, K. 956(2002)209
- Hasebe, K., see Tanaka, K. 997(2003)127
- Hasebe, K., see Xu, Q. 997(2003)183
- Hasegawa, M., see Kato, Y. 971(2002)143
- Hasegawa, M., see Kato, Y. 986(2003)83
- Hasegawa, M., see Nakamura, K. 972(2002)21
- Hashimoto, H., see Moriwaki, H. 995(2003)239
- Hasselbrink, E.F. Jr., see Kirby, B.J. 979(2002)147
- Hasselmann, C., see Horvatovich, P. 968(2002)251
- Hatakeyama, M., see Miura, Y. 956(2002)77
- Hathi, P., see Ling, T.C. 989(2003)109
- Hatsis, P., see Chong, J. 997(2003)161
- Hattori, Y., see Murahashi, T. 992(2003)101
- Hauser, B., Popp, P. and Kleine-Benne, E.
Membrane-assisted solvent extraction of triazines and other semi-volatile contaminants directly coupled to large-volume injection–gas chromatography–mass spectrometric detection 963(2002)27
- Hauser, P.C., see Tanyanyiwa, J. 978(2002)205
- Hautman, D.P., see Wagner, H.P. 956(2002)93
- Havel, J., see Polášková, P. 979(2002)59
- Haverkamp, J., see Surroca, Y. 970(2002)275
- Hawari, J., see Groom, C.A. 999(2003)17
- Hawari, J., see Halasz, A. 963(2002)411
- Hawranek, J., see Bafeltowska, J. 976(2002)249
- Hawthorne, S.B., see Kubátová, A. 975(2002)175
- Hayakawa, K., see Chetiyankornkul, T. 961(2002)107
- Hayakawa, T., see Itoh, S. 968(2002)89
- Hayakawa, T., see Itoh, S. 978(2002)141
- Hayashi, Y., see Kotani, A. 986(2003)239
- Hayen, H. and Karst, U.
Strategies for the liquid chromatographic–mass spectrometric analysis of non-polar compounds (Review) 1000(2003)549
- Hays, P.A., see Lurie, I.S. 984(2003)109
- He, B., see Liu, G. 952(2002)71
- He, J., Chen, S. and Yu, Z.
Determination of poly- β -hydroxybutyric acid in *Bacillus thuringiensis* by capillary zone electrophoresis with indirect ultraviolet absorbance detection 973(2002)197
- He, J., Luo, X., Chen, S., Cao, L., Sun, M. and Yu, Z.
Determination of spore concentration in *Bacillus thuringiensis* through the analysis of dipicolinate by capillary zone electrophoresis 994(2003)207
- He, P. and Yang, Yu.
Studies on the long-term thermal stability of stationary phases in subcritical water chromatography 989(2003)55
- He, T., see Ikonomou, M.G. 975(2002)319
- He, X., Li, D., Liang, A. and Lin, B.
Interaction between netropsin and double-stranded DNA in capillary zone electrophoresis and affinity capillary electrophoresis 982(2002)285
- He, Y., Yeung, E.S., Chan, K.C. and Issaq, H.J.
Two dimensional mapping of cancer cell extracts by liquid chromatography–capillary electrophoresis with ultraviolet absorbance detection 979(2002)81
- He, Y.-Z., see Cao, C.-X. 952(2002)29
- He, Y.-Z., see Cao, C.-X. 952(2002)39
- He, Y.-z., see Qu, Q.-s. 983(2003)255
- He, Z., see Jia, M. 966(2002)187
- Headley, J.V., see McMartin, D.W. 952(2002)289
- Headley, J.V., Peru, K.M., Verma, B. and Robarts, R.D.
Mass spectrometric determination of ergosterol in a prairie natural wetland 958(2002)149
- Hearn, M.T.W., see Smith, I. T.-P. 972(2002)27
- Héberger, K., Görgényi, M. and Kowalska, T.
Temperature dependence of Kováts indices in gas chromatography revisited 973(2002)135
- Héberger, K., see Görgényi, M. 985(2003)11
- Héberger, K., see Jakab, A. 976(2002)255
- Heberling, S., see Liu, Y. 956(2002)85
- Heck, A.J.R., see Surroca, Y. 970(2002)275
- Heck, A.J.R., see Romijn, E.P. 1000(2003)589
- Hedeland, M., see Hedeland, Y. 984(2003)261
- Hedeland, M., see Lodén, H. 986(2003)143
- Hedeland, Y., Hedeland, M., Bondesson, U. and Pettersson, C.
Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*-proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261
- Hedeland, Y., see Lodén, H. 986(2003)143
- Hee Moon, M., Williams, P.S., Kang, D. and Hwang, I.
Field and flow programming in frit-inlet asymmetrical flow field-flow fractionation 955(2002)263
- Heftmann, E.
Foreword: Lloyd R. Snyder 965(2002)1
- Heiden, A.C., see Kolahgar, B. 963(2002)225
- Heiden, A.C., see Ochiai, N. 986(2003)101
- Hela, D.G., see Lambropoulou, D.A. 963(2002)107
- Helaleh, M.I.H., see Mori, M. 997(2003)191
- Helaleh, M.I.H., see Mori, M. 997(2003)219
- Helaleh, M.I.H., Tanaka, K., Tada, H., Hu, W., Hasebe, K. and Haddad, P.R.
Qualitative analysis of some carboxylic acids by ion-exclusion chromatography with atmospheric pressure chemical ionization mass spectrometric detection 956(2002)201
- Helaleh, M.I.H., see Tanaka, K. 956(2002)209
- Helaleh, M.I.H., see Tanaka, K. 997(2003)127

- Helaleh, M.I.H., Tanaka, K., Mori, M., Xu, Q., Taoda, H., Ding, M.-Y., Hu, W., Hasebe, K. and Haddad, P.R. Vacancy ion-exclusion chromatography of haloacetic acids on a weakly acidic cation-exchange resin 997(2003)133
- Helaleh, M.I.H., Tanaka, K., Mori, M., Xu, Q., Taoda, H., Ding, M.-Y., Hu, W., Hasebe, K. and Haddad, P.R. Vacancy ion-exclusion chromatography of aromatic carboxylic acids on a weakly acidic cation-exchange resin 997(2003)139
- Helaleh, M.I.H., see Xu, Q. 997(2003)183
- Helmig, D., see Karbiwnyk, C.M. 958(2002)219
- Helweg, A.
Foreword 957(2002)1
- Hempel, G., see Griese, N. 979(2002)379
- Henderson, I., see Weatherly, G.T. 952(2002)99
- Hendrickson, C.L., see Lam, T.T. 982(2002)85
- Henion, J., see Yang, C. 970(2002)155
- Henion, J.D., see Barbarin, N. 970(2002)141
- Hennion, M.-C., see Pichon, V. 999(2003)1
- Hennion, M.-C., see Chapuis, F. 999(2003)23
- Hennion, M.-C., see Delaunay-Bertoncini, N. 999(2003)3
- Hennion, M.-C., see Malleret, L. 999(2003)135
- Hennion, M.C., see Miège, C. 995(2003)87
- Hennion, M.-C. and Pichon, V.
Immuno-based sample preparation for trace analysis (Review) 1000(2003)29
- Henriksen, T., Svensmark, B. and Juhler, R.K.
Analysis of Metribuzin and transformation products in soil by pressurized liquid extraction and liquid chromatographic–tandem mass spectrometry 957(2002)79
- Herikstad, H., see Brede, C. 983(2003)35
- Hernández, F., see Pozo, O.J. 992(2003)133
- Hernández Torres, M.E., see Egea González, F.J. 966(2002)155
- Hernández-Cassou, S., see Latorre, R.M. 976(2002)55
- Hernández-Córdoba, M., see Viñas, P. 978(2002)249
- Hernandis, V., see Cano, J.M. 963(2002)401
- Hernando, M.D., see Mezcua, M. 999(2003)81
- Herrenknecht, C., see Dugay, A. 958(2002)1
- Herrera, M.C., see Prados-Rosales, R.C. 953(2002)133
- Hetper, J., see Sobera, M. 993(2003)131
- Hibara, A., see Tamaki, E. 987(2003)197
- Hickling, S.J., see Price, G.J. 969(2002)193
- Hicks, M.B., Antonucci, V.L., Riddle, L., Novak, T.J. and Skrdla, P.
Investigations into the chromatographic behavior of a doxorubicin–peptide conjugate 973(2002)27
- Hicks, M.B., see Antonucci, V. 983(2003)73
- Hiemstra, M. and de Kok, A.
Determination of propamocarb in vegetables using polymer-based high-performance liquid chromatography coupled with electrospray mass spectrometry 972(2002)231
- Higes, M., see Nozal, M^a.-J. 954(2002)207
- Highley, M.S., see Guetens, G. 976(2002)229
- Highley, M.S., see Guetens, G. 976(2002)239
- Hilbert, M.J., see Kim, H. 987(2003)243
- Hildebrandt, K.S., see Thorsen, M.A. 995(2003)119
- Hill, T.A., see Marcus, R.K. 986(2003)17
- Hillaert, S., De Beer, T.R.M., De Beer, J.O. and Van den Bossche, W.
Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists 984(2003)135
- Hillaert, S. and Van den Bossche, W.
Optimization and validation of a capillary zone electrophoretic method for the analysis of several angiotensin-II-receptor antagonists 979(2002)323
- Hillaert, S., Vander Heyden, Y. and Van den Bossche, W.
Optimisation by experimental design of a capillary electrophoretic method for the separation of several inhibitors of angiotensin-converting enzyme using alkylsulphonates 978(2002)231
- Hiltunen, R., see Svedström, U. 968(2002)53
- Himeno, S., see Kitazumi, I. 993(2003)211
- Himeno, S., Sano, K.-i. and Nakashima, Y.
Simultaneous capillary electrophoretic separation and detection of P(V) and As(V) as heteropoly-blue complexes 966(2002)213
- Hinojo, M.J., see Mateo, J.J. 955(2002)245
- Hiraide, M., see Saitoh, T. 972(2002)205
- Hirao, K., see Ishizuka, N. 960(2002)85
- Hiraoka, A., Tominaga, I. and Hori, K.
One-step capillary isoelectric focusing of the proteins in cerebrospinal fluid and serum of patients with neurological disorders 961(2002)147
- Hirayama, T., see Murahashi, T. 992(2003)101
- Hirokawa, T., Ichihara, T. and Timerbaev, A.R.
Specific analyte–electrolyte additive interaction in transient isotachopheresis–capillary electrophoresis 993(2003)205
- Hirokawa, T., see Okamoto, H. 990(2003)335
- Hirokawa, T., see Xu, Z.Q. 990(2003)53
- Hjertén, S., see Végvári, Á. 960(2002)221
- Hjorth, R., see Smith, M.P. 968(2002)121
- Ho, A., see Ogle, D. 979(2002)155
- Ho, T.S., Halvorsen, T.G., Pedersen-Bjergaard, S. and Rasmussen, K.E.
Liquid-phase microextraction of hydrophilic drugs by carrier-mediated transport 998(2003)61
- Ho, T.S., Pedersen-Bjergaard, S. and Rasmussen, K.E.
Recovery, enrichment and selectivity in liquid-phase microextraction. Comparison with conventional liquid–liquid extraction 963(2002)3
- Ho, Y.-P. and Hsu, P.-H.
Investigating the effects of protein patterns on microorganism identification by high-performance liquid chromatography–mass spectrometry and protein database searches 976(2002)103
- Hoang, T.H., Cuerrier, D., McClintock, S. and Di Maso, M.
Computer-assisted method development and optimization in HPLC 991(2003)281
- Hoang, T.H., Farkas, R., Wells, C., McClintock, S. and Di Maso, M.
Application of pressurized liquid extraction technology to pharmaceutical solid dosage form analysis 968(2002)257
- Hobley, T.J., see Theodossiou, I. 964(2002)77
- Hobo, T., see Chen, Z. 990(2003)75

- Hodge, E.M.
Trace perchlorates in a radiological liquid-waste treatment facility 997(2003)243
- Hodges, R.S., see Mant, C.T. 972(2002)45
- Hodges, R.S., see Mant, C.T. 972(2002)61
- Hodges, R.S., see Mant, C.T. 972(2002)101
- Hodges, R.S., see Mehok, A.R. 972(2002)87
- Hodrová, B., see Tishchenko, G. 983(2003)125
- Hoffmann, A., see Kolahgar, B. 963(2002)225
- Hoffmann, A., see Ochiai, N. 986(2003)101
- Hoffmann, J., see Stepnowski, P. 993(2003)173
- Höflinger, W., see Madera, M. 997(2003)279
- Hofmann, M.
Use of ultrasound to monitor the packing of large scale columns, the monitoring of medium compression and the passage of molecules, such as monoclonal antibodies, through the column bed during chromatography 989(2003)79
- Hofte, B., see Chartogne, A. 959(2002)289
- Hogenboom, A.C., see García, M.C. 957(2002)187
- Hogendoorn, E.A., see Mooiibroek, D. 975(2002)165
- Högnadóttir, Á. and Rouseff, R.L.
Identification of aroma active compounds in orange essence oil using gas chromatography–olfactometry and gas chromatography– mass spectrometry 998(2003)201
- Hollender, J., Sandner, F., Möller, M. and Dott, W.
Sensitive indoor air monitoring of monoterpenes using different adsorbents and thermal desorption gas chromatography with mass-selective detection 962(2002)175
- Hollert, H., see Brack, W. 986(2003)55
- Hollert, H., see Brack, W. 993(2003)223
- Hollis, G.F., see Xiang, H. 978(2002)153
- Holm, A., Molander, P., Lundanes, E. and Greibrokk, T.
Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43
- Holmberg, A., see Blomgren, A. 975(2002)157
- Holmén, A., see Wan, H. 979(2002)369
- Holmgren, E., see Batlle, R. 963(2002)73
- Holser, R., see Lein, S. 977(2002)257
- Honda, S., see Du, Y. 962(2002)221
- Honda, S., see Taga, A. 954(2002)259
- Honda, T., see Kasai, H.F. 977(2002)125
- Hong, J., see Cho, D. 986(2003)191
- Hong, J., see Cho, D. 986(2003)199
- Hong, S.-P., see Cho, Y.-H. 977(2002)69
- Honma, S., see Mitamura, K. 961(2002)97
- Hood, D.J., see Cheung, H.Y. 989(2003)303
- Hoogerbrugge, R., see Mooiibroek, D. 975(2002)165
- Hoogmartens, J., see Debremaeker, D. 953(2002)123
- Hoogmartens, J., see Diana, J. 996(2003)115
- Hoogmartens, J., see Govaerts, C. 976(2002)65
- Hoogmartens, J., see Iványi, T. 954(2002)99
- Hoogmartens, J., see Van Dyck, S. 986(2003)303
- Hoogmartens, J., see Visky, D. 977(2002)39
- Hooijschuur, E.W.J., Kientz, C.E. and Brinkman, U.A.Th.
Analytical separation techniques for the determination of chemical warfare agents (Review) 982(2002)177
- Hook, G.L., Kimm, G., Koch, D., Savage, P.B., Ding, B. and Smith, P.A.
Detection of VX contamination in soil through solid-phase microextraction sampling and gas chromatography/mass spectrometry of the VX degradation product bis(diisopropylaminoethyl)disulfide 992(2003)1
- Hook, G.L., see Kimm, G.L. 971(2002)185
- Hopfgartner, G., see Vernez, L. 984(2003)203
- Hopmans, E.C., see Smittenberg, R.H. 978(2002)129
- Hori, K., see Hiraoka, A. 961(2002)147
- Horsten, R., see Janssen, H.-G. 1000(2003)385
- Horvai, G., see Pap, T. 973(2002)1
- Horváth, Cs., see Zhang, J. 953(2002)239
- Horváth, Cs., see Farnan, D. 959(2002)65
- Horváth, Cs., see Zhang, S. 965(2002)83
- Horváth, V., see Pap, T. 973(2002)1
- Horvatovich, P., Miesch, M., Hasselmann, C. and Marchioni, E.
Supercritical fluid extraction for the detection of 2-dodecylcyclobutanone in low dose irradiated plant foods 968(2002)251
- Hosino, T., see Miura, Y. 956(2002)77
- Hosoya, K., see Ishizuka, N. 960(2002)85
- Hosoya, K., see Kubo, T. 987(2003)389
- Hosoya, K., Kubo, T., Takahashi, K., Ikegami, T. and Tanaka, N.
Novel surface modification of polymer-based separation media controlling separation selectivity, retentivity and generation of electroosmotic flow 979(2002)3
- Hosoya, K., see Motokawa, M. 961(2002)53
- Hosoya, K., see Tanaka, N. 965(2002)35
- Hostettmann, K., see Queiroz, E.F. 974(2002)123
- Hostettmann, K., see Wolfender, J.-L. 1000(2003)437
- Hou, L. and Lee, H.K.
Application of static and dynamic liquid-phase microextraction in the determination of polycyclic aromatic hydrocarbons 976(2002)377
- Hou, L., Shen, G. and Lee, H.K.
Automated hollow fiber-protected dynamic liquid-phase microextraction of pesticides for gas chromatography–mass spectrometric analysis 985(2003)107
- Hou, L., Wen, X., Tu, C. and Lee, H.K.
Combination of liquid-phase microextraction and on-column stacking for trace analysis of amino alcohols by capillary electrophoresis 979(2002)163
- Hou, Ya.-H., Wu, C.-Y. and Ding, W.-H.
Development and validation of a capillary zone electrophoresis method for the determination of benzalkonium chlorides in ophthalmic solutions 976(2002)207
- Houde, F., DeBlois, C. and Berryman, D.
Liquid chromatographic–tandem mass spectrometric determination of nonylphenol polyethoxylates and nonylphenol carboxylic acids in surface water 961(2002)245
- Houessou, J., see Flotron, V. 999(2003)175
- Houghton, P.J.
Chromatography of the chromone and flavonoid alkaloids (Review) 967(2002)75

- Houwing, J., van Hateren, S.H., Billiet, H.A.H. and van der Wielen, L.A.M.
Effect of salt gradients on the separation of dilute mixtures of proteins by ion-exchange in simulated moving beds 952(2002)85
- Hoyos, M., see Martin, M. 960(2002)165
- Hsiao, Y., see Buote, A. 978(2002)177
- Hsiao, Yu.-Y., see Lin, C.-E. 971(2002)261
- Hsiao, Y.-Y., see Chen, K.-H. 979(2002)399
- Hsieh, Y.-Y., Lin, Ya.-H., Yang, J.-S., Wei, G.-T., Tien, P. and Chau, L.-K.
Electroosmotic flow controllable coating on a capillary surface by a sol-gel process for capillary electrophoresis 952(2002)255
- Hsieh, Y.-Z., see Huang, C.-T. 977(2002)9
- Hsieh, Y.-Z., see Wang, C.-Y. 979(2002)431
- Hsu, P.-H., see Ho, Y.-P. 976(2002)103
- Hu, G.X., see Song, M.S. 961(2002)155
- Hu, M., Niculescu, M., Zhang, X.M. and Hui, A.
High-performance liquid chromatographic determination of polysorbate 80 in pharmaceutical suspensions 984(2003)233
- Hu, W., Haddad, P.R., Tanaka, K., Mori, M., Tekura, K., Hasebe, K., Ohno, M. and Kamo, N.
Creation and characteristics of phosphatidylcholine stationary phases for the chromatographic separation of inorganic anions 997(2003)237
- Hu, W., Hasebe, K., Tanaka, K. and Fritz, J.S.
Determination of total acidity and of divalent cations by ion chromatography with *n*-hexadecylphosphocholine as the stationary phase 956(2002)139
- Hu, W., see Helaleh, M.I.H. 956(2002)201
- Hu, W., see Helaleh, M.I.H. 997(2003)133
- Hu, W., see Helaleh, M.I.H. 997(2003)139
- Hu, W., see Mori, M. 997(2003)191
- Hu, W., see Mori, M. 997(2003)219
- Hu, W., see Nesterenko, P.N. 986(2003)263
- Hu, W., see Tanaka, K. 956(2002)209
- Hu, W., see Tanaka, K. 997(2003)127
- Hu, W., see Xu, Q. 997(2003)183
- Hu, W., Yang, P.-J., Hasebe, K., Haddad, P.R. and Tanaka, K.
Rapid and direct determination of iodide in seawater by electrostatic ion chromatography 956(2002)103
- Hu, Y., Yang, X. and Carr, P.W.
Mixed-mode reversed-phase and ion-exchange separations of cationic analytes on polybutadiene-coated zirconia 968(2002)17
- Hu, Z., see Liu, S. 959(2002)263
- Huang, A., see Shaw, C.J. 987(2003)439
- Huang, C.-C., Chiu, T.-C. and Chang, H.-T.
Effects of metal ions on concentration of DNA in high-conductivity media by capillary electrophoresis 966(2002)195
- Huang, C.-T., Su, Y.-Y. and Hsieh, Y.-Z.
Optimization of the headspace solid-phase microextraction for determination of glycol ethers by orthogonal array designs 977(2002)9
- Huang, H.-Y., Chiu, C.-W., Sue, S.-L. and Cheng, C.-F.
Analysis of food colorants by capillary electrophoresis with large-volume sample stacking 995(2003)29
- Huang, H.-Y., Lai, Y.-C., Chiu, C.-W. and Yeh, J.-M.
Comparing micellar electrokinetic chromatography and microemulsion electrokinetic chromatography for the analysis of preservatives in pharmaceutical and cosmetic products 993(2003)153
- Huang, H.-Y., Shih, Y.-C. and Chen, Y.-C.
Determining eight colorants in milk beverages by capillary electrophoresis 959(2002)317
- Huang, J., see Qi, Y. 959(2002)85
- Huang, X., see Zou, H. 954(2002)5
- Huang, X., Zou, H., Chen, X., Luo, Q. and Kong, L.
Molecularly imprinted monolithic stationary phases for liquid chromatographic separation of enantiomers and diastereomers 984(2003)273
- Huang, Z., see Shen, Z. 979(2002)227
- Huber, C.G., see Lubbad, S. 959(2002)121
- Hubert, Ph., see Chiap, P. 975(2002)145
- Hubicki, Z. and Olszak, M.
Studies on separation of rare earth elements on various types of anion-exchangers in the C₃H₇OH–7 M HNO₃ systems 955(2002)257
- Hudson, P., see White Jr., D.R. 997(2003)79
- Huenerbein, A., Sípoli Marques, M.A., dos Santos Pereira, A. and Radler de Aquino Neto, F.
Improvement in steroid screening for doping control with special emphasis on stanazolol 985(2003)375
- Huerta, V., see Moya, G. 971(2002)129
- Hugo, P., see Beltscheva, D. 989(2003)31
- Hui, A., see Hu, M. 984(2003)233
- Hui, K.-y., see Chung, W.-c. 952(2002)185
- Huidobro, J.F., see Suárez-Luque, S. 955(2002)207
- Huie, C.W., see Choi, M.P.K. 983(2003)153
- Hulst, A.G., see van Baar, B.L.M. 970(2002)95
- Hung, L.C., see Cheng, F.C. 961(2002)131
- Hunter, A.K. and Carta, G.
Protein adsorption on novel acrylamido-based polymeric ion-exchangers. IV. Effects of protein size on adsorption capacity and rate 971(2002)105
- Hunter, K., see Taylor, M.J. 982(2002)225
- Hunter, K.B., see Taylor, M.J. 982(2002)225
- Huong Giang, L.T., see Tsunoi, S. 962(2002)197
- Huovinen, K., see Svedström, U. 968(2002)53
- Hursthouse, A., see Muir, B. 977(2002)251
- Hurtado, P., see Vega, A. 962(2002)153
- Husain, S., see Rao, R.N. 954(2002)227
- Hussain, M.S., see Fernando, P.N. 956(2002)261
- Hutta, M., Rybár, I. and Chalányová, M.
Liquid chromatographic method development for determination of fungicide epoxiconazole enantiomers by achiral and chiral column switching technique in water and soil 959(2002)143
- Huybrechts, T., Thas, O., Dewulf, J. and Van Langenhove, H.
How to estimate moments and quantiles of environmental data sets with non-detected observations? A case study on volatile organic compounds in marine water samples 975(2002)123
- Huybrechts, T., see Wittmann, G. 993(2003)71

- Huybrechts, T., Dewulf, J. and Van Langenhove, H.
State-of-the-art of gas chromatography-based methods for analysis of anthropogenic volatile organic compounds in estuarine waters, illustrated with the river Scheldt as an example (Review) 1000(2003)283
- Hwang, C.-C. and Lee, W.-C.
Chromatographic characteristics of cholesterol-imprinted polymers prepared by covalent and non-covalent imprinting methods 962(2002)69
- Hwang, I., see Hee Moon, M. 955(2002)263
- Hwang, Y.-M., see Choi, S.-H. 987(2003)323
- Hyyötyläinen, T. and Riekkola, M.-L.
On-line coupled liquid chromatography–gas chromatography (Review) 1000(2003)357
- Hyuga, M., see Itoh, S. 968(2002)89
- Hyuga, S., see Itoh, S. 968(2002)89
- Hyun, M.H., Cho, Y.J., Kim, J.A. and Jin, J.S.
Preparation and application of a new modified liquid chromatographic chiral stationary phase based on (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid 984(2003)163
- Hyun, M.H., Han, S.C., Lipshutz, B.H., Shin, Y.-J. and Welch, C.J.
Liquid chromatographic resolution of racemic amines, amino alcohols and related compounds on a chiral crown ether stationary phase 959(2002)75
- Hyun, M.H., Han, S.C. and Whangbo, S.H.
New ligand exchange chiral stationary phase for the liquid chromatographic resolution of α - and β -amino acids 992(2003)47
- Hyun, M.H., Min, H.J. and Cho, Y.J.
Enantiomeric separation of tocinide and its analogues on an optically active crown ether-based stationary phase by liquid chromatography 996(2003)233
- I**
- Iberer, G., Schwinn, H., Josic, D., Jungbauer, A. and Buchacher, A.
Continuous purification of a clotting factor IX concentrate and continuous regeneration by preparative annular chromatography 972(2002)115
- Ichihara, T., see Hirokawa, T. 993(2003)205
- Ihara, A., see Wada, M. 987(2003)189
- Ihara, T., see Yarita, T. 976(2002)387
- Ikedo, M., see Mori, M. 997(2003)191
- Ikedo, M., see Mori, M. 997(2003)219
- Ikedo, M., see Tanaka, K. 997(2003)127
- Ikegami, T., see Hosoya, K. 979(2002)3
- Ikegami, T., see Ishizuka, N. 960(2002)85
- Ikegami, T., see Kubo, T. 987(2003)389
- Ikegami, T., see Motokawa, M. 961(2002)53
- Ikegami, T., see Tanaka, N. 965(2002)35
- Ikonomou, M.G., Fernandez, M.P., He, T. and Cullon, D.
Gas chromatography–high-resolution mass spectrometry based method for the simultaneous determination of nine organotin compounds in water, sediment and tissue 975(2002)319
- Ilgner, R.H., see Tomkins, B.A. 972(2002)183
- Ilyin, M., see Davankov, V. 965(2002)65
- Ilyin, M.M., see Davankov, V.A. 987(2003)67
- Im, S.H., see Ryoo, J.J. 987(2003)429
- Imai, K., see Okabe, K. 982(2002)111
- Imaizumi, M., see Saito, Y. 975(2002)105
- Imanari, T., see Chaidedgumjorn, A. 959(2002)95
- Imasaka, T., see Jing, P. 959(2002)281
- Impens, S., De Wasch, K., Cornelis, M. and De Brabander, H.F.
Analysis on residues of estrogens, gestagens and androgens in kidney fat and meat with gas chromatography–tandem mass spectrometry 970(2002)235
- Inagaki, S., Esaka, Y., Deyashiki, Y., Sako, M. and Goto, M.
Analysis of DNA adducts of acetaldehyde by liquid chromatography–mass spectrometry 987(2003)341
- Indelicato, S.R., see Kim, H. 987(2003)243
- Ingólfssdóttir, K., see Paulsen, B.S. 967(2002)163
- Inoue, K., see Wada, M. 987(2003)189
- Inoue, M., see Okada, T.K. 987(2003)49
- Inouye, K., see Nakamura, K. 972(2002)21
- Ioffe, V., Kalendarev, T., Rubinstein, I., Mizerikhin, E. and Tsubulsky, E.
Reversed-phase liquid chromatography of biologically active lipophilic chelators. II. Improvement of chromatographic performance and selected applications in biochemical analysis 987(2003)169
- Irgum, K., see Appelblad, P. 955(2002)151
- Iriarte, M., see Etxabaren, C. 969(2002)245
- Irth, H., see García, M.C. 957(2002)187
- Iruin, J.J., see Etxabaren, C. 969(2002)245
- Irurzun, I., see García-Lopera, R. 996(2003)33
- Ishida, Y., see Taguchi, Y. 993(2003)137
- Ishihama, Y., Rappsilber, J., Andersen, J.S. and Mann, M.
Microcolumns with self-assembled particle frits for proteomics 979(2002)233
- Ishizuka, N., Kobayashi, H., Minakuchi, H., Nakanishi, K., Hirao, K., Hosoya, K., Ikegami, T. and Tanaka, N.
Monolithic silica columns for high-efficiency separations by high-performance liquid chromatography 960(2002)85
- Ishizuka, N., see Motokawa, M. 961(2002)53
- Ishizuka, N., see Tanaka, N. 965(2002)35
- Isildak, I., see Asan, A. 988(2003)145
- Isobe, E., see Adachi, T. 989(2003)19
- Isobe, T., Shiraiishi, H., Yasuda, M., Shinoda, A., Suzuki, H. and Morita, M.
Determination of estrogens and their conjugates in water using solid-phase extraction followed by liquid chromatography–tandem mass spectrometry 984(2003)195
- Israel, G., see Szopa, C. 982(2002)303
- Issac, C., see Bayle, C. 979(2002)255
- Issaq, H.J., see He, Y. 979(2002)81
- Ito, Y., see Chen, P. 982(2002)163
- Ito, Y., see Du, Q. 962(2002)239
- Ito, Y., see Du, Q. 973(2002)217

- Ito, Y., see Han, X. 971(2002)237
- Ito, Y., see Ma, X. 962(2002)243
- Ito, Y., see Ma, X. 992(2003)193
- Ito, Y., see Oka, H. 989(2003)249
- Ito, Y., see Oka, H. 989(2003)249
- Ito, Y., see Okamoto, H. 986(2003)153
- Ito, Y., see Weisz, A. 966(2002)111
- Itoh, S., Kawasaki, N., Ohta, M., Hyuga, M., Hyuga, S. and Hayakawa, T.
Simultaneous microanalysis of *N*-linked oligosaccharides in a glycoprotein using microbore graphitized carbon column liquid chromatography–mass spectrometry 968(2002)89
- Itoh, S., Kawasaki, N., Ohta, M. and Hayakawa, T.
Structural analysis of a glycoprotein by liquid chromatography–mass spectrometry and liquid chromatography with tandem mass spectrometry.
Application to recombinant human thrombomodulin 978(2002)141
- Iuliano, S., Fisher, J.R., Chen, M. and Kelly, W.J.
Rapid analysis of a plasmid by hydrophobic-interaction chromatography with a non-porous resin 972(2002)77
- Ivanov, P.B., see Berezkin, V.G. 985(2003)57
- Ivanova, M., see Schedle, A. 990(2003)231
- Iványi, T., Vander Heyden, Y., Visky, D., Baten, P., De Beer, J., Lázár, I., Massart, D.L., Roets, E. and Hoogmartens, J.
Minimal number of chromatographic test parameters for the characterisation of reversed-phase liquid chromatographic stationary phases 954(2002)99
- Iványi, T., see Visky, D. 977(2002)39
- Ivory, C.F., see Thome, B. 953(2002)263
- Iwaya, M., see Oka, H. 989(2003)249
- Jalali-Heravi, M. and Garkani-Nejad, Z.
Prediction of electrophoretic mobilities of alkyl- and alkenylpyridines in capillary electrophoresis using artificial neural networks 971(2002)207
- Jamali, B. and Nielsen, H.M.
Development and validation of a capillary electrophoresis–indirect photometric detection method for the determination of the non-UV-absorbing 1,4-dideoxy-1,4-imino-D-arabinitol in active pharmaceutical ingredients, solutions and tablets using an internal standard 996(2003)213
- James, C.A., see Frigerio, E. 987(2003)249
- James, K.J., see Fernández Amandi, M. 976(2002)329
- James, K.J., see Moroney, C. 963(2002)353
- James, L.F., see Molyneux, R.J. 967(2002)57
- Janáky, T., see Braddy, A.C. 966(2002)81
- Jandra, P.
Gradient elution in normal-phase high-performance liquid chromatographic systems 965(2002)239
- Jandik, P., see Cheng, J. 997(2003)73
- Jandik, P., Weigl, B.H., Kessler, N., Cheng, J., Morris, C.J., Schulte, T. and Avdalovic, N.
Initial study of using a laminar fluid diffusion interface for sample preparation in high-performance liquid chromatography 954(2002)33
- Jandik, P., see Yu, H. 966(2002)89
- Jandura, P., Riedl, B. and Kokta, B.V.
Inverse gas chromatography study on partially esterified paper fiber 969(2002)301
- Janin, L., see Szopa, C. 982(2002)303
- Janin, Y., see Espejo, R. 976(2002)335
- Janoš, P.
Separation methods in the chemistry of humic substances (Review) 983(2003)1
- Janosi, A., see Toussaint, B. 976(2002)195
- János, A., see van Vyncht, G. 952(2002)121
- Jansen, B., see Kubátová, A. 975(2002)175
- Janssen, H.-G., Boers, W., Steenbergen, H., Horsten, R. and Flöter, E.
Comprehensive two-dimensional liquid chromatography× gas chromatography: evaluation of the applicability for the analysis of edible oils and fats 1000(2003)385
- Janssen, H.M., see Lou, X. 976(2002)145
- Janssen, K.P.C., see Devreese, B. 976(2002)113
- Jardim, E.F.G., see Brito, N.M. 957(2002)201
- Jardim, I.C.S.F., see Lopes, N.P. 987(2003)77
- Jardim, I.C.S.F., see Pozzebon, J.M. 987(2003)375
- Jardim, I.C.S.F., see Pozzebon, J.M. 987(2003)381
- Jardim, I.C.S.F., see Silva, C.R. 987(2003)127
- Jardim, I.C.S.F., see Silva, C.R. 987(2003)139
- Jarman, J.L., Todebush, R.A. and de Haseth, J.A.
Glass nebulizer interface for capillary electrophoresis–Fourier transform infrared spectrometry 976(2002)19
- Jarman, K.H., see Johnson, K.J. 996(2003)141
- Jaroš, M., see Štědrý, M. 960(2002)187
- Jarrett, H.W., see Gadgil, H. 966(2002)99
- Jarrett, H.W., see Jurado, L.A. 971(2002)95
- Jarrett, H.W., see Jurado, L.A. 984(2003)9
- Jarry, C., see Matoga, M. 984(2003)253
- Jastorff, B., see Stepnowski, P. 993(2003)173
- Jastrzębski, D., see Kamiński, M. 989(2003)277

J

- Jaulmes, A., see Puerta, Á. 953(2002)17
- Jaworska, M., Szulińska, Z. and Wilk, M.
Development of a capillary electrophoretic method for the analysis of amino acids containing tablets 993(2003)165
- Jayawickrama, D.A. and Sweedler, J.V.
Hyphenation of capillary separations with nuclear magnetic resonance spectroscopy (Review) 1000(2003)819
- Jeannot, R., see Dagnac, T. 957(2002)69
- Jeannot, R., Sabik, H., Sauvard, E., Dagnac, T. and Dohrendorf, K.
Determination of endocrine-disrupting compounds in environmental samples using gas and liquid chromatography with mass spectrometry 974(2002)143
- Jedináková-Křížová, V., see Koudelková, M. 990(2003)311
- Jedináková-Křížová, V., see Koudelková, M. 990(2003)317
- Jekel, M., see Zywicki, B. 970(2002)191
- Jelínek, I., see Kvasnicová, V. 985(2003)513
- Jen, J.-F., see Chen, Y.-I. 976(2002)349
- Jenkins, J.D., see Marcus, R.K. 986(2003)17
- Jenks, W.S., see Berthod, A. 955(2002)53
- Jeong, Y.H., see Ryoo, J.J. 987(2003)429
- Jergil, B., see Barinaga-Rementería Ramírez, I. 971(2002)117
- Jerz, G., see Du, Q. 984(2003)147
- Jia, M., He, Z. and Jin, W.
Capillary electrophoretic enzyme immunoassay with electrochemical detection for cortisol 966(2002)187
- Jiang, C., see Li, Z. 971(2002)243
- Jiang, G.-b., see Chao, J.-b. 955(2002)183
- Jiang, G.-b., see Liu, J.-f. 995(2003)21
- Jiang, J. and Lucy, C.A.
Determination of alkylphosphonic acids using micellar electrokinetic chromatography with laser-induced fluorescence detection and high-salt stacking 966(2002)239
- Jiang, T.-F., Ou, Q.-Yu. and Shi, Y.-P.
Separation and determination of phenylpropanoid glycosides from *Pedicularis* species by capillary electrophoresis 986(2003)163
- Jiang, X., see Faghihi, J. 989(2003)317
- Jiang, X., van der Horst, A. and Schoenmakers, P.J.
Breakthrough of polymers in interactive liquid chromatography 982(2002)55
- Jiang, X.-L., see Liu, Y. 968(2002)71
- Jiang, Y., see Lu, H.-T. 994(2003)37
- Jiang, Y., see Wang, Y. 952(2002)79
- Jiang, Z., see Zhang, K. 987(2003)453
- Jiménez, A., see Garrigós, M.C. 963(2002)427
- Jiménez, A., see Garrigós, M.C. 976(2002)309
- Jiménez, A., see Reche, F. 963(2002)419
- Jiménez, A., see Reche, F. 976(2002)301
- Jiménez, J.J., see Nozal, M^a.-J. 954(2002)207
- Jiménez, M., see Mateo, J.J. 955(2002)245
- Jin, J.S., see Hyun, M.H. 984(2003)163
- Jin, J.-Y., see Karim, K.J.B.A. 995(2003)153
- Jin, J.-Y., see Lee, K.-P. 987(2003)111
- Jin, J.-Y., see Ohta, K. 997(2003)117
- Jin, L., see Xu, Q. 997(2003)65
- Jin, W., see Dong, Q. 959(2002)269
- Jin, W., see Jia, M. 966(2002)187
- Jin, W., see Weng, Q. 971(2002)217
- Jing, P., Kaneta, T. and Imasaka, T.
Band broadening caused by the multiple labeling of proteins in micellar electrokinetic chromatography with diode laser-induced fluorescence detection 959(2002)281
- Jinnai, H., see Motokawa, M. 961(2002)53
- Jinno, K., see Saito, Y. 975(2002)105
- Jinno, K., see Saito, Y. 1000(2003)53
- Jirovetz, L., Buchbauer, G., Ngassoum, M.B. and Geissler, M.
Aroma compound analysis of *Piper nigrum* and *Piper guineense* essential oils from Cameroon using solid-phase microextraction–gas chromatography, solid-phase microextraction–gas chromatography–mass spectrometry and olfactometry 976(2002)265
- Jiskra, J., Claessens, H.A., Cramers, C.A. and Kaliszan, R.
Quantitative structure–retention relationships in comparative studies of behavior of stationary phases under high-performance liquid chromatography and capillary electrochromatography conditions 977(2002)193
- Johansson, H.-O., see Jönsson, M. 983(2003)133
- Johns, C., Macka, M. and Haddad, P.R.
Highly sensitive indirect photometric detection of cations by capillary electrophoresis with the cationic dye chrysoidine 997(2003)87
- Johnson, D.F., see Juvancz, Z. 982(2002)119
- Johnson, K.J., see Sinha, A.E. 983(2003)195
- Johnson, K.J., Wright, B.W., Jarman, K.H. and Synovec, R.E.
High-speed peak matching algorithm for retention time alignment of gas chromatographic data for chemometric analysis 996(2003)141
- Johnston, L., Mackay, L. and Croft, M.
Determination of quinolones and fluoroquinolones in fish tissue and seafood by high-performance liquid chromatography with electrospray ionisation tandem mass spectrometric detection 982(2002)97
- Jolicœur, M., see Tikhomiroff, C. 955(2002)87
- Jones, A., LoBrutto, R. and Kazakevich, Y.
Effect of the counter-anion type and concentration on the liquid chromatography retention of β -blockers 964(2002)179
- Jones, J., see Chen, L.-J. 988(2003)95
- Jones, P., see Shaw, M.J. 953(2002)141
- Jönsson, J.Å., see Sandahl, M. 975(2002)211
- Jönsson, M. and Johansson, H.-O.
Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133
- Jonsson, S. and Borén, H.
Analysis of mono- and diesters of *o*-phthalic acid by solid-phase extractions with polystyrene–divinylbenzene-based polymers 963(2002)393
- Jonsson, S., see Nielsen, A.T. 963(2002)57
- Joos, P.E., Godoi, A.F.L., De Jong, R., De Zeeuw, J. and Van Grieken, R.
Trace analysis of benzene, toluene, ethylbenzene and xylene isomers in environmental samples by low-pressure gas chromatography–ion trap mass spectrometry 985(2003)191
- Josic, D., see Iberer, G. 972(2002)115
- Jouanin, I., see Debrauwer, L. 976(2002)123
- Jourdan, E., see Haroun, M. 977(2002)185

- Jourdan, E., see Loukili, B. 986(2003)45
- Journet, M., see LoBrutto, R. 995(2003)67
- Jouyban, A., Grosse, S.C., Chan, H.K., Coleman, M.W. and Clark, B.J.
Mathematical representation of electrophoretic mobility of basic drugs in ternary solvent buffers in capillary zone electrophoresis 994(2003)191
- Jover, E., see Moldovan, Z. 952(2002)193
- Jover, E., Moldovan, Z. and Bayona, J.M.
Complete characterisation of lanolin steryl esters by sub-ambient pressure gas chromatography – mass spectrometry in the electron impact and chemical ionisation modes 970(2002)249
- Joyce, R., see Lu, Z. 956(2002)129
- Juanéda, P.
Utilisation of reversed-phase high-performance liquid chromatography as an alternative to silver-ion chromatography for the separation of *cis*- and *trans*-C18:1 fatty acid isomers 954(2002)285
- Juanola, R., Subirà, D., Salvadó, V., Garcia Regueiro, J.A. and Anticó, E.
Evaluation of an extraction method in the determination of the 2,4,6-trichloroanisole content of tainted cork 953(2002)207
- Juhler, R.K., see Henriksen, T. 957(2002)79
- Juhler, R.K. and Mortensen, A.P.
Analysing fluorobenzoate tracers in groundwater samples using liquid chromatography–tandem mass spectrometry. A tool for leaching studies and hydrology 957(2002)11
- Jumel, K., see Kaur, M. 957(2002)139
- Jung, H.J. and Bae, Y.C.
Theory for the capillary electrophoretic separation of DNA in polymer solutions 967(2002)279
- Jungbauer, A., see Iberer, G. 972(2002)115
- Jungbauer, A., see Machold, C. 972(2002)3
- Jüngel, P., de Koning, S., Brinkman, U.A.Th. and Melcher, E.
Analyses of the wood preservative component *N*-cyclohexyl-diazoniumdioxide in impregnated pine sapwood by direct thermal desorption–gas chromatography–mass spectrometry 953(2002)199
- Junkers, J., see Schmitt-Kopplin, P. 998(2003)1
- Jupille, T.H., see Dolan, J.W. 960(2002)51
- Jurado, L.A. and Jarrett, H.W.
In flow activation of diol–silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9
- Jurado, L.A., Mosley, J. and Jarrett, H.W.
Cyanogen bromide activation and coupling of ligands to diol-containing silica for high-performance affinity chromatography. Optimization of conditions 971(2002)95
- Jursová, A., see Kvasnicová, V. 985(2003)513
- Jussila, M., see Suomi, J. 970(2002)287
- Jussila, M., see Vuorinen, P.S. 990(2003)45
- Juvancz, Z., Markides, K.E., Petersson, P., Johnson, D.F., Bradshaw, J.S. and Lee, M.L.
Copolymeric (1*R*-*trans*)-*N,N'*-1,2-cyclohexylene-bisbenzamide oligodimethylsiloxane chiral stationary phase for gas chromatography 982(2002)119
- K
- Kačer, P., see Cajthaml, T. 974(2002)213
- Kaczmarek, K., see Cavazzini, A. 953(2002)55
- Kaczmarek, K., see Cavazzini, A. 957(2002)111
- Kaczmarek, K., Cavazzini, A., Szabelski, P., Zhou, D., Liu, X. and Guiochon, G.
Application of the general rate model and the generalized Maxwell–Stefan equation to the study of the mass transfer kinetics of a pair of enantiomers 962(2002)57
- Kaczmarek, K., see Liu, X. 988(2003)205
- Kaczmarek, K., see Mihlbachler, K. 955(2002)35
- Kaczmarek, K., see Piątkowski, W. 988(2003)219
- Kaczmarek, K., see Piątkowski, W. 989(2003)207
- Kaczmarek, K., see Szabelski, P. 964(2002)99
- Kadnar, R., see Madera, M. 997(2003)279
- Kadnar, R., Madera, M. and Schlifke, R.
Determination of inorganic corrosion inhibitors in heat transfer systems by ion chromatography 997(2003)285
- Kafarski, P., see Rudzińska, E. 979(2002)115
- Kahane, R., see Arnault, I. 991(2003)69
- Kahle, V., Vázlerová, M. and Welsch, T.
Automated microgradient system for capillary electrochromatography 990(2003)3
- Kählig, H., see Mayer, B.X. 993(2003)59
- Kaiser, E., Rohrer, J. and Campbell, F.
Monitoring trace anion contamination in disk drive components 997(2003)259
- Kakehi, K., see Sei, K. 958(2002)273
- Kakita, H., Kamishima, H., Komiya, K. and Kato, Y.
Simultaneous analysis of monosaccharides and oligosaccharides by high-performance liquid chromatography with postcolumn fluorescence derivatization 961(2002)77
- Kalendarev, T., see Ioffe, V. 987(2003)169
- Kaliszan, R., see Bączek, T. 962(2002)41
- Kaliszan, R., see Bączek, T. 987(2003)29
- Kaliszan, R., Haber, P., Bączek, T., Siluk, D. and Valko, K.
Lipophilicity and pK_a estimates from gradient high-performance liquid chromatography 965(2002)117
- Kaliszan, R., see Jiskra, J. 977(2002)193
- Kaljurand, M., see Vaher, M. 979(2002)27
- Kallenborn, R., see Berger, U. 973(2002)123
- Kallithraka, S., see Demyttenaere, J.C.R. 985(2003)233
- Kalogerakis, N., see Psillakis, E. 999(2003)145
- Kalogirou, E., Bassiotis, I., Artemiadi, Th., Margariti, S., Siokos, V. and Roubani-Kalantzopoulou, F.
Experimental adsorption isotherms based on inverse gas chromatography 969(2002)81
- Kamata, K., see Takahashi, M. 958(2002)299
- Kameda, T., see Tsukagoshi, K. 978(2002)213
- Kamichika, T., see Nakamura, K. 972(2002)21
- Kamimura, H., see Takahashi, M. 958(2002)299

- Kamiński, M., Gudebska, J., Górecki, T. and Kartanowicz, R.
Optimized conditions for hydrocarbon group type analysis of base oils by thin-layer chromatography–flame ionisation detection 991(2003)255
- Kamiński, M., Kartanowicz, R., Jastrzębski, D. and Kamiński, M.M.
Determination of carbon monoxide, methane and carbon dioxide in refinery hydrogen gases and air by gas chromatography 989(2003)277
- Kamiński, M.M., see Kamiński, M. 989(2003)277
- Kamishima, H., see Kakita, H. 961(2002)77
- Kamminga, D.A., see Kristenson, E.M. 975(2002)95
- Kamo, N., see Hu, W. 997(2003)237
- Kamo, N., see Liu, X.-Y. 961(2002)113
- Kanehara, H., see Saito, Y. 975(2002)105
- Kaneta, T., see Jing, P. 959(2002)281
- Kang, D., see Hee Moon, M. 955(2002)263
- Kang, J., see Tran, C.D. 978(2002)221
- Kang, X. and Frey, D.D.
High-performance cation-exchange chromatofocusing of proteins 991(2003)117
- Kang, Y.-F., see Lian, H.-Z. 993(2003)179
- Kanhere, S.R., see Lau, B.P.-Y. 998(2003)119
- Kaniansky, D., see Danková, M. 990(2003)121
- Kaniansky, D., see Strašík, S. 990(2003)23
- Kaniansky, D., see Žúborová, M. 990(2003)179
- Kannamkumarath, S.S., Wrobel, K., Wrobel, K., B'Hymer, C. and Caruso, J.A.
Capillary electrophoresis–inductively coupled plasma-mass spectrometry: an attractive complementary technique for elemental speciation analysis (Review) 975(2002)245
- Kantifes, A., see Theodoridis, G. 987(2003)103
- Kapor, M.A., see Pozzebon, J.M. 987(2003)381
- Kapalos, J. and Katsanos, N.A.
Heterogeneous catalysis on solids of gases diffusing through a liquid layer, studied by inverse gas chromatography 977(2002)107
- Karaiskakis, G., see Katsanos, N.A. 983(2003)177
- Karayannis, M.I., see Lambropoulou, D.A. 967(2002)243
- Karbiwnyk, C.M., Mills, C.S., Helmig, D. and Birks, J.W.
Minimization of water vapor interference in the analysis of non-methane volatile organic compounds by solid adsorbent sampling 958(2002)219
- Karim, K.J.B.A., Jin, J.-Y. and Takeuchi, T.
Simultaneous separation of inorganic anions and cations by using anion-exchange and cation-exchange columns connected in tandem in ion chromatography 995(2003)153
- Kärki, A., see Tiihonen, J. 982(2002)69
- Karlberg, B., see Kubáň, P. 964(2002)227
- Karlsson, G. and Bergman, R.
Determination of the distribution of molecular masses of sodium hyaluronate by high-performance anion-exchange chromatography 986(2003)67
- Karlsson, K.-E., see Lindholm, J. 992(2003)85
- Karmarkar, S.V.
Anion-exchange chromatography of metal cyanide complexes with gradient separation and direct UV detection 956(2002)229
- Karner, D.A., see Tang, D. 998(2003)31
- Karppinen, P., see Sirén, H. 979(2002)201
- Karst, U., see Diehl, G. 974(2002)103
- Karst, U., see Hayen, H. 1000(2003)549
- Kartanowicz, R., see Kamiński, M. 989(2003)277
- Kartanowicz, R., see Kamiński, M. 991(2003)255
- Kasai, H.F., Tsubuki, M., Takahashi, K., Shirao, M., Matsumoto, Y., Honda, T. and Seyama, Y.
Separation of stereoisomers of several furan derivatives by capillary gas chromatography–mass spectrometry, supercritical fluid chromatography, and liquid chromatography using chiral stationary phases 977(2002)125
- Kašička, V., see Charvátová, J. 990(2003)111
- Kašička, V., see Charvátová, J. 990(2003)159
- Kašička, V., see Sázelová, P. 990(2003)303
- Kasper, C., see Vlach, E.G. 992(2003)109
- Kassalainen, G.E. and Williams, S.K.R.
Lowering the molecular mass limit of thermal field-flow fractionation for polymer separations 988(2003)285
- Katakai, A., see Ogawa, H. 954(2002)89
- Kataoka, H., see Mitani, K. 986(2003)169
- Kato, M., Sakai-Kato, K., Toyo'oka, T., Dulay, M.T., Quirino, J.P., Bennett, B.D. and Zare, R.N.
Effect of preparatory conditions on the performance of photopolymerized sol–gel monoliths for capillary electrochromatography 961(2002)45
- Kato, N., Sakayanagi, M., Nakayama, T., Nishimura, H. and Ogamo, A.
Detection of multiple anions by thin-layer chromatography 973(2002)159
- Kato, Y., see Kakita, H. 961(2002)77
- Kato, Y., see Nakamura, K. 972(2002)21
- Kato, Y., Nakamura, K., Kitamura, T., Moriyama, H., Hasegawa, M. and Sasaki, H.
Separation of proteins by hydrophobic interaction chromatography at low salt concentration 971(2002)143
- Kato, Y., Nakatani, S., Nakamura, K., Kitamura, T., Moriyama, H., Hasegawa, M. and Sasaki, H.
Hydrophobicity gradient columns for the separation of trypsin inhibitor by hydrophobic interaction chromatography at low salt concentration 986(2003)83
- Katsanos, N.A.
Physicochemical measurements by the reversed-flow version of inverse gas chromatography (Review) 969(2002)3
- Katsanos, N.A., Gavril, D. and Karaiskakis, G.
Time-resolved determination of surface diffusion coefficients for physically adsorbed or chemisorbed species on heterogeneous surfaces, by inverse gas chromatography 983(2003)177
- Katsanos, N.A., see Kapalos, J. 977(2002)107
- Kaulich, M., see Qurishi, R. 952(2002)275
- Kaur, M., Jumel, K., Hardie, K.R., Hardman, A., Meadows, J. and Melia, C.D.
Determining the molar mass of a plasma substitute succinylated gelatin by size exclusion chromatography–multi-angle laser light scattering, sedimentation equilibrium and conventional size exclusion chromatography 957(2002)139

- Kawai, E., Shimoyama, K., Ogino, K. and Sato, H.
Chemical compositional separation of styrene–methyl methacrylate copolymers using high-performance liquid chromatography with liquefied carbon dioxide as eluent 991(2003)197
- Kawakami, S., see Ohta, K. 956(2002)147
- Kawakami, S., see Ohta, K. 956(2002)159
- Kawasaki, N., see Itoh, S. 968(2002)89
- Kawasaki, N., see Itoh, S. 978(2002)141
- Kaya, K., see Kubo, T. 987(2003)389
- Kayillo, S., Dennis, G.R., Wormell, P. and Shalliker, R.A.
Retention behaviour of polystyrene oligomers in reversed-phase liquid chromatography 967(2002)173
- Kazakevich, Y., see Jones, A. 964(2002)179
- Kazakevich, Y.V., see Macko, T. 988(2003)69
- Każoka, H.
Determination of uracil in 5-fluorouracil substance by high-performance liquid chromatography 994(2003)221
- Kędzior, L., see Lasa, J. 968(2002)263
- Kehl, J., see Orska-Gawryś, J. 989(2003)239
- Kele, M. and Guiochon, G.
Repeatability and reproducibility of retention data and band profiles on six batches of monolithic columns 960(2002)19
- Keller, D.S., see Burry, W.M. 972(2002)241
- Keller, P.R., see Antonovich, R.S. 971(2002)159
- Kelly, J., see Buote, A. 978(2002)177
- Kelly, W.J., see Iuliano, S. 972(2002)77
- Kemmochi, Y., Tsutsumi, K., Arikawa, A. and Nakazawa, H.
Micropore-free surface-activated carbon for the analysis of polychlorinated dibenzo-*p*-dioxins–dibenzofurans and non-*ortho*-substituted polychlorinated biphenyls in environmental samples 977(2002)155
- Kemp, G., see McCue, J.T. 989(2003)139
- Kenndler, E., see Muzikar, J. 960(2002)199
- Kenndler, E., see Poppe, H. 960(2002)1
- Kenndler, E., see Schedle, A. 990(2003)231
- Kennedy, J.A. and Taylor, A.W.
Analysis of proanthocyanidins by high-performance gel permeation chromatography 995(2003)99
- Kennedy, L.J., see Reid, K.R. 975(2002)135
- Kennedy, R.T., see McKenzie, J.A.M. 962(2002)105
- Kessaissia, Z., see Hamdi, S. 969(2002)143
- Kessler, N., see Jandik, P. 954(2002)33
- Kettrup, A., see Xu, F. 968(2002)7
- Kettrup, A., see Xue, X.Y. 957(2002)37
- Khaledi, M.G., see Burns, S.T. 973(2002)167
- Khalid, S., see Rao, R.N. 954(2002)227
- Khandurina, J. and Guttman, A.
Micromachined capillary cross-connector for high-precision fraction collection 979(2002)105
- Khokhlov, A.R., see Blagodatikh, I.V. 976(2002)155
- Khotimskii, V.S., see Berezkin, V.G. 960(2002)151
- Khrolenko, M., Dzygiel, P. and Wieczorek, P.
Combination of supported liquid membrane and solid-phase extraction for sample pretreatment of triazine herbicides in juice prior to capillary electrophoresis determination 975(2002)219
- Khuhawar, M.Y., see Arain, M.A. 973(2002)235
- Kienhuis, P.G.M. and Geerdink, R.B.
A mass spectral library based on chemical ionization and collision-induced dissociation 974(2002)161
- Kientz, C.E., see Hooijschuur, E.W.J. 982(2002)177
- Kiessig, S. and Thuncke, F.
Investigations of cyclophilin interactions with oligopeptides containing proline by affinity capillary electrophoresis 982(2002)275
- Kikuchi, A., see Kobayashi, J. 958(2002)109
- Kilár, F., see Kustos, T. 979(2002)277
- Kilár, F., see Sázellová, P. 990(2003)303
- Kim, D.-H. and Lee, D.W.
Comparison of separation conditions and ionization methods for the liquid chromatography–mass spectrometric determination of sulfonamides 984(2003)153
- Kim, H., Kumari, P., Laughlin, M., Hilbert, M.J., Indelicato, S.R., Lim, J., Lin, C.-C. and Nomeir, A.A.
Use of high-performance liquid chromatographic and microbiological analyses for evaluating the presence or absence of active metabolites of the antifungal posaconazole in human plasma 987(2003)243
- Kim, J.A., see Hyun, M.H. 984(2003)163
- Kim, J.-B., see Núñez, O. 961(2002)65
- Kim, J.-B., Otsuka, K. and Terabe, S.
On-line sample preconcentration in micellar electrokinetic chromatography using ion-pair reagents 979(2002)131
- Kim, J.-B., see Quirino, J.P. 965(2002)357
- Kim, J.K., Shiraishi, T., Fukusaki, E.-I. and Kobayashi, A.
Quantitation of formate by solid-phase microextraction and gas chromatography–mass spectrometry utilizing a [¹³C]formate internal standard 986(2003)313
- Kim, M. and Mitra, S.
A microfabricated microconcentrator for sensors and gas chromatography 996(2003)1
- Kim, M., see Ogawa, H. 954(2002)89
- Kim, N.-S. and Lee, D.-S.
Comparison of different extraction methods for the analysis of fragrances from *Lavandula* species by gas chromatography–mass spectrometry 982(2002)31
- Kim, S.-Y., see Lee, K.-P. 987(2003)111
- Kim, T.-H., see Lee, K.-P. 987(2003)111
- Kim, T.H., see Ryoo, J.J. 987(2003)429
- Kim, U.-J. and Kuga, S.
Ion-exchange separation of proteins by polyallylamine-grafted cellulose gel 955(2002)191
- Kimm, G., see Hook, G.L. 992(2003)1
- Kimm, G.L., Hook, G.L. and Smith, P.A.
Application of headspace solid-phase microextraction and gas chromatography–mass spectrometry for detection of the chemical warfare agent bis(2-chloroethyl) sulfide in soil 971(2002)185
- Kimmell, T.A., see O'Neill, H.J. 962(2002)183
- Kimpe, K., Jacobs, P.A. and Waelkens, M.
Mass spectrometric methods prove the use of beeswax and ruminant fat in late Roman cooking pots 968(2002)151
- Kimura, K., see Taguchi, Y. 993(2003)137
- Kimura, Y., see Lee, D. 966(2002)41
- Kind, T., see Brack, W. 986(2003)55
- Kind, T., see Brack, W. 993(2003)223
- King, J.W., see Curren, M.S.S. 954(2002)41

- King, S., Meyer, J.S. and Andrews, A.R.J.
Screening method for polycyclic aromatic hydrocarbons in soil using hollow fiber membrane solvent microextraction 982(2002)201
- Kinoshita, M., see Sei, K. 958(2002)273
- Kirby, B.J., Sheppard, T.J. and Hasselbrink, E.F., Jr.
Voltage-addressable on/off microvalves for high-pressure microchip separations 979(2002)147
- Kirkland, J.J., Truszkowski, F.A. and Ricker, R.D.
Atypical silica-based column packings for high-performance liquid chromatography 965(2002)25
- Kishikawa, N., see Wada, M. 987(2003)189
- Kitagawa, S. and Tsuda, T.
Behavior of neutral solutes in pressurized flow driven electrochromatography using a mixed stationary phase of ODS and anion-exchange 995(2003)209
- Kitahara, K.-i., see Masuda, T. 961(2002)89
- Kitamori, T., see Tamaki, E. 987(2003)197
- Kitamura, T., see Kato, Y. 971(2002)143
- Kitamura, T., see Kato, Y. 986(2003)83
- Kitayama, T., see Bamba, T. 995(2003)203
- Kitazumi, I., Nakashima, Y. and Himeno, S.
Capillary electrophoretic determination of Ga(III) based on the formation of a heteropolyoxomolybdate complex 993(2003)211
- Kizu, R., see Chetiyankornkul, T. 961(2002)107
- Klap, V.A., see Staeb, J.A. 974(2002)223
- Kleine-Benne, E., see Hauser, B. 963(2002)27
- Klejnowski, K., see Czaplicka, M. 976(2002)369
- Klimant, I., see Apostolidis, A. 967(2002)183
- Kloskowski, A., see Dudek, M. 977(2002)115
- Klostius, A., see Schmid, M.G. 990(2003)83
- Klotz, W.L., Schure, M.R. and Foley, J.P.
Rapid estimation of octanol–water partition coefficients using synthesized vesicles in electrokinetic chromatography 962(2002)207
- Klotz, W.L., see Wick, C.D. 954(2002)181
- Kluchinsky Jr., T.A., Sheely, M.V., Savage, P.B. and Smith, P.A.
Formation of 2-chlorobenzylidenemalononitrile (CS riot control agent) thermal degradation products at elevated temperatures 952(2002)205
- Klumperman, B., see Leermakers, F.A.M. 959(2002)37
- Knepper, T.P.
Mass spectrometric strategies for the analysis of polar industrial chemicals and their by-products in wastewater and surface water 974(2002)111
- Knippel, B.C., see Marcus, R.K. 986(2003)17
- Knopp, D., see Sázlová, P. 990(2003)303
- Knox, J.H.
Band dispersion in chromatography—a universal expression for the contribution from the mobile zone 960(2002)7
- Knuutila, K.-G., see Larsson, M. 954(2002)151
- Koal, T., see Asperger, A. 960(2002)109
- Kobayashi, A., see Bamba, T. 995(2003)203
- Kobayashi, A., see Kim, J.K. 986(2003)313
- Kobayashi, H., see Ishizuka, N. 960(2002)85
- Kobayashi, H., see Motokawa, M. 961(2002)53
- Kobayashi, H., Shimamura, K., Akaida, T., Sakano, K., Tajima, N., Funazaki, J., Suzuki, H. and Shinohara, E.
Free-flow electrophoresis in a microfabricated chamber with a micromodule fraction separator. Continuous separation of proteins 990(2003)169
- Kobayashi, H., see Tanaka, N. 965(2002)35
- Kobayashi, J., Kikuchi, A., Sakai, K. and Okano, T.
Aqueous chromatography utilizing hydrophobicity-modified anionic temperature-responsive hydrogel for stationary phases 958(2002)109
- Koch, D., see Hook, G.L. 992(2003)1
- Kochman, M., Gordin, A., Goldshlag, P., Lehotay, S.J. and Amirav, A.
Fast, high-sensitivity, multipesticide analysis of complex mixtures with supersonic gas chromatography–mass spectrometry 974(2002)185
- Kocourek, V., see Dusek, B. 982(2002)127
- Kocsis, B., see Kustos, T. 979(2002)277
- Koel, M., see Vaher, M. 979(2002)27
- Koel, M., see Vaher, M. 990(2003)225
- Koenig, B.G., see Miao, X.-S. 952(2002)139
- Koers, J.M., see Nurok, D. 983(2003)247
- Koh, E., see Mitamura, K. 961(2002)97
- Koh, Y.M., Saleh, M.I. and Tan, S.C.
Selective extraction of salbutamol from human plasma with the use of phenylboronic acid 987(2003)257
- Koistinen, J., see Mannila, M. 975(2002)189
- Kojima, M., Tsunoi, S. and Tanaka, M.
Determination of 4-alkylphenols by novel derivatization and gas chromatography–mass spectrometry 984(2003)237
- Kok, W.Th., see Oudhoff, K.A. 985(2003)479
- Kok, W.Th., see Poppe, H. 965(2002)75
- Kokosa, J.M., see Przyjazny, A. 977(2002)143
- Kokosa, J.M. and Przyjazny, A.
Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205
- Kokta, B.V., see Jandura, P. 969(2002)301
- Kolahgar, B., Hoffmann, A. and Heiden, A.C.
Application of stir bar sorptive extraction to the determination of polycyclic aromatic hydrocarbons in aqueous samples 963(2002)225
- Kolar, J., see Strlič, M. 964(2002)47
- Kolasa, A., see Birkemeyer, C. 993(2003)89
- Kolenc, J., see Strlič, M. 964(2002)47
- Koloini, T., see Mihelič, I. 987(2003)159
- Komenda, M., Schaub, A. and Koppmann, R.
Description and characterization of an on-line system for long-term measurements of isoprene, methyl vinyl ketone, and methacrolein in ambient air 995(2003)185
- Komiya, K., see Kakita, H. 961(2002)77
- Kong, L., see Huang, X. 984(2003)273
- Kong, Y., Zheng, N., Zhang, Z. and Gao, R.
High-performance capillary zone electrophoretic assay for markers of diabetic nephropathy in plasma and urine 987(2003)477
- Konstantinou, I.K., see Sakkas, V.A. 959(2002)215
- Kopka, J., see Birkemeyer, C. 993(2003)89
- Koppmann, R., see Komenda, M. 995(2003)185

- Kornyšova, O., Šurna, R., Snitka, V., Pyell, U. and Maruška, A.
Polyrotaxane approach for synthesis of continuous beds for capillary electrochromatography 971(2002)225
- Korolev, A.A., see Berezkin, V.G. 960(2002)151
- Koropchak, J.A., see You, J. 989(2003)231
- Korytár, P., Leonards, P.E.G., de Boer, J. and Brinkman, U.A.Th.
High-resolution separation of polychlorinated biphenyls by comprehensive two-dimensional gas chromatography 958(2002)203
- Korytár, P., van Stee, L.L.P., Leonards, P.E.G., de Boer, J. and Brinkman, U.A.Th.
Attempt to unravel the composition of toxaphene by comprehensive two-dimensional gas chromatography with selective detection 994(2003)179
- Kostanian, A.E.
Modelling counter-current chromatography: a chemical engineering perspective 973(2002)39
- Kostiainen, R., see Pihlainen, K. 994(2003)93
- Kostiainen, R., see Svedström, U. 968(2002)53
- Kostiainen, R., see Vuorensola, K. 979(2002)179
- Kotani, A., Hayashi, Y., Matsuda, R. and Kusu, F.
Prediction of measurement precision of apparatus using a chemometric tool in electrochemical detection of high-performance liquid chromatography 986(2003)239
- Kotera, K., see Saito, Y. 975(2002)105
- Kotiahio, T., see Vuorensola, K. 979(2002)179
- Kotz, L., see Ehmann, T. 995(2003)217
- Kou, H.-S., see Duh, T.-H. 987(2003)205
- Koudelková, M. and Jedináková-Křížová, V.
Capillary electrophoretic and thin-layer chromatographic characterization of rhenium complexation with 1-hydroxyethylidenediphosphonic acid 990(2003)317
- Koudelková, M., Vinšová, H. and Jedináková-Křížová, V.
Isotachophoretic determination of stability constants of Ho and Y complexes with diethylenetriaminepentaacetic acid and 1,4,7,10-tetraazadodecane-N,N',N'',N'''-tetraacetic acid 990(2003)311
- Koulman, A., see Bos, R. 966(2002)233
- Kovács, Z., see Visky, D. 977(2002)39
- Koval, D., see Sázelová, P. 990(2003)303
- Kowal, J., see LoBrutto, R. 995(2003)67
- Kowalska, T., see Héberger, K. 973(2002)135
- Kowalski, C., see Slawik, T. 952(2002)295
- Krähenbühl, S., see Vernez, L. 984(2003)203
- Král, V., see Charvátová, J. 990(2003)111
- Král, V., see Charvátová, J. 990(2003)159
- Krappe, M., see Papagiannopoulos, M. 958(2002)9
- Krátká, J., see Kvasnička, F. 990(2003)239
- Krause, K.-H., see Varesio, E. 974(2002)135
- Kretzmer, G., see Vlakh, E.G. 992(2003)109
- Krijgsveld, J., see Romijn, E.P. 1000(2003)589
- Krishnan, P.S.G., Veeramani, S., Vora, R.H., Chung, T.-S., Uchimura, S.-I. and Sugitani, H.
Molecular mass determination of polyamic acid ionic salt by size-exclusion chromatography 977(2002)207
- Kristenson, E.M., Kamminga, D.A., Catalina, M.I., Espiga, C., Vreuls, R.J.J. and Brinkman, U.A.Th.
Role of the retaining precolumn in large-volume on-column injections of volatiles to gas chromatography 975(2002)95
- Kristenon, E.M., see Ramos, L. 975(2002)3
- Kroener, L., see Musshoff, F. 958(2002)231
- Krogh, K.A., Vejrup, K.V., Mogensen, B.B. and Halling-Sørensen, B.
Liquid chromatography–mass spectrometry method to determine alcohol ethoxylates and alkylamine ethoxylates in soil interstitial water, ground water and surface water samples 957(2002)45
- Krouskop, P.E. and McGuffin, V.L.
Stochastic simulation of the partition mechanism with a heterogeneous surface phase 959(2002)49
- Krupčík, J., Oswald, P., Májek, P., Sandra, P. and Armstrong, D.W.
Determination of the interconversion energy barrier of enantiomers by separation methods (Review) 1000(2003)779
- Krutz, L.J., Senseman, S.A. and Sciombato, A.S.
Solid-phase microextraction for herbicide determination in environmental samples (Review) 999(2003)103
- Kubáň, P., Karlberg, B., Kubáň, P. and Kubáň, V.
Application of a contactless conductometric detector for the simultaneous determination of small anions and cations by capillary electrophoresis with dual-opposite end injection 964(2002)227
- Kubáň, P., see Kubáň, P. 964(2002)227
- Kubáň, V., see Kubáň, P. 964(2002)227
- Kubátová, A., Jansen, B., Vaudoisot, J.-F. and Hawthorne, S.B.
Thermodynamic and kinetic models for the extraction of essential oil from savory and polycyclic aromatic hydrocarbons from soil with hot (subcritical) water and supercritical CO₂ 975(2002)175
- Kubinec, R., Ševčík, J., Górová, R., Addová, G. and Soják, L.
Theoretical and experimental study of recycle capillary gas chromatography with carrier gas propelled by a peristaltic pump 993(2003)47
- Kubo, T., see Hosoya, K. 979(2002)3
- Kubo, T., Hosoya, K., Watabe, Y., Ikegami, T., Tanaka, N., Sano, T. and Kaya, K.
On-column concentration of bisphenol A with one-step removal of humic acids in water 987(2003)389
- Kudzin, Z.H., Gralak, D.K., Andrijewski, G., Drabowicz, J. and Luczak, J.
Simultaneous analysis of biologically active aminoalkanephosphonic acids 998(2003)183
- Kueh, A.J., Marriott, P.J., Wynne, P.M. and Vine, J.H.
Application of comprehensive two-dimensional gas chromatography to drugs analysis in doping control (Review) 1000(2003)109
- Kuga, S., see Kim, U.-J. 955(2002)191
- Kuhn, M., see Lanz, C. 979(2002)43
- Kuhn, M., see Theurillat, R. 979(2002)353
- Kuldvee, R., see Porras, S.P. 990(2003)35
- Kulhanek, K.M., see Zarzycki, P.K. 955(2002)71
- Kulmala, M., see Adler, H. 990(2003)133
- Kulshreshtha, N.P. and Moldoveanu, S.C.
Analysis of pyridines in mainstream cigarette smoke 985(2003)303

- Kumarathanan, P. and Vincent, R.
New approach to the simultaneous analysis of catecholamines and tyrosines in biological fluids 987(2003)349
- Kumari, P., see Kim, H. 987(2003)243
- Kuroda, N., see Wada, M. 987(2003)189
- Kuschik, P., see Braun, P. 988(2003)41
- Kustos, I., see Kustos, T. 979(2002)277
- Kustos, T., Kustos, I., Gonda, E., Kocsis, B., Szabó, G. and Kílár, F.
Capillary electrophoresis study of outer membrane proteins of *Pseudomonas* strains upon antibiotic treatment 979(2002)277
- Kusu, F., see Kotani, A. 986(2003)239
- Kusumoto, K., see Ohta, K. 956(2002)147
- Kusumoto, K., see Ohta, K. 956(2002)159
- Kusumoto, K., see Ohta, K. 956(2002)173
- Kutlán, D. and Molnár-Perl, I.
New aspects of the simultaneous analysis of amino acids and amines as their *o*-phthaldialdehyde derivatives by high-performance liquid chromatography. Analysis of wine, beer and vinegar 987(2003)311
- Kuusimäki, L., see Pfäffli, P. 982(2002)261
- Kvasnička, F., Bíba, B., Ševčík, R., Voldřich, M. and Krátká, J.
Analysis of the active components of silymarin 990(2003)239
- Kvasnicová, V., Samcová, E., Jursová, A. and Jelínek, I.
Determination of 8-hydroxy-2'-deoxyguanosine in untreated urine by capillary electrophoresis with UV detection 985(2003)513
- Kwaterczak, A., see Bielejewska, A. 977(2002)225
- Kwon, K., see Park, S. 958(2002)183
- Kyriakidis, N.V., see Liapis, K.S. 996(2003)181
- L**
- Laakso, I., see Svedström, U. 968(2002)53
- Laborde-Kummer, E., see Matoga, M. 984(2003)253
- Lachenmeier, D.W., see Musshoff, F. 958(2002)231
- Lacorte, S., see Latorre, A. 991(2003)205
- Lacorte, S., see Martínez, E. 959(2002)181
- Lacorte, S., see Petrovic, M. 959(2002)15
- Lacorte, S., see Rigol, A. 963(2002)265
- Lacorte, S., see Rosell, M. 995(2003)171
- Lahoz-Portolés, F., see Vidal-Carou, M.C. 998(2003)235
- Lai, L., Lin, L.-C., Lin, J.-H. and Tsai, T.-H.
Pharmacokinetic study of free mangiferin in rats by microdialysis coupled with microbore high-performance liquid chromatography and tandem mass spectrometry 987(2003)367
- Lai, W.P., see Cheung, H.Y. 989(2003)303
- Lai, Y.-C., see Huang, H.-Y. 993(2003)153
- Laikhtman, M., see De Borja, B.M. 995(2003)143
- Laitinen, P., see Sirén, H. 979(2002)201
- Lam, T.T., Lanman, J.K., Emmett, M.R., Hendrickson, C.L., Marshall, A.G. and Prevelige, P.E.
Mapping of protein:protein contact surfaces by hydrogen/deuterium exchange, followed by on-line high-performance liquid chromatography–electrospray ionization fourier-transform ion-cyclotron-resonance mass analysis 982(2002)85
- Lamb, J.D., see Niederhauser, T.L. 982(2002)49
- Lambropoulou, D.A. and Albanis, T.A.
Headspace solid-phase microextraction in combination with gas chromatography–mass spectrometry for the rapid screening of organophosphorus insecticide residues in strawberries and cherries 993(2003)197
- Lambropoulou, D.A., Giokas, D.L., Sakkas, V.A., Albanis, T.A. and Karayannis, M.I.
Gas chromatographic determination of 2-hydroxy-4-methoxybenzophenone and octyldimethyl-*p*-aminobenzoic acid sunscreen agents in swimming pool and bathing waters by solid-phase microextraction 967(2002)243
- Lambropoulou, D.A., Sakkas, V.A. and Albanis, T.A.
Analysis of antifouling biocides Irgarol 1051 and Sea Nine 211 in environmental water samples using solid-phase microextraction and gas chromatography 952(2002)215
- Lambropoulou, D.A., Sakkas, V.A., Hela, D.G. and Albanis, T.A.
Application of solid-phase microextraction in the monitoring of priority pesticides in the Kalamas River (N.W. Greece) 963(2002)107
- Lämmerhofer, M., see Piette, V. 987(2003)421
- Lamoree, M.H., Swart, C.P., van der Horst, A. and van Hattum, B.
Determination of diuron and the antifouling paint biocide Irgarol 1051 in Dutch marinas and coastal waters 970(2002)183
- LaMotte, L., see Marcus, R.K. 986(2003)17
- Landín, P., see Llompard, M. 963(2002)137
- Landry, C.C., see Nassivera, T. 973(2002)97
- Lange, R.F.M., see Lou, X. 976(2002)145
- Langlois, M.H., see Matoga, M. 984(2003)253
- Laniewski, K., Wännman, T. and Hagman, G.
Gas chromatography with mass spectrometric, atomic emission and Fourier transform infrared spectroscopic detection as complementary analytical techniques for the identification of unknown impurities in pharmaceutical analysis 985(2003)275
- Lanman, J.K., see Lam, T.T. 982(2002)85
- Lanz, C., Kuhn, M., Bortolotti, F., Tagliaro, F. and Thormann, W.
Evaluation and optimization of capillary zone electrophoresis with different dynamic capillary coatings for the determination of carbohydrate-deficient transferrin in human serum 979(2002)43
- Lanza, F., see Chapuis, F. 999(2003)23
- Lapinjoki, S., see Niiranen, H. 962(2002)95

- Lapizco-Encinas, B.H. and Pinto, N.G.
Comparison of preparative characteristics of micro open parallel plate separators and microbore columns for concentration of trace species by displacement chromatography 989(2003)3
- Lardy, H., see Marwah, A. 964(2002)137
- Larsson, F., see Blomgren, A. 975(2002)157
- Larsson, M., Lindgren, J., Ljunglöf, A. and Knuutila, K.-G.
Confocal Raman and fluorescence spectroscopy applied to polymeric chromatographic adsorbent particles 954(2002)151
- Lasa, J., Mochalski, P., Lokas, E. and Kędzior, L.
Application of a pulse-discharge helium detector to the determination of neon in air and water 968(2002)263
- Lasaroms, J.J.P., see Van Rhijn, J.A. 960(2002)121
- La Torre, F., see Cirilli, R. 993(2003)17
- Latorre, A., see Rigol, A. 963(2002)265
- Latorre, A., Rigol, A., Lacorte, S. and Barceló, D.
Comparison of gas chromatography–mass spectrometry and liquid chromatography–mass spectrometry for the determination of fatty and resin acids in paper mill process waters 991(2003)205
- Latorre, R.M., Saurina, J. and Hernández-Cassou, S.
Continuous flow derivatization system coupled to capillary electrophoresis for the determination of amino acids 976(2002)55
- Lau, B.P.-Y., Scott, P.M., Lewis, D.A., Kanhere, S.R., Cléroux, C. and Roscoe, V.A.
Liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry of the *Alternaria* mycotoxins alternariol and alternariol monomethyl ether in fruit juices and beverages 998(2003)119
- Laub, C.
Reproducible preparative liquid chromatography columns 992(2003)41
- Laughlin, M., see Kim, H. 987(2003)243
- Laurent, C., see Buch, A. 999(2003)165
- Law, R.J., see de Boer, J. 1000(2003)223
- Layne, J.
Characterization and comparison of the chromatographic performance of conventional, polar-embedded, and polar-endcapped reversed-phase liquid chromatography stationary phases 957(2002)149
- Lázár, I., see Iványi, T. 954(2002)99
- Le, A., see Niederer, B. 996(2003)189
- Le Bouhellec, S., see Taylor, M.J. 982(2002)225
- Le Gac, M., Lespes, G. and Potin-Gautier, M.
Rapid determination of organotin compounds by headspace solid-phase microextraction 999(2003)123
- Lean, M.E.J., see Mullen, W. 966(2002)63
- Leão, J.M., see Gago-Martínez, A. 992(2003)159
- Lederer, A., Voigt, D., Clausnitzer, C. and Voit, B.
Structure characterization of hyperbranched poly(ether amide)s. I. Preparative fractionation 976(2002)171
- Ledford Jr., E.B., see Reichenbach, S.E. 985(2003)47
- Ledin, A., see Ask Reitzel, L. 972(2002)175
- Lee, C., see McGuffin, V.L. 987(2003)3
- Lee, C.S., see Li, Y. 979(2002)241
- Lee, C.S., see Mohan, D. 979(2002)271
- Lee, D. and Teraoka, I.
Scale-up study of high osmotic pressure chromatography for separation of poly(ϵ -caprolactone) 996(2003)71
- Lee, D., Teraoka, I., Fujiwara, T. and Kimura, Y.
Composition analysis of poly(ethylene glycol)–poly(L-lactide) diblock copolymer studied by two-dimensional column chromatography 966(2002)41
- Lee, D.-S., see Kim, N.-S. 982(2002)31
- Lee, D.W., see Kim, D.-H. 984(2003)153
- Lee, E.-Y., see Cho, Y.-H. 977(2002)69
- Lee, H., see Yang, C. 979(2002)307
- Lee, H.G. and Fritsche, E.
Determination of biotin on a protein by quantitative sodium dodecyl sulfate–capillary gel electrophoresis of monomeric avidin 994(2003)213
- Lee, H.-H., see Cho, H.-J. 988(2003)177
- Lee, H.K., see Basheer, C. 968(2002)191
- Lee, H.K., see Hou, L. 976(2002)377
- Lee, H.K., see Hou, L. 979(2002)163
- Lee, H.K., see Hou, L. 985(2003)107
- Lee, H.K., see Shen, G. 985(2003)167
- Lee, H.K., see Tu, C. 966(2002)205
- Lee, H.K., see Zhao, L. 963(2002)239
- Lee, H.K., see Zhu, L. 963(2002)231
- Lee, H.K., see Zhu, L. 963(2002)335
- Lee, H.K., see Zhu, X.R. 976(2002)393
- Lee, K.-P., see Choi, S.-H. 987(2003)323
- Lee, K.-P., Choi, S.-H., Kim, S.-Y., Kim, T.-H., Ryoo, J.J., Ohta, K., Jin, J.-Y., Takeuchi, T. and Fujimoto, C.
Comparison of monomeric and polymeric chiral stationary phases 987(2003)111
- Lee, K.-P., see Ohta, K. 997(2003)117
- Lee, K.-P., see Ryoo, J.J. 987(2003)429
- Lee, L.-T., see Pan, I.-H. 977(2002)239
- Lee, M.L., see Juvancz, Z. 982(2002)119
- Lee, M.L., see Peterson, Z.D. 992(2003)169
- Lee, M.L., see Shah, R.S. 952(2002)267
- Lee, M.L., see Wang, Q. 985(2003)455
- Lee, M.L., see Wu, Q. 954(2002)247
- Lee, M.L., see Wu, Q. 967(2002)289
- Lee, M.L., see Xiang, Y. 983(2003)83
- Lee, M.L., see Xiang, Y. 991(2003)189
- Lee, M.-S., Yang, D.-Y., Cheng, C.-L., Liang, Y.-J., Yang, L.-L. and Cheng, F.-C.
Ginkgo biloba extract preserves pyruvate and enhances ascorbate in the cortex of gerbils during focal cerebral ischemia. A microdialysis–liquid chromatography study 985(2003)387
- Lee, S.-H., see Cho, H.-J. 988(2003)177
- Lee, W.-C., see Hwang, C.-C. 962(2002)69
- Lee, W.-T., see Wang, S.-P. 987(2003)269
- Lee, Y.-M., see Cho, Y.-H. 977(2002)69
- Leermakers, F.A.M., Philipsen, H.J.A. and Klumperman, B.
Molecular modelling of chain end effects in separating oligomers by reversed-phase gradient polymer elution chromatography; adsorption transition as revealed by a self-consistent-field theory for polymer adsorption 959(2002)37

- Legido-Quigley, C., Smith, N.W. and Mallet, D.
Quantification of the sensitivity increase of a micro-high-performance liquid chromatography–electrospray ionization mass spectrometry system with decreasing column diameter 976(2002)11
- Legoux, R., see Soares, C.R.J. 955(2002)229
- Legrand, S., Dugay, J. and Vial, J.
Use of solid-phase microextraction coupled with gas chromatography for the determination of residual solvents in pharmaceutical products 999(2003)195
- Lehane, M., see Fernández Amandi, M. 976(2002)329
- Lehane, M., see Moroney, C. 963(2002)353
- Lehmann, H., see Apostolidis, A. 967(2002)183
- Lehotay, S.J., see Kochman, M. 974(2002)185
- Lehotay, S.J., see Maštovská, K. 1000(2003)153
- Lei, Y., see Wang, K. 956(2002)109
- Lein, S., Van Boven, M., Holser, R., Decuypere, E., Flo, G., Lievens, S. and Cokelaere, M.
Simultaneous determination of carbohydrates and simmondsins in jojoba seed meal (*Simmondsia chinensis*) by gas chromatography 977(2002)257
- Len, C., see Lipka-Belloli, E. 972(2002)211
- Lenfant, F., see Boutboul, A. 969(2002)9
- Lenz, E., see Saha, S. 991(2003)143
- León, V.M., Álvarez, B., Cobollo, M.A., Muñoz, S. and Valor, I.
Analysis of 35 priority semivolatiles in water by stir bar sorptive extraction–thermal desorption–gas chromatography–mass spectrometry. I. Method optimisation 999(2003)91
- Leonards, P.E.G., see Korytár, P. 958(2002)203
- Leonards, P.E.G., see Korytár, P. 994(2003)179
- Leong, L.P., see Shui, G. 977(2002)89
- Lerch, O. and Zinn, P.
Derivatisation and gas chromatography–chemical ionisation mass spectrometry of selected synthetic and natural endocrine disruptive chemicals 991(2003)77
- Lercker, G., see Bendini, A. 985(2003)425
- Lercker, G., see Cercaci, L. 985(2003)211
- Lercker, G., Rodríguez-Estrada, M.T. and Bonoli, M.
Analysis of the oxidation products of *cis*- and *trans*-octadecenoate methyl esters by capillary gas chromatography–ion-trap mass spectrometry. I. Epoxide and dimeric compounds 985(2003)333
- Lesellier, E., Gurdale, K. and Tchaplá, A.
Interaction mechanisms on octadecyl packed columns in subcritical fluid chromatography with CO₂–modifier mobile phases 975(2002)335
- Lespes, G., see Aguerre, S. 999(2003)61
- Lespes, G., see Le Gac, M. 999(2003)123
- Lestremau, F., Desauziers, V., Roux, J.-C. and Fanlo, J.-L.
Development of a quantification method for the analysis of malodorous sulphur compounds in gaseous industrial effluents by solid-phase microextraction and gas chromatography–pulsed flame photometric detection 999(2003)71
- Leung, F.M., see Cheung, H.Y. 989(2003)303
- Leung, H.W., see Choi, M.P.K. 983(2003)153
- Leung, S.-A. and de Mello, A.J.
Electrophoretic analysis of amines using reversed-phase, reversed-polarity, head-column field-amplified sample stacking and laser-induced fluorescence detection 979(2002)171
- Leuthardt, S., see Tanyanyiwa, J. 978(2002)205
- Levison, P.R., see Ling, T.C. 989(2003)109
- Levsen, K., see Elflein, L. 985(2003)147
- Levsen, K., see Mullett, W.M. 963(2002)325
- Levsen, K., see Walles, M. 970(2002)117
- Lewandowska, A., see Bruno, T.J. 973(2002)143
- Lewis, D.A., see Lau, B.P.-Y. 998(2003)119
- Li, D., see He, X. 982(2002)285
- Li, F., see Qiao, M. 952(2002)131
- Li, G., see Yang, C. 979(2002)307
- Li, H., see Polášková, P. 979(2002)59
- Li, J.
Comparison of the capability of peak functions in describing real chromatographic peaks 952(2002)63
- Li, J.
Prediction of internal standards in reversed-phase liquid chromatography. III. Evaluation of an alternative solvation parameter model to correlate and predict the retention of ionizable compounds 982(2002)209
- Li, J. and Shah, D.S.
Prediction of internal standards in reversed-phase liquid chromatography. II. Selectivity optimization and internal standard prediction for the quantitation of estradiol and levonorgestrel in a transdermal drug delivery formulation based on the linear solvation energy relationships 954(2002)159
- Li, K., see Wang, Z. 971(2002)173
- Li, M., see Cao, C.-X. 952(2002)39
- Li, M., Zhang, G. and Su, Z.
Dual gradient ion-exchange chromatography improved refolding yield of lysozyme 959(2002)113
- Li, M.-J., see Chen, T.-Y. 976(2002)39
- Li, S. and Fritz, J.S.
Organic modifiers for the separation of organic acids and bases by liquid chromatography 964(2002)91
- Li, S.F.Y., see Feng, H.-T. 973(2002)243
- Li, S.F.Y., see Qin, W. 985(2003)447
- Li, S.F.Y., see Wang, T. 987(2003)485
- Li, X.-Q. and Messmer, M.C.
Comparison of model monomeric and polymeric alkyl stationary phases on silica using sum-frequency spectroscopy 984(2003)19
- Li, X.Yu., see Song, M.S. 961(2002)155
- Li, Y., Cooper, J.W. and Lee, C.S.
Miniaturized membrane-based reversed-phase chromatography and enzyme reactor for protein digestion, peptide separation, and protein identification using electrospray ionization mass spectrometry 979(2002)241
- Li, Y.-K., see Pan, I.-H. 977(2002)239
- Li, Z., Yang, G., Wang, B., Jiang, C. and Yin, J.
Determination of transition metal ions in tobacco as their 2-(2-quinolinylazo)-5-dimethylaminophenol derivatives using reversed-phase liquid chromatography with UV–VIS detection 971(2002)243

- Li, Z.-Y., Zhang, Z.-C., Zhou, Q.-L., Gao, R.-Y. and Wang, Q.-S.
Fast and precise determination of phenthoate and its enantiomeric ratio in soil by the matrix solid-phase dispersion method and liquid chromatography 977(2002)17
- Lian, H.-Z., Kang, Y.-F., Yasin, A., Bi, S.-P., Shao, D.-L., Chen, Y.-J., Dai, L.-M. and Tian, L.-C.
Determination of aluminum in environmental and biological samples by reversed-phase high-performance liquid chromatography via pre-column complexation with morin 993(2003)179
- Lian, J.-H., see Wu, C.-H. 976(2002)423
- Liang, A., see He, X. 982(2002)285
- Liang, D., see Chu, B. 966(2002)1
- Liang, S. and Tilotta, D.C.
Determination of total petroleum hydrocarbons in soil by dynamic on-line supercritical fluid extraction with infrared photometric detection 986(2003)319
- Liang, X., see Xu, F. 968(2002)7
- Liang, X.M., see Xue, X.Y. 957(2002)37
- Liang, Y.-J., see Lee, M.-S. 985(2003)387
- Liang, Y.-Z., see Xu, Q.-S. 998(2003)155
- Liao, C.-H., see Chang, S.Y. 959(2002)309
- Liao, W., see Liu, Y. 968(2002)71
- Liao, W.-S., see Chen, K.-H. 979(2002)399
- Liao, W.-S., see Lin, C.-E. 971(2002)261
- Liapis, A.I., see Grimes, B.A. 979(2002)447
- Liapis, K.S., Aplada-Sarlis, P. and Kyriakidis, N.V.
Rapid multi-residue method for the determination of azinphos methyl, bromopropylate, chlorpyrifos, dimethoate, parathion methyl and phosalone in apricots and peaches by using negative chemical ionization ion trap technology 996(2003)181
- Libong, D., see Pirnay, S. 954(2002)235
- Lienqueo, M.E., Mahn, A. and Asenjo, J.A.
Mathematical correlations for predicting protein retention times in hydrophobic interaction chromatography 978(2002)71
- Lievens, S., see Lein, S. 977(2002)257
- Lightfoot, E.N., see Teeters, M.A. 989(2003)165
- Lim, J., see Kim, H. 987(2003)243
- Lim, P., see Ogle, D. 979(2002)155
- Lim, P., see Spanik, I. 960(2002)241
- Lin, B., see He, X. 982(2002)285
- Lin, B., see Xu, F. 968(2002)7
- Lin, C.-C., see Kim, H. 987(2003)243
- Lin, C.-E., see Chen, K.-H. 979(2002)399
- Lin, C.-E., Chen, K.-H., Hsiao, Yu.-Y., Liao, W.-S. and Chen, C.-C.
Enantioseparation of phenothiazines in cyclodextrin-modified micellar electrokinetic chromatography 971(2002)261
- Lin, J., see Niessen W.M.A. 970(2002)131
- Lin, J.-H., see Lai, L. 987(2003)367
- Lin, J.-M., see Wang, M. 989(2003)285
- Lin, L.-C., see Lai, L. 987(2003)367
- Lin, M.F., see Chang, Y.L. 961(2002)119
- Lin, M.-N., see Wu, C.-H. 996(2003)225
- Lin, S.J., see Guo, L. 998(2003)221
- Lin, S.-L., see Wang, Q. 985(2003)455
- Lin, W.-Y., see Chen, K.-H. 979(2002)399
- Lin, X.-q., see Qu, Q.-s. 983(2003)255
- Lin, Ya.-H., see Hsieh, Y.-Y. 952(2002)255
- Lin, Y.-W., see Wang, S.-J. 979(2002)261
- Lin, Z., see Antonucci, V. 983(2003)73
- Lindberg, W., see Wan, H. 979(2002)369
- Lindeberg Bille, R.L., see Axel Clausen, P. 986(2003)179
- Lindgren, J., see Larsson, M. 954(2002)151
- Lindholm, J., see Forssén, P. 991(2003)31
- Lindholm, J., Westerlund, D., Karlsson, K.-E., Caldwell, K. and Fornstedt, T.
Use of liquid chromatography–diode-array detection and mass spectrometry for rapid product identification in biotechnological synthesis of a hydroxyprogesterone 992(2003)85
- Lindner, W., see Oberleitner, W.R. 960(2002)97
- Lindner, W., see Piette, V. 987(2003)421
- Lindner, W., see Poppe, H. 960(2002)1
- Lindsay, D., see Taylor, M.J. 982(2002)225
- Ling, T.C., Lyddiatt, A., Carmichael, I., Purdom, G., Hathi, P. and Levison, P.R.
Direct enzyme adsorption from an unclarified microbial feedstock using suspended bed chromatography 989(2003)109
- Linhardt, R.J., see Chaidedgumjorn, A. 959(2002)95
- Lipka-Belloli, E., Glaçon, V., Mackenzie, G., Ewing, D., Len, C., Vaccher, C. and Bonte, J.-P.
Determination of the enantiomeric purity of nucleoside analogs related to d4T and acyclovir, new potential antiviral agents, using liquid chromatography on cellulose chiral stationary phases 972(2002)211
- Lipshutz, B.H., see Hyun, M.H. 959(2002)75
- Liu, B., see Cai, J. 964(2002)205
- Liu, C.-L., see Zhu, P.-L. 988(2003)25
- Liu, C.-Y., see Pai, Y.-F. 982(2002)293
- Liu, G., Yu, H., Yan, H., Shi, Z. and He, B.
Utilization of synergetic effect of weak interactions in the design of polymeric sorbents with high sorption selectivity 952(2002)71
- Liu, H., Sabus, C., Carter, G.T. and Tischler, M.
Use of a linear gradient flow program for liquid chromatography–mass spectrometry protein-binding studies 955(2002)237
- Liu, J.-f., see Chao, J.-b. 955(2002)183
- Liu, J.-f., Chao, J.-b., Jiang, G.-b., Cai, Y.-q. and Liu, J.-m.
Trace analysis of sulfonylurea herbicides in water by on-line continuous flow liquid membrane extraction–C₁₈ precolumn liquid chromatography with ultraviolet absorbance detection 995(2003)21
- Liu, J.-m., see Chao, J.-b. 955(2002)183
- Liu, J.-m., see Liu, J.-f. 995(2003)21
- Liu, M., see Sedo, K.R. 988(2003)297
- Liu, M.-C., see Zhu, P.-L. 988(2003)25
- Liu, S., Tian, X., Chen, X. and Hu, Z.
Separation of diastereoisomers of podophyllum lignans by micellar electrokinetic chromatography 959(2002)263
- Liu, W., see Du, Y. 962(2002)221
- Liu, X., see Kaczmarek, K. 962(2002)57

- Liu, X., Szabelski, P., Kaczmarek, K., Zhou, D. and Guiochon, G.
Influence of pressure on the chromatographic behavior of insulin variants under nonlinear conditions 988(2003)205
- Liu, X., Yang, L.-X. and Lu, Y.-T.
Determination of biogenic amines by 3-(2-furoyl)quinoline-2-carboxaldehyde and capillary electrophoresis with laser-induced fluorescence detection 998(2003)213
- Liu, X.-Y., Nakamura, C., Yang, Q., Kamo, N. and Miyake, J.
Immobilized liposome chromatography to study drug–membrane interactions. Correlation with drug absorption in humans 961(2002)113
- Liu, Y., see Berthod, A. 955(2002)53
- Liu, Y., Berthod, A., Mitchell, C.R., Xiao, T.L., Zhang, B. and Armstrong, D.W.
Super/subcritical fluid chromatography chiral separations with macrocyclic glycopeptide stationary phases 978(2002)185
- Liu, Y., Jiang, X.-L., Liao, W. and Guan, H.-S.
Analysis of oligoguluronic acids with NMR, electrospray ionization–mass spectrometry and high-performance anion-exchange chromatography 968(2002)71
- Liu, Y., see Lu, Z. 956(2002)129
- Liu, Y. and Mou, S.
Determination of trace levels of haloacetic acids and perchlorate in drinking water by ion chromatography with direct injection 997(2003)225
- Liu, Y., Mou, S. and Heberling, S.
Determination of trace level bromate and perchlorate in drinking water by ion chromatography with an evaporative preconcentration technique 956(2002)85
- Liu, Y., see Novič, M. 957(2002)165
- Liu, Y.-M. and Cheng, J.-K.
Ultrasensitive chemiluminescence detection in capillary electrophoresis (Review) 959(2002)1
- Liu, Z., Otsuka, K. and Terabe, S.
Modeling of retention behavior in capillary electrochromatography from chromatographic and electrophoretic data 959(2002)241
- Liu, Z., Otsuka, K. and Terabe, S.
Evaluation of extended light path capillary and etched capillary for use in open tubular capillary electrochromatography 961(2002)285
- Liu, Z., see Zhang, M. 984(2003)173
- Ljunglöf, A., see Larsson, M. 954(2002)151
- Llobet, I., see Martínez, E. 959(2002)181
- Llompart, M., see García-Jares, C. 963(2002)277
- Llompart, M., García-Jares, C., Salgado, C., Polo, M. and Cela, R.
Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction 999(2003)185
- Llompart, M., see Lores, M. 963(2002)37
- Llompart, M., Lores, M., Lourido, M., Sánchez-Prado, L. and Cela, R.
On-fiber photodegradation after solid-phase microextraction of *p,p'*-DDT and two of its major photoproducts, *p,p'*-DDE and *p,p'*-DDD 985(2003)175
- Llompart, M., Lourido, M., Landín, P., García-Jares, C. and Cela, R.
Optimization of a derivatization–solid-phase microextraction method for the analysis of thirty phenolic pollutants in water samples 963(2002)137
- Llorens, A., see Mateo, J.J. 955(2002)245
- Lo, J.-G., see Wu, C.-H. 976(2002)423
- Lo, J.-G., see Wu, C.-H. 996(2003)225
- Lo, Y.-S., see Wu, C.-H. 996(2003)225
- Lobiński, R., see Bouyssiere, B. 976(2002)431
- LoBrutto, R., Berezinski, Y., Novak, T.J., DiMichele, L., Pan, L., Jourmet, M., Kowal, J. and Grinberg, N.
Kinetic analysis and subambient temperature on-line on-column derivatization of an active aldehyde 995(2003)67
- LoBrutto, R., see Jones, A. 964(2002)179
- Lodén, H., Hedeland, Y., Hedeland, M., Bondesson, U. and Pettersson, C.
Development of a chiral non-aqueous capillary electrophoretic system using the partial filling technique with UV and mass spectrometric detection 986(2003)143
- Löffler, D. and Ternes, T.A.
Analytical method for the determination of the aminoglycoside gentamicin in hospital wastewater via liquid chromatography–electrospray-tandem mass spectrometry 1000(2003)583
- Logan, G.A., see Calvo, E. 989(2003)197
- Loiodice, F., see Calleri, E. 958(2002)131
- Lokas, E., see Lasa, J. 968(2002)263
- Longo, F., see Cinquina, A.L. 987(2003)221
- Longo, F., see Cinquina, A.L. 987(2003)227
- Loosveld, A.-M., see Gelders, G.G. 992(2003)75
- Lopes, N.P., Collins, K.E. and Jardim, I.C.S.F.
Preparation of a polybutadiene stationary phase immobilized by γ radiation for reversed-phase high-performance liquid chromatography 987(2003)77
- López de Alda, M.J., see Petrovic, M. 974(2002)23
- Lopez de Alda, M.J., Díaz-Cruz, S., Petrovic, M. and Barceló, D.
Liquid chromatography–(tandem) mass spectrometry of selected emerging pollutants (steroid sex hormones, drugs and alkylphenolic surfactants) in the aquatic environment (Review) 1000(2003)503
- Lopez, L.A. and Rutan, S.C.
Comparison of methods for characterization of reversed-phase liquid chromatographic selectivity 965(2002)301
- López, R., Aznar, M., Cacho, J. and Ferreira, V.
Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection 966(2002)167
- Lopez-Avila, V., van de Goor, T., Gaš, B. and Coufal, P.
Separation of haloacetic acids in water by capillary zone electrophoresis with direct UV detection and contactless conductivity detection 993(2003)143
- López-Blanco, M.C., Blanco-Cid, S., Cancho-Grande, B. and Simal-Gándara, J.
Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

- López-Blanco, M.C., Cancho-Grande, B. and Simal-Gándara, J.
Comparison of solid-phase extraction and solid-phase microextraction for carbofuran in water analyzed by high-performance liquid chromatography–photodiode-array detection 963(2002)117
- López-Blanco, M.C., Reboreda-Rodríguez, B., Cancho-Grande, B. and Simal-Gándara, J.
Optimization of solid-phase extraction and solid-phase microextraction for the determination of α - and β -endosulfan in water by gas chromatography–electron-capture detection 976(2002)293
- López-García, I., see Viñas, P. 978(2002)249
- López-Hernández, J., see Sánchez-Machado, D.I. 976(2002)277
- López-Mahía, P., see Concha-Graña, E. 958(2002)17
- Lopez-Soto-Yarritu, P., Díez-Masa, J.C., Cifuentes, A. and de Frutos, M.
Improved capillary isoelectric focusing method for recombinant erythropoietin analysis 968(2002)221
- López-Tamames, E., see Vichi, S. 983(2003)19
- López-Vera, F., see Santoyo, E. 956(2002)279
- Lord, H., see Wu, J. 976(2002)357
- Lorenzo, R.A., see Rodil, R. 963(2002)313
- Lorenzo, R.A., see Rodríguez, I. 985(2003)265
- Lores, M., see González-Barreiro, C. 993(2003)29
- Lores, M., see Llompart, M. 985(2003)175
- Lores, M., Llompart, M., González-García, R., González-Barreiro, C. and Cela, R.
Photolysis of polychlorinated biphenyls by solid-phase microextraction. “On-fibre” versus aqueous photodegradation 963(2002)37
- Lou, X., van Dongen, J.L.J., Janssen, H.M. and Lange, R.F.M.
Characterization of poly(butylene terephthalate) by size-exclusion chromatography and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry 976(2002)145
- Loukili, B., Dufresne, C., Jourdan, E., Grosset, C., Ravel, A., Villet, A. and Peyrin, E.
Study of tryptophan enantiomer binding to a teicoplanin-based stationary phase using the perturbation technique. Investigation of the role of sodium perchlorate in solute retention and enantioselectivity 986(2003)45
- Loukou, Z. and Zotou, A.
Determination of biogenic amines as dansyl derivatives in alcoholic beverages by high-performance liquid chromatography with fluorimetric detection and characterization of the dansylated amines by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 996(2003)103
- Lourido, M., see Llompart, M. 963(2002)137
- Lourido, M., see Llompart, M. 985(2003)175
- Low, D., see McCue, J.T. 989(2003)139
- Lozano, C., Cascante, M. and Torres, J.L.
Cation-exchange micropreparative separation of galloylated and non-galloylated sulphur conjugated catechins 973(2002)229
- Lozinsky, V.I., see Arvidsson, P. 977(2002)27
- Lozinsky, V.I., see Arvidsson, P. 986(2003)275
- Lu, C.-H., see Pan, I.-H. 977(2002)239
- Lu, C.-Y., see Duh, T.-H. 987(2003)205
- Lu, H.-T., Jiang, Y. and Chen, F.
Preparative separation and purification of squalene from the microalga *Thraustochytrium* ATCC 26185 by high-speed counter-current chromatography 994(2003)37
- Lu, P.C., see Xue, X.Y. 957(2002)37
- Lu, X. and Chen, Y.
Chiral separation of amino acids derivatized with fluoresceine-5-isothiocyanate by capillary electrophoresis and laser-induced fluorescence detection using mixed selectors of β -cyclodextrin and sodium taurocholate 955(2002)133
- Lu, Y.-T., see Liu, X. 998(2003)213
- Lu, Z., Liu, Y., Barreto, V., Pohl, C., Avdalovic, N., Joyce, R. and Newton, B.
Determination of anions at trace levels in power plant water samples by ion chromatography with electrolyte eluent generation and suppression 956(2002)129
- Lua, A.C. and Chou, T.-Y.
Preparation of immunoaffinity columns for direct enantiomeric separation of amphetamine and/or methamphetamine 967(2002)191
- Lubbard, S., Mayr, B., Huber, C.G. and Buchmeiser, M.R.
Micropreparative fractionation of DNA fragments on metathesis-based monoliths: influence of stoichiometry on separation 959(2002)121
- Lubda, D., see Chiap, P. 975(2002)145
- Lubda, D., see Mullett, W.M. 963(2002)325
- Lucas, S.V., see Sinha, A.E. 983(2003)195
- Luckas, B., see Dahlmann, J. 994(2003)45
- Lucy, C.A., see Baryla, N.E. 956(2002)271
- Lucy, C.A., see Chong, J. 997(2003)161
- Lucy, C.A., see Harrison, C.R. 956(2002)237
- Lucy, C.A., see Jiang, J. 966(2002)239
- Lucy, C.A., see Pelletier, S. 972(2002)221
- Lucy, C.A., see Roy, K.I. 964(2002)213
- Lucy, C.A.
Evolution of ion-exchange: from Moses to the Manhattan Project to Modern Times (Review) 1000(2003)711
- Luczak, J., see Kudzin, Z.H. 998(2003)183
- Lüdtke, S., see Grimes, B.A. 979(2002)447
- Lund, H., see Hartonen, K. 958(2002)239
- Lundanes, E., see Holm, A. 983(2003)43
- Lundgren, K., van Bavel, B. and Tysklind, M.
Development of a high-performance liquid chromatography carbon column based method for the fractionation of dioxin-like polychlorinated biphenyls 962(2002)79
- Luo, Q., see Huang, X. 984(2003)273
- Luo, Q., see Zou, H. 954(2002)5
- Luo, X., see He, J. 994(2003)207
- Luo, X.-B., Chen, B., Yao, S.-Z. and Zeng, J.-G.
Simultaneous analysis of caffeic acid derivatives and alkamides in roots and extracts of *Echinacea purpurea* by high-performance liquid chromatography–photodiode array detection–electrospray mass spectrometry 986(2003)73
- Luque de Castro, M.D., see Caballo-López, A. 998(2003)51
- Luque de Castro, M.D., see Luque-García, J.L. 959(2002)25
- Luque de Castro, M.D., see Luque-García, J.L. 998(2003)21
- Luque de Castro, M.D., see Morales-Muñoz, S. 978(2002)49
- Luque de Castro, M.D., see Prados-Rosales, R.C. 953(2002)133

- Luque de Castro, M.D., see Priego-López, E. 976(2002)399
 Luque de Castro, M.D., see Prados-Rosales, R.C. 993(2003)121
 Luque de Castro, M.D., see Priego-Capote, F. 994(2003)159
 Luque García, J.L., see Prados-Rosales, R.C. 993(2003)121
 Luque-García, J.L. and Luque de Castro, M.D.
 Coupling continuous subcritical water extraction, filtration, pre-concentration, chromatographic separation and UV detection for the determination of chlorophenoxy acid herbicides in soils 959(2002)25
 Luque-García, J.L. and Luque de Castro, M.D.
 Extraction of polychlorinated biphenyls from soils by automated focused microwave-assisted Soxhlet extraction 998(2003)21
 Luque-García, J.L., see Morales-Muñoz, S. 978(2002)49
 Luque-García, J.L., see Prados-Rosales, R.C. 953(2002)133
 Luque-García, J.L., see Priego-Capote, F. 994(2003)159
 Lurie, I.S., Panicker, S., Hays, P.A., Garcia, A.D. and Geer, B.L.
 Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109
 Lyddiatt, A., see Ling, T.C. 989(2003)109
 Lydiard, D.D., see Weatherly, G.T. 952(2002)99
- M**
- Ma, H.-M., Wang, Z.-H. and Su, M.-H.
 New triazine spectroscopic reagent for the separation of DL-amino acids by micellar electrokinetic chromatography 955(2002)125
 Ma, X., Tu, P., Chen, Y., Zhang, T., Wei, Y. and Ito, Y.
 Preparative isolation and purification of two isoflavones from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 992(2003)193
 Ma, X., Zhang, T., Wei, Y., Tu, P., Chen, Y. and Ito, Y.
 Preparative isolation and purification of calycosin from *Astragalus membranaceus* Bge. var. *mongholicus* (Bge.) Hsiao by high-speed counter-current chromatography 962(2002)243
 Maccarrone, G., see Cucinotta, V. 979(2002)137
 Machold, C., Deinhofer, K., Hahn, R. and Jungbauer, A.
 Hydrophobic interaction chromatography of proteins. I. Comparison of selectivity 972(2002)3
 Macías, S., see García-Jares, C. 963(2002)277
 Macka, M., see Johns, C. 997(2003)87
 Macka, M., see Zakaria, P. 985(2003)493
 Macka, M., see Zakaria, P. 997(2003)207
 Mackay, L., see Johnston, L. 982(2002)97
 Mackenzie, G., see Lipka-Belloli, E. 972(2002)211
 Mackenzie, L., see Suzuki, T. 992(2003)141
 Macko, T., Pasch, H., Kazakevich, Y.V. and Fadeev, A.Y.
 Elution behavior of polyethylene in polar mobile phases on a non-polar sorbent 988(2003)69
 Madea, B., see Musshoff, F. 958(2002)231
 Madera, M., Höflinger, W. and Kadnar, R.
 Ion chromatographic identification and quantification of glycol degradation products 997(2003)279
 Madera, M., see Kadnar, R. 997(2003)285
 Maes, R.A.A., see Guetens, G. 976(2002)229
 Maes, R.A.A., see Guetens, G. 976(2002)239
 Maes, R.A.A., see Van de Kerkhof, D.H. 954(2002)199
 Maftouh, M., see Perrin, C. 966(2002)119
 Maghuin-Rogister, G., see Van Vyncht, G. 952(2002)121
 Magno, S., see Ciminiello, P. 968(2002)61
 Mahn, A., see Lienqueo, M.E. 978(2002)71
 Maier, N.M., see Oberleitner, W.R. 960(2002)97
 Maio, G., see Papagiannopoulos, M. 958(2002)9
 Maione, M., see Mangani, G. 988(2003)167
 Májek, P., see Krupčík, J. 1000(2003)779
 Makarov, E.D., see Berezkin, V.G. 985(2003)63
 Makino, T., see Chetiyankornkul, T. 961(2002)107
 Maldonado, O., see Brent Busby, M. 990(2003)63
 Malleret, L., Dugay, J., Bruchet, A. and Hennion, M.-C.
 Simultaneous determination of “earthy-musty” odorous haloanisoles and their corresponding halophenols in water samples using solid-phase microextraction coupled to gas chromatography with electron-capture detection 999(2003)135
 Mallet, D., see Legido-Quigley, C. 976(2002)11
 Malmquist, G., see Bylund, D. 961(2002)237
 Malyukova, I.V., see Berezkin, V.G. 960(2002)151
 Mandalakis, M. and Gustafsson, Ö.
 Optimization of a preparative capillary gas chromatography–mass spectrometry system for the isolation and harvesting of individual polycyclic aromatic hydrocarbons 996(2003)163
 Mandat, K., see Bafeltowska, J. 976(2002)249
 Mandon, N., see Arnault, I. 991(2003)69
 Mañes, J., see Navarro, M. 968(2002)201
 Manesiotis, P., see Theodoridis, G. 987(2003)103
 Manetto, G., Silvana Bellini, M. and Deyl, Z.
 Application of capillaries with minimized electroosmotic flow to the electrokinetic study of acidic drug– β -oleoyl- γ -palmitoyl-L- α -phosphatidyl choline liposome interactions 990(2003)205
 Manetto, G., Silvana Bellini, M. and Deyl, Z.
 Affinity electrochromatography of acidic drugs using a liposome-modified capillary 990(2003)281
 Mangani, G., Berloni, A. and Maione, M.
 “Cold” solid-phase microextraction method for the determination of volatile halocarbons present in the atmosphere at ultra-trace levels 988(2003)167
 Mangelings, D., see Perrin, C. 966(2002)119
 Mangia, A., see Bruzzoniti, M.C. 997(2003)51
 Mangia, A., see Careri, M. 1000(2003)609
 Mann, M., see Ishihama, Y. 979(2002)233

- Mannila, M., Koistinen, J. and Vartiainen, T.
Development of supercritical fluid extraction with a solid-phase trapping for fast estimation of toxic load of polychlorinated dibenzo-*p*-dioxins-dibenzofurans in sawmill soil 975(2002)189
- Mant, C.T. and Hodges, R.S.
Reversed-phase liquid chromatography as a tool in the determination of the hydrophilicity/hydrophobicity of amino acid side-chains at a ligand–receptor interface in the presence of different aqueous environments. I. Effect of varying receptor hydrophobicity 972(2002)45
- Mant, C.T. and Hodges, R.S.
Reversed-phase liquid chromatography as a tool in the determination of the hydrophilicity/hydrophobicity of amino acid side-chains at a ligand–receptor interface in the presence of different aqueous environments. II. Effect of varying peptide ligand hydrophobicity 972(2002)61
- Mant, C.T. and Hodges, R.S.
Preparative reversed-phase liquid chromatography of proteins from rabbit skeletal troponin, a multi-protein complex 972(2002)101
- Mant, C.T., see Mehok, A.R. 972(2002)87
- Mantler, C., see Ehmann, T. 995(2003)217
- Mao, C. and Tucker, S.A.
High-performance liquid chromatographic separation of polycyclic aromatic hydrocarbons using pyridinium chloride as a selective fluorescence quencher to aid detection 966(2002)53
- Maquieira, A., see Gabaldón, J.A. 963(2002)125
- Marc, P., see Pesek, J.J. 986(2003)253
- Marcé, R.M., see Brossa, L. 963(2002)287
- Marcé, R.M., see Brossa, L. 998(2003)41
- Marcé, R.M., see Caro, E. 963(2002)169
- Marcé, R.M., see Caro, E. 995(2003)233
- Marcé, R.M., see Comas, E. 988(2003)277
- Marcé, R.M., see Gimeno, R.A. 958(2002)141
- Marcé, R.M., see Peñalver, A. 953(2002)79
- Marcé, R.M., see Peñalver, A. 964(2002)153
- Marchioni, E., see Horvatovich, P. 968(2002)251
- Marcus, R.K., Davis, W.C., Knippel, B.C., LaMotte, L., Hill, T.A., Perahia, D. and Jenkins, J.D.
Capillary-channeled polymer fibers as stationary phases in liquid chromatography separations 986(2003)17
- Marengo, E., see Bianchi, F. 975(2002)113
- Marengo, E., see Gennaro, M.C. 993(2003)111
- Margariti, S., see Kalogirou, E. 969(2002)81
- María Jiménez, R., see Akesolo, U. 990(2003)271
- Marín, J.M., see Pozo, O.J. 992(2003)133
- Marín, M.L., see Cano, J.M. 963(2002)401
- Marín, M.L., see Garrigós, M.C. 963(2002)427
- Marín, M.L., see Garrigós, M.C. 976(2002)309
- Marín, M.L., see Reche, F. 963(2002)419
- Marín, M.L., see Reche, F. 976(2002)301
- Marín, R., see Navarro, M. 968(2002)201
- Mariné-Font, A., see Vidal-Carou, M.C. 998(2003)235
- Markides, K.E., see Bylund, D. 961(2002)237
- Markides, K.E., see Juvancz, Z. 982(2002)119
- Markides, K.E., see Samskog, J. 998(2003)83
- Markuszewski, M.J., Britz-McKibbin, P., Terabe, S., Matsuda, K. and Nishioka, T.
Determination of pyridine and adenine nucleotide metabolites in *Bacillus subtilis* cell extract by sweeping borate complexation capillary electrophoresis 989(2003)293
- Márquez-Ruiz, G., see Velasco, J. 982(2002)145
- Marriott, P., see Haglund, P. 962(2002)127
- Marriott, P., see Ong, R. 962(2002)135
- Marriott, P., see Shellie, R. 970(2002)225
- Marriott, P.J., see Shellie, R.A. 968(2002)161
- Marriott, P.J., see Kueh, A.J. 1000(2003)109
- Marshall, A.G., see Lam, T.T. 982(2002)85
- Marta, S., see Ciccio, P. 985(2003)283
- Martel, A.-C. and Zeggane, S.
Determination of acaricides in honey by high-performance liquid chromatography with photodiode array detection 954(2002)173
- Martens, G.J.M., see Devreese, B. 976(2002)113
- Martí, M.P., see Martorell, N. 975(2002)349
- Martí, M.P., see Pino, J. 954(2002)51
- Martí, M.P., see Sala, C. 953(2002)1
- Martin, M., Garcia-Martin, S. and Hoyos, M.
On void time determination in thermal field-flow fractionation 960(2002)165
- Martinelli, M., see Schneider, R.C.S. 985(2003)313
- Martínez, E., Lacorte, S., Llobet, I., Viana, P. and Barceló, D.
Multicomponent analysis of volatile organic compounds in water by automated purge and trap coupled to gas chromatography–mass spectrometry 959(2002)181
- Martínez Vidal, J.L., Arrebola, F.J. and Mateu-Sánchez, M.
Application of gas chromatography–tandem mass spectrometry to the analysis of pesticides in fruits and vegetables 959(2002)203
- Martínez Vidal, J.L., see Egea González, F.J. 966(2002)155
- Martínez-Frías, J., see Santoyo, E. 956(2002)279
- Martorell, N., Martí, M.P., Mestres, M., Busto, O. and Guasch, J.
Determination of 4-ethylguaiaicol and 4-ethylphenol in red wines using headspace-solid-phase microextraction-gas chromatography 975(2002)349
- Maruška, A., see Kornyšova, O. 971(2002)225
- Marwah, A., Marwah, P. and Lardy, H.
Analysis of ergosteroids. VIII: Enhancement of signal response of neutral steroidal compounds in liquid chromatographic–electrospray ionization mass spectrometric analysis by mobile phase additives 964(2002)137
- Marwah, P., see Marwah, A. 964(2002)137
- März, F., see Schiller, M. 968(2002)101
- Masár, M., see Žúborová, M. 990(2003)179
- Masayoshi, O., see Tanaka, H. 987(2003)119
- Masqué, N., see Caro, E. 963(2002)169
- Massart, D.L., see Detroyer, A. 986(2003)227
- Massart, D.L., see Iványi, T. 954(2002)99
- Massart, D.L., see Perrin, C. 966(2002)119
- Massart, D.L., see Praisler, M. 962(2002)161
- Massart, D.L., see Put, R. 988(2003)261
- Massart, D.L., see Van Gysegem, E. 988(2003)77
- Massart, D.L., see Vander Heyden, Y. 958(2002)191
- Massart, D.L., see Visky, D. 977(2002)39

- Massart, D.L., see Xu, Q.-S. 998(2003)155
- Massip, C., Riollet, P., Quemener, E., Bayle, C., Salvayre, R., Couderc, F. and Caussé, E.
Choice of different dyes to label tyrosine and nitrotyrosine 979(2002)209
- Massolini, G., see Calleri, E. 958(2002)131
- Maštovská, K. and Lehotay, S.J.
Practical approaches to fast gas chromatography–mass spectrometry (Review) 1000(2003)153
- Masuda, T., Kitahara, K.-i., Aikawa, Y. and Arai, S.
High-performance liquid chromatographic separation of carbohydrates on a stationary phase prepared from polystyrene-based resin and novel amines 961(2002)89
- Masuko, T., see Sei, K. 958(2002)273
- Mateo, J.J., Mateo, R., Hinojo, M.J., Llorens, A. and Jiménez, M.
Liquid chromatographic determination of toxigenic secondary metabolites produced by *Fusarium* strains 955(2002)245
- Mateo, R., see Mateo, J.J. 955(2002)245
- Mateos, R., see Pérez-Camino, M.C. 983(2003)283
- Mateu-Sánchez, M., see Martínez Vidal, J.L. 959(2002)203
- Mathiasson, L., see Sandahl, M. 975(2002)211
- Mathiasson, L., see Sparr Eskilsson, C. 955(2002)215
- Mathieu, O., see Crosnier de Bellaistre, M. 971(2002)199
- Mathis, J.A. and McCord, B.R.
Gradient reversed-phase liquid chromatographic-electrospray ionization mass spectrometric method for the comparison of smokeless powders 988(2003)107
- Matisová, E., Medved'ová, M., Vraniaková, J. and Šimon, P.
Optimisation of solid-phase microextraction of volatiles 960(2002)159
- Matisová, E. and Dömötöróvá, M.
Fast gas chromatography and its use in trace analysis (Review) 1000(2003)199
- Mato, I., see Suárez-Luque, S. 955(2002)207
- Matoba, T., see Tsunoi, S. 962(2002)197
- Matoga, M., Laborde-Kummer, E., Langlois, M.H., Dallet, P., Bosc, J.J., Jarry, C. and Dubost, J.P.
Determination of pKa values of 2-amino-2-oxazolines by capillary electrophoresis 984(2003)253
- Matsuda, K., see Markuszewski, M.J. 989(2003)293
- Matsuda, R., see Kotani, A. 986(2003)239
- Matsumoto, H., see Oka, H. 989(2003)249
- Matsumoto, Y., see Kasai, H.F. 977(2002)125
- Matsuura, H., see Saito, Y. 975(2002)105
- Matthijs, N., see Perrin, C. 966(2002)119
- Mattiasson, B., see Arvidsson, P. 977(2002)27
- Mattiasson, B., see Arvidsson, P. 986(2003)275
- Matulík, F., see Plocková, J. 955(2002)95
- Matyska, M.T., see Pesek, J.J. 952(2002)1
- Matyska, M.T., see Pesek, J.J. 986(2003)253
- Matyska, M.T., see Pesek, J.J. 992(2003)57
- Mayer, B.X., Kählig, H. and Rauter, W.
Chromatographic properties of tetramethyl-*p*-silphenylene–dimethyl, diphenylsiloxane copolymers as stationary phases for gas–liquid chromatography 993(2003)59
- Maynes, D.R., see Xiang, Y. 991(2003)189
- Mayr, B., see Lubbad, S. 959(2002)121
- Mayr, B., Schottenberger, H., Elsner, O. and Buchmeiser, M.R.
Separation of planar chiral ferrocene derivatives on β -cyclodextrin-based polymer supports prepared via ring-opening metathesis graft-polymerization 973(2002)115
- Mazák, K., Vámos, J., Nemes, A., Rácz, Á. and Noszál, B.
Lipophilicity of vinpocetine and related compounds characterized by reversed-phase thin-layer chromatography 996(2003)195
- Mazitsos, C.F., Rigden, D.J., Tsoungas, P.G. and Clonis, Y.D.
Galactosyl-biomimetic dye-ligands for the purification of *Dactylium dendroides* galactose oxidase 954(2002)137
- Mazzola, E.P., see Weisz, A. 966(2002)111
- Mazzotti, M., see Biressi, G. 957(2002)211
- Mazzotti, M., see Zhang, Z. 989(2003)95
- McArdell, C.S., see Haller, M.Y. 952(2002)111
- McCalley, D.V.
Comparison of conventional microparticulate and a monolithic reversed-phase column for high-efficiency fast liquid chromatography of basic compounds 965(2002)51
- McCalley, D.V.
Analysis of the *Cinchona* alkaloids by high-performance liquid chromatography and other separation techniques (Review) 967(2002)1
- McCalley, D.V.
Comparison of peak shapes obtained with volatile (mass spectrometry-compatible) buffers and conventional buffers in reversed-phase high-performance liquid chromatography of bases on particulate and monolithic columns 987(2003)17
- McClintock, S., see Hoang, T.H. 968(2002)257
- McClintock, S., see Hoang, T.H. 991(2003)281
- McCord, B.R., see Mathis, J.A. 988(2003)107
- McCourt, J., Bordin, G. and Rosa Rodríguez, A.
Development of a capillary zone electrophoresis–electrospray ionisation tandem mass spectrometry method for the analysis of fluoroquinolone antibiotics 990(2003)259
- McCue, J.T., Kemp, G., Low, D. and Quiñones-García, I.
Evaluation of protein-A chromatography media 989(2003)139
- McGuffin, V.L., see Krouskop, P.E. 959(2002)49
- McGuffin, V.L. and Lee, C.
Thermodynamics and kinetics of solute transfer in reversed-phase liquid chromatography 987(2003)3
- McKague, B., see Zhuang, W. 994(2003)137
- McKenzie, J.A.M., Watson, C.J., Rostand, R.D., German, I., Witowski, S.R. and Kennedy, R.T.
Automated capillary liquid chromatography for simultaneous determination of neuroactive amines and amino acids 962(2002)105
- McMartin, D.W., Peru, K.M., Headley, J.V., Winkler, M. and Gillies, J.A.
Evaluation of liquid chromatography–negative ion electrospray mass spectrometry for the determination of selected resin acids in river water 952(2002)289
- McNair, H.M., see Schug, K. 985(2003)531
- McNeff, C.V., see Xiang, Y. 983(2003)83
- Meadows, J., see Kaur, M. 957(2002)139
- Mebratu, S., see Barinaga-Rementeria Ramírez, I. 971(2002)117

- Meckenstock, R.U., see Ohlenbusch, G. 967(2002)201
- Mecozzi, M., Amici, M., Romanelli, G., Pietrantonio, E. and Deluca, A.
Ultrasound extraction and thin layer chromatography–flame ionization detection analysis of the lipid fraction in marine mucilage samples 963(2002)363
- Medved'ová, M., see Matisová, E. 960(2002)159
- Medvedovici, A., see Sandra, P. 974(2002)231
- Mehok, A.R., Mant, C.T., Gera, L., Stewart, J. and Hodges, R.S.
Preparative reversed-phase liquid chromatography of peptides. Isocratic two-step elution system for high loads on analytical columns 972(2002)87
- Meierhenrich, U.J., see Szopa, C. 982(2002)303
- Melcher, E., see Jüngel, P. 953(2002)199
- Melchert, H.-U., Pollok, D., Pabel, E., Rubach, K. and Stan, H.-J.
Determination of tocopherols, tocopherolquinones and tocopherolhydroquinones by gas chromatography–mass spectrometry and prepreparation with lipophilic gel chromatography 976(2002)215
- Melia, C.D., see Kaur, M. 957(2002)139
- Mellenthin, A., see Papagiannopoulos, M. 958(2002)9
- Mellenthin, A., see Papagiannopoulos, M. 976(2002)345
- Melo, L.F.C., see Pozzebon, J.M. 987(2003)381
- Melucci, D., see Reschiglian, P. 985(2003)519
- Ménard, L., see Wang, Z. 971(2002)173
- Méndez, A., Bosch, E., Rosés, M. and Neue, U.D.
Comparison of the acidity of residual silanol groups in several liquid chromatography columns 986(2003)33
- Menzel, A., see Adlof, R.O. 953(2002)293
- Mercé, R., see Gómez-Gomar, A. 990(2003)91
- Merfort, I.
Review of the analytical techniques for sesquiterpenes and sesquiterpene lactones (Review) 967(2002)115
- Merino, F., Rubio, S. and Pérez-Bendito, D.
Acid-induced cloud point extraction and preconcentration of polycyclic aromatic hydrocarbons from environmental solid samples 962(2002)1
- Merino, F., Rubio, S. and Pérez-Bendito, D.
Mixed aggregate-based acid-induced cloud-point extraction and ion-trap liquid chromatography–mass spectrometry for the determination of cationic surfactants in sewage sludge 998(2003)143
- Mesguer Lloret, S., Molins Legua, C. and Campins Falco, P.
Preconcentration and dansylation of aliphatic amines using C₁₈ solid-phase packings. Application to the screening analysis in environmental water samples 978(2002)59
- Mesplet, N., Saito, Y., Morin, P. and Agrofoglio, L.A.
Liquid chromatographic separation of phosphoramidate diastereomers on a polysaccharide-type chiral stationary phase 983(2003)115
- Messina, M., see Cucinotta, V. 979(2002)137
- Messmer, M.C., see Li, X.-Q. 984(2003)19
- Mestres, M., see Martorell, N. 975(2002)349
- Mestres, M., see Pino, J. 954(2002)51
- Mestres, M., see Riu, M. 977(2002)1
- Mestres, M., see Sala, C. 953(2002)1
- Mészárosová, K., see Tishchenko, G. 954(2002)115
- Metcalfe, C.D., see Miao, X.-S. 952(2002)139
- Metcalfe, C.D., see Miao, X.-S. 998(2003)133
- Meunier, D., see Buch, A. 999(2003)165
- Meyer, J.S., see King, S. 982(2002)201
- Mezcua, M., Agüera, A., Hernando, M.D., Piedra, L. and Fernández-Alba, A.R.
Determination of methyl *tert*-butyl ether and *tert*-butyl alcohol in seawater samples using purge-and-trap enrichment coupled to gas chromatography with atomic emission and mass spectrometric detection 999(2003)81
- Miao, X.-S., Koenig, B.G. and Metcalfe, C.D.
Analysis of acidic drugs in the effluents of sewage treatment plants using liquid chromatography–electrospray ionization tandem mass spectrometry 952(2002)139
- Miao, X.-S. and Metcalfe, C.D.
Determination of cholesterol-lowering statin drugs in aqueous samples using liquid chromatography–electrospray ionization tandem mass spectrometry 998(2003)133
- Michalke, D., see Welsch, T. 1000(2003)935
- Michalke, D. and Welsch, T.
Study of flow profile distortions and efficiency in counter pressure moderated partial filling micellar electrokinetic chromatography in relation to the relative buffer zone lengths 960(2002)209
- Michl, K., see Plass-Dülmer, C. 953(2002)175
- Michotte, Y., see Van Eeckhaut, A. 958(2002)291
- Middelberg, A.P.J., see Choe, W.-S. 953(2002)111
- Miège, C., Dugay, J. and Hennion, M.C.
Optimization, validation and comparison of various extraction techniques for the trace determination of polycyclic aromatic hydrocarbons in sewage sludges by liquid chromatography coupled to diode-array and fluorescence detection 995(2003)87
- Miesch, M., see Horvatovich, P. 968(2002)251
- Miguel, E., see Sánchez-Brunete, C. 976(2002)319
- Mihelič, I., Podgornik, A. and Koloini, T.
Temperature influence on the dynamic binding capacity of a monolithic ion-exchange column 987(2003)159
- Mihlbachler, K., Kaczmarzski, K., Seidel-Morgenstern, A. and Guiochon, G.
Measurement and modeling of the equilibrium behavior of the Tröger's base enantiomers on an amylose-based chiral stationary phase 955(2002)35
- Mikšik, I., see Cserhádi, T. 987(2003)403
- Mikšik, I., see Deyl, Z. 990(2003)153
- Milczewska, K. and Voelkel, A.
Characterization of the interactions in polymer–filler systems by inverse gas chromatography 969(2002)255
- Millin, Č., see Giacometti, J. 976(2002)47
- Millán, E., see Dron, J. 963(2002)259
- Millán, S., Sampedro, M.C., Unceta, N., Goicolea, M.A., Rodríguez, E. and Barrio, R.J.
Coupling solid-phase microextraction and high-performance liquid chromatography for direct and sensitive determination of halogenated fungicides in wine 995(2003)135
- Miller, A., Frenzel, T., Schmarr, H.-G. and Engel, K.-H.
Coupled liquid chromatography–gas chromatography for the rapid analysis of γ -oryzanol in rice lipids 985(2003)403
- Miller, C., see Zhou, L. 987(2003)409

- Miller, G.D., see Dong, M.W. 987(2003)283
 Miller, K.E., see Bruno, T.J. 973(2002)143
 Miller, K.E. and Bruno, T.J.
 Enthalpy of fuel gas odorants on surrogate soil surfaces by gas chromatography 975(2002)311
 Miller-Stein, C. and Fernandez-Metzler, C.
 Determination of chiral sulfoxides in plasma by normal-phase liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 964(2002)161
 Millet, J., see Guillaume, Y.C. 955(2002)197
 Mills, C.S., see Karbiwnyk, C.M. 958(2002)219
 Milošević, A., see Giacometti, J. 976(2002)47
 Min, B.R., see Reschiglian, P. 985(2003)519
 Min, H.J., see Hyun, M.H. 996(2003)233
 Min, J.-K., see Cho, Y.-H. 977(2002)69
 Minakuchi, H., see Ishizuka, N. 960(2002)85
 Minakuchi, H., see Motokawa, M. 961(2002)53
 Minakuchi, H., see Shintani, Y. 985(2003)351
 Minakuchi, H., see Tanaka, N. 965(2002)35
 Mitamura, K., Nakagawa, T., Shimada, K., Namiki, M., Koh, E., Mizokami, A. and Honma, S.
 Identification of dehydroepiandrosterone metabolites formed from human prostate homogenate using liquid chromatography–mass spectrometry and gas chromatography–mass spectrometry 961(2002)97
 Mitani, K., Narimatsu, S. and Kataoka, H.
 Determination of daidzein and genistein in soybean foods by automated on-line in-tube solid-phase microextraction coupled to high-performance liquid chromatography 986(2003)169
 Mitchell, C.R., see Liu, Y. 978(2002)185
 Mitra, S., see Kim, M. 996(2003)1
 Miura, Y., Hatakeyama, M., Hosino, T. and Haddad, P.R.
 Rapid ion chromatography of L-ascorbic acid, nitrite, sulfite, oxalate, iodide and thiosulfate by isocratic elution utilizing a postcolumn reaction with cerium(IV) and fluorescence detection 956(2002)77
 Miyabe, K. and Guiochon, G.
 New model of surface diffusion in reversed-phase liquid chromatography 961(2002)23
 Miyake, J., see Liu, X.-Y. 961(2002)113
 Miyakoshi, M., see Okada, T.K. 987(2003)49
 Miyayama, A., see Sato, S. 956(2002)53
 Mizerikhin, E., see Ioffe, V. 987(2003)169
 Mizokami, A., see Mitamura, K. 961(2002)97
 Mochalski, P., see Lasa, J. 968(2002)263
 Möder, M., see Brack, W. 986(2003)55
 Möder, M., see Brack, W. 993(2003)223
 Möder, M., see Cajthaml, T. 974(2002)213
 Möder, M., see Müller, S. 985(2003)99
 Moeder, M., see Braun, P. 988(2003)41
 Mogensen, B.B., see Bossi, R. 957(2002)27
 Mogensen, B.B., see Krogh, K.A. 957(2002)45
 Mohan, D. and Lee, C.S.
 Extension of separation range in capillary isoelectric focusing for resolving highly basic biomolecules 979(2002)271
 Mohite, B.S. and Jadhav, A.S.
 Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277
 Mol, R., see Somsen, G.W. 1000(2003)953
 Molander, P., see Holm, A. 983(2003)43
 Moldovan, Z., see Jover, E. 970(2002)249
 Moldovan, Z., Jover, E. and Bayona, J.M.
 Systematic characterisation of long-chain aliphatic esters of wool wax by gas chromatography–electron impact ionisation mass spectrometry 952(2002)193
 Moldoveanu, S.C., see Kulshreshtha, N.P. 985(2003)303
 Moldoveanu, S.C., see Smith, C.J. 991(2003)99
 Molins Legua, C., see Meseguer Lloret, S. 978(2002)59
 Möller, M., see Hollender, J. 962(2002)175
 Molnar, I.
 Computerized design of separation strategies by reversed-phase liquid chromatography: development of DryLab software (Review) 965(2002)175
 Molnárová, M., see Strašík, S. 990(2003)23
 Molnár-Perl, I.
 Quantitation of amino acids and amines in the same matrix by high-performance liquid chromatography, either simultaneously or separately (Review) 987(2003)291
 Molnár-Perl, I., see Kutlán, D. 987(2003)311
 Molyneux, R.J., Gardner, D.R., James, L.F. and Colegate, S.M.
 Polyhydroxy alkaloids: chromatographic analysis (Review) 967(2002)57
 Monaci, L., Aresta, A., Palmisano, F., Visconti, A. and Zamboni, C.G.
 Amino-bonded silica as stationary phase for liquid chromatographic determination of cyclopiazonic acid in fungal extracts 955(2002)79
 Mondal, K., see Sharma, A. 995(2003)127
 Mondello, L., see Shellie, R. 970(2002)225
 Mondy, N., Duplat, D., Christides, J.P., Arnault, I. and Auger, J.
 Aroma analysis of fresh and preserved onions and leek by dual solid-phase microextraction–liquid extraction and gas chromatography–mass spectrometry 963(2002)89
 Monferrer-Pons, L., Capella-Peiró, M.E., Gil-Agustí, M. and Esteve-Romero, J.
 Micellar liquid chromatography determination of B vitamins with direct injection and ultraviolet absorbance detection 984(2003)223
 Montes-Bayón, M., see Ponce de León, C.A. 974(2002)1
 Montes-Bayón, M., DeNicola, K. and Caruso, J.A.
 Liquid chromatography–inductively coupled plasma mass spectrometry (Review) 1000(2003)457
 Monton, M.R.N., Otsuka, K. and Terabe, S.
 On-line sample preconcentration in micellar electrokinetic chromatography by sweeping with anionic–zwitterionic mixed micelles 985(2003)435
 Montone, R.C., see Godoi, A.F.L. 985(2003)205
 Mooibroek, D., Hoogerbrugge, R., Stoffelsen, B.H.G., Dijkman, E., Berkhoff, C.J. and Hogendoorn, E.A.
 Comparison of various extraction techniques for the determination of polycyclic aromatic hydrocarbons in worms 975(2002)165
 Moon, M.H., see Reschiglian, P. 985(2003)519
 Moore, J.A., see Tugcu, N. 954(2002)127

- Moorman, R., see Wang, I.-H. 983(2003)145
- Morales-Muñoz, S., Luque-García, J.L. and Luque de Castro, M.D.
Static extraction with modified pressurized liquid and on-line fluorescence monitoring. Independent matrix approach for the removal of polycyclic aromatic hydrocarbons from environmental solid samples 978(2002)49
- Morbidelli, M., see Biressi, G. 957(2002)211
- Morbidelli, M., see Zhang, Z. 989(2003)95
- Moreda, W., see Pérez-Camino, M.C. 983(2003)283
- Morelli, I., see Flamini, G. 998(2003)229
- Morera, V., see Moya, G. 971(2002)129
- Moretti, P., see Vezzani, S. 994(2003)103
- Morganti, L., see Soares, C.R.J. 955(2002)229
- Morganti, L., see Ueda, E.K.M. 988(2003)1
- Mori, M., see Helaleh, M.I.H. 997(2003)133
- Mori, M., see Helaleh, M.I.H. 997(2003)139
- Mori, M., see Hu, W. 997(2003)237
- Mori, M., see Tanaka, K. 997(2003)127
- Mori, M., Tanaka, K., Helaleh, M.I.H., Xu, Q., Ikedo, M., Ogura, Y., Sato, S., Hu, W. and Hasebe, K.
Selective determination of ammonium ions by high-speed ion-exclusion chromatography on a weakly basic anion-exchange resin column 997(2003)191
- Mori, M., Tanaka, K., Helaleh, M.I.H., Xu, Q., Ikedo, M., Ogura, Y., Sato, S., Hu, W., Hasebe, K. and Haddad, P.R.
High-speed simultaneous ion-exclusion/cation-exchange chromatography of anions and cations on a weakly acidic cation-exchange resin column 997(2003)219
- Mori, M., see Xu, Q. 997(2003)183
- Morikawa, H., see Ohta, K. 956(2002)173
- Morin, P., see Mesplet, N. 983(2003)115
- Moriña, R.M., see Demyttenaere, J.C.R. 985(2003)127
- Morishima, Y., see Saito, Y. 975(2002)105
- Morita, M., see Chatterjee, A. 997(2003)249
- Morita, M., see Isobe, T. 984(2003)195
- Moriwaki, H., Harino, H., Hashimoto, H., Arakawa, R., Ohe, T. and Yoshikura, T.
Determination of aromatic amine mutagens, PBTA-1 and PBTA-2, in river water by solid-phase extraction followed by liquid chromatography–tandem mass spectrometry 995(2003)239
- Moriyama, H., see Kato, Y. 971(2002)143
- Moriyama, H., see Kato, Y. 986(2003)83
- Moriyama, H., see Sato, S. 956(2002)53
- Moroney, C., Lehane, M., Braña-Magdalena, A., Furey, A. and James, K.J.
Comparison of solid-phase extraction methods for the determination of azaspiracids in shellfish by liquid chromatography–electrospray mass spectrometry 963(2002)353
- Morris, C.J., see Jandik, P. 954(2002)33
- Morrison, P., see Ong, R. 962(2002)135
- Mortensen, A.P., see Juhler, R.K. 957(2002)11
- Morzyczka, B.
Simple method for the determination of trace levels of pesticides in honeybees using matrix solid-phase dispersion and gas chromatography 982(2002)267
- Mosley, J., see Jurado, L.A. 971(2002)95
- Motokawa, M., Kobayashi, H., Ishizuka, N., Minakuchi, H., Nakanishi, K., Jinnai, H., Hosoya, K., Ikegami, T. and Tanaka, N.
Monolithic silica columns with various skeleton sizes and through-pore sizes for capillary liquid chromatography 961(2002)53
- Mottier, P., Parisod, V., Gremaud, E., Guy, P.A. and Stadler, R.H.
Determination of the antibiotic chloramphenicol in meat and seafood products by liquid chromatography–electrospray ionization tandem mass spectrometry 994(2003)75
- Mou, S., see Ding, Y. 956(2002)65
- Mou, S., see Ding, Y. 982(2002)237
- Mou, S., see Ding, Y. 997(2003)155
- Mou, S., see Liu, Y. 956(2002)85
- Mou, S., see Liu, Y. 997(2003)225
- Mou, S., see Zhu, Y. 956(2002)215
- Mou, S.-F., see Yu, H. 966(2002)89
- Mou, S.-F., see Yu, H. 997(2003)145
- Mourey, T.H. and Bryan, T.G.
Size-exclusion chromatography in 1,1,1,3,3,3-hexafluoro-2-propanol 964(2002)169
- Mouvret, C., see Dagnac, T. 957(2002)69
- Moya, G., González, L.J., Huerta, V., García, Y., Morera, V., Pérez, D., Breña, F. and Araña, M.
Isolation and characterization of modified species of a mutated (Cys¹²⁵–Ala) recombinant human interleukin-2 971(2002)129
- Moyano, E., see Núñez, O. 961(2002)65
- Moyano, E., see Núñez, O. 974(2002)243
- Mrabet, B., see Oliva, V. 969(2002)261
- Mucchino, C., see Bruzzoniti, M.C. 997(2003)51
- Mucha, P., Szyk, A., Rekowski, P. and Barciszewski, J.
Structural requirements for conserved Arg⁵² residue for interaction of the human immunodeficiency virus type 1 trans-activation responsive element with trans-activator of transcription protein (49–57). Capillary electrophoresis mobility shift assay 968(2002)211
- Muiliwijk, B., see Bobeldijk, I. 970(2002)167
- Muir, B., Wilson, M., Rowley, L., Smith, F.J. and Hursthouse, A.
Potential of electrophilic epoxide reactions for the monitoring of acid gases in the environment 977(2002)251
- Muir, B., see Black, R.M. 1000(2003)253
- Mullen, W., Lean, M.E.J. and Crozier, A.
Rapid characterization of anthocyanins in red raspberry fruit by high-performance liquid chromatography coupled to single quadrupole mass spectrometry 966(2002)63
- Müller, A., see Stepnowski, P. 993(2003)173
- Müller, C.E., see Qurishi, R. 952(2002)275
- Müller, S., Möder, M., Schrader, S. and Popp, P.
Semi-automated hollow-fibre membrane extraction, a novel enrichment technique for the determination of biologically active compounds in water samples 985(2003)99
- Müller, S.R., see Haller, M.Y. 952(2002)111

- Mullett, W.M., Levsen, K., Lubda, D. and Pawliszyn, J.
Bio-compatible in-tube solid-phase microextraction capillary for the direct extraction and high-performance liquid chromatographic determination of drugs in human serum 963(2002)325
- Munch, D.J., see Wagner, H.P. 956(2002)93
- Munguti, S.M., see Shiundu, P.M. 983(2003)163
- Munguti, S.M., see Shiundu, P.M. 984(2003)67
- Muniategui-Lorenzo, S., see Concha-Graña, E. 958(2002)17
- Muñoz, S., see León, V.M. 999(2003)91
- Murahashi, T., Watanabe, T., Otake, S., Hattori, Y., Takamura, T., Wakabayashi, K. and Hirayama, T.
Determination of 3-nitrobenzanthrone in surface soil by normal-phase high-performance liquid chromatography with fluorescence detection 992(2003)101
- Murase, Y., see Ohta, K. 956(2002)147
- Murase, Y., see Ohta, K. 956(2002)159
- Murphy, C.M., see Weisz, A. 966(2002)111
- Murphy, J.C., Fox, G.E. and Willson, R.C.
Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215
- Musci, M., see Bianchi, F. 975(2002)113
- Musshoff, F., Lachenmeier, D.W., Kroener, L. and Madea, B.
Automated headspace solid-phase dynamic extraction for the determination of amphetamines and synthetic designer drugs in hair samples 958(2002)231
- Mutelet, F., Ekulu, G. and Rogalski, M.
Characterization of crude oils by inverse gas chromatography 969(2002)207
- Mutelet, F. and Rogalski, M.
Using temperature gradient gas chromatography to determine or predict vapor pressures and linear solvation energy relationship parameters of highly boiling organic compounds 988(2003)117
- Muzikar, J., van de Goor, T., Gaš, B. and Kenndler, E.
Determination of electroosmotic flow mobility with a pressure-mediated dual-ion technique for capillary electrophoresis with conductivity detection using organic solvents 960(2002)199
- Myers, D., see Smith, I. T.P. 972(2002)27
- Nageswara Rao, R., Nagaraju, D., Parimala, P., Adapa, S.R. and Alam, M.M.
Development and substantiation of a liquid chromatographic method for monitoring organic reactions involved in synthesis of 4-methoxyphenylacetic acid 972(2002)277
- Nagrath, D., see Xia, F. 989(2003)47
- Naidu, R., see Chen, Z. 966(2002)245
- Nakabayashi, Y., see Okada, T.K. 987(2003)49
- Nakagawa, T., see Mitamura, K. 961(2002)97
- Nakajima, R., see Tsukagoshi, K. 958(2002)283
- Nakajima, R., see Tsukagoshi, K. 971(2002)255
- Nakajima, R., see Tsukagoshi, K. 978(2002)213
- Nakajima, R., see Yarita, T. 976(2002)387
- Nakajima, T., see Okamoto, H. 986(2003)153
- Nakamura, C., see Liu, X.-Y. 961(2002)113
- Nakamura, K., see Kato, Y. 971(2002)143
- Nakamura, K., see Kato, Y. 986(2003)83
- Nakamura, K., Suzuki, T., Kamichika, T., Hasegawa, M., Kato, Y., Sasaki, H. and Inouye, K.
Evaluation and applications of a new dye affinity adsorbent 972(2002)21
- Nakanishi, K., see Ishizuka, N. 960(2002)85
- Nakanishi, K., see Motokawa, M. 961(2002)53
- Nakanishi, K., see Shintani, Y. 985(2003)351
- Nakanishi, K., see Tanaka, N. 965(2002)35
- Nakano, M., see Sei, K. 958(2002)273
- Nakao, Y., see Saito, Y. 975(2002)105
- Nakashima, K., see Wada, M. 987(2003)189
- Nakashima, Y., see Himeno, S. 966(2002)213
- Nakashima, Y., see Kitazumi, I. 993(2003)211
- Nakatani, S., see Kato, Y. 986(2003)83
- Nakayama, T., see Kato, N. 973(2002)159
- Nakayama, Y., see Saitoh, T. 972(2002)205
- Nakazawa, H., see Chetianukornkul, T. 961(2002)107
- Nakazawa, H., see Kemmochi, Y. 977(2002)155
- Nakazawa, Y., see Bamba, T. 995(2003)203
- Nam, H.-S., Ban, E., Yoo, E. and Yoo, Y.S.
Determination of protein phosphorylation by extracellular signal-regulated kinase using capillary electrophoresis and matrix-assisted laser desorption ionization time-of-flight mass spectrometry 976(2002)79
- Namba, M., see Watarai, H. 961(2002)3
- Namera, A., So, A. and Pawliszyn, J.
Analysis of anatoxin-a in aqueous samples by solid-phase microextraction coupled to high-performance liquid chromatography with fluorescence detection and on-fiber derivatization 963(2002)295
- Namieśnik, J., see Dąbrowski, Ł. 957(2002)59
- Namieśnik, J., see Dudek, M. 977(2002)115
- Namiki, M., see Mitamura, K. 961(2002)97
- Nanos, C.G., see Fiamegos, Y.C. 983(2003)215
- Nardi, L.
Determination of siloxane–water partition coefficients by capillary extraction–high-resolution gas chromatography. Study of aromatic solvents 985(2003)39
- Nardi, L.
New high-performance cryofocaler injector for in-tube solid-phase microextraction and headspace capillary gas chromatographic applications 985(2003)67

N

- Nadal, E., see Debremaeker, D. 953(2002)123
- Nagaraj, N., Srinivas, N.D. and Raghavarao, K.S.M.S.
Acoustic field assisted demixing of aqueous two-phase systems 977(2002)163
- Nagaraju, D., see Nageswara Rao, R. 972(2002)277
- Nagashima, M., see Takahashi, M. 958(2002)299
- Nagels, L.J., see Bazylak, G. 973(2002)85

- Nardi, L.
Symmetrical (double-speed) static coating for high-resolution gas chromatography column preparation 985(2003)79
- Nardi, L.
Capillary extractors for “negligible depletion” sampling of benzene, toluene, ethylbenzene and xylenes by in-tube solid-phase microextraction 985(2003)85
- Nardi, L.
In-tube solid-phase microextraction sampler for long-term storage 985(2003)93
- Nardiello, D., see Cataldi, T.R.I. 968(2002)229
- Narimatsu, S., see Mitani, K. 986(2003)169
- Nassivera, T., Eklund, A.G. and Landry, C.C.
Size-exclusion chromatography of low-molecular-mass polymers using mesoporous silica 973(2002)97
- Natera Marín, R., see Castro Mejías, R. 953(2002)7
- Natera Marín, R., Castro Mejías, R., De Valme García Moreno, M^a., García Rowe, F. and García Barroso, C.
Headspace solid-phase microextraction analysis of aroma compounds in vinegar. Validation study 967(2002)261
- Natera Marín, R., see Castro Mejías, R. 995(2003)11
- Naujalis, E. and Padaruskas, A.
Development of capillary electrophoresis for the determination of metal ions using mixed partial and complete complexation techniques 977(2002)135
- Navalón, A., Prieto, A., Araujo, L. and Vílchez, J.L.
Determination of pyrimethanil and kresoxim-methyl in green groceries by headspace solid-phase microextraction and gas chromatography–mass spectrometry 975(2002)355
- Navarro, M., Picó, Y., Marín, R. and Mañes, J.
Application of matrix solid-phase dispersion to the determination of a new generation of fungicides in fruits and vegetables 968(2002)201
- Navas, N., see Capitan-Vallvey, L.F. 978(2002)243
- Navickiene, S., see Brito, N.M. 957(2002)201
- Nazem, N., see Ashraf-Khorassani, M. 995(2003)227
- Nazzari, M., see Di Corcia, A. 974(2002)53
- Någård, M., see Wan, H. 979(2002)369
- Ndjoko, K., see Wolfender, J.-L. 1000(2003)437
- Neidlinger, T.R., see Burri, B.J. 987(2003)359
- Nelson, D.A., see Harvey, S.D. 954(2002)217
- Nelson, M.D., see Wilson, N.S. 961(2002)171
- Nelson, M.D., see Wilson, N.S. 961(2002)195
- Nemes, A., see Mazák, K. 996(2003)195
- Nerín, C., Philo, M.R., Salafranca, J. and Castle, L.
Determination of bisphenol-type contaminants from food packaging materials in aqueous foods by solid-phase microextraction–high-performance liquid chromatography 963(2002)375
- Nertz, M., see Yang, C. 979(2002)307
- Nesterenko, P.N., Haddad, P.R. and Hu, W.
Studies on the separation of hydronium ion using surfactant-modified reversed-phase stationary phases and eluents containing an acidified electrolyte 986(2003)263
- Nesterenko, P.N., see Shaw, M.J. 953(2002)141
- Nesterenko, P.N., see Shaw, M.J. 997(2003)3
- Netopilík, M.
Relations between the separation coefficient, longitudinal displacement and peak broadening in size exclusion chromatography of macromolecules 978(2002)109
- Neue, U.D., see Gilar, M. 958(2002)167
- Neue, U.D., see Méndez, A. 986(2003)33
- Neves, M.H., see Ribeiro, A. 975(2002)267
- Newton, B., see Lu, Z. 956(2002)129
- Ng, S.-C., Ong, T.-T., Fu, P. and Ching, C.-B.
Enantiomer separation of flavour and fragrance compounds by liquid chromatography using novel urea-covalent bonded methylated β -cyclodextrins on silica 968(2002)31
- Ngassoum, M.B., see Jirovetz, L. 976(2002)265
- Nguyen, B., see Grey, L. 958(2002)25
- Nguyen, L.-H.T., see Xiang, H. 978(2002)153
- Nguyen Minh Nguyet, A., see Vander Heyden, Y. 958(2002)191
- Ni, M., see Reichenbach, S.E. 985(2003)47
- Nibbering, N.M.M., see Van de Kerkhof, D.H. 954(2002)199
- Nicod, L., see Guillaume, Y.C. 955(2002)197
- Niculescu, M., see Hu, M. 984(2003)233
- Niederer, B., Le, A. and Cantergiani, E.
Thermodynamic study of two different chewing-gum bases by inverse gas chromatography 996(2003)189
- Niederhauser, T.L., Scoville, D.H. and Lamb, J.D.
Surface area determination of a polystyrene–divinylbenzene chromatographic packing material via ionic amphiphile adsorption from aqueous mobile phases and application of Gouy–Chapman theory 982(2002)49
- Niederländer, H.A.G., see Derksen, G.C.H. 978(2002)119
- Nielsen, A.T. and Jonsson, S.
Quantification of volatile sulfur compounds in complex gaseous matrices by solid-phase microextraction 963(2002)57
- Nielsen, H.M., see Jamali, B. 996(2003)213
- Niessen, W.M.A. and Brinkman, U.A.Th.
Mass Spectrometry: Innovation and Application (Foreword) 970(2002)1
- Niessen, W.M.A., see Geerdink, R.B. 970(2002)65
- Niessen, W.M.A., Jing L. and Bondoux, C.
Developing strategies for isolation of minor impurities with mass spectrometry-directed fractionation 970(2002)131
- Niessen, W.M.A.
Progress in liquid chromatography–mass spectrometry instrumentation and its impact on high-throughput screening 1000(2003)413
- Niiranen, H., Budnik, B.A., Zubarev, R.A., Auriola, S. and Lapinjoki, S.
High-performance liquid chromatography–mass spectrometry and electron-capture dissociation tandem mass spectrometry of osteocalcin. Determination of γ -carboxyglutamic acid residues 962(2002)95
- Niitsuma, M., see Chen, Z. 990(2003)75
- Nikitas, P. and Pappa-Louisi, A.
New equations describing the combined effect of pH and organic modifier concentration on the retention in reversed-phase liquid chromatography 971(2002)47
- Nikolaev, L.G., see Trubetskoy, D.O. 976(2002)95
- Nilsson, T., see Axel Clausen, P. 986(2003)179
- Nishimura, H., see Kato, N. 973(2002)159

- Nishine, T., see Xu, Z.Q. 990(2003)53
- Nishioka, T., see Markuszewski, M.J. 989(2003)293
- Nogueira, J.M.F., Sandra, T. and Sandra, P.
Considerations on ultra trace analysis of carbamates in water samples 996(2003)133
- Nogueiras, M., see Gago-Martínez, A. 992(2003)159
- Noij, Th.H.M., see Bobeldijk, I. 970(2002)167
- Nojiri, M., see Saito, Y. 975(2002)105
- Nollet, H., see Wittmann, G. 993(2003)71
- Nomeir, A.A., see Kim, H. 987(2003)243
- Nomura, M., see Zhang, Y.-H. 989(2003)175
- Noszál, B., see Mazák, K. 996(2003)195
- Noszál, B., see Visky, D. 977(2002)39
- Noubhani, A.M., Dieryck, W., Chevalier, S. and Santarelli, X.
On-line purification of His-tag enhanced green fluorescent protein taken directly from a bioreactor by continuous ultrasonic homogenization coupled with immobilized metal affinity expanded bed adsorption 968(2002)113
- Novak, T.J., see Hicks, M.B. 973(2002)27
- Novak, T.J., see LoBrutto, R. 995(2003)67
- Nováková, S., Telnarová, M. and Glatz, Z.
Inhibition study of rhodanase by means of electrophoretically mediated microanalysis 990(2003)189
- Novič, M., Liu, Y., Avdalovic, N. and Pihlar, B.
On-line pH modification of carbonate eluents using an electrolytic potassium hydroxide generator for ion chromatography 957(2002)165
- Novič, M., see Razpotnik, P. 991(2003)23
- Novič, M., see Srečnik, G. 973(2002)47
- Nozal, M^a.-J., Bernal, J.L., Jiménez, J.J., González, M^a.J. and Higes, M.
Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Determination by gas chromatography with flame ionization detection 954(2002)207
- Nukaya, H., see Bång, J. 977(2002)97
- Núñez, O., Kim, J.-B., Moyano, E., Galceran, M.T. and Terabe, S.
Analysis of the herbicides paraquat, diquat and difenzoquat in drinking water by micellar electrokinetic chromatography using sweeping and cation selective exhaustive injection 961(2002)65
- Núñez, O., Moyano, E. and Galceran, M.T.
Capillary electrophoresis–mass spectrometry for the analysis of quaternary ammonium herbicides 974(2002)243
- Nurok, D., Koers, J.M. and Carmichael, M.A.
Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247
- Nyiredy, Sz.
Progress in forced-flow planar chromatography (Review) 1000(2003)985
- Nylund, K., see Hartonen, K. 958(2002)239
- O**
- Obata, Y., see Tsukagoshi, K. 971(2002)255
- Obbard, J.P., see Basheer, C. 968(2002)191
- Oberleitner, W.R., Maier, N.M. and Lindner, W.
Enantioseparation of various amino acid derivatives on a quinine based chiral anion-exchange selector at variable temperature conditions. Influence of structural parameters of the analytes on the apparent retention and enantioseparation characteristics 960(2002)97
- O'Brien, T., see Wang, F. 958(2002)69
- Obrist, H., see Riediker, S. 966(2002)15
- Ochiai, N., Sasamoto, K., Daishima, S., Heiden, A.C. and Hoffmann, A.
Determination of stale-flavor carbonyl compounds in beer by stir bar sorptive extraction with in-situ derivatization and thermal desorption–gas chromatography–mass spectrometry 986(2003)101
- Ogamo, A., see Kato, N. 973(2002)159
- Ogasawara, M., Tsuruta, K. and Arao, S.
Flame photometric detector for thin-layer chromatography 973(2002)151
- Ogawa, H., Sugita, K., Saito, K., Kim, M., Tamada, M., Katakai, A. and Sugo, T.
Binding of ionic surfactants to charged polymer brushes grafted onto porous substrates 954(2002)89
- Ogino, K., see Kawai, E. 991(2003)197
- Ogle, D., Ho, A., Gibson, T., Rylatt, D., Shave, E., Lim, P. and Vigh, G.
Preparative-scale isoelectric trapping separations using a modified Gradiflow unit 979(2002)155
- Ogle, D., Sheehan, M., Rumbel, B., Gibson, T. and Rylatt, D.B.
Design of a new, twelve-channel electrophoretic apparatus based on the Gradiflow technology 989(2003)65
- Ogura, Y., see Mori, M. 997(2003)191
- Ogura, Y., see Mori, M. 997(2003)219
- Ogura, Y., see Sato, S. 956(2002)53
- Ohashi, M., see Ohta, K. 956(2002)147
- Ohashi, M., see Ohta, K. 956(2002)159
- Ohashi, M., see Ohta, K. 956(2002)173
- Ohashi, M., see Ohta, K. 997(2003)95
- Ohashi, M., see Ohta, K. 997(2003)107
- Ohashi, M., see Ohta, K. 997(2003)117
- Ohe, T., see Moriwaki, H. 995(2003)239
- Ohlenbusch, G., Zwiener, C., Meckenstock, R.U. and Frimmel, F.H.
Identification and quantification of polar naphthalene derivatives in contaminated groundwater of a former gas plant site by liquid chromatography–electrospray ionization tandem mass spectrometry 967(2002)201
- Öhman, M., see Bohlin, M.E. 985(2003)471
- Ohno, K.-i., see Okabe, K. 982(2002)111
- Ohno, M., see Hu, W. 997(2003)237

- Ohta, K., Kusumoto, K., Takao, Y., Towata, A., Kawakami, S., Murase, Y. and Ohashi, M.
Simultaneous separation of common mono- and divalent cations on a calcinated silica gel column by ion chromatography with indirect photometric detection and aromatic monoamines–oxalic acid, containing crown ethers, used as eluent 956(2002)147
- Ohta, K., Kusumoto, K., Takao, Y., Towata, A., Kawakami, S., Murase, Y. and Ohashi, M.
Retention behavior of common mono- and divalent cations on calcinated silica gel columns in ion chromatography with conductimetric detection and the use of nitric acid, containing crown ethers, as eluents 956(2002)159
- Ohta, K., Kusumoto, K., Takao, Y., Towata, A., Morikawa, H. and Ohashi, M.
Simultaneous separation of common mono- and divalent cations on an acid-treated silica gel column by ion chromatography with indirect photometric detection and tyramine–oxalic acid, containing 18-crown-6 as eluent 956(2002)173
- Ohta, K., see Lee, K.-P. 987(2003)111
- Ohta, K., Ohashi, M., Jin, J.-Y., Takeuchi, T., Fujimoto, C., Choi, S.-H., Ryoo, J.-J. and Lee, K.-P.
Separation of aliphatic carboxylic acids and benzenecarboxylic acids by ion-exclusion chromatography with various cation-exchange resin columns and sulfuric acid as eluent 997(2003)117
- Ohta, K., Towata, A. and Ohashi, M.
Ion-exclusion chromatographic behavior of aliphatic carboxylic acids and benzenecarboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with sulfuric acid containing various alcohols as eluent 997(2003)95
- Ohta, K., Towata, A. and Ohashi, M.
Ion-exclusion chromatographic separations of C_1 – C_6 aliphatic carboxylic acids on a sulfonated styrene–divinylbenzene co-polymer resin column with 5-methylhexanoic acid as eluent 997(2003)107
- Ohta, M., see Itoh, S. 968(2002)89
- Ohta, M., see Itoh, S. 978(2002)141
- Ohtani, H., see Taguchi, Y. 993(2003)137
- Oka, H., Harada, K.-I., Suzuki, M., Fujii, K., Iwaya, M., Ito, Y., Goto, T., Matsumoto, H. and Ito, Y.
Purification of quinoline yellow components using high-speed counter-current chromatography by stepwise increasing the flow-rate of the mobile phase 989(2003)249
- Okabe, K., Wada, R., Ohno, K.-i., Uchiyama, S., Santa, T. and Imai, K.
Development of hydrophilic fluorogenic derivatization reagents for thiols: 4-(*N*-acetylaminosulfonyl)-7-fluoro-2,1,3-benzoxadiazole and 4-(*N*-trichloroacetylaminosulfonyl)-7-fluoro-2,1,3-benzoxadiazole 982(2002)111
- Okada, T.K., Nakabayashi, Y., Miyakoshi, M. and Inoue, M.
Potassium and sodium chloride ion pairs are presumed to constitute a complex during elution from a Sephadex G-15 column with sodium phosphate buffer 987(2003)49
- Okamoto, H. and Hirokawa, T.
Application of electrokinetic supercharging capillary zone electrophoresis to rare-earth ore samples 990(2003)335
- Okamoto, H., Nakajima, T. and Ito, Y.
Simultaneous determination of water-soluble vitamins in a vitamin-enriched drink by an in-capillary enzyme reaction method 986(2003)153
- Okamura, D., Saito, K., Sugita, K., Tamada, M. and Sugo, T.
Solvent effect on protein binding by polymer brush grafted onto porous membranes 953(2002)101
- Okano, T., see Kobayashi, J. 958(2002)109
- Okatch, H., Torto, N. and Armateifio, J.
Characterisation of legumes by enzymatic hydrolysis, microdialysis sampling, and micro-high-performance anion-exchange chromatography with electrospray ionisation mass spectrometry 992(2003)67
- Okumura, N., see Esaka, Y. 979(2002)91
- Okuzono, N., see Tsukagoshi, K. 958(2002)283
- Olafsdóttir, E.S., see Paulsen, B.S. 967(2002)163
- Oleszek, W.A.
Chromatographic determination of plant saponins (Review) 967(2002)147
- Oliva, R., see Richter, P. 994(2003)169
- Oliva, V., Mrabet, B., Baeta Neves, M.I., Chehimi, M.M. and Benzarti, K.
Characterisation of cement pastes by inverse gas chromatography 969(2002)261
- Oliveira, M.B.P.P., see Casal, S. 976(2002)285
- Olsvik, P.A., see Wilhelmson, T.W. 979(2002)249
- Olszak, M., see Hubicki, Z. 955(2002)257
- Ölvecká, E., see Strašák, S. 990(2003)23
- Omura, A., see Takeda, S. 979(2002)425
- O'Neil, K.T., see Xiang, H. 978(2002)153
- O'Neill, H.J., Brubaker, K.L., Schneider, J.F., Sytsma, L.F. and Kimmell, T.A.
Development of an analytical methodology for sarin (GB) and soman (GD) in various military-related wastes 962(2002)183
- Ong, R., Marriott, P., Morrison, P. and Haglund, P.
Influence of chromatographic conditions on separation in comprehensive gas chromatography 962(2002)135
- Ong, T.-T., see Ng, S.-C. 968(2002)31
- Onor, M., see Bramanti, E. 994(2003)59
- Oreld, F., see Hartonen, K. 958(2002)239
- Orska-Gawryś, J., Surowiec, I., Kehl, J., Rejniak, H., Urbaniak-Walczak, K. and Trojanowicz, M.
Identification of natural dyes in archeological Coptic textiles by liquid chromatography with diode array detection 989(2003)239
- Ortega, E., see Gómez-Gomar, A. 990(2003)91
- Ortiz, L., see Alzaga, R. 999(2003)51
- Orwa, J., see Govaerts, C. 976(2002)65
- Osborn, J.C., see Grimsey, I.M. 969(2002)49
- Osemwengie, L.I. and Steinberg, S.
Closed-loop stripping analysis of synthetic musk compounds from fish tissues with measurement by gas chromatography–mass spectrometry with selected-ion monitoring 993(2003)1
- Östman, C., see Tollbäck, P. 991(2003)241
- Oswald, P., see Krupcik, J. 1000(2003)779
- Otake, S., see Murahashi, T. 992(2003)101
- Otsuka, K., see Kim, J.-B. 979(2002)131
- Otsuka, K., see Liu, Z. 959(2002)241

- Otsuka, K., see Liu, Z. 961(2002)285
 Otsuka, K., see Monton, M.R.N. 985(2003)435
 Otsuka, S., see Yarita, T. 976(2002)387
 Ottevaere, H., see Clicq, D. 979(2002)33
 Ou, Q.-Yu., see Jiang, T.-F. 986(2003)163
 Oudhoff, K.A., Schoenmakers, P.J. and Kok, W.Th.
 Characterization of polyethylene glycols and polypropylene glycols by capillary zone electrophoresis and micellar electrokinetic chromatography 985(2003)479
 Ourdani, S. and Amrani, F.
 Study of the miscibility of poly(styrene-co-4-vinylbenzoic acid) with poly(ethyl methacrylate) or with poly[ethyl methacrylate-co-(2-*N,N*-dimethylaminoethyl) methacrylate] by inverse gas chromatography 969(2002)287
 Owczarek, M., see Guidotti, M. 985(2003)185
 Oxynos, K., see Xue, X.Y. 957(2002)37
 Özkan, G., see Sanli, N. 975(2002)299
- ## P
- Paatero, E., see Tiihonen, J. 982(2002)69
 Pabel, E., see Melchert, H.-U. 976(2002)215
 Pacenti, M., see Pieraccini, G. 955(2002)117
 Padaruskas, A., see Naujalis, E. 977(2002)135
 Padki, M., see Pesek, J.J. 986(2003)253
 Pages, N., see Dugay, A. 958(2002)1
 Pahlke, S., see Ehmann, T. 995(2003)217
 Pai, S.-C.
 Parcel model for peak shapes in chromatography. Numerical verification of the temporal distortion effect to peak asymmetry 988(2003)233
 Pai, Y.-F. and Liu, C.-Y.
 Capillary electrochromatographic separation of non-steroidal anti-inflammatory drugs with a histidine bonded phase 982(2002)293
 Pajchel, G. and Tyski, S.
 Application of micellar electrokinetic chromatography to the determination of sulfamonomycin in oral pharmaceutical preparations 979(2002)315
 Pak, T., see Thomas, D.H. 956(2002)255
 Palá-Paúl, J., see Velasco-Negueruela, A. 984(2003)159
 Pallaroni, L. and von Holst, C.
 Determination of zearalenone from wheat and corn by pressurized liquid extraction and liquid chromatography–electrospray mass spectrometry 993(2003)39
 Palma, M., Piñeiro, Z. and Barroso, C.G.
 In-line pressurized-fluid extraction–solid-phase extraction for determining phenolic compounds in grapes 968(2002)1
 Palmer, C.P., see Peterson, D.S. 959(2002)255
 Palmgrén, J.J., Toropainen, E., Auriola, S. and Urtili, A.
 Liquid chromatographic–electrospray ionization mass spectrometric analysis of neutral and charged polyethylene glycols 976(2002)165
 Palmisano, F., see Monaci, L. 955(2002)79
 Palmisano, F., see Zambonin, C.G. 967(2002)255
 Palonen, S., see Porras, S.P. 990(2003)35
 Palonen, S., see Vuorinen, P.S. 990(2003)45
 Pan, I.-H., Chiu, H.-H., Lu, C.-H., Lee, L.-T. and Li, Y.-K.
 Aqueous two-phase extraction as an effective tool for isolation of geniposide from gardenia fruit 977(2002)239
 Pan, L., see LoBrutto, R. 995(2003)67
 Pan, X., see Pesek, J.J. 992(2003)57
 Panda, A.K., see Gupta, V. 998(2003)93
 Panicker, S., see Lurie, I.S. 984(2003)109
 Pantano, C.G., see Bakaev, V.A. 969(2002)153
 Pap, T., Horváth, V., Tolokán, A., Horvai, G. and Sellergren, B.
 Effect of solvents on the selectivity of terbutylazine imprinted polymer sorbents used in solid-phase extraction 973(2002)1
 Pap, T.L., see Pápai, Zs. 953(2002)31
 Papadakis, E.N. and Papadopoulou-Mourkidou, E.
 Determination of metribuzin and major conversion products in soils by microwave-assisted water extraction followed by liquid chromatographic analysis of extracts 962(2002)9
 Papadakis, E.N., see Patsias, J. 959(2002)153
 Papadopoulou-Mourkidou, E., see Patsias, J. 959(2002)153
 Papadopoulou-Mourkidou, E., see Papadakis, E.N. 962(2002)9
 Papagiannopoulos, M. and Mellenthin, A.
 Automated sample preparation by pressurized liquid extraction–solid-phase extraction for the liquid chromatographic–mass spectrometric investigation of polyphenols in the brewing process 976(2002)345
 Papagiannopoulos, M., Zimmermann, B., Mellenthin, A., Krappe, M., Maio, G. and Galensa, R.
 Online coupling of pressurized liquid extraction, solid-phase extraction and high-performance liquid chromatography for automated analysis of proanthocyanidins in malt 958(2002)9
 Pápai, Zs. and Pap, T.L.
 Analysis of peak asymmetry in chromatography 953(2002)31
 Pappa-Louisi, A., see Nikitas, P. 971(2002)47
 Paquet, L., see Groom, C.A. 999(2003)17
 Paquet, L., see Halasz, A. 963(2002)411
 Parcher, J.F. and Xiong, Y.
 Anomalous effects of helium head pressure carbon dioxide in supercritical fluid chromatography and extraction 986(2003)129
 Pardin, C., see Brando, T. 973(2002)203
 Pardubská, H., see Baldacci, A. 990(2003)99
 Parimala, P., see Nageswara Rao, R. 972(2002)277
 Paris, A., see Debrauwer, L. 976(2002)123
 Parisod, V., see Mottier, P. 994(2003)75
 Park, J., see Park, S. 958(2002)183
 Park, J.H., see Ryoo, J.J. 987(2003)429
 Park, J.Y., see Ryoo, J.J. 987(2003)429
 Park, S., see Cho, D. 986(2003)191
 Park, S., see Cho, D. 986(2003)199

- Park, S., Cho, D., Ryu, J., Kwon, K., Chang, T. and Park, J. Temperature gradient interaction chromatography and matrix-assisted laser desorption/ionization time-of-flight mass spectrometry analysis of air terminated polystyryllithium 958(2002)183
- Parmentier, F., see Piette, V. 979(2002)345
- Parr, V., see Crecelius, A. 958(2002)249
- Parry, R., see Thurman, E.M. 957(2002)3
- Parsons, J.R., see Van Roon, A. 955(2002)105
- Pascale, M., Haidukowski, M. and Visconti, A. Determination of T-2 toxin in cereal grains by liquid chromatography with fluorescence detection after immunoaffinity column clean-up and derivatization with 1-anthrolylnitrile 989(2003)257
- Pasch, H., see Macko, T. 988(2003)69
- Paschke, A. and Popp, P. Solid-phase microextraction fibre–water distribution constants of more hydrophobic organic compounds and their correlations with octanol–water partition coefficients 999(2003)35
- Paseiro-Losada, P., see Sánchez-Machado, D.I. 976(2002)277
- Pathania, D., see Siddiqi, Z.M. 987(2003)147
- Patonay, G., see Yang, C. 979(2002)307
- Patrick, D.R., see Xiang, H. 978(2002)153
- Patsias, J., Papadakis, E.N. and Papadopoulou-Mourkidou, E. Analysis of phenoxyalkanoic acid herbicides and their phenolic conversion products in soil by microwave assisted solvent extraction and subsequent analysis of extracts by on-line solid-phase extraction–liquid chromatography 959(2002)153
- Paul, R.K., see Dong, M.W. 987(2003)283
- Paull, B., see Bashir, W. 964(2002)113
- Paull, B., see Connolly, D. 953(2002)299
- Paull, B., see Twohill, E. 973(2002)103
- Paulsen, B.S., Olafsdóttir, E.S. and Ingólfssdóttir, K. Chromatography and electrophoresis in separation and characterization of polysaccharides from lichens (Review) 967(2002)163
- Pavlova, L., see Davankov, V. 965(2002)65
- Pawliszyn, J., see Mullett, W.M. 963(2002)325
- Pawliszyn, J., see Namera, A. 963(2002)295
- Pawliszyn, J., see Wu, J. 976(2002)357
- Pawliszyn, J., see Xiong, G. 999(2003)43
- Pchelkin, V.P., see Vereshchagin, A.G. 967(2002)269
- Pearse, D., see Thielmann, F. 969(2002)323
- Pedersen-Bjerggaard, S., see Ho, T.S. 963(2002)3
- Pedersen-Bjerggaard, S., see Andersen, S. 963(2002)303
- Pedersen-Bjerggaard, S., see Ho, T.S. 998(2003)61
- Pedrazzoli Jr., J., see Cass, Q.B. 987(2003)235
- Pel, R., see Blokker, P. 959(2002)191
- Pelejero, C., see Calvo, E. 989(2003)197
- Pélissou, M., see Barthe, L. 968(2002)241
- Pelizzetti, E., see Calza, P. 984(2003)59
- Pelletier, S. and Lucy, C.A. High-performance liquid chromatographic separation and indirect fluorescence detection of thiols 972(2002)221
- Peltre, G., see Sázlová, P. 990(2003)303
- Peña, A., see Alzaga, R. 999(2003)51
- Peña, R., Alcaraz, M.C., Arce, L., Ríos, A. and Valcárcel, M. Screening of aflatoxins in feed samples using a flow system coupled to capillary electrophoresis 967(2002)303
- Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R.M. Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples 953(2002)79
- Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R.M. Method based on solid-phase microextraction–high-performance liquid chromatography with UV and electrochemical detection to determine estrogenic compounds in water samples 964(2002)153
- Pengelly, I., see Coldwell, M.R. 984(2003)81
- Penner, N.A., see Slentz, B.E. 984(2003)97
- Pepich, B.V., see Wagner, H.P. 956(2002)93
- Perahia, D., see Marcus, R.K. 986(2003)17
- Pereira, E.A., Carrilho, E. and Tavares, M.F.M. Laser-induced fluorescence and UV detection of derivatized aldehydes in air samples using capillary electrophoresis 979(2002)409
- Pérez, D., see Moya, G. 971(2002)129
- Pérez de Paz, P.L., see Velasco-Negueruela, A. 984(2003)159
- Pérez, J., see Pino, J. 954(2002)51
- Pérez-Alonso, M.J., see Velasco-Negueruela, A. 984(2003)159
- Pérez-Bendito, D., see Merino, F. 962(2002)1
- Pérez-Bendito, D., see Merino, F. 998(2003)143
- Pérez-Camino, M.C., Moreda, W., Mateos, R. and Cert, A. Simultaneous determination of long-chain aliphatic aldehydes and waxes in olive oils 983(2003)283
- Pérez-Parajón, J., see González, F.R. 953(2002)151
- Pérez-Parajón, J., see González, F.R. 989(2003)265
- Pérez-Trujillo, J.P., Frías, S., Conde, J.E. and Rodríguez-Delgado, M.A. Comparison of different coatings in solid-phase microextraction for the determination of organochlorine pesticides in ground water 963(2002)95
- Pérez-Trujillo, J.P., see Rodríguez-Bencomo, J.J. 963(2002)213
- Pérez-Trujillo, J.P., see Rodríguez-Bencomo, J.J. 991(2003)13
- Pernías, K., see Garrigós, M.C. 963(2002)427
- Perrin, C., Matthijs, N., Mangelings, D., Granier-Loyaux, C., Maftouh, M., Massart, D.L. and Vander Heyden, Y. Screening approach for chiral separation of pharmaceuticals. Part II. Reversed-phase liquid chromatography 966(2002)119
- Perrin, C., see Put, R. 988(2003)261
- Perruchot, C., Chehimi, M.M., Delamar, M. and Dardoize, F. Characterisation of the chromatographic properties of a silica–polypyrrole composite stationary phase by inverse liquid chromatography 969(2002)167
- Perry, R.L., see Tindall, G.W. 977(2002)247
- Perry, R.L., see Tindall, G.W. 988(2003)309
- Peru, K.M., see Headley, J.V. 958(2002)149
- Peru, K.M., see McMartin, D.W. 952(2002)289
- Pescatore, M.C., see Donovan, S.F. 952(2002)47
- Pesek, J.J. and Matyska, M.T. Modified aluminas as chromatographic supports for high-performance liquid chromatography (Review) 952(2002)1

- Pesek, J.J., Matyska, M.T., Brent Dawson, G., Wilsdorf, A., Marc, P. and Padki, M.
Cholesterol bonded phase as a separation medium in liquid chromatography. Evaluation of properties and applications 986(2003)253
- Pesek, J.J., Matyska, M.T. and Pan, X.
Synthesis and evaluation of a C₈ stationary phase on a silica hydride surface by hydrosilation of 1-octyne 992(2003)57
- Pessenhofer, V., see Schmid, M.G. 990(2003)83
- Péter, A.
Direct high-performance liquid chromatographic enantioseparation of apolar β -amino acids on a quinine-derived chiral anion-exchanger stationary phase 955(2002)141
- Péter, A., Vékes, E. and Armstrong, D.W.
Effects of temperature on retention of chiral compounds on a ristocetin A chiral stationary phase 958(2002)89
- Peterson, D.S. and Palmer, C.P.
Novel alkyl-modified anionic siloxanes as pseudostationary phases for electrokinetic chromatography. III. Performance in organic-modified buffers 959(2002)255
- Peterson, Z.D., Bowerbank, C.R., Collins, D.C., Graves, S.W. and Lee, M.L.
Advantages and limitations of coupling isotachopheresis and comprehensive isotachopheresis–capillary electrophoresis to time-of-flight mass spectrometry 992(2003)169
- Pettersson, P., see Euerby, M.R. 994(2003)13
- Pettersson, P., see Juvancz, Z. 982(2002)119
- Petritis, K., Brussaens, S., Guenu, S., Elfakir, C. and Dreux, M.
Ion-pair reversed-phase liquid chromatography–electrospray mass spectrometry for the analysis of underivatized small peptides 957(2002)173
- Petritis, K., Elfakir, C. and Dreux, M.
A comparative study of commercial liquid chromatographic detectors for the analysis of underivatized amino acids 961(2002)9
- Petrovic, M., see Lopez de Alda, M.J. 1000(2003)503
- Petrovic, M., Eljarrat, E., López de Alda, M.J. and Barceló, D.
Recent advances in the mass spectrometric analysis related to endocrine disrupting compounds in aquatic environmental samples (Review) 974(2002)23
- Petrovic, M., Lacorte, S., Viana, P. and Barceló, D.
Pressurized liquid extraction followed by liquid chromatography–mass spectrometry for the determination of alkylphenolic compounds in river sediment 959(2002)15
- Petrovic, M., Tavazzi, S. and Barcelo, D.
Column-switching system with restricted access pre-column packing for an integrated sample cleanup and liquid chromatographic–mass spectrometric analysis of alkylphenolic compounds and steroid sex hormones in sediment 971(2002)37
- Pettersson, C., see Hedeland, Y. 984(2003)261
- Pettersson, C., see Lodén, H. 986(2003)143
- Pettersson, J. and Roeraade, J.
Quantitative accuracy in the gas chromatographic analysis of solvent mixtures 985(2003)21
- Peyrin, E., see Haroun, M. 977(2002)185
- Peyrin, E., see Loukili, B. 986(2003)45
- Pfäffli, P., Hämeilä, M., Kuusimäki, L. and Wirmoila, R.
Determination of maleic anhydride in occupational atmospheres 982(2002)261
- Pfeiffer, J., see Ruderisch, A. 994(2003)127
- Philippova, O.E., see Blagodatskikh, I.V. 976(2002)155
- Philipsen, H.J.A., see Leermakers, F.A.M. 959(2002)37
- Philo, M.R., see Nerín, C. 963(2002)375
- Piątkowski, W., Antos, D. and Kaczmarski, K.
Modeling of preparative chromatography processes with slow intraparticle mass transport kinetics 988(2003)219
- Piątkowski, W., Gritti, F., Kaczmarski, K. and Guiochon, G.
Influence of the particle porosity on chromatographic band profiles 989(2003)207
- Piatkowski, W., see Gritti, F. 978(2002)81
- Piatkowski, W., see Gritti, F. 983(2003)51
- Piatnicki, C.M.S., see Vilar, R.B.C. 985(2003)367
- Pichon, V., see Chapuis, F. 999(2003)23
- Pichon, V., see Delaunay-Bertoncini, N. 999(2003)3
- Pichon, V. and Hennion, M.-C.
Foreword 999(2003)1
- Pichon, V., see Hennion, M.-C. 1000(2003)29
- Picó, Y., see Blasco, C. 970(2002)201
- Picó, Y., see Navarro, M. 968(2002)201
- Piedra, L., see Mezcuá, M. 999(2003)81
- Pieraccini, G., Bartolucci, G., Pacenti, M., Dugheri, S., Boccalon, P. and Focardi, L.
Gas chromatographic determination of glutaraldehyde in the workplace atmosphere after derivatization with *O*-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine on a solid-phase microextraction fibre 955(2002)117
- Pietrantonio, E., see Mecozzi, M. 963(2002)363
- Piette, V., Lämmerhofer, M., Lindner, W. and Crommen, J.
Enantiomer separation of *N*-protected amino acids by non-aqueous capillary electrophoresis and high-performance liquid chromatography with *tert*-butyl carbamoylated quinine in either the background electrolyte or the stationary phase 987(2003)421
- Piette, V. and Parmentier, F.
Analysis of illicit amphetamine seizures by capillary zone electrophoresis 979(2002)345
- Pihlainen, K., Sippola, E. and Kostianen, R.
Rapid identification and quantitation of compounds with forensic interest using fast liquid chromatography–ion trap mass spectrometry and library searching 994(2003)93
- Pihlar, B., see Novič, M. 957(2002)165
- Pihlar, B., see Strlič, M. 964(2002)47
- Pihlar, B., see Zupančič, T. 975(2002)199
- Pilarczyk, M., see Dudek, M. 977(2002)115
- Pilidis, G.A., see Fiamegos, Y.C. 983(2003)215
- Piñeiro, N., see Gago-Martínez, A. 992(2003)159
- Piñeiro, Z., see Palma, M. 968(2002)1
- Pino, J., Martí, M.P., Mestres, M., Pérez, J., Busto, O. and Guasch, J.
Headspace solid-phase microextraction of higher fatty acid ethyl esters in white rum aroma 954(2002)51
- Pinto, N.G., see Lapizco-Encinas, B.H. 989(2003)3
- Pinto, N.G., see Thrash, M.E. 952(2002)301

- Pirard, C., De Pauw, E. and Focant, J.-F.
New strategy for comprehensive analysis of polybrominated diphenyl ethers, polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and polychlorinated biphenyls by gas chromatography coupled with mass spectrometry 998(2003)169
- Pirnay, S., Ricordel, I., Libong, D. and Bouchonnet, S.
Sensitive method for the detection of 22 benzodiazepines by gas chromatography–ion trap tandem mass spectrometry 954(2002)235
- Pirogov, A.V., see Shpigun, O.A. 979(2002)191
- Pizzale, L., see Vichi, S. 983(2003)19
- Plazier-Vercammen, J., see Vander Heyden, Y. 958(2002)191
- Plass-Dülmer, C., Michl, K., Ruf, R. and Berresheim, H.
C₂–C₈ Hydrocarbon measurement and quality control procedures at the Global Atmosphere Watch Observatory Hohenpeissenberg 953(2002)175
- Plasson, R., Biron, J.Ph., Cottet, H., Commeyras, A. and Taillades, J.
Kinetic study of the polymerization of α -amino acid *N*-carboxyanhydrides in aqueous solution using capillary electrophoresis 952(2002)239
- Platonova, G.A., see Vlakh, E.G. 992(2003)109
- Plieva, F.M., see Arvidsson, P. 977(2002)27
- Plieva, F.M., see Arvidsson, P. 986(2003)275
- Plocková, J., Matulík, F. and Chmelík, J.
Different elution modes and field programming in gravitational field-flow fractionation. IV. Field programming achieved with channels of non-constant cross-sections 955(2002)95
- Plum, A., Braun, G. and Rehorek, A.
Process monitoring of anaerobic azo dye degradation by high-performance liquid chromatography–diode array detection continuously coupled to membrane filtration sampling modules 987(2003)395
- Pobozy, E., see Dzierzgowska, M. 984(2003)291
- Pocurull, E., see Brossa, L. 963(2002)287
- Pocurull, E., see Brossa, L. 998(2003)41
- Pocurull, E., see Peñalver, A. 953(2002)79
- Pocurull, E., see Peñalver, A. 964(2002)153
- Podgornik, A., see Mihelič, I. 987(2003)159
- Pohl, C., see Lu, Z. 956(2002)129
- Pohl, C., see Rey, M. 997(2003)199
- Pohl, C.A., see Woodruff, A. 956(2002)35
- Pohl, C.A., see Woodruff, A. 997(2003)33
- Polášek, M., see Urbánek, M. 958(2002)261
- Polášková, P., Bocaz, G., Li, H. and Havel, J.
Evaluation of calibration data in capillary electrophoresis using artificial neural networks to increase precision of analysis 979(2002)59
- Polese, L., see Brito, N.M. 957(2002)201
- Poletti, R., see Ciminiello, P. 968(2002)61
- Pollok, D., see Melchert, H.-U. 976(2002)215
- Polo, M., see García-Jares, C. 963(2002)277
- Polo, M., see Llompарт, M. 999(2003)185
- Polonský, J., see Sádecká, J. 988(2003)161
- Pomazal, K., Prohaska, C. and Steffan, I.
Hydrophobic interaction chromatographic separation of proteins in human blood fractions hyphenated to atomic spectrometry as detector of essential elements 960(2002)143
- Pomponio, R., Gotti, R., Santagati, N.A. and Cavrini, V.
Analysis of catechins in extracts of *Cistus* species by microemulsion electrokinetic chromatography 990(2003)215
- Ponce de León, C.A., Montes-Bayón, M. and Caruso, J.A.
Elemental speciation by chromatographic separation with inductively coupled plasma mass spectrometry detection (Review) 974(2002)1
- Pons, B., see Ezquerro, Ó. 963(2002)381
- Pons, B., see Ezquerro, Ó. 985(2003)247
- Pons, B., see Ezquerro, Ó. 999(2003)155
- Poole, C.F. and Poole, S.K.
Column selectivity from the perspective of the solvation parameter model (Review) 965(2002)263
- Poole, C.F.
Thin-layer chromatography: challenges and opportunities (Review) 1000(2003)963
- Poole, S.K., see Poole, C.F. 965(2002)263
- Popova, T.P., see Berezkin, V.G. 960(2002)151
- Popovici, S.T., see Vander Heyden, Y. 957(2002)127
- Popovici, S.-T., see Vander Heyden, Y. 986(2003)1
- Popp, P., see Beiner, K. 968(2002)171
- Popp, P., see Braun, P. 988(2003)41
- Popp, P., see Cajthaml, T. 974(2002)213
- Popp, P., see Hauser, B. 963(2002)27
- Popp, P., see Müller, S. 985(2003)99
- Popp, P., see Paschke, A. 999(2003)35
- Poppe, H., see Sellmeyer, H. 960(2002)175
- Poppe, H., Stol, R. and Kok, W.Th.
Expressions for the C-term in the presence of pore flow 965(2002)75
- Poppe, H., Kenndler, E. and Lindner, W.
Foreword 960(2002)1
- Porrás, S.P., Kuldvee, R., Palonen, S. and Riekkola, M.-L.
Capillary electrophoresis of methyl-substituted phenols in acetonitrile 990(2003)35
- Porter, M.D., see Fritz, J.S. 997(2003)41
- Pospíšilová, M., see Urbánek, M. 958(2002)261
- Potin-Gautier, M., see Aguerre, S. 999(2003)61
- Potin-Gautier, M., see Bueno, M. 963(2002)185
- Potin-Gautier, M., see Le Gac, M. 999(2003)123
- Poulain, S., see Debrauwer, L. 976(2002)123
- Poustka, J., see Zrostlíková, J. 973(2002)13
- Pouyet, C., see Debrauwer, L. 976(2002)123
- Povolo, M. and Contarini, G.
Comparison of solid-phase microextraction and purge-and-trap methods for the analysis of the volatile fraction of butter 985(2003)117
- Pozo, O.J., Marin, J.M., Sancho, J.V. and Hernández, F.
Determination of abamectin and azadirachtin residues in orange samples by liquid chromatography–electrospray tandem mass spectrometry 992(2003)133

- Pozzebon, J.M., Queiroz, S.C.N., Melo, L.F.C., Kapor, M.A. and Jardim, I.C.S.F.
Application of new high-performance liquid chromatography and solid-phase extraction materials to the analysis of pesticides in human urine 987(2003)381
- Pozzebon, J.M., Vilegas, W. and Jardim, I.C.S.F.
Determination of herbicides and a metabolite in human urine by liquid chromatography–electrospray ionization mass spectrometry 987(2003)375
- Prada-Rodríguez, D., see Concha-Graña, E. 958(2002)17
- Prados-Rosales, R.C., Herrera, M.C., Luque-García, J.L. and Luque de Castro, M.D.
Study of the feasibility of focused microwave-assisted Soxhlet extraction of *N*-methylcarbamates from soil 953(2002)133
- Prados-Rosales, R.C., Luque García, J.L. and Luque de Castro, M.D.
Rapid analytical method for the determination of pesticide residues in sunflower seeds based on focused microwave-assisted Soxhlet extraction prior to gas chromatography–tandem mass spectrometry 993(2003)121
- Praisler, M., Van Bocxlaer, J., De Leenheer, A. and Massart, D.L.
Chemometric detection of thermally degraded samples in the analysis of drugs of abuse with gas chromatography–Fourier-transform infrared spectroscopy 962(2002)161
- Prandi, J., see Brando, T. 973(2002)203
- Pras, N., see Bos, R. 966(2002)233
- Pras, N., see Bos, R. 967(2002)131
- Prat, M.D., see Codony, R. 959(2002)131
- Prazen, B.J., see Sinha, A.E. 983(2003)195
- Prazeres, D.M.F., see Diogo, M.M. 998(2003)109
- Prest, J.E., see Baldock, S.J. 990(2003)11
- Prest, J.E., Baldock, S.J., Fielden, P.R., Goddard, N.J. and Treves Brown, B.J.
Miniaturised isotachophoretic analysis of inorganic arsenic speciation using a planar polymer chip with integrated conductivity detection 990(2003)325
- Presutti, C., see Fanali, S. 990(2003)143
- Presutti, C., see Fanali, S. 994(2003)227
- Prevelige, P.E., see Lam, T.T. 982(2002)85
- Price, G.J., Hickling, S.J. and Shillcock, I.M.
Applications of inverse gas chromatography in the study of liquid crystalline stationary phases 969(2002)193
- Price, G.J. and Shillcock, I.M.
Inverse gas chromatographic measurement of solubility parameters in liquid crystalline systems 964(2002)199
- Priego-Capote, F., Luque-García, J.L. and Luque de Castro, M.D.
Automated fast extraction of nitrated polycyclic aromatic hydrocarbons from soil by focused microwave-assisted Soxhlet extraction prior to gas chromatography–electron-capture detection 994(2003)159
- Priego-López, E. and Luque de Castro, M.D.
Pervaporation–gas chromatography coupling for slurry samples. Determination of acetaldehyde and acetone in food 976(2002)399
- Prieto, A., see Navalón, A. 975(2002)355
- Prieto, X., see Ábalos, M. 963(2002)249
- Prinsen, E., see Smets, R. 993(2003)79
- Prior, A., see Apostolidis, A. 967(2002)183
- Prohaska, C., see Pomazal, K. 960(2002)143
- Prokai, L., see Braddy, A.C. 966(2002)81
- Pryakhina, T.A., see Blagodatskikh, I.V. 976(2002)155
- Przyjazny, A. and Kokosa, J.M.
Analytical characteristics of the determination of benzene, toluene, ethylbenzene and xylenes in water by headspace solvent microextraction 977(2002)143
- Przyjazny, A., see Kokosa, J.M. 983(2003)205
- Psillakis, E. and Kalogerakis, N.
Hollow-fibre liquid-phase microextraction of phthalate esters from water 999(2003)145
- Puchades, R., see Gabaldón, J.A. 963(2002)125
- Puerta, Á., Jaulmes, A., De Frutos, M., Diez-Masa, J.C. and Vidal-Madjar, C.
Adsorption kinetics of β -lactoglobulin on a polyclonal immunochromatographic support 953(2002)17
- Puignou, L., see Sanz, R. 966(2002)135
- Puignou, L., see Sentellas, S. 976(2002)221
- Pumera, M., see Wang, J. 952(2002)249
- Purdom, G., see Ling, T.C. 989(2003)109
- Put, R., Perrin, C., Questier, F., Coomans, D., Massart, D.L. and Vander Heyden, Y.
Classification and regression tree analysis for molecular descriptor selection and retention prediction in chromatographic quantitative structure–retention relationship studies 988(2003)261
- Puzo, G., see Brando, T. 973(2002)203
- Pyell, U., see Kornyšova, O. 971(2002)225
- Pyrzyńska, K., see Dzierzgowska, M. 984(2003)291

Q

- Qu, Q.-s., He, Y.-z., Gan, W.-e., Deng, N. and Lin, X.-q.
Electrochromatography with a 2.7 mm inner diameter
monolithic column 983(2003)255
- Quaglia, M.G., see Fanali, S. 990(2003)143
- Quax, W.J., see Bos, R. 966(2002)233
- Queiroz, E.F., Wolfender, J.-L., Atindehou, K.K., Traore, D. and
Hostettmann, K.
On-line identification of the antifungal constituents of
Erythrina vogelii by liquid chromatography with tandem
mass spectrometry, ultraviolet absorbance detection and
nuclear magnetic resonance spectrometry combined with
liquid chromatographic micro-fractionation 974(2002)123
- Queiroz, J.A., see Diogo, M.M. 998(2003)109
- Queiroz, S.C.N., see Pozzebon, J.M. 987(2003)381
- Quéméner, B., Désiré, C., Debrauwer, L. and Rathahao, E.
Structural characterization by both positive and negative
electrospray ion trap mass spectrometry of
oligogalacturonates purified by high-performance anion-
exchange chromatography 984(2003)185
- Quemener, E., see Massip, C. 979(2002)209
- Questier, F., see Put, R. 988(2003)261
- Questier, F., see Van Gysegheem, E. 988(2003)77
- Quilliam, M.A., see Suzuki, T. 992(2003)141
- Quilliam, M.A.
The role of chromatography in the hunt for red tide toxins
(Review) 1000(2003)527
- Quiñones-García, I., see McCue, J.T. 989(2003)139
- Quintana, J.B., see Rodríguez, I. 985(2003)265
- Quirino, J.P., see Kato, M. 961(2002)45
- Quirino, J.P., Kim, J.-B. and Terabe, S.
Sweeping: concentration mechanism and applications to
high-sensitivity analysis in capillary electrophoresis
(Review) 965(2002)357
- Qurishi, R., Kaulich, M. and Müller, C.E.
Fast, efficient capillary electrophoresis method for
measuring nucleotide degradation and metabolism
952(2002)275
- Rabus, B., see Razzazi-Fazeli, E. 968(2002)129
- Rác, Á., see Mazák, K. 996(2003)195
- Radhakrishnan, G., see Ganeshjeevan, R. 988(2003)151
- Radler de Aquino Neto, F., see Huenerbein, A. 985(2003)375
- Raffi, G.B., see Accorsi, A. 985(2003)259
- Raghani, A.R. and Schultz, K.N.
Systematic error in automated in-tube solid-phase
microextraction 995(2003)1
- Raghavarao, K.S.M.S., see Nagaraj, N. 977(2002)163
- Raikos, N., see Theodoridis, G. 987(2003)103
- Rainville, P.D., see Gilar, M. 958(2002)167
- Rajani, T., see Rao, R.N. 954(2002)227
- Ramil Criado, M., Rodríguez Pereiro, I. and Cela Torrijos, R.
Determination of polychlorinated biphenyl compounds in
indoor air samples 963(2002)65
- Ramil Criado, M., Rodríguez Pereiro, I. and Cela Torrijos, R.
Optimization of a microwave-assisted extraction method for
the analysis of polychlorinated biphenyls in ash samples
985(2003)137
- Raml, R., see Trathnigg, B. 953(2002)89
- Ramos, L., Kristenson, E.M. and Brinkman, U.A.Th.
Current use of pressurised liquid extraction and subcritical
water extraction in environmental analysis (Review)
975(2002)3
- Ramstad, H., see Fernández Amandi, M. 976(2002)329
- Randon, J., see Crosnier de Bellaistre, M. 971(2002)199
- Ranke, J., see Stepnowski, P. 993(2003)173
- Rao, R.N., Khalid, S., Rajani, T. and Husain, S.
Gas chromatographic–mass spectrometric separation and
identification of combustion products of organo-phosphorus
and chlorine pesticides and evaluation of their impact on
the environment 954(2002)227
- Raposo, J.C., see Cortazar, E. 978(2002)165
- Rappel, C., see Trathnigg, B. 952(2002)149
- Rappel, C., see Trathnigg, B. 953(2002)89
- Rappel, C., Trathnigg, B. and Gorbunov, A.
Liquid chromatography of polyethylene glycol mono- and
diesters: functional macromolecules or block copolymers?
984(2003)29
- Rappsilber, J., see Ishihama, Y. 979(2002)233
- Rasmussen, K.E., see Andersen, S. 963(2002)303
- Rasmussen, K.E., see Ho, T.S. 963(2002)3
- Rasmussen, K.E., see Ho, T.S. 998(2003)61
- Raspi, G., see Bramanti, E. 958(2002)157
- Raspi, G., see Bramanti, E. 994(2003)59
- Ratanathanawongs Williams, S.K., see Shiundu, P.M.
983(2003)163
- Ratanathanawongs Williams, S.K., see Shiundu, P.M.
984(2003)67
- Rathahao, E., see Debrauwer, L. 976(2002)123
- Rathahao, E., see Quéméner, B. 984(2003)185
- Raulin, F., see Buch, A. 999(2003)165
- Raulin, F., see Szopa, C. 953(2002)165
- Raulin, F., see Szopa, C. 982(2002)303
- Raut, N.M., Jaison, P.G. and Aggarwal, S.K.
Comparative evaluation of three α -hydroxycarboxylic acids
for the separation of lanthanides by dynamically modified
reversed-phase high-performance liquid chromatography
959(2002)163
- Rauter, W., see Mayer, B.X. 993(2003)59
- Ravel, A., see Haroun, M. 977(2002)185
- Ravel, A., see Loukili, B. 986(2003)45
- Razpotnik, P., Turšič, J., Veber, M. and Novič, M.
Efficiency and characteristics of solid-phase (ion-exchange)
extraction for removal of Cl^- matrix 991(2003)23
- Razzazi-Fazeli, E., Rabus, B., Cecon, B. and Böhm, J.
Simultaneous quantification of A-trichothecene mycotoxins
in grains using liquid chromatography–atmospheric
pressure chemical ionisation mass spectrometry
968(2002)129
- Rbeida, O., see Chiap, P. 975(2002)145

R

- Reamer, R.A., see Antonucci, V. 983(2003)73
 Reamer, R.A., see Zhou, L. 987(2003)409
 Reboreda-Rodríguez, B., see López-Blanco, M.C. 976(2002)293
 Recanatini, M., see Bartolini, M. 958(2002)59
 Reche, F., Garrigós, M.C., Marín, M.L., Cantó, A. and Jiménez, A.
 Optimization of parameters for the supercritical fluid extraction in the determination of N-nitrosamines in rubbers 963(2002)419
 Reche, F., see Garrigós, M.C. 963(2002)427
 Reche, F., Garrigós, M.C., Marín, M.L. and Jiménez, A.
 Determination of N-nitrosamines in latex by sequential supercritical fluid extraction and derivatization 976(2002)301
 Reche, F., see Garrigós, M.C. 976(2002)309
 Reda, R., see Bernabei, M. 985(2003)197
 Reemtsma, T., see Zywicki, B. 970(2002)191
 Reemtsma, T.
 Liquid chromatography–mass spectrometry and strategies for trace-level analysis of polar organic pollutants (Review) 1000(2003)477
 Reeuwijk, B., see Chartogne, A. 959(2002)289
 Reeve, D., see Zhuang, W. 994(2003)137
 Regnier, F.E., see Slentz, B.E. 984(2003)97
 Rehorek, A., see Plum, A. 987(2003)395
 Reichenbach, S.E., Ni, M., Zhang, D. and Ledford Jr., E.B.
 Image background removal in comprehensive two-dimensional gas chromatography (Review) 985(2003)47
 Reid, K.R., Kennedy, L.J., Crick, E.W. and Conte, E.D.
 Solid phase extraction sorbent consisting of alkyltrimethylammonium surfactants immobilized onto strong cation-exchange polystyrene resin 975(2002)135
 Reilly, J., see de la Puente, M.L. 983(2003)101
 Rejniak, H., see Orska-Gawryś, J. 989(2003)239
 Rekowski, P., see Mucha, P. 968(2002)211
 Relva, A.M., see Fernandes, L. 995(2003)161
 Reschiglian, P., see Sanz, R. 966(2002)135
 Reschiglian, P., Zattoni, A., Roda, B., Cinque, L., Melucci, D., Min, B.R. and Moon, M.H.
 Hyperlayer hollow-fiber flow field-flow fractionation of cells 985(2003)519
 Reusser, D.E. and Field, J.A.
 Determination of benzylsuccinic acid in gasoline-contaminated groundwater by solid-phase extraction coupled with gas chromatography–mass spectrometry 953(2002)215
 Revilla-Ruiz, P., see Carabias-Martínez, R. 990(2003)291
 Rey, M. and Pohl, C.
 Novel cation-exchange column for the separation of hydrophobic and/or polyvalent amines 997(2003)199
 Rey, M., see Thomas, D.H. 956(2002)181
 Rezanka, T. and Dembitsky, V.M.
 Identification of acylated xanthone glycosides by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry in positive and negative modes from the lichen *Umbilicaria proboscidea* 995(2003)109
 Rezemini, A.L., Vaz, J.M. and Carvalho, L.R.F.
 Gas chromatographic–mass spectrometric method for quantification of 3-chloro-4-(dichloromethyl)-5-hydroxy-2[5H]-furanone in chlorinated water samples 972(2002)259
 Reznikova, O.I., see Cavani, L. 983(2003)263
 Rial Otero, R., Cancho Grande, B. and Simal Gándara, J.
 Multiresidue method for fourteen fungicides in white grapes by liquid–liquid and solid-phase extraction followed by liquid chromatography–diode array detection 992(2003)121
 Ribeiro, A., Neves, M.H., Almeida, M.F., Alves, A. and Santos, L.
 Direct determination of chlorophenols in landfill leachates by solid-phase micro-extraction–gas chromatography–mass spectrometry 975(2002)267
 Ribeiro, M.L., see Brito, N.M. 957(2002)201
 Ribet, J.-P., see Barthe, L. 968(2002)241
 Ricci, L., see Buldini, P.L. 975(2002)47
 Richards, D.S., see Crecelius, A. 958(2002)249
 Richter, P., Sepúlveda, B., Oliva, R., Calderón, K. and Seguel, R.
 Screening and determination of pesticides in soil using continuous subcritical water extraction and gas chromatography–mass spectrometry 994(2003)169
 Ricker, R.D., see Kirkland, J.J. 965(2002)25
 Ricordel, I., see Pirnay, S. 954(2002)235
 Riddle, L., see Hicks, M.B. 973(2002)27
 Riediker, S., Obrist, H., Varga, N. and Stadler, R.H.
 Determination of chlormequat and mepiquat in pear, tomato, and wheat flour using on-line solid-phase extraction (Prospekt) coupled with liquid chromatography–electrospray ionization tandem mass spectrometry 966(2002)15
 Riedl, B., see Jandura, P. 969(2002)301
 Riekkola, M.-L.
 Preface 990(2003)1
 Riekkola, M.-L., see Adler, H. 990(2003)133
 Riekkola, M.-L., see Porrás, S.P. 990(2003)35
 Riekkola, M.-L., see Suomi, J. 970(2002)287
 Riekkola, M.-L., see Vuorinen, P.S. 990(2003)45
 Riekkola, M.-L., see Hyötyläinen, T. 1000(2003)357
 Rigden, D.J., see Mazitsos, C.F. 954(2002)137
 Righetti, P.G., see D’Acunto, M.R. 979(2002)285
 Rigol, A., see Latorre, A. 991(2003)205
 Rigol, A., Latorre, A., Lacorte, S. and Barceló, D.
 Determination of toxic compounds in paper-recycling process waters by gas chromatography–mass spectrometry and liquid chromatography–mass spectrometry 963(2002)265
 Rimmer, C.A., Simmons, C.R. and Dorsey, J.G.
 The measurement and meaning of void volumes in reversed-phase liquid chromatography (Review) 965(2002)219
 Rimmer, D., see Ford, M.J. 952(2002)165
 Rimmer, D.A., see Coldwell, M.R. 984(2003)81
 Riollet, P., see Massip, C. 979(2002)209
 Ríos, A., see Peña, R. 967(2002)303
 Rios, A., see Sanches Filho, P.J. 985(2003)503

- Riu, M., Mestres, M., Busto, O. and Guasch, J.
Determination of 2,4,6-trichloroanisole in wines by
headspace solid-phase microextraction and gas
chromatography–electron-capture detection 977(2002)1
- Rius, F.X., see Comas, E. 988(2003)277
- Rivera, J., see Barco, M. 959(2002)103
- Rivera-Sagredo, A., see de la Puente, M.L. 983(2003)101
- Rivera-Sagredo, A., see Espada, A. 987(2003)211
- Robards, K., see Tura, D. 975(2002)71
- Robards, K.
Strategies for the determination of bioactive phenols in
plants, fruit and vegetables (Review) 1000(2003)657
- Robarts, R.D., see Headley, J.V. 958(2002)149
- Robb, C.S., see Brown, P.R. 965(2002)163
- Roberti, P., see Cinquina, A.L. 987(2003)221
- Rocca, J.L., see Al Rifafi, R. 973(2002)177
- Rocca, J.L., see Crosnier de Bellaistre, M. 971(2002)199
- Roda, B., see Reschiglian, P. 985(2003)519
- Rodier, C., see Buch, A. 999(2003)165
- Rodil, R., Carro, A.M., Lorenzo, R.A., Abuín, M. and Cela, R.
Methylmercury determination in biological samples by
derivatization, solid-phase microextraction and gas
chromatography with microwave-induced plasma atomic
emission spectrometry 963(2002)313
- Rodrigues, C.R., see da Conceição K.V. Ramos, M.
985(2003)321
- Rodrigues, J.A., see Santos, J.R. 985(2003)395
- Rodriguez, A.R., see Chassaigne, H. 976(2002)409
- Rodríguez, A.R., see Toussaint, B. 976(2002)195
- Rodriguez, A.R., see Van Vyncht, G. 952(2002)121
- Rodríguez, E., see Millán, S. 995(2003)135
- Rodríguez, F., see Garrido, J.L. 994(2003)85
- Rodríguez Fariñas, N., see Berzas Nevado, J.J. 953(2002)279
- Rodríguez Flores, J., see Berzas Nevado, J.J. 953(2002)279
- Rodríguez, I., Quintana, J.B., Carpinteiro, J., Carro, A.M.,
Lorenzo, R.A. and Cela, R.
Determination of acidic drugs in sewage water by gas
chromatography–mass spectrometry as *tert*-
butyldimethylsilyl derivatives 985(2003)265
- Rodríguez Pereiro, I., see Ramil Criado, M. 963(2002)65
- Rodríguez Pereiro, I., see Carpinterio Botana, J. 963(2002)195
- Rodríguez Pereiro, I., see Ramil Criado, M. 985(2003)137
- Rodríguez-Bencomo, J.J., Conde, J.E., Rodríguez-Delgado,
M.A., García-Montelongo, F. and Pérez-Trujillo, J.P.
Determination of esters in dry and sweet white wines by
headspace solid-phase microextraction and gas
chromatography 963(2002)213
- Rodríguez-Bencomo, J.J., Conde, J.E., García-Montelongo, F.
and Pérez-Trujillo, J.P.
Determination of major compounds in sweet wines by
headspace solid-phase microextraction and gas
chromatography 991(2003)13
- Rodríguez-Delgado, M.A., see Pérez-Trujillo, J.P. 963(2002)95
- Rodríguez-Delgado, M.A., see Rodríguez-Bencomo, J.J.
963(2002)213
- Rodriguez-Estrada, M.T., see Cercaci, L. 985(2003)211
- Rodriguez-Estrada, M.T., see Lercker, G. 985(2003)333
- Rodríguez-Gonzalo, E., see Carabias-Martínez, R.
990(2003)291
- Rodríguez-Vázquez, J.A., see Gago-Martínez, A. 992(2003)159
- Roehl, R., Slingsby, R., Avdalovic, N. and Jackson, P.E.
Applications of ion chromatography with electrospray mass
spectrometric detection to the determination of
environmental contaminants in water 956(2002)245
- Roels, J., Van Langenhove, H. and Verstraete, W.
Determination of phosphine in biogas and sludge at ppt-
levels with gas chromatography-thermionic specific
detection 952(2002)229
- Roeraade, J., see Pettersson, J. 985(2003)21
- Roets, E., see Debremaeker, D. 953(2002)123
- Roets, E., see Diana, J. 996(2003)115
- Roets, E., see Govaerts, E. 976(2002)65
- Roets, E., see Iványi, T. 954(2002)99
- Roets, E., see Visky, D. 977(2002)39
- Rogalski, M., see Mutelet, F. 969(2002)207
- Rogalski, M., see Mutelet, F. 988(2003)117
- Rohrer, J., see Kaiser, E. 997(2003)259
- Rohrer, J.S., see De Borba, B.M. 995(2003)143
- Rohrer, J.S., see Thomas, D.H. 956(2002)255
- Roll, R., see Szopa, C. 982(2002)303
- Romanelli, G., see Mecozzi, M. 963(2002)363
- Romijn, E.P., Krijgsveld, J. and Heck, A.J.R.
Recent liquid chromatographic–(tandem) mass
spectrometric applications in proteomics (Review)
1000(2003)589
- Roose, P., see Dallüge, J. 970(2002)213
- Root, T.W., see Teeters, M.A. 989(2003)165
- Rosa Rodríguez, A., see McCourt, J. 990(2003)259
- Roscoe, V.A., see Lau, B.P.-Y. 998(2003)119
- Rosell, M., Lacorte, S., Ginebreda, A. and Barceló, D.
Simultaneous determination of methyl *tert*-butyl ether and
its degradation products, other gasoline oxygenates and
benzene, toluene, ethylbenzene and xylenes in Catalanian
groundwater by purge-and-trap-gas chromatography–mass
spectrometry 995(2003)171
- Rosenbauer, H., see Szopa, C. 953(2002)165
- Rosenbauer, H., see Szopa, C. 982(2002)303
- Rosenberg, E., see Wissiack, R. 963(2002)149
- Rosenberg, E.
The potential of organic (electrospray- and atmospheric
pressure chemical ionisation) mass spectrometric techniques
coupled to liquid-phase separation for speciation analysis
(Review) 1000(2003)841
- Rosés, M. and Bosch, E.
Influence of mobile phase acid–base equilibria on the
chromatographic behaviour of protolytic compounds
(Review) 982(2002)1
- Rosés, M., see Espinosa, S. 954(2002)77
- Rosés, M., see Espinosa, S. 964(2002)55
- Rosés, M., see Méndez, A. 986(2003)33
- Rosés, M., see Torres-Lapasió, J.R. 955(2002)19
- Ross, O.H., see Xiang, H. 978(2002)153
- Rostand, R.D., see McKenzie, J.A.M. 962(2002)105
- Roubani-Kalantzopoulou, F., see Kalogirou, E. 969(2002)81
- Rouland, J.C., see Guillaume, Y.C. 955(2002)197
- Rouseff, R.L., see Högnadóttir, Á. 998(2003)201

Roussel, C., Vanthuynne, N., Serradeil-Albalat, M. and Vallejos, J.-C.

True or apparent reversal of elution order during chiral high-performance liquid chromatography monitored by a polarimetric detector under different mobile phase conditions 995(2003)79

Rousset, Ph., Sellappan, P. and Daoud, P.

Effect of emulsifiers on surface properties of sucrose by inverse gas chromatography 969(2002)97

Roux, A., see Cirilli, R. 993(2003)17

Roux, J.-C., see Lestremou, F. 999(2003)71

Rowe, R.C., see Grimsey, I.M. 969(2002)49

Rowley, L., see Muir, B. 977(2002)251

Roy, I. and Gupta, M.N.

κ -Carrageenan as a new smart macroaffinity ligand for the purification of pullulanase 998(2003)103

Roy, K.I. and Lucy, C.A.

Capillary electrophoresis in aqueous–organic media. Ionic strength effects and limitations of the Hubbard–Onsager dielectric friction model 964(2002)213

Rubach, K., see Melchert, H.-U. 976(2002)215

Rubinstein, I., see Ioffe, V. 987(2003)169

Rubio, S., see Merino, F. 962(2002)1

Rubio, S., see Merino, F. 998(2003)143

Rudaz, S., see Varesio, E. 974(2002)135

Ruderisch, A., Pfeiffer, J. and Schurig, V.

Mixed chiral stationary phase containing modified resorcinarene and β -cyclodextrin selectors bonded to a polysiloxane for enantioselective gas chromatography 994(2003)127

Rudzińska, E., Dzygiel, P., Wieczorek, P. and Kafarski, P.

Separation of aromatic aminophosphonic acid enantiomers by capillary electrophoresis with the application of cyclodextrins 979(2002)115

Ruf, R., see Plass-Dülmer, C. 953(2002)175

Rüfer, H., see Ehmann, T. 995(2003)217

Ruiz, J., see Andrés, A.I. 963(2002)83

Rumbel, B., see Ogle, D. 989(2003)65

Rundberget, T. and Wilkins, A.L.

Determination of *Penicillium* mycotoxins in foods and feeds using liquid chromatography–mass spectrometry 964(2002)189

Russell II, R.J., see Gilar, M. 958(2002)167

Rutan, S.C., see Lopez, L.A. 965(2002)301

Ruyter, E., see Vervoort, R.J.M. 964(2002)67

Rybár, I., see Hutta, M. 959(2002)143

Rykowska, I., see Wasiak, W. 969(2002)133

Rylatt, D., see Ogle, D. 979(2002)155

Rylatt, D.B., see Ogle, D. 989(2003)65

Ryoo, J.J., Kim, T.H., Im, S.H., Jeong, Y.H., Park, J.Y., Choi, S.-H., Lee, K.-P. and Park, J.H.

Enantioseparation of racemic *N*-acylarylalkylamines on various amino alcohol derived π -acidic chiral stationary phases 987(2003)429

Ryoo, J.J., see Lee, K.-P. 987(2003)111

Ryoo, J.-J., see Ohta, K. 997(2003)117

Ryu, J., see Park, S. 958(2002)183

S

Saari-Nordhaus, R. and Anderson Jr., J.M.

Recent advances in ion chromatography suppressor improve anion separation and detection 956(2002)15

Saari-Nordhaus, R., see Bose, R. 956(2002)71

Saari-Nordhaus, R., see Douglas, D.R. 956(2002)47

Sabbioni, C., see Han, Y.-S. 986(2003)291

Sabik, H., see Jeannot, R. 974(2002)143

Sabus, C., see Liu, H. 955(2002)237

Sádecká, J. and Polonský, J.

Determination of organic acids in tobacco by capillary isotachopheresis 988(2003)161

Sáenz-López, R., Fernández-Zurbano, P. and Tena, M.T.

Capillary electrophoretic separation of phenolic diterpenes from rosemary 953(2002)251

Sáenz-López, R., Fernández-Zurbano, P. and Tena, M.T.

Development and validation of a capillary zone electrophoresis method for the quantitative determination of anthocyanins in wine 990(2003)247

Saha, S., Smith, R.M., Lenz, E. and Wilson, I.D.

Analysis of a ginger extract by high-performance liquid chromatography coupled to nuclear magnetic resonance spectroscopy using superheated deuterium oxide as the mobile phase 991(2003)143

Sahlin, E. and Weber, S.G.

Capillary zone electrophoresis in laboratory-made fluorinated ethylene propylene capillaries 972(2002)283

Sainio, T., see Tiihonen, J. 982(2002)69

Saito, K., see Ogawa, H. 954(2002)89

Saito, K., see Okamura, D. 953(2002)101

Saito, Ka., Saito, Ky., Sugita, K., Tamada, M. and Sugo, T.

Convection-aided collection of metal ions using chelating porous flat-sheet membranes 954(2002)277

Saito, Ky., see Saito, Ka. 954(2002)277

Saito, Y., see Mesplet, N. 983(2003)115

Saito, Y., Nojiri, M., Imaizumi, M., Nakao, Y., Morishima, Y., Kanehara, H., Matsuura, H., Kotera, K., Wada, H. and Jinno, K.

Polymer-coated synthetic fibers designed for miniaturized sample preparation process 975(2002)105

Saito, Y. and Jinno, K.

Miniaturized sample preparation combined with liquid phase separations (Review) 1000(2003)53

Saitoh, T., Nakayama, Y. and Hiraide, M.

Concentration of chlorophenols in water with sodium dodecylsulfate– γ -alumina admicelles for high-performance liquid chromatographic analysis 972(2002)205

Sakai, K., see Kobayashi, J. 958(2002)109

Sakai-Kato, K., see Kato, M. 961(2002)45

Sakano, K., see Kobayashi, H. 990(2003)169

Sakayanagi, M., see Kato, N. 973(2002)159

- Sakkas, V.A., Konstantinou, I.K. and Albanis, T.A.
Aquatic phototransformation study of the antifouling agent Sea-Nine 211: identification of byproducts and the reaction pathway by gas chromatography–mass spectroscopy 959(2002)215
- Sakkas, V.A., see Lambropoulou, D.A. 952(2002)215
- Sakkas, V.A., see Lambropoulou, D.A. 963(2002)107
- Sakkas, V.A., see Lambropoulou, D.A. 967(2002)243
- Sako, M., see Inagaki, S. 987(2003)341
- Sala, C., Mestres, M., Martí, M.P., Busto, O. and Guasch, J.
Headspace solid-phase microextraction analysis of 3-alkyl-2-methoxypyrazines in wines 953(2002)1
- Salafranca, J., see Nerín, C. 963(2002)375
- Saleh, M.I., see Koh, Y.M. 987(2003)257
- Salgado, C., see García-Jares, C. 963(2002)277
- Salgado, C., see Llompart, M. 999(2003)185
- Salvadó, V., see Juanola, R. 953(2002)207
- Salvador, A., see Chisvert, A. 977(2002)277
- Salvayre, R., see Bayle, C. 979(2002)255
- Salvayre, R., see Massip, C. 979(2002)209
- Samcová, E., see Kvasnicová, V. 985(2003)513
- Samios, D., see Vilar, R.B.C. 985(2003)367
- Sampedro, M.C., see Millán, S. 995(2003)135
- Samskog, J., Bylund, D., Jacobsson, S.P. and Markides, K.E.
Miniaturized on-line proteolysis–capillary liquid chromatography–mass spectrometry for peptide mapping of lactate dehydrogenase 998(2003)83
- Sanches Filho, P.J., Rios, A., Valcárcel, M., Zanin, K.D. and Bastos Caramão, E.
Determination of nitrosamines in preserved sausages by solid-phase extraction–micellar electrokinetic chromatography 985(2003)503
- Sánchez, A., see Cano, J.M. 963(2002)401
- Sanchez, C., Ericsson, M., Carlsson, H., Colmsjö, A. and Dyremark, E.
Dynamic sonication-assisted solvent extraction of organophosphate esters in air samples 957(2002)227
- Sanchez, C., Ericsson, M., Carlsson, H. and Colmsjö, A.
Determination of organophosphate esters in air samples by dynamic sonication-assisted solvent extraction coupled on-line with large-volume injection gas chromatography utilizing a programmed-temperature vaporizer 993(2003)103
- Sánchez-Brunete, C., Miguel, E. and Tadeo, J.L.
Multiresidue analysis of fungicides in soil by sonication-assisted extraction in small columns and gas chromatography 976(2002)319
- Sánchez-Machado, D.I., López-Hernández, J. and Paseiro-Losada, P.
High-performance liquid chromatographic determination of α -tocopherol in macroalgae 976(2002)277
- Sánchez Martínez, J.I., see Demyttenaere, J.C.R. 985(2003)221
- Sánchez-Pérez, A., see Delgado-Zamarreño, M.M. 953(2002)257
- Sánchez-Prado, L., see Llompart, M. 985(2003)175
- Sancho, J.V., see Pozo, O.J. 992(2003)133
- Sancho, M²., see Suárez-Luque, S. 955(2002)207
- Sandahl, M., Mathiasson, L. and Jönsson, J.Å
On-line automated sample preparation for liquid chromatography using parallel supported liquid membrane extraction and microporous membrane liquid–liquid extraction 975(2002)211
- Sander, K., see Ståhlberg, O. 977(2002)265
- Sander, L.C., see Wilson, N.S. 961(2002)217
- Sandner, F., see Hollender, J. 962(2002)175
- Sandra, P.
Foreword 985(2003)1
- Sandra, P., see Demyttenaere, J.C.R. 985(2003)127
- Sandra, P., see Demyttenaere, J.C.R. 985(2003)221
- Sandra, P., see Demyttenaere, J.C.R. 985(2003)233
- Sandra, P., Medvedovici, A., Zhao, Y. and David, F.
Characterization of triglycerides in vegetable oils by silver-ion packed-column supercritical fluid chromatography coupled to mass spectroscopy with atmospheric pressure chemical ionization and coordination ion spray 974(2002)231
- Sandra, P., see Nogueira, J.M.F. 996(2003)133
- Sandra, P., see Krupcik, J. 1000(2003)779
- Sandra, P., Tienpont, B. and David, F.
Multi-residue screening of pesticides in vegetables, fruits and baby food by stir bar sorptive extraction–thermal desorption–capillary gas chromatography–mass spectrometry 1000(2003)299
- Sandra, T., see Nogueira, J.M.F. 996(2003)133
- Sänger-van de Griend, C., see Ståhlberg, O. 977(2002)265
- Sänger-van de Griend, C., see Baur, L. 979(2002)97
- Sanli, N., Fonrodona, G., Barrón, D., Özkan, G. and Barbosa, J.
Prediction of chromatographic retention, pK_a values and optimization of the separation of polyphenolic acids in strawberries 975(2002)299
- Sano, K.-i., see Himeno, S. 966(2002)213
- Sano, T., see Kubo, T. 987(2003)389
- Santa, T., see Okabe, K. 982(2002)111
- Santagati, N.A., see Pomponio, R. 990(2003)215
- Santarelli, X., see Noubhani, A.M. 968(2002)113
- Santiago-Silva, M., see Godoi, A.F.L. 985(2003)205
- Santiuste, J.M. and Takács, J.M.
Contribution to the time balance in gas–liquid chromatography. New definition equations of the retention times and retention volumes 966(2002)145
- Santos, F.J., see Castells, P. 984(2003)1
- Santos, J.M.R.C.A., Fagelman, K. and Guthrie, J.T.
Characterisation of the surface Lewis acid–base properties of poly(butylene terephthalate) by inverse gas chromatography 969(2002)111
- Santos, J.M.R.C.A., Fagelman, K. and Guthrie, J.T.
Characterisation of the surface Lewis acid–base properties of the components of pigmented, impact-modified, bisphenol A polycarbonate–poly(butylene terephthalate) blends by inverse gas chromatography–phase separation and phase preferences 969(2002)119
- Santos, F.J. and Galceran, M.T.
Modern developments in gas chromatography–mass spectrometry-based environmental analysis (Review) 1000(2003)125

- Santos, J.R., Carneiro, J.R., Guido, L.F., Almeida, P.J., Rodrigues, J.A. and Barros, A.A.
Determination of *E*-2-nonenal by high-performance liquid chromatography with UV detection. Assay for the evaluation of beer ageing 985(2003)395
- Santos, L., see Ribeiro, A. 975(2002)267
- Santos, L.C., see Andrade, F.D.P. 953(2002)287
- Santoyo, E., García, R., Martínez-Frías, J., López-Vera, F. and Verma, S.P.
Capillary electrophoretic analysis of inorganic anions in atmospheric hailstone samples 956(2002)279
- Santoyo, E. and Verma, S.P.
Determination of lanthanides in synthetic standards by reversed-phase high-performance liquid chromatography with the aid of a weighted least-squares regression model. Estimation of method sensitivities and detection limits 997(2003)171
- Sanz, J., see Cortazar, E. 978(2002)165
- Sanz, J., see Velasco-Negueruela, A. 984(2003)159
- Sanz, R., Torsello, B., Reschiglian, P., Puignou, L. and Galceran, M.T.
Improved performance of gravitational field-flow fractionation for screening wine-making yeast varieties 966(2002)135
- Sanz-Nebot, V., Benavente, F., Toro, I. and Barbosa, J.
Evaluation of chromatographic versus electrophoretic behaviour of a series of therapeutic peptide hormones 985(2003)411
- Sarabia, L., see García, I. 992(2003)11
- Saraji, M., see Bagheri, H. 986(2003)111
- Sarkar, S., see Subramanian, A. 989(2003)131
- Sarobe, M., see Barranco, A. 988(2003)33
- Sartini, E., see Castellari, M. 973(2002)221
- Sarver, J., see Faghihi, J. 989(2003)317
- Sarzanini, C.
Recent developments in ion chromatography (Review) 956(2002)3
- Sarzanini, C., see Bruzzoniti, M.C. 997(2003)51
- Sarzanini, C., see Tanaka, K. 956(2002)209
- Sasaki, H., see Kato, Y. 971(2002)143
- Sasaki, H., see Kato, Y. 986(2003)83
- Sasaki, H., see Nakamura, K. 972(2002)21
- Sasamoto, K., see Ochiai, N. 986(2003)101
- Šašek, V., see Cajthaml, T. 974(2002)213
- Sato, H., see Bamba, T. 995(2003)203
- Sato, H., see Kawai, E. 991(2003)197
- Sato, S., see Mori, M. 997(2003)191
- Sato, S., see Mori, M. 997(2003)219
- Sato, S., Ogura, Y., Miyana, A., Sugimoto, T., Tanaka, K. and Moriyama, H.
Ion chromatographic system with a novel switching suppression device 956(2002)53
- Saurina, J., see Latorre, R.M. 976(2002)55
- Sauvard, E., see Jeannot, R. 974(2002)143
- Savage, P.B., see Hook, G.L. 992(2003)1
- Savage, P.B., see Kluchinsky Jr., T.A. 952(2002)205
- Savary, L., see Bouyssiere, B. 976(2002)431
- Savina, I.N., see Arvidsson, P. 977(2002)27
- Savoy-Perroud, M.-C., see Verzegnassi, L. 977(2002)77
- Sázelová, P., Kašička, V., Koval, D., Kilár, F., Knopp, D. and Peltre, G.
Analysis of water extracts from airborne dust samples by capillary isotachopheresis 990(2003)303
- Schaefer, K.E., see Beisler, A.T. 986(2003)247
- Schaub, A., see Komenda, M. 995(2003)185
- Schedle, A., Ivanova, M. and Kenndler, E.
Determination of ethoxylated bisphenol A dimethacrylate monomers in dental composites by micellar electrokinetic chromatography 990(2003)231
- Scherer, K., see Gutleben, W. 982(2002)153
- Schieffer, G.W.
Comments on "Ion-exchange liquid chromatographic analysis of bisphosphonates by on-line post-column photochemical reaction and spectrophotometric detection" [J. Chromatogr. A 914 (2001) 105–110] 961(2002)293
- Schiller, M., von der Heydt, H., März, F. and Schmidt, P.C.
Quantification of sugars and organic acids in hygroscopic pharmaceutical herbal dry extracts 968(2002)101
- Schlifke, R., see Kadnar, R. 997(2003)285
- Schmarr, H.-G., see Miller, A. 985(2003)403
- Schmid, M.G., Grobuschek, N., Pessenhofer, V., Klostius, A. and Gübitz, G.
Enantioseparation of dipeptides by capillary electrochromatography on a teicoplanin aglycone chiral stationary phase 990(2003)83
- Schmidt, A.H.
Use of an on-line, precolumn photochemical reactor in high-performance liquid chromatography of naphthodianthrone in *Hypericum perforatum* preparations 987(2003)181
- Schmidt, P.C., see Awadallah, B. 988(2003)135
- Schmidt, P.C., see Schiller, M. 968(2002)101
- Schmidt, R., see Schurig, V. 1000(2003)311
- Schmitt-Kopplin, P. and Junkers, J.
Capillary zone electrophoresis of natural organic matter (Review) 998(2003)1
- Schneider, J.F., see O'Neill, H.J. 962(2002)183
- Schneider, R.C.S., Baldissarelli, V.Z., Martinelli, M., von Holleben, M.L.A. and Caramão, E.B.
Determination of the disproportionation products of limonene used for the catalytic hydrogenation of castor oil 985(2003)313
- Schneider, S., see Uhlmann, P. 969(2002)73
- Schoenmakers, P., Fitzpatrick, F. and Grothey, R.
Predicting the behaviour of polydisperse polymers in liquid chromatography under isocratic and gradient conditions 965(2002)93
- Schoenmakers, P., see Fitzpatrick, F. 988(2003)53
- Schoenmakers, P.J., see Blomberg, J. 972(2002)137
- Schoenmakers, P.J., see Blomberg, J. 993(2003)221
- Schoenmakers, P.J., see Jiang, X. 982(2002)55
- Schoenmakers, P.J., see Oudhoff, K.A. 985(2003)479
- Schoenmakers, P.J., see Vander Heyden, Y. 957(2002)127
- Schoenmakers, P.J., see Vander Heyden, Y. 986(2003)1
- Schoenmakers, P.J., see van der Horst, A. 1000(2003)693
- Schossler, P., see Vilar, R.B.C. 985(2003)367
- Schottenberger, H., see Mayr, B. 973(2002)115
- Schouten, S., see Smittenberg, R.H. 978(2002)129
- Schrader, S., see Brack, W. 986(2003)55

- Schrader, S., see Brack, W. 993(2003)223
Schrader, S., see Braun, P. 988(2003)41
Schrader, S., see Müller, S. 985(2003)99
Schramm, K.-W., see Xu, F. 968(2002)7
Schrimsher, J.L., see Weatherly, G.T. 952(2002)99
Schug, K. and McNair, H.M.
Adduct formation in electrospray ionization mass spectrometry. II. Benzoic acid derivatives 985(2003)531
Schulte, T., see Jandik, P. 954(2002)33
Schultz, J., see Hamieh, T. 969(2002)17
Schultz, J., see Hamieh, T. 969(2002)27
Schultz, J., see Hamieh, T. 969(2002)37
Schultz, K.N., see Raghani, A.R. 995(2003)1
Schure, M.R., see Klotz, W.L. 962(2002)207
Schure, M.R., see Wick, C.D. 954(2002)181
Schurig, V.
Practice and theory of enantioselective complexation gas chromatography (Review) 965(2002)315
Schurig, V., see Ruderisch, A. 994(2003)127
Schurig, V. and Schmidt, R.
Extraordinary chiral discrimination in inclusion gas chromatography. Thermodynamics of enantioselectivity between a racemic perfluorodiether and a modified γ -cyclodextrin 1000(2003)311
Schwinn, H., see Iberer, G. 972(2002)115
Schwotzer, G., see Apostolidis, A. 967(2002)183
Sciumbato, A.S., see Krutz, L.J. 999(2003)103
Scivoli, G., see Caccamese, S. 966(2002)221
Scott Broyles, B., see Shalliker, R.A. 994(2003)1
Scott, J.N., see Thomas, D.H. 956(2002)255
Scott, P.M., see Lau, B.P.-Y. 998(2003)119
Scoville, D.H., see Niederhauser, T.L. 982(2002)49
Sebih, S., see Ferroukhi, O. 971(2002)87
Sedláková, Z., see Tishchenko, G. 954(2002)115
Sedo, K.R., Demarest, C.W., Liu, M. and Wright, P.B.
Systematic development and validation of stability indicating micellar electrokinetic chromatography methods for early stage drug candidates 988(2003)297
Seeley, J.V.
Theoretical study of incomplete sampling of the first dimension in comprehensive two-dimensional chromatography 962(2002)21
Segeren, L.H.G.J., Wouters, M.E.L., Bos, M., van den Berg, J.W.A. and Vancso, G.J.
Surface energy characteristics of toner particles by automated inverse gas chromatography 969(2002)215
Seguel, R., see Richter, P. 994(2003)169
Sei, K., Nakano, M., Kinoshita, M., Masuko, T. and Kakehi, K.
Collection of α -acid glycoprotein molecular species by capillary electrophoresis and the analysis of their molecular masses and carbohydrate chains. Basic studies on the analysis of glycoprotein glycoforms 958(2002)273
Seidel-Morgenstern, A., see Mhlbachler, K. 955(2002)35
Seidel-Morgenstern, A., see Beltscheva, D. 989(2003)31
Sellappan, P., see Roussel, Ph. 969(2002)97
Sellersgren, B., see Blomgren, A. 975(2002)157
Sellersgren, B., see Pap, T. 973(2002)1
Sellersgren, B., see Szabelski, P. 964(2002)99
Sellersgren, S., see Chapuis, F. 999(2003)23
Sellmeyer, H. and Poppe, H.
Position and intensity of system (eigen) peaks in capillary zone electrophoresis 960(2002)175
Senseman, S.A., see Krutz, L.J. 999(2003)103
Sentellas, S., Puignou, L. and Galceran, M.T.
Determination of ebrotidine and its metabolites by micellar electrokinetic capillary chromatography 976(2002)221
Sepúlveda, B., see Richter, P. 994(2003)169
Serradeil-Albalat, M., see Roussel, C. 995(2003)79
Ševčík, J., see Kubinec, R. 993(2003)47
Ševčík, R., see Kvasnička, F. 990(2003)239
Ševčíková, P., Glatz, Z. and Tomandl, J.
Determination of homocysteine in human plasma by micellar electrokinetic chromatography and in-capillary detection reaction with 2,2'-dipyridyl disulfide 990(2003)197
Seyama, Y., see Kasai, H.F. 977(2002)125
Shabir, G.A.
Validation of high-performance liquid chromatography methods for pharmaceutical analysis. Understanding the differences and similarities between validation requirements of the US Food and Drug Administration, the US Pharmacopeia and the International Conference on Harmonization 987(2003)57
Shafer, M.M., see Tang, D. 998(2003)31
Shah, D.S., see Li, J. 954(2002)159
Shah, R.S., Wang, Q. and Lee, M.L.
Cycloaliphatic epoxy resin coating for capillary electrophoresis 952(2002)267
Shalliker, R.A., see Gray, M. 975(2002)285
Shalliker, R.A., see Kayillo, S. 967(2002)173
Shalliker, R.A., Scott Broyles, B. and Guiochon, G.
Axial and radial diffusion coefficients in a liquid chromatography column and bed heterogeneity 994(2003)1
Shalliker, R.A., see Sweeney, A.P. 968(2002)41
Shalliker, R.A., Wong, V., Broyles, B.S. and Guiochon, G.
Visualization of bed compression in an axial compression liquid chromatography column 977(2002)213
Shan, X.-Q., see Wang, M. 989(2003)285
Shao, D.-L., see Lian, H.-Z. 993(2003)179
Shao, G. and Giese, R.W.
Bypass high-performance liquid chromatography for purification of trace analytes 965(2002)233
Shapovalova, E.N., see Shpigun, O.A. 979(2002)191
Sharfstein, S., see Faghihi, J. 989(2003)317
Sharma, A., Mondal, K. and Gupta, M.N.
Separation of enzymes by sequential macroaffinity ligand-facilitated three-phase partitioning 995(2003)127
Sharma, J.L., see Buldini, P.L. 975(2002)47
Shave, E., see Ogle, D. 979(2002)155
Shave, E. and Vigh, G.
Preparative-scale isoelectric trapping enantiomer separations 989(2003)73
Shaw, C.J., Huang, A. and Zhang, X.
Quantitation and test of enantiomeric purity of the L-ketohexoses by liquid chromatography with dual refractive index and laser-based chiroptical detection 987(2003)439
Shaw, M.J., see Haddad, P.R. 956(2002)59

- Shaw, M.J., Jones, P. and Nesterenko, P.N.
Dynamic chelation ion chromatography of transition and heavy metal ions using a mobile phase containing 4-chlorodipicolinic acid 953(2002)141
- Shaw, M.J., Nesterenko, P.N., Dicinowski, G.W. and Haddad, P.R.
Selectivity behaviour of a bonded phosphonate–carboxylate polymeric ion exchanger for metal cations with varying eluent compositions 997(2003)3
- Shaw, M.J., see Haddad, P.R. 1000(2003)725
- Sheehan, M., see Ogle, D. 989(2003)65
- Sheely, M.V., see Kluchinsky Jr., T.A. 952(2002)205
- Shellie, R., Mondello, L., Marriott, P. and Dugo, G.
Characterisation of lavender essential oils by using gas chromatography – mass spectrometry with correlation of linear retention indices and comparison with comprehensive two-dimensional gas chromatography 970(2002)225
- Shellie, R.A., Xie, L.-L. and Marriott, P.J.
Retention time reproducibility in comprehensive two-dimensional gas chromatography using cryogenic modulation. An intralaboratory study 968(2002)161
- Sheludko, Y., see Stöckigt, J. 967(2002)85
- Shen, G., see Hou, L. 985(2003)107
- Shen, G. and Lee, H.K.
Determination of triazines in soil by microwave-assisted extraction followed by solid-phase microextraction and gas chromatography–mass spectrometry 985(2003)167
- Shen, Z., Sun, Z., Wu, L., Wu, K., Sun, S. and Huang, Z.
Rapid method for the determination of amino acids in serum by capillary electrophoresis 979(2002)227
- Shepard, S.R., see Weatherly, G.T. 952(2002)99
- Shepodd, T.J., see Kirby, B.J. 979(2002)147
- Sherrington, D.C., see Caro, E. 963(2002)169
- Sherrington, D.C., see Caro, E. 995(2003)233
- Shi, Y.-P., see Jiang, T.-F. 986(2003)163
- Shi, Z., see Liu, G. 952(2002)71
- Shibata, Y., see Chatterjee, A. 997(2003)249
- Shibukawa, M., see Yarita, T. 976(2002)387
- Shigeoka, S., see Takahashi, M. 958(2002)299
- Shih, B.Y., see Boué, S.M. 991(2003)61
- Shih, Y.-C., see Huang, H.-Y. 959(2002)317
- Shillcock, I.M., see Price, G.J. 964(2002)199
- Shillcock, I.M., see Price, G.J. 969(2002)193
- Shimada, K., see Mitamura, K. 961(2002)97
- Shimamura, K., see Kobayashi, H. 990(2003)169
- Shimelis, O., see Yang, C. 979(2002)307
- Shimoyama, K., see Kawai, E. 991(2003)197
- Shin, Y.-J., see Hyun, M.H. 959(2002)75
- Shinoda, A., see Isobe, T. 984(2003)195
- Shinohara, E., see Kobayashi, H. 990(2003)169
- Shintani, Y., Zhou, X., Furuno, M., Minakuchi, H. and Nakanishi, K.
Monolithic silica column for in-tube solid-phase microextraction coupled to high-performance liquid chromatography 985(2003)351
- Shioji, H., see Tsunoi, S. 962(2002)197
- Shiraishi, H., see Isobe, T. 984(2003)195
- Shiraishi, T., see Kim, J.K. 986(2003)313
- Shirao, M., see Kasai, H.F. 977(2002)125
- Shiryaeva, V.E., see Berezkin, V.G. 960(2002)151
- Shiundu, P.M., Munguti, S.M. and Ratanathanawongs Williams, S.K.
Retention behavior of metal particle dispersions in aqueous and nonaqueous carriers in thermal field-flow fractionation 983(2003)163
- Shiundu, P.M., Munguti, S.M. and Ratanathanawongs Williams, S.K.
Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67
- Shpigun, O.A., Shapovalova, E.N., Ananieva, I.A. and Pirogov, A.V.
Separation and enantioseparation of derivatized amino acids and biogenic amines by high-performance liquid chromatography with reversed and chiral stationary phases 979(2002)191
- Shui, G. and Leong, L.P.
Separation and determination of organic acids and phenolic compounds in fruit juices and drinks by high-performance liquid chromatography 977(2002)89
- Sibanda, L., De Saeger, S. and Van Peteghem, C.
Optimization of solid-phase clean-up prior to liquid chromatographic analysis of ochratoxin A in roasted coffee 959(2002)327
- Siddiqi, Z.M. and Pathania, D.
Titanium(IV) tungstosilicate and titanium(IV) tungstophosphate: two new inorganic ion exchangers 987(2003)147
- Siepmann, J.I., see Wick, C.D. 954(2002)181
- Sigouin, L., see Wang, Z. 971(2002)173
- Siluk, D., see Kalisz, R. 965(2002)117
- Silva, C.R., Jardim, I.C.S.F. and Airolidi, C.
New generation of sterically protected C₁₈ stationary phases containing embedded urea groups for use in high-performance liquid chromatography 987(2003)127
- Silva, C.R., Jardim, I.C.S.F. and Airolidi, C.
Evaluation of the applicability and the stability of a C₁₈ stationary phase containing embedded urea groups 987(2003)139
- Silvana Bellini, M., see Manetto, G. 990(2003)205
- Silvana Bellini, M., see Manetto, G. 990(2003)281
- Simal Gándara, J., see Rial Otero, R. 992(2003)121
- Simal-Gándara, J., see López-Blanco, M.C. 963(2002)117
- Simal-Gándara, J., see López-Blanco, M.C. 976(2002)293
- Simal-Gándara, J., see López-Blanco, M.C. 984(2003)245
- Simal-Lozano, J., see Suárez-Luque, S. 955(2002)207
- Šimůnek, J., see Tishchenko, G. 983(2003)125
- Simmons, C.R., see Rimmer, C.A. 965(2002)219
- Šimon, P., see Matisová, E. 960(2002)159
- Simona, M., see Espejo, R. 976(2002)335
- Simonovska, B., see Vovk, I. 991(2003)267
- Sinha, A.E., Johnson, K.J., Prazen, B.J., Lucas, S.V., Fraga, C.G. and Synovec, R.E.
Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195
- Sinninghe Damsté, J.S., see Smittenberg, R.H. 978(2002)129
- Siokos, V., see Kalogirou, E. 969(2002)81
- Siouffi, A.-M.
Silica gel-based monoliths prepared by the sol–gel method: facts and figures (Review) 1000(2003)801

- Sípoli Marques, M.A., see Huenerbein, A. 985(2003)375
- Sippola, E., see Pihlainen, K. 994(2003)93
- Sirén, H., see Adler, H. 990(2003)133
- Sirén, H., Laitinen, P., Turpeinen, U. and Karppinen, P.
Direct monitoring of glycohemoglobin A_{1c} in the blood samples of diabetic patients by capillary electrophoresis. Comparison with an immunoassay method 979(2002)201
- Sirén, H. and Väntsi, S.
Environmental water monitoring by capillary electrophoresis and result comparison with solvent chemistry techniques 957(2002)17
- Sirén, H., see Vuorensola, K. 979(2002)179
- Sirén, H., see Vuorinen, P.S. 990(2003)45
- Sitnikova, N.L., see Blagodatikh, I.V. 976(2002)155
- Skapska, S., Witkiewicz, Z. and Bal, K.
Changes in the order of elution of some organic compounds in high-resolution gas chromatography on polar columns depending on the injection method and water content in the sample 992(2003)199
- Skjevraak, I., see Brede, C. 983(2003)35
- Sklenská, J., Broškovičová, A. and Večeřa, Z.
Wet effluent diffusion denuder technique and the determination of volatile organic compounds in air. II. Monoterpenes 973(2002)211
- Skog, K., see Bång, J. 977(2002)97
- Skrdla, P., see Hicks, M.B. 973(2002)27
- Slavíček, V., Grüner, B. and Vespaľec, R.
Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally 984(2003)121
- Ślawik, T. and Kowalski, C.
Lipophilicity of a series of 1,2-benzisothiazol-3(2H)-ones determined by reversed-phase thin-layer chromatography 952(2002)295
- Slentz, B.E., Penner, N.A. and Regnier, F.E.
Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97
- Slingsby, R., see Roehl, R. 956(2002)245
- Slonecker, P., see Gray, M. 975(2002)285
- Smets, R., Claes, V., Van Onckelen, H.A. and Prinsen, E.
Extraction and quantitative analysis of 1-aminocyclopropane-1-carboxylic acid in plant tissue by gas chromatography coupled to mass spectrometry 993(2003)79
- Smith, C.J., Dooly, G.L. and Moldoveanu, S.C.
New technique using solid-phase extraction for the analysis of aromatic amines in mainstream cigarette smoke 991(2003)99
- Smith, F.J., see Muir, B. 977(2002)251
- Smith, I. T.-P., Smith, R., Guhan, S., Taksen, K., Vavra, M., Myers, D. and Hearn, M.T.W.
Intelligent automation of high-performance liquid chromatography method development by means of a real-time knowledge-based approach 972(2002)27
- Smith, M., Collins, G.E. and Wang, J.
Microscale solid-phase extraction system for explosives 991(2003)159
- Smith, M.P., Bulmer, M.A., Hjorth, R. and Titchener-Hooker, N.J.
Hydrophobic interaction ligand selection and scale-up of an expanded bed separation of an intracellular enzyme from *Saccharomyces cerevisiae* 968(2002)121
- Smith, N.W., see Legido-Quigley, C. 976(2002)11
- Smith, P.A., see Hook, G.L. 992(2003)1
- Smith, P.A., see Kimm, G.L. 971(2002)185
- Smith, P.A., see Kluchinsky Jr., T.A. 952(2002)205
- Smith, R., see I, T.-P. 972(2002)27
- Smith, R., see Zarzycki, P.K. 955(2002)71
- Smith, R.M.
Extractions with superheated water (Review) 975(2002)31
- Smith, R.M. and Brinkman U.A.Th.
Foreword 975(2002)1
- Smith, R.M., see Saha, S. 991(2003)143
- Smith, R.M.
Before the injection—modern methods of sample preparation for separation techniques (Review) 1000(2003)3
- Smits, R.
Preface 976(2002)1
- Smittenberg, R.H., Hopmans, E.C., Schouten, S. and Sinninghe Damsté, J.S.
Rapid isolation of biomarkers for compound specific radiocarbon dating using high-performance liquid chromatography and flow injection analysis—atmospheric pressure chemical ionisation mass spectrometry 978(2002)129
- Smolková-Keulemansová, E.
Reminiscence of Prof. J.F.K. Huber 960(2002)3
- Snape, C.E., see Fabbri, D. 967(2002)235
- Snitka, V., see Kornýšova, O. 971(2002)225
- Snyder, L.R., see Dolan, J.W. 960(2002)51
- Snyder, L.R., see Wilson, N.S. 961(2002)171
- Snyder, L.R., see Wilson, N.S. 961(2002)195
- Snyder, L.R., see Wilson, N.S. 961(2002)217
- Snyder, L.R., see Gilroy, J.J. 1000(2003)757
- So, A., see Namera, A. 963(2002)295
- Soares, C.R.J., Camargo, I.M.C., Morganti, L., Gimbo, E., Ezequiel de Oliveira, J., Legoux, R., Ferrara, P. and Bartolini, P.
Reversed-phase high-performance liquid chromatography method for the determination of prolactin in bacterial extracts and in its purified form 955(2002)229
- Sobera, M. and Hetper, J.
Pyrolysis—gas chromatography—mass spectrometry of cured phenolic resins 993(2003)131
- Sochilina, K.O., see Davankov, V.A. 987(2003)67
- Soczewiński, E.
Mechanistic molecular model of liquid—solid chromatography. Retention—eluent composition relationships (Review) 965(2002)109
- Soczewiński, E., see Tuzimski, T. 961(2002)277
- Soják, L., see Kubinec, R. 993(2003)47
- Somsen, G.W., Mol, R. and de Jong, G.J.
On-line micellar electrokinetic chromatography—mass spectrometry: feasibility of direct introduction of non-volatile buffer and surfactant into the electrospray interface 1000(2003)953

- Song, F., see Cai, Z. 976(2002)135
- Song, M.S., Hu, G.X., Li, X.Yu. and Zhao, B.
Study on the concentration effects in size exclusion chromatography. VII. A quantitative verification for the model theory of concentration and molecular mass dependences of hydrodynamic volumes for polydisperse polymers 961(2002)155
- Song, S., Zhou, L., Thompson, R., Yang, M., Ellison, D. and Wyrvatt, J.M.
Comparison of capillary electrophoresis and reversed-phase liquid chromatography for determination of the enantiomeric purity of an M3 antagonist 959(2002)299
- Sortino, C., see Bramanti, E. 958(2002)157
- Sortino, C., see Bramanti, E. 994(2003)59
- Sowiński, P., see Wardencki, W. 984(2003)89
- Spanik, I., Lim, P. and Vigh, G.
Use of full-column imaging capillary isoelectric focusing for the rapid determination of the operating conditions in the preparative-scale continuous free-flow isoelectric focusing separation of enantiomers 960(2002)241
- Spanik, I. and Vigh, G.
Effect of feed zone width on product purity in preparative-scale, continuous free-flow isoelectric focusing separation of enantiomers 979(2002)123
- Sparr Eskilsson, C., Davidsson, R. and Mathiasson, L.
Harmful azo colorants in leather. Determination based on their cleavage and extraction of corresponding carcinogenic aromatic amines using modern extraction techniques 955(2002)215
- Specht, C.H., see Brinkmann, T. 957(2002)99
- Sporring, S., see Hartonen, K. 958(2002)239
- Srećnik, G., Debeljak, Ž., Cerjan-Stefanović, Š., Novič, M. and Bolanča, T.
Optimization of artificial neural networks used for retention modelling in ion chromatography 973(2002)47
- Srinivas, N.D., see Nagaraj, N. 977(2002)163
- Staal, B.B.P., see Vander Heyden, Y. 986(2003)1
- Stadler, R.H., see Mottier, P. 994(2003)75
- Stadler, R.H., see Riediker, S. 966(2002)15
- Stadler, R.H., see Verzeznassi, L. 977(2002)77
- Staeb, J.A., Epema, O.J., van Duijn, P., Steevens, J., Klap, V.A. and Freriks, I.L.
Automated storage of gas chromatography–mass spectrometry data in a relational database to facilitate compound screening and identification 974(2002)223
- Stalikas, C.D., see Fiamegos, Y.C. 983(2003)215
- Stampfer, W., see Uray, G. 992(2003)151
- Stan, H.-J., see Melchert, H.-U. 976(2002)215
- Stancanelli, R., see Fanali, S. 990(2003)143
- Stanislavski, B., see Žúborová, M. 990(2003)179
- Stanley, B.J., see Gritti, F. 988(2003)185
- Stålberg, O., Sander, K. and Sängner-van de Griend, C.
The determination of bromide in a local anaesthetic hydrochloride by capillary electrophoresis using direct UV detection 977(2002)265
- Štědrý, M., Jaroš, M. and Gaš, B.
Eigenmobilities in background electrolytes for capillary zone electrophoresis. I. System eigenpeaks and resonance in systems with strong electrolytes 960(2002)187
- Steenbergen, H., see Janssen, H.-G. 1000(2003)385
- Steevens, J., see Staeb, J.A. 974(2002)223
- Steffan, I., see Pomazal, K. 960(2002)143
- Steffeck, R.J. and Zelechonok, Y.
Enantioselective ion-exclusion chromatography on teicoplanin aglycone and (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid stationary phases 983(2003)91
- Stein, K.E., see Brorson, K. 989(2003)155
- Steinberg, S., see Osemwengie, L.I. 993(2003)1
- Steiner, S.A., see Fritz, J.S. 997(2003)41
- Stella, D., see Guidotti, M. 985(2003)185
- Stephenson, K.K., see Fahey, J.W. 996(2003)85
- Stepnowski, P., Müller, A., Behrend, P., Ranke, J., Hoffmann, J. and Jastorff, B.
Reversed-phase liquid chromatographic method for the determination of selected room-temperature ionic liquid cations 993(2003)173
- Sternberg, R., see Buch, A. 999(2003)165
- Sternberg, R., see Szopa, C. 953(2002)165
- Sternberg, R., see Szopa, C. 982(2002)303
- Stevens, T.S.
The membrane suppressor: a historical perspective (Review) 956(2002)43
- Stewart, J., see Mehok, A.R. 972(2002)87
- Stöckigt, D., see Stöckigt, J. 967(2002)85
- Stöckigt, J., Sheludko, Y., Unger, M., Gerasimenko, I., Warzecha, H. and Stöckigt, D.
High-performance liquid chromatographic, capillary electrophoretic and capillary electrophoretic–electrospray ionisation mass spectrometric analysis of selected alkaloid groups (Review) 967(2002)85
- Stoffelsen, B.H.G., see Mooibroek, D. 975(2002)165
- Stoiber, H., see Gutleben, W. 982(2002)153
- Stoks, P.G.M., see Bobeldijk, I. 970(2002)167
- Stol, R., see Poppe, H. 965(2002)75
- Stolyarov, B.V., see Berezkin, V.G. 985(2003)63
- Stover, F.S.
Automated trace anion determinations in concentrated electronic grade phosphoric acid by ion chromatography 956(2002)121
- Stoyanov, A., see D'Acunto, M.R. 979(2002)285
- Strašák, S., Danková, M., Molnárová, M., Ölvecká, E. and Kaniansky, D.
Capillary zone electrophoresis in wide bore capillary tubes with fiber-coupled diode array detection 990(2003)23
- Strašák, S., see Danková, M. 990(2003)121
- Strekowski, L., see Yang, C. 979(2002)307
- Striegel, A.M.
Determining the vinyl alcohol distribution in poly(vinyl butyral) using normal-phase gradient polymer elution chromatography 971(2002)151
- Striegel, A.M.
Determining and correcting “moment bias” in gradient polymer elution chromatography 996(2003)45
- Strlič, M., Kolenc, J., Kolar, J. and Pihlar, B.
Enthalpic interactions in size exclusion chromatography of pullulan and cellulose in LiCl–*N,N*-dimethylacetamide 964(2002)47
- Su, M.-H., see Ma, H.-M. 955(2002)125
- Su, Q., see Cai, J. 964(2002)205
- Su, Y.-S., see Chen, Y.-I. 976(2002)349

- Su, Y.-Y., see Huang, C.-T. 977(2002)9
- Su, Z., see Li, M. 959(2002)113
- Suárez-Luque, S., Mato, I., Huidobro, J.F., Simal-Lozano, J. and Sancho, M.^a.
Rapid determination of minority organic acids in honey by high-performance liquid chromatography 955(2002)207
- Subirà, D., see Juanola, R. 953(2002)207
- Subramanian, A. and Sarkar, S.
Interaction of immunoglobulin G with N,N,N',N'-ethylenediaminetetramethylenephosphonic acid-modified zirconia 989(2003)131
- Sue, S.-L., see Huang, H.-Y. 995(2003)29
- Suen, S.-Y., see Wu, C.-Y. 996(2003)53
- Sugimoto, T., see Sato, S. 956(2002)53
- Sugimura, M., see Taga, A. 954(2002)259
- Sugita, K., see Ogawa, H. 954(2002)89
- Sugita, K., see Okamura, D. 953(2002)101
- Sugita, K., see Saito, Ka. 954(2002)277
- Sugitani, H., see Krishnan, P.S.G. 977(2002)207
- Sugo, T., see Ogawa, H. 954(2002)89
- Sugo, T., see Okamura, D. 953(2002)101
- Sugo, T., see Saito, Ka. 954(2002)277
- Sun, C. and Berg, J.C.
Effect of moisture on the surface free energy and acid–base properties of mineral oxides 969(2002)59
- Sun, M., see He, J. 994(2003)207
- Sun, S., see Shen, Z. 979(2002)227
- Sun, X., Gao, C., Cao, W., Yang, X. and Wang, E.
Capillary electrophoresis with amperometric detection of curcumin in Chinese herbal medicine pretreated by solid-phase extraction 962(2002)117
- Sun, X., Yang, X. and Wang, E.
Evaluation of a sol–gel derived carbon composite electrode as an amperometric detector for capillary electrophoresis 991(2003)109
- Sun, Y., see Chen, J. 992(2003)29
- Sun, Y., see Chen, W.-D. 962(2002)29
- Sun, Y., see Tong, X.-D. 977(2002)173
- Sun, Y., see Zhang, S. 957(2002)89
- Sun, Y., see Zhang, S. 964(2002)35
- Sun, Z., see Shen, Z. 979(2002)227
- Suomi, J., Wiedmer, S.K., Jussila, M. and Riekkola, M.-L.
Analysis of eleven iridoid glycosides by micellar electrokinetic capillary chromatography (MECC) and screening of plant samples by partial filling (MECC)–electrospray ionisation mass spectrometry 970(2002)287
- Šurna, R., see Kornyšova, O. 971(2002)225
- Surowiec, I., see Orska-Gawryś, J. 989(2003)239
- Surroca, Y., Haverkamp, J. and Heck, A.J.R.
Towards the understanding of molecular mechanisms in the early stages of heat-induced aggregation of β -lactoglobulin AB 970(2002)275
- Suter, M.J.-F., see Haller, M.Y. 952(2002)111
- Sutkevich, M.V., see Blagodatskikh, I.V. 976(2002)155
- Suzuki, A., see Chaidedgumjorn, A. 959(2002)95
- Suzuki, H., see Isobe, T. 984(2003)195
- Suzuki, H., see Kobayashi, H. 990(2003)169
- Suzuki, M., see Oka, H. 989(2003)249
- Suzuki, S., see Du, Y. 962(2002)221
- Suzuki, S., see Taga, A. 954(2002)259
- Suzuki, T., Beuzenberg, V., Mackenzie, L. and Quilliam, M.A.
Liquid chromatography–mass spectrometry of spiroketal stereoisomers of pectenotoxins and the analysis of novel pectenotoxin isomers in the toxic dinoflagellate *Dinophysis acuta* from New Zealand 992(2003)141
- Suzuki, T., see Nakamura, K. 972(2002)21
- Svedström, U., Vuorela, H., Kostianen, R., Huovinen, K., Laakso, I. and Hiltunen, R.
High-performance liquid chromatographic determination of oligomeric procyanidins from dimers up to the hexamer in hawthorn 968(2002)53
- Svensmark, B., see Axel Clausen, P. 986(2003)179
- Svensmark, B., see Henriksen, T. 957(2002)79
- Swart, C.P., see Lamoree, M.H. 970(2002)183
- Sweedler, J.V., see Jayawickrama, D.A. 1000(2003)819
- Sweeney, A.P. and Shalliker, R.A.
Development of a two-dimensional liquid chromatography system with trapping and sample enrichment capabilities 968(2002)41
- Sybilka, D., see Bielejewska, A. 977(2002)225
- Sychov, C.S., see Davankov, V.A. 987(2003)67
- Synovec, R.E., see Johnson, K.J. 996(2003)141
- Synovec, R.E., see Sinha, A.E. 983(2003)195
- Sytsma, L.F., see O'Neill, H.J. 962(2002)183
- Szabelski, P., see Cavazzini, A. 953(2002)55
- Szabelski, P., see Cavazzini, A. 957(2002)111
- Szabelski, P., see Kaczmarek, K. 962(2002)57
- Szabelski, P., Kaczmarek, K., Cavazzini, A., Chen, Y.-B., Sellergren, B. and Guiochon, G.
Energetic heterogeneity of the surface of a molecularly imprinted polymer studied by high-performance liquid chromatography 964(2002)99
- Szabelski, P., see Liu, X. 988(2003)205
- Szabó, G., see Kustos, T. 979(2002)277
- Szepeszy, L.
Effect of molecular interactions on retention and selectivity in reversed-phase liquid chromatography 960(2002)69
- Szopa, C., Meierhenrich, U.J., Coscia, D., Janin, L., Goesmann, F., Sternberg, R., Brun, J.-F., Israel, G., Cabane, M., Roll, R., Raulin, F., Thiemann, W., Vidal-Madjar, C. and Rosenbauer, H.
Gas chromatography for in situ analysis of a cometary nucleus. IV. Study of capillary column robustness for space application 982(2002)303
- Szopa, C., Sternberg, R., Coscia, D., Raulin, F., Vidal-Madjar, C. and Rosenbauer, H.
Gas chromatography for in situ analysis of a cometary nucleus. III. Multi-capillary column system for the cometary sampling and composition experiment of the Rosetta lander probe 953(2002)165
- Szulińska, Z., see Jaworska, M. 993(2003)165
- Szyk, A., see Mucha, P. 968(2002)211

T

- Tadeo, J.L., see Sánchez-Brunete, C. 976(2002)319
- Taga, A., see Du, Y. 962(2002)221
- Taga, A., Sugimura, M., Suzuki, S. and Honda, S.
Estimation of sialic acid in a sialoglycan and a sialoglycoprotein by capillary electrophoresis with in-capillary sialidase digestion 954(2002)259
- Tagliaro, F., see Lanz, C. 979(2002)43
- Taguchi, Y., Ohtani, H., Tsuge, S., Ishida, Y., Kimura, K. and Yoshikawa, T.
Highly sensitive determination of a polymeric hindered amine light stabilizer in polypropylene by reactive thermal desorption–gas chromatography using nitrogen-specific detection 993(2003)137
- Taillades, J., see Plasson, R. 952(2002)239
- Taillardat-Bertschinger, A., Galland, A., Carrupt, P.-A. and Testa, B.
Immobilized artificial membrane liquid chromatography: proposed guidelines for technical optimization of retention measurements 953(2002)39
- Tajima, N., see Kobayashi, H. 990(2003)169
- Takács, J.M., see Santiuste, J.M. 966(2002)145
- Takahashi, H., see Tanaka, K. 956(2002)209
- Takahashi, K., see Hosoya, K. 979(2002)3
- Takahashi, K., see Kasai, H.F. 977(2002)125
- Takahashi, M., Nagashima, M., Shigeoka, S., Kamimura, H. and Kamata, K.
Determination of thyroid hormones in pharmaceutical preparations, after derivatization with 9-anthroylnitrile, by high-performance liquid chromatography with fluorescence detection 958(2002)299
- Takamura, T., see Murahashi, T. 992(2003)101
- Takao, Y., see Ohta, K. 956(2002)147
- Takao, Y., see Ohta, K. 956(2002)159
- Takao, Y., see Ohta, K. 956(2002)173
- Takatsu, A., see Yarita, T. 976(2002)387
- Takeda, S., Omura, A., Chayama, K., Tsuji, H., Fukushi, K., Yamane, M., Wakida, S.-i., Tsubota, S. and Terabe, S.
Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with cationic surfactant 979(2002)425
- Takeuchi, T., see Karim, K.J.B.A. 995(2003)153
- Takeuchi, T., see Lee, K.-P. 987(2003)111
- Takeuchi, T., see Ohta, K. 997(2003)117
- Taksen, K., see I, T.-P. 972(2002)27
- Tamada, M., see Ogawa, H. 954(2002)89
- Tamada, M., see Okamura, D. 953(2002)101
- Tamada, M., see Saito, Ka. 954(2002)277
- Tamaki, E., Hibara, A., Tokeshi, M. and Kitamori, T.
Microchannel-assisted thermal-lens spectrometry for microchip analysis 987(2003)197
- Tan, S., see Wang, K. 956(2002)109
- Tan, S.C., see Koh, Y.M. 987(2003)257
- Tanaka, H., Zhou, X. and Masayoshi, O.
Characterization of a novel diol column for high-performance liquid chromatography 987(2003)119
- Tanaka, K., Ding, M.-Y., Helaleh, M.I.H., Taoda, H., Takahashi, H., Hu, W., Hasebe, K., Haddad, P.R., Fritz, J.S. and Sarzanini, C.
Vacancy ion-exclusion chromatography of carboxylic acids on a weakly acidic cation-exchange resin 956(2002)209
- Tanaka, K., see Helaleh, M.I.H. 956(2002)201
- Tanaka, K., see Helaleh, M.I.H. 997(2003)133
- Tanaka, K., see Helaleh, M.I.H. 997(2003)139
- Tanaka, K., see Hu, W. 956(2002)103
- Tanaka, K., see Hu, W. 956(2002)139
- Tanaka, K., see Hu, W. 997(2003)237
- Tanaka, K., see Mori, M. 997(2003)191
- Tanaka, K., see Mori, M. 997(2003)219
- Tanaka, K., Mori, M., Xu, Q., Helaleh, M.I.H., Ikedo, M., Taoda, H., Hu, W., Hasebe, K., Fritz, J.S. and Haddad, P.R.
Ion-exclusion chromatography with conductimetric detection of aliphatic carboxylic acids on a weakly acidic cation-exchange resin by elution with benzoic acid– β -cyclodextrin 997(2003)127
- Tanaka, K., see Sato, S. 956(2002)53
- Tanaka, K., see Xu, Q. 997(2003)65
- Tanaka, K., see Xu, Q. 997(2003)183
- Tanaka, M., see Kojima, M. 984(2003)237
- Tanaka, M., see Tsunoi, S. 962(2002)197
- Tanaka, N., see Hosoya, K. 979(2002)3
- Tanaka, N., see Ishizuka, N. 960(2002)85
- Tanaka, N., Kobayashi, H., Ishizuka, N., Minakuchi, H., Nakanishi, K., Hosoya, K. and Ikegami, T.
Monolithic silica columns for high-efficiency chromatographic separations (Review) 965(2002)35
- Tanaka, N., see Kubo, T. 987(2003)389
- Tanaka, N., see Motokawa, M. 961(2002)53
- Tanaka, N. and Tarabe, S.
Foreword 961(2002)1
- Tang, D., Shafer, M.M., Vang, K., Karner, D.A. and Armstrong, D.E.
Determination of dissolved thiols using solid-phase extraction and liquid chromatographic determination of fluorescently derivatized thiolic compounds 998(2003)31
- Tang, L., see Xiang, D. 953(2002)67
- Tanyanyiwa, J., Leuthardt, S. and Hauser, P.C.
Electrophoretic separations with polyether ether ketone capillaries and capacitively coupled contactless conductivity detection 978(2002)205
- Tao, H., see Chatterjee, A. 997(2003)249
- Taoda, H., see Helaleh, M.I.H. 956(2002)201
- Taoda, H., see Helaleh, M.I.H. 997(2003)133
- Taoda, H., see Helaleh, M.I.H. 997(2003)139
- Taoda, H., see Tanaka, K. 956(2002)209
- Taoda, H., see Tanaka, K. 997(2003)127
- Tappe, A., see Vlach, E.G. 992(2003)109
- Tarasco, E., see Bruzzoniti, M.C. 997(2003)51
- Tarbajovská, J., see Berek, D. 976(2002)27

- Tárkányi, G.
Quantitative approach for the screening of cyclodextrins by nuclear magnetic resonance spectroscopy in support of chiral separations in liquid chromatography and capillary electrophoresis. Enantioseparation of norgestrel with α -, β - and γ -cyclodextrins 961(2002)257
- Tavares, M.F.M., see Pereira, E.A. 979(2002)409
- Tavazzi, S., see Petrovic, M. 971(2002)37
- Tay, C.B., see Zhu, L. 963(2002)231
- Taylor, A.W., see Kennedy, J.A. 995(2003)99
- Taylor, L.T., see Ashraf-Khorassani, M. 995(2003)227
- Taylor, M.J., Hunter, K., Hunter, K.B., Lindsay, D. and Le Bouhellec, S.
Multi-residue method for rapid screening and confirmation of pesticides in crude extracts of fruits and vegetables using isocratic liquid chromatography with electrospray tandem mass spectrometry 982(2002)225
- Tchaplá, A., see Lesellier, E. 975(2002)335
- Teeters, M.A., Conrardy, S.E., Thomas, B.L., Root, T.W. and Lightfoot, E.N.
Adsorptive membrane chromatography for purification of plasmid DNA 989(2003)165
- Teixeira, L.H.P., see da Conceição K.V. Ramos, M. 985(2003)321
- Teixeira, N., see Veloso, A.C.A. 967(2002)209
- Tekura, K., see Hu, W. 997(2003)237
- Telnarová, M., see Nováková, S. 990(2003)189
- Temporini, C., see Calleri, E. 958(2002)131
- Tena, M.T., see Ezquerro, Ó. 963(2002)381
- Tena, M.T., see Ezquerro, Ó. 985(2003)247
- Tena, M.T., see Ezquerro, Ó. 999(2003)155
- Tena, M.T., see Sáenz-López, R. 953(2002)251
- Tena, M.T., see Sáenz-López, R. 990(2003)247
- Tennikova, T.B., see Vлах, E.G. 992(2003)109
- Terabe, S., see Kim, J.-B. 979(2002)131
- Terabe, S., see Liu, Z. 959(2002)241
- Terabe, S., see Liu, Z. 961(2002)285
- Terabe, S., see Markuszewski, M.J. 989(2003)293
- Terabe, S., see Monton, M.R.N. 985(2003)435
- Terabe, S., see Núñez, O. 961(2002)65
- Terabe, S., see Quirino, J.P. 965(2002)357
- Terabe, S., see Tanaka, N. 961(2002)1
- Terabe, S., see Takeda, S. 979(2002)425
- Terabe, S., see Britz-McKibbin, P. 1000(2003)917
- Teraoka, I., see Lee, D. 966(2002)41
- Teraoka, I., see Lee, D. 996(2003)71
- Ternes, T.A., see Löffler, D. 1000(2003)583
- Testa, B., see Taillardat-Bertschinger, A. 953(2002)39
- Tetler, L.W., see Ford, M.J. 952(2002)165
- Tewari, B.B.
Electrophoretic studies on the chelating tendency of bioactive sulphur-containing amino acids. The metal–methylcysteine–cysteine system 962(2002)233
- Thas, O., see Huybrechts, T. 975(2002)123
- Theodoridis, G., Kantifas, A., Manesiotis, P., Raikos, N. and Tsoukali-Papadopoulou, H.
Preparation of a molecularly imprinted polymer for the solid-phase extraction of scopolamine with hyoscyamine as a dummy template molecule 987(2003)103
- Theodossiou, I., Elsner, H.D., Thomas, O.R.T. and Hobley, T.J.
Fluidisation and dispersion behaviour of small high density pellicular expanded bed adsorbents 964(2002)77
- Theodossiou, I. and Thomas, O.R.T.
DNA-induced inter-particle cross-linking during expanded bed adsorption chromatography. Impact on future support design 971(2002)73
- Theurillat, R., see Baldacci, A. 990(2003)99
- Theurillat, R., Kuhn, M. and Thormann, W.
Therapeutic drug monitoring of lamotrigine using capillary electrophoresis. Evaluation of assay performance and quality assurance over a 4-year period in the routine arena 979(2002)353
- Thibodeaux, S.J., Billiot, E. and Warner, I.M.
Enantiomeric separations using poly(L-valine) and poly(L-leucine) surfactants. Investigation of steric factors near the chiral center 966(2002)179
- Thiboutot, S., see Halasz, A. 963(2002)411
- Thielmann, F. and Pearse, D.
Determination of surface heterogeneity profiles on graphite by finite concentration inverse gas chromatography 969(2002)323
- Thiemann, W., see Szopa, C. 982(2002)303
- Thijssen, J.H.H., see van de Kerkhof, D.H. 954(2002)199
- Thomas, B.L., see Teeters, M.A. 989(2003)165
- Thomas, D.H., Rey, M. and Jackson, P.E.
Determination of inorganic cations and ammonium in environmental waters by ion chromatography with a high-capacity cation-exchange column 956(2002)181
- Thomas, D.H., Rohrer, J.S., Jackson, P.E., Pak, T. and Scott, J.N.
Determination of hexavalent chromium at the level of the California Public Health Goal by ion chromatography 956(2002)255
- Thomas, O.R.T., see Theodossiou, I. 964(2002)77
- Thomas, O.R.T., see Theodossiou, I. 971(2002)73
- Thomassin, M., see Guillaume, Y.C. 955(2002)197
- Thome, B. and Ivory, C.F.
Continuous fractionation of enantiomer pairs in free solution using an electrophoretic analog of simulated moving bed chromatography 953(2002)263
- Thompson, R., see Song, S. 959(2002)299
- Thompson, R., see Zhou, L. 987(2003)409
- Thormann, W., see Baldacci, A. 990(2003)99
- Thormann, W., see Lanz, C. 979(2002)43
- Thormann, W., see Theurillat, R. 979(2002)353
- Thorsen, M.A. and Hildebrandt, K.S.
Quantitative determination of phenolic diterpenes in rosemary extracts. Aspects of accurate quantification 995(2003)119
- Thrash, M.E. and Pinto, N.G.
Erratum to “Characterization of enthalpic events in overloaded ion-exchange chromatography”. [J. Chromatogr. A, 944 (2002) 61–68] 952(2002)301
- Thum, T., see Walles, M. 970(2002)117
- Thuncke, F., see Kiessig, S. 982(2002)275

- Thurman, E.M., Ferrer, I. and Parry, R.
Accurate mass analysis of ethanesulfonic acid degradates of acetochlor and alachlor using high-performance liquid chromatography and time-of-flight mass spectrometry 957(2002)3
- Tian, L.-C., see Lian, H.-Z. 993(2003)179
- Tian, X., see Liu, S. 959(2002)263
- Tien, P., see Hsieh, Y.-Y. 952(2002)255
- Tienpont, B., see Sandra, P. 1000(2003)299
- Tiihonen, J., Sainio, T., Kärki, A. and Paatero, E.
Co-eluent effect in partition chromatography. Rhamnose–xylose separation with strong and weak cation-exchangers in aqueous ethanol 982(2002)69
- Tikhomiroff, C. and Jolicoeur, M.
Screening of *Catharanthus roseus* secondary metabolites by high-performance liquid chromatography 955(2002)87
- Tilotta, D.C., see Liang, S. 986(2003)319
- Timerbaev, A.R., see Hirokawa, T. 993(2003)205
- Tindall, G.W., Boyd, B.W. and Perry, R.L.
Determination of acid substituents and unesterified hydroxyl groups in cellulose esters 977(2002)247
- Tindall, G.W. and Perry, R.L.
Explanation for the enhanced dissolution of silica column packing in high pH phosphate and carbonate buffers 988(2003)309
- Tirone, G., see Ciccio, P. 985(2003)283
- Tischler, M., see Liu, H. 955(2002)237
- Tishchenko, G., Dybal, J., Mészárosová, K., Sedláková, Z. and Bleha, M.
Purification of the specific immunoglobulin G₁ by immobilized metal ion affinity chromatography using nickel complexes of chelating porous and nonporous polymeric sorbents based on poly(methacrylic esters). Effect of polymer structure 954(2002)115
- Tishchenko, G., Hodrová, B., Šimůnek, J. and Bleha, M.
Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin G₁ by immobilized metal ion affinity chromatography 983(2003)125
- Titchener-Hooker, N.J., see Smith, M.P. 968(2002)121
- Tjaden, U.R., see Chartogne, A. 959(2002)289
- Tjaden, U.R., see Guetens, G. 976(2002)229
- Tjaden, U.R., see Guetens, G. 976(2002)239
- Toada, H., see Xu, Q. 997(2003)65
- Toada, H., see Xu, Q. 997(2003)183
- Todebush, R.A., see Jarman, J.L. 976(2002)19
- Toida, T., see Chaidedgumjorn, A. 959(2002)95
- Tokeshi, M., see Tamaki, E. 987(2003)197
- Tollbäck, P., Björklund, J. and Östman, C.
Large-volume programmed-temperature vaporiser injection for fast gas chromatography with electron capture and mass spectrometric detection of polybrominated diphenyl ethers 991(2003)241
- Tolley, H.D., see Wang, Q. 985(2003)455
- Tolokán, A., see Pap, T. 973(2002)1
- Tomandl, J., see Ševčíková, P. 990(2003)197
- Tombesi, N.B. and Freije, H.
Application of solid-phase microextraction combined with gas chromatography–mass spectrometry to the determination of butylated hydroxytoluene in bottled drinking water 963(2002)179
- Tominaga, I., see Hiraoka, A. 961(2002)147
- Tomkins, B.A. and Barnard, A.R.
Determination of organochlorine pesticides in ground water using solid-phase microextraction followed by dual-column gas chromatography with electron-capture detection 964(2002)21
- Tomkins, B.A. and Ilgner, R.H.
Determination of atrazine and four organophosphorus pesticides in ground water using solid phase microextraction (SPME) followed by gas chromatography with selected-ion monitoring 972(2002)183
- Tong, X.-D. and Sun, Y.
Particle size and density distributions of two dense matrices in an expanded bed system 977(2002)173
- Tonhi, E., Collins, K.E. and Collins, C.H.
High-performance liquid chromatographic stationary phases based on poly(methylsilyloxane) immobilized on silica. III. Stability evaluations 987(2003)93
- Toriba, A., see Chetianukornkul, T. 961(2002)107
- Toribio, L., see del Nozal, M.J. 986(2003)135
- Toro, I., see Sanz-Nebot, V. 985(2003)411
- Toropainen, E., see Palmgrén, J.J. 976(2002)165
- Torres, J.L., see Lozano, C. 973(2002)229
- Torres-Lapasió, J.R., García-Alvarez-Coque, M.C., Rosés, M. and Bosch, E.
Prediction of the retention in reversed-phase liquid chromatography using solute–mobile phase–stationary phase polarity parameters 955(2002)19
- Torres-Lapasió, J.R., see Vivó-Truyols, G. 958(2002)35
- Torres-Lapasió, J.R., see Vivó-Truyols, G. 991(2003)47
- Torsello, B., see Sanz, R. 966(2002)135
- Torto, N., see Okatch, H. 992(2003)67
- Tortorella, P., see Calleri, E. 958(2002)131
- Toussaint, B., Bordin, G., Janosi, A. and Rodriguez, A.R.
Validation of a liquid chromatography–tandem mass spectrometry method for the simultaneous quantification of 11 (fluoro)quinolone antibiotics in swine kidney 976(2002)195
- Toussaint, B., see van Vyncht, G. 952(2002)121
- Towata, A., see Ohta, K. 956(2002)147
- Towata, A., see Ohta, K. 956(2002)159
- Towata, A., see Ohta, K. 956(2002)173
- Towata, A., see Ohta, K. 997(2003)95
- Towata, A., see Ohta, K. 997(2003)107
- Townsend, A.T., see Vachirapatama, N. 956(2002)221
- Toyoda, H., see Chaidedgumjorn, A. 959(2002)95
- Toyo'oka, T., see Kato, M. 961(2002)45
- Tozzi, C., Anfossi, L., Giraudi, G., Giovannoli, C., Baggiani, C. and Vanni, A.
Chromatographic characterisation of an estrogen-binding affinity column containing tetrapeptides selected by a combinatorial-binding approach 966(2002)71
- Tragas, C., see Wu, J. 976(2002)357

- Tran, C.D. and Kang, J.
Chiral separation of amino acids by capillary electrophoresis with octyl- β -thioglucopyranoside as chiral selector 978(2002)221
- Traore, D., see Queiroz, E.F. 974(2002)123
- Trathnigg, B., see Gorbunov, A. 955(2002)39
- Trathnigg, B. and Rappel, C.
Liquid exclusion–adsorption chromatography, a new technique for isocratic separation of nonionic surfactants. IV. Two-dimensional separation of fatty alcohol ethoxylates with focusing of fractions 952(2002)149
- Trathnigg, B., Rappel, C., Raml, R. and Gorbunov, A.
Liquid exclusion–adsorption chromatography: a new technique for isocratic separation of non-ionic surfactants. V. Two-dimensional separation of fatty acid polyglycol ethers 953(2002)89
- Trathnigg, B., see Rappel, C. 984(2003)29
- Treubig, J.M. and Brown, P.R.
Analysis of C₆₀ and C₇₀ fullerenes using high-performance liquid chromatography–Fourier transform infrared spectroscopy 960(2002)135
- Treves Brown, B.J., see Baldock, S.J. 990(2003)11
- Treves Brown, B.J., see Prest, J.E. 990(2003)325
- Trojanowicz, M., see Orska-Gawryś, J. 989(2003)239
- Trubetskaya, O.E., see Cavani, L. 983(2003)263
- Trubetskoj, O.A., see Cavani, L. 983(2003)263
- Trubetskoy, D.O., Zavalova, L.L., Akopov, S.B. and Nikolaev, L.G.
Purification of proteins specifically binding human endogenous retrovirus K long terminal repeat by affinity elution chromatography 976(2002)95
- Truong, T.T., see Guillaume, Y.C. 955(2002)197
- Truszkowski, F.A., see Kirkland, J.J. 965(2002)25
- Tsai, P.-L. and Tsai, T.-H.
Simultaneous determination of berberine in rat blood, liver and bile using microdialysis coupled to high-performance liquid chromatography 961(2002)125
- Tsai, S.-W. and Chang, T.-A.
Time-weighted average sampling of airborne *n*-valeraldehyde by a solid-phase microextraction device 954(2002)191
- Tsai, S.-W. and Wu, K.-K.
Determination of ethylene oxide by solid-phase microextraction device with on-fiber derivatization 991(2003)1
- Tsai, T.H., see Cheng, Y.L. 961(2002)119
- Tsai, T.-H. and Chen, Y.-F.
Pharmacokinetics of metronidazole in rat blood, brain and bile studied by microdialysis coupled to microbore liquid chromatography 987(2003)277
- Tsai, T.H., see Cheng, F.C. 961(2002)131
- Tsai, T.-H., see Lai, L. 987(2003)367
- Tsai, T.-H., see Tsai, P.-L. 961(2002)125
- Tsai, T.-H., see Tsai, T.-R. 961(2002)83
- Tsai, T.R., see Cheng, F.C. 961(2002)131
- Tsai, T.-R., Tseng, T.-Yu., Chen, C.-F. and Tsai, T.-H.
Identification and determination of geniposide contained in *Gardenia jasminoides* and in two preparations of mixed traditional Chinese medicines 961(2002)83
- Tseng, T.-Yu., see Tsai, T.-R. 961(2002)83
- Tseng, W.-L., see Wang, S.-J. 979(2002)261
- Tsibulsky, E., see Ioffe, V. 987(2003)169
- Tsoukali-Papadopoulou, H., see Theodoridis, G. 987(2003)103
- Tsoulas, P.G., see Mazitsos, C.F. 954(2002)137
- Tsubota, S., see Takeda, S. 979(2002)425
- Tsubuki, M., see Kasai, H.F. 977(2002)125
- Tsuda, T., see Kitagawa, S. 995(2003)209
- Tsuge, S., see Taguchi, Y. 993(2003)137
- Tsui, I., see West, L. 966(2002)227
- Tsuji, H., see Takeda, S. 979(2002)425
- Tsakagoshi, K., Kameda, T., Yamamoto, M. and Nakajima, R.
Separation and determination of phenolic compounds by capillary electrophoresis with chemiluminescence detection 978(2002)213
- Tsakagoshi, K., Obata, Y. and Nakajima, R.
Miniaturization of batch- and flow-type chemiluminescence detectors in capillary electrophoresis 971(2002)255
- Tsakagoshi, K., Okuzono, N. and Nakajima, R.
Separation and determination of emetine dithiocarbamate metal complexes by capillary electrophoresis with chemiluminescence detection of the tris(2,2'-bipyridine)–ruthenium(II) complex 958(2002)283
- Tsunoi, S., see Kojima, M. 984(2003)237
- Tsunoi, S., Matoba, T., Shioji, H., Huong Giang, L.T., Harino, H. and Tanaka, M.
Analysis of organotin compounds by grignard derivatization and gas chromatography–ion trap tandem mass spectrometry 962(2002)197
- Tsuruta, K., see Ogasawara, M. 973(2002)151
- Tsutsumi, K., see Kemmochi, Y. 977(2002)155
- Tsvetkov, F., see Bruno, T.J. 973(2002)143
- Tsyurupa, M., see Davankov, V. 965(2002)65
- Tu, C., see Hou, L. 979(2002)163
- Tu, C. and Lee, H.K.
Determination of nitrate in seawater by capillary zone electrophoresis with chloride-induced sample self-stacking 966(2002)205
- Tu, P., see Ma, X. 962(2002)243
- Tu, P., see Ma, X. 992(2003)193
- Tuan, N.D., see Gutleben, W. 982(2002)153
- Tucker, S.A., see Mao, C. 966(2002)53
- Tuduri, L., Desauziers, V. and Fanlo, J.L.
Dynamic versus static sampling for the quantitative analysis of volatile organic compounds in air with polydimethylsiloxane–Carboxen solid-phase microextraction fibers 963(2002)49
- Tugcu, N., Bae, S.S., Moore, J.A. and Cramer, S.M.
Stationary phase effects on the dynamic affinity of low-molecular-mass displacers 954(2002)127
- Tumiatti, V., see Bartolini, M. 958(2002)59
- Tura, D. and Robards, K.
Sample handling strategies for the determination of biophenols in food and plants (Review) 975(2002)71
- Turnes-Carou, M.I., see Concha-Graña, E. 958(2002)17
- Turpeinen, U., see Sirén, H. 979(2002)201
- Turšič, J., see Razpotnik, P. 991(2003)23

- Tuzimski, T. and Soczewiński, E.
Correlation of retention parameters of pesticides in normal- and reversed-phase systems and their utilization for the separation of a mixture of 14 triazines and urea herbicides by means of two-dimensional thin-layer chromatography 961(2002)277
- Twohill, E. and Paull, B.
Zwitterionic ion chromatography using a dynamically coated column and mobile phase recycling 973(2002)103
- Tyrrell, E., see Bashir, W. 964(2002)113
- Tyski, S., see Pajchel, G. 979(2002)315
- Tysklind, M., see Lundgren, K. 962(2002)79
- Tzeng, J.-H., see Wu, C.-Y. 996(2003)53

U

- Uchimura, S.-I., see Krishnan, P.S.G. 977(2002)207
- Uchiyama, K., see Chen, Z. 990(2003)75
- Uchiyama, S., Ando, M. and Aoyagi, S.
Isomerization of aldehyde-2,4-dinitrophenylhydrazone derivatives and validation of high-performance liquid chromatographic analysis 996(2003)95
- Uchiyama, S., see Okabe, K. 982(2002)111
- Ueda, E.K.M., Gout, P.W. and Morganti, L.
Current and prospective applications of metal ion–protein binding (Review) 988(2003)1
- Uhlmann, P. and Schneider, S.
Acid–base and surface energy characterization of grafted polyethylene using inverse gas chromatography 969(2002)73
- Ummadi, M. and Weimer, B.C.
Use of capillary electrophoresis and laser-induced fluorescence for attomole detection of amino acids 964(2002)243
- Unceta, N., see Millán, S. 995(2003)135
- Unger, K.K., see Grimes, B.A. 979(2002)447
- Unger, M., see Stöckigt, J. 967(2002)85
- Uno, B., see Esaka, Y. 979(2002)91
- Uray, G., Stampfer, W. and Fabian, W.M.F.
Comparison of Chirasil-DEX CB as gas chromatographic and ULMO as liquid chromatographic chiral stationary phase for enantioseparation of aryl- and heteroarylcarbinols 992(2003)151
- Urbánek, M., Blechtová, L., Pospíšilová, M. and Poláček, M.
On-line coupling of capillary isotachopheresis and capillary zone electrophoresis for the determination of flavonoids in methanolic extracts of *Hypericum perforatum* leaves or flowers 958(2002)261
- Urbaniak-Walczak, K., see Orska-Gawryś, J. 989(2003)239
- Uriarte, C., see Etxabarren, C. 969(2002)245
- Urtti, A., see Palmgrén, J.J. 976(2002)165
- Ute, K., see Bamba, T. 995(2003)203
- Utkin, I., see Gangl, E. 974(2002)91

V

- Vaccher, C., see Lipka-Belloli, E. 972(2002)211
- Vachirapatama, N., Dicinoski, G.W., Townsend, A.T. and Haddad, P.R.
Determination of vanadium as 4-(2-pyridylazo)resorcinol–hydrogen peroxide ternary complexes by ion-interaction reversed-phase liquid chromatography 956(2002)221
- Vaher, M. and Koel, M.
Separation of polyphenolic compounds extracted from plant matrices using capillary electrophoresis 990(2003)225
- Vaher, M., Koel, M. and Kaljurand, M.
Application of 1-alkyl-3-methylimidazolium-based ionic liquids in non-aqueous capillary electrophoresis 979(2002)27
- Valcárcel, M., see Peña, R. 967(2002)303
- Valcárcel, M., see Sanches Filho, P.J. 985(2003)503
- Valenti, S., see Accorsi, A. 985(2003)259
- Valentini, R., see Ciccioli, P. 985(2003)283
- Valkó, K., see Espinosa, S. 954(2002)77
- Valko, K., see Kaliszán, R. 965(2002)117
- Vallejos, J.-C., see Roussel, C. 995(2003)79
- Valor, I., see León, V.M. 999(2003)91
- Valter, K., see Espejo, R. 976(2002)335
- Vámos, J., see Mazák, K. 996(2003)195
- Vanatta, L.E.
Foreword 956(2002)1
- Vanatta, L.E.
Foreword 997(2003)1
- Vanatta, L.E. and Coleman, D.E.
Reproducible digestion method for ion-chromatographic analysis of anions in 30% hydrogen peroxide 956(2002)23
- Vanatta, L.E., Coleman, D.E. and Woodruff, A.
Determination of chloride and sulfate in semiconductor-grade etchants comprised of acetic acid, nitric acid and phosphoric acid 997(2003)269
- van Baar, B.L.M., Hulst, A.G., De Jong, A.L. and Wils, E.R.J.
Characterisation of botulinum toxins type A and B, by matrix-assisted laser desorption ionisation and electrospray mass spectrometry 970(2002)95
- van Bavel, B., see Lundgren, K. 962(2002)79
- van Beek, T.A.
Chemical analysis of *Ginkgo biloba* leaves and extracts (Review) 967(2002)21
- van Beek, T.A., see Derksen, G.C.H. 978(2002)119
- Van Beeumen, J., see Devreese, B. 976(2002)113
- Van Boclaer, J., see Praisler, M. 962(2002)161
- Van Boven, M., see Lein, S. 977(2002)257

- Van Cott, K., see Balasubramaniam, D. 989(2003)119
- Vancso, G.J., see Segeren, L.H.G.J. 969(2002)215
- van de Goor, T., see Lopez-Avila, V. 993(2003)143
- van de Goor, T., see Muzikar, J. 960(2002)199
- Van de Kerkhof, D.H., van Ooijen, R.D., de Boer, D., Fokkens, R.H., Nibbering, N.M.M., Zwikker, J.W., Thijssen, J.H.H. and Maes, R.A.A.
Artifact formation due to ethyl thio-incorporation into silylated steroid structures as determined in doping analysis 954(2002)199
- van den Berg, J.W.A., see Segeren, L.H.G.J. 969(2002)215
- Van den Bossche, W., see Hillaert, S. 978(2002)231
- Van den Bossche, W., see Hillaert, S. 979(2002)323
- Van den Bossche, W., see Hillaert, S. 984(2003)135
- Vander Heyden, Y., see Detroyer, A. 986(2003)227
- Vander Heyden, Y., see Hillaert, S. 978(2002)231
- Vander Heyden, Y., see Iványi, T. 954(2002)99
- Vander Heyden, Y., Nguyen Minh Nguyet, A., Detaevernier, M.R., Massart, D.L. and Plaizier-Verammen, J.
Simultaneous determination of ketoconazole and formaldehyde in a shampoo: liquid chromatography method development and validation 958(2002)191
- Vander Heyden, Y., see Perrin, C. 966(2002)119
- Vander Heyden, Y., Popovici, S.T. and Schoenmakers, P.J.
Evaluation of size-exclusion chromatography and size-exclusion electrochromatography calibration curves 957(2002)127
- Vander Heyden, Y., Popovici, S.-T., Staal, B.B.P. and Schoenmakers, P.J.
Contribution of the polymer standards' polydispersity to the observed band broadening in size-exclusion chromatography 986(2003)1
- Vander Heyden, Y., see Put, R. 988(2003)261
- Vander Heyden, Y., see Van Gyseghem, E. 988(2003)77
- Vander Heyden, Y., see Visky, D. 977(2002)39
- Van der Greef, J., see Chartogne, A. 959(2002)289
- Van der Heijden, R., see Chartogne, A. 959(2002)289
- van der Heijden, R., see Han, Y.-S. 986(2003)291
- van der Horst, A., see Jiang, X. 982(2002)55
- van der Horst, A., see Lamoree, M.H. 970(2002)183
- van der Horst, A. and Schoenmakers, P.J.
Comprehensive two-dimensional liquid chromatography of polymers 1000(2003)693
- Van der Wielen, L.A.M., see Houwing, J. 952(2002)85
- van Dongen, J.L.J., see Lou, X. 976(2002)145
- van Duijn, P., see Staeb, J.A. 974(2002)223
- Van Dyck, S., Vissers, S., Van Schepdael, A. and Hoogmartens, J.
Kinetic study of angiotensin converting enzyme activity by capillary electrophoresis after in-line reaction at the capillary inlet 986(2003)303
- Van Eeckhaut, A., Detaevernier, M.R. and Michotte, Y.
Development of a validated capillary electrophoresis method for enantiomeric purity testing of dexchlorpheniramine maleate 958(2002)291
- van Elst, T., see Defoer, N. 970(2002)259
- Vang, K., see Tang, D. 998(2003)31
- Van Grieken, R., see Joos, P.E. 985(2003)191
- Van Gyseghem, E., Van Hemelryck, S., Daszykowski, M., Questier, F., Massart, D.L. and Vander Heyden, Y.
Determining orthogonal chromatographic systems prior to the development of methods to characterise impurities in drug substances 988(2003)77
- Van Hateren, S.H., see Houwing, J. 952(2002)85
- van Hattum, B., see Lamoree, M.H. 970(2002)183
- Van Hemelryck, S., see Van Gyseghem, E. 988(2003)77
- Van Herp, F., see Devreese, B. 976(2002)113
- Van Hove, B., see Debremaeker, D. 953(2002)123
- van Langenhove, H., see Defoer, N. 970(2002)259
- Van Langenhove, H., see Huybrechts, T. 975(2002)123
- Van Langenhove, H., see Roels, J. 952(2002)229
- Van Langenhove, H., see Wittmann, G. 993(2003)71
- Van Langenhove, H., see Huybrechts, T. 1000(2003)283
- van Leerdam, J.A., see Bobeldijk, I. 970(2002)167
- Vanni, A., see Tozzi, C. 966(2002)71
- Van Onckelen, H.A., see Smets, R. 993(2003)79
- van Ooijen, R.D., see Van de Kerkhof, D.H. 954(2002)199
- van Oosterom, A.T., see Guetens, G. 976(2002)229
- Van Peteghem, C., see Sibanda, L. 959(2002)327
- Van Renterghem, R., see De Ruyck, H. 976(2002)181
- van Rhijn, J.A., Lasaroms, J.J.P., Berendsen, B.J.A. and Brinkman, U.A.Th.
Liquid chromatographic–tandem mass spectrometric determination of selected sulphonamides in milk 960(2002)121
- van Rijn, M., see Dallüge, J. 965(2002)207
- Vanrobaeys, F., see Devreese, B. 976(2002)113
- Van Roon, A., Parsons, J.R. and Govers, H.A.J.
Gas chromatographic determination of vapour pressure and related thermodynamic properties of monoterpenes and biogenically related compounds 955(2002)105
- Van Schepdael, A., see Govaerts, C. 976(2002)65
- Van Schepdael, A., see Van Dyck, S. 986(2003)303
- van Stee, L.L.P., see Dallüge, J. 974(2002)169
- van Stee, L.L.P., see Korytár, P. 994(2003)179
- Vanthuyne, N., see Roussel, C. 995(2003)79
- Väntsi, S., see Sirén, H. 957(2002)17
- Van Vyncht, G., János, A., Bordin, G., Toussaint, B., Maghuin-Rogister, G., De Pauw, E. and Rodriguez, A.R.
Multiresidue determination of (fluoro)quinolone antibiotics in swine kidney using liquid chromatography–tandem mass spectrometry 952(2002)121
- Vaquero, E., see Gago-Martínez, A. 992(2003)159
- Varenne, A., see Descroix, S. 987(2003)467
- Varesio, E., Rudaz, S., Krause, K.-H. and Veuthey, J.-L.
Nanoscale liquid chromatography and capillary electrophoresis coupled to electrospray mass spectrometry for the detection of amyloid- β peptide related to Alzheimer's disease 974(2002)135
- Varga, N., see Riediker, S. 966(2002)15
- Vartiainen, T., see Mannila, M. 975(2002)189
- Vassura, I., see Fabbri, D. 967(2002)235
- Vaudoisot, J.-F., see Kubátová, A. 975(2002)175
- Vavra, M., see Smith, I. T.-P. 972(2002)27
- Vaz, J.M., see Rezemini, A.L. 972(2002)259
- Vázlerová, M., see Kahle, V. 990(2003)3
- Veber, M., see Razpotnik, P. 991(2003)23
- Večeřa, Z., see Sklenská, J. 973(2002)211

- Veeramani, S., see Krishnan, P.S.G. 977(2002)207
- Vega, A., Díez, F.V., Hurtado, P. and Coca, J.
Characterization of polyarylamide fibers by inverse gas chromatography 962(2002)153
- Végvári, Á. and Hjertén, S.
Stable homogeneous gel for molecular-sieving of DNA fragments in capillary electrophoresis 960(2002)221
- Vejrup, K.V., see Bossi, R. 957(2002)27
- Vejrup, K.V., see Krogh, K.A. 957(2002)45
- Vékes, E., see Péter, A. 958(2002)89
- Velasco, J., Berdeaux, O., Márquez-Ruiz, G. and Dobarganes, M.C.
Sensitive and accurate quantitation of monoepoxy fatty acids in thermoxidized oils by gas–liquid chromatography 982(2002)145
- Velasco-Negueruela, A., Pérez-Alonso, M.J., Pérez de Paz, P.L., Palá-Paúl, J. and Sanz, J.
Analysis by gas chromatography–mass spectrometry of the essential oils from the aerial parts of *Rutheopsis herbanica* (Bolle) Hans. & Kunk., gathered in Fuerteventura (Canary Islands) 984(2003)159
- Veloso, A.C.A., Teixeira, N. and Ferreira, I.M.P.L.V.O.
Separation and quantification of the major casein fractions by reverse-phase high-performance liquid chromatography and urea–polyacrylamide gel electrophoresis. Detection of milk adulterations 967(2002)209
- Velthorst, N.H., see de Beer, T. 971(2002)1
- Ventura, F., see Díaz, A. 963(2002)159
- Vercauteren, J., see Delaunay, J.-C. 964(2002)123
- Vereshchagin, A.G. and Pchelkin, V.P.
Silver ion liquid-chromatographic mobility of plant diacylglycerols as a function of their composition and spatial arrangement 967(2002)269
- Verhé, R., see Demyttenaere, J.C.R. 985(2003)221
- Verhé, R., see Demyttenaere, J.C.R. 985(2003)233
- Verma, B., see Headley, J.V. 958(2002)149
- Verma, S.P., see Santoyo, E. 956(2002)279
- Verma, S.P., see Santoyo, E. 997(2003)171
- Vernez, L., Hopfgartner, G., Wenk, M. and Krähenbühl, S.
Determination of carnitine and acylcarnitines in urine by high-performance liquid chromatography–electrospray ionization ion trap tandem mass spectrometry 984(2003)203
- Verpoorte, R., see Han, Y.-S. 986(2003)291
- Verstraete, W., see Roels, J. 952(2002)229
- Vervoort, N., see Clicq, D. 979(2002)33
- Vervoort, N., Clicq, D., Baron, G.V. and Desmet, G.
Experimental Van Deemter plots of shear-driven liquid chromatographic separations in disposable microchannels 987(2003)39
- Vervoort, R.J.M., Ruyter, E., Debets, A.J.J., Claessens, H.A., Cramers, C.A. and de Jong, G.J.
Characterisation of reversed-phase stationary phases for the liquid chromatographic analysis of basic pharmaceuticals by thermodynamic data 964(2002)67
- Verzegnassi, L., Savoy-Perroud, M.-C. and Stadler, R.H.
Application of liquid chromatography–electrospray ionization tandem mass spectrometry to the detection of 10 sulfonamides in honey 977(2002)77
- Vescina, M.C., Fermier, A.M. and Guo, Y.
Comparing cyclodextrin derivatives as chiral selectors for enantiomeric separation in capillary electrophoresis 973(2002)187
- Vespalec, R., see Slavíček, V. 984(2003)121
- Vetter, W., see Berger, U. 973(2002)123
- Veuthey, J.-L., see Geiser, L. 979(2002)389
- Veuthey, J.-L., see Varesio, E. 974(2002)135
- Vezzani, S., Moretti, P. and Castello, G.
Prediction of the plate height of capillary columns operated at any inlet pressure of the carrier gas by using few retention data measured under isobaric conditions 994(2003)103
- Vial, J., see Legrand, S. 999(2003)195
- Viana, P., see Martínez, E. 959(2002)181
- Viana, P., see Petrovic, M. 959(2002)15
- Vicente, F., see Barranco, A. 988(2003)33
- Vichi, S., Castellote, A.I., Pizzale, L., Conte, L.S., Buxaderas, S. and López-Tamames, E.
Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection 983(2003)19
- Vidal-Carou, M.C., Lahoz-Portolés, F., Bover-Cid, S. and Mariné-Font, A.
Ion-pair high-performance liquid chromatographic determination of biogenic amines and polyamines in wine and other alcoholic beverages 998(2003)235
- Vidal-Madjar, C., see Buch, A. 999(2003)165
- Vidal-Madjar, C., see Puerta, Á. 953(2002)17
- Vidal-Madjar, C., see Szopa, C. 953(2002)165
- Vidal-Madjar, C., see Szopa, C. 982(2002)303
- Vidts, A., see Gelders, G.G. 992(2003)75
- Vierling, R., see Faghghi, J. 989(2003)317
- Vigh, G., see Brent Busby, M. 990(2003)63
- Vigh, G., see Ogle, D. 979(2002)155
- Vigh, G., see Shave, E. 989(2003)73
- Vigh, G., see Spanik, I. 960(2002)241
- Vigh, G., see Spanik, I. 979(2002)123
- Vigh, G., see Zhu, W. 987(2003)459
- Viktorova, E.N., see Berezkin, V.G. 985(2003)3
- Vilar, R.B.C., da Silva, R., Schossler, P., Cataluña Veses, R., Piatnicki, C.M.S., Samios, D. and Caramão, E.B.
Preliminary characterization of anhydrous ethanol used in Brazil as automotive fuel 985(2003)367
- Vilches, C., see García, I. 992(2003)11
- Vílchez, J.L., see Navalón, A. 975(2002)355
- Vilegas, W., see Andrade, F.D.P. 953(2002)287
- Vilegas, W., see Pozzebon, J.M. 987(2003)375
- Villet, A., see Haroun, M. 977(2002)185
- Villet, A., see Loukili, B. 986(2003)45
- Viñas, P., Campillo, N., López-García, I., Aguinaga, N. and Hernández-Córdoba, M.
Determination of pesticides in waters by capillary gas chromatography with atomic emission detection 978(2002)249
- Vincent, R., see Kumarathasan, P. 987(2003)349
- Vine, J.H., see Kueh, A.J. 1000(2003)109
- Vinšová, H., see Koudelková, M. 990(2003)311
- Violante, F.S., see Accorsi, A. 985(2003)259

- Visconti, A., see Monaci, L. 955(2002)79
- Visconti, A., see Pascale, M. 989(2003)257
- Viskari, P.J. and Colyer, C.L.
Separation and quantitation of phycobiliproteins using phytic acid in capillary electrophoresis with laser-induced fluorescence detection 972(2002)269
- Visky, D., see Diana, J. 996(2003)115
- Visky, D., see Iványi, T. 954(2002)99
- Visky, D., Vander Heyden, Y., Iványi, T., Baten, P., De Beer, J., Kovács, Z., Noszál, B., Roets, E., Massart, D.L. and Hoogmartens, J.
Characterisation of reversed-phase liquid chromatographic columns by chromatographic tests. Evaluation of 36 test parameters: repeatability, reproducibility and correlation 977(2002)39
- Vissers, J.P.C., see Bobeldijk, I. 970(2002)167
- Vissers, S., see Van Dyck, S. 986(2003)303
- Vitulo, M., see Ciccioli, P. 985(2003)283
- Vivó-Truyols, G., Torres-Lapasió, J.R., Caballero, R.D. and García-Alvarez-Coque, M.C.
Peak deconvolution in one-dimensional chromatography using a two-way data approach 958(2002)35
- Vivó-Truyols, G., Torres-Lapasió, J.R. and García-Alvarez-Coque, M.C.
Net analyte signal as a deconvolution-oriented resolution criterion in the optimisation of chromatographic techniques 991(2003)47
- Vlakh, E.G., Platonova, G.A., Vlasov, G.P., Kasper, C., Tappe, A., Kretzmer, G. and Tennikova, T.B.
In vitro comparison of complementary interactions between synthetic linear/branched oligo/poly-L-lysines and tissue plasminogen activator by means of high-performance monolithic-disk affinity chromatography 992(2003)109
- Vlasov, G.P., see Vlakh, E.G. 992(2003)109
- Voelkel, A., see Fall, J. 969(2002)181
- Voelkel, A. and Fall, J.
Application of inverse gas chromatography to the examination of annealing processes of semi-synthetic base oils 982(2002)245
- Voelkel, A., see Milczewska, K. 969(2002)255
- Voelkel, A., see Wasiak, W. 969(2002)133
- Voigt, D., see Lederer, A. 976(2002)171
- Voit, B., see Lederer, A. 976(2002)171
- Voldřich, M., see Kvasnička, F. 990(2003)239
- von Brocke, A., Freudemann, T. and Bayer, E.
Performance of capillary gel electrophoretic analysis of oligonucleotides coupled on-line with electrospray mass spectrometry 991(2003)129
- von der Heydt, H., see Schiller, M. 968(2002)101
- von Holleben, M.L.A., see Schneider, R.C.S. 985(2003)313
- von Holst, C., see Pallaroni, L. 993(2003)39
- Vora, R.H., see Krishnan, P.S.G. 977(2002)207
- Vounckx, R., see Clicq, D. 979(2002)33
- Vouros, P., see Gangl, E. 974(2002)91
- Vovk, I., Simonovska, B., Andrenšek, S., Vuorela, H. and Vuorela, P.
Rotation planar extraction and rotation planar chromatography of oak (*Quercus robur* L.) bark 991(2003)267
- Vraniaková, J., see Matisová, E. 960(2002)159
- Vreuls, R.J.J., see Blokker, P. 959(2002)191
- Vreuls, R.J.J., see Dallüge, J. 965(2002)207
- Vreuls, R.J.J., see Dallüge, J. 974(2002)169
- Vreuls, R.J.J., see Kristenson, E.M. 975(2002)95
- Vuorela, H., see Svedström, U. 968(2002)53
- Vuorela, H., see Vovk, I. 991(2003)267
- Vuorela, P., see Vovk, I. 991(2003)267
- Vuorensola, K., Sirén, H., Kostiaainen, R. and Kotiaho, T.
Analysis of catecholamines by capillary electrophoresis and capillary electrophoresis–nanospray mass spectrometry. Use of aqueous and non-aqueous solutions compared with physical parameters 979(2002)179
- Vuorinen, P.S., Jussila, M., Sirén, H., Palonen, S. and Riekkola, M.-L.
Integration of a contactless conductivity detector into a commercial capillary cassette. Detection of inorganic cations and catecholamines 990(2003)45

W

- Wachsmann, M., see Brückner, H. 998(2003)73
- Wada, H., see Saito, Y. 975(2002)105
- Wada, M., Inoue, K., Ihara, A., Kishikawa, N., Nakashima, K. and Kuroda, N.
Determination of organic peroxides by liquid chromatography with on-line post-column ultraviolet irradiation and peroxyoxalate chemiluminescence detection 987(2003)189
- Wada, R., see Okabe, K. 982(2002)111
- Wade, K.L., see Fahey, J.W. 996(2003)85
- Waelkens, M., see Kimpe, K. 968(2002)151
- Wagner, H.P., Pepich, B.V., Hautman, D.P. and Munch, D.J.
US Environmental Protection Agency Method 326.0, a new method for monitoring inorganic oxyhalides and optimization of the postcolumn derivatization for the selective determination of trace levels of bromate 956(2002)93
- Wahl, M.A., see Awadallah, B. 988(2003)135
- Wainer, I.W.
Foreword 987(2003)1
- Wainer, I.W., see Bartolini, M. 987(2003)331
- Wainright, A., Williams, S.J., Ciambrone, G., Xue, Q., Wei, J. and Harris, D.
Sample pre-concentration by isotachopheresis in microfluidic devices 979(2002)69
- Wakabayashi, K., see Murahashi, T. 992(2003)101
- Wakida, S.-i., see Takeda, S. 979(2002)425
- Walford, S.N.
Applications of ion chromatography in cane sugar research and process problems 956(2002)187

- Wallis, M., Thum, T., Levsen, K. and Borlak, J.
Verapamil: new insight into the molecular mechanism of drug oxidation in the human heart 970(2002)117
- Wan, H., Holmén, A., Någård, M. and Lindberg, W.
Rapid screening of pK_a values of pharmaceuticals by pressure-assisted capillary electrophoresis combined with short-end injection 979(2002)369
- Wan, Q.-H., see Chen, L. 986(2003)297
- Wang, A. and Carr, P.W.
Comparative study of the linear solvation energy relationship, linear solvent strength theory, and typical-conditions model for retention prediction in reversed-phase liquid chromatography 965(2002)3
- Wang, B., see Li, Z. 971(2002)243
- Wang, C., see Zhang, Y. 982(2002)255
- Wang, C.-R., see Cao, C.-X. 952(2002)29
- Wang, C.-Y. and Hsieh, Y.-Z.
Analysis of chitin oligosaccharides by capillary electrophoresis with laser-induced fluorescence 979(2002)431
- Wang, E., see Sun, X. 962(2002)117
- Wang, E., see Sun, X. 991(2003)109
- Wang, F., O'Brien, T., Dowling, T., Bicker, G. and Wyvratt, J.
Unusual effect of column temperature on chromatographic enantioseparation of dihydropyrimidinone acid and methyl ester on amylose chiral stationary phase 958(2002)69
- Wang, F., see Zhu, Y. 956(2002)215
- Wang, H., see Chen, P. 982(2002)163
- Wang, H., Xu, H. and Guan, Y.
Column switching–back flushing technique for the analysis of aromatic compounds in gasoline 972(2002)253
- Wang, I.-H., Moorman, R. and Burleson, J.
Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145
- Wang, J., Escarpa, A., Pumera, M. and Feldman, J.
Capillary electrophoresis–electrochemistry microfluidic system for the determination of organic peroxides 952(2002)249
- Wang, J., see Smith, M. 991(2003)159
- Wang, J.-L., see Chen, T.-Y. 976(2002)39
- Wang, J.-L., see Wu, C.-H. 976(2002)423
- Wang, K., Lei, Y., Eitel, M. and Tan, S.
Ion chromatographic analysis of anions in ammonium hydroxide, hydrofluoric acid, and slurries, used in semiconductor processing 956(2002)109
- Wang, M., Qu, F., Shan, X.-Q. and Lin, J.-M.
Development and optimization of a method for the analysis of low-molecular-mass organic acids in plants by capillary electrophoresis with indirect UV detection 989(2003)285
- Wang, M., see Zhu, Y. 956(2002)215
- Wang, M.X., see Guo, L. 998(2003)221
- Wang, Q., Lin, S.-L., Warnick, K.F., Tolley, H.D. and Lee, M.L.
Voltage-controlled separation of proteins by electromobility focusing in a dialysis hollow fiber 985(2003)455
- Wang, Q., see Shah, R.S. 952(2002)267
- Wang, Q., see Wang, X. 992(2003)181
- Wang, Q., see Xu, Q. 997(2003)65
- Wang, Q., see Zhang, K. 987(2003)453
- Wang, Q.-S., see Li, Z.-Y. 977(2002)17
- Wang, S.-J., Tseng, W.-L., Lin, Y.-W. and Chang, H.-T.
On-line concentration of trace proteins by pH junctions in capillary electrophoresis with UV absorption detection 979(2002)261
- Wang, S.-P. and Chen, H.-J.
Separation and determination of nitrobenzenes by micellar electrokinetic chromatography and high-performance liquid chromatography 979(2002)439
- Wang, S.-P. and Lee, W.-T.
Determination of benzophenones in a cosmetic matrix by supercritical fluid extraction and capillary electrophoresis 987(2003)269
- Wang, T., Feng, H. and Li, S.F.Y.
Indirect capillary electrophoresis with 8-anilino-1-naphthalenesulfonic acid as a fluorescence probe for determining the apparent stability constant of an inclusion complex formed between a cyclodextrin and a solute 987(2003)485
- Wang, X., see Dong, Q. 959(2002)269
- Wang, X., Wang, Q., Chen, Y. and Han, H.
Determination of carbohydrates as their 3-aminophthalhydrazide derivatives by capillary zone electrophoresis with on-line chemiluminescence detection 992(2003)181
- Wang, Y., Guo, M. and Jiang, Y.
Evaluation of *n*-valeraldehyde modified chitosan as a matrix for hydrophobic interaction chromatography 952(2002)79
- Wang, Z., Li, K., Fingas, M., Sigouin, L. and Ménard, L.
Characterization and source identification of hydrocarbons in water samples using multiple analytical techniques 971(2002)173
- Wang, Z.-H., see Ma, H.-M. 955(2002)125
- Wännman, T., see Laniewski, K. 985(2003)275
- Wardencki, W., Sowiński, P. and Curyło, J.
Evaluation of headspace solid-phase microextraction for the analysis of volatile carbonyl compounds in spirits and alcoholic beverages 984(2003)89
- Warner, I.M., see Thibodeaux, S.J. 966(2002)179
- Warnick, K.F., see Wang, Q. 985(2003)455
- Warzecha, H., see Stöckigt, J. 967(2002)85
- Wasiak, W., Rykowska, I. and Voelkel, A.
Ketoimino groups as silica surface modifiers 969(2002)133
- Watabe, Y., see Kubo, T. 987(2003)389
- Watanabe, T., see Murahashi, T. 992(2003)101
- Watanabe, Y.
Characterization of the refolding and reassembly of an integral membrane protein OmpF porin by low-angle laser light scattering photometry coupled with high-performance gel chromatography 961(2002)137
- Watarai, H. and Namba, M.
Capillary magnetophoresis of human blood cells and their magnetophoretic trapping in a flow system 961(2002)3
- Watson, C.J., see McKenzie, J.A.M. 962(2002)105
- Watts, J.F., see Abel, M.-L. 969(2002)273
- Wätzig, H., see Baur, L. 979(2002)97

- Weatherly, G.T., Bouvier, A., Lydiard, D.D., Chapline, J., Henderson, I., Schrimsher, J.L. and Shepard, S.R. Initial purification of recombinant botulinum neurotoxin fragments for pharmaceutical production using hydrophobic charge induction chromatography 952(2002)99
- Weber, R.W.S., see Davoli, P. 964(2002)129
- Weber, S.G., see Beisler, A.T. 986(2003)247
- Weber, S.G., see Sahlin, E. 972(2002)283
- Wei, G.-T., see Hsieh, Y.-Y. 952(2002)255
- Wei, H., see Qin, W. 985(2003)447
- Wei, J., see Wainright, A. 979(2002)69
- Wei, Y., see Han, X. 971(2002)237
- Wei, Y., see Ma, X. 962(2002)243
- Wei, Y., see Ma, X. 992(2003)193
- Weigl, B.H., see Jandik, P. 954(2002)33
- Weimer, B.C., see Ummadi, M. 964(2002)243
- Weisz, A., Mazzola, E.P., Murphy, C.M. and Ito, Y. Preparative separation of isomeric sulfophthalic acids by conventional and pH-zone-refining counter-current chromatography 966(2002)111
- Welch, C., see Zhou, L. 987(2003)409
- Welch, C.J., see Hyun, M.H. 959(2002)75
- Wells, C., see Hoang, T.H. 968(2002)257
- Welsch, T. and Michalke, D. (Micellar) electrokinetic chromatography: an interesting solution for the liquid phase separation dilemma (Review) 1000(2003)935
- Welsch, T., see Baeuml, F. 961(2002)35
- Welsch, T., see Kahle, V. 990(2003)3
- Welsch, T., see Michalke, D. 960(2002)209
- Wen, M.-j., see Chao, J.-b. 955(2002)183
- Wen, X., see Hou, L. 979(2002)163
- Weng, Q. and Jin, W. Carbon fiber bundle–Au–Hg dual-electrode detection for capillary electrophoresis 971(2002)217
- Wenk, M., see Vernez, L. 984(2003)203
- Wennrich, R., see Beiner, K. 968(2002)171
- West, L., Tsui, I. and Haas, G. Single column approach for the liquid chromatographic separation of polar and non-polar glucosinolates from broccoli sprouts and seeds 966(2002)227
- Westerlund, D. Foreword 979(2002)1
- Westerlund, D., see Lindholm, J. 992(2003)85
- Whang, C.-W., see Gu, Y.-S. 972(2002)289
- Whangbo, S.H., see Hyun, M.H. 992(2003)47
- White, C.T., see de la Puente, M.L. 983(2003)101
- White, J., see Ford, M.J. 952(2002)165
- White Jr., D.R., Hudson, P. and Adamson, J.T. Dextrin characterization by high-performance anion-exchange chromatography–pulsed amperometric detection and size-exclusion chromatography–multi-angle light scattering–refractive index detection 997(2003)79
- Wick, C.D., Siepmann, J.I., Klotz, W.L. and Schure, M.R. Temperature effects on the retention of *n*-alkanes and arenes in helium–squalane gas–liquid chromatography. Experiment and molecular simulation 954(2002)181
- Wieczorek, P., see Khrolenko, M. 975(2002)219
- Wieczorek, P., see Rudzińska, E. 979(2002)115
- Wiedmer, S.K., see Suomi, J. 970(2002)287
- Wiemer, D.F., see Caccamese, S. 966(2002)221
- Wilhelmsen, T.W., Olsvik, P.A., Hansen, B.H. and Andersen, R.A. Evidence for oligomerization of metallothioneins in their functional state 979(2002)249
- Wilk, M., see Jaworska, M. 993(2003)165
- Wilkins, A.L., see Rundberget, T. 964(2002)189
- Wilkinson, C., see Balasubramaniam, D. 989(2003)119
- Williams, D.R. Foreword 969(2002)1
- Williams, J., see Dallüge, J. 974(2002)169
- Williams, P.S., see Hee Moon, M. 955(2002)263
- Williams, S.J., see Wainright, A. 979(2002)69
- Williams, S.K.R., see Kassalainen, G.E. 988(2003)285
- Willsch, R., see Apostolidis, A. 967(2002)183
- Willson, R.C., see Murphy, J.C. 984(2003)215
- Wils, E.R.J., see van Baar, B.L.M. 970(2002)95
- Wilsdorf, A., see Pesek, J.J. 986(2003)253
- Wilson, I.D. and Brinkman, U.A.Th. Hyphenation and hypernation. The practice and prospects of multiple hyphenation (Review) 1000(2003)325
- Wilson, I.D., see Saha, S. 991(2003)143
- Wilson, M., see Muir, B. 977(2002)251
- Wilson, N.S., see Dolan, J.W. 960(2002)51
- Wilson, N.S., Dolan, J.W., Snyder, L.R., Carr, P.W. and Sander, L.C. Column selectivity in reversed-phase liquid chromatography. III. The physico-chemical basis of selectivity 961(2002)217
- Wilson, N.S., Nelson, M.D., Dolan, J.W., Snyder, L.R., Wolcott, R.G. and Carr, P.W. Column selectivity in reversed-phase liquid chromatography. I. A general quantitative relationship 961(2002)171
- Wilson, N.S., Nelson, M.D., Dolan, J.W., Snyder, L.R. and Carr, P.W. Column selectivity in reversed-phase liquid chromatography. II. Effect of a change in conditions 961(2002)195
- Winkler, M., see McMartin, D.W. 952(2002)289
- Winterhalter, P., see Du, Q. 984(2003)147
- Wirmoila, R., see Pfäffli, P. 982(2002)261
- Wissack, R. and Rosenberg, E. Universal screening method for the determination of US Environmental Protection Agency phenols at the lower ng l⁻¹ level in water samples by on-line solid-phase extraction–high-performance liquid chromatography–atmospheric pressure chemical ionization mass spectrometry within a single run 963(2002)149
- Witkiewicz, Z., see Grajek, H. 969(2002)87
- Witkiewicz, Z., see Skapska, S. 992(2003)199
- Witowski, S.R., see McKenzie, J.A.M. 962(2002)105
- Wittmann, G., Huybrechts, T., Van Langenhove, H., Dewulf, J. and Nollet, H. Trace analysis of trichlorobenzenes in fish by microwave-assisted extraction and gas chromatography–electron-capture detection 993(2003)71
- Woerdenbag, H.J., see Bos, R. 966(2002)233
- Woerdenbag, H.J., see Bos, R. 967(2002)131
- Wolcott, R.G., see Wilson, N.S. 961(2002)171

- Wolfbeis, O.S., see Apostolidis, A. 967(2002)183
- Wolfender, J.-L., see Queiroz, E.F. 974(2002)123
- Wolfender, J.-L., Ndjoko, K. and Hostettmann, K.
Liquid chromatography with ultraviolet absorbance–mass spectrometric detection and with nuclear magnetic resonance spectrometry: a powerful combination for the on-line structural investigation of plant metabolites (Review) 1000(2003)437
- Wolfgang, J., see Apostolidis, A. 967(2002)183
- Wolska, L.
Miniaturised analytical procedure of determining polycyclic aromatic hydrocarbons and polychlorinated biphenyls in bottom sediments 959(2002)173
- Wolska, L., see Dudek, M. 977(2002)115
- Wong, V., see Shalliker, R.A. 977(2002)213
- Wood, M., see Guetens, G. 976(2002)229
- Wood, M., see Guetens, G. 976(2002)239
- Woodruff, A., Pohl, C.A., Bordunov, A. and Avdalovic, N.
Adjustable-capacity anion-exchange separator 956(2002)35
- Woodruff, A., Pohl, C.A., Bordunov, A. and Avdalovic, N.
Environmental applications of a cryptand adjustable-capacity anion-exchange separator 997(2003)33
- Woodruff, A., see Vanatta, L.E. 997(2003)269
- Wormell, P., see Gray, M. 975(2002)285
- Wormell, P., see Kayillo, S. 967(2002)173
- Wouters, M.E.L., see Segeren, L.H.G.J. 969(2002)215
- Wright, B.W., see Harvey, S.D. 954(2002)217
- Wright, B.W., see Johnson, K.J. 996(2003)141
- Wright, P.B., see Sedo, K.R. 988(2003)297
- Wrobel, K., see Kannamkumarath, S.S. 975(2002)245
- Wrobel, K., see Kannamkumarath, S.S. 975(2002)245
- Wu, C., see Yu, J. 978(2002)37
- Wu, C.-H., Lian, J.-H., Wang, J.-L. and Lo, J.-G.
Analysis of alkyl organoiodide mixtures by high-performance liquid chromatography using electrochemical detection with a post-column photochemical reactor 976(2002)423
- Wu, C.-H., Lin, M.-N., Feng, C.-T., Yang, K.-L., Lo, Y.-S. and Lo, J.-G.
Measurement of toxic volatile organic compounds in indoor air of semiconductor foundries using multisorbent adsorption/thermal desorption coupled with gas chromatography–mass spectrometry 996(2003)225
- Wu, C.-Y., see Hou, Ya.-H. 976(2002)207
- Wu, C.-Y., Suen, S.-Y., Chen, S.-C. and Tzeng, J.-H.
Analysis of protein adsorption on regenerated cellulose-based immobilized copper ion affinity membranes 996(2003)53
- Wu, H.-L., see Duh, T.-H. 987(2003)205
- Wu, J., Tragas, C., Lord, H. and Pawliszyn, J.
Analysis of polar pesticides in water and wine samples by automated in-tube solid-phase microextraction coupled with high-performance liquid chromatography–mass spectrometry 976(2002)357
- Wu, K., see Shen, Z. 979(2002)227
- Wu, K.-K., see Tsai, S.-W. 991(2003)1
- Wu, L., see Shen, Z. 979(2002)227
- Wu, L., see Yu, J. 978(2002)37
- Wu, Q., Lee, M.L. and Harrison, R.G.
Metal complex-substituted polysiloxanes as novel coatings for capillary electrophoresis and capillary electrochromatography 954(2002)247
- Wu, Q., Lee, M.L. and Harrison, R.G.
Performance of metal complex substituted polysiloxanes in capillary electrophoresis and capillary electrochromatography 967(2002)289
- Wu, Y., see Barbarin, N. 970(2002)141
- Wünsch, G., see Elflein, L. 985(2003)147
- Wynn, R., see Xiang, H. 978(2002)153
- Wynne, P.M., see Kueh, A.J. 1000(2003)109
- Wyvratt, J., see Wang, F. 958(2002)69
- Wyvratt, J.M., see Song, S. 959(2002)299
- Wyvratt, J.M., see Zhou, L. 987(2003)409

X

- Xia, F., Nagrath, D. and Cramer, S.M.
Modeling of adsorption in hydrophobic interaction chromatography systems using a preferential interaction quadratic isotherm 989(2003)47
- Xia, M., see Du, Q. 962(2002)239
- Xia, M., see Du, Q. 973(2002)217
- Xiang, D., Tang, L. and Blackwell, J.A.
Evaluation of the stability and selectivity for various adjustable stationary phases using zirconium oxide supports in high-performance liquid chromatography 953(2002)67
- Xiang, H., Wynn, R., Nguyen, L.-H.T., Ross, O.H., Ahrens, D.P., O'Neil, K.T., Hollis, G.F. and Patrick, D.R.
Immobilized metal-ion affinity chromatography of recombinant Fab protein OPG C11 in the presence of EDTA–Mg(II) 978(2002)153
- Xiang, Y., Maynes, D.R. and Lee, M.L.
Safety concerns in ultrahigh pressure capillary liquid chromatography using air-driven pumps 991(2003)189
- Xiang, Y., Yan, B., Yue, B., McNeff, C.V., Carr, P.W. and Lee, M.L.
Elevated-temperature ultrahigh-pressure liquid chromatography using very small polybutadiene-coated nonporous zirconia particles 983(2003)83
- Xiao, T.L., see Berthod, A. 955(2002)53
- Xiao, T.L., see Liu, Y. 978(2002)185
- Xie, J., see Zhang, M. 984(2003)173
- Xie, L.-L., see Shellie, R.A. 968(2002)161
- Xing, J., see Yu, J. 978(2002)37
- Xiong, G., Chen, Y. and Pawliszyn, J.
On-site calibration method based on stepwise solid-phase microextraction 999(2003)43
- Xiong, Y., see Parcher, J.F. 986(2003)129
- Xu, C., see Xu, Q. 997(2003)65
- Xu, F., Liang, X., Lin, B., Schramm, K.-W. and Kettrup, A.
Estimation of soil organic partition coefficients: from retention factors measured by soil column chromatography with water as eluent 968(2002)7

- Xu, H., see Wang, H. 972(2002)253
- Xu, Q., see Helaleh, M.I.H. 997(2003)133
- Xu, Q., see Helaleh, M.I.H. 997(2003)139
- Xu, Q., see Mori, M. 997(2003)191
- Xu, Q., see Mori, M. 997(2003)219
- Xu, Q., see Tanaka, K. 997(2003)127
- Xu, Q., Tanaka, K., Mori, M., Helaleh, M.I.H., Hu, W., Hasebe, K. and Toada, H.
Monolithic octadecylsilyl-silica gel column for the high-speed ion chromatographic determination of acidity 997(2003)183
- Xu, Q., Xu, C., Wang, Q., Tanaka, K., Toada, H., Zhang, W. and Jin, L.
Application of a single electrode, modified with polydiphenylamine and dodecyl sulfate, for the simultaneous amperometric determination of electro-inactive anions and cations in ion chromatography 997(2003)65
- Xu, Q.-S., Massart, D.L., Liang, Y.-Z. and Fang, K.-T.
Two-step multivariate adaptive regression splines for modeling a quantitative relationship between gas chromatography retention indices and molecular descriptors 998(2003)155
- Xu, X., see Dallüge, J. 974(2002)169
- Xu, X., see Zhu, L. 991(2003)151
- Xu, Z.Q., Hirokawa, T., Nishine, T. and Arai, A.
High-sensitivity capillary gel electrophoretic analysis of DNA fragments on an electrophoresis microchip using electrokinetic injection with transient isotachophoretic preconcentration 990(2003)53
- Xue, Q., see Wainright, A. 979(2002)69
- Xue, X.Y., Zhang, Q., Liang, X.M., Oxyinos, K., Kettrup, A. and Lu, P.C.
Computer-assisted automatic peak recognition and result evaluation for analysis of chlorinated hydrocarbons in environmental samples 957(2002)37
- Y**
- Yamamoto, M., see Tsukagoshi, K. 978(2002)213
- Yamane, M., see Takeda, S. 979(2002)425
- Yan, B., see Xiang, Y. 983(2003)83
- Yan, C., see Zhang, K. 987(2003)453
- Yan, H., see Liu, G. 952(2002)71
- Yan, X.
Sulfur and nitrogen chemiluminescence detection in gas chromatographic analysis (Review) 976(2002)3
- Yan, X., see Chen, L. 986(2003)297
- Yan, Z., see Fritz, J.S. 997(2003)21
- Yan, Z., Haddad, P.R. and Fritz, J.S.
Ion chromatography on reversed-phase materials coated with mixed cationic and nonionic surfactants 985(2003)359
- Yang, C. and Henion, J.
Atmospheric pressure photoionization liquid chromatographic–mass spectrometric determination of idoxifene and its metabolites in human plasma 970(2002)155
- Yang, C., Shimelis, O., Zhou, X., Li, G., Bayle, C., Nertz, M., Lee, H., Strekowski, L., Patonay, G., Couderc, F. and Giese, R.W.
Handling and detection of 0.8 amol of a near-infrared cyanine dye by capillary electrophoresis with laser-induced fluorescence detection 979(2002)307
- Yang, D.-Y., see Lee, M.-S. 985(2003)387
- Yang, G., see Li, Z. 971(2002)243
- Yang, J.-S., see Hsieh, Y.-Y. 952(2002)255
- Yang, J.-W., see Cho, H.-J. 988(2003)177
- Yang, K.-L., see Wu, C.-H. 996(2003)225
- Yang, L., see Cao, C.-X. 952(2002)39
- Yang, L.-L., see Lee, M.-S. 985(2003)387
- Yang, L.-X., see Liu, X. 998(2003)213
- Yang, M., see Song, S. 959(2002)299
- Yang, M.S., see Cai, Z. 976(2002)135
- Yang, P., see Grey, L. 958(2002)25
- Yang, P.-J., see Hu, W. 956(2002)103
- Yang, Q., see Liu, X.-Y. 961(2002)113
- Yang, X., Dai, J. and Carr, P.W.
Analysis and critical comparison of the reversed-phase and ion-exchange contributions to retention on polybutadiene coated zirconia and octadecyl silane bonded silica phases 996(2003)13
- Yang, X., see Hu, Y. 968(2002)17
- Yang, X., see Sun, X. 962(2002)117
- Yang, X., see Sun, X. 991(2003)109
- Yang, Y.F., see Guo, L. 998(2003)221
- Yang, Yu., see He, P. 989(2003)55
- Yao, C., see Zhang, K. 987(2003)453
- Yao, S.-Z., see Luo, X.-B. 986(2003)73
- Yardley, K.R., see Gilar, M. 958(2002)167
- Yarita, T., Nakajima, R., Otsuka, S., Ihara, T., Takatsu, A. and Shibukawa, M.
Determination of ethanol in alcoholic beverages by high-performance liquid chromatography–flame ionization detection using pure water as mobile phase 976(2002)387
- Yariwake, J.H., see Zuin, V.G. 985(2003)159
- Yasin, A., see Lian, H.-Z. 993(2003)179
- Yasuda, M., see Isobe, T. 984(2003)195
- Yasuda, N., see Buote, A. 978(2002)177
- Ye, J., see Chen, G. 954(2002)267
- Ye, M., see Zou, H. 954(2002)5
- Yeh, J.-M., see Huang, H.-Y. 993(2003)153
- Yeung, E.S., see He, Y. 979(2002)81
- Yeung, E.S., see Zhong, W. 960(2002)229
- Yin, J., see Li, Z. 971(2002)243
- Yinon, J., see Zhao, X. 977(2002)59
- Yoo, E., see Nam, H.-S. 976(2002)79
- Yoo, H.-S., see Cho, Y.-H. 977(2002)69
- Yoo, Y.S., see Nam, H.-S. 976(2002)79
- Yoo, Y.S., see Yoon, S. 976(2002)87
- Yoon, S., Ban, E. and Yoo, Y.S.
Direct monitoring of the expression of the green fluorescent protein–extracellular signal-regulated kinase 2

- fusion protein in transfected cells using capillary electrophoresis with laser-induced fluorescence detection 976(2002)87
- York, P., see Grimsey, I.M. 969(2002)49
- Yoshikawa, T., see Taguchi, Y. 993(2003)137
- Yoshikura, T., see Moriwaki, H. 995(2003)239
- You, J. and Koropchak, J.A.
Condensation nucleation light scattering detection with ion chromatography for direct determination of glyphosate and its metabolite in water 989(2003)231
- Yu, H., see Ding, Y. 982(2002)237
- Yu, H., see Ding, Y. 997(2003)155
- Yu, H., Ding, Y.-S., Mou, S.-F., Jandik, P. and Cheng, J.
Simultaneous determination of amino acids and carbohydrates by anion-exchange chromatography with integrated pulsed amperometric detection 966(2002)89
- Yu, H., Ding, Y.-S. and Mou, S.-F.
Some factors affecting separation and detection of amino acids by high-performance anion-exchange chromatography with integrated pulsed amperometric detection 997(2003)145
- Yu, H., see Liu, G. 952(2002)71
- Yu, J., Dong, L., Wu, C., Wu, L. and Xing, J.
Hydroxyfullerene as a novel coating for solid-phase microextraction fiber with sol-gel technology 978(2002)37
- Yu, Z., see He, J. 973(2002)197
- Yu, Z., see He, J. 994(2003)207
- Yue, B., see Xiang, Y. 983(2003)83
- Yuvaraj, S., see Ganeshjeevan, R. 988(2003)151
- Z**
- Zagainov, V.F., see Berezkin, V.G. 985(2003)57
- Zakaria, P., Macka, M. and Haddad, P.R.
Separation of opiate alkaloids by electrokinetic chromatography with sulfated-cyclodextrin as a pseudo-stationary phase 985(2003)493
- Zakaria, P., Macka, M. and Haddad, P.R.
Mixed-mode electrokinetic chromatography of aromatic bases with two pseudo-stationary phases and pH control 997(2003)207
- Zambonin, C.G., Cilenti, A. and Palmisano, F.
Solid-phase microextraction and gas chromatography–mass spectrometry for the rapid screening of triazole residues in wine and strawberries 967(2002)255
- Zambonin, C.G., see Monaci, L. 955(2002)79
- Zanin, K.D., see Sanches Filho, P.J. 985(2003)503
- Zanitti, L., see Cirilli, R. 993(2003)17
- Zapata, M., see Garrido, J.L. 994(2003)85
- Zappey, H., see de Rijke, E. 984(2003)45
- Zappey, H., see García, M.C. 957(2002)187
- Zare, R.N., see Kato, M. 961(2002)45
- Zarzycki, P.K.
Simple chamber for temperature-controlled planar chromatography 971(2002)193
- Zarzycki, P.K., Kulhanek, K.M. and Smith, R.
Chromatographic behaviour of selected steroids and their inclusion complexes with β -cyclodextrin on octadecylsilica stationary phases with different carbon loads 955(2002)71
- Zattoni, A., see Reschiglian, P. 985(2003)519
- Zavalova, L.L., see Trubetskoy, D.O. 976(2002)95
- Zeggane, S., see Martel, A.-C. 954(2002)173
- Zelechonok, Y., see Steffek, R.J. 983(2003)91
- Zemann, A., see Gutleben, W. 982(2002)153
- Zeng, J.-G., see Luo, X.-B. 986(2003)73
- Zhang, B., see Liu, Y. 978(2002)185
- Zhang, C., see Balasubramaniam, D. 989(2003)119
- Zhang, D., see Reichenbach, S.E. 985(2003)47
- Zhang, G., see Li, M. 959(2002)113
- Zhang, J., see Zhang, S. 965(2002)83
- Zhang, J., Zhang, S. and Horváth, Cs.
Capillary electrochromatography of peptides on a column packed with tentacular weak cation-exchanger particles 953(2002)239
- Zhang, K., Jiang, Z., Yao, C., Zhang, Z., Wang, Q., Gao, R. and Yan, C.
Separation of peptides by pressurized capillary electrochromatography 987(2003)453
- Zhang, L., see Chen, G. 954(2002)267
- Zhang, M., Xie, J., Zhou, Q., Chen, G. and Liu, Z.
On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith 984(2003)173
- Zhang, Q., see Xue, X.Y. 957(2002)37
- Zhang, S. and Sun, Y.
Steric mass-action model for dye–ligand affinity adsorption of protein 957(2002)89
- Zhang, S. and Sun, Y.
Study on protein adsorption kinetics to a dye–ligand adsorbent by the pore diffusion model 964(2002)35
- Zhang, S., see Zhang, J. 953(2002)239
- Zhang, S., Zhang, J. and Horváth, Cs.
Capillary electrochromatography of proteins with polymer-based strong-cation-exchanger microspheres 965(2002)83
- Zhang, T., see Han, X. 971(2002)237
- Zhang, T., see Ma, X. 962(2002)243
- Zhang, T., see Ma, X. 992(2003)193
- Zhang, W., see Xu, Q. 997(2003)65
- Zhang, X., see Shaw, C.J. 987(2003)439
- Zhang, X.M., see Hu, M. 984(2003)233
- Zhang, Y., Feng, Y. and Wang, C.
Improvement in the detection of impurities affecting ethylene glycol UV transmittance by gas chromatography–mass spectrometry 982(2002)255
- Zhang, Y.-H., Nomura, M., Aida, M. and Fujii, Y.
Separation of vanadium isotopes by ion-exchange chromatography 989(2003)175
- Zhang, Z., see Kong, Yu. 987(2003)477
- Zhang, Z., Mazzotti, M. and Morbidelli, M.
Multiobjective optimization of simulated moving bed and Varicol processes using a genetic algorithm 989(2003)95
- Zhang, Z., see Zhang, K. 987(2003)453

- Zhang, Z.-C., see Li, Z.-Y. 977(2002)17
- Zhao, B., see Song, M.S. 961(2002)155
- Zhao, L., see Zhu, L. 963(2002)335
- Zhao, L., Zhu, L. and Lee, H.K.
Analysis of aromatic amines in water samples by liquid–liquid–liquid microextraction with hollow fibers and high-performance liquid chromatography 963(2002)239
- Zhao, X. and Yinon, J.
Identification of nitrate ester explosives by liquid chromatography–electrospray ionization and atmospheric pressure chemical ionization mass spectrometry 977(2002)59
- Zhao, Y., see Sandra, P. 974(2002)231
- Zheng, N., see Kong, Yu. 987(2003)477
- Zheng, X.-Y., see Cao, C.-X. 952(2002)29
- Zhong, W. and Yeung, E.S.
Multiplexed capillary electrophoresis for DNA sequencing with ultra violet absorption detection 960(2002)229
- Zhou, D., see Kaczmarek, K. 962(2002)57
- Zhou, D., see Liu, X. 988(2003)205
- Zhou, E., see Halasz, A. 963(2002)411
- Zhou, L., see Song, S. 959(2002)299
- Zhou, L., Thompson, R., Reamer, R.A., Miller, C., Welch, C., Ellison, D.K. and Wyvratt, J.M.
Mechanistic study of enantiomeric recognition with native γ -cyclodextrin by capillary electrophoresis, reversed-phase liquid chromatography, nuclear magnetic resonance spectroscopy, electrospray mass spectrometry and circular dichroism techniques 987(2003)409
- Zhou, Q., see Zhang, M. 984(2003)173
- Zhou, Q.-L., see Li, Z.-Y. 977(2002)17
- Zhou, S.-L., see Cao, C.-X. 952(2002)29
- Zhou, S.-L., see Cao, C.-X. 952(2002)39
- Zhou, X., see Shintani, Y. 985(2003)351
- Zhou, X., see Tanaka, H. 987(2003)119
- Zhou, X., see Yang, C. 979(2002)307
- Zhu, J.Y., see Chai, X.S. 996(2003)157
- Zhu, L., see Dong, Q. 959(2002)269
- Zhu, L., Ee, K.H., Zhao, L. and Lee, H.K.
Analysis of phenoxy herbicides in bovine milk by means of liquid–liquid–liquid microextraction with a hollow-fiber membrane 963(2002)335
- Zhu, L., Tay, C.B. and Lee, H.K.
Liquid–liquid–liquid microextraction of aromatic amines from water samples combined with high-performance liquid chromatography 963(2002)231
- Zhu, L. and Xu, X.
Selective separation of active inhibitors of epidermal growth factor receptor from *Caragana Jubata* by molecularly imprinted solid-phase extraction 991(2003)151
- Zhu, L., see Zhao, L. 963(2002)239
- Zhu, P.-L., Liu, C.-L. and Liu, M.-C.
Solid-phase microextraction from small volumes of sample in a glass capillary 988(2003)25
- Zhu, W. and Vigh, G.
Capillary electrophoretic separation of enantiomers in a high-pH background electrolyte by means of the single-isomer chiral resolving agent octa(6-*O*-sulfo)- γ -cyclodextrin 987(2003)459
- Zhu, X., see Cai, J. 964(2002)205
- Zhu, X.R. and Lee, H.K.
Monitoring polychlorinated biphenyls in pine needles using supercritical fluid extraction as a pretreatment method 976(2002)393
- Zhu, Y., Wang, M., Du, H., Wang, F., Mou, S. and Haddad, P.R.
Organic analysis by ion chromatography. 1. Determination of aromatic amines and aromatic diisocyanates by cation-exchange chromatography with amperometric detection 956(2002)215
- Zhuang, W., McKague, B., Reeve, D. and Carey, J.
Identification and confirmation of traces of chlorinated fatty acids in fish downstream of bleached kraft pulp mills by gas chromatography with halogen-specific detection 994(2003)137
- Žiaková, A., Brandšterová, E. and Blahová, E.
Matrix solid-phase dispersion for the liquid chromatographic determination of phenolic acids in *Melissa officinalis* 983(2003)271
- Zimmermann, B., see Papagiannopoulos, M. 958(2002)9
- Zinn, P., see Lerch, O. 991(2003)77
- Zito, S.W., see Deng, F. 986(2003)121
- Zotou, A., see Loukou, Z. 996(2003)103
- Zou, H., see Huang, X. 984(2003)273
- Zou, H., Huang, X., Ye, M. and Luo, Q.
Monolithic stationary phases for liquid chromatography and capillary electrochromatography (Review) 954(2002)5
- Zrostlíková, J., see Hajšlová, J. 1000(2003)181
- Zrostlíková, J., Hajšlová, J., Poustka, J. and Begany, P.
Alternative calibration approaches to compensate the effect of co-extracted matrix components in liquid chromatography–electrospray ionisation tandem mass spectrometry analysis of pesticide residues in plant materials 973(2002)13
- Zubarev, R.A., see Niiranen, H. 962(2002)95
- Žuborová, M., Demianová, Z., Kaniánsky, D., Masár, M. and Stanislawski, B.
Zone electrophoresis of proteins on a poly(methyl methacrylate) chip with conductivity detection 990(2003)179
- Zuin, V.G., Yariwake, J.H. and Bicchi, C.
Fast supercritical fluid extraction and high-resolution gas chromatography with electron-capture and flame photometric detection for multiresidue screening of organochlorine and organophosphorus pesticides in Brazil's medicinal plants 985(2003)159
- Zuloaga, O., see Cortazar, E. 978(2002)165
- Zupančič, T. and Pihlar, B.
Optimisation of a dialytic set-up for liquid chromatography: automated separation and preconcentration of ciprofloxacin 975(2002)199
- Zwiener, C., see Ohlenbusch, G. 967(2002)201
- Zwikker, J.W., see van de Kerkhof, D.H. 954(2002)199
- Zywicki, B., Reemtsma, T. and Jekel, M.
Analysis of commercial vegetable tanning agents by reversed-phase liquid chromatography–electrospray ionization–tandem mass spectrometry and its application to wastewater 970(2002)191