

Subject Index Vol. 1002

Acid–base equilibria

Effect of temperature on pH measurements and acid–base equilibria in methanol–water mixtures 1002(2003)41

Acylhomoserine lactones

On-line high-performance liquid chromatography–mass spectrometric detection and quantification of *N*-acylhomoserine lactones, quorum sensing signal molecules, in the presence of biological matrices 1002(2003)79

Adsorption

Adsorption of polyethylene standards from decalin on liquid chromatography column packings 1002(2003)55

Air analysis

Calibration system and analytical considerations for quantitative sesquiterpene measurements in air 1002(2003)193

Alkaloids

Determination of 1-deoxynojirimycin in *Morus alba* L. leaves by derivatization with 9-fluorenylmethyl chloroformate followed by reversed-phase high-performance liquid chromatography 1002(2003)93

Alkanes

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Anions

Procedure for determination of trace ions in boric acid by matrix volatilization–ion chromatography 1002(2003)137

Antibiotics

Fungal metabolite screening: database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography–UV–mass spectrometry methodology 1002(2003)111

Aroma analysis

Quantitative gas chromatography–olfactometry. Analytical characteristics of a panel of judges using a simple quantitative scale as gas chromatography detector 1002(2003)169

Autocovariance function

Decoding of complex isothermal chromatograms recovered from space missions. Identification of molecular structure 1002(2003)179

Bacteria

On-line high-performance liquid chromatography–mass spectrometric detection and quantification of *N*-acylhomoserine lactones, quorum sensing signal molecules, in the presence of biological matrices 1002(2003)79

Benzenes

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Bond increments

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Boric acid

Procedure for determination of trace ions in boric acid by matrix volatilization–ion chromatography 1002(2003)137

Calibration

Quantitative gas chromatography–olfactometry. Analytical characteristics of a panel of judges using a simple quantitative scale as gas chromatography detector 1002(2003)169

Calibration system and analytical considerations for quantitative sesquiterpene measurements in air 1002(2003)193

Capillary diffusion

Calibration system and analytical considerations for quantitative sesquiterpene measurements in air 1002(2003)193

Cations

Procedure for determination of trace ions in boric acid by matrix volatilization–ion chromatography 1002(2003)137

Cellulose tris-(3,5-dimethylphenylcarbamate)

Enantioseparation of novel chiral heterometal tetrahedral clusters by high-performance liquid chromatography 1002(2003)231

Chemometrics

Decoding of complex isothermal chromatograms recovered from space missions. Identification of molecular structure 1002(2003)179

Chiral stationary phases, LC

Application of diaza-18-crown-6-capped β -cyclodextrin bonded silica particles as chiral stationary phases for ultrahigh pressure capillary liquid chromatography 1002(2003)63

Enantioseparation of novel chiral heterometal tetrahedral clusters by high-performance liquid chromatography 1002(2003)231

Chlorobenzenes

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Coding systems

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Column efficiency

Synthesis of micron diameter polybutadiene-encapsulated non-porous zirconia particles for ultrahigh pressure liquid chromatography 1002(2003)71

Decalin

Adsorption of polyethylene standards from decalin on liquid chromatography column packings 1002(2003)55

Deoxynojirimycin

Determination of 1-deoxynojirimycin in *Morus alba* L. leaves by derivatization with 9-fluorenylmethyl chloroformate followed by reversed-phase high-performance liquid chromatography 1002(2003)93

Derivatization, LC

Determination of 1-deoxynojirimycin in *Morus alba* L. leaves by derivatization with 9-fluorenylmethyl chloroformate followed by reversed-phase high-performance liquid chromatography 1002(2003)93

Detection, LC

Molar mass characterization of cationic methyl methacrylate-ethyl acrylate copolymers using size-exclusion chromatography with online multi-angle light scattering and refractometric detection 1002(2003)101

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Diaza-18-crown-6-capped β -cyclodextrin bonded silica

Application of diaza-18-crown-6-capped β -cyclodextrin bonded silica particles as chiral stationary phases for ultrahigh pressure capillary liquid chromatography 1002(2003)63

Enantiomer separation

Enantioseparation of novel chiral heterometal tetrahedral clusters by high-performance liquid chromatography 1002(2003)231

Enantiomeric separations

Application of diaza-18-crown-6-capped β -cyclodextrin bonded silica particles as chiral stationary phases for ultrahigh pressure capillary liquid chromatography 1002(2003)63

Environmental analysis

Determination of herbicides, including thermally labile phenylureas, by solid-phase microextraction and gas chromatography-mass spectrometry 1002(2003)1

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Fertilizers

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Field flow fractionation

Sonication effect on cellular material in sedimentation and gravitational field flow fractionation 1002(2003)145

Food analysis

Direct continuous supercritical fluid extraction as a novel method of wine analysis. Comparison with conventional indirect extraction and implications for wine variety identification 1002(2003)13

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Ginkgo biloba

Information theory applied to chromatographic fingerprint of herbal medicine for quality control 1002(2003)25

Gravitational field flow fractionation

Sonication effect on cellular material in sedimentation and gravitational field flow fractionation 1002(2003)145

Heterometal tetrahedral clusters

Enantioseparation of novel chiral heterometal tetrahedral clusters by high-performance liquid chromatography 1002(2003)231

Indirect detection

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Information theory

Information theory applied to chromatographic fingerprint of herbal medicine for quality control 1002(2003)25

Inorganic anions

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Instrumentation

Coupling development and elution, a new thin-layer chromatography technique 1002(2003)213

Lactones

On-line high-performance liquid chromatography–mass spectrometric detection and quantification of *N*-acylhomoserine lactones, quorum sensing signal molecules, in the presence of biological matrices 1002(2003)79

Methanol

Procedure for determination of trace ions in boric acid by matrix volatilization–ion chromatography 1002(2003)137

Methanol–water mixtures

Effect of temperature on pH measurements and acid–base equilibria in methanol–water mixtures 1002(2003)41

Methyl methacrylate–ethyl acrylate copolymers

Molar mass characterization of cationic methyl methacrylate–ethyl acrylate copolymers using size-exclusion chromatography with online multi-angle light scattering and refractometric detection 1002(2003)101

Microemulsion electrokinetic chromatography

Quantitative structure–property relationship studies of migration index in microemulsion electrokinetic chromatography using artificial neural networks 1002(2003)221

Migration index

Quantitative structure–property relationship studies of migration index in microemulsion electrokinetic chromatography using artificial neural networks 1002(2003)221

Mobile phase composition

Effect of temperature on pH measurements and acid–base equilibria in methanol–water mixtures 1002(2003)41

Enantioseparation of novel chiral heterometal tetrahedral clusters by high-performance liquid chromatography 1002(2003)231

Molecular mass

Molar mass characterization of cationic methyl methacrylate–ethyl acrylate copolymers using size-exclusion chromatography with online multi-angle light scattering and refractometric detection 1002(2003)101

Morus alba

Determination of 1-deoxynojirimycin in *Morus alba* L. leaves by derivatization with 9-fluorenylmethyl chloroformate followed by reversed-phase high-performance liquid chromatography 1002(2003)93

Mosaic increments

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Multivariate methods

Direct continuous supercritical fluid extraction as a novel method of wine analysis. Comparison with conventional indirect extraction and implications for wine variety identification 1002(2003)13

Mycotoxins

Fungal metabolite screening: database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography–UV–mass spectrometry methodology 1002(2003)111

Neural networks, artificial

Quantitative structure–property relationship studies of migration index in microemulsion electrokinetic chromatography using artificial neural networks 1002(2003)221

Nitrate

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Nitrite

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Olfactometry

Quantitative gas chromatography–olfactometry. Analytical characteristics of a panel of judges using a simple quantitative scale as gas chromatography detector 1002(2003)169

Organochlorine compounds

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Penicillium ochrochloron

Fungal metabolite screening: database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography–UV–mass spectrometry methodology 1002(2003)111

Pesticides

Determination of herbicides, including thermally labile phenylureas, by solid-phase microextraction and gas chromatography–mass spectrometry 1002(2003)1

pH

Effect of temperature on pH measurements and acid–base equilibria in methanol–water mixtures 1002(2003)41

Pharmaceutical analysis

Information theory applied to chromatographic fingerprint of herbal medicine for quality control 1002(2003)25

Phenylureas

Determination of herbicides, including thermally labile phenylureas, by solid-phase microextraction and gas chromatography–mass spectrometry 1002(2003)1

Plant materials

Determination of 1-deoxynojirimycin in *Morus alba* L. leaves by derivatization with 9-fluorenylmethyl chloroformate followed by reversed-phase high-performance liquid chromatography 1002(2003)93

Polyethylene

Adsorption of polyethylene standards from decalin on liquid chromatography column packings 1002(2003)55

Polybutadiene-encapsulated non-porous zirconia particles

Synthesis of micron diameter polybutadiene-encapsulated non-porous zirconia particles for ultrahigh pressure liquid chromatography 1002(2003)71

Polyolefins

Adsorption of polyethylene standards from decalin on liquid chromatography column packings 1002(2003)55

Quorum sensing

On-line high-performance liquid chromatography–mass spectrometric detection and quantification of *N*-acylhomoserine lactones, quorum sensing signal molecules, in the presence of biological matrices 1002(2003)79

Regression analysis

Quantitative structure–property relationship studies of migration index in microemulsion electrokinetic chromatography using artificial neural networks 1002(2003)221

Retention behaviour

Adsorption of polyethylene standards from decalin on liquid chromatography column packings 1002(2003)55

Retention index

Calibration system and analytical considerations for quantitative sesquiterpene measurements in air 1002(2003)193

Retention indices

Mosaic increments for predicting the gas chromatographic retention data of the chlorobenzenes 1002(2003)155

Rhizoma chuanxiong

Information theory applied to chromatographic fingerprint of herbal medicine for quality control 1002(2003)25

Sesquiterpenes

Calibration system and analytical considerations for quantitative sesquiterpene measurements in air 1002(2003)193

Soil

Ion chromatographic method for the simultaneous determination of nitrite and nitrate by post-column indirect fluorescence detection 1002(2003)237

Solid-phase extraction

Direct continuous supercritical fluid extraction as a novel method of wine analysis. Comparison with conventional indirect extraction and implications for wine variety identification 1002(2003)13

Solid-phase microextraction

Determination of herbicides, including thermally labile phenylureas, by solid-phase microextraction and gas chromatography–mass spectrometry 1002(2003)1

Sonication

Sonication effect on cellular material in sedimentation and gravitational field flow fractionation 1002(2003)145

Stachybotrys chartarum

Fungal metabolite screening: database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography–UV–mass spectrometry methodology 1002(2003)111

Stationary phases, LC

Synthesis of micron diameter polybutadiene-encapsulated non-porous zirconia particles for ultrahigh pressure liquid chromatography 1002(2003)71

Structure–property relationships

Quantitative structure–property relationship studies of migration index in microemulsion electrokinetic chromatography using artificial neural networks 1002(2003)221

Supercritical fluid extraction

Direct continuous supercritical fluid extraction as a novel method of wine analysis. Comparison with conventional indirect extraction and implications for wine variety identification 1002(2003)13

Temperature

Effect of temperature on pH measurements and acid–base equilibria in methanol–water mixtures 1002(2003)41

Thin-layer chromatography

Coupling development and elution, a new thin-layer chromatography technique 1002(2003)213

Trace analysis

Procedure for determination of trace ions in boric acid by matrix volatilization–ion chromatography 1002(2003)137

Vapor pressure

Calibration system and analytical considerations for quantitative sesquiterpene measurements in air 1002(2003)193

Vapour phase matrix volatilization

Procedure for determination of trace ions in boric acid by matrix volatilization–ion chromatography 1002(2003)137

Vibrio vulnificus

On-line high-performance liquid chromatography–mass spectrometric detection and quantification of *N*-acylhomoserine lactones, quorum sensing signal molecules, in the presence of biological matrices 1002(2003)79

Volatile organic compounds

Direct continuous supercritical fluid extraction as a novel method of wine analysis. Comparison with conventional indirect extraction and implications for wine variety identification 1002(2003)13

Decoding of complex isothermal chromatograms recovered from space missions. Identification of molecular structure 1002(2003)179

Water analysis

Determination of herbicides, including thermally labile phenylureas, by solid-phase microextraction and gas chromatography–mass spectrometry 1002(2003)1

Weak electrolytes

Effect of temperature on pH measurements and acid–base equilibria in methanol–water mixtures 1002(2003)41

Wine

Direct continuous supercritical fluid extraction as a novel method of wine analysis. Comparison with conventional indirect extraction and implications for wine variety identification 1002(2003)13

Sonication effect on cellular material in sedimentation and gravitational field flow fractionation 1002(2003)145

Yeast cells

Sonication effect on cellular material in sedimentation and gravitational field flow fractionation 1002(2003)145

Zeolites

Adsorption of polyethylene standards from decalin on liquid chromatography column packings 1002(2003)55

Zirconia particles, polybutadiene-encapsulated

Synthesis of micron diameter polybutadiene-encapsulated non-porous zirconia particles for ultrahigh pressure liquid chromatography 1002(2003)71