

Subject Index Vol. 1005

Adenosine

Aptamer affinity chromatography for rapid assay of adenosine in microdialysis samples collected in vivo 1005(2003)123

Adsorption isotherms

Determination of the single component and competitive adsorption isotherms of the 1-indanol enantiomers by the inverse method 1005(2003)35

Affinity adsorbents

Aptamer affinity chromatography for rapid assay of adenosine in microdialysis samples collected in vivo 1005(2003)123

Alcohols

Sensitive determination of alkoxyethanols by pre-column derivatization with 1-anthrolylnitrile and reversed-phase high-performance liquid chromatography 1005(2003)215

Alkoxyethanols

Sensitive determination of alkoxyethanols by pre-column derivatization with 1-anthrolylnitrile and reversed-phase high-performance liquid chromatography 1005(2003)215

Alkylresorcinols

Rational improvement of centrifugal partition chromatographic settings for the production of 5-*n*-alkylresorcinols from wheat bran lipid extract. I. Flooding conditions—optimizing the injection step 1005(2003)51

Amines

Determination of biogenic amines by capillary electrophoresis with pulsed amperometric detection 1005(2003)189

Amino acids

Quantitative analysis of immobilized proteins and protein mixtures by amino acid analysis 1005(2003)113

Anilines

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 1005(2003)143

Anthrolylnitrile

Sensitive determination of alkoxyethanols by pre-column derivatization with 1-anthrolylnitrile and reversed-phase high-performance liquid chromatography 1005(2003)215

Arsenic

Comparative study on conventional and low-flow nebulizers for arsenic speciation by means of microbore liquid chromatography with inductively coupled plasma mass spectrometry 1005(2003)207

Arylamines

Novel benzo-15-crown-5 sol–gel coating for solid-phase microextraction 1005(2003)1

Background electrolyte composition

Highly sensitive capillary zone electrophoresis with artificial seawater as the background electrolyte and transient isotachopheresis as the on-line concentration procedure for simultaneous determination of nitrite and nitrate in seawater 1005(2003)197

Biogenic amines

Determination of biogenic amines by capillary electrophoresis with pulsed amperometric detection 1005(2003)189

Bromotetrachloroanilines

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 1005(2003)143

Carprofen

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Cationic drugs

Comparison of the chromatography of octadecyl silane bonded silica and polybutadiene-coated zirconia phases based on a diverse set of cationic drugs 1005(2003)63

Cellulose tribenzoate

Determination of the single component and competitive adsorption isotherms of the 1-indanol enantiomers by the inverse method 1005(2003)35

Centrifugal partition chromatography

Rational improvement of centrifugal partition chromatographic settings for the production of 5-*n*-alkylresorcinols from wheat bran lipid extract. I. Flooding conditions—optimizing the injection step 1005(2003)51

Chiral stationary phases, electrochromatography

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Chiral stationary phases, LC

Determination of the single component and competitive adsorption isotherms of the 1-indanol enantiomers by the inverse method 1005(2003)35

Evaluation of generic chiral liquid chromatography screens for pharmaceutical analysis 1005(2003)83

Cloud point extraction

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Column characterization

Comparison of the chromatography of octadecyl silane bonded silica and polybutadiene-coated zirconia phases based on a diverse set of cationic drugs 1005(2003)63

Coumachlor

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Counter-current chromatography

Protein separation by nonsynchronous coil planet centrifuge with aqueous–aqueous polymer phase systems 1005(2003)103

Crown ethers

Novel benzo-15-crown-5 sol–gel coating for solid-phase microextraction 1005(2003)1

D&C Red No. 27

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 1005(2003)143

D&C Red No. 28

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 1005(2003)143

Derivatization, LC

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Sensitive determination of alkoxyethanols by pre-column derivatization with 1-anthrolylnitrile and reversed-phase high-performance liquid chromatography 1005(2003)215

Detection, electrophoresis

Determination of biogenic amines by capillary electrophoresis with pulsed amperometric detection 1005(2003)189

Dyes

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 1005(2003)143

Electrochemical detection

Determination of biogenic amines by capillary electrophoresis with pulsed amperometric detection 1005(2003)189

Electrochromatography

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Enantiomer separation

Evaluation of generic chiral liquid chromatography screens for pharmaceutical analysis 1005(2003)83

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Enzymes

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Extraction methods

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Food analysis

Reduction of analysis time in gas chromatography. Application of low-pressure gas chromatography–tandem mass spectrometry to the determination of pesticide residues in vegetables 1005(2003)131

Gas chromatography, fast

Reduction of analysis time in gas chromatography. Application of low-pressure gas chromatography–tandem mass spectrometry to the determination of pesticide residues in vegetables 1005(2003)131

Gas chromatography, low pressure

Reduction of analysis time in gas chromatography. Application of low-pressure gas chromatography–tandem mass spectrometry to the determination of pesticide residues in vegetables 1005(2003)131

Glycans

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Glycoamidases

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Graphitized carbon

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Headspace analysis

Novel benzo-15-crown-5 sol-gel coating for solid-phase microextraction 1005(2003)1

Hunsdiecker reaction

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography-mass spectrometry 1005(2003)143

Hydrodynamic volume

Adsorption thin-layer chromatography and viscometry of polystyrenes in solvent mixtures 1005(2003)165

Immobilized proteins

Quantitative analysis of immobilized proteins and protein mixtures by amino acid analysis 1005(2003)113

1-Indanol

Determination of the single component and competitive adsorption isotherms of the 1-indanol enantiomers by the inverse method 1005(2003)35

Inorganic anions

Highly sensitive capillary zone electrophoresis with artificial seawater as the background electrolyte and transient isotachopheresis as the on-line concentration procedure for simultaneous determination of nitrite and nitrate in seawater 1005(2003)197

Inductively coupled plasma mass spectrometry

Comparative study on conventional and low-flow nebulizers for arsenic speciation by means of microbore liquid chromatography with inductively coupled plasma mass spectrometry 1005(2003)207

Injection methods

Rational improvement of centrifugal partition chromatographic settings for the production of 5-*n*-alkylresorcinols from wheat bran lipid extract. I. Flooding conditions—optimizing the injection step 1005(2003)51

Instrumentation

Rational improvement of centrifugal partition chromatographic settings for the production of 5-*n*-alkylresorcinols from wheat bran lipid extract. I. Flooding conditions—optimizing the injection step 1005(2003)51

Protein separation by nonsynchronous coil planet centrifuge with aqueous-aqueous polymer phase systems 1005(2003)103

Interfaces, LC-ICP-MS

Comparative study on conventional and low-flow nebulizers for arsenic speciation by means of microbore liquid chromatography with inductively coupled plasma mass spectrometry 1005(2003)207

Intramolecular interactions

Adsorption thin-layer chromatography and viscometry of polystyrenes in solvent mixtures 1005(2003)165

Inverse method of isotherm determination

Determination of the single component and competitive adsorption isotherms of the 1-indanol enantiomers by the inverse method 1005(2003)35

Isotachopheresis-capillary zone electrophoresis

Highly sensitive capillary zone electrophoresis with artificial seawater as the background electrolyte and transient isotachopheresis as the on-line concentration procedure for simultaneous determination of nitrite and nitrate in seawater 1005(2003)197

Lipids

Rational improvement of centrifugal partition chromatographic settings for the production of 5-*n*-alkylresorcinols from wheat bran lipid extract. I. Flooding conditions—optimizing the injection step 1005(2003)51

Low-flow nebulizers

Comparative study on conventional and low-flow nebulizers for arsenic speciation by means of microbore liquid chromatography with inductively coupled plasma mass spectrometry 1005(2003)207

Microdialysis

Aptamer affinity chromatography for rapid assay of adenosine in microdialysis samples collected in vivo 1005(2003)123

Nebulizers

Comparative study on conventional and low-flow nebulizers for arsenic speciation by means of microbore liquid chromatography with inductively coupled plasma mass spectrometry 1005(2003)207

Nitrate

Highly sensitive capillary zone electrophoresis with artificial seawater as the background electrolyte and transient isotachopheresis as the on-line concentration procedure for simultaneous determination of nitrite and nitrate in seawater 1005(2003)197

Nitrite

Highly sensitive capillary zone electrophoresis with artificial seawater as the background electrolyte and transient isotachopheresis as the on-line concentration procedure for simultaneous determination of nitrite and nitrate in seawater 1005(2003)197

Non-aqueous capillary electrophoresis

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Numerical analysis

Quantitative analysis of immobilized proteins and protein mixtures by amino acid analysis 1005(2003)113

Octadecyl silane bonded silica phase

Comparison of the chromatography of octadecyl silane bonded silica and polybutadiene-coated zirconia phases based on a diverse set of cationic drugs 1005(2003)63

Octanol–water partition coefficient

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Oligonucleotides

Aptamer affinity chromatography for rapid assay of adenosine in microdialysis samples collected in vivo 1005(2003)123

Oligosaccharides

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Peptides

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Pesticides

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Reduction of analysis time in gas chromatography. Application of low-pressure gas chromatography–tandem mass spectrometry to the determination of pesticide residues in vegetables 1005(2003)131

Pharmaceutical analysis

Evaluation of generic chiral liquid chromatography screens for pharmaceutical analysis 1005(2003)83

Phenols

Novel benzo-15-crown-5 sol–gel coating for solid-phase microextraction 1005(2003)1

Phloxines

Identification of 2-bromo-3,4,5,6-tetrachloroaniline and its quantification in the color additives D&C Red Nos. 27 and 28 (phloxine B) using solid-phase microextraction and gas chromatography–mass spectrometry 1005(2003)143

Polybutadiene-coated zirconia phase

Comparison of the chromatography of octadecyl silane bonded silica and polybutadiene-coated zirconia phases based on a diverse set of cationic drugs 1005(2003)63

Polystyrenes

Adsorption thin-layer chromatography and viscometry of polystyrenes in solvent mixtures 1005(2003)165

Profens

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Proteins

Protein separation by nonsynchronous coil planet centrifuge with aqueous–aqueous polymer phase systems 1005(2003)103

Quantitative analysis of immobilized proteins and protein mixtures by amino acid analysis 1005(2003)113

Pulsed amperometric detection

Determination of biogenic amines by capillary electrophoresis with pulsed amperometric detection 1005(2003)189

Resolution

Study on retention factor and resolution of tocopherols by supercritical fluid chromatography 1005(2003)155

Retention factor

Study on retention factor and resolution of tocopherols by supercritical fluid chromatography 1005(2003)155

Silanol activity

Comparison of the chromatography of octadecyl silane bonded silica and polybutadiene-coated zirconia phases based on a diverse set of cationic drugs 1005(2003)63

Sodium trinitrobenzenesulfonate

Sample clean-up method for analysis of complex-type *N*-glycans released from glycopeptides 1005(2003)13

Solid-phase microextraction

Novel benzo-15-crown-5 sol–gel coating for solid-phase microextraction 1005(2003)1

Sol–gel

Novel benzo-15-crown-5 sol–gel coating for solid-phase microextraction 1005(2003)1

Speciation

Comparative study on conventional and low-flow nebulizers for arsenic speciation by means of microbore liquid chromatography with inductively coupled plasma mass spectrometry 1005(2003)207

Stationary phases, LC

Comparison of the chromatography of octadecyl silane bonded silica and polybutadiene-coated zirconia phases based on a diverse set of cationic drugs 1005(2003)63

Supercritical fluid chromatography

Study on retention factor and resolution of tocopherols by supercritical fluid chromatography 1005(2003)155

Tocopherols

Study on retention factor and resolution of tocopherols by supercritical fluid chromatography 1005(2003)155

Triazines

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Triton X-114

Prediction of the behaviour of organic pollutants using cloud point extraction 1005(2003)23

Vegetables

Reduction of analysis time in gas chromatography. Application of low-pressure gas chromatography–tandem mass spectrometry to the determination of pesticide residues in vegetables 1005(2003)131

Viscometry

Adsorption thin-layer chromatography and viscometry of polystyrenes in solvent mixtures 1005(2003)165

Visualization

Rational improvement of centrifugal partition chromatographic settings for the production of 5-*n*-alkylresorcinols from wheat

bran lipid extract. I. Flooding conditions—optimizing the injection step 1005(2003)51

Volatile organic compounds

Novel benzo-15-crown-5 sol–gel coating for solid-phase microextraction 1005(2003)1

Warfarin

Brush-type chiral stationary phase for enantioseparation of acidic compounds. Optimization of chiral capillary electrochromatographic parameters 1005(2003)177

Water analysis

Highly sensitive capillary zone electrophoresis with artificial seawater as the background electrolyte and transient isotachopheresis as the on-line concentration procedure for simultaneous determination of nitrite and nitrate in seawater 1005(2003)197