


Available online at www.sciencedirect.com



Journal of Chromatography A, 1009 (2003)233-236

# JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

# Subject Index Vol. 1009

#### Affinity adsorbents

Characterization of *p*-aminobenzamidine-based sorbent and its use for high-performance affinity chromatography of trypsin-like proteases 1009(2003)133

Activity-based enrichment of matrix metalloproteinases using reversible inhibitors as affinity ligands 1009(2003)155

# Affinity sorbents

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

# Albumin

Characterization of recombinant human serum albumin using matrix-assisted laser desorption ionization time-of-flight mass spectrometry 1009(2003)111

Sample preparation of human serum for the analysis of tumor markers. Comparison of different approaches for albumin and  $\gamma$ -globulin depletion 1009(2003)171

## Aminobenzamidine

Characterization of *p*-aminobenzamidine-based sorbent and its use for high-performance affinity chromatography of trypsin-like proteases 1009(2003)133

# Annular chromatography

Continuous matrix-assisted refolding of proteins 1009(2003)119

## Antibodies

Complex formation of a calcium-dependent antibody: A thermodynamical consideration 1009(2003)81

Next generation of protein microarray support materials:. Evaluation for protein and antibody microarray applications 1009(2003)97

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

#### **Binding domains**

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

#### Biosensers

Complex formation of a calcium-dependent antibody: A thermodynamical consideration 1009(2003)81

#### Chip technology

Next generation of protein microarray support materials:. Evaluation for protein and antibody microarray applications 1009(2003)97

## Coaxial liquid sheath flow

Analysis of non-covalent protein complexes by capillary electrophoresis-time-of-flight mass spectrometry 1009(2003)147

## **Coiled-coils**

Temperature profiling of polypeptides in reversed-phase liquid chromatography. II. Monitoring of folding and stability of two-stranded  $\alpha$ -helical coiled-coils 1009(2003)45

# Column length

Effect of chromatographic conditions on resolution in highperformance ion-exchange chromatography of proteins on nonporous support 1009(2003)141

#### Cytochromes

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

#### Detection, LC

Analysis of aggregates of human immunoglobulin G using sizeexclusion chromatography, static and dynamic light scattering 1009(2003)89

# DNA

Chromatographic behaviour and purification of linear lambda phage and plasmid DNA molecules on 2-hydroxyethyl methacrylate–ethylene dimethacrylate-based supports 1009(2003)207

## Efficiency

Separation of structurally related synthetic peptides by capillary zone electrophoresis 1009(2003)3

0021-9673/03/\$ – see front matter © 2003 Elsevier B.V. All rights reserved doi:10.1016/S0021-9673(03)01255-X

234

# Electrochromatography

Separation of structurally related peptides by open-tubular capillary electrochromatography using (metallo)porphyrins as the adsorbed stationary phase 1009(2003)73

# **Enzyme inhibitors**

Characterization of *p*-aminobenzamidine-based sorbent and its use for high-performance affinity chromatography of trypsin-like proteases 1009(2003)133

Activity-based enrichment of matrix metalloproteinases using reversible inhibitors as affinity ligands 1009(2003)155

## Enzymes

Characterization of *p*-aminobenzamidine-based sorbent and its use for high-performance affinity chromatography of trypsin-like proteases 1009(2003)133

Activity-based enrichment of matrix metalloproteinases using reversible inhibitors as affinity ligands 1009(2003)155

Purification and partial characterization by matrix-assisted laser desorption ionization time-of-flight mass spectrometry of the recombinant transposase, TniA 1009(2003)179

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

## Escherichia coli

Two-dimensional nano-liquid chromatography-mass spectrometry system for applications in proteomics 1009(2003)197

## Ethylene methacrylate

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

# Globulins

Sample preparation of human serum for the analysis of tumor markers. Comparison of different approaches for albumin and  $\gamma$ -globulin depletion 1009(2003)171

## Glycidyl methacrylate

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

# **Gradient elution**

Effect of chromatographic conditions on resolution in highperformance ion-exchange chromatography of proteins on nonporous support 1009(2003)141

# Hydrodynamic radius

Analysis of aggregates of human immunoglobulin G using sizeexclusion chromatography, static and dynamic light scattering 1009(2003)89

## Hydrophilic interaction chromatography

Comparison of reversed-phase liquid chromatography and hydrophilic interaction/cation-exchange chromatography for the separation of amphipathic  $\alpha$ -helical peptides with L- and D- amino acid substitutions in the hydrophilic face 1009(2003)61

# Hydrophobic interaction chromatography

Methodology for predicting the separation of proteins by hydrophobic interaction chromatography and its application to a cell extract 1009(2003)189

## Hydrophobicity

Methodology for predicting the separation of proteins by hydrophobic interaction chromatography and its application to a cell extract 1009(2003)189

# Hydroxyethyl methacrylate

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

## Hydroxyethyl methacrylate-ethylene dimethacrylate

Chromatographic behaviour and purification of linear lambda phage and plasmid DNA molecules on 2-hydroxyethyl methacrylate–ethylene dimethacrylate-based supports 1009(2003)207

# **Immobilized proteins**

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

## Immunoglobulins

Analysis of aggregates of human immunoglobulin G using sizeexclusion chromatography, static and dynamic light scattering 1009(2003)89

# Ion-exchange chromatography

Effect of chromatographic conditions on resolution in highperformance ion-exchange chromatography of proteins on nonporous support 1009(2003)141

# Kinetic studies

Complex formation of a calcium-dependent antibody: A thermodynamical consideration 1009(2003)81

# Light-scattering detection

Analysis of aggregates of human immunoglobulin G using sizeexclusion chromatography, static and dynamic light scattering 1009(2003)89

#### Lupinus albus

Analysis of proteins in the spent culture medium of *Lupinus albus* by electrospray ionisation tandem mass spectrometry 1009(2003)105

#### Magnetic sorbents

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

# Mass spectrometry

Analysis of non-covalent protein complexes by capillary electrophoresis-time-of-flight mass spectrometry 1009(2003)147

# Matrix-assisted refolding

Continuous matrix-assisted refolding of proteins 1009(2003)119

# Matrix metalloproteinases

Activity-based enrichment of matrix metalloproteinases using reversible inhibitors as affinity ligands 1009(2003)155

# Metalloporphyrins

Separation of structurally related peptides by open-tubular capillary electrochromatography using (metallo)porphyrins as the adsorbed stationary phase 1009(2003)73

## Metalloproteinases

Activity-based enrichment of matrix metalloproteinases using reversible inhibitors as affinity ligands 1009(2003)155

# Mixed-mode chromatography

Comparison of reversed-phase liquid chromatography and hydrophilic interaction/cation-exchange chromatography for the separation of amphipathic  $\alpha$ -helical peptides with L- and D- amino acid substitutions in the hydrophilic face 1009(2003)61

# Molten globular state

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

# Monolithic columns

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

## Oligonucleotides

Rigid polymerics: the future of oligonucleotide analysis and purification 1009(2003)223

## Optimisation

Methodology for predicting the separation of proteins by hydrophobic interaction chromatography and its application to a cell extract 1009(2003)189

#### Peak assignment

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

# Peptides

Separation of structurally related synthetic peptides by capillary zone electrophoresis 1009(2003)3

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

Temperature profiling of polypeptides in reversed-phase liquid chromatography. I. Monitoring of dimerization and unfolding of amphipathic  $\alpha$ -helical peptides 1009(2003)29

Temperature profiling of polypeptides in reversed-phase liquid chromatography. II. Monitoring of folding and stability of two-stranded  $\alpha$ -helical coiled-coils 1009(2003)45

Comparison of reversed-phase liquid chromatography and hydrophilic interaction/cation-exchange chromatography for the separation of amphipathic  $\alpha$ -helical peptides with L- and D- amino acid substitutions in the hydrophilic face 1009(2003)61

Separation of structurally related peptides by open-tubular capillary electrochromatography using (metallo)porphyrins as the adsorbed stationary phase 1009(2003)73

Complex formation of a calcium-dependent antibody: A thermodynamical consideration 1009(2003)81

# Peptide mass fingerprinting

Characterization of recombinant human serum albumin using matrix-assisted laser desorption ionization time-of-flight mass spectrometry 1009(2003)111

# Polypeptides

Temperature profiling of polypeptides in reversed-phase liquid chromatography. I. Monitoring of dimerization and unfolding of amphipathic  $\alpha$ -helical peptides 1009(2003)29

Temperature profiling of polypeptides in reversed-phase liquid chromatography. II. Monitoring of folding and stability of two-stranded  $\alpha$ -helical coiled-coils 1009(2003)45

## Porphyrins

Separation of structurally related peptides by open-tubular capillary electrochromatography using (metallo)porphyrins as the adsorbed stationary phase 1009(2003)73

## Post-source decay

Characterization of recombinant human serum albumin using matrix-assisted laser desorption ionization time-of-flight mass spectrometry 1009(2003)111

# Proteinase K

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

#### Proteins

Complex formation of a calcium-dependent antibody: A thermodynamical consideration 1009(2003)81

Analysis of aggregates of human immunoglobulin G using sizeexclusion chromatography, static and dynamic light scattering 1009(2003)89

Next generation of protein microarray support materials:. Evaluation for protein and antibody microarray applications 1009(2003)97

Analysis of proteins in the spent culture medium of *Lupinus albus* by electrospray ionisation tandem mass spectrometry 1009(2003)105 Characterization of recombinant human serum albumin using matrix-assisted laser desorption ionization time-of-flight mass spectrometry 1009(2003)111

Continuous matrix-assisted refolding of proteins 1009(2003)119

Effect of chromatographic conditions on resolution in highperformance ion-exchange chromatography of proteins on nonporous support 1009(2003)141

Analysis of non-covalent protein complexes by capillary electrophoresis-time-of-flight mass spectrometry 1009(2003)147

Sample preparation of human serum for the analysis of tumor markers. Comparison of different approaches for albumin and  $\gamma$ -globulin depletion 1009(2003)171

Methodology for predicting the separation of proteins by hydrophobic interaction chromatography and its application to a cell extract 1009(2003)189

Two-dimensional nano-liquid chromatography-mass spectrometry system for applications in proteomics 1009(2003)197

## Proteomics

Activity-based enrichment of matrix metalloproteinases using reversible inhibitors as affinity ligands 1009(2003)155

Two-dimensional nano-liquid chromatography-mass spectrometry system for applications in proteomics 1009(2003)197

# Resolution

Effect of chromatographic conditions on resolution in highperformance ion-exchange chromatography of proteins on nonporous support 1009(2003)141

# **Resolution maps**

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

## **Retention time prediction**

Methodology for predicting the separation of proteins by hydrophobic interaction chromatography and its application to a cell extract 1009(2003)189

# Salmonella spp

Immunomagnetic separation and detection of *Salmonella* cells using newly designed carriers 1009(2003)215

# Selectivity

Separation of structurally related synthetic peptides by capillary zone electrophoresis 1009(2003)3

# Separation mechanism

Separation of structurally related synthetic peptides by capillary zone electrophoresis 1009(2003)3

# Slalom chromatography

Chromatographic behaviour and purification of linear lambda phage and plasmid DNA molecules on 2-hydroxyethyl methacrylate–ethylene dimethacrylate-based supports 1009(2003)207

## Solvent strength theory

Peptide mapping by reversed-phase high-performance liquid chromatography employing silica rod monoliths 1009(2003)15

## Stationary phases, electrochromatography

Separation of structurally related peptides by open-tubular capillary electrochromatography using (metallo)porphyrins as the adsorbed stationary phase 1009(2003)73

# Stationary phases, LC

Chromatographic behaviour and purification of linear lambda phage and plasmid DNA molecules on 2-hydroxyethyl methacrylate–ethylene dimethacrylate-based supports 1009(2003)207

Rigid polymerics: the future of oligonucleotide analysis and purification 1009(2003)223

## **Temperature effects**

Temperature profiling of polypeptides in reversed-phase liquid chromatography. I. Monitoring of dimerization and unfolding of amphipathic  $\alpha$ -helical peptides 1009(2003)29

Temperature profiling of polypeptides in reversed-phase liquid chromatography. II. Monitoring of folding and stability of two-stranded  $\alpha$ -helical coiled-coils 1009(2003)45

## Thermodynamic parameters

Complex formation of a calcium-dependent antibody: A thermodynamical consideration 1009(2003)81

#### TniA

Purification and partial characterization by matrix-assisted laser desorption ionization time-of-flight mass spectrometry of the recombinant transposase, TniA 1009(2003)179

#### Transposase

Purification and partial characterization by matrix-assisted laser desorption ionization time-of-flight mass spectrometry of the recombinant transposase, TniA 1009(2003)179

# Two-dimensional liquid chromatography

Two-dimensional nano-liquid chromatography-mass spectrometry system for applications in proteomics 1009(2003)197

#### 236