



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Chromatography A, 1011 (2003) 247–252

JOURNAL OF
CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 1011

Adsorption heterogeneity

Analysis of active sites and heterogeneity in commercial reversed-phase octadecylsilanated silica with numerically calculated sorption distributions 1011(2003)11

Aflatoxins

Determination of aflatoxins in peanuts by matrix solid-phase dispersion and liquid chromatography 1011(2003)49

Albendazole sulfoxide

Use of semipreparative supercritical fluid chromatography to obtain small quantities of the albendazole sulfoxide enantiomers 1011(2003)155

Alkaloids

Preparative separation of quinolines by centrifugal partition chromatography with gradient elution 1011(2003)55

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Aminoethylpiperazinonitribenzoxadiazole

Capillary electrophoresis with laser induced-fluorescence detection of profens derivatized with the water-soluble fluorogenic reagent 4-*N*-(4-*N'*-aminoethyl)piperazino-7-nitro-2,1,3-benzoxadiazole 1011(2003)193

Antibiotics

Determination of chloramphenicol residues in fish meats by liquid chromatography–atmospheric pressure photoionization mass spectrometry 1011(2003)67

Arylpropanoids

Analysis by gas chromatography–mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain 1011(2003)241

Asymmetrical flow field-flow fractionation

Development of asymmetrical flow field-flow fractionation–multi angle laser light scattering analysis for molecular mass characterization of cationic potato amylopectin 1011(2003)111

Atmospheric pressure photoionization

Determination of chloramphenicol residues in fish meats by liquid chromatography–atmospheric pressure photoionization mass spectrometry 1011(2003)67

Band tailing

Analysis of active sites and heterogeneity in commercial reversed-phase octadecylsilanated silica with numerically calculated sorption distributions 1011(2003)11

Band tailing

Analysis of active sites and heterogeneity in commercial reversed-phase octadecylsilanated silica with numerically calculated sorption distributions 1011(2003)11

Biological monitoring

Application of solid-phase microextraction and gas chromatography–mass spectrometry to the determination of volatile organic compounds in end-exhaled breath samples 1011(2003)125

Bromate

Improving the performance of US Environmental Protection Agency Method 300.1 for monitoring drinking water compliance 1011(2003)89

Carbohydrates

Utilization of an evaporative light scattering detector for high-performance size-exclusion chromatography of galacturonic acid oligomers 1011(2003)227

Carboxylic acids

An improved reversed-phase liquid chromatographic method for the analysis of low-molecular mass organic acids in plant root exudates 1011(2003)233

Catechins

Determination of catechins in matcha green tea by micellar electrokinetic chromatography 1011(2003)173

Cationic potato amylopectin

Development of asymmetrical flow field-flow fractionation–multi angle laser light scattering analysis for molecular mass characterization of cationic potato amylopectin 1011(2003)111

Cellular mechanism

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Centrifugal partition chromatography

Preparative separation of quinolines by centrifugal partition chromatography with gradient elution 1011(2003)55

Cheese

Solid-phase microextraction of volatile compounds in "Terrincho" ewe cheese. Comparison of different fibers 1011(2003)1

Chip technology

Robust and simple interface for microchip electrophoresis–mass spectrometry 1011(2003)181

Chiral stationary phase, LC

Cyclodextrin-based liquid chromatographic enantiomeric separation of chiral dihydrofurocoumarins, an emerging class of medicinal compounds 1011(2003)37

Chloramphenicol

Determination of chloramphenicol residues in fish meats by liquid chromatography–atmospheric pressure photoionization mass spectrometry 1011(2003)67

Column switching

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Combinatorial chemistry

Preparative separation of quinolines by centrifugal partition chromatography with gradient elution 1011(2003)55

Cyclodextrins

Cyclodextrin-based liquid chromatographic enantiomeric separation of chiral dihydrofurocoumarins, an emerging class of medicinal compounds 1011(2003)37

Derivatization, LC

Reducing residual silanol interactions in reversed-phase liquid chromatography. Thermal treatment of silica before derivatization 1011(2003)23

Derivatization, electrophoresis

Capillary electrophoresis with laser induced-fluorescence detection of profens derivatized with the water-soluble fluorogenic reagent 4-*N*-(4-*N'*-aminoethyl)piperazino-7-nitro-2,1,3-benzoxadiazole 1011(2003)193

Diclofenac

Formation of an artifact of diclofenac during acidic extraction of environmental water samples 1011(2003)221

Dihydrofurocoumarins

Cyclodextrin-based liquid chromatographic enantiomeric separation of chiral dihydrofurocoumarins, an emerging class of medicinal compounds 1011(2003)37

Disinfection by-products

Improving the performance of US Environmental Protection Agency Method 300.1 for monitoring drinking water compliance 1011(2003)89

Enantiomer separation

Cyclodextrin-based liquid chromatographic enantiomeric separation of chiral dihydrofurocoumarins, an emerging class of medicinal compounds 1011(2003)37

Use of semipreparative supercritical fluid chromatography to obtain small quantities of the albendazole sulfoxide enantiomers 1011(2003)155

End-exhaled air analysis

Application of solid-phase microextraction and gas chromatography–mass spectrometry to the determination of volatile organic compounds in end-exhaled breath samples 1011(2003)125

Environmental analysis

Formation of an artifact of diclofenac during acidic extraction of environmental water samples 1011(2003)221

EPA Method 300.1

Improving the performance of US Environmental Protection Agency Method 300.1 for monitoring drinking water compliance 1011(2003)89

Epigallocatechin gallate

Determination of catechins in matcha green tea by micellar electrokinetic chromatography 1011(2003)173

Essential oils

Analysis by gas chromatography–mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain 1011(2003)241

Extraction methods

Determination of aflatoxins in peanuts by matrix solid-phase dispersion and liquid chromatography 1011(2003)49

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Field-flow fractionation

Mass overloading in the flow field-flow fractionation channel studied by the behaviour of the ultra-large wheat protein glutenin 1011(2003)99

Development of asymmetrical flow field-flow fractionation–multi angle laser light scattering analysis for molecular mass characterization of cationic potato amylopectin 1011(2003)111

Fish

Determination of chloramphenicol residues in fish meats by liquid chromatography–atmospheric pressure photoionization mass spectrometry 1011(2003)67

Application of isotope dilution to the determination of methylmercury in fish tissue by solid-phase microextraction gas chromatography–mass spectrometry 1011(2003)135

Flow field-flow fractionation

Mass overloading in the flow field-flow fractionation channel studied by the behaviour of the ultra-large wheat protein glutenin 1011(2003)99

Food analysis

Solid-phase microextraction of volatile compounds in “Terrincho” ewe cheese. Comparison of different fibers 1011(2003)1

Determination of aflatoxins in peanuts by matrix solid-phase dispersion and liquid chromatography 1011(2003)49

Determination of chloramphenicol residues in fish meats by liquid chromatography–atmospheric pressure photoionization mass spectrometry 1011(2003)67

Direct determination of monolinuron, linuron and chlorbromuron residues in potato samples by gas chromatography with nitrogen–phosphorus detection 1011(2003)143

Fast separation and determination of tyrosol, hydroxytyrosol and other phenolic compounds in extra-virgin olive oil by capillary zone electrophoresis with ultraviolet-diode array detection 1011(2003)163

Determination of catechins in matcha green tea by micellar electrokinetic chromatography 1011(2003)173

Galacturonic acid

Utilization of an evaporative light scattering detector for high-performance size-exclusion chromatography of galacturonic acid oligomers 1011(2003)227

Ginsenosides

Analysis of saponins in raw and steamed *Panax notoginseng* using high-performance liquid chromatography with diode array detection 1011(2003)77

Glutenin

Mass overloading in the flow field-flow fractionation channel studied by the behaviour of the ultra-large wheat protein glutenin 1011(2003)99

Gradient elution

Preparative separation of quinolines by centrifugal partition chromatography with gradient elution 1011(2003)55

Injection methods

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Inorganic anion

Improving the performance of US Environmental Protection Agency Method 300.1 for monitoring drinking water compliance 1011(2003)89

Interfaces, CE–MS

Robust and simple interface for microchip electrophoresis–mass spectrometry 1011(2003)181

Interfaces, LC–MS

Determination of chloramphenicol residues in fish meats by liquid chromatography–atmospheric pressure photoionization mass spectrometry 1011(2003)67

Isotopic dilution

Application of isotope dilution to the determination of methylmercury in fish tissue by solid-phase microextraction gas chromatography–mass spectrometry 1011(2003)135

Large-volume injection

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Light scattering

Mass overloading in the flow field-flow fractionation channel studied by the behaviour of the ultra-large wheat protein glutenin 1011(2003)99

Mass overloading

Mass overloading in the flow field-flow fractionation channel studied by the behaviour of the ultra-large wheat protein glutenin 1011(2003)99

Matrix solid-phase dispersion extraction

Determination of aflatoxins in peanuts by matrix solid-phase dispersion and liquid chromatography 1011(2003)49

Method development

Development and validation of a high-precision capillary electrophoresis method for main component assay of ragaglitazar 1011(2003)203

Microwave-assisted extraction

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Moisture effects

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Molecular weight distribution

Development of asymmetrical flow field-flow fractionation–multi angle laser light scattering analysis for molecular mass characterization of cationic potato amylopectin 1011(2003)111

Monoterpenes

Analysis by gas chromatography–mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain 1011(2003)241

Multi-angle laser light scattering

Development of asymmetrical flow field-flow fractionation–multi angle laser light scattering analysis for molecular mass characterization of cationic potato amylopectin 1011(2003)111

Nicotine

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Notoginsenosides

Analysis of saponins in raw and steamed *Panax notoginseng* using high-performance liquid chromatography with diode array detection 1011(2003)77

Olive oil

Fast separation and determination of tyrosol, hydroxytyrosol and other phenolic compounds in extra-virgin olive oil by capillary zone electrophoresis with ultraviolet-diode array detection 1011(2003)163

Organic acids

An improved reversed-phase liquid chromatographic method for the analysis of low-molecular mass organic acids in plant root exudates 1011(2003)233

Organomercury compounds

Application of isotope dilution to the determination of methylmercury in fish tissue by solid-phase microextraction gas chromatography–mass spectrometry 1011(2003)135

Packed capillary column

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Panax notoginseng

Analysis of saponins in raw and steamed *Panax notoginseng* using high-performance liquid chromatography with diode array detection 1011(2003)77

Pectin

Utilization of an evaporative light scattering detector for high-performance size-exclusion chromatography of galacturonic acid oligomers 1011(2003)227

Peptides

Robust and simple interface for microchip electrophoresis–mass spectrometry 1011(2003)181

Pesticides

Direct determination of monolinuron, linuron and chlorbromuron residues in potato samples by gas chromatography with nitrogen–phosphorus detection 1011(2003)143

Pharmaceutical analysis

Analysis of saponins in raw and steamed *Panax notoginseng* using high-performance liquid chromatography with diode array detection 1011(2003)77

Capillary electrophoresis with laser induced-fluorescence detection of profens derivatized with the water-soluble fluorogenic reagent 4-*N*-(4-*N'*-aminoethyl)piperazino-7-nitro-2,1,3-benzoxadiazole 1011(2003)193

Development and validation of a high-precision capillary electrophoresis method for main component assay of ragaglitazar 1011(2003)203

Pimpinella junoniae

Analysis by gas chromatography–mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain 1011(2003)241

Phenols

Fast separation and determination of tyrosol, hydroxytyrosol and other phenolic compounds in extra-virgin olive oil by capillary zone electrophoresis with ultraviolet-diode array detection 1011(2003)163

Phenylureas

Direct determination of monolinuron, linuron and chlorbromuron residues in potato samples by gas chromatography with nitrogen–phosphorus detection 1011(2003)143

Plant materials

Analysis of saponins in raw and steamed *Panax notoginseng* using high-performance liquid chromatography with diode array detection 1011(2003)77

Polyethylene

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Poly(ethylene glycol)

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Polygalacturonic acid

Utilization of an evaporative light scattering detector for high-performance size-exclusion chromatography of galacturonic acid oligomers 1011(2003)227

Polyphenols

Fast separation and determination of tyrosol, hydroxytyrosol and other phenolic compounds in extra-virgin olive oil by capillary zone electrophoresis with ultraviolet-diode array detection 1011(2003)163

Potatoes

Direct determination of monolinuron, linuron and chlorbromuron residues in potato samples by gas chromatography with nitrogen–phosphorus detection 1011(2003)143

Preparative chromatography

Preparative separation of quinolines by centrifugal partition chromatography with gradient elution 1011(2003)55

Use of semipreparative supercritical fluid chromatography to obtain small quantities of the albendazole sulfoxide enantiomers 1011(2003)155

Profens

Capillary electrophoresis with laser induced-fluorescence detection of profens derivatized with the water-soluble fluorogenic reagent 4-*N*-(4-*N'*-aminoethyl)piperazino-7-nitro-2,1,3-benzoxadiazole 1011(2003)193

Pyridine

Analysis of active sites and heterogeneity in commercial reversed-phase octadecylsilanated silica with numerically calculated sorption distributions 1011(2003)11

Quinolines

Preparative separation of quinolines by centrifugal partition chromatography with gradient elution 1011(2003)55

Ragaglitazar

Development and validation of a high-precision capillary electrophoresis method for main component assay of ragaglitazar 1011(2003)203

Reversed-phase liquid chromatography

Reducing residual silanol interactions in reversed-phase liquid chromatography. Thermal treatment of silica before derivatization 1011(2003)23

Rhizosphere extracts

An improved reversed-phase liquid chromatographic method for the analysis of low-molecular mass organic acids in plant root exudates 1011(2003)233

Root exudates

An improved reversed-phase liquid chromatographic method for the analysis of low-molecular mass organic acids in plant root exudates 1011(2003)233

Saponins

Analysis of saponins in raw and steamed *Panax notoginseng* using high-performance liquid chromatography with diode array detection 1011(2003)77

Sesquiterpenes

Analysis by gas chromatography–mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain 1011(2003)241

Silanol groups

Reducing residual silanol interactions in reversed-phase liquid chromatography. Thermal treatment of silica before derivatization 1011(2003)23

Silica gel

Reducing residual silanol interactions in reversed-phase liquid chromatography. Thermal treatment of silica before derivatization 1011(2003)23

Siloxanes

Reducing residual silanol interactions in reversed-phase liquid chromatography. Thermal treatment of silica before derivatization 1011(2003)23

Solid-phase microextraction

Solid-phase microextraction of volatile compounds in “Terrincho” ewe cheese. Comparison of different fibers 1011(2003)1

Sorption isotherms

Analysis of active sites and heterogeneity in commercial reversed-phase octadecylsilanated silica with numerically calculated sorption distributions 1011(2003)11

Soxhlet extraction

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Starch

Development of asymmetrical flow field-flow fractionation–multi angle laser light scattering analysis for molecular mass characterization of cationic potato amylopectin 1011(2003)111

Stationary phases, LC

Analysis of active sites and heterogeneity in commercial reversed-phase octadecylsilanated silica with numerically calculated sorption distributions 1011(2003)11

Supercritical fluid chromatography

Use of semipreparative supercritical fluid chromatography to obtain small quantities of the albendazole sulfoxide enantiomers 1011(2003)155

Tea

Determination of catechins in matcha green tea by micellar electrokinetic chromatography 1011(2003)173

Temperature gradients

Determination of polyethylene glycol in low-density polyethylene by large volume injection temperature gradient packed capillary liquid chromatography 1011(2003)31

Terpenes

Analysis by gas chromatography–mass spectrometry of the essential oil from the aerial parts of *Pimpinella junoniae* Ceb. & Ort., gathered in La Gomera, Canary Islands, Spain 1011(2003)241

Thermal treatment

Reducing residual silanol interactions in reversed-phase liquid chromatography. Thermal treatment of silica before derivatization 1011(2003)23

Tobacco

Effects of moisture content in cigar tobacco on nicotine extraction. Similarity between Soxhlet and focused open-vessel microwave-assisted techniques 1011(2003)213

Tyrosols

Fast separation and determination of tyrosol, hydroxytyrosol and other phenolic compounds in extra-virgin olive oil by capillary zone electrophoresis with ultraviolet-diode array detection 1011(2003)163

Validation

Development and validation of a high-precision capillary electrophoresis method for main component assay of ragaglitazar 1011(2003)203

Volatile organic compounds

Solid-phase microextraction of volatile compounds in “Terrincho” ewe cheese. Comparison of different fibers 1011(2003)1

Application of solid-phase microextraction and gas chromatography–mass spectrometry to the determination of volatile organic compounds in end-exhaled breath samples 1011(2003)125

Water analysis

Improving the performance of US Environmental Protection Agency Method 300.1 for monitoring drinking water compliance 1011(2003)89

Formation of an artifact of diclofenac during acidic extraction of environmental water samples 1011(2003)221