


Available online at www.sciencedirect.com



Journal of Chromatography A, 1014 (2003) 239-247

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vols. 1013 and 1014

Aconite roots

Analysis of Chinese medicine preparations by capillary electrophoresis-mass spectrometry 1014(2003)83

Adamantanecarboxylic acid

Modified field amplification sample injection for micellar electrokinetic chromatography of neutral compounds with amino-substituted cyclodextrin as carrier and 1adamantanecarboxylate as displacer 1013(2003)19

Albumin

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Alkaloids

Analysis of Chinese medicine preparations by capillary electrophoresis-mass spectrometry 1014(2003)83

Alkylphenol ethoxylates

Potential of microemulsion electrokinetic chromatography for the separation of priority endocrine disrupting compounds 1014(2003)129

Alkylphenols

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with anionic surfactant 1014(2003)103

Amino acids

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Analysis of tryptophan and tyrosine in cerebrospinal fluid by capillary electrophoresis and "ball lens" UV-pulsed laser-induced fluorescence detection 1013(2003)123

Rapid analysis of amino acids in Japanese green tea by microchip electrophoresis using plastic microchip and fluorescence detection 1013(2003)183

Ammonioalkyl sulfonates

Effects of ammonioalkyl sulfonate internal salts on electrokinetic micropump performance and reversed-phase highperformance liquid chromatographic separations 1013(2003)93

Angiotensin-converting enzyme

Inhibition study of angiotensin converting enzyme by capillary electrophoresis after enzymatic reaction at capillary inlet 1013(2003)149

Anilines

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

At-inlet technique

Inhibition study of angiotensin converting enzyme by capillary electrophoresis after enzymatic reaction at capillary inlet 1013(2003)149

Background normalization

Normalizing the background and removing the trend in onedimensional DNA fingerprint images 1014(2003)11

Benzoic acids

Separation and identification of photodegradation products of benzoic acid by capillary zone electrophoresis 1013(2003)191

Bisphenol A

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with anionic surfactant 1014(2003)103

Buffer composition

Influence of electrolyte composition on the electroosmotic flow and electrophoretic mobility of proteins and peptides 1013(2003)221

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with anionic surfactant 1014(2003)103

0021-9673/03/\$ – see front matter @ 2003 Elsevier B.V. All rights reserved doi:10.1016/S0021-9673(03)01526-7

Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis 1014(2003)197

Capillary electrophoretic separation of heparin oligosaccharides under conditions amenable to mass spectrometric detection 1014(2003)225

Capillary columns

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Capillary electrophoresis

Effects of peak anomalies with the hydrophilic or hydrophobic properties of reservoirs during serial injection on a capillary electrophoresis microchip 1013(2003)111

Carbamates

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography–atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Catalase

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Cells

New method for analyzing the nitrite level in PC12 cells using capillary electrophoresis 1014(2003)189

Chemiluminescence detection

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Chip technology

Socket with built-in valves for the interconnection of microfluidic chips to macro constituents 1013(2003)29

Electric field-decoupled electroosmotic pump for microfluidic devices 1013(2003)57

Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. Application to on-chip molecular size determination 1013(2003)77

Integrated bio-fluorescence sensor 1013(2003)103

Rapid analysis of amino acids in Japanese green tea by microchip electrophoresis using plastic microchip and fluorescence detection 1013(2003)183

Enhancement of DNA micro-array analysis using a shear-driven micro-channel flow system 1014(2003)1

Analysis of double-stranded DNA by microchip capillary electrophoresis using polymer solutions containing gold nanoparticles 1014(2003)47

Chromium

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Chymotrypsinogen A

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Coated capillaries

Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum. Precision performance and pattern recognition 1013(2003)131

Cochliobolus heterostrophus

Differential gene expression analysis by micro-preparative capillary gel electrophoresis 1014(2003)29

Cyclodextrin

Modified field amplification sample injection for micellar electrokinetic chromatography of neutral compounds with amino-substituted cyclodextrin as carrier and 1adamantanecarboxylate as displacer 1013(2003)19

Separation and characterization of humic acids from Antarctica by capillary electrophoresis and matrix-assisted laser desorption ionization time-of-flight mass spectrometry. Inclusion complexes of humic acids with cyclodextrins 1014(2003)117

Cytochrome c

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Deethylzaleplon

Separation and identification of zaleplon metabolites in human urine using capillary electrophoresis with laser-induced fluorescence detection and liquid chromatography-mass spectrometry 1014(2003)71

Derivatization, electrophoresis

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Detection, electrophoresis

Integrated bio-fluorescence sensor 1013(2003)103

Analysis of tryptophan and tyrosine in cerebrospinal fluid by capillary electrophoresis and "ball lens" UV-pulsed laserinduced fluorescence detection 1013(2003)123

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Detection, LC

Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. Application to on-chip molecular size determination 1013(2003)77

Dialysis

Capillary electrophoresis coupled to mass spectrometry to establish polypeptide patterns in dialysis fluids 1013(2003)157

Diaminomethylpteroic acid

Simultaneous determination of methotrexate and its eight metabolites in human whole blood by capillary zone electrophoresis 1014(2003)93

Diffusion coefficients

Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. Application to on-chip molecular size determination 1013(2003)77

DNA

Enhancement of DNA micro-array analysis using a shear-driven micro-channel flow system 1014(2003)1

Normalizing the background and removing the trend in onedimensional DNA fingerprint images 1014(2003)11

Analysis of site-directed mutagenesis constructs by capillary electrophoresis using linear polymer sieving matrices 1014(2003)21

Differential gene expression analysis by micro-preparative capillary gel electrophoresis 1014(2003)29

Analysis of double-stranded DNA by microchip capillary electrophoresis using polymer solutions containing gold nanoparticles 1014(2003)47

Dynamic pH

Complementary on-line preconcentration strategies for steroids by capillary electrophoresis 1013(2003)65

Dysprosium

Magnetophoretic velocity of microorganic droplets adsorbed by dysprosium(III) laurate in water 1013(2003)3

Electrochromatography

Capillary electrochromatography with monolithic stationary phases. II. Preparation of cationic stearyl-acrylate monoliths and their electrochromatographic characterization 1013(2003)35

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Electrokinetic chromatography

Determination of itraconazole and hydroxyitraconazole in human serum and plasma by micellar electrokinetic chromatography 1014(2003)57

Electrokinetic pumps

Effects of ammonioalkyl sulfonate internal salts on electrokinetic micropump performance and reversed-phase highperformance liquid chromatographic separations 1013(2003)93

Electron-capture dissociation

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Electroosmotic flow

Capillary electrochromatography with monolithic stationary phases. II. Preparation of cationic stearyl-acrylate monoliths and their electrochromatographic characterization 1013(2003)35

Electric field-decoupled electroosmotic pump for microfluidic devices 1013(2003)57

Influence of electrolyte composition on the electroosmotic flow and electrophoretic mobility of proteins and peptides 1013(2003)221

Electrophoretic mobility

Influence of electrolyte composition on the electroosmotic flow and electrophoretic mobility of proteins and peptides 1013(2003)221

Electrospray ionization

Coupling of a large-size capillary column with an electrospray mass spectrometer. A reliable and sensitive sheath flow capillary electrophoresis-mass spectrometry interface 1013(2003)9

Endocrine disruption

Novel modes of capillary electrophoresis for the determination of endocrine disrupting chemicals 1014(2003)141

Endocrine disruptors

Potential of microemulsion electrokinetic chromatography for the separation of priority endocrine disrupting compounds 1014(2003)129

Endoosmotic flow

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Environmental analysis

Separation and characterization of humic acids from Antarctica by capillary electrophoresis and matrix-assisted laser desorption ionization time-of-flight mass spectrometry. Inclusion complexes of humic acids with cyclodextrins 1014(2003)117

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography–atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153 242

Enzyme inhibitors

Inhibition study of angiotensin converting enzyme by capillary electrophoresis after enzymatic reaction at capillary inlet 1013(2003)149

Enzymes

Inhibition study of angiotensin converting enzyme by capillary electrophoresis after enzymatic reaction at capillary inlet 1013(2003)149

Experimental design

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Extraction methods

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Field-enhanced sample stacking

Modified field amplification sample injection for micellar electrokinetic chromatography of neutral compounds with amino-substituted cyclodextrin as carrier and 1adamantanecarboxylate as displacer 1013(2003)19

Fluorescence detection

Integrated bio-fluorescence sensor 1013(2003)103

Food analysis

Rapid analysis of amino acids in Japanese green tea by microchip electrophoresis using plastic microchip and fluorescence detection 1013(2003)183

Investigation of preconcentration strategies for the trace analysis of multi-residue pesticides in real samples by capillary electrophoresis 1014(2003)109

Genes

Differential gene expression analysis by micro-preparative capillary gel electrophoresis 1014(2003)29

Glycoproteins

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Gold nanoparticles

Analysis of double-stranded DNA by microchip capillary electrophoresis using polymer solutions containing gold nanoparticles 1014(2003)47

Gradient elution

Separation of a complex mixture of heparin-derived oligosaccharides using reversed-phase high-performance liquid chromatography 1014(2003)215

Heparin

Capillary electrophoretic separation of heparin oligosaccharides under conditions amenable to mass spectrometric detection 1014(2003)225

Hippuric acid

Inhibition study of angiotensin converting enzyme by capillary electrophoresis after enzymatic reaction at capillary inlet 1013(2003)149

Humic acids

Separation and characterization of humic acids from Antarctica by capillary electrophoresis and matrix-assisted laser desorption ionization time-of-flight mass spectrometry. Inclusion complexes of humic acids with cyclodextrins 1014(2003)117

Hydroxyitraconazole

Determination of itraconazole and hydroxyitraconazole in human serum and plasma by micellar electrokinetic chromatography 1014(2003)57

Hydroxymethotrexate

Simultaneous determination of methotrexate and its eight metabolites in human whole blood by capillary zone electrophoresis 1014(2003)93

Immunoassays

Analysis of vasopressin using capillary electrophoresis with laser-induced fluorescence detector based on competitive immunoassay 1013(2003)215

Inclusion complexes

Separation and characterization of humic acids from Antarctica by capillary electrophoresis and matrix-assisted laser desorption ionization time-of-flight mass spectrometry. Inclusion complexes of humic acids with cyclodextrins 1014(2003)117

Infrared multiphoton dissociation

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Injection methods

Modified field amplification sample injection for micellar electrokinetic chromatography of neutral compounds with amino-substituted cyclodextrin as carrier and 1adamantanecarboxylate as displacer 1013(2003)19

Inorganic anions

Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis 1014(2003)197

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Inorganic cations

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Instrumentation

Coupling of a large-size capillary column with an electrospray mass spectrometer. A reliable and sensitive sheath flow capillary electrophoresis-mass spectrometry interface 1013(2003)9

Socket with built-in valves for the interconnection of microfluidic chips to macro constituents 1013(2003)29

Electric field-decoupled electroosmotic pump for microfluidic devices 1013(2003)57

Integrated bio-fluorescence sensor 1013(2003)103

Enhancement of DNA micro-array analysis using a shear-driven micro-channel flow system 1014(2003)1

Interfaces, CE-MS

Coupling of a large-size capillary column with an electrospray mass spectrometer. A reliable and sensitive sheath flow capillary electrophoresis-mass spectrometry interface 1013(2003)9

In-capillary reaction

Speciation of chromium by in-capillary reaction and capillary electrophoresis with chemiluminescence detection 1014(2003)203

Ion cyclotron resonance

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Ion-pairing reagents

Separation of a complex mixture of heparin-derived oligosaccharides using reversed-phase high-performance liquid chromatography 1014(2003)215

Itraconazole

Determination of itraconazole and hydroxyitraconazole in human serum and plasma by micellar electrokinetic chromatography 1014(2003)57

Kinetic studies

Inhibition study of angiotensin converting enzyme by capillary electrophoresis after enzymatic reaction at capillary inlet 1013(2003)149

Laser-induced fluorescence detection

Analysis of tryptophan and tyrosine in cerebrospinal fluid by capillary electrophoresis and "ball lens" UV-pulsed laser-induced fluorescence detection 1013(2003)123

Lectins

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Magnetic separation

Magnetophoretic velocity of microorganic droplets adsorbed by dysprosium(III) laurate in water 1013(2003)3

Mass spectrometry

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Maxpolygon

Normalizing the background and removing the trend in onedimensional DNA fingerprint images 1014(2003)11

Metal complexes

Magnetophoretic velocity of microorganic droplets adsorbed by dysprosium(III) laurate in water 1013(2003)3

Methotrexate

Simultaneous determination of methotrexate and its eight metabolites in human whole blood by capillary zone electrophoresis 1014(2003)93

Methotrexate polyglutamates

Simultaneous determination of methotrexate and its eight metabolites in human whole blood by capillary zone electrophoresis 1014(2003)93

Methylcarbamates

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography–atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153

Microchannels

Enhancement of DNA micro-array analysis using a shear-driven micro-channel flow system 1014(2003)1

Microemulsion electrokinetic chromatography

Determination of itraconazole and hydroxyitraconazole in human serum and plasma by micellar electrokinetic chromatography 1014(2003)57

Potential of microemulsion electrokinetic chromatography for the separation of priority endocrine disrupting compounds 1014(2003)129

Microfluidics

Socket with built-in valves for the interconnection of microfluidic chips to macro constituents 1013(2003)29

Electric field-decoupled electroosmotic pump for microfluidic devices 1013(2003)57

Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. Application to on-chip molecular size determination 1013(2003)77

Rapid analysis of amino acids in Japanese green tea by microchip electrophoresis using plastic microchip and fluorescence detection 1013(2003)183

Single nucleotide polymorphism analysis by allele-specific primer extension with real-time bioluminescence detection in a microfluidic device 1014(2003)37

Analysis of double-stranded DNA by microchip capillary electrophoresis using polymer solutions containing gold nanoparticles 1014(2003)47

Microwave-assisted extraction

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Miniaturization

Enhancement of DNA micro-array analysis using a shear-driven micro-channel flow system 1014(2003)1

Monolithic columns

Capillary electrochromatography with monolithic stationary phases. II. Preparation of cationic stearyl-acrylate monoliths and their electrochromatographic characterization 1013(2003)35

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Nitrate

Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis 1014(2003)197

Nitric oxide

New method for analyzing the nitrite level in PC12 cells using capillary electrophoresis 1014(2003)189

Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis 1014(2003)197

Nitrite

New method for analyzing the nitrite level in PC12 cells using capillary electrophoresis 1014(2003)189

Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis 1014(2003)197

Nucleotide polymorphism

Single nucleotide polymorphism analysis by allele-specific primer extension with real-time bioluminescence detection in a microfluidic device 1014(2003)37

Nucleotides

Coupling of a large-size capillary column with an electrospray mass spectrometer. A reliable and sensitive sheath flow capillary electrophoresis-mass spectrometry interface 1013(2003)9

Single nucleotide polymorphism analysis by allele-specific primer extension with real-time bioluminescence detection in a microfluidic device 1014(2003)37

Oligosaccharides

Separation of a complex mixture of heparin-derived oligosaccharides using reversed-phase high-performance liquid chromatography 1014(2003)215

Capillary electrophoretic separation of heparin oligosaccharides under conditions amenable to mass spectrometric detection 1014(2003)225

Optical sensors

Integrated bio-fluorescence sensor 1013(2003)103

Organic acids

Separation and identification of photodegradation products of benzoic acid by capillary zone electrophoresis 1013(2003)191

Orthogonal array design

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Oxodeethylzaleplon

Separation and identification of zaleplon metabolites in human urine using capillary electrophoresis with laser-induced fluorescence detection and liquid chromatography-mass spectrometry 1014(2003)71

Oxozaleplon

Separation and identification of zaleplon metabolites in human urine using capillary electrophoresis with laser-induced fluorescence detection and liquid chromatography-mass spectrometry 1014(2003)71

Oxozaleplon glucuronide

Separation and identification of zaleplon metabolites in human urine using capillary electrophoresis with laser-induced fluorescence detection and liquid chromatography-mass spectrometry 1014(2003)71

Pattern recognition

Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum. Precision performance and pattern recognition 1013(2003)131

Peak shape

Effects of peak anomalies with the hydrophilic or hydrophobic properties of reservoirs during serial injection on a capillary electrophoresis microchip 1013(2003)111

Peptides

Capillary electrophoresis coupled to mass spectrometry to establish polypeptide patterns in dialysis fluids 1013(2003)157

Determination of peptides and proteins in human urine with capillary electrophoresis-mass spectrometry, a suitable tool for the establishment of new diagnostic markers 1013(2003)173

Analysis of vasopressin using capillary electrophoresis with laser-induced fluorescence detector based on competitive immunoassay 1013(2003)215

Influence of electrolyte composition on the electroosmotic flow and electrophoretic mobility of proteins and peptides 1013(2003)221

Pesticides

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Investigation of preconcentration strategies for the trace analysis of multi-residue pesticides in real samples by capillary electrophoresis 1014(2003)109

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography–atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Pharmaceutical analysis

Analysis of Chinese medicine preparations by capillary electrophoresis-mass spectrometry 1014(2003)83

Phenols

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with anionic surfactant 1014(2003)103

Potential of microemulsion electrokinetic chromatography for the separation of priority endocrine disrupting compounds 1014(2003)129

Novel modes of capillary electrophoresis for the determination of endocrine disrupting chemicals 1014(2003)141

Separation of phenols as neutral compounds by micellar electrokinetic capillary chromatography 1014(2003)179

Plant materials

Analysis of Chinese medicine preparations by capillary electrophoresis-mass spectrometry 1014(2003)83

Polydimethylsiloxane

Effects of peak anomalies with the hydrophilic or hydrophobic properties of reservoirs during serial injection on a capillary electrophoresis microchip 1013(2003)111

Poly(ethylene glycol)

Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. Application to on-chip molecular size determination 1013(2003)77

Polymerization

Capillary electrochromatography with monolithic stationary phases. II. Preparation of cationic stearyl-acrylate monoliths and their electrochromatographic characterization 1013(2003)35

Polypeptides

Capillary electrophoresis coupled to mass spectrometry to establish polypeptide patterns in dialysis fluids 1013(2003)157

Precision

Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum. Precision performance and pattern recognition 1013(2003)131

Primer extension

Single nucleotide polymorphism analysis by allele-specific primer extension with real-time bioluminescence detection in a microfluidic device 1014(2003)37

Propoxur

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography–atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153

Proteins

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum. Precision performance and pattern recognition 1013(2003)131

Determination of peptides and proteins in human urine with capillary electrophoresis-mass spectrometry, a suitable tool for the establishment of new diagnostic markers 1013(2003)173

Determination of post-translational modifications of proteins by high-sensitivity, high-resolution Fourier transform ion cyclotron resonance mass spectrometry 1013(2003)203

Influence of electrolyte composition on the electroosmotic flow and electrophoretic mobility of proteins and peptides 1013(2003)221

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Proteomics

Capillary electrophoresis coupled to mass spectrometry to establish polypeptide patterns in dialysis fluids 1013(2003)157

Determination of peptides and proteins in human urine with capillary electrophoresis-mass spectrometry, a suitable tool for the establishment of new diagnostic markers 1013(2003)173

Protriptyline

Simultaneous determination of methotrexate and its eight metabolites in human whole blood by capillary zone electrophoresis 1014(2003)93

Pumps

Electric field-decoupled electroosmotic pump for microfluidic devices 1013(2003)57

Effects of ammonioalkyl sulfonate internal salts on electrokinetic micropump performance and reversed-phase highperformance liquid chromatographic separations 1013(2003)93

Pyrosequencing

Single nucleotide polymorphism analysis by allele-specific primer extension with real-time bioluminescence detection in a microfluidic device 1014(2003)37

Refractive index gradient detection

Diffusion coefficient measurement in a microfluidic analyzer using dual-beam microscale-refractive index gradient detection. Application to on-chip molecular size determination 1013(2003)77

Removing trend

Normalizing the background and removing the trend in onedimensional DNA fingerprint images 1014(2003)11

Salt effects

Effects of ammonioalkyl sulfonate internal salts on electrokinetic micropump performance and reversed-phase highperformance liquid chromatographic separations 1013(2003)93

Sample preparation

Complementary on-line preconcentration strategies for steroids by capillary electrophoresis 1013(2003)65

Sample stacking

Investigation of preconcentration strategies for the trace analysis of multi-residue pesticides in real samples by capillary electrophoresis 1014(2003)109

Shear-driven flow

Enhancement of DNA micro-array analysis using a shear-driven micro-channel flow system 1014(2003)1

Sheath flow

Coupling of a large-size capillary column with an electrospray mass spectrometer. A reliable and sensitive sheath flow capillary electrophoresis-mass spectrometry interface 1013(2003)9

Soil

Separation and characterization of humic acids from Antarctica by capillary electrophoresis and matrix-assisted laser desorption ionization time-of-flight mass spectrometry. Inclusion complexes of humic acids with cyclodextrins 1014(2003)117

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Stability studies

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography-atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153

Stacking

Development of a novel running buffer for the simultaneous determination of nitrate and nitrite in human serum by capillary zone electrophoresis 1014(2003)197

Stationary phases, electrochromatography

Capillary electrochromatography with monolithic stationary phases. II. Preparation of cationic stearyl-acrylate monoliths and their electrochromatographic characterization 1013(2003)35

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Stearyl-acrylate monoliths

Capillary electrochromatography with monolithic stationary phases. II. Preparation of cationic stearyl-acrylate monoliths and their electrochromatographic characterization 1013(2003)35

Capillary electrochromatography with monolithic stationary phases. III. Evaluation of the electrochromatographic retention of neutral and charged solutes on cationic stearyl-acrylate monoliths and the separation of water-soluble proteins and membrane proteins 1013(2003)47

Strychnos pierrian

Analysis of Chinese medicine preparations by capillary electrophoresis-mass spectrometry 1014(2003)83

Steroids

Complementary on-line preconcentration strategies for steroids by capillary electrophoresis 1013(2003)65

Potential of microemulsion electrokinetic chromatography for the separation of priority endocrine disrupting compounds 1014(2003)129

Novel modes of capillary electrophoresis for the determination of endocrine disrupting chemicals 1014(2003)141

246

Supercritical fluid extraction

Optimization of microwave-assisted extraction and supercritical fluid extraction of carbamate pesticides in soil by experimental design methodology 1014(2003)165

Surfactants

Potential of microemulsion electrokinetic chromatography for the separation of priority endocrine disrupting compounds 1014(2003)129

Sweeping

Complementary on-line preconcentration strategies for steroids by capillary electrophoresis 1013(2003)65

Separation and on-line concentration of bisphenol A and alkylphenols by micellar electrokinetic chromatography with anionic surfactant 1014(2003)103

Investigation of preconcentration strategies for the trace analysis of multi-residue pesticides in real samples by capillary electrophoresis 1014(2003)109

Tea

Rapid analysis of amino acids in Japanese green tea by microchip electrophoresis using plastic microchip and fluorescence detection 1013(2003)183

Theanine

Rapid analysis of amino acids in Japanese green tea by microchip electrophoresis using plastic microchip and fluorescence detection 1013(2003)183

Transferrins

Capillary zone electrophoresis with a dynamic double coating for analysis of carbohydrate-deficient transferrin in human serum. Precision performance and pattern recognition 1013(2003)131

Comparison of the electrophoretic separation of proteins in capillaries with different inner diameter 1013(2003)233

Tryptophan

Analysis of tryptophan and tyrosine in cerebrospinal fluid by capillary electrophoresis and "ball lens" UV-pulsed laserinduced fluorescence detection 1013(2003)123

Tyrosine

Analysis of tryptophan and tyrosine in cerebrospinal fluid by capillary electrophoresis and "ball lens" UV-pulsed laserinduced fluorescence detection 1013(2003)123

Validation

Simultaneous determination of methotrexate and its eight metabolites in human whole blood by capillary zone electrophoresis 1014(2003)93

Vasopressin

Analysis of vasopressin using capillary electrophoresis with laser-induced fluorescence detector based on competitive immunoassay 1013(2003)215

Vertical-cavity surface-emitting lasers

Integrated bio-fluorescence sensor 1013(2003)103

Water analysis

Novel modes of capillary electrophoresis for the determination of endocrine disrupting chemicals 1014(2003)141

Stability studies of propoxur herbicide in environmental water samples by liquid chromatography–atmospheric pressure chemical ionization ion-trap mass spectrometry 1014(2003)153

Zaleplon

Separation and identification of zaleplon metabolites in human urine using capillary electrophoresis with laser-induced fluorescence detection and liquid chromatography-mass spectrometry 1014(2003)71