

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1015 (2003) 247-251

www.elsevier.com/locate/chroma

Subject Index Vol. 1015

Acephate

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Adsorption

Martin's rule revisited. Its molecular sense and limitations 1015(2003)31

Pressure-induced effects in the heterogeneous adsorption of insulin on chromatographic surfaces 1015(2003)43

Adsorption chromatography

Martin's rule revisited. Its molecular sense and limitations 1015(2003)31

Adsorption isotherms

Comparison of the binary equilibrium isotherms of the 1indanol enantiomers on three high-performance liquid chromatography columns of different sizes 1015(2003)73

Alcohols

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Aldehydes

Analysis of aldehydes in water by solid-phase microextraction with on-fiber derivatization 1015(2003)143

Amino acids

Comparison of different chloroformates for the derivatisation of seleno amino acids for gas chromatographic analysis 1015(2003)1

Amylose

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Capillary electrophoresis

Classical approach to interpretation of the charge-dependence of peptide mobilities obtained by capillary zone electrophoresis 1015(2003)199

Cellulose tribenzoate

Comparison of the binary equilibrium isotherms of the 1indanol enantiomers on three high-performance liquid chromatography columns of different sizes 1015(2003)73

Charge-mobility relationship

Classical approach to interpretation of the charge-dependence of peptide mobilities obtained by capillary zone electrophoresis 1015(2003)199

Cheese

Detection and quantification of bovine, ovine and caprine milk percentages in protected denomination of origin cheeses by reversed-phase high-performance liquid chromatography of beta-lactoglobulins 1015(2003)111

Chiral stationary phases, LC

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Chloroformates

Comparison of different chloroformates for the derivatisation of seleno amino acids for gas chromatographic analysis 1015(2003)1

Column equilibration

Slow equilibration of reversed-phase columns for the separation of ionized solutes 1015(2003)53

Derivatisation, GC

Comparison of different chloroformates for the derivatisation of seleno amino acids for gas chromatographic analysis 1015(2003)1

Dibutyl phosphate

Direct determination of phosphate esters in concentrated nitrate media by capillary zone electrophoresis 1015(2003)219

Dispersion

Dispersion effects of laminar flow and spray chamber volume in capillary electrophoresis—inductively coupled plasma-mass spectrometry: a numerical and experimental approach 1015(2003)205

Distribution coefficient

Martin's rule revisited. Its molecular sense and limitations 1015(2003)31

Drugs

Determination of selected human pharmaceutical compounds in effluent and surface water samples by high-performance liquid chromatography–electrospray tandem mass spectrometry 1015(2003)129

Electrophoretic mobility

Classical approach to interpretation of the charge-dependence of peptide mobilities obtained by capillary zone electrophoresis 1015(2003)199

Enantiomer separation

Comparison of the binary equilibrium isotherms of the 1indanol enantiomers on three high-performance liquid chromatography columns of different sizes 1015(2003)73

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Environmental analysis

Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1015(2003)23

Determination of selected human pharmaceutical compounds in effluent and surface water samples by high-performance liquid chromatography–electrospray tandem mass spectrometry 1015(2003)129

Equivalent chain lengths

Identification of fatty acids in gas chromatography by application of different temperature and pressure programs on a single capillary column 1015(2003)151

Factor analysis

Evaluation of the two-dimensional reversed-phase–reversedphase separations of low-molecular mass polystyrenes 1015(2003)89

Fatty acid methyl esters

Identification of fatty acids in gas chromatography by application of different temperature and pressure programs on a single capillary column 1015(2003)151

Fatty acids

Identification of fatty acids in gas chromatography by application of different temperature and pressure programs on a single capillary column 1015(2003)151

Flow injection

Dispersion effects of laminar flow and spray chamber volume in capillary electrophoresis-inductively coupled plasma-mass

spectrometry: a numerical and experimental approach 1015(2003)205

Food analysis

Detection and quantification of bovine, ovine and caprine milk percentages in protected denomination of origin cheeses by reversed-phase high-performance liquid chromatography of beta-lactoglobulins 1015(2003)111

Multiresidue method for determination of 90 pesticides in fresh fruits and vegetables using solid-phase extraction and gas chromatography-mass spectrometry 1015(2003)185

Fruits

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Multiresidue method for determination of 90 pesticides in fresh fruits and vegetables using solid-phase extraction and gas chromatography-mass spectrometry 1015(2003)185

Growth hormones

Classical approach to interpretation of the charge-dependence of peptide mobilities obtained by capillary zone electrophoresis 1015(2003)199

Headspace analysis

Analysis of aldehydes in water by solid-phase microextraction with on-fiber derivatization 1015(2003)143

Heterogeneous interactions

Pressure-induced effects in the heterogeneous adsorption of insulin on chromatographic surfaces 1015(2003)43

Hydrophobic surfaces

Pressure-induced effects in the heterogeneous adsorption of insulin on chromatographic surfaces 1015(2003)43

Indanol

Comparison of the binary equilibrium isotherms of the 1-indanol enantiomers on three high-performance liquid chromatography columns of different sizes 1015(2003)73

Inductively coupled plasma-mass spectrometry

Dispersion effects of laminar flow and spray chamber volume in capillary electrophoresis—inductively coupled plasma-mass spectrometry: a numerical and experimental approach 1015(2003)205

Information theory

Evaluation of the two-dimensional reversed-phase–reversedphase separations of low-molecular mass polystyrenes 1015(2003)89

Injection methods

Use of the Keele injector for sample introduction for gas chromatographic analysis of vinclozolin in lettuces 1015(2003)233

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Instrumentation

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Insulin

Pressure-induced effects in the heterogeneous adsorption of insulin on chromatographic surfaces 1015(2003)43

Ionized solutes

Slow equilibration of reversed-phase columns for the separation of ionized solutes 1015(2003)53

Keele injector

Use of the Keele injector for sample introduction for gas chromatographic analysis of vinclozolin in lettuces 1015(2003)233

β-Lactoglobulin

Detection and quantification of bovine, ovine and caprine milk percentages in protected denomination of origin cheeses by reversed-phase high-performance liquid chromatography of beta-lactoglobulins 1015(2003)111

Laminar flow

Dispersion effects of laminar flow and spray chamber volume in capillary electrophoresis-inductively coupled plasma-mass spectrometry: a numerical and experimental approach 1015(2003)205

Martin's rule

Martin's rule revisited. Its molecular sense and limitations 1015(2003)31

Methamidophos

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Microwave-assisted extraction

Application of polyphenylmethylsiloxane coated fiber for solidphase microextraction combined with microwave-assisted extraction for the determination of organochlorine pesticides in Chinese teas 1015(2003)11

Milk

Detection and quantification of bovine, ovine and caprine milk percentages in protected denomination of origin cheeses by reversed-phase high-performance liquid chromatography of beta-lactoglobulins 1015(2003)111

Mobile phase composition

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Modifiers

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Monobutyl phosphate

Direct determination of phosphate esters in concentrated nitrate media by capillary zone electrophoresis 1015(2003)219

Monocrotophos

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Monolithic columns

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Multiresidue methods

Multiresidue method for determination of 90 pesticides in fresh fruits and vegetables using solid-phase extraction and gas chromatography-mass spectrometry 1015(2003)185

Noble metals

Terpyridine-based silica supports prepared by ring-opening metathesis polymerization for the selective extraction of noble metals 1015(2003)65

Numerical simulation

Dispersion effects of laminar flow and spray chamber volume in capillary electrophoresis—inductively coupled plasma-mass spectrometry: a numerical and experimental approach 1015(2003)205

Oligostyrenes

Evaluation of the two-dimensional reversed-phase–reversed-phase separations of low-molecular mass polystyrenes 1015(2003)89

Omethoate

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Organochlorine compounds

Application of polyphenylmethylsiloxane coated fiber for solidphase microextraction combined with microwave-assisted extraction for the determination of organochlorine pesticides in Chinese teas 1015(2003)11

Organophosphorus compounds

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Oxydemeton-methyl

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Parabens

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Peptides

Classical approach to interpretation of the charge-dependence of peptide mobilities obtained by capillary zone electrophoresis 1015(2003)199

Pesticides

Application of polyphenylmethylsiloxane coated fiber for solidphase microextraction combined with microwave-assisted extraction for the determination of organochlorine pesticides in Chinese teas 1015(2003)11

Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1015(2003)23

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Evaluation of analyte protectants to improve gas chromatographic analysis of pesticides 1015(2003)163

Multiresidue method for determination of 90 pesticides in fresh fruits and vegetables using solid-phase extraction and gas chromatography-mass spectrometry 1015(2003)185

Use of the Keele injector for sample introduction for gas chromatographic analysis of vinclozolin in lettuces 1015(2003)233

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Phenols

Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1015(2003)23

Phosphate esters

Direct determination of phosphate esters in concentrated nitrate media by capillary zone electrophoresis 1015(2003)219

Poly(ethylene glycol)

Martin's rule revisited. Its molecular sense and limitations 1015(2003)31

Polynuclear aromatic hydrocarbons

Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1015(2003)23

Polyphenylmethylsiloxane

Application of polyphenylmethylsiloxane coated fiber for solidphase microextraction combined with microwave-assisted extraction for the determination of organochlorine pesticides in Chinese teas 1015(2003)11

Polypyrrole

Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1015(2003)23

Polysaccharides

Effects of alcohol mobile-phase modifiers on the structure and chiral selectivity of amylose tris(3,5-dimethylphenylcarbamate) chiral stationary phase 1015(2003)99

Polystyrenes, low-molecular mass

Evaluation of the two-dimensional reversed-phase–reversed-phase separations of low-molecular mass polystyrenes 1015(2003)89

Pressure programming

Identification of fatty acids in gas chromatography by application of different temperature and pressure programs on a single capillary column 1015(2003)151

Principal component analysis

Identification of fatty acids in gas chromatography by application of different temperature and pressure programs on a single capillary column 1015(2003)151

Proteins

Detection and quantification of bovine, ovine and caprine milk percentages in protected denomination of origin cheeses by reversed-phase high-performance liquid chromatography of beta-lactoglobulins 1015(2003)111

Ring-opening metathesis polymerization

Terpyridine-based silica supports prepared by ring-opening metathesis polymerization for the selective extraction of noble metals 1015(2003)65

Selenium

Comparison of different chloroformates for the derivatisation of seleno amino acids for gas chromatographic analysis 1015(2003)1

Seleno amino acids

Comparison of different chloroformates for the derivatisation of seleno amino acids for gas chromatographic analysis 1015(2003)1

Sequential injection analysis

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Sequential injection chromatography

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Solid-phase extraction

Terpyridine-based silica supports prepared by ring-opening metathesis polymerization for the selective extraction of noble metals 1015(2003)65

Solid-phase microextraction

Application of polyphenylmethylsiloxane coated fiber for solidphase microextraction combined with microwave-assisted extraction for the determination of organochlorine pesticides in Chinese teas 1015(2003)11

Spray chamber

Dispersion effects of laminar flow and spray chamber volume in capillary electrophoresis-inductively coupled plasma-mass spectrometry: a numerical and experimental approach 1015(2003)205

Temperature programming

Identification of fatty acids in gas chromatography by application of different temperature and pressure programs on a single capillary column 1015(2003)151

Terpyridine-based sorbents

Terpyridine-based silica supports prepared by ring-opening metathesis polymerization for the selective extraction of noble metals 1015(2003)65

Transition metal ions

Terpyridine-based silica supports prepared by ring-opening metathesis polymerization for the selective extraction of noble metals 1015(2003)65

Triamcinolone acetonide

Reversed-phase porous silica rods, an alternative approach to high-performance liquid chromatographic separation using the sequential injection chromatography technique 1015(2003)239

Two-dimensional reversed-phase chromatography

Evaluation of the two-dimensional reversed-phase–reversedphase separations of low-molecular mass polystyrenes 1015(2003)89

Vamidothion

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Vegetables

Determination of polar organophosphorus pesticides in vegetables and fruits using liquid chromatography with tandem mass spectrometry: selection of extraction solvent 1015(2003)119

Multiresidue method for determination of 90 pesticides in fresh fruits and vegetables using solid-phase extraction and gas chromatography-mass spectrometry 1015(2003)185

Vinclozolin

Use of the Keele injector for sample introduction for gas chromatographic analysis of vinclozolin in lettuces 1015(2003)233

Water analysis

Pyrrole-based conductive polymer as the solid-phase extraction medium for the preconcentration of environmental pollutants in water samples followed by gas chromatography with flame ionization and mass spectrometry detection 1015(2003)23

Determination of selected human pharmaceutical compounds in effluent and surface water samples by high-performance liquid chromatography–electrospray tandem mass spectrometry 1015(2003)129

Analysis of aldehydes in water by solid-phase microextraction with on-fiber derivatization 1015(2003)143