

Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1016 (2003) 259-263

www.elsevier.com/locate/chroma

Subject Index Vol. 1016

Adsorption isotherms

Adsorption isotherms and retention behavior of 1,1'-bis (2-naphthol) on CHIRIS AD1 and CHIRIS AD2 columns 1016(2003)143

Air analysis

Determination of volatile aliphatic amines in air by solid-phase microextraction coupled with gas chromatography with flame ionization detection 1016(2003)1

Air pollution

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography–mass spectrometry 1016(2003)11

Amines

Determination of volatile aliphatic amines in air by solid-phase microextraction coupled with gas chromatography with flame ionization detection 1016(2003)1

Ammonium

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Angelica polysaccharide

Determination of hydroxyl radical by capillary zone electrophoresis with amperometric detection 1016(2003)123

Anion-exchange ligands

Preparation and characterization of prototypes for multi-modal separation media aimed for capture of negatively charged biomolecules at high salt conditions 1016(2003)21

Atropoisomer separation

Adsorption isotherms and retention behavior of 1,1'-bis (2-naphthol) on CHIRIS AD1 and CHIRIS AD2 columns 1016(2003)143

Band broadening

Extracolumn band broadening in capillary liquid chromatography 1016(2003)129

1,1'-bis(2-Naphthol)

Adsorption isotherms and retention behavior of 1,1'-bis (2-naphthol) on CHIRIS AD1 and CHIRIS AD2 columns 1016(2003)143

Caffeic acid

Investigation of phenolic acids in yacon (*Smallanthus sonchifolius*) leaves and tubers 1016(2003)89

Capillary columns

Extracolumn band broadening in capillary liquid chromatography 1016(2003)129

Capture

Preparation and characterization of prototypes for multi-modal separation media aimed for capture of negatively charged biomolecules at high salt conditions 1016(2003)21

Preparation and characterization of prototypes for multi-modal separation aimed for capture of positively charged biomolecules at high-salt conditions 1016(2003)35

Cation-exchange ligands

Preparation and characterization of prototypes for multi-modal separation aimed for capture of positively charged biomolecules at high-salt conditions 1016(2003)35

Ceramide

Isolation of ceramide fractions from skin sample by subcritical chromatography with packed silica and evaporative light scattering detection 1016(2003)111

Chemometrics

Determination of the volatile chemical constituents of *Notoptergium incium* by gas chromatography—mass spectrometry and iterative or non-iterative chemometrics resolution methods 1016(2003)99

Chiral stationary phases, LC

Adsorption isotherms and retention behavior of 1,1'-bis (2-naphthol) on CHIRIS AD1 and CHIRIS AD2 columns 1016(2003)143

Chlorogenic acid

Investigation of phenolic acids in yacon (Smallanthus sonchifolius) leaves and tubers 1016(2003)89

Cholates

Use of cholate derivatives with submicellar concentration for controlling selectivity of proteins in hydrophobic interaction chromatography 1016(2003)51

Computer simulation

Strategy for developing and optimizing liquid chromatography methods in pharmaceutical development using computer-assisted screening and Plackett–Burman experimental design 1016(2003)165

Congener identification

Predicting gas chromatographic retention times for the 209 polybrominated diphenyl ether congeners 1016(2003)235

Cost function

Business-objective-directed, constraint-based multivariate optimization of high-performance liquid chromatography operational parameters 1016(2003)181

18-Crown-6

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Damping gas flow

Enhanced mass resolution tandem mass spectrometry method for 2,3,7,8-tetrachlorodibenzo-p-dioxin detection with ion trap mass spectrometry using high damping gas pressure 1016(2003)249

Derivatization, LC

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

Electrospray ionization

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

Environmental analysis

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography-mass spectrometry 1016(2003)11

Predicting gas chromatographic retention times for the 209 polybrominated diphenyl ether congeners 1016(2003)235

Essential oils

Determination of the volatile chemical constituents of *Notoptergium incium* by gas chromatography—mass spectrometry and iterative or non-iterative chemometrics resolution methods 1016(2003)99

Evaporative light scattering detection

Isolation of ceramide fractions from skin sample by subcritical chromatography with packed silica and evaporative light scattering detection 1016(2003)111

Evolving window orthogonal projection

Determination of the volatile chemical constituents of *Notoptergium incium* by gas chromatography—mass spectrometry and iterative or non-iterative chemometrics resolution methods 1016(2003)99

Extracolumn band broadening

Extracolumn band broadening in capillary liquid chromatography 1016(2003)129

Ferulic acid

Investigation of phenolic acids in yacon (*Smallanthus sonchifolius*) leaves and tubers 1016(2003)89

Flame retardants

Predicting gas chromatographic retention times for the 209 polybrominated diphenyl ether congeners 1016(2003)235

Glycans

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

High salt conditions

Preparation and characterization of prototypes for multi-modal separation media aimed for capture of negatively charged biomolecules at high salt conditions 1016(2003)21

Preparation and characterization of prototypes for multi-modal separation aimed for capture of positively charged biomolecules at high-salt conditions 1016(2003)35

Hydrophobic interaction chromatography

Use of cholate derivatives with submicellar concentration for controlling selectivity of proteins in hydrophobic interaction chromatography 1016(2003)51

Hydroxyl radical

Determination of hydroxyl radical by capillary zone electrophoresis with amperometric detection 1016(2003)123

Inductively coupled plasma mass spectrometry

Speciation of Pt(II) and Pt(IV) in spiked extracts from road dust using on-line liquid chromatography-inductively coupled plasma mass spectrometry 1016(2003)223

Ion chromatography

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Isoflavones

Determination of isoflavones in red clover and related species by high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 1016(2003)195

Library of chromatographic media

Preparation and characterization of prototypes for multi-modal separation media aimed for capture of negatively charged biomolecules at high salt conditions 1016(2003)21

Preparation and characterization of prototypes for multi-modal separation aimed for capture of positively charged biomolecules at high-salt conditions 1016(2003)35

Lipids

Isolation of ceramide fractions from skin sample by subcritical chromatography with packed silica and evaporative light scattering detection 1016(2003)111

Liquid-phase microextraction

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography—mass spectrometry 1016(2003)11

Mass spectrometry

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

Enhanced mass resolution tandem mass spectrometry method for 2,3,7,8-tetrachlorodibenzo-p-dioxin detection with ion trap mass spectrometry using high damping gas pressure 1016(2003)249

Matrix-assisted laser desorption ionization

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

Method development

Strategy for developing and optimizing liquid chromatography methods in pharmaceutical development using computer-assisted screening and Plackett–Burman experimental design 1016(2003)165

Micelles

Use of cholate derivatives with submicellar concentration for controlling selectivity of proteins in hydrophobic interaction chromatography 1016(2003)51

Mobile phase composition

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Molecular descriptors

Predicting gas chromatographic retention times for the 209 polybrominated diphenyl ether congeners 1016(2003)235

Multi-modal separation media

Preparation and characterization of prototypes for multi-modal separation media aimed for capture of negatively charged biomolecules at high salt conditions 1016(2003)21

Preparation and characterization of prototypes for multi-modal separation aimed for capture of positively charged biomolecules at high-salt conditions 1016(2003)35

Multivariate optimization

Business-objective-directed, constraint-based multivariate optimization of high-performance liquid chromatography operational parameters 1016(2003)181

Nitrogenase

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Notoptergium incium

Determination of the volatile chemical constituents of *Notoptergium incium* by gas chromatography—mass spectrometry and iterative or non-iterative chemometrics resolution methods 1016(2003)99

Octyl-dimethyl-p-aminobenzoic acid

Aqueous photolysis of the sunscreen agent octyl-dimethyl-*p*-aminobenzoic acid. Formation of disinfection byproducts in chlorinated swimming pool water 1016(2003)211

Oligosaccharides

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

Operational parameter optimization

Business-objective-directed, constraint-based multivariate optimization of high-performance liquid chromatography operational parameters 1016(2003)181

Optimization

Strategy for developing and optimizing liquid chromatography methods in pharmaceutical development using computer-assisted screening and Plackett–Burman experimental design 1016(2003)165

Business-objective-directed, constraint-based multivariate optimization of high-performance liquid chromatography operational parameters 1016(2003)181

Organochlorine compounds

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography—mass spectrometry 1016(2003)11

Characterization of polychlorinated aromatic hydrocarbons by reversed-phase liquid chromatography with ultraviolet absorbance and mass spectrometric detection 1016(2003)61

Orthogonal projection approach

Determination of the volatile chemical constituents of *Notoptergium incium* by gas chromatography—mass spectrometry and iterative or non-iterative chemometrics resolution methods 1016(2003)99

Peak resolution

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Pesticides

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography—mass spectrometry 1016(2003)11

Phenolic acids

Investigation of phenolic acids in yacon (Smallanthus sonchifolius) leaves and tubers 1016(2003)89

Phenylhydrazone

Profiling of *N*-linked oligosaccharides using phenylhydrazine derivatization and mass spectrometry 1016(2003)71

Photodegradation

Aqueous photolysis of the sunscreen agent octyl-dimethyl-*p*-aminobenzoic acid. Formation of disinfection byproducts in chlorinated swimming pool water 1016(2003)211

Plackett-Burman design

Strategy for developing and optimizing liquid chromatography methods in pharmaceutical development using computer-assisted screening and Plackett–Burman experimental design 1016(2003)165

Plant materials

Investigation of phenolic acids in yacon (*Smallanthus sonchifolius*) leaves and tubers 1016(2003)89

Platinum

 $Speciation of Pt(II) and Pt(IV) in spiked extracts from road dust using on-line liquid chromatography-inductively coupled plasma mass spectrometry \ \, 1016(2003)223$

Polybrominated diphenyl ethers

Predicting gas chromatographic retention times for the 209 polybrominated diphenyl ether congeners 1016(2003)235

Polychlorinated dibenzodioxins

Enhanced mass resolution tandem mass spectrometry method for 2,3,7,8-tetrachlorodibenzo-p-dioxin detection with ion trap mass spectrometry using high damping gas pressure 1016(2003)249

Polynuclear aromatic hydrocarbons

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography–mass spectrometry 1016(2003)11

Characterization of polychlorinated aromatic hydrocarbons by reversed-phase liquid chromatography with ultraviolet absorbance and mass spectrometric detection 1016(2003)61

Polysaccharides

Determination of hydroxyl radical by capillary zone electrophoresis with amperometric detection 1016(2003)123

Proteins

Use of cholate derivatives with submicellar concentration for controlling selectivity of proteins in hydrophobic interaction chromatography 1016(2003)51

Radical scavengers

Determination of hydroxyl radical by capillary zone electrophoresis with amperometric detection 1016(2003)123

Rainwater

Determination of organic micropollutants in rainwater using hollow fiber membrane/liquid-phase microextraction combined with gas chromatography—mass spectrometry 1016(2003)11

Red clover

Determination of isoflavones in red clover and related species by high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 1016(2003)195

Retention behavior

Use of cholate derivatives with submicellar concentration for controlling selectivity of proteins in hydrophobic interaction chromatography 1016(2003)51

Retention prediction

Predicting gas chromatographic retention times for the 209 polybrominated diphenyl ether congeners 1016(2003)235

Road dust

Speciation of Pt(II) and Pt(IV) in spiked extracts from road dust using on-line liquid chromatography-inductively coupled plasma mass spectrometry 1016(2003)223

Separation performance function

Business-objective-directed, constraint-based multivariate optimization of high-performance liquid chromatography operational parameters 1016(2003)181

Smallanthus sonchifolius

Investigation of phenolic acids in yacon (Smallanthus sonchifolius) leaves and tubers 1016(2003)89

Sodium

Use of mobile phase 18-crown-6 to improve peak resolution between mono- and divalent metal and amine cations in ion chromatography 1016(2003)155

Solid-phase microextraction

Determination of volatile aliphatic amines in air by solid-phase microextraction coupled with gas chromatography with flame ionization detection 1016(2003)1

Speciation

Speciation of Pt(II) and Pt(IV) in spiked extracts from road dust using on-line liquid chromatography-inductively coupled plasma mass spectrometry 1016(2003)223

Subcritical fluid chromatography

Isolation of ceramide fractions from skin sample by subcritical chromatography with packed silica and evaporative light scattering detection 1016(2003)111

Sunscreen agents

Aqueous photolysis of the sunscreen agent octyl-dimethyl-*p*-aminobenzoic acid. Formation of disinfection byproducts in chlorinated swimming pool water 1016(2003)211

Surfactants

Use of cholate derivatives with submicellar concentration for controlling selectivity of proteins in hydrophobic interaction chromatography 1016(2003)51

Trifolium pratense L

Determination of isoflavones in red clover and related species by high-performance liquid chromatography combined with ultraviolet and mass spectrometric detection 1016(2003)195

Volatile organic compounds

Determination of volatile aliphatic amines in air by solid-phase microextraction coupled with gas chromatography with flame ionization detection 1016(2003)1