

Available online at www.sciencedirect.com



Journal of Chromatography A, 1017 (2003) 241-246

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 1017

Acetic acid

Gas chromatography-mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

Alkaloids

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Anabasine

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Anatabine

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Aroma compounds

Truffle aroma characterization by headspace solid-phase microextraction 1017(2003)207

Baicalin

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Benzene

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

Calibration standards

Analysis of natural gas: the necessity of multiple standards for calibration 1017(2003)131

Capillary extraction

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

Cigarette smoke

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Coil planet centrifuge

Improved spiral disk assembly for high-speed counter-current chromatography 1017(2003)71

Counter-current chromatography

Improved spiral disk assembly for high-speed counter-current chromatography 1017(2003)71

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Preparative separation of rhein from Chinese traditional herb by repeated high-speed counter-current chromatography 1017(2003)125

Counter-current extraction

Improved apparatus for solid–liquid multi-stage counter-current extraction 1017(2003)63

Derivatization, GC

Quantitation of estrogens in ground water and swine lagoon samples using solid-phase extraction, pentafluorobenzyl/trimethylsilyl derivatizations and gas chromatography-negative ion chemical ionization tandem mass spectrometry 1017(2003)167

Detection, GC

Analytical methods for phenyltin compounds in polychlorinated biphenyl-based transformer oil samples 1017(2003)195

Detection, electrophoresis

Light-emitting diode-based indirect fluorescence detection for simultaneous determination of anions and cations in capillary electrophoresis 1017(2003)215

Diospyrin

Liquid chromatographic separation of derivatives of diospyrin, a bioactive bisnaphthoquinonoid plant-product, and analogous naphthyl compounds 1017(2003)225

2,3-Dipyridyl

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Enantiomer separation

Improved apparatus for solid–liquid multi-stage counter-current extraction 1017(2003)63

Endocrine disruptors

Quantitation of estrogens in ground water and swine lagoon samples using solid-phase extraction, pentafluorobenzyl/trimethylsilyl derivatizations and gas chromatography-negative ion chemical ionization tandem mass spectrometry 1017(2003)167

Environmental analysis

Solid-phase microextraction as a clean-up and preconcentration procedure for organochlorine pesticides determination in fish tissue by gas chromatography with electron capture detection 1017(2003)35

Quantitation of estrogens in ground water and swine lagoon samples using solid-phase extraction, pentafluorobenzyl/trimethylsilyl derivatizations and gas chromatography–negative ion chemical ionization tandem mass spectrometry 1017(2003)167

Epimedium brevicornum Maxim

On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of flavonoids in *Epimedium brevicornum* Maxim 1017(2003)27

Estrogens

Quantitation of estrogens in ground water and swine lagoon samples using solid-phase extraction, pentafluorobenzyl/trimethylsilyl derivatizations and gas chromatography-negative ion chemical ionization tandem mass spectrometry 1017(2003)167

Ethylbenzene

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

Evaporative light scattering detection

Migration of lubricants from food packagings. Screening for lipid classes and quantitative estimation using normal-phase liquid chromatographic separation with evaporative light scattering detection 1017(2003)107

Extraction methods

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1 Improved apparatus for solid–liquid multi-stage counter-current extraction 1017(2003)63

Field-enhanced sample injection

On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of flavonoids in *Epimedium brevicornum* Maxim 1017(2003)27

Fish

Solid-phase microextraction as a clean-up and preconcentration procedure for organochlorine pesticides determination in fish tissue by gas chromatography with electron capture detection 1017(2003)35

Flavones

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Flavonoids

On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of flavonoids in *Epimedium brevicornum* Maxim 1017(2003)27

Flavor analysis

Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Optimization of a method to fractionate wine flavor extracts 1017(2003)17

Flow cell

Comparison of on-line flow-cell and off-line solvent-elimination interfaces for size-exclusion chromatography and Fouriertransform infrared spectroscopy in polymer analysis 1017(2003)83

Fluorescein

Light-emitting diode-based indirect fluorescence detection for simultaneous determination of anions and cations in capillary electrophoresis 1017(2003)215

Fluorescence detection

Light-emitting diode-based indirect fluorescence detection for simultaneous determination of anions and cations in capillary electrophoresis 1017(2003)215

Food analysis

Quantitative analysis of 2-furfural and 5-methylfurfural in different Italian vinegars by headspace solid-phase microextraction coupled to gas chromatography–mass spectrometry using isotope dilution 1017(2003)141

Truffle aroma characterization by headspace solid-phase microextraction 1017(2003)207

242

Migration of lubricants from food packagings. Screening for lipid classes and quantitative estimation using normal-phase liquid chromatographic separation with evaporative light scattering detection 1017(2003)107

Fourier-transform infrared spectroscopy

Comparison of on-line flow-cell and off-line solvent-elimination interfaces for size-exclusion chromatography and Fouriertransform infrared spectroscopy in polymer analysis 1017(2003)83

Fractionation

Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Optimization of a method to fractionate wine flavor extracts 1017(2003)17

Fulvic acids

Influence of ionic strength and organic modifier concentrations on characterization of aquatic fulvic and humic acids by high-performance size-exclusion chromatography 1017(2003)97

Furfurals

Quantitative analysis of 2-furfural and 5-methylfurfural in different Italian vinegars by headspace solid-phase microextraction coupled to gas chromatography–mass spectrometry using isotope dilution 1017(2003)141

General isotherm modeling

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

Glutathione

Optimization of the principal parameters for the ultrarapid electrophoretic separation of reduced and oxidized glutathione by capillary electrophoresis 1017(2003)233

Gradient elution

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

Headspace analysis

Gas chromatography–mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

Analysis of total propionic acid in feed using headspace solidphase microextraction and gas chromatography 1017(2003)161

Heterogeneous surface

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

Humic acids

Influence of ionic strength and organic modifier concentrations on characterization of aquatic fulvic and humic acids by high-performance size-exclusion chromatography 1017(2003)97

Humic substances

Influence of ionic strength and organic modifier concentrations on characterization of aquatic fulvic and humic acids by high-performance size-exclusion chromatography 1017(2003)97

Indirect detection

Light-emitting diode-based indirect fluorescence detection for simultaneous determination of anions and cations in capillary electrophoresis 1017(2003)215

Injection methods

On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of flavonoids in *Epimedium brevicornum* Maxim 1017(2003)27

Instrumentation

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

Improved apparatus for solid–liquid multi-stage counter-current extraction 1017(2003)63

Improved spiral disk assembly for high-speed counter-current chromatography 1017(2003)71

Ionic strength

Influence of ionic strength and organic modifier concentrations on characterization of aquatic fulvic and humic acids by high-performance size-exclusion chromatography 1017(2003)97

Isotopic dilution

Quantitative analysis of 2-furfural and 5-methylfurfural in different Italian vinegars by headspace solid-phase microextraction coupled to gas chromatography–mass spectrometry using isotope dilution 1017(2003)141

Quantitation of estrogens in ground water and swine lagoon samples using solid-phase extraction, pentafluorobenzyl/trimethylsilyl derivatizations and gas chromatography–negative ion chemical ionization tandem mass spectrometry 1017(2003)167

Light-emitting diode

Light-emitting diode-based indirect fluorescence detection for simultaneous determination of anions and cations in capillary electrophoresis 1017(2003)215

Lipids

Migration of lubricants from food packagings. Screening for lipid classes and quantitative estimation using normal-phase liquid chromatographic separation with evaporative light scattering detection 1017(2003)107

Lubricants

Migration of lubricants from food packagings. Screening for lipid classes and quantitative estimation using normal-phase liquid chromatographic separation with evaporative light scattering detection 1017(2003)107

Methane

Analysis of natural gas: the necessity of multiple standards for calibration 1017(2003)131

Methanol

Gas chromatography–mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

5-Methylfurfural

Quantitative analysis of 2-furfural and 5-methylfurfural in different Italian vinegars by headspace solid-phase microextraction coupled to gas chromatography–mass spectrometry using isotope dilution 1017(2003)141

Micellar electrokinetic chromatography

On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of flavonoids in *Epimedium brevicornum* Maxim 1017(2003)27

Migration

Migration of lubricants from food packagings. Screening for lipid classes and quantitative estimation using normal-phase liquid chromatographic separation with evaporative light scattering detection 1017(2003)107

Mobile phase composition

Influence of ionic strength and organic modifier concentrations on characterization of aquatic fulvic and humic acids by high-performance size-exclusion chromatography 1017(2003)97

Molecular mass

Influence of ionic strength and organic modifier concentrations on characterization of aquatic fulvic and humic acids by high-performance size-exclusion chromatography 1017(2003)97

Myosmine

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Naphthoquinonoids

Liquid chromatographic separation of derivatives of diospyrin, a bioactive bisnaphthoquinonoid plant-product, and analogous naphthyl compounds 1017(2003)225

Naphthyl compounds

Liquid chromatographic separation of derivatives of diospyrin, a bioactive bisnaphthoquinonoid plant-product, and analogous naphthyl compounds 1017(2003)225

Natural gas

Analysis of natural gas: the necessity of multiple standards for calibration 1017(2003)131

Nicotine

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Nicotyrine

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Nitrosoglutathione

Optimization of the principal parameters for the ultrarapid electrophoretic separation of reduced and oxidized glutathione by capillary electrophoresis 1017(2003)233

Nornicotine

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Oils

Analytical methods for phenyltin compounds in polychlorinated biphenyl-based transformer oil samples 1017(2003)195

Organochlorine compounds

Solid-phase microextraction as a clean-up and preconcentration procedure for organochlorine pesticides determination in fish tissue by gas chromatography with electron capture detection 1017(2003)35

Organotin compounds

Analytical methods for phenyltin compounds in polychlorinated biphenyl-based transformer oil samples 1017(2003)195

Overloaded band profiles

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

244

Pectin

Gas chromatography-mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

Peptides

Improved spiral disk assembly for high-speed counter-current chromatography 1017(2003)71

Pesticides

Solid-phase microextraction as a clean-up and preconcentration procedure for organochlorine pesticides determination in fish tissue by gas chromatography with electron capture detection 1017(2003)35

Pharmaceutical analysis

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Preparative separation of rhein from Chinese traditional herb by repeated high-speed counter-current chromatography 1017(2003)125

Phenol

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

Phenyltin compounds

Analytical methods for phenyltin compounds in polychlorinated biphenyl-based transformer oil samples 1017(2003)195

Plant materials

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Preparative separation of rhein from Chinese traditional herb by repeated high-speed counter-current chromatography 1017(2003)125

Polychlorinated biphenyls

Analytical methods for phenyltin compounds in polychlorinated biphenyl-based transformer oil samples 1017(2003)195

Polymer analysis

Comparison of on-line flow-cell and off-line solvent-elimination interfaces for size-exclusion chromatography and Fouriertransform infrared spectroscopy in polymer analysis 1017(2003)83

Polymeric sorbents

Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Optimization of a method to fractionate wine flavor extracts 1017(2003)17

Polysaccharides

Gas chromatography–mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

Preparative chromatography

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Preparative separation of rhein from Chinese traditional herb by repeated high-speed counter-current chromatography 1017(2003)125

Propionic acid

Analysis of total propionic acid in feed using headspace solidphase microextraction and gas chromatography 1017(2003)161

Proteins

Improved spiral disk assembly for high-speed counter-current chromatography 1017(2003)71

Reverse migrating micelles

On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of flavonoids in *Epimedium brevicornum* Maxim 1017(2003)27

Rhein

Preparative separation of rhein from Chinese traditional herb by repeated high-speed counter-current chromatography 1017(2003)125

Rheum officinale

Preparative separation of rhein from Chinese traditional herb by repeated high-speed counter-current chromatography 1017(2003)125

Scutellaria baicalensis

Application of high-speed counter-current chromatography to the preparative separation and purification of baicalin from the Chinese medicinal plant *Scutellaria baicalensis* 1017(2003)117

Subject Index Vol. 1017

Solid-phase extraction

Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Optimization of a method to fractionate wine flavor extracts 1017(2003)17

Solid-phase microextraction

Solid-phase microextraction as a clean-up and preconcentration procedure for organochlorine pesticides determination in fish tissue by gas chromatography with electron capture detection 1017(2003)35

Gas chromatography-mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

Solvent-elimination interfaces

Comparison of on-line flow-cell and off-line solvent-elimination interfaces for size-exclusion chromatography and Fouriertransform infrared spectroscopy in polymer analysis 1017(2003)83

Spiral disk assembly

Improved spiral disk assembly for high-speed counter-current chromatography 1017(2003)71

Stable isotope dilution

Gas chromatography–mass spectrometry method for determining the methanol and acetic acid contents of pectin using headspace solid-phase microextraction and stable isotope dilution 1017(2003)151

Stationary phases, LC

Overloaded gradient elution chromatography on heterogeneous adsorbents in reversed-phase liquid chromatography 1017(2003)45

Styrene-divinylbenzene

Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Optimization of a method to fractionate wine flavor extracts 1017(2003)17

Tobacco

Fast analysis of nicotine related alkaloids in tobacco and cigarette smoke by megabore capillary gas chromatography 1017(2003)187

Toluene

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

Tröger's base

Improved apparatus for solid–liquid multi-stage counter-current extraction 1017(2003)63

True moving beds

Improved apparatus for solid–liquid multi-stage counter-current extraction 1017(2003)63

Tuber spp

Truffle aroma characterization by headspace solid-phase microextraction 1017(2003)207

Vinegar

Quantitative analysis of 2-furfural and 5-methylfurfural in different Italian vinegars by headspace solid-phase microextraction coupled to gas chromatography-mass spectrometry using isotope dilution 1017(2003)141

Water analysis

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

Quantitation of estrogens in ground water and swine lagoon samples using solid-phase extraction, pentafluorobenzyl/trimethylsilyl derivatizations and gas chromatography-negative ion chemical ionization tandem mass spectrometry 1017(2003)167

Wine

Fast fractionation of complex organic extracts by normal-phase chromatography on a solid-phase extraction polymeric sorbent. Optimization of a method to fractionate wine flavor extracts 1017(2003)17

Xylenes

Guidelines for capillary extraction–capillary gas chromatography: preparation of extractors and analysis of aromatic compounds in water 1017(2003)1

246