



Subject Index Vol. 1018

Adsorption

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Adsorption energies

Experimental determination of adsorption energies, adsorption isotherms, probability density functions, and lateral molecular interactions on C_xH_y/CaO systems 1018(2003)213

Adsorption isotherms

Experimental determination of adsorption energies, adsorption isotherms, probability density functions, and lateral molecular interactions on C_xH_y/CaO systems 1018(2003)213

Aerosols

Method development for the analysis of particle phase substituted methoxy phenols and aromatic acids from biomass burning using capillary electrophoresis/electrospray ionization mass spectrometry (CE/ESI-MS) 1018(2003)105

Albumin

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Amines, aromatic

Analyses of carcinogenic aromatic amines released from harmful azo colorants by *Streptomyces* SP. SS07 1018(2003)117

Anilines

On-line sample preconcentration of cationic analytes by dynamic pH junction in capillary electrophoresis 1018(2003)251

Antioxidants

Determination of antioxidant migration levels from low-density polyethylene films into food simulants 1018(2003)53

Aromatic acids

Method development for the analysis of particle phase substituted methoxy phenols and aromatic acids from biomass burning using capillary electrophoresis/electrospray ionization mass spectrometry (CE/ESI-MS) 1018(2003)105

Azo dyes

Analyses of carcinogenic aromatic amines released from harmful azo colorants by *Streptomyces* SP. SS07 1018(2003)117

Biomass burning

Method development for the analysis of particle phase substituted methoxy phenols and aromatic acids from biomass burning using capillary electrophoresis/electrospray ionization mass spectrometry (CE/ESI-MS) 1018(2003)105

β -Blockers

Enhanced calculation of optimal gradient programs in reversed-phase liquid chromatography 1018(2003)183

Boswellia

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Calorimetry

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Capillary electrophoresis

Two-dimensional capillary electrophoresis involving capillary isoelectric focusing and capillary zone electrophoresis 1018(2003)97

Capillary isoelectric focusing

Two-dimensional capillary electrophoresis involving capillary isoelectric focusing and capillary zone electrophoresis 1018(2003)97

Carotenes

Advantages of the use of monolithic stationary phases for modelling the retention in sub/supercritical chromatography. Application to *cis/trans*- β -carotene separation 1018(2003)225

Column coupling

Advantages of the use of monolithic stationary phases for modelling the retention in sub/supercritical chromatography. Application to *cis/trans*- β -carotene separation 1018(2003)225

Column packing

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7

Critical liquid chromatography

Robust isocratic liquid chromatographic separation of functional poly(methyl methacrylate) 1018(2003)19

Cytochromes

Performance and reliability of splitless microliter gradient pumps in a metabolic stability study using cytochrome P450/3A4 and capillary liquid chromatography-mass spectrometry 1018(2003)203

Dialysis interface

Two-dimensional capillary electrophoresis involving capillary isoelectric focusing and capillary zone electrophoresis 1018(2003)97

Discrete spacers

Computer-assisted choice of discrete spacers for anionic isotachopheresis separations 1018(2003)233

Displacement chromatography

Investigation of particle-based and monolithic columns for cation exchange protein displacement chromatography using poly(diallyldimethylammonium chloride) as displacer 1018(2003)155

Diterpenes

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Dynamic pH junction

On-line sample preconcentration of cationic analytes by dynamic pH junction in capillary electrophoresis 1018(2003)251

Dynamic sorption

Choice of procedures for preparative chromatography 1018(2003)129

Electroosmotic flow

Two-dimensional capillary electrophoresis involving capillary isoelectric focusing and capillary zone electrophoresis 1018(2003)97

Environmental analysis

Ultrasound-assisted extraction of nitropolycyclic aromatic hydrocarbons from soil prior to gas chromatography-mass detection 1018(2003)1

Enzymes

Separation of phytic acid and other related inositol phosphates by high-performance ion chromatography and its applications 1018(2003)41

Error analysis

Error analysis and performance of different retention models in the transference of data from/to isocratic/gradient elution 1018(2003)169

Enhanced calculation of optimal gradient programs in reversed-phase liquid chromatography 1018(2003)183

Extracellular fluid protein

Analyses of carcinogenic aromatic amines released from harmful azo colorants by *Streptomyces* SP. SS07 1018(2003)117

Extraction methods

Ultrasound-assisted extraction of nitropolycyclic aromatic hydrocarbons from soil prior to gas chromatography-mass detection 1018(2003)1

Fingerprint profiling

Fingerprint profiling of acid hydrolyzates of polysaccharides extracted from the fruiting bodies and spores of *Lingzhi* by high-performance thin-layer chromatography 1018(2003)85

Food analysis

Rapid determination by reversed-phase high-performance liquid chromatography of Vitamins A and E in infant formulas 1018(2003)197

Frankincense

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Fruit analysis

Optimization of a new mobile phase to know the complex and real polyphenolic composition: towards a total phenolic index using high-performance liquid chromatography 1018(2003)29

Gas chromatography, reversed-flow

Experimental determination of adsorption energies, adsorption isotherms, probability density functions, and lateral molecular interactions on C_xH_y/CaO systems 1018(2003)213

Gradient elution

Error analysis and performance of different retention models in the transference of data from/to isocratic/gradient elution 1018(2003)169

Enhanced calculation of optimal gradient programs in reversed-phase liquid chromatography 1018(2003)183

Headspace analysis

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Hydrophobic interaction chromatography

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Infant formulas

Rapid determination by reversed-phase high-performance liquid chromatography of Vitamins A and E in infant formulas 1018(2003)197

Inositol phosphates

Separation of phytic acid and other related inositol phosphates by high-performance ion chromatography and its applications 1018(2003)41

Inverse gas chromatography

Experimental determination of adsorption energies, adsorption isotherms, probability density functions, and lateral molecular interactions on C_xH_y/CaO systems 1018(2003)213

Isocratic elution

Error analysis and performance of different retention models in the transference of data from/to isocratic/gradient elution 1018(2003)169

Isotachopheresis

Computer-assisted choice of discrete spacers for anionic isotachopheresis separations 1018(2003)233

Ketoconazole

Performance and reliability of splitless microliter gradient pumps in a metabolic stability study using cytochrome P450/3A4 and capillary liquid chromatography–mass spectrometry 1018(2003)203

Linear solvent strength theory

Error analysis and performance of different retention models in the transference of data from/to isocratic/gradient elution 1018(2003)169

Lingzhi

Fingerprint profiling of acid hydrolyzates of polysaccharides extracted from the fruiting bodies and spores of Lingzhi by high-performance thin-layer chromatography 1018(2003)85

Methoxy phenols

Method development for the analysis of particle phase substituted methoxy phenols and aromatic acids from biomass burning using capillary electrophoresis/electrospray ionization mass spectrometry (CE/ESI-MS) 1018(2003)105

Midazolam

Performance and reliability of splitless microliter gradient pumps in a metabolic stability study using cytochrome P450/3A4 and capillary liquid chromatography–mass spectrometry 1018(2003)203

Migration order prediction

Computer-assisted choice of discrete spacers for anionic isotachopheresis separations 1018(2003)233

Mobile phase composition

Optimization of a new mobile phase to know the complex and real polyphenolic composition: towards a total phenolic index using high-performance liquid chromatography 1018(2003)29

Molecular interactions

Experimental determination of adsorption energies, adsorption isotherms, probability density functions, and lateral molecular interactions on C_xH_y/CaO systems 1018(2003)213

Monolithic columns

Investigation of particle-based and monolithic columns for cation exchange protein displacement chromatography using poly(diallyl-dimethylammonium chloride) as displacer 1018(2003)155

Advantages of the use of monolithic stationary phases for modelling the retention in sub/supercritical chromatography. Application to *cis/trans*- β -carotene separation 1018(2003)225

Monoterpenes

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Nitropolynuclear aromatic hydrocarbons

Ultrasound-assisted extraction of nitropolycyclic aromatic hydrocarbons from soil prior to gas chromatography–mass detection 1018(2003)1

Olibanum

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Optimization

Optimization of a new mobile phase to know the complex and real polyphenolic composition: towards a total phenolic index using high-performance liquid chromatography 1018(2003)29

Choice of procedures for preparative chromatography 1018(2003)129

Enhanced calculation of optimal gradient programs in reversed-phase liquid chromatography 1018(2003)183

Packaging materials

Determination of antioxidant migration levels from low-density polyethylene films into food simulants 1018(2003)53

Packed capillary

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7

Parcel model

Further clarifications on the parcel model 1018(2003)125

Peak purity

Enhanced calculation of optimal gradient programs in reversed-phase liquid chromatography 1018(2003)183

Peak shape

Further clarifications on the parcel model 1018(2003)125

Phenolic compounds

Determination of antioxidant migration levels from low-density polyethylene films into food simulants 1018(2003)53

Method development for the analysis of particle phase substituted methoxy phenols and aromatic acids from biomass burning using capillary electrophoresis/electrospray ionization mass spectrometry (CE/ESI-MS) 1018(2003)105

Phosphates

Separation of phytic acid and other related inositol phosphates by high-performance ion chromatography and its applications 1018(2003)41

Phytase

Separation of phytic acid and other related inositol phosphates by high-performance ion chromatography and its applications 1018(2003)41

Phytic acid

Separation of phytic acid and other related inositol phosphates by high-performance ion chromatography and its applications 1018(2003)41

Poly(diallyl-dimethylammonium chloride)

Investigation of particle-based and monolithic columns for cation exchange protein displacement chromatography using poly(diallyl-dimethylammonium chloride) as displacer 1018(2003)155

Poly(methyl methacrylate)

Robust isocratic liquid chromatographic separation of functional poly(methyl methacrylate) 1018(2003)19

Polybutadiene

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7

Polychlorinated biphenyls

Use of topological indices of polychlorinated biphenyls in structure-retention relationships 1018(2003)63

Polyethylene

Determination of antioxidant migration levels from low-density polyethylene films into food simulants 1018(2003)53

Polymer characterization

Robust isocratic liquid chromatographic separation of functional poly(methyl methacrylate) 1018(2003)19

Polynuclear aromatic hydrocarbons

Ultrasound-assisted extraction of nitropolycyclic aromatic hydrocarbons from soil prior to gas chromatography-mass detection 1018(2003)1

Polyphenols

Optimization of a new mobile phase to know the complex and real polyphenolic composition: towards a total phenolic index using high-performance liquid chromatography 1018(2003)29

Polypropylene glycol-Sepharose

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Polysaccharides

Fingerprint profiling of acid hydrolyzates of polysaccharides extracted from the fruiting bodies and spores of *Lingzhi* by high-performance thin-layer chromatography 1018(2003)85

Preparative chromatography

Choice of procedures for preparative chromatography 1018(2003)129

Probability density functions

Experimental determination of adsorption energies, adsorption isotherms, probability density functions, and lateral molecular interactions on C_xH_y/CaO systems 1018(2003)213

Proteins

Analyses of carcinogenic aromatic amines released from harmful azo colorants by *Streptomyces* SP. SS07 1018(2003)117

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Investigation of particle-based and monolithic columns for cation exchange protein displacement chromatography using poly(diallyl-dimethylammonium chloride) as displacer 1018(2003)155

Pumps

Performance and reliability of splitless microliter gradient pumps in a metabolic stability study using cytochrome P450/3A4 and capillary liquid chromatography-mass spectrometry 1018(2003)203

Resolution

Enhanced calculation of optimal gradient programs in reversed-phase liquid chromatography 1018(2003)183

Retention mechanism

Separation of phytic acid and other related inositol phosphates by high-performance ion chromatography and its applications 1018(2003)41

Retention models

Error analysis and performance of different retention models in the transference of data from/to isocratic/gradient elution 1018(2003)169

Retention prediction

Error analysis and performance of different retention models in the transference of data from/to isocratic/gradient elution 1018(2003)169

Retinol acetate

Rapid determination by reversed-phase high-performance liquid chromatography of Vitamins A and E in infant formulas 1018(2003)197

Salt effects

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Sample handling

On-line sample preconcentration of cationic analytes by dynamic pH junction in capillary electrophoresis 1018(2003)251

Selectivity

Choice of procedures for preparative chromatography 1018(2003)129

Sesquiterpenes

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Soil

Ultrasound-assisted extraction of nitropolycyclic aromatic hydrocarbons from soil prior to gas chromatography-mass detection 1018(2003)1

Solid phase microextraction

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Stationary phases, LC

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7

Investigation of particle-based and monolithic columns for cation exchange protein displacement chromatography using poly(diallyldimethylammonium chloride) as displacer 1018(2003)155

Steric mass action model

Investigation of particle-based and monolithic columns for cation exchange protein displacement chromatography using poly(diallyldimethylammonium chloride) as displacer 1018(2003)155

***Streptomyces* spp.**

Analyses of carcinogenic aromatic amines released from harmful azo colorants by *Streptomyces* SP. SS07 1018(2003)117

Structure-retention relationships

Use of topological indices of polychlorinated biphenyls in structure-retention relationships 1018(2003)63

Supercritical fluid chromatography

Advantages of the use of monolithic stationary phases for modelling the retention in sub/supercritical chromatography. Application to *cis/trans*- β -carotene separation 1018(2003)225

Temperature effects

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Temperature programming

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7

Terpenoids

Optimization of headspace solid phase microextraction for gas chromatography/mass spectrometry analysis of widely different volatility and polarity terpenoids in olibanum 1018(2003)73

Thermodynamic parameters

Effect of salts and temperature on the adsorption of bovine serum albumin on polypropylene glycol-Sepharose under linear and overloaded chromatographic conditions 1018(2003)137

Tocopherols

Rapid determination by reversed-phase high-performance liquid chromatography of Vitamins A and E in infant formulas 1018(2003)197

Topological indices

Use of topological indices of polychlorinated biphenyls in structure-retention relationships 1018(2003)63

Total phenolic index

Optimization of a new mobile phase to know the complex and real polyphenolic composition: towards a total phenolic index using high-performance liquid chromatography 1018(2003)29

Two-dimensional capillary electrophoresis

Two-dimensional capillary electrophoresis involving capillary isoelectric focusing and capillary zone electrophoresis 1018(2003)97

Ultrasound-assisted extraction

Ultrasound-assisted extraction of nitropolycyclic aromatic hydrocarbons from soil prior to gas chromatography-mass detection 1018(2003)1

Vitamins

Rapid determination by reversed-phase high-performance liquid chromatography of Vitamins A and E in infant formulas 1018(2003)197

Zirconia

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7

Zirconium oxide

Mesoporous polybutadiene-modified zirconia for high-temperature packed capillary liquid chromatography: column preparation and temperature programming stability 1018(2003)7