



Subject Index Vol. 1019

Aerosols

Search criteria and rules for comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry analysis of airborne particulate matter 1019(2003)233

Air analysis

Comprehensive two-dimensional gas chromatography in the analysis of urban aerosols 1019(2003)251

Alcohols

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Alkanes

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Alkenes

Comprehensive two-dimensional gas chromatography using liquid nitrogen modulation: set-up and applications 1019(2003)43

Aroclors

Comprehensive two-dimensional gas chromatography of the 209 polychlorinated biphenyls 1019(2003)111

Atomic emission detection

Comprehensive two-dimensional gas chromatography with atomic emission detection and correlation with mass spectrometric detection: principles and application in petrochemical analysis 1019(2003)89

Atropisomers

Determination of atropisomeric and planar polychlorinated biphenyls, their enantiomeric fractions and tissue distribution in grey seals using comprehensive 2D gas chromatography 1019(2003)127

Baltic grey seal

Comprehensive two-dimensional gas chromatography of the 209 polychlorinated biphenyls 1019(2003)111

Determination of atropisomeric and planar polychlorinated biphenyls, their enantiomeric fractions and tissue distribution in grey seals using comprehensive 2D gas chromatography 1019(2003)127

Chemometrics

Chemometric approach for the resolution and quantification of unresolved peaks in gas chromatography–selected-ion mass spectrometry data 1019(2003)31

Column characterization

Standardized test mixture for the characterization of comprehensive two-dimensional gas chromatography columns: the Phillips mix 1019(2003)261

Cryogenic modulation

Retention time reproducibility in comprehensive two-dimensional gas chromatography using cryogenic modulation. II. An interlaboratory study 1019(2003)273

Cryogenic modulators

New liquid nitrogen cryogenic modulator for comprehensive two-dimensional gas chromatography 1019(2003)53

Curve resolution

Chemometric approach for the resolution and quantification of unresolved peaks in gas chromatography–selected-ion mass spectrometry data 1019(2003)31

Diesel oil

Determination of sulfur-containing compounds in diesel oils by comprehensive two-dimensional gas chromatography with a sulfur chemiluminescence detector 1019(2003)101

Dimethyl methyl phosphonate

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Dimethyl phosphite

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Electron-capture detector

Evaluation of modulators and electron-capture detectors for comprehensive two-dimensional GC of halogenated organic compounds 1019(2003)65

Enantiomeric fractions

Determination of atropisomeric and planar polychlorinated biphenyls, their enantiomeric fractions and tissue distribution in grey seals using comprehensive 2D gas chromatography 1019(2003)127

Environmental particles

Search criteria and rules for comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry analysis of airborne particulate matter 1019(2003)233

Fatty acid methyl esters

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

Fatty acids

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Flavour compounds

Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection for the trace analysis of flavour compounds in food 1019(2003)157

Food analysis

Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection for the trace analysis of flavour compounds in food 1019(2003)157

Evaluation of two-dimensional gas chromatography–time-of-flight mass spectrometry for the determination of multiple pesticide residues in fruit 1019(2003)173

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

Fragrance analysis

Quantitative analysis of target components by comprehensive two-dimensional gas chromatography 1019(2003)15

Gas chromatography, comprehensive two-dimensional

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Quantitative analysis of target components by comprehensive two-dimensional gas chromatography 1019(2003)15

Comprehensive two-dimensional gas chromatography using liquid nitrogen modulation: set-up and applications 1019(2003)43

New liquid nitrogen cryogenic modulator for comprehensive two-dimensional gas chromatography 1019(2003)53

Evaluation of modulators and electron-capture detectors for comprehensive two-dimensional GC of halogenated organic compounds 1019(2003)65

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Comprehensive two-dimensional gas chromatography with atomic emission detection and correlation with mass spectrometric detection: principles and application in petrochemical analysis 1019(2003)89

Determination of sulfur-containing compounds in diesel oils by comprehensive two-dimensional gas chromatography with a sulfur chemiluminescence detector 1019(2003)101

Comprehensive two-dimensional gas chromatography of the 209 polychlorinated biphenyls 1019(2003)111

Determination of atropisomeric and planar polychlorinated biphenyls, their enantiomeric fractions and tissue distribution in grey seals using comprehensive 2D gas chromatography 1019(2003)127

Qualitative evaluation of thermal desorption-programmable temperature vaporization-comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry for the analysis of selected halogenated contaminants 1019(2003)143

Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection for the trace analysis of flavour compounds in food 1019(2003)157

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

Comprehensive two-dimensional gas chromatography using large sample volume injection for the determination of polynuclear aromatic hydrocarbons in complex matrices 1019(2003)211

Pressurised liquid extraction–comprehensive two-dimensional gas chromatography for fast-screening of polycyclic aromatic hydrocarbons in soil 1019(2003)221

Search criteria and rules for comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry analysis of airborne particulate matter 1019(2003)233

Comprehensive two-dimensional gas chromatography in the analysis of urban aerosols 1019(2003)251

Standardized test mixture for the characterization of comprehensive two-dimensional gas chromatography columns: the Phillips mix 1019(2003)261

Retention time reproducibility in comprehensive two-dimensional gas chromatography using cryogenic modulation. II. An interlaboratory study 1019(2003)273

Gas chromatography, orthogonal

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

GC × GC

Standardized test mixture for the characterization of comprehensive two-dimensional gas chromatography columns: the Phillips mix 1019(2003)261

Generalized rank annihilation method

Chemometric approach for the resolution and quantification of unresolved peaks in gas chromatography–selected-ion mass spectrometry data 1019(2003)31

Grob mix

Standardized test mixture for the characterization of comprehensive two-dimensional gas chromatography columns: the Phillips mix 1019(2003)261

Hydrocarbons, sulfur-containing

Comprehensive two-dimensional gas chromatography using liquid nitrogen modulation: set-up and applications 1019(2003)43

Injection methods

Comprehensive two-dimensional gas chromatography using large sample volume injection for the determination of polynuclear aromatic hydrocarbons in complex matrices 1019(2003)211

Instrumentation

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Isovolatility plots

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Large-volume injection

Comprehensive two-dimensional gas chromatography using large sample volume injection for the determination of polynuclear aromatic hydrocarbons in complex matrices 1019(2003)211

Linear retention indices

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

Lipids

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

Liquid nitrogen modulation

Comprehensive two-dimensional gas chromatography using liquid nitrogen modulation: set-up and applications 1019(2003)43

Mass spectrometry

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Comprehensive two-dimensional gas chromatography with atomic emission detection and correlation with mass spectrometric detection: principles and application in petrochemical analysis 1019(2003)89

Modulator, valve-based

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Modulators

New liquid nitrogen cryogenic modulator for comprehensive two-dimensional gas chromatography 1019(2003)53

Evaluation of modulators and electron-capture detectors for comprehensive two-dimensional GC of halogenated organic compounds 1019(2003)65

Multiway data

Quantitative analysis of target components by comprehensive two-dimensional gas chromatography 1019(2003)15

Organic aerosols

Comprehensive two-dimensional gas chromatography in the analysis of urban aerosols 1019(2003)251

Oxygenated polynuclear aromatic hydrocarbons

Comprehensive two-dimensional gas chromatography in the analysis of urban aerosols 1019(2003)251

Pesticides

Qualitative evaluation of thermal desorption-programmable temperature vaporization-comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry for the analysis of selected halogenated contaminants 1019(2003)143

Evaluation of two-dimensional gas chromatography–time-of-flight mass spectrometry for the determination of multiple pesticide residues in fruit 1019(2003)173

Petrochemical samples

Comprehensive two-dimensional gas chromatography with atomic emission detection and correlation with mass spectrometric detection: principles and application in petrochemical analysis 1019(2003)89

Phillips mix

Standardized test mixture for the characterization of comprehensive two-dimensional gas chromatography columns: the Phillips mix 1019(2003)261

Polybrominated diphenyl ethers

Qualitative evaluation of thermal desorption-programmable temperature vaporization-comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry for the analysis of selected halogenated contaminants 1019(2003)143

Polychlorinated biphenyls

Comprehensive two-dimensional gas chromatography of the 209 polychlorinated biphenyls 1019(2003)111

Determination of atropisomeric and planar polychlorinated biphenyls, their enantiomeric fractions and tissue distribution in grey seals using comprehensive 2D gas chromatography 1019(2003)127

Qualitative evaluation of thermal desorption-programmable temperature vaporization-comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry for the analysis of selected halogenated contaminants 1019(2003)143

Polycyclic aromatic hydrocarbons

Comprehensive two-dimensional gas chromatography in the analysis of urban aerosols 1019(2003)251

Polynuclear aromatic hydrocarbons

Comprehensive two-dimensional gas chromatography using large sample volume injection for the determination of polynuclear aromatic hydrocarbons in complex matrices 1019(2003)211

Pressurised liquid extraction–comprehensive two-dimensional gas chromatography for fast-screening of polycyclic aromatic hydrocarbons in soil 1019(2003)221

Pressurized liquid extraction

Pressurised liquid extraction–comprehensive two-dimensional gas chromatography for fast-screening of polycyclic aromatic hydrocarbons in soil 1019(2003)221

Reproducibility

Retention time reproducibility in comprehensive two-dimensional gas chromatography using cryogenic modulation. II. An interlaboratory study 1019(2003)273

Retention correlation

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Retention indices

Methods for generating second dimension retention index data in comprehensive two-dimensional gas chromatography 1019(2003)3

Detailed analysis and group-type separation of natural fats and oils using comprehensive two-dimensional gas chromatography 1019(2003)187

Retention time

Retention time reproducibility in comprehensive two-dimensional gas chromatography using cryogenic modulation. II. An interlaboratory study 1019(2003)273

Semi-volatile organic compounds

Search criteria and rules for comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry analysis of airborne particulate matter 1019(2003)233

Soil

Pressurised liquid extraction—comprehensive two-dimensional gas chromatography for fast-screening of polycyclic aromatic hydrocarbons in soil 1019(2003)221

Splitless injection

Comprehensive two-dimensional gas chromatography using large sample volume injection for the determination of polynuclear aromatic hydrocarbons in complex matrices 1019(2003)211

Stationary phases

Standardized test mixture for the characterization of comprehensive two-dimensional gas chromatography columns: the Phillips mix 1019(2003)261

Sterols

Application of comprehensive two-dimensional gas chromatography to the quantification of overlapping faecal sterols 1019(2003)197

Sulfur chemiluminescence detector

Determination of sulfur-containing compounds in diesel oils by comprehensive two-dimensional gas chromatography with a sulfur chemiluminescence detector 1019(2003)101

Sulfur-containing compounds

Determination of sulfur-containing compounds in diesel oils by comprehensive two-dimensional gas chromatography with a sulfur chemiluminescence detector 1019(2003)101

Sulphur heterocyclic compounds

Comprehensive two-dimensional gas chromatography with atomic emission detection and correlation with mass spectrometric detection: principles and application in petrochemical analysis 1019(2003)89

Thermal desorption

Qualitative evaluation of thermal desorption-programmable temperature vaporization-comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry for the analysis of selected halogenated contaminants 1019(2003)143

Time-of-flight mass spectrometry

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection for the trace analysis of flavour compounds in food 1019(2003)157

Search criteria and rules for comprehensive two-dimensional gas chromatography–time-of-flight mass spectrometry analysis of airborne particulate matter 1019(2003)233

Trace analysis

Comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection for the trace analysis of flavour compounds in food 1019(2003)157

Triethylphosphorothioate

Valve-based comprehensive two-dimensional gas chromatography with time-of-flight mass spectrometric detection: instrumentation and figures-of-merit 1019(2003)79

Unresolved peaks

Chemometric approach for the resolution and quantification of unresolved peaks in gas chromatography–selected-ion mass spectrometry data 1019(2003)31