

### Available online at www.sciencedirect.com



JOURNAL OF CHROMATOGRAPHY A

Journal of Chromatography A, 1020 (2003) 287-293

www.elsevier.com/locate/chroma

# Subject Index Vol. 1020

#### Acrylamide

Analysis of acrylamide in food by isotope-dilution liquid chromatography coupled with electrospray ionization tandem mass spectrometry 1020(2003)121

### Adsorption isotherms

Modeling of the separation of two enantiomers using a microbore column 1020(2003)199

### Aerosol analysis

Separation of anions by ion-interaction chromatography with a novel cationic/zwitterionic eluent 1020(2003)259

#### Alkaloids

Determination of nicotine and cotinine in rat plasma by liquid chromatography-tandem mass spectrometry 1020(2003)35

On-line identification of tropane alkaloids from *Erythroxylum* vacciniifolium by liquid chromatography–UV detection–multiple mass spectrometry and liquid chromatography–nuclear magnetic resonance spectrometry 1020(2003)75

### American foulbrood disease

Determination of lincomycin and tylosin residues in honey using solid-phase extraction and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 1020(2003)241

### Aminocaprolactam

Chiral liquid chromatography—mass spectrometry for highthroughput screening of enzymatic racemase activity 1020(2003)69

### (2S,3R)-2-amino-3-octadecanol hydrochloride

Development and validation of a liquid chromatography-ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285·HCl [(2S,3R)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form 1020(2003)251

## Angiotensine-converting enzyme inhibitors

Rapid detection and identification of angiotensin-converting enzyme inhibitors by on-line liquid chromatography-biochemical detection, coupled to electrospray mass spectrometry 1020(2003)45

#### Anions

Separation of anions by ion-interaction chromatography with a novel cationic/zwitterionic eluent 1020(2003)259

#### Antibiotics

Determination of lincomycin and tylosin residues in honey using solid-phase extraction and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 1020(2003)241

#### **Background noise**

Suppressor current switching: a simple and effective means to reduce background noise in ion chromatography 1020(2003)265

#### **Bacteria**

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 1020(2003)105

### **Biochemical detection**

Rapid detection and identification of angiotensin-converting enzyme inhibitors by on-line liquid chromatography-biochemical detection, coupled to electrospray mass spectrometry 1020(2003)45

### **Bromate**

Suppressor current switching: a simple and effective means to reduce background noise in ion chromatography 1020(2003)265

### Buspirone

High-performance liquid chromatography-tandem mass spectrometry with a new quadrupole/linear ion trap instrument 1020(2003)3

### Carbon dioxide

Analysis of quantization error in high-precision continuous-flow isotope ratio mass spectrometry 1020(2003)273

### Cellulose tribenzoate

Modeling of the separation of two enantiomers using a microbore column 1020(2003)199

### Cereals

Analysis of acrylamide in food by isotope-dilution liquid chromatography coupled with electrospray ionization tandem mass spectrometry 1020(2003)121

### Column retentivity

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of C<sub>18</sub> phases traced by polymers 1020(2003)219

### Column-switching

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

### Conductivity detection

Separation of anions by ion-interaction chromatography with a novel cationic/zwitterionic eluent 1020(2003)259

#### Cotinine

Determination of nicotine and cotinine in rat plasma by liquid chromatography-tandem mass spectrometry 1020(2003)35

### Derivatization, GC

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography–tandem mass spectrometry after trimethylsilylation 1020(2003)161

#### **Derivatisation LC**

Development and validation of a liquid chromatography-ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285·HCl [(2S,3R)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form 1020(2003)251

### Design of experiments

Development and validation of a liquid chromatography-ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285·HCl [(2*S*,3*R*)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form 1020(2003)251

### **Detection**, LC

Rapid detection and identification of angiotensin-converting enzyme inhibitors by on-line liquid chromatography-biochemical detection, coupled to electrospray mass spectrometry 1020(2003)45

# Dextromethorphan

On-line turbulent-flow chromatography—high-performance liquid chromatography—mass spectrometry for fast sample preparation and quantitation 1020(2003)59

### Dextrorphan

On-line turbulent-flow chromatography—high-performance liquid chromatography—mass spectrometry for fast sample preparation and quantitation 1020(2003)59

### **Enantiomer separation**

Chiral liquid chromatography-mass spectrometry for highthroughput screening of enzymatic racemase activity 1020(2003)69 Modeling of the separation of two enantiomers using a microbore column 1020(2003)199

### **Enthalpic partition**

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### **Entropic partition**

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### **Environmental analysis**

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 1020(2003)105

Determination of fluorinated surfactants and their metabolites in sewage sludge samples by liquid chromatography with mass spectrometry and tandem mass spectrometry after pressurised liquid extraction and separation on fluorine-modified reversed-phase sorbents 1020(2003)131

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

### **Enzyme inhibitors**

Rapid detection and identification of angiotensin-converting enzyme inhibitors by on-line liquid chromatography-biochemical detection, coupled to electrospray mass spectrometry 1020(2003)45

### **Enzymes**

Chiral liquid chromatography-mass spectrometry for highthroughput screening of enzymatic racemase activity 1020(2003)69

### Erythroxylum vacciniifolium

On-line identification of tropane alkaloids from *Erythroxylum* vacciniifolium by liquid chromatography–UV detection–multiple mass spectrometry and liquid chromatography–nuclear magnetic resonance spectrometry 1020(2003)75

# ES-285-HCl

Development and validation of a liquid chromatography-ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285·HCl [(2S,3R)-2-amino-3-octadecanol

hydrochloride] and its pharmaceutical dosage form 1020(2003)251

### **Expression libraries**

Chiral liquid chromatography—mass spectrometry for highthroughput screening of enzymatic racemase activity 1020(2003)69

### **Extraction methods**

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

Analysis of multiple pesticide residues in tobacco using pressurized liquid extraction, automated solid-phase extraction clean-up and gas chromatography-tandem mass spectrometry 1020(2003)173

#### Ferrichrome

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

### Ferrichrysin

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

#### Ferricrocin

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

### Food analysis

Analysis of acrylamide in food by isotope-dilution liquid chromatography coupled with electrospray ionization tandem mass spectrometry 1020(2003)121

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

### Fruit juices

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

### Gleevec

Quantification of the anticancer agent STI-571 in erythrocytes and plasma by measurement of sediment technology and liquid chromatography–tandem mass spectrometry 1020(2003)27

# Glivec

Quantification of the anticancer agent STI-571 in erythrocytes and plasma by measurement of sediment technology and liquid chromatography–tandem mass spectrometry 1020(2003)27

### Guaiacyl lignin polymer

Association behaviour of lignins and lignin model compounds

studied by multidetector size-exclusion chromatography 1020(2003)229

### Halogenated compounds

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

### Headspace analysis

Erratum to "Indirect headspace gas chromatographic method for vapor–liquid phase equilibrium study" [J. Chromatogr. A 799 (1998) 207–214] 1020(2003)283

#### Hepatotoxins

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 1020(2003)105

### High-throughput screening

Chiral liquid chromatography-mass spectrometry for highthroughput screening of enzymatic racemase activity 1020(2003)69

### Honey

Determination of lincomycin and tylosin residues in honey using solid-phase extraction and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 1020(2003)241

### Hydroxamates

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

### Imatinih

Quantification of the anticancer agent STI-571 in erythrocytes and plasma by measurement of sediment technology and liquid chromatography-tandem mass spectrometry 1020(2003)27

### 1-Indanol

Modeling of the separation of two enantiomers using a microbore column 1020(2003)199

### Instrumentation

High-performance liquid chromatography-tandem mass spectrometry with a new quadrupole/linear ion trap instrument 1020(2003)3

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

### Interfaces, LC-MS

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

### Interlaboratory test

Analysis of acrylamide in food by isotope-dilution liquid chromatography coupled with electrospray ionization tandem mass spectrometry 1020(2003)121

### Isotope dilution methods

Analysis of acrylamide in food by isotope-dilution liquid chromatography coupled with electrospray ionization tandem mass spectrometry 1020(2003)121

### Isotope ratio mass spectrometry

Analysis of quantization error in high-precision continuous-flow isotope ratio mass spectrometry 1020(2003)273

### Large volume injection

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

### Light scattering

Association behaviour of lignins and lignin model compounds studied by multidetector size-exclusion chromatography 1020(2003)229

### Lignin

Association behaviour of lignins and lignin model compounds studied by multidetector size-exclusion chromatography 1020(2003)229

### Lincomycin

Determination of lincomycin and tylosin residues in honey using solid-phase extraction and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 1020(2003)241

### Liquid chromatography-mass spectrometry

On-line identification of tropane alkaloids from *Erythroxylum* vacciniifolium by liquid chromatography–UV detection–multiple mass spectrometry and liquid chromatography–nuclear magnetic resonance spectrometry 1020(2003)75

### Macromolecular probes

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### Mass spectrometry

High-performance liquid chromatography-tandem mass spectrometry with a new quadrupole/linear ion trap instrument 1020(2003)3

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

Analysis of quantization error in high-precision continuous-flow isotope ratio mass spectrometry 1020(2003)273

### Measurement of sediment technology

Quantification of the anticancer agent STI-571 in erythrocytes and plasma by measurement of sediment technology and liquid chromatography-tandem mass spectrometry 1020(2003)27

#### Membrane-assisted solvent extraction

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

### 3-Methoxymorphinan

On-line turbulent-flow chromatography—high-performance liquid chromatography—mass spectrometry for fast sample preparation and quantitation 1020(2003)59

### Methylcarbamates

Analysis of multiple pesticide residues in tobacco using pressurized liquid extraction, automated solid-phase extraction clean-up and gas chromatography-tandem mass spectrometry 1020(2003)173

### Microbore columns

Modeling of the separation of two enantiomers using a microbore column 1020(2003)199

### Microcystins

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 1020(2003)105

### Milled wood lignin

Association behaviour of lignins and lignin model compounds studied by multidetector size-exclusion chromatography 1020(2003)229

### Mobile-phase composition

Separation of anions by ion-interaction chromatography with a novel cationic/zwitterionic eluent 1020(2003)259

### Molar mass distribution

Association behaviour of lignins and lignin model compounds studied by multidetector size-exclusion chromatography 1020(2003)229

### Molecular mass

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

### Multiple solid-phase microextraction

Evaluation of multiple solid-phase microextraction as a technique to remove the matrix effect in packaging analysis for determination of volatile organic compounds 1020(2003)189

### **Nicotine**

Determination of nicotine and cotinine in rat plasma by liquid chromatography-tandem mass spectrometry 1020(2003)35

#### Nodularin

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 1020(2003)105

### Nonylphenol

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

### Nonylphenol polyethoxylates

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

#### Nonylphenoxy carboxylic acids

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

### Nuclear magnetic resonance spectrometry

On-line identification of tropane alkaloids from *Erythroxylum* vacciniifolium by liquid chromatography–UV detection–multiple mass spectrometry and liquid chromatography–nuclear magnetic resonance spectrometry 1020(2003)75

### Organochlorine compounds

Analysis of multiple pesticide residues in tobacco using pressurized liquid extraction, automated solid-phase extraction clean-up and gas chromatography-tandem mass spectrometry 1020(2003)173

### Organofluorine compounds

Determination of fluorinated surfactants and their metabolites in sewage sludge samples by liquid chromatography with mass spectrometry and tandem mass spectrometry after pressurised liquid extraction and separation on fluorine-modified reversed-phase sorbents 1020(2003)131

### Organophosphorus compounds

Analysis of multiple pesticide residues in tobacco using pressurized liquid extraction, automated solid-phase extraction clean-up and gas chromatography-tandem mass spectrometry 1020(2003)173

# Orthogonal acceleration time-of-flight mass spectrometry

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

### Packaging materials

Evaluation of multiple solid-phase microextraction as a technique to remove the matrix effect in packaging analysis for determination of volatile organic compounds 1020(2003)189

### Partition coefficients

Erratum to "Indirect headspace gas chromatographic method for vapor-liquid phase equilibrium study" [J. Chromatogr. A 799 (1998) 207–214] 1020(2003)283

### Peptide sequencing

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

#### Peptides

Using accurate mass electrospray ionization-time-of-flight mass spectrometry with in-source collision-induced dissociation to sequence peptide mixtures 1020(2003)11

#### **Pesticides**

Analysis of multiple pesticide residues in tobacco using pressurized liquid extraction, automated solid-phase extraction clean-up and gas chromatography-tandem mass spectrometry 1020(2003)173

### Phenylisothiocyanate

Development and validation of a liquid chromatography-ultraviolet absorbance detection assay using derivatisation for the novel marine anticancer agent ES-285·HCl [(2S,3R)-2-amino-3-octadecanol hydrochloride] and its pharmaceutical dosage form 1020(2003)251

### Poly(*n*-butyl methacrylate)

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### Polychlorinated biphenyls

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

### Polymer

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### Polystyrene

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### Porous graphitic carbon

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

#### **Quantization error**

Analysis of quantization error in high-precision continuous-flow isotope ratio mass spectrometry 1020(2003)273

### Sample preparation

On-line turbulent-flow chromatography—high-performance liquid chromatography—mass spectrometry for fast sample preparation and quantitation 1020(2003)59

### Sewage sludge

Determination of fluorinated surfactants and their metabolites in sewage sludge samples by liquid chromatography with mass spectrometry and tandem mass spectrometry after pressurised liquid extraction and separation on fluorine-modified reversed-phase sorbents 1020(2003)131

### Siderophores

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

### Size-exclusion chromatography

Association behaviour of lignins and lignin model compounds studied by multidetector size-exclusion chromatography 1020(2003)229

#### Soil

Novel approach to the determination of structurally similar hydroxamate siderophores by column-switching capillary liquid chromatography coupled to mass spectrometry 1020(2003)91

### Solid-phase extraction

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

Determination of lincomycin and tylosin residues in honey using solid-phase extraction and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 1020(2003)241

### Solid-phase microextraction

Evaluation of multiple solid-phase microextraction as a technique to remove the matrix effect in packaging analysis for determination of volatile organic compounds 1020(2003)189

### Stationary phases, LC

Evaluation of liquid chromatography column retentivity using macromolecular probes. III. Partition properties of  $C_{18}$  phases traced by polymers 1020(2003)219

### Steroids

Analysis of steroid hormones in effluents of wastewater treatment plants by liquid chromatoraphy-tandem mass spectrometry 1020(2003)99

#### STI-571

Quantification of the anticancer agent STI-571 in erythrocytes and plasma by measurement of sediment technology and liquid chromatography-tandem mass spectrometry 1020(2003)27

### Suppressor current switching

Suppressor current switching: a simple and effective means to reduce background noise in ion chromatography 1020(2003)265

### Surfactants, fluorinated

Determination of fluorinated surfactants and their metabolites in sewage sludge samples by liquid chromatography with mass spectrometry and tandem mass spectrometry after pressurised liquid extraction and separation on fluorine-modified reversed-phase sorbents 1020(2003)131

### Thermodynamic parameters

Erratum to "Indirect headspace gas chromatographic method for vapor–liquid phase equilibrium study" [J. Chromatogr. A 799 (1998) 207–214] 1020(2003)283

### Tobacco

Analysis of multiple pesticide residues in tobacco using pressurized liquid extraction, automated solid-phase extraction clean-up and gas chromatography-tandem mass spectrometry 1020(2003)173

#### Toxins

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography–electrospray ionisation mass spectrometry 1020(2003)105

### Tropane alkaloids

On-line identification of tropane alkaloids from *Erythroxylum* vacciniifolium by liquid chromatography–UV detection–multiple mass spectrometry and liquid chromatography–nuclear magnetic resonance spectrometry 1020(2003)75

### Turbulent flow chromatography

On-line turbulent-flow chromatography—high-performance liquid chromatography—mass spectrometry for fast sample preparation and quantitation 1020(2003)59

### Tylosin

Determination of lincomycin and tylosin residues in honey using solid-phase extraction and liquid chromatography-atmospheric pressure chemical ionization mass spectrometry 1020(2003)241

### Validation

Analysis of acrylamide in food by isotope-dilution liquid chromatography coupled with electrospray ionization tandem mass spectrometry 1020(2003)121

### Vapor-liquid phase equilibrium

Erratum to "Indirect headspace gas chromatographic method for vapor–liquid phase equilibrium study" [J. Chromatogr. A 799 (1998) 207–214] 1020(2003)283

### Viscosity

Association behaviour of lignins and lignin model compounds studied by multidetector size-exclusion chromatography 1020(2003)229

### Volatile organic compounds

Evaluation of multiple solid-phase microextraction as a technique to remove the matrix effect in packaging analysis for determination of volatile organic compounds 1020(2003)189

### Water analysis

Analysis of steroid hormones in effluents of wastewater treatment plants by liquid chromatoraphy-tandem mass spectrometry 1020(2003)99

Screening for cyanobacterial hepatotoxins, microcystins and nodularin in environmental water samples by reversed-phase liquid chromatography-electrospray ionisation mass spectrometry 1020(2003)105

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection-gas chromatography-mass spectrometric detection 1020(2003)153

Simultaneous determination of degradation products of nonylphenol polyethoxylates and their halogenated derivatives by solid-phase extraction and gas chromatography—tandem mass spectrometry after trimethylsilylation 1020(2003)161

Suppressor current switching: a simple and effective means to reduce background noise in ion chromatography 1020(2003)265

#### Wine

Membrane-assisted solvent extraction of polychlorinated biphenyls in river water and other matrices combined with large volume injection—gas chromatography—mass spectrometric detection 1020(2003)153

### Zwitterion

Separation of anions by ion-interaction chromatography with a novel cationic/zwitterionic eluent 1020(2003)259