


Available online at www.sciencedirect.com



Journal of Chromatography A, 983 (2003) 291-297

# JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

# Subject Index Vol. 983

#### Acetonaphthone

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

#### Acetoxyprogesterone

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

#### Adsorption

Time-resolved determination of surface diffusion coefficients for physically adsorbed or chemisorbed species on heterogeneous surfaces, by inverse gas chromatography 983(2003)177

#### Adsorption isotherms

Study of the mass transfer kinetics in a monolithic column 983(2003)51

#### Agitation methods

Gas chromatography-mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles 983(2003)237

#### Alcohols

Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195

#### Aldehydes

Simultaneous determination of long-chain aliphatic aldehydes and waxes in olive oils 983(2003)283

#### Alkanes

Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195

#### Amines, aromatic

Determination of primary aromatic amines in water food simulant using solid-phase analytical derivatization followed by gas chromatography coupled with mass spectrometry 983(2003)35

#### Aqueous two-phase systems

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

## Ascorbic acid

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

#### Axial dispersion

Study of the mass transfer kinetics in a monolithic column 983(2003)51

## **BET model**

Study of the mass transfer kinetics in a monolithic column 983(2003)51

#### Benzanilide

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

## Benzene

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

#### **Benzoic** acids

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

## **Buffer composition**

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

#### Chiral stationary phases, LC

Enantioselective ion-exclusion chromatography on teicoplanin aglycone and (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid stationary phases 983(2003)91

Liquid chromatographic separation of phosphoramidate diastereomers on a polysaccharide-type chiral stationary phase 983(2003)115

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved PII: S0021-9673(02)01894-0

# Chitinases

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

## Chlorophenols

Phase-transfer catalytic determination of phenols as methylated derivatives by gas chromatography with flame ionization and mass-selective detection 983(2003)215

#### Cholestenone

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

#### Clostridium aminovalericum

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

# **Cloud point extraction**

Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153

# **Column efficiency**

Study of the mass transfer kinetics in a monolithic column 983(2003)51

#### **Column switching**

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43

## Crown ethers

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

# (+)-(18-Crown-6)-2,3,11,12-tetracarboxylic acid

Enantioselective ion-exclusion chromatography on teicoplanin aglycone and (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid stationary phases 983(2003)91

## Derivatization, GC

Determination of primary aromatic amines in water food simulant using solid-phase analytical derivatization followed by gas chromatography coupled with mass spectrometry 983(2003)35

# Doxorubicin

Determination of minor conformational changes of a doxorubicin-peptide conjugate under chromatographic conditions 983(2003)73

#### Electrochromatography

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

Electrochromatography with a 2.7 mm inner diameter monolithic column 983(2003)255

# **Enantiomer separation**

Enantioselective ion-exclusion chromatography on teicoplanin aglycone and (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid stationary phases 983(2003)91

Impact of normal-phase gradient elution in chiral chromatography: a novel, robust, efficient and rapid chiral screening procedure 983(2003)101

Liquid chromatographic separation of phosphoramidate diastereomers on a polysaccharide-type chiral stationary phase 983(2003)115

# **Enantiomeric excess**

Impact of normal-phase gradient elution in chiral chromatography: a novel, robust, efficient and rapid chiral screening procedure 983(2003)101

# **Environmental analysis**

Capillary zone electrophoresis of soil humic acid fractions obtained by coupling size-exclusion chromatography and polyacrylamide gel electrophoresis 983(2003)263

## Enzymes

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

# Ethylbenzene

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

#### **Extraction methods**

Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

#### **Field-flow fractionation**

Retention behavior of metal particle dispersions in aqueous and nonaqueous carriers in thermal field-flow fractionation 983(2003)163

## Food analysis

Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection 983(2003)19 Simultaneous determination of long-chain aliphatic aldehydes and waxes in olive oils 983(2003)283

#### Food packaging

Determination of primary aromatic amines in water food simulant using solid-phase analytical derivatization followed by gas chromatography coupled with mass spectrometry 983(2003)35

#### Frontal analysis

Study of the mass transfer kinetics in a monolithic column 983(2003)51

## **Fulvic** acids

Separation methods in the chemistry of humic substances (Review) 983(2003)1

#### Gas chromatography, comprehensive two-dimensional

Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195

#### Gasoline

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

#### **Geological samples**

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

#### Ginsenosides

Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153

#### **Gradient elution**

Impact of normal-phase gradient elution in chiral chromatography: a novel, robust, efficient and rapid chiral screening procedure 983(2003)101

#### Headspace analysis

Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection 983(2003)19

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

## Humic acids

Separation methods in the chemistry of humic substances (Review) 983(2003)1

Capillary zone electrophoresis of soil humic acid fractions obtained by coupling size-exclusion chromatography and polyacrylamide gel electrophoresis 983(2003)263

## Humic substances

Separation methods in the chemistry of humic substances (Review) 983(2003)1

## Iminodiacetic acid

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

# Immobilized metal affinity chromatography

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

# Immunoglobulins

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

# Instrumentation

Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195

# Inverse gas chromatography

Time-resolved determination of surface diffusion coefficients for physically adsorbed or chemisorbed species on heterogeneous surfaces, by inverse gas chromatography 983(2003)177

## Ion exclusion

Enantioselective ion-exclusion chromatography on teicoplanin aglycone and (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid stationary phases 983(2003)91

#### Ketones

Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195

#### Kinetic studies

Study of the mass transfer kinetics in a monolithic column 983(2003)51

## Large volume injection

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43

#### Linear solvent strength relationships

Determination of minor conformational changes of a doxorubicin-peptide conjugate under chromatographic conditions 983(2003)73

## Liquid chromatography

Elevated-temperature ultrahigh-pressure liquid chromatography using very small polybutadiene-coated nonporous zirconia particles 983(2003)83

## Mass transfer

Study of the mass transfer kinetics in a monolithic column 983(2003)51

## Mathematical modeling

Study of the mass transfer kinetics in a monolithic column 983(2003)51

# Matrix solid-phase dispersion

Matrix solid-phase dispersion for the liquid chromatographic determination of phenolic acids in *Melissa officinalis* 983(2003)271

#### Melissa officinalis

Matrix solid-phase dispersion for the liquid chromatographic determination of phenolic acids in *Melissa officinalis* 983(2003)271

## Metal cations

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

#### Metal complexes

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

#### Methoprene

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

## **MGK264**

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

#### Metal particles

Retention behavior of metal particle dispersions in aqueous and nonaqueous carriers in thermal field-flow fractionation 983(2003)163

#### **Microdrop** analysis

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

#### Migration

Determination of primary aromatic amines in water food simulant using solid-phase analytical derivatization followed by gas chromatography coupled with mass spectrometry 983(2003)35

Gas chromatography-mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles 983(2003)237

## Mixed micelles

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

## Mobile phase composition

Determination of minor conformational changes of a doxorubicin-peptide conjugate under chromatographic conditions 983(2003)73

## Monolithic columns

Study of the mass transfer kinetics in a monolithic column 983(2003)51

Electrochromatography with a 2.7 mm inner diameter monolithic column 983(2003)255

# Nitroaniline

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

# Nitrophenols

Phase-transfer catalytic determination of phenols as methylated derivatives by gas chromatography with flame ionization and mass-selective detection 983(2003)215

## Oils

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

#### Olive oil

Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection 983(2003)19

Simultaneous determination of long-chain aliphatic aldehydes and waxes in olive oils 983(2003)283

## **On-column** focusing

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43

#### Organochlorine compounds

Methods for selective determination of persistent organochlorine pesticide residues in water and sediments by capillary gas chromatography and electron-capture detection 983(2003)225

## Packed capillary columns

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43

# Peptides

Determination of minor conformational changes of a doxorubicin-peptide conjugate under chromatographic conditions 983(2003)73

# Permethrin

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

# Perturbation chromatography

Study of the mass transfer kinetics in a monolithic column 983(2003)51

# Permethrin

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

# Pesticides

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43

Elevated-temperature ultrahigh-pressure liquid chromatography using very small polybutadiene-coated nonporous zirconia particles 983(2003)83

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

Methods for selective determination of persistent organochlorine pesticide residues in water and sediments by capillary gas chromatography and electron-capture detection 983(2003)225

# Phase-transfer catalysis

Phase-transfer catalytic determination of phenols as methylated derivatives by gas chromatography with flame ionization and mass-selective detection 983(2003)215

#### Phenolic acids

Matrix solid-phase dispersion for the liquid chromatographic determination of phenolic acids in *Melissa officinalis* 983(2003)271

## Phenols

Phase-transfer catalytic determination of phenols as methylated derivatives by gas chromatography with flame ionization and mass-selective detection 983(2003)215

# Phosphoramidates

Liquid chromatographic separation of phosphoramidate diastereomers on a polysaccharide-type chiral stationary phase 983(2003)115

# Phthalates

Gas chromatography-mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles 983(2003)237

## **Piperonyl butoxide**

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

# Planar electrochromatography

Role of buffer concentration and applied voltage in obtaining a good separation in planar electrochromatography 983(2003)247

# Poly(dibenzo-18-crown-6)

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

# Poly(ethylene oxide)

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

#### Polysaccharides

Liquid chromatographic separation of phosphoramidate diastereomers on a polysaccharide-type chiral stationary phase 983(2003)115

#### Poly(vinyl chloride)

Gas chromatography-mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles 983(2003)237

## Pressurized liquid extraction

Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153

#### Primary aromatic amines

Determination of primary aromatic amines in water food simulant using solid-phase analytical derivatization followed by gas chromatography coupled with mass spectrometry 983(2003)35

#### Proteins

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

## **Protein partitioning**

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

#### Reviews

Separation methods in the chemistry of humic substances (Review) 983(2003)1

## Rotenone

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43 296

# Saponins

Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153

## Screening

Impact of normal-phase gradient elution in chiral chromatography: a novel, robust, efficient and rapid chiral screening procedure 983(2003)101

# Sediments

Methods for selective determination of persistent organochlorine pesticide residues in water and sediments by capillary gas chromatography and electron-capture detection 983(2003)225

#### Soil

Capillary zone electrophoresis of soil humic acid fractions obtained by coupling size-exclusion chromatography and polyacrylamide gel electrophoresis 983(2003)263

# Solid phase analytical derivatization

Determination of primary aromatic amines in water food simulant using solid-phase analytical derivatization followed by gas chromatography coupled with mass spectrometry 983(2003)35

#### Solid-phase microextraction

Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection 983(2003)19

# Solvent microextraction

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

# Sorbents

Nickel and copper complexes of a chelating methacrylate sorbent in the purification of chitinases and specific immunoglobulin  $G_1$  by immobilized metal ion affinity chromatography 983(2003)125

#### Stationary phases, LC

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

# Surface diffusion

Time-resolved determination of surface diffusion coefficients for physically adsorbed or chemisorbed species on heterogeneous surfaces, by inverse gas chromatography 983(2003)177

# Sumithrin

Isocratic reversed-phase liquid chromatographic method for the simultaneous determination of (*S*)-methoprene, MGK264, piperonyl butoxide, sumithrin and permethrin in pesticide formulation 983(2003)145

#### Surfactants

Pressurized liquid extraction of active ingredients (ginsenosides) from medicinal plants using non-ionic surfactant solutions 983(2003)153

#### Teicoplanin aglycone

Enantioselective ion-exclusion chromatography on teicoplanin aglycone and (+)-(18-crown-6)-2,3,11,12-tetracarboxylic acid stationary phases 983(2003)91

#### **Temperature effects**

Elevated-temperature ultrahigh-pressure liquid chromatography using very small polybutadiene-coated nonporous zirconia particles 983(2003)83

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

#### Thermal field-flow fractionation

Retention behavior of metal particle dispersions in aqueous and nonaqueous carriers in thermal field-flow fractionation 983(2003)163

# Thermodynamic parameters

Determination of minor conformational changes of a doxorubicin-peptide conjugate under chromatographic conditions 983(2003)73

## Thermophoresis

Retention behavior of metal particle dispersions in aqueous and nonaqueous carriers in thermal field-flow fractionation 983(2003)163

# Thermoseparation modelling

Protein partitioning in thermoseparating systems of a charged hydrophobically modified ethylene oxide polymer 983(2003)133

#### Toluene

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

## Toys

Gas chromatography-mass spectrometry determination of the migration of phthalate plasticisers from polyvinyl chloride toys and childcare articles 983(2003)237

## Ultrahigh-pressure liquid chromatography

Elevated-temperature ultrahigh-pressure liquid chromatography using very small polybutadiene-coated nonporous zirconia particles 983(2003)83

# Uranium

Column chromatographic separation of uranium(VI) and other elements using poly(dibenzo-18-crown-6) and ascorbic acid medium 983(2003)277

# Volatile organic compounds

Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection 983(2003)19

Comprehensive two-dimensional gas chromatography of volatile and semi-volatile components using a diaphragm valve-based instrument 983(2003)195

#### Water analysis

Determination of rotenone in river water utilizing packed capillary column switching liquid chromatography with UV and time-of-flight mass spectrometric detection 983(2003)43

Methods for selective determination of persistent organochlorine pesticide residues in water and sediments by capillary gas chromatography and electron-capture detection 983(2003)225

# Waxes

Simultaneous determination of long-chain aliphatic aldehydes and waxes in olive oils 983(2003)283

# Xylenes

Headspace microdrop analysis—an alternative test method for gasoline diluent and benzene, toluene, ethylbenzene and xylenes in used engine oils 983(2003)205

# Zirconia-polybutadiene stationary phases

Elevated-temperature ultrahigh-pressure liquid chromatography using very small polybutadiene-coated nonporous zirconia particles 983(2003)83