


Available online at www.sciencedirect.com



Journal of Chromatography A, 984 (2003) 301-306

JOURNAL OF CHROMATOGRAPHY A

www.elsevier.com/locate/chroma

Subject Index Vol. 984

Acylcarnitines

Determination of carnitine and acylcarnitines in urine by highperformance liquid chromatography–electrospray ionization ion trap tandem mass spectrometry 984(2003)203

Adsorption

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Affinity adsorbents

In flow activation of diol-silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9

Air analysis

Determination of dithiocarbamate pesticides in occupational hygiene sampling devices using the isooctane method and comparison with an automatic thermal desorption (ATD) method 984(2003)81

Aldehydes

Evaluation of headspace solid-phase microextraction for the analysis of volatile carbonyl compounds in spirits and alcoholic beverages 984(2003)89

Alkaloids

Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109

Alkyl chain structure

Comparison of model monomeric and polymeric alkyl stationary phases on silica using sum-frequency spectroscopy 984(2003)19

4-Alkylphenols

Determination of 4-alkylphenols by novel derivatization and gas chromatography-mass spectrometry 984(2003)237

Amines

Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261

2-Amino-2-oxazolines

Determination of pKa values of 2-amino-2-oxazolines by capillary electrophoresis 984(2003)253

Andrographis paniculata

Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed counter-current chromatography 984(2003)147

Andrographolide

Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed counter-current chromatography 984(2003)147

Angiotensin receptor antagonists

Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists 984(2003)135

Benzoxycarbonylglycyl-proline

Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261

Block-copolymers

Liquid chromatography of polyethylene glycol mono- and diesters: functional macromolecules or block copolymers? 984(2003)29

Boranes

Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally 984(2003)121

Buffer composition

Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally 984(2003)121

Carbamates

Determination of dithiocarbamate pesticides in occupational hygiene sampling devices using the isooctane method and comparison with an automatic thermal desorption (ATD) method 984(2003)81

0021-9673/02/\$ – see front matter © 2002 Elsevier Science B.V. All right reserved PII: S0021-9673(02)01988-X

Carbohydrates

Structural characterization by both positive and negative electrospray ion trap mass spectrometry of oligogalacturonates purified by high-performance anion-exchange chromatography 984(2003)185

Carbonyl compounds

Evaluation of headspace solid-phase microextraction for the analysis of volatile carbonyl compounds in spirits and alcoholic beverages 984(2003)89

Carnitine

Determination of carnitine and acylcarnitines in urine by highperformance liquid chromatography–electrospray ionization ion trap tandem mass spectrometry 984(2003)203

Catalysts

Ion trap tandem mass spectrometric identification of thiabendazole phototransformation products on titanium dioxide 984(2003)59

Ceramides

On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith 984(2003)173

Chip technology

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Chiral stationary phase, LC

Preparation and application of a new modified liquid chromatographic chiral stationary phase based on (+)-(18crown-6)-2,3,11,12-tetracarboxylic acid 984(2003)163

Cluster boranes

Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally 984(2003)121

Collocated monolithic support structures

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Compaction agents

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Contact angles

Comparison of model monomeric and polymeric alkyl stationary phases on silica using sum-frequency spectroscopy 984(2003)19

Counter-current chromatography

Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed countercurrent chromatography 984(2003)147

Critical adsorption point

Liquid chromatography of polyethylene glycol mono- and diesters: functional macromolecules or block copolymers? 984(2003)29

(+)-(18-Crown-6)-2,3,11,12-tetracarboxylic acid

Preparation and application of a new modified liquid chromatographic chiral stationary phase based on (+)-(18crown-6)-2,3,11,12-tetracarboxylic acid 984(2003)163

Cyanogen bromide

In flow activation of diol-silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9

Cyclodextrins

Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109

Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally 984(2003)121

Derivatisation, GC

Evaluation of headspace solid-phase microextraction for the analysis of volatile carbonyl compounds in spirits and alcoholic beverages 984(2003)89

Determination of 4-alkylphenols by novel derivatization and gas chromatography-mass spectrometry 984(2003)237

Detection, LC

Structural characterization by both positive and negative electrospray ion trap mass spectrometry of oligogalacturonates purified by high-performance anion-exchange chromatography 984(2003)185

Diameter-based selectivity

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Diastereomer separation

Molecularly imprinted monolithic stationary phases for liquid chromatographic separation of enantiomers and diastereomers 984(2003)273

Diol-silica stationary phases

In flow activation of diol-silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9

Dissociation constants

Determination of pKa values of 2-amino-2-oxazolines by capillary electrophoresis 984(2003)253

Diterpenes

Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed countercurrent chromatography 984(2003)147

Dithiocarbamates

Determination of dithiocarbamate pesticides in occupational hygiene sampling devices using the isooctane method and comparison with an automatic thermal desorption (ATD) method 984(2003)81

DNA

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Electrochromatography

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Enantiomer separation

Exploration of the electrophoretic behaviour of borane cluster anions and of the capability of capillary electrophoresis to separate them chirally 984(2003)121

Preparation and application of a new modified liquid chromatographic chiral stationary phase based on (+)-(18crown-6)-2,3,11,12-tetracarboxylic acid 984(2003)163

Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261

Molecularly imprinted monolithic stationary phases for liquid chromatographic separation of enantiomers and diastereomers 984(2003)273

Endocrine disrupters

Determination of estrogens and their conjugates in water using solid-phase extraction followed by liquid chromatography-tandem mass spectrometry 984(2003)195

Endosulfan

Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

Environmental analysis

Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

Essential oils

Analysis by gas chromatography-mass spectrometry of the essential oils from the aerial parts of *Rutheopsis herbanica* (Bolle) Hans. & Kunk., gathered in Fuerteventura (Canary Islands) 984(2003)159

Estrogens

Determination of estrogens and their conjugates in water using solid-phase extraction followed by liquid chromatography-tandem mass spectrometry 984(2003)195

Experimental design

Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists 984(2003)135

Extraction methods

Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

Field-flow fractionation

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Flavonoids

Liquid chromatography with atmospheric pressure chemical ionization and electrospray ionization mass spectrometry of flavonoids with triple-quadrupole and ion-trap instruments 984(2003)45

Food analysis

Evaluation of headspace solid-phase microextraction for the analysis of volatile carbonyl compounds in spirits and alcoholic beverages 984(2003)89

Forensic analysis

Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109

Functional oligomers

Liquid chromatography of polyethylene glycol mono- and diesters: functional macromolecules or block copolymers? 984(2003)29

Glycosides

Liquid chromatography with atmospheric pressure chemical ionization and electrospray ionization mass spectrometry of flavonoids with triple-quadrupole and ion-trap instruments 984(2003)45

Hexamine cobalt

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Immobilized metal affinity chromatography

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Injection methods

Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*-proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261

Interaction parameter

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Ionic strength

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Ionization methods

Comparison of separation conditions and ionization methods for the liquid chromatography-mass spectrometric determination of sulfonamides 984(2003)153

LSD

Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109

Lysergic acid diethylamide

Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109

Mass spectrometry

Liquid chromatography with atmospheric pressure chemical ionization and electrospray ionization mass spectrometry of flavonoids with triple-quadrupole and ion-trap instruments 984(2003)45

Structural characterization by both positive and negative electrospray ion trap mass spectrometry of oligogalacturonates purified by high-performance anion-exchange chromatography 984(2003)185

Mobile phase composition

Comparison of separation conditions and ionization methods for the liquid chromatography-mass spectrometric determination of sulfonamides 984(2003)153

Micellar liquid chromatography determination of B vitamins with direct injection and ultraviolet absorbance detection 984(2003)223

Molecularly imprinted polymers

On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith 984(2003)173

Molecular imprinting

Molecularly imprinted monolithic stationary phases for liquid chromatographic separation of enantiomers and diastereomers 984(2003)273

Monolithic columns

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith 984(2003)173

Neoandrographolide

Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed countercurrent chromatography 984(2003)147

Non-aqueous capillary electrophoresis

Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261

Nonsteroidal anti-inflammatory drugs

Separation of negatively charged nonsteroidal anti-inflammatory drugs by reversed-phase capillary electrochromatography 984(2003)283

Oligogalacturonates

Structural characterization by both positive and negative electrospray ion trap mass spectrometry of oligogalacturonates purified by high-performance anion-exchange chromatography 984(2003)185

Optimization

Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists 984(2003)135

Organosulfur compounds

Ion trap tandem mass spectrometric identification of thiabendazole phototransformation products on titanium dioxide 984(2003)59

Papaver somniferum

Use of dynamically coated capillaries with added cyclodextrins for the analysis of opium using capillary electrophoresis 984(2003)109

Paraffins

Solid-phase microextraction for the analysis of short-chain chlorinated paraffins in water samples 984(2003)1

Particle retention

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Pentafluoropyridine

Determination of 4-alkylphenols by novel derivatization and gas chromatography-mass spectrometry 984(2003)237

Pentanol

Micellar liquid chromatography determination of B vitamins with direct injection and ultraviolet absorbance detection 984(2003)223

Peptides

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Pesticides

Determination of dithiocarbamate pesticides in occupational hygiene sampling devices using the isooctane method and comparison with an automatic thermal desorption (ATD) method 984(2003)81

Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

Pharmaceutical analysis

Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists 984(2003)135

Photocatalysis

Ion trap tandem mass spectrometric identification of thiabendazole phototransformation products on titanium dioxide 984(2003)59

Pinenes

Analysis by gas chromatography-mass spectrometry of the essential oils from the aerial parts of *Rutheopsis herbanica* (Bolle) Hans. & Kunk., gathered in Fuerteventura (Canary Islands) 984(2003)159

Plant material

Separation of andrographolide and neoandrographolide from the leaves of *Andrographis paniculata* using high-speed counter-current chromatography 984(2003)147

Polyethylene glycol esters

Liquid chromatography of polyethylene glycol mono- and diesters: functional macromolecules or block copolymers? 984(2003)29

Polysorbate 80

High-performance liquid chromatographic determination of polysorbate 80 in pharmaceutical suspensions 984(2003)233

Preparative chromatography

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Proteins

In flow activation of diol-silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Proteomics

Protein proteolysis and the multi-dimensional electrochromatographic separation of histidine-containing peptide fragments on a chip 984(2003)97

Rutheopsis herbanica

Analysis by gas chromatography–mass spectrometry of the essential oils from the aerial parts of *Rutheopsis herbanica* (Bolle) Hans. & Kunk., gathered in Fuerteventura (Canary Islands) 984(2003)159

Selenium anions

Capillary electrophoretic determination of inorganic selenium species 984(2003)291

Short-chain chlorinated paraffins

Solid-phase microextraction for the analysis of short-chain chlorinated paraffins in water samples 984(2003)1

Short-end injection

Chiral separation of amines with *N*-benzoxycarbonylglycyl-*L*proline as selector in non-aqueous capillary electrophoresis using methanol and 1,2-dichloroethane in the background electrolyte 984(2003)261

Single-drop microextraction

Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

Sodium dodecyl sulfate

Micellar liquid chromatography determination of B vitamins with direct injection and ultraviolet absorbance detection 984(2003)223

Solid-phase extraction

On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith 984(2003)173

Solid-phase microextraction

Solid-phase microextraction for the analysis of short-chain chlorinated paraffins in water samples 984(2003)1

Spermidine

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Spermine

Enhancement of anion-exchange chromatography of DNA using compaction agents 984(2003)215

Stationary phases, LC

In flow activation of diol-silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9

Comparison of model monomeric and polymeric alkyl stationary phases on silica using sum-frequency spectroscopy 984(2003)19

On-line solid-phase extraction of ceramides from yeast with ceramide III imprinted monolith 984(2003)173

Stationary phases, monolithic, LC

Molecularly imprinted monolithic stationary phases for liquid chromatographic separation of enantiomers and diastereomers 984(2003)273

Steric inversion diameter

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Steroids

Determination of estrogens and their conjugates in water using solid-phase extraction followed by liquid chromatography-tandem mass spectrometry 984(2003)195

Sulfonamides

Comparison of separation conditions and ionization methods for the liquid chromatography-mass spectrometric determination of sulfonamides 984(2003)153

Sum-frequency spectroscopy

Comparison of model monomeric and polymeric alkyl stationary phases on silica using sum-frequency spectroscopy 984(2003)19

Surfactants

Liquid chromatography of polyethylene glycol mono- and diesters: functional macromolecules or block copolymers? 984(2003)29

Terpenes

Analysis by gas chromatography-mass spectrometry of the essential oils from the aerial parts of *Rutheopsis herbanica* (Bolle) Hans. & Kunk., gathered in Fuerteventura (Canary Islands) 984(2003)159

Thermal desorption

Determination of dithiocarbamate pesticides in occupational hygiene sampling devices using the isooctane method and comparison with an automatic thermal desorption (ATD) method 984(2003)81

Thermal field-flow fractionation

Practical implications of ionic strength effects on particle retention in thermal field-flow fractionation 984(2003)67

Thiabendazole

Ion trap tandem mass spectrometric identification of thiabendazole phototransformation products on titanium dioxide 984(2003)59

Titanium dioxide

Ion trap tandem mass spectrometric identification of thiabendazole phototransformation products on titanium dioxide 984(2003)59

Triethylamine

In flow activation of diol-silica with cyanogen bromide and triethylamine for preparing high-performance affinity chromatographic columns 984(2003)9

Validation

Optimization and validation of a micellar electrokinetic chromatographic method for the analysis of several angiotensin-II-receptor antagonists 984(2003)135

Determination of carnitine and acylcarnitines in urine by highperformance liquid chromatography–electrospray ionization ion trap tandem mass spectrometry 984(2003)203

Vitamins

Micellar liquid chromatography determination of B vitamins with direct injection and ultraviolet absorbance detection 984(2003)223

Volatile organic compounds

Analysis by gas chromatography-mass spectrometry of the essential oils from the aerial parts of *Rutheopsis herbanica* (Bolle) Hans. & Kunk., gathered in Fuerteventura (Canary Islands) 984(2003)159

Water analysis

Solid-phase microextraction for the analysis of short-chain chlorinated paraffins in water samples 984(2003)1

Determination of estrogens and their conjugates in water using solid-phase extraction followed by liquid chromatography-tandem mass spectrometry 984(2003)195

Determination of 4-alkylphenols by novel derivatization and gas chromatography-mass spectrometry 984(2003)237

Application of single-drop microextraction and comparison with solid-phase microextraction and solid-phase extraction for the determination of α - and β -endosulfan in water samples by gas chromatography–electron-capture detection 984(2003)245

Capillary electrophoretic determination of inorganic selenium species 984(2003)291

306