



## Author Index Vol. 987

- A. Kapor, M., see Pozzebon, J.M. 987(2003)381
- Abian, J., see Descroix, S. 987(2003)467
- Airoldi, C., see Silva, C.R. 987(2003)127
- Airoldi, C., see Silva, C.R. 987(2003)139
- Anastasi, G., see Cinquina, A.L. 987(2003)227
- Andrisano, V., see Bartolini, M. 987(2003)331
- Bączek, T. and Kaliszan, R.  
Predictive approaches to gradient retention based on analyte structural descriptors from calculation chemistry 987(2003)29
- Baron, G.V., see Vervoort, N. 987(2003)39
- Bartolini, M., Andrisano, V. and Wainer, I.W.  
Development and characterization of an immobilized enzyme reactor based on glyceraldehyde-3-phosphate dehydrogenase for on-line enzymatic studies 987(2003)331
- Batigalhia, F., see Cass, Q.B. 987(2003)445
- Bottoli, C.B.G., Collins, K.E. and Collins, C.H.  
Chromatographic evaluation of self-immobilized stationary phases for reversed-phase liquid chromatography 987(2003)87
- Braun, G., see Plum, A. 987(2003)395
- Brizioli, N.R., see Cinquina, A.L. 987(2003)221
- Burri, B.J., Doppler-Nelson, M. and Neidlinger, T.R.  
Measurements of the major isoforms of vitamins A and E and carotenoids in the blood of people with spinal-cord injuries 987(2003)359
- Calafatti, S.A., see Cass, Q.B. 987(2003)235
- Carrascal, M., see Descroix, S. 987(2003)467
- Cass, Q.B. and Batigalhia, F.  
Enantiomeric resolution of a series of chiral sulfoxides by high-performance liquid chromatography on polysaccharide-based columns with multimodal elution 987(2003)445
- Cass, Q.B., Gomes, R.F., Calafatti, S.A. and Pedrazzoli Jr., J.  
Determination of amoxycillin in human plasma by direct injection and coupled-column high-performance liquid chromatography 987(2003)235
- Cenacchi, V., see Frigerio, E. 987(2003)249
- Chen, Y.-F., see Tsai, T.-H. 987(2003)277
- Choi, S.-H., Hwang, Y.-M. and Lee, K.-P.  
Separation of proteins on polymeric stationary phases grafted with various amine groups 987(2003)323
- Choi, S.-H., see Lee, K.-P. 987(2003)111
- Choi, S.-H., see Ryoo, J.J. 987(2003)429
- Cinquina, A.L., Longo, F., Anastasi, G., Giannetti, L. and Cozzani, R.  
Validation of a high-performance liquid chromatography method for the determination of oxytetracycline, tetracycline, chlortetracycline and doxycycline in bovine milk and muscle 987(2003)227
- Cinquina, A.L., Roberti, P., Giannetti, L., Longo, F., Draisici, R., Fagiolo, A. and Brizioli, N.R.  
Determination of enrofloxacin and its metabolite ciprofloxacin in goat milk by high-performance liquid chromatography with diode-array detection. Optimization and validation 987(2003)221
- Clicq, D., see Vervoort, N. 987(2003)39
- Collins, C.H., see Bottoli, C.B.G. 987(2003)87
- Collins, C.H., see Tonhi, E. 987(2003)93
- Collins, K.E., see Bottoli, C.B.G. 987(2003)87
- Collins, K.E., see Lopes, N.P. 987(2003)77
- Collins, K.E., see Tonhi, E. 987(2003)93
- Cozzani, R., see Cinquina, A.L. 987(2003)227
- Crommen, J., see Piette, V. 987(2003)421
- Cserháti, T., Forgács, E., Deyl, Z., Mikšík, I. and Eckhardt, A.  
Binding of environmental pollutants to the corn protein zein studied by high-performance liquid chromatography 987(2003)403
- Daniel, R., see Descroix, S. 987(2003)467
- Davankov, V.A., Sychov, C.S., Ilyin, M.M. and Sochilina, K.O.  
Hypercrosslinked polystyrene as a novel type of high-performance liquid chromatography column packing material. Mechanisms of retention 987(2003)67
- Descroix, S., Varenne, A., Goasdoué, N., Abian, J., Carrascal, M., Daniel, R. and Gareil, P.  
Non-aqueous capillary electrophoresis of the positional isomers of a sulfated monosaccharide 987(2003)467
- Desmet, G., see Vervoort, N. 987(2003)39
- Deyashiki, Y., see Inagaki, S. 987(2003)341
- Deyl, Z., see Cserháti, T. 987(2003)403
- Dong, M.W., Miller, G.D. and Paul, R.K.  
Mass spectrometry-compatible ICH (International Conference on Harmonization) impurity analysis with a high-pH mobile phase. Advantages and pitfalls 987(2003)283
- Doppler-Nelson, M., see Burri, B.J. 987(2003)359
- Draisici, R., see Cinquina, A.L. 987(2003)221

- Duh, T.-H., Wu, H.-L., Kou, H.-S. and Lu, C.-Y.  
 (2-Naphthoxy)acetyl chloride, a simple fluorescent reagent  
 987(2003)205
- Eckhardt, A., see Cserháti, T. 987(2003)403
- Ellison, D.K., see Zhou, L. 987(2003)409
- Esaka, Y., see Inagaki, S. 987(2003)341
- Espada, A. and Rivera-Sagredo, A.  
 Ammonium hydrogencarbonate, an excellent buffer for the analysis of basic drugs by liquid chromatography–mass spectrometry at high pH 987(2003)211
- Fagiolo, A., see Cinquina, A.L. 987(2003)221
- Feng, H., see Wang, T. 987(2003)485
- Forgács, E., see Cserháti, T. 987(2003)403
- Frigerio, E., Cenacchi, V. and James, C.A.  
 Determination of PNU-248686A, a novel matrix metalloproteinase inhibitor, in human plasma by liquid chromatography–tandem mass spectrometry, following protein precipitation in the 96-well plate format 987(2003)249
- Fujimoto, C., see Lee, K.-P. 987(2003)111
- Gao, R., see Kong, Yu. 987(2003)477
- Gao, R., see Zhang, K. 987(2003)453
- Gareil, P., see Descroix, S. 987(2003)467
- Giannetti, L., see Cinquina, A.L. 987(2003)221
- Giannetti, L., see Cinquina, A.L. 987(2003)227
- Goasdoué, N., see Descroix, S. 987(2003)467
- Gomes, R.F., see Cass, Q.B. 987(2003)235
- Goto, M., see Inagaki, S. 987(2003)341
- Hibara, A., see Tamaki, E. 987(2003)197
- Hilbert, M.J., see Kim, H. 987(2003)243
- Hosoya, K., see Kubo, T. 987(2003)389
- Huang, A., see Shaw, C.J. 987(2003)439
- Hwang, Y.-M., see Choi, S.-H. 987(2003)323
- Ihara, A., see Wada, M. 987(2003)189
- Ikegami, T., see Kubo, T. 987(2003)389
- Ilyin, M.M., see Davankov, V.A. 987(2003)67
- Im, S.H., see Ryoo, J.J. 987(2003)429
- Inagaki, S., Esaka, Y., Deyashiki, Y., Sako, M. and Goto, M.  
 Analysis of DNA adducts of acetaldehyde by liquid chromatography–mass spectrometry 987(2003)341
- Indelicato, S.R., see Kim, H. 987(2003)243
- Inoue, K., see Wada, M. 987(2003)189
- Inoue, M., see Okada, T.K. 987(2003)49
- Ioffe, V., Kalendarev, T., Rubinstein, I., Mizerikhin, E. and Tsibulsky, E.  
 Reversed-phase liquid chromatography of biologically active lipophilic chelators. II. Improvement of chromatographic performance and selected applications in biochemical analysis 987(2003)169
- James, C.A., see Frigerio, E. 987(2003)249
- Jardim, I.C.S.F., see Lopes, N.P. 987(2003)77
- Jardim, I.C.S.F., see Pozzebon, J.M. 987(2003)375
- Jardim, I.C.S.F., see Pozzebon, J.M. 987(2003)381
- Jardim, I.C.S.F., see Silva, C.R. 987(2003)127
- Jardim, I.C.S.F., see Silva, C.R. 987(2003)139
- Jeong, Y.H., see Ryoo, J.J. 987(2003)429
- Jiang, Z., see Zhang, K. 987(2003)453
- Jin, J.-Y., see Lee, K.-P. 987(2003)111
- Kalendarev, T., see Ioffe, V. 987(2003)169
- Kaliszan, R., see Bączek, T. 987(2003)29
- Kantifés, A., see Theodoridis, G. 987(2003)103
- Kaya, K., see Kubo, T. 987(2003)389
- Kim, H., Kumari, P., Laughlin, M., Hilbert, M.J., Indelicato, S.R., Lim, J., Lin, C.-C. and Nomeir, A.A.  
 Use of high-performance liquid chromatographic and microbiological analyses for evaluating the presence or absence of active metabolites of the antifungal posaconazole in human plasma 987(2003)243
- Kim, S.-Y., see Lee, K.-P. 987(2003)111
- Kim, T.-H., see Lee, K.-P. 987(2003)111
- Kim, T.H., see Ryoo, J.J. 987(2003)429
- Kishikawa, N., see Wada, M. 987(2003)189
- Kitamori, T., see Tamaki, E. 987(2003)197
- Koh, Y.M., Saleh, M.I. and Tan, S.C.  
 Selective extraction of salbutamol from human plasma with the use of phenylboronic acid 987(2003)257
- Koloini, T., see Mihelić, I. 987(2003)159
- Kong, Y., Zheng, N., Zhang, Z. and Gao, R.  
 High-performance capillary zone electrophoretic assay for markers of diabetic nephropathy in plasma and urine 987(2003)477
- Kou, H.-S., see Duh, T.-H. 987(2003)205
- Kubo, T., Hosoya, K., Watabe, Y., Ikegami, T., Tanaka, N., Sano, T. and Kaya, K.  
 On-column concentration of bisphenol A with one-step removal of humic acids in water 987(2003)389
- Kumarathasan, P. and Vincent, R.  
 New approach to the simultaneous analysis of catecholamines and tyrosines in biological fluids 987(2003)349
- Kumari, P., see Kim, H. 987(2003)243
- Kuroda, N., see Wada, M. 987(2003)189
- Kutlán, D. and Molnár-Perl, I.  
 New aspects of the simultaneous analysis of amino acids and amines as their *o*-phthalidialdehyde derivatives by high-performance liquid chromatography. Analysis of wine, beer and vinegar 987(2003)311
- Lai, L., Lin, L.-C., Lin, J.-H. and Tsai, T.-H.  
 Pharmacokinetic study of free mangiferin in rats by microdialysis coupled with microbore high-performance liquid chromatography and tandem mass spectrometry 987(2003)367
- Lämmerhofer, M., see Piette, V. 987(2003)421
- Laughlin, M., see Kim, H. 987(2003)243
- Lee, C., see McGuffin, V.L. 987(2003)3
- Lee, K.-P., see Choi, S.-H. 987(2003)323
- Lee, K.-P., Choi, S.-H., Kim, S.-Y., Kim, T.-H., Ryoo, J.J., Ohta, K., Jin, J.-Y., Takeuchi, T. and Fujimoto, C.  
 Comparison of monomeric and polymeric chiral stationary phases 987(2003)111
- Lee, K.-P., see Ryoo, J.J. 987(2003)429
- Lee, W.-T., see Wang, S.-P. 987(2003)269
- Li, S.F.Y., see Wang, T. 987(2003)485
- Lim, J., see Kim, H. 987(2003)243
- Lin, C.-C., see Kim, H. 987(2003)243
- Lin, J.-H., see Lai, L. 987(2003)367
- Lin, L.-C., see Lai, L. 987(2003)367
- Lindner, W., see Piette, V. 987(2003)421
- Longo, F., see Cinquina, A.L. 987(2003)221
- Longo, F., see Cinquina, A.L. 987(2003)227

- Lopes, N.P., Collins, K.E. and Jardim, I.C.S.F.  
Preparation of a polybutadiene stationary phase immobilized by  $\gamma$  radiation for reversed-phase high-performance liquid chromatography 987(2003)77
- Lu, C.-Y., see Duh, T.-H. 987(2003)205
- Manesiotis, P., see Theodoridis, G. 987(2003)103
- Masayoshi, O., see Tanaka, H. 987(2003)119
- McCalley, D.V.  
Comparison of peak shapes obtained with volatile (mass spectrometry-compatible) buffers and conventional buffers in reversed-phase high-performance liquid chromatography of bases on particulate and monolithic columns 987(2003)17
- McGuffin, V.L. and Lee, C.  
Thermodynamics and kinetics of solute transfer in reversed-phase liquid chromatography 987(2003)3
- Melo, L.F.C., see Pozzebon, J.M. 987(2003)381
- Mihelič, I., Podgornik, A. and Koloini, T.  
Temperature influence on the dynamic binding capacity of a monolithic ion-exchange column 987(2003)159
- Miksik, I., see Cserháti, T. 987(2003)403
- Miller, C., see Zhou, L. 987(2003)409
- Miller, G.D., see Dong, M.W. 987(2003)283
- Miyakoshi, M., see Okada, T.K. 987(2003)49
- Mizerikhin, E., see Ioffe, V. 987(2003)169
- Molnár-Perl, I.  
Quantitation of amino acids and amines in the same matrix by high-performance liquid chromatography, either simultaneously or separately (Review) 987(2003)291
- Molnár-Perl, I., see Kutlán, D. 987(2003)311
- Nakabayashi, Y., see Okada, T.K. 987(2003)49
- Nakashima, K., see Wada, M. 987(2003)189
- Neidlinger, T.R., see Burri, B.J. 987(2003)359
- Nameir, A.A., see Kim, H. 987(2003)243
- Ohta, K., see Lee, K.-P. 987(2003)111
- Okada, T.K., Nakabayashi, Y., Miyakoshi, M. and Inoue, M.  
Potassium and sodium chloride ion pairs are presumed to constitute a complex during elution from a Sephadex G-15 column with sodium phosphate buffer 987(2003)49
- Park, J.H., see Ryoo, J.J. 987(2003)429
- Park, J.Y., see Ryoo, J.J. 987(2003)429
- Pathania, D., see Siddiqi, Z.M. 987(2003)147
- Paul, R.K., see Dong, M.W. 987(2003)283
- Pedrazolli Jr., J., see Cass, Q.B. 987(2003)235
- Piette, V., Lämmerhofer, M., Lindner, W. and Crommen, J.  
Enantiomer separation of *N*-protected amino acids by non-aqueous capillary electrophoresis and high-performance liquid chromatography with *tert*-butyl carbamoylated quinine in either the background electrolyte or the stationary phase 987(2003)421
- Plum, A., Braun, G. and Rehorek, A.  
Process monitoring of anaerobic azo dye degradation by high-performance liquid chromatography-diode array detection continuously coupled to membrane filtration sampling modules 987(2003)395
- Podgornik, A., see Mihelič, I. 987(2003)159
- Pozzebon, J.M., Queiroz, S.C.N., Melo, L.F.C., Kapor, M.A. and Jardim, I.C.S.F.  
Application of new high-performance liquid chromatography and solid-phase extraction materials to the analysis of pesticides in human urine 987(2003)381
- Pozzebon, J.M., Vilegas, W. and Jardim, I.C.S.F.  
Determination of herbicides and a metabolite in human urine by liquid chromatography-electrospray ionization mass spectrometry 987(2003)375
- Queiroz, S.C.N., see Pozzebon, J.M. 987(2003)381
- Raikos, N., see Theodoridis, G. 987(2003)103
- Reamer, R.A., see Zhou, L. 987(2003)409
- Rehorek, A., see Plum, A. 987(2003)395
- Rivera-Sagredo, A., see Espada, A. 987(2003)211
- Roberti, P., see Cinquina, A.L. 987(2003)221
- Rubinstein, I., see Ioffe, V. 987(2003)169
- Ryoo, J.J., Kim, T.H., Im, S.H., Jeong, Y.H., Park, J.Y., Choi, S.-H., Lee, K.-P. and Park, J.H.  
Enantioseparation of racemic *N*-acylarylalkylamines on various amino alcohol derived  $\pi$ -acidic chiral stationary phases 987(2003)429
- Ryoo, J.J., see Lee, K.-P. 987(2003)111
- Sako, M., see Inagaki, S. 987(2003)341
- Saleh, M.I., see Koh, Y.M. 987(2003)257
- Sano, T., see Kubo, T. 987(2003)389
- Schmidt, A.H.  
Use of an on-line, precolumn photochemical reactor in high-performance liquid chromatography of naphthodianthrones in *Hypericum perforatum* preparations 987(2003)181
- Shabir, G.A.  
Validation of high-performance liquid chromatography methods for pharmaceutical analysis. Understanding the differences and similarities between validation requirements of the US Food and Drug Administration, the US Pharmacopeia and the International Conference on Harmonization 987(2003)57
- Shaw, C.J., Huang, A. and Zhang, X.  
Quantitation and test of enantiomeric purity of the L- $\alpha$ -ketohexoses by liquid chromatography with dual refractive index and laser-based chiroptical detection 987(2003)439
- Siddiqi, Z.M. and Pathania, D.  
Titanium(IV) tungstosilicate and titanium(IV) tungstophosphate: two new inorganic ion exchangers 987(2003)147
- Silva, C.R., Jardim, I.C.S.F. and Aioldi, C.  
New generation of sterically protected C<sub>18</sub> stationary phases containing embedded urea groups for use in high-performance liquid chromatography 987(2003)127
- Silva, C.R., Jardim, I.C.S.F. and Aioldi, C.  
Evaluation of the applicability and the stability of a C<sub>18</sub> stationary phase containing embedded urea groups 987(2003)139
- Sochilina, K.O., see Davankov, V.A. 987(2003)67
- Sychov, C.S., see Davankov, V.A. 987(2003)67
- Takeuchi, T., see Lee, K.-P. 987(2003)111
- Tamaki, E., Hibara, A., Tokeshi, M. and Kitamori, T.  
Microchannel-assisted thermal-lens spectrometry for microchip analysis 987(2003)197
- Tan, S.C., see Koh, Y.M. 987(2003)257

- Tanaka, H., Zhou, X. and Masayoshi, O.  
Characterization of a novel diol column for high-performance liquid chromatography 987(2003)119
- Tanaka, N., see Kubo, T. 987(2003)389
- Theodoridis, G., Kantifas, A., Manesiotis, P., Raikos, N. and Tsoukali-Papadopoulou, H.  
Preparation of a molecularly imprinted polymer for the solid-phase extraction of scopolamine with hyoscyamine as a dummy template molecule 987(2003)103
- Thompson, R., see Zhou, L. 987(2003)409
- Tokeshi, M., see Tamaki, E. 987(2003)197
- Tonhi, E., Collins, K.E. and Collins, C.H.  
High-performance liquid chromatographic stationary phases based on poly(methyloctylsiloxane) immobilized on silica. III. Stability evaluations 987(2003)93
- Tsai, T.-H. and Chen, Y.-F.  
Pharmacokinetics of metronidazole in rat blood, brain and bile studied by microdialysis coupled to microbore liquid chromatography 987(2003)277
- Tsai, T.-H., see Lai, L. 987(2003)367
- Tsibulsky, E., see Ioffe, V. 987(2003)169
- Tsoukali-Papadopoulou, H., see Theodoridis, G. 987(2003)103
- Varenne, A., see Descroix, S. 987(2003)467
- Vervoort, N., Clicq, D., Baron, G.V. and Desmet, G.  
Experimental Van Deemter plots of shear-driven liquid chromatographic separations in disposable microchannels 987(2003)39
- Vigh, G., see Zhu, W. 987(2003)459
- Vilegas, W., see Pozzebon, J.M. 987(2003)375
- Vincent, R., see Kumarathasan, P. 987(2003)349
- Wada, M., Inoue, K., Ihara, A., Kishikawa, N., Nakashima, K. and Kuroda, N.  
Determination of organic peroxides by liquid chromatography with on-line post-column ultraviolet irradiation and peroxyoxalate chemiluminescence detection 987(2003)189
- Wainer, I.W.  
Foreword 987(2003)1
- Wainer, I.W., see Bartolini, M. 987(2003)331
- Wang, Q., see Zhang, K. 987(2003)453
- Wang, S.-P. and Lee, W.-T.  
Determination of benzophenones in a cosmetic matrix by supercritical fluid extraction and capillary electrophoresis 987(2003)269
- Wang, T., Feng, H. and Li, S.F.Y.  
Indirect capillary electrophoresis with 8-anilino-1-naphthalenesulfonic acid as a fluorescence probe for determining the apparent stability constant of an inclusion complex formed between a cyclodextrin and a solute 987(2003)485
- Watabe, Y., see Kubo, T. 987(2003)389
- Welch, C., see Zhou, L. 987(2003)409
- Wu, H.-L., see Duh, T.-H. 987(2003)205
- Wyvratt, J.M., see Zhou, L. 987(2003)409
- Yan, C., see Zhang, K. 987(2003)453
- Yao, C., see Zhang, K. 987(2003)453
- Zhang, K., Jiang, Z., Yao, C., Zhang, Z., Wang, Q., Gao, R. and Yan, C.  
Separation of peptides by pressurized capillary electrochromatography 987(2003)453
- Zhang, X., see Shaw, C.J. 987(2003)439
- Zhang, Z., see Kong, Yu. 987(2003)477
- Zhang, Z., see Zhang, K. 987(2003)453
- Zheng, N., see Kong, Yu. 987(2003)477
- Zhou, L., Thompson, R., Reamer, R.A., Miller, C., Welch, C., Ellison, D.K. and Wyvratt, J.M.  
Mechanistic study of enantiomeric recognition with native  $\gamma$ -cyclodextrin by capillary electrophoresis, reversed-phase liquid chromatography, nuclear magnetic resonance spectroscopy, electrospray mass spectrometry and circular dichroism techniques 987(2003)409
- Zhou, X., see Tanaka, H. 987(2003)119
- Zhu, W. and Vigh, G.  
Capillary electrophoretic separation of enantiomers in a high-pH background electrolyte by means of the single-isomer chiral resolving agent octa(6-O-sulfo)- $\gamma$ -cyclodextrin 987(2003)459